




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 3.FEB.2012 18:21:48

Ctrl No.:



Report No.: HK12030610-1
Model: IP120
Mode: Standby
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP
Trace2: CF15MAV
Trace3: ---

	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	199.5 kHz	45.00	L1 gnd	-18.62
1	Quasi Peak	276 kHz	46.91	L1 gnd	-14.02
2	CISPR Average	276 kHz	32.39	L1 gnd	-18.54
1	Quasi Peak	357 kHz	48.58	N gnd	-10.21
2	CISPR Average	357 kHz	37.72	L1 gnd	-11.07
1	Quasi Peak	474 kHz	52.92	L1 gnd	-3.52
2	CISPR Average	474 kHz	35.82	L1 gnd	-10.62
1	Quasi Peak	712.5 kHz	48.44	L1 gnd	-7.55
2	CISPR Average	753 kHz	32.08	L1 gnd	-13.91
2	CISPR Average	829.5 kHz	35.35	L1 gnd	-10.64
1	Quasi Peak	870 kHz	50.79	N gnd	-5.20
1	Quasi Peak	1.2255 MHz	46.15	N gnd	-9.84
2	CISPR Average	1.2255 MHz	31.24	L1 gnd	-14.75
1	Quasi Peak	1.6575 MHz	44.19	N gnd	-11.80
2	CISPR Average	1.7025 MHz	28.92	L1 gnd	-17.07
2	CISPR Average	2.5305 MHz	27.13	L1 gnd	-18.86
1	Quasi Peak	2.7645 MHz	36.78	N gnd	-19.21
2	CISPR Average	2.967 MHz	25.12	L1 gnd	-20.87
1	Quasi Peak	3.2775 MHz	33.58	N gnd	-22.42
1	Quasi Peak	4.731 MHz	29.81	N gnd	-26.18


Date: 3.FEB.2012 18:21:27

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 3.FEB.2012 18:15:50

Ctrl No.:



Report No.: HK12030610-1
Model: IP120
Mode: Ringing + PC Data
Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	199.5 kHz	44.20	L1 gnd	-19.42
1	Quasi Peak	276 kHz	46.20	L1 gnd	-14.73
2	CISPR Average	276 kHz	30.91	L1 gnd	-20.01
1	Quasi Peak	352.5 kHz	49.21	N gnd	-9.68
2	CISPR Average	352.5 kHz	38.31	L1 gnd	-10.58
1	Quasi Peak	478.5 kHz	50.97	L1 gnd	-5.39
2	CISPR Average	478.5 kHz	33.59	L1 gnd	-12.77
2	CISPR Average	708 kHz	31.75	L1 gnd	-14.24
1	Quasi Peak	748.5 kHz	49.14	L1 gnd	-6.85
1	Quasi Peak	834 kHz	49.26	N gnd	-6.73
2	CISPR Average	834 kHz	32.62	L1 gnd	-13.37
1	Quasi Peak	1.149 MHz	43.67	L1 gnd	-12.32
2	CISPR Average	1.266 MHz	30.82	L1 gnd	-15.17
1	Quasi Peak	1.6575 MHz	43.72	N gnd	-12.27
2	CISPR Average	1.6575 MHz	27.78	L1 gnd	-18.22
1	Quasi Peak	2.535 MHz	37.62	N gnd	-18.37
2	CISPR Average	2.886 MHz	25.90	L1 gnd	-20.09
1	Quasi Peak	3.138 MHz	29.26	N gnd	-26.73
1	Quasi Peak	4.695 MHz	30.51	L1 gnd	-25.48
2	CISPR Average	5.1855 MHz	19.57	L1 gnd	-30.42


Date: 3.FEB.2012 18:15:31

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 3.FEB.2012 18:03:44

Ctrl No.:



Report No.: HK12030610-1
Model: IP120
Mode: Speaker Talk (3 way
conference) + PC Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA	LIMIT dB
1 Quasi Peak	199.5 kHz	42.48	L1 gnd	-21.14	
1 Quasi Peak	262.5 kHz	43.69	L1 gnd	-17.65	
1 Quasi Peak	352.5 kHz	48.53	N gnd	-10.37	
2 CISPR Average	393 kHz	36.98	L1 gnd	-11.01	
1 Quasi Peak	474 kHz	50.27	L1 gnd	-6.16	
2 CISPR Average	474 kHz	33.00	L1 gnd	-13.44	
1 Quasi Peak	748.5 kHz	48.77	L1 gnd	-7.22	
2 CISPR Average	748.5 kHz	33.24	L1 gnd	-12.75	
1 Quasi Peak	897 kHz	48.51	N gnd	-7.48	
2 CISPR Average	897 kHz	29.53	L1 gnd	-16.47	
1 Quasi Peak	1.185 MHz	44.90	N gnd	-11.09	
2 CISPR Average	1.293 MHz	25.29	L1 gnd	-20.70	
1 Quasi Peak	1.644 MHz	42.41	N gnd	-13.58	
2 CISPR Average	1.7205 MHz	26.18	L1 gnd	-19.81	
1 Quasi Peak	2.9355 MHz	33.12	N gnd	-22.87	
1 Quasi Peak	4.0155 MHz	29.08	N gnd	-26.91	
1 Quasi Peak	4.5105 MHz	32.22	L1 gnd	-23.77	

Date: 3.FEB.2012 18:03:27

Ctrl No.: