

Mode: TX

Report No.: 9810970

Tested By: Hong, Report No.: 9810970

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF

Final Measurement: X QP


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
3	9k	30M	EI078

dBuV $\diamond$ Mkr : 460.00 kHz 12.5 dBuV



Ctrl. No.: N/A

Mode: TX

Report No.: 9810970

Tested By: Hong, Report No.: 9810970

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

Mode = Standby

Report No.: 9810970

Tested By: Keng, Report No.: 9810970

Scan Settings (1 Range)


Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: X QP

Transducer No.	Start	Stop	Name
3	9k	30M	E1078

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

dBuV $\diamond$ Mkr : 460.00 kHz 12.4 dBuV



Mode = Stand by

Report No.: 9810970

Tested By: Hong, Report No.: 9810970

Scan Settings (1 Range)

|----- Frequencies -----| |----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

Mode = charging

Report No.: 9810970

Tested By: Hong, Report No.: 9810970

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	If BW	Detector	M-Time	Atten	Preamp
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
3	9k	30M	E1078

dBuV $\diamond$ Mkr : 460.00 kHz 12.1 dBuV



Mode = Charging

Report No.: 9810970

Tested By: Hong, Report No.: 9810970

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: *N/A*