

Hong Kong Standards and Testing Centre

No.: HM156182

Applicant: Wild Planet Toys Inc.

98 Battery Street, Suite 300 San Francisco,

CA 94111, United States

Description of Samples: Model name: Treasure Hunter

Model no.: 52100

Brand name: Wildplanet

FCC ID: N3ETREASURE52100T

Date Samples Received: 2006-03-06

Date Tested: 2006-03-24

Investigation Requested: FCC Part 15 Subpart C

Conclusions: The submitted product COMPLIED with the

requirements of Federal Communications Commission [FCC] Rules and Regulations Part 15. The tests were performed in accordance with the standards described above and on Section 2.2 in

this Test Report.

Remarks: ----

LEE Kam Chuen, EMD
For and on behalf of

The Hong Kong Standards and Testing Centre Ltd.

This report shall not be reproduced unless with prior written approval from the Hong Kong Standards and Testing Centre Ltd.



Hong Kong Standards and Testing Centre

Date : 2006-03-28 **TEST REPORT** Page 2 of 14

No.: HM156182

CONTENT:

	Cover Content	Page 1 of 14 Page 2-3 of 14
<u>1.0</u>	General Details	
1.1	Test Laboratory	Page 4 of 14
1.2	Applicant Details Applicant HKSTC Code Number for Applicant Manufacturer	Page 4 of 14
1.3	Equipment Under Test [EUT] Description of EUT operation	Page 5 of 14
1.4	Date of Order	Page 5 of 14
1.5	Submitted Samples	Page 5 of 14
1.6	Test Duration	Page 5 of 14
1.7	Country of Origin	Page 5 of 14
2.0	<u>Technical Details</u>	
2.1	Investigations Requested	Page 6 of 14
2.2	Test Standards and Results Summary	Page 6 of 14
<u>3.0</u>	<u>Test Results</u>	
3.1	Emission	Page 7-9 of 14
3.2	Bandwidth Measurement	Page 10-11 of 14



Hong Kong Standards and Testing Centre

Date : 2006-03-28 **TEST REPORT** Page 3 of 14

No.: HM156182

Appendix A

List of Measurement Equipment Page 12 of 14

Appendix B

Photographs Page 13-14 of 14

香港新界大埔工業村大宏街 10 號



Hong Kong Standards and Testing Centre

No.: HM156182

1.0 General Details

1.1 Test Laboratory

The Hong Kong Standards and Testing Centre Ltd. EMC Laboratory 10 Dai Wang Street, Taipo Industrial Estate New Territories, Hong Kong

1.2 Applicant Details Applicant

Wild Planet Toys Inc. 98 Battery Street, Suite 300 San Francisco, CA 94111, United States

Manufacturer

Acctron Company Limited. Blk. 3, Tai Shi Industrial Park, Yu Wo Tou, Pan Yu Guangzhou Guang Dong, China



Hong Kong Standards and Testing Centre

No.: HM156182

1.3 Equipment Under Test [EUT] Description of Sample

Model Name: Treasure Hunter

Manufacturer: Acctron Company Limited.

Brand Name: Wildplanet Model Number: 52100

Input Voltage: 4.5Vd.c ("AA" size battery x 3)

1.3.1 Description of EUT Operation

The Equipment Under Test (EUT) is a Wild Planet Toys Inc., Treasure Hunter. The transmitter is a 1 Button transmitter. The EUT continues to transmit while button is being pressed. It is pulses transmitter, Modulation by IC, and type is pulse modulation.

1.4 Date of Order

2006-03-06

1.5 Submitted Sample(s):

1 Sample per model

1.6 Test Duration

2006-03-24

1.7 Country of Origin

N/A



香港標準及檢定中心 Hong Kong Standards and Testing Centre

No.: HM156182

2.0 Technical Details

2.1 Investigations Requested

Perform ElectroMagnetic Interference measurement in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15: 2006 and ANSI C63.4:2003 for FCC Certification.

2.2 Test Standards and Results Summary Tables

EMISSION Results Summary							
Test Condition	Test Requirement	Test Method	Class /	T	est Resul	t	
			Severity	Pass	Failed	N/A	
Radiated Emissions, 9kHz to 1GHz	FCC 47CFR 15.209	ANSI C63.4:2003	N/A	\boxtimes			
Conducted Emissions on AC, 0.15MHz to 30MHz	FCC 47CFR 15.207	ANSI C63.4:2003	N/A				

Note: N/A - Not Applicable



Hong Kong Standards and Testing Centre

Date : 2006-03-28 **TEST REPORT** Page 7 of 14

No.: HM156182

3.0 Test Results

3.1 Emission

3.1.1 Radiated Emissions (9kHz – 1000MHz)


Test Requirement: FCC 47CFR 15.209
Test Method: ANSI C63.4:2003
Test Date: 2006-03-24
Mode of Operation: Tx mode

Test Method:

The sample was placed 0.8m above the ground plane on a standard radiated emission test site. Measurements in both horizontal and vertical polarities were performed. During the test, each emission was maximized by: having the EUT continuously working, investigated all operating modes, rotated about all 3 axis (X, Y & Z) and considered typical configuration to obtain worst position, manipulating interconnecting cables, rotating turntable, varying antenna height from 1m to 4m in both horizontal and vertical polarizations. The emissions worst-case are shown in Test Results of the following pages.

*: On a standard radiated emission test site located at HKSTC with a metal ground plane filed with the FCC pursuant to section 2.948 of the FCC rules, with Registration Number: 607756.

Test Setup:





Hong Kong Standards and Testing Centre

No.: HM156182

Limits for Radiated Emissions [FCC 47 CFR 15.209]:

Frequency Range [MHz]	Quasi-Peak Limits [μV/m]		
0.009-0.490	2400/F(kHz)		
0.490-1.705	24000/F(kHz)		
1.705-30.000	30		
30-88	100		
88-216	150		
216-960	200		
Above960	500		

The emission limits shown in the above table are based on measurement employing a CISPR quasipeak detector and above 1000MHz are based on measurements employing an average detector.

Results:

Radiated Emissions Quasi-Peak							
Frequency	Measured	Correction	Field	Field	Limit @3m	E-Field	
	Level @3m	Factor	Strength	Strength		Polarity	
kHz	dΒμV	dB/m	dBµV/m	μV/m	μV/m		
262.50	40.2	10.7	50.9	350.8	9.143	Vertical	

Remarks:

Correction Factor includes Antenna Factor and Cable Attenuation.

Calculated measurement uncertainty : 30MHz to 1GHz ±4.1dB



Hong Kong Standards and Testing Centre

No.: HM156182

3.1.2 Conducted Emissions (0.15MHz to 30MHz)

Test Requirement: FCC 47CFR 15.207
Test Method: ANSI C63.4:2003

Test Date: N/A
Mode of Operation: N/A

Results: N/A

The EUT is operated by a single source of internal battery power [located in the battery compartment], therefore power line conducted emission was deemed unnecessary.

香港新界大埔工業村大宏街 10 號



Hong Kong Standards and Testing Centre

Date : 2006-03-28 **TEST REPORT** Page 10 of 14

No.: HM156182

3.2 Bandwidth of Fundamental Emission

Test Requirement: FCC 47 CFR 15.209

Test Method: ANSI C63.4:2003 (Section 13.1.7)

Test Date: 2006-03-24 Mode of Operation: On mode

Test Method:

The bandwidth is measured at an amplitude level reduced from the reference level by a specified ratio. The reference level is the level of the highest amplitude signal observed from the transmitter at the fundamental frequency. Once the reference level is established, the equipment is conditioned with typical modulating signal to produce the worst-case (i.e. the widest) bandwidth.

Test Setup:

As Test Setup of clause 3.1.1 in this test report.




Hong Kong Standards and Testing Centre

No.: HM156182

Bandwidth of Fundamental Emission:

Frequency Range	FCC Limits		
[kHz]	[MHz]		
262.5	within 0.009-0.490		

Bandwidth of Fundamental Emission





Hong Kong Standards and Testing Centre

Date : 2006-03-28 **TEST REPORT** Page 12 of 14

No.: HM156182

Appendix A

List of Measurement Equipment

Radiated Emission

EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	LAST CAL
EM007	SPECTRUM ANALYZER	HEWLETT PACKARD	HP85660B	3144A21192	27/06/05
EM008	SPECTRUM ANALYZER DISPLAY	HEWLETT PACKARD	HP85662A	3144A20514	27/06/05
EM009	QUASI PEAK ADAPTOR	HEWLETT PACKARD	HP85650A	3303A01702	27/06/05
EM010	RF PRESELECTOR	HEWLETT PACKARD	HP85685A	3221A01410	27/06/05
EM011	ATTENUATOR/SWITCH	HEWLETT PACKARD	HP11713A	2508A10595	27/06/05
EM012	PRE-AMPLIFIER	HEWLETT PACKARD	HP8449B	3008A00262	27/06/05
EM013	CONTROLLER (COMPUTER), COLOR MONITOR, KEYBOARD , MOUSE & FLOPPY DRIVE	HEWLETT PACKARD	HP9000 HP A1097C HP9133L	6226A60314 3151J39517 2623A02468	N/A
EM020	HORN ANTENNA	ETS-Linggren	3115	4032	30/07/03
EM022	LOOP ANTENNA	ETS-Linggren	6502	1189-2424	19/09/03
EM072	SIGNAL GENERATOR	HEWLETT PACKARD	8640B	1948A11892	N/A
EM083	OPEN AREA TEST SITE	HKSTC	N/A	N/A	08/02/03
EM131	EMC ANALYZER	HEWLETT PACKARD	8595EM	3710A00155	13/01/04
EM145	EMI TEST RECEIVER	ROHDE & SCHWARZ	ESCS 30	830245/021	04/10/04
EM195	ANTENNA POSITIONING MAST	ETS-Linggren	2075	2368	N/A
EM196	MULTI-DEVICE CONTROLLER	ETS-Linggren	2090	1662	N/A
EM215	MULTIDEVICE CONTROLER	ETS-Linggren	2090	00024676	N/A
EM216	MINI MAST SYSTEM	ETS-Linggren	2075	00026842	N/A
EM217	ELECTRIC POWERED TURNTABLE	ETS-Linggren	2088	00029144	N/A
EM218	ANECHOIC CHAMBER	ETS-Linggren	FACT-3		19/03/04
EM219	BICONILOG ANTENNA	ETS-Linggren	3142C	00029071	28/10/03

Line Conducted

EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	LAST CAL
EM078	VARIAC	SHANGHAI VOLTAGE	TDGC-3/0.5	N/A	CM
EM081	SMALL SCREENED ROOM	MIKO INST HK	N/A	N/A	27/01/05
EM119	LISN	ROHDE & SCHWARZ	ESH3-Z5	0831.5518.52	14/10/04
EM127	ISOLATION TRANSFORMER 220 TO 300V	WING SUN	N/A	N/A	CM
EM142	PULSE LIMITER	ROHDE & SCHWARZ	ESH3Z2	357.8810.52	04/08/04
EM181	EMI TEST RECEIVER	ROHDE & SCHWARZ	ESIB7	100072	06/01/04
EM154	SHIELDING ROOM	SIEMENA MATSUSHITA COMPONENTS	N/A	803-740-057- 99A	27/01/05
EM197	LISN	ETS-Linggren	4825/2	1193	27/06/05
EM213	DIGITAL POWER METER	VICNOBL	VIP120	00277	14/09/04

Remarks:-

CM Corrective Maintenance N/A Not Applicable or Not Available

TBD To Be Determined




Hong Kong Standards and Testing Centre

Date : 2006-03-28 **TEST REPORT** Page 13 of 14

No. : HM156182

Appendix B

Photographs of EUT





Rear View of the product



Inner Circuit Top View



Inner Circuit Bottom View





Hong Kong Standards and Testing Centre

Date : 2006-03-28 **TEST REPORT** Page 14 of 14

No.: HM156182

Photographs of EUT

Measurement of Radiated Emission Test Set Up

***** End of Test Report *****