

## Test at TX 5825 MHz

### RESULT: Reference Power cond.


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	9.52	dBm	INFO
Ref. Frequency	---	---	5826.800	MHz	INFO

### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	21.52   17.82   20
Start [MHz]   Stop [MHz]	5800.000   5850.000
RBW [MHz]   VBW [MHz]	0.100000   0.300000
Detector   TraceMode	POS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	2   1500   1001   SWE

### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth (6dB)	0.500	---	15.15	MHz	PASS



FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT20 mode U-NII-3

General verdict

PASS

## ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	07.05.2021 13:51:17
Ambit Temp [°C]   Humidity [rel%]	25.3   23
System Version	3.0.1.0
Test Specification	ISED
Test Method	
TC Version	0.0.1
My Description	ISED Max Output Power & PSD - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	False   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
SA: Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
SwitchMatrix: CTCadvanced,SPM-4 NI DAQ,28016133,NI	

## Test at TX 5755 MHz


RESULT: Reference Power cond.

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	6.29	dBm	INFO
Ref. Frequency	---	---	5743.810	MHz	INFO

## Evaluation max. Duty Cycle

Duty Cycle evaluation

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Result Summary					
Number of detected Bursts:93					
Duty Cycle (Burst Ratio) max	---	---	0.878	---	INFO
Duty Cycle max	---	---	0.565	dB	INFO
Duty Cycle (Burst Ratio) min	---	---	0.8	---	INFO
Duty Cycle min	---	---	0.969	dB	INFO
Max TX Burst Length	---	---	0.9	ms	INFO
Min Gap Length	---	---	0.125	ms	INFO
Max Gap Length	---	---	0.225	ms	INFO




ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 5755 MHz - DutyCycle

## Evaluation Bandwidth

RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	37.243	MHz	INFO
T1 99%	---	---	5736.5385	MHz	INFO
T2 99%	---	---	5773.7812	MHz	INFO



ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 20dB


### Maximum Output Power

#### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	18.29   17.37   15
Start [MHz]   Stop [MHz]	5715.000   5795.000
RBW [MHz]   VBW [MHz]	1.000000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

#### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	11.95	dBm	INFO
Duty Cycle Correction	---	---	0.97	dB	INFO
Limit absolute					
Max Output Power DC corrected	---	30	12.92	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	26.71	12.92	dBm	not applicable



ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 Max OP and PSD


### Power Spectral Density U-NII-3

#### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	18.29   17.37   20
Start [MHz]   Stop [MHz]	5715.000   5795.000
RBW [MHz]   VBW [MHz]	0.500000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

#### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-5.33	dBm/0.5MHz	INFO
Duty Cycle Correction	---	---	0.97	dB	INFO
Power Spectral Density DC corrected	---	30	-4.36	dBm/0.5MHz	PASS



ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 PSD UNII-3

General verdict

PASS

## FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	21.07.2021 13:19:11
Ambit Temp [°C]   Humidity [rel%]	26.9   40
System Version	3.0.1.5
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
TC Version	0.0.1
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	False   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
Switch matrix,CTCadvanced,SPM-4 NI DAQ,28016133,NI	

## Test at TX 5755 MHz


RESULT: Reference Power cond.

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	6.63	dBm	INFO
Ref. Frequency	---	---	5749.210	MHz	INFO

## Evaluation max. Duty Cycle

Duty Cycle evaluation

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Result Summary					
Number of detected Bursts:94					
Duty Cycle (Burst Ratio) max	---	---	0.878	---	INFO
Duty Cycle max	---	---	0.565	dB	INFO
Duty Cycle (Burst Ratio) min	---	---	0.8	---	INFO
Duty Cycle min	---	---	0.969	dB	INFO
Max TX Burst Length	---	---	0.9	ms	INFO
Min Gap Length	---	---	0.125	ms	INFO
Max Gap Length	---	---	0.225	ms	INFO




FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 5755 MHz - DutyCycle

## Evaluation Bandwidth

RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	48.48	MHz	INFO
T1 26dB	---	---	5730.4400	MHz	INFO
T2 26dB	---	---	5778.9200	MHz	INFO



FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3\_BW


### Maximum Output Power

#### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	18.63   17.37   20
Start [MHz]   Stop [MHz]	5715.000   5795.000
RBW [MHz]   VBW [MHz]	1.000000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

#### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	12.67	dBm	INFO
Duty Cycle Correction	---	---	0.97	dB	INFO
Limit absolute					
Max Output Power DC corrected	---	30	13.64	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	27.86	13.64	dBm	not applicable



FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 Max OP and PSD




Power Spectral Density U-NII-3

READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	18.63   17.37   20
Start [MHz]   Stop [MHz]	5715.000   5795.000
RBW [MHz]   VBW [MHz]	0.500000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-4.55	dBm/0.5MHz	INFO
Duty Cycle Correction	---	---	0.97	dB	INFO
Power Spectral Density DC corrected	---	30	-3.58	dBm/0.5MHz	PASS



FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 PSD UNII-3

General verdict

PASS

## FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	07.05.2021 13:54:03
Ambit Temp [°C]   Humidity [rel%]	25.3   23
System Version	3.0.1.0
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
TC Version	0.0.1
My Description	FCC 15.407 Bandwidths - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	False   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
SA: Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
SwitchMatrix: CTCadvanced,SPM-4 NI DAQ,28016133,NI	

## Test at TX 5755 MHz

### RESULT: Reference Power cond.

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	6.27	dBm	INFO
Ref. Frequency	---	---	5759.400	MHz	INFO


### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	14.27   17.37   15
Start [MHz]   Stop [MHz]	5705.000   5805.000
RBW [MHz]   VBW [MHz]	0.500000   3.000000
Detector   TraceMode	POS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	1   2500   1001   SWE

### RESULT


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	37.562	MHz	INFO
T1 99%	5725.000000	---	5736.4186	MHz	PASS
T2 99%	---	5850.000000	5773.9810	MHz	PASS

### Plot: Bandwidth only



FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3 99PCT


### Plot: Bandwidth within Band



FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3


RESULT					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 20dB	---	---	73.8	MHz	INFO
T1 26dB	5725.000000	---	5718.9000	MHz	DFS required
T2 26dB	---	5850.000000	5792.7000	MHz	PASS

Plot: Bandwidth only



FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3 26dB

Plot: Bandwidth within Band



FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3

General verdict

PASS

## FCC Part 15.407 & ISED Minimum Emission BW ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	07.05.2021 13:54:55
Ambit Temp [°C]   Humidity [rel%]	25.3   23
System Version	3.0.1.0
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, C.2.
TC Version	0.0.1
My Description	FCC 15.407 Min Emission Bandwidth - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	False   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
SA: Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
SwitchMatrix: CTCadvanced,SPM-4 NI DAQ,28016133,NI	

## Test at TX 5755 MHz

### RESULT: Reference Power cond.


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	6.47	dBm	INFO
Ref. Frequency	---	---	5753.200	MHz	INFO

### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	18.47   17.37   20
Start [MHz]   Stop [MHz]	5705.000   5805.000
RBW [MHz]   VBW [MHz]	0.100000   0.300000
Detector   TraceMode	POS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	2   1500   1001   SWE

### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth (6dB)	0.500	---	35.1	MHz	PASS



FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT40 mode U-NII-3

General verdict

PASS

## FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	07.05.2021 13:57:12
Ambit Temp [°C]   Humidity [rel%]	25.3   23
System Version	3.0.1.0
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, F., E.2.e.
TC Version	0.0.1
My Description	FCC 15.407 Max Output Power & PSD - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	False   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	True   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
SA: Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
SwitchMatrix: CTCadvanced,SPM-4 NI DAQ,28016133,NI	



## Test at TX 5795 MHz


### RESULT: Reference Power cond.

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	6.65	dBm	INFO
Ref. Frequency	---	---	5807.590	MHz	INFO

## Evaluation max. Duty Cycle

### Duty Cycle evaluation

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
<b>Result Summary</b>					
Number of detected Bursts:94					
Duty Cycle (Burst Ratio) max	---	---	0.878	---	INFO
Duty Cycle max	---	---	0.565	dB	INFO
Duty Cycle (Burst Ratio) min	---	---	0.795	---	INFO
Duty Cycle min	---	---	0.996	dB	INFO
Max TX Burst Length	---	---	0.9	ms	INFO
Min Gap Length	---	---	0.125	ms	INFO
Max Gap Length	---	---	0.225	ms	INFO




FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 5795 MHz - DutyCycle

## Evaluation Bandwidth

### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	44.16	MHz	INFO
T1 26dB	---	---	5771.8800	MHz	INFO
T2 26dB	---	---	5816.0400	MHz	INFO



FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 20dB


### Maximum Output Power

#### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	18.65   17.67   15
Start [MHz]   Stop [MHz]	5755.000   5835.000
RBW [MHz]   VBW [MHz]	1.000000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

#### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	12.71	dBm	INFO
Duty Cycle Correction	---	---	1	dB	INFO
Limit absolute					
Max Output Power DC corrected	---	30	13.71	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	27.45	13.71	dBm	not applicable



FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 Max OP and PSD


### Power Spectral Density U-NII-3

**READ SA SETTINGS:**

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	18.65   17.67   20
Start [MHz]   Stop [MHz]	5755.000   5835.000
RBW [MHz]   VBW [MHz]	0.500000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

**RESULT**

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-4.42	dBm/0.5MHz	INFO
Duty Cycle Correction	---	---	1	dB	INFO
Power Spectral Density DC corrected	---	30	-3.42	dBm/0.5MHz	PASS



FCC Part 15.407 Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 PSD UNII-3

General verdict

PASS

## ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	07.05.2021 13:59:58
Ambit Temp [°C]   Humidity [rel%]	25.3   23
System Version	3.0.1.0
Test Specification	ISED
Test Method	
TC Version	0.0.1
My Description	ISED Max Output Power & PSD - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	False   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	True   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
SA: Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
SwitchMatrix: CTCadvanced,SPM-4 NI DAQ,28016133,NI	

## Test at TX 5795 MHz


RESULT: Reference Power cond.

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	7.08	dBm	INFO
Ref. Frequency	---	---	5792.600	MHz	INFO

## Evaluation max. Duty Cycle

Duty Cycle evaluation

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Result Summary					
Number of detected Bursts:93					
Duty Cycle (Burst Ratio) max	---	---	0.878	---	INFO
Duty Cycle max	---	---	0.565	dB	INFO
Duty Cycle (Burst Ratio) min	---	---	0.8	---	INFO
Duty Cycle min	---	---	0.969	dB	INFO
Max TX Burst Length	---	---	0.9	ms	INFO
Min Gap Length	---	---	0.125	ms	INFO
Max Gap Length	---	---	0.225	ms	INFO




ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 5795 MHz - DutyCycle

## Evaluation Bandwidth

RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	35.964	MHz	INFO
T1 99%	---	---	5776.9381	MHz	INFO
T2 99%	---	---	5812.9021	MHz	INFO



ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 20dB


### Maximum Output Power

#### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	19.08   17.67   20
Start [MHz]   Stop [MHz]	5755.000   5835.000
RBW [MHz]   VBW [MHz]	1.000000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

#### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Max Output Power	---	---	12.59	dBm	INFO
Duty Cycle Correction	---	---	0.97	dB	INFO
Limit absolute					
Max Output Power DC corrected	---	30	13.56	dBm	PASS
Limit by: 11 dBm + 10 log Bandwidth					
Max Output Power DC corrected	---	26.56	13.56	dBm	not applicable



ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 Max OP and PSD


### Power Spectral Density U-NII-3

**READ SA SETTINGS:**

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	19.08   17.67   20
Start [MHz]   Stop [MHz]	5755.000   5835.000
RBW [MHz]   VBW [MHz]	0.500000   3.000000
Detector   TraceMode	RMS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	53400   1   160   SWE

**RESULT**

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Power Spectral Density	---	---	-4.45	dBm/0.5MHz	INFO
Duty Cycle Correction	---	---	0.97	dB	INFO
Power Spectral Density DC corrected	---	30	-3.48	dBm/0.5MHz	PASS



ISED Max Output Power and PSD ~ WLAN5Gx n-HT40 mode U-NII-3 PSD UNII-3

General verdict

PASS

## FCC Part 15.407 & ISED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	07.05.2021 14:02:44
Ambit Temp [°C]   Humidity [rel%]	25.3   23
System Version	3.0.1.0
Test Specification	FCC Part 15.407 & ISET RSS-GEN
Test Method	26dB Bandwidth KDB789033 D02, C.1 / ISED RSS-GEN
TC Version	0.0.1
My Description	FCC 15.407 Bandwidths - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	False   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	True   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
SA: Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
SwitchMatrix: CTCadvanced,SPM-4 NI DAQ,28016133,NI	



## Test at TX 5795 MHz

### RESULT: Reference Power cond.

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	7.67	dBm	INFO
Ref. Frequency	---	---	5789.010	MHz	INFO


### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	15.67   17.67   15
Start [MHz]   Stop [MHz]	5745.000   5845.000
RBW [MHz]   VBW [MHz]	0.500000   3.000000
Detector   TraceMode	POS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	1   2500   1001   SWE

### RESULT


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	35.964	MHz	INFO
T1 99%	5725.000000	---	5776.9181	MHz	PASS
T2 99%	---	5850.000000	5812.8821	MHz	PASS

### Plot: Bandwidth only



FCC Part 15.407 & ISM Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3 99PCT


### Plot: Bandwidth within Band



FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3


RESULT					
Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 20dB	---	---	43	MHz	INFO
T1 26dB	5725.000000	---	5773.4000	MHz	PASS
T2 26dB	---	5850.000000	5816.4000	MHz	PASS

Plot: Bandwidth only



FCC Part 15.407 & ISSED Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3 26dB

Plot: Bandwidth within Band



FCC Part 15.407 & ISM Bandwidths ~ WLAN5Gx n-HT40 mode U-NII-3

General verdict

PASS

## FCC Part 15.407 & ISED Minimum Emission BW ~ WLAN5Gx n-HT40 mode U-NII-3

Test References	
TC Start	07.05.2021 14:03:37
Ambit Temp [°C]   Humidity [rel%]	25.3   23
System Version	3.0.1.0
Test Specification	FCC Part 15.407
Test Method	KDB789033 D02, C.2.
TC Version	0.0.1
My Description	FCC 15.407 Min Emission Bandwidth - WLAN5Gx n-HT40 mode U-NII-3
Add. Information	

EUT Common Settings WLAN5Gx	
Number of Antenna Ports	1
User Interaction	No

Test Parameter	
Technology to test	WLAN5Gx n-HT40 mode U-NII-3
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	False   Freq [MHz] 5755
Frequency mid to test	False   Freq [MHz] 0
Frequency high to test	True   Freq [MHz] 5795
Auto Control enabled Power Supply   Climatic Box	No   No
Additional Path Loss [dB]	0
Switched Path	EUT - SignalingUnit - SpectrumAnalyzer

Test Equipment	
SA: Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.60	
SwitchMatrix: CTCadvanced,SPM-4 NI DAQ,28016133,NI	

## Test at TX 5795 MHz

### RESULT: Reference Power cond.


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Ref. Power 1MHz/1MHz cond.	---	---	7.43	dBm	INFO
Ref. Frequency	---	---	5789.410	MHz	INFO

### READ SA SETTINGS:

RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]	19.43   17.67   20
Start [MHz]   Stop [MHz]	5745.000   5845.000
RBW [MHz]   VBW [MHz]	0.100000   0.300000
Detector   TraceMode	POS   MAXH
Sweep: Time [ms]   Count   Points per Section   Type	2   1500   1001   SWE

### RESULT

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth (6dB)	0.500	---	35	MHz	PASS



FCC Part 15.407 & ISSED Minimum Emission BW ~ WLAN5Gx n-HT40 mode U-NII-3

General verdict

PASS

- END OF DOCUMENT -