




HE20_5320MHz



HE40_5510MHz




HE20_5500MHz




HE80_5290MHz



HE40_5310MHz



HE80_5530MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14 CHANNEL AVAILABILITY CHECK MEASUREMENT


HE80_5290MHz_Radar Time




HE80_5530MHz_Radar Time




HE80_5290MHz_Radar Type0-1




HE80_5530MHz_Radar Type 0-1



HE80_5290MHz_Radar Type0-2



HE80_5530MHz_Radar Type 0-2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15 IN SERVICE MONITORING

HE20_5320MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	90		60	Pass
3	30	86.67		60	Pass
4	30	66.67		60	Pass
Aggregate (Radar Types 1-4)	120	85.835		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	90	80	Pass
	Low Edge:10	100			
	High Edge:10	70			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	96.6666667		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type1 for 5320MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5312	10	1432.7	698	A	Yes
2	5327	2	1858.7	538	A	Yes
3	5326	21	1089.3	918	A	Yes
4	5319	8	1519.8	658	A	Yes
5	5316	20	1113.6	898	A	Yes
6	5326	7	1567.4	638	A	Yes
7	5318	23	326.2	3066	A	Yes
8	5313	6	1618.1	618	A	Yes
9	5310	9	1474.9	678	A	Yes
10	5320	17	1193.3	838	A	Yes
11	5320	18	1165.5	858	A	Yes
12	5320	4	1730.1	578	A	Yes
13	5313	13	1319.3	758	A	Yes
14	5322	15	1253.1	798	A	Yes
15	5320	12	1355	738	A	Yes
16	5328	-	920.8	1086	B	Yes
17	5324	-	424.4	2356	B	Yes
18	5321	-	1272.3	786	B	Yes
19	5323	-	349	2865	B	Yes
20	5316	-	1221	819	B	Yes
21	5329	-	830.6	1204	B	Yes
22	5311	-	361.5	2766	B	Yes
23	5311	-	536.5	1864	B	Yes
24	5312	-	940.7	1063	B	Yes
25	5329	-	695.9	1437	B	Yes
26	5325	-	446	2242	B	Yes
27	5313	-	1377.4	726	B	Yes
28	5321	-	1387	721	B	Yes
29	5318	-	672.9	1486	B	Yes
30	5315	-	394.2	2537	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5320MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5321	25	2.7	205	Yes
2	5316	23	1.1	157	Yes
3	5324	26	2.8	223	Yes
4	5312	27	3.8	170	Yes
5	5315	28	4.4	206	Yes
6	5312	24	1.6	193	Yes
7	5318	26	3	166	No
8	5320	28	4.2	175	Yes
9	5315	26	3.1	211	Yes
10	5327	23	1.2	199	No
11	5312	24	2	185	Yes
12	5317	25	2.5	151	Yes
13	5318	23	1.4	229	Yes
14	5323	28	4.3	159	Yes
15	5328	26	3.2	208	Yes
16	5329	26	3	164	No
17	5316	29	4.6	163	Yes
18	5324	27	3.8	191	Yes
19	5319	23	1.1	150	Yes
20	5322	27	3.6	220	Yes
21	5320	29	4.5	222	Yes
22	5326	29	4.5	155	Yes
23	5325	26	2.9	195	Yes
24	5315	27	3.8	179	Yes
25	5313	28	4.3	172	Yes
26	5315	27	3.3	201	Yes
27	5326	24	2.1	160	Yes
28	5318	24	1.8	210	Yes
29	5329	23	1.5	162	Yes
30	5319	27	3.5	158	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type3 for 5320MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5314	17	7.7	456	Yes
2	5313	16	6.1	317	Yes
3	5312	17	7.8	201	No
4	5316	18	8.8	489	Yes
5	5318	18	9.4	293	Yes
6	5324	16	6.6	368	Yes
7	5328	17	8	436	Yes
8	5322	18	9.2	235	No
9	5312	17	8.1	435	Yes
10	5311	16	6.2	319	Yes
11	5318	16	7	477	Yes
12	5315	17	7.5	482	Yes
13	5317	16	6.4	351	Yes
14	5311	18	9.3	458	Yes
15	5322	17	8.2	273	Yes
16	5318	17	8	271	Yes
17	5311	18	9.6	229	Yes
18	5325	18	8.8	438	Yes
19	5323	16	6.1	309	Yes
20	5320	17	8.6	218	No
21	5322	18	9.5	406	Yes
22	5312	18	9.5	226	Yes
23	5326	17	7.9	389	Yes
24	5317	18	8.8	372	Yes
25	5327	18	9.3	449	Yes
26	5328	17	8.3	490	Yes
27	5329	16	7.1	344	Yes
28	5323	16	6.8	237	No
29	5312	16	6.5	283	Yes
30	5314	17	8.5	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type4 for 5320MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5326	14	14.8	456	No
2	5323	12	11.3	317	No
3	5327	14	15.1	201	Yes
4	5315	15	17.3	489	No
5	5315	16	18.7	293	Yes
6	5312	12	12.3	368	No
7	5311	14	15.5	436	Yes
8	5326	16	18.2	235	Yes
9	5311	14	15.7	435	Yes
10	5320	12	11.4	319	Yes
11	5324	13	13.3	477	No
12	5313	13	14.4	482	Yes
13	5311	12	11.9	351	No
14	5323	16	18.4	458	Yes
15	5315	14	16	273	Yes
16	5314	14	15.6	271	Yes
17	5326	16	19.1	229	No
18	5314	15	17.4	438	No
19	5312	12	11.4	309	Yes
20	5313	15	16.9	218	Yes
21	5328	16	18.9	406	Yes
22	5327	16	18.8	226	Yes
23	5313	14	15.2	389	Yes
24	5318	15	17.4	372	No
25	5315	16	18.4	449	Yes
26	5320	14	16.2	490	No
27	5314	13	13.5	344	Yes
28	5318	13	12.8	237	Yes
29	5322	12	12.2	283	Yes
30	5313	15	16.7	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial1 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	11	1790.7		613953
2	1	52	11			838761
3	2	72.7	11	1562.3		140587
4	3	84.7	11	1117.3	1801.3	363321
5	3	92.6	11	1688.4	1262.4	585705
6	1	57.4	11			811035
7	2	74.7	11	1511.3		113195
8	3	90	11	1319	1389	335932
9	2	75.9	11	1031.1		559910
10	1	52.6	11			783892
11	1	62.6	11			85843
12	2	69.1	11	1226.9		308788
13	1	55.3	11			532794
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	5	1174.9	1143.9	1227681
2	2	77.8	5	1680.2		94672
3	2	75.6	5	1667.4		457807
4	3	94.7	5	1463.3	982.3	820375
5	3	85.4	5	1696.6	1097.6	1182967
6	1	52.2	5			50006
7	2	82.6	5	1820.4		413056
8	3	93.7	5	1635.3	1112.3	775395
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial3 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.4	12	1147.6	973.6	699341
2	2	73.2	12	1610.8		3222
3	3	85.2	12	1638.8	1716.8	225810
4	3	90.8	12	1429.2	1602.2	448565
5	2	78.8	12	1754.2		672187
6	1	64	12			897633
7	1	60.1	12			199252
8	1	57	12			422694
9	2	81.5	12	1138.5		645555
10	3	85.3	12	1291.7	1809.7	866852
11	2	69.4	12	1445.6		171392
12	2	76.2	12	1034.8		394756
13	1	63.8	12			618745
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial4 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4		VSG Frequency(MHz): 5320	
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.2	16			643934
2	1	59	16			110192
3	3	97.1	16	1041.9	1671.9	280018
4	1	50.3	16			452091
5	3	85.1	16	1504.9	1436.9	619696
6	1	51.6	16			89124
7	2	73.1	16	1213.9		259326
8	2	68.4	16	1506.6		430071
9	1	57.2	16			601556
10	2	75.7	16	1535.3		67975
11	1	60.2	16			239036
12	1	57	16			409916
13	2	80.2	16	1855.8		578911
14	1	57.6	16			47040
15	3	89.2	16	1053.8	1891.8	216818
16	3	88	16	1813	1452	386957
17	3	95.1	16	1438.9	1272.9	557392
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial5 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5		VSG Frequency(MHz): 5320	
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.3	18	1464.7	1132.7	23175
2	1	52.3	18			175944
3	2	80.2	18	1462.8		327936
4	2	67.1	18	978.9		480772
5	2	77.9	18	1123.1		4430
6	2	78.9	18	1872.1		156813
7	3	87.5	18	1854.5	1560.5	308163
8	3	94	18	945	1379	461086
9	1	63.7	18			616080
10	3	93.4	18	1314.6	1431.6	137813
11	1	64.6	18			291279
12	2	83	18	1429		442655
13	3	94.5	18	1620.5	1768.5	593830
14	2	67.4	18	974.6		119422
15	3	93.3	18	1784.7	1167.7	271116
16	3	92.9	18	1763.1	1415.1	422783
17	3	91.5	18	1549.5	1525.5	575427
18	2	77.9	18	1214.1		100587
19	2	68.7	18	1313.3		252936
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.5	7	1869.5		858068
2	3	94.3	7	1867.7	1099.7	1178986
3	1	50.3	7			173237
4	1	50.5	7			496346
5	1	59.4	7			818993
6	2	75.3	7	1241.7		1141412
7	3	86.1	7	1316.9	961.9	133174
8	3	97.6	7	1326.4	1583.4	455540
9	2	75	7	1325		778689
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial7 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7		VSG Frequency(MHz): 5320	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.8	12	1134.2	1834.2	705521
2	3	98.6	12	1126.4	906.4	59988
3	1	56.3	12			267570
4	2	70.9	12	1501.1		474452
5	2	69	12	1665		681138
6	3	86.4	12	1350.6	1137.6	34495
7	3	96	12	1073	1123	241437
8	2	67.1	12	1290.9		449060
9	3	96.1	12	1735.9	1227.9	654365
10	3	96.8	12	1020.2	916.2	9028
11	3	85.3	12	992.7	1588.7	215845
12	2	80.2	12	1504.8		423065
13	1	59.5	12			631560
14	1	56.4	12			838658
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	17	1083.7		148121
2	1	58.3	17			309910
3	1	58.4	17			471017
4	3	85.4	17	1070.6	1277.6	629955
5	1	62.7	17			128710
6	1	58.2	17			289851
7	2	67	17	1824		449889
8	1	64.2	17			612759
9	3	88.7	17	1373.3	1623.3	108171
10	2	79.8	17	1000.2		269696
11	2	70.4	17	1322.6		430667
12	1	59.4	17			592369
13	1	50.8	17			88931
14	3	89	17	1368	1123	249017
15	1	51.7	17			411708
16	2	70.8	17	998.2		571916
17	3	91.8	17	1089.2	1090.2	68740
18	3	91.9	17	1665.1	1067.1	229414
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial9 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.3	13	1479.7		502855
2	1	62.5	13			711338
3	1	60.2	13			63190
4	1	65.1	13			270675
5	3	87.1	13	1063.9	1787.9	476604
6	3	93.8	13	1395.2	938.2	683529
7	1	63.9	13			37620
8	1	58	13			245095
9	2	71.4	13	1714.6		451518
10	2	76.2	13	970.8		659039
11	3	96.9	13	1083.1	1230.1	12040
12	3	94.8	13	1076.2	1483.2	218988
13	3	92.6	13	1741.4	1589.4	425281
14	3	88.6	13	1301.4	965.4	633150
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial10 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10		VSG Frequency(MHz): 5320	
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	5	1280		1473453
2	3	87.8	5	1876.2	1589.2	339046
3	2	79	5	1604		702378
4	3	92.3	5	940.7	967.7	1065409
5	1	50.9	5			1429665
6	3	89.9	5	1726.1	1756.1	294271
7	2	73.4	5	1631.6		657563
8	3	89.3	5	1374.7	1002.7	1019919
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial11 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5323.6
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58	9			1007500
2	2	69.5	9	1161.5		181806
3	1	59.9	9			446174
4	2	76.5	9	1872.5		709281
5	1	50.5	9			974979
6	1	59.5	9			149377
7	3	85.6	9	1646.4	1784.4	412223
8	1	57	9			677718
9	1	65.3	9			941967
10	2	75.3	9	1429.7		116744
11	1	54.9	9			380938
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial12 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5324.4
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.5	11	1659.5	1853.5	589417
2	3	98.9	11	1508.1	1440.1	831150
3	3	97.1	11	1222.9	991.9	77068
4	3	96.3	11	1843.7	1748.7	318255
5	1	56.1	11			561650
6	2	71.2	11	1728.8		802389
7	1	64.7	11			47451
8	2	71.5	11	1616.5		289105
9	1	54.6	11			531899
10	3	86.9	11	1465.1	1437.1	771465
11	3	90.9	11	1383.1	1149.1	17584
12	2	67.3	11	1132.7		259521
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial13 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5322.4
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94	6	1279	1335	668244
2	3	87.3	6	1724.7	1870.7	989439
3	2	81.9	6	1743.1		1314107
4	3	90.5	6	1327.5	1061.5	306146
5	1	63	6			629749
6	1	59.9	6			952980
7	1	59.5	6			1275813
8	2	69.8	6	1621.2		266591
9	1	51.9	6			589973
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial14 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5327.2
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.5	18	1326.5		455105
2	3	92	18	1062	1744	614193
3	1	54.5	18			113524
4	3	90.7	18	1649.3	1445.3	273494
5	1	55.2	18			436226
6	1	60.5	18			597767
7	3	93.2	18	1413.8	1253.8	93188
8	1	54.3	18			254718
9	2	72.5	18	1191.5		415527
10	1	64.3	18			577705
11	1	60.8	18			73697
12	2	71.6	18	934.4		234543
13	3	89.8	18	1845.2	1825.2	394339
14	3	99.2	18	1599.8	1704.8	555113
15	3	89.7	18	1840.3	1306.3	53603
16	2	72	18	1013		214896
17	3	91.6	18	1545.4	1328.4	374827
18	2	72.9	18	1520.1		536744
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial15 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5325.2
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71	13	1217		40711
2	3	86.3	13	1608.7	925.7	233519
3	2	68.3	13	1375.7		427104
4	2	68.7	13	1341.3		620837
5	1	52.4	13			16917
6	2	67.1	13	1885.9		210032
7	1	52.1	13			404419
8	1	65.9	13			597549
9	3	89.3	13	1340.7	1059.7	789112
10	2	68.6	13	1811.4		186376
11	2	69.1	13	1617.9		379561
12	2	72.6	13	1199.4		572913
13	3	97.2	13	1768.8	1379.8	764372
14	1	55.7	13			162870
15	1	55.4	13			356463
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial16 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5325.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53	13			589273
2	2	75	13	1586		795730
3	1	56.9	13			148900
4	3	92.5	13	1181.5	1115.5	355340
5	1	55.5	13			563868
6	1	50.9	13			771178
7	1	60.6	13			123400
8	2	71.5	13	1713.5		330271
9	2	67.1	13	1745.9		537610
10	2	82.2	13	1577.8		744134
11	2	72.6	13	1750.4		97686
12	2	80	13	1003		305053
13	3	95.8	13	1780.2	1296.2	510746
14	1	54.2	13			720319
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial17 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5327.6
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.1	19	1012.9	1317.9	52977
2	3	92.2	19	1899.8	1049.8	205176
3	2	68.5	19	1282.5		357914
4	2	71.5	19	1037.5		510882
5	3	87.1	19	1037.9	1822.9	34217
6	3	88.5	19	912.5	1523.5	186575
7	3	83.6	19	1371.4	1294.4	338528
8	3	83.6	19	1398.4	1305.4	490954
9	3	99.8	19	1158.2	1620.2	15503
10	3	89.6	19	1183.4	1901.4	167443
11	3	87.4	19	996.6	1844.6	319911
12	3	88.5	19	1396.5	929.5	472325
13	3	89.4	19	1670.6	1613.6	623424
14	2	71.3	19	1747.7		149235
15	2	74.5	19	1543.5		301746
16	3	85.3	19	1548.7	941.7	453454
17	3	100	19	1229	1165	605192
18	2	67.2	19	1710.8		130347
19	1	55	19			283590
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial18 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5326.4
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	16			487755
2	3	86.8	16	1723.2	1254.2	655505
3	2	74.2	16	1111.8		124896
4	2	82.8	16	1481.2		295445
5	2	79.5	16	1403.5		465779
6	3	86	16	1220	1208	634975
7	2	72	16	1466		103856
8	1	60.4	16			274881
9	1	64.7	16			445531
10	1	51.2	16			616373
11	3	86.6	16	1621.4	1840.4	82589
12	2	79.8	16	1134.2		253311
13	3	87.2	16	1604.8	943.8	423342
14	1	56.4	16			595568
15	1	61.7	16			62035
16	1	51.1	16			232778
17	2	76.5	16	1532.5		402479
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial19 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5322
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.5	5			1222231
2	1	51	5			87110
3	1	60	5			450423
4	2	67.3	5	1654.7		812897
5	2	71.9	5	1003.1		1176945
6	2	69.4	5	1460.6		42317
7	2	75.2	5	1741.8		405184
8	2	67.3	5	995.7		768420
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial20 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20		VSG Frequency(MHz): 5326	
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.1	15			565546
2	2	67.1	15	1435.9		745328
3	1	61.5	15			180215
4	3	89.3	15	1308.7	1890.7	360314
5	3	97.1	15	1857.9	1771.9	540844
6	2	81.8	15	1570.2		723381
7	2	82.2	15	1233.8		157754
8	1	55.3	15			339300
9	2	74.9	15	1769.1		519607
10	2	79.7	15	1859.3		700910
11	2	67.4	15	994.6		135364
12	1	63.9	15			317064
13	1	59.4	15			498541
14	3	89.1	15	1115.9	1535.9	677669
15	3	85.5	15	1485.5	993.5	112911
16	1	65.1	15			294975
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial21 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5312.8
Number of Bursts in Trial:			19		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.1	18	1486.9		400153
2	2	68.8	18	1813.2		552233
3	2	82.4	18	1653.6		76340
4	1	63.2	18			229408
5	1	59.7	18			382127
6	1	50.2	18			534768
7	2	82.1	18	1905.9		57496
8	2	77.6	18	1168.4		209936
9	2	70.2	18	1744.8		362025
10	3	98.1	18	1089.9	1027.9	513843
11	3	84.8	18	1386.2	1829.2	38658
12	3	98.9	18	1237.1	1078.1	190800
13	1	57.1	18			344443
14	3	87.8	18	1570.2	1193.2	494722
15	3	94.2	18	977.8	1126.8	19951
16	2	67.3	18	1458.7		172553
17	3	99	18	1037	1329	324476
18	1	65.4	18			478272
19	2	74.4	18	1027.6		1210
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial22 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5312.8
Number of Bursts in Trial:			19		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	18	980.1		153649
2	1	60.4	18			306781
3	2	71.1	18	1263.9		458372
4	2	67.7	18	967.3		611795
5	2	69.4	18	1185.6		135030
6	1	54.3	18			288014
7	2	74.5	18	1222.5		439613
8	1	62.2	18			594088
9	2	76.8	18	1017.2		116213
10	3	94.3	18	1143.7	1291.7	267997
11	3	87.3	18	1197.7	1179.7	420240
12	2	67	18	1169		573650
13	1	61.5	18			97513
14	1	65.6	18			250369
15	3	95	18	1704	1043	401075
16	3	89.2	18	1826.8	1431.8	552964
17	1	53	18			78748
18	3	87.1	18	1323.9	1625.9	230559
19	1	62	18			384290
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial23 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5315.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.5	12			729769
2	1	54.9	12			81404
3	3	85	12	1880	1328	287728
4	3	84	12	1493	1655	494416
5	2	69.1	12	1627.9		702730
6	3	99	12	1077	1068	55637
7	3	97.1	12	1136.9	1263.9	262671
8	2	83.3	12	1443.7		469872
9	3	98.3	12	1458.7	1243.7	676371
10	3	87.2	12	1449.8	985.8	30136
11	3	85.5	12	1009.5	1330.5	236972
12	1	50	12			445124
13	1	64.9	12			652606
14	3	94	12	1190	1165	4656
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial24 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5313.6
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.7	16			174571
2	1	66.6	16			345576
3	1	54.7	16			516256
4	1	57	16			687505
5	1	51.1	16			153583
6	1	62.9	16			324481
7	1	58.8	16			495620
8	3	85.3	16	978.7	1487.7	663341
9	3	88	16	1154	1658	131958
10	1	55.3	16			303504
11	3	83.4	16	1079.6	1588.6	472479
12	2	82.9	16	1521.1		643466
13	2	81	16	1181		111418
14	2	73.3	16	1731.7		281565
15	2	83.3	16	1868.7		452073
16	1	62.2	16			624066
17	3	98.6	16	1190.4	1418.4	90109
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial25 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5312.8
Number of Bursts in Trial:			18		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	18	1532.9	1267.9	245561
2	2	80.3	18	1114.7		407293
3	3	87	18	1876	950	567027
4	1	57.8	18			65644
5	2	69.4	18	1190.6		226562
6	3	83.9	18	1632.1	1028.1	386762
7	2	76.5	18	1384.5		548400
8	1	51.9	18			45722
9	2	68.7	18	1240.3		206592
10	2	72.4	18	1380.6		367742
11	2	71	18	1905		527824
12	2	76.2	18	1027.8		25815
13	2	75.1	18	1583.9		186628
14	3	91.3	18	1766.7	1887.7	346542
15	3	94.2	18	1037.8	1762.8	507373
16	2	72.3	18	1722.7		5968
17	2	73.1	18	1859.9		166810
18	3	96.8	18	1349.2	1001.2	327139
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial26 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5314.4
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99	14	1393	1346	585698
2	3	90.3	14	1599.7	1296.7	779043
3	2	82.2	14	1550.8		176544
4	1	51.8	14			370755
5	2	74.2	14	1275.8		563437
6	1	53.1	14			758049
7	2	72.3	14	1503.7		152868
8	2	66.9	14	1604.1		345985
9	2	79.7	14	1888.3		538789
10	1	50.5	14			733939
11	3	86.2	14	1591.8	1648.8	128737
12	2	67.9	14	1412.1		322477
13	2	73.8	14	1832.2		515266
14	1	50	14			710590
15	3	86.1	14	1750.9	1217.9	105021
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial27 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5316.4
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.6	9	1818.4	1782.4	406782
2	3	94.5	9	1758.5	1571.5	670216
3	2	69.8	9	987.2		935811
4	2	77.9	9	1385.1		111096
5	3	86.2	9	1760.8	1711.8	374087
6	3	95.3	9	1114.7	1392.7	638147
7	2	82.7	9	1816.3		902717
8	2	78.3	9	1566.7		78591
9	1	55.1	9			342900
10	2	82.5	9	1741.5		606010
11	3	90.5	9	1465.5	1768.5	869048
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial28 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5316.8
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	87.9	8	1191.1	1431.1	50692
2	1	59	8			341635
3	1	62.9	8			631912
4	1	64.1	8			922939
5	3	89.2	8	1478.8	1557.8	14979
6	1	60.6	8			305589
7	1	57.9	8			596611
8	2	76.5	8	1234.5		885913
9	3	84.3	8	1787.7	1779.7	1174518
10	2	71.9	8	1704.1		269522
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial29 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5317.2
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	7			623142
2	3	89.2	7	1088.8	1286.8	944041
3	1	56.1	7			1268586
4	3	83.9	7	1730.1	1707.1	259337
5	3	85.6	7	1665.4	1570.4	581804
6	1	52.5	7			906468
7	1	54.2	7			1229437
8	2	75.9	7	1418.1		220120
9	1	65.7	7			543413
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial30 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5314
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.7	15			486629
2	3	98.7	15	1650.3	1571.3	665585
3	2	71	15	1831		101169
4	3	90.2	15	1332.8	1262.8	281973
5	3	86.5	15	1092.5	1001.5	463282
6	3	96.9	15	1607.1	1216.1	643279
7	2	74.4	15	1487.6		78945
8	3	94.5	15	1402.5	1570.5	259671
9	3	86.9	15	1650.1	1533.1	440150
10	1	51.5	15			623524
11	1	66.2	15			56757
12	1	62	15			238230
13	2	77.1	15	1323.9		419129
14	2	69.4	15	1561.6		600350
15	3	83.7	15	1039.3	1439.3	34291
16	1	65.3	15			215815
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5320MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	No
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

HE20_5500MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	83.33		60	Pass
3	30	86.67		60	Pass
4	30	63.33		60	Pass
Aggregate (Radar Types 1-4)	120	83.3325		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	90	80	Pass
	Low Edge:10	100			
	High Edge:10	70			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type1 for 5500MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5505	10	1432.7	698	A	Yes
2	5502	2	1858.7	538	A	Yes
3	5497	21	1089.3	918	A	Yes
4	5499	8	1519.8	658	A	Yes
5	5501	20	1113.6	898	A	Yes
6	5509	7	1567.4	638	A	Yes
7	5494	23	326.2	3066	A	Yes
8	5499	6	1618.1	618	A	Yes
9	5507	9	1474.9	678	A	Yes
10	5501	17	1193.3	838	A	Yes
11	5505	18	1165.5	858	A	Yes
12	5507	4	1730.1	578	A	Yes
13	5505	13	1319.3	758	A	Yes
14	5508	15	1253.1	798	A	Yes
15	5491	12	1355	738	A	Yes
16	5499	-	920.8	1086	B	Yes
17	5494	-	424.4	2356	B	Yes
18	5496	-	1272.3	786	B	Yes
19	5490	-	349	2865	B	Yes
20	5493	-	1221	819	B	Yes
21	5493	-	830.6	1204	B	Yes
22	5491	-	361.5	2766	B	Yes
23	5499	-	536.5	1864	B	Yes
24	5505	-	940.7	1063	B	Yes
25	5494	-	695.9	1437	B	Yes
26	5508	-	446	2242	B	Yes
27	5508	-	1377.4	726	B	Yes
28	5491	-	1387	721	B	Yes
29	5493	-	672.9	1486	B	Yes
30	5500	-	394.2	2537	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5500MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5499	25	2.7	205	Yes
2	5498	23	1.1	157	No
3	5492	26	2.8	223	Yes
4	5497	27	3.8	170	No
5	5495	28	4.4	206	Yes
6	5493	24	1.6	193	Yes
7	5490	26	3	166	Yes
8	5504	28	4.2	175	Yes
9	5495	26	3.1	211	Yes
10	5495	23	1.2	199	Yes
11	5494	24	2	185	No
12	5506	25	2.5	151	Yes
13	5504	23	1.4	229	Yes
14	5507	28	4.3	159	No
15	5495	26	3.2	208	Yes
16	5494	26	3	164	Yes
17	5500	29	4.6	163	Yes
18	5504	27	3.8	191	Yes
19	5499	23	1.1	150	Yes
20	5509	27	3.6	220	Yes
21	5501	29	4.5	222	Yes
22	5496	29	4.5	155	Yes
23	5490	26	2.9	195	Yes
24	5504	27	3.8	179	Yes
25	5504	28	4.3	172	Yes
26	5501	27	3.3	201	Yes
27	5504	24	2.1	160	Yes
28	5505	24	1.8	210	Yes
29	5505	23	1.5	162	Yes
30	5507	27	3.5	158	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type3 for 5500MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5503	17	7.7	456	Yes
2	5493	16	6.1	317	Yes
3	5507	17	7.8	201	Yes
4	5492	18	8.8	489	Yes
5	5492	18	9.4	293	No
6	5506	16	6.6	368	Yes
7	5506	17	8	436	Yes
8	5501	18	9.2	235	Yes
9	5504	17	8.1	435	Yes
10	5491	16	6.2	319	Yes
11	5490	16	7	477	Yes
12	5496	17	7.5	482	Yes
13	5497	16	6.4	351	Yes
14	5507	18	9.3	458	Yes
15	5491	17	8.2	273	No
16	5492	17	8	271	Yes
17	5497	18	9.6	229	Yes
18	5506	18	8.8	438	Yes
19	5498	16	6.1	309	No
20	5502	17	8.6	218	Yes
21	5494	18	9.5	406	Yes
22	5507	18	9.5	226	No
23	5491	17	7.9	389	Yes
24	5494	18	8.8	372	Yes
25	5495	18	9.3	449	Yes
26	5490	17	8.3	490	Yes
27	5508	16	7.1	344	Yes
28	5493	16	6.8	237	Yes
29	5508	16	6.5	283	Yes
30	5504	17	8.5	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type4 for 5500MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5509	14	14.8	456	Yes
2	5492	12	11.3	317	No
3	5497	14	15.1	201	No
4	5496	15	17.3	489	No
5	5499	16	18.7	293	Yes
6	5505	12	12.3	368	No
7	5491	14	15.5	436	Yes
8	5505	16	18.2	235	Yes
9	5499	14	15.7	435	Yes
10	5503	12	11.4	319	Yes
11	5505	13	13.3	477	No
12	5495	13	14.4	482	No
13	5508	12	11.9	351	No
14	5491	16	18.4	458	Yes
15	5491	14	16	273	No
16	5497	14	15.6	271	Yes
17	5509	16	19.1	229	Yes
18	5494	15	17.4	438	No
19	5502	12	11.4	309	Yes
20	5493	15	16.9	218	Yes
21	5496	16	18.9	406	Yes
22	5492	16	18.8	226	Yes
23	5500	14	15.2	389	Yes
24	5508	15	17.4	372	Yes
25	5498	16	18.4	449	No
26	5500	14	16.2	490	No
27	5506	13	13.5	344	Yes
28	5500	13	12.8	237	Yes
29	5499	12	12.2	283	Yes
30	5490	15	16.7	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial1 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	11	1790.7		613953
2	1	52	11			838761
3	2	72.7	11	1562.3		140587
4	3	84.7	11	1117.3	1801.3	363321
5	3	92.6	11	1688.4	1262.4	585705
6	1	57.4	11			811035
7	2	74.7	11	1511.3		113195
8	3	90	11	1319	1389	335932
9	2	75.9	11	1031.1		559910
10	1	52.6	11			783892
11	1	62.6	11			85843
12	2	69.1	11	1226.9		308788
13	1	55.3	11			532794
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial2 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	5	1174.9	1143.9	1227681
2	2	77.8	5	1680.2		94672
3	2	75.6	5	1667.4		457807
4	3	94.7	5	1463.3	982.3	820375
5	3	85.4	5	1696.6	1097.6	1182967
6	1	52.2	5			50006
7	2	82.6	5	1820.4		413056
8	3	93.7	5	1635.3	1112.3	775395
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial3 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3		VSG Frequency(MHz): 5500	
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.4	12	1147.6	973.6	699341
2	2	73.2	12	1610.8		3222
3	3	85.2	12	1638.8	1716.8	225810
4	3	90.8	12	1429.2	1602.2	448565
5	2	78.8	12	1754.2		672187
6	1	64	12			897633
7	1	60.1	12			199252
8	1	57	12			422694
9	2	81.5	12	1138.5		645555
10	3	85.3	12	1291.7	1809.7	866852
11	2	69.4	12	1445.6		171392
12	2	76.2	12	1034.8		394756
13	1	63.8	12			618745
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial4 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.2	16			643934
2	1	59	16			110192
3	3	97.1	16	1041.9	1671.9	280018
4	1	50.3	16			452091
5	3	85.1	16	1504.9	1436.9	619696
6	1	51.6	16			89124
7	2	73.1	16	1213.9		259326
8	2	68.4	16	1506.6		430071
9	1	57.2	16			601556
10	2	75.7	16	1535.3		67975
11	1	60.2	16			239036
12	1	57	16			409916
13	2	80.2	16	1855.8		578911
14	1	57.6	16			47040
15	3	89.2	16	1053.8	1891.8	216818
16	3	88	16	1813	1452	386957
17	3	95.1	16	1438.9	1272.9	557392
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial5 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5		VSG Frequency(MHz): 5500	
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.3	18	1464.7	1132.7	23175
2	1	52.3	18			175944
3	2	80.2	18	1462.8		327936
4	2	67.1	18	978.9		480772
5	2	77.9	18	1123.1		4430
6	2	78.9	18	1872.1		156813
7	3	87.5	18	1854.5	1560.5	308163
8	3	94	18	945	1379	461086
9	1	63.7	18			616080
10	3	93.4	18	1314.6	1431.6	137813
11	1	64.6	18			291279
12	2	83	18	1429		442655
13	3	94.5	18	1620.5	1768.5	593830
14	2	67.4	18	974.6		119422
15	3	93.3	18	1784.7	1167.7	271116
16	3	92.9	18	1763.1	1415.1	422783
17	3	91.5	18	1549.5	1525.5	575427
18	2	77.9	18	1214.1		100587
19	2	68.7	18	1313.3		252936
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6		VSG Frequency(MHz): 5500	
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.5	7	1869.5		858068
2	3	94.3	7	1867.7	1099.7	1178986
3	1	50.3	7			173237
4	1	50.5	7			496346
5	1	59.4	7			818993
6	2	75.3	7	1241.7		1141412
7	3	86.1	7	1316.9	961.9	133174
8	3	97.6	7	1326.4	1583.4	455540
9	2	75	7	1325		778689
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial7 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7		VSG Frequency(MHz): 5500	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.8	12	1134.2	1834.2	705521
2	3	98.6	12	1126.4	906.4	59988
3	1	56.3	12			267570
4	2	70.9	12	1501.1		474452
5	2	69	12	1665		681138
6	3	86.4	12	1350.6	1137.6	34495
7	3	96	12	1073	1123	241437
8	2	67.1	12	1290.9		449060
9	3	96.1	12	1735.9	1227.9	654365
10	3	96.8	12	1020.2	916.2	9028
11	3	85.3	12	992.7	1588.7	215845
12	2	80.2	12	1504.8		423065
13	1	59.5	12			631560
14	1	56.4	12			838658
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	17	1083.7		148121
2	1	58.3	17			309910
3	1	58.4	17			471017
4	3	85.4	17	1070.6	1277.6	629955
5	1	62.7	17			128710
6	1	58.2	17			289851
7	2	67	17	1824		449889
8	1	64.2	17			612759
9	3	88.7	17	1373.3	1623.3	108171
10	2	79.8	17	1000.2		269696
11	2	70.4	17	1322.6		430667
12	1	59.4	17			592369
13	1	50.8	17			88931
14	3	89	17	1368	1123	249017
15	1	51.7	17			411708
16	2	70.8	17	998.2		571916
17	3	91.8	17	1089.2	1090.2	68740
18	3	91.9	17	1665.1	1067.1	229414
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial9 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9		VSG Frequency(MHz): 5500	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.3	13	1479.7		502855
2	1	62.5	13			711338
3	1	60.2	13			63190
4	1	65.1	13			270675
5	3	87.1	13	1063.9	1787.9	476604
6	3	93.8	13	1395.2	938.2	683529
7	1	63.9	13			37620
8	1	58	13			245095
9	2	71.4	13	1714.6		451518
10	2	76.2	13	970.8		659039
11	3	96.9	13	1083.1	1230.1	12040
12	3	94.8	13	1076.2	1483.2	218988
13	3	92.6	13	1741.4	1589.4	425281
14	3	88.6	13	1301.4	965.4	633150
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial10 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	5	1280		1473453
2	3	87.8	5	1876.2	1589.2	339046
3	2	79	5	1604		702378
4	3	92.3	5	940.7	967.7	1065409
5	1	50.9	5			1429665
6	3	89.9	5	1726.1	1756.1	294271
7	2	73.4	5	1631.6		657563
8	3	89.3	5	1374.7	1002.7	1019919
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial11 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5503.6
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58	9			1007500
2	2	69.5	9	1161.5		181806
3	1	59.9	9			446174
4	2	76.5	9	1872.5		709281
5	1	50.5	9			974979
6	1	59.5	9			149377
7	3	85.6	9	1646.4	1784.4	412223
8	1	57	9			677718
9	1	65.3	9			941967
10	2	75.3	9	1429.7		116744
11	1	54.9	9			380938
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial12 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5504.4
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.5	11	1659.5	1853.5	589417
2	3	98.9	11	1508.1	1440.1	831150
3	3	97.1	11	1222.9	991.9	77068
4	3	96.3	11	1843.7	1748.7	318255
5	1	56.1	11			561650
6	2	71.2	11	1728.8		802389
7	1	64.7	11			47451
8	2	71.5	11	1616.5		289105
9	1	54.6	11			531899
10	3	86.9	11	1465.1	1437.1	771465
11	3	90.9	11	1383.1	1149.1	17584
12	2	67.3	11	1132.7		259521
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial13 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5502.4
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94	6	1279	1335	668244
2	3	87.3	6	1724.7	1870.7	989439
3	2	81.9	6	1743.1		1314107
4	3	90.5	6	1327.5	1061.5	306146
5	1	63	6			629749
6	1	59.9	6			952980
7	1	59.5	6			1275813
8	2	69.8	6	1621.2		266591
9	1	51.9	6			589973
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial14 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5507.2
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.5	18	1326.5		455105
2	3	92	18	1062	1744	614193
3	1	54.5	18			113524
4	3	90.7	18	1649.3	1445.3	273494
5	1	55.2	18			436226
6	1	60.5	18			597767
7	3	93.2	18	1413.8	1253.8	93188
8	1	54.3	18			254718
9	2	72.5	18	1191.5		415527
10	1	64.3	18			577705
11	1	60.8	18			73697
12	2	71.6	18	934.4		234543
13	3	89.8	18	1845.2	1825.2	394339
14	3	99.2	18	1599.8	1704.8	555113
15	3	89.7	18	1840.3	1306.3	53603
16	2	72	18	1013		214896
17	3	91.6	18	1545.4	1328.4	374827
18	2	72.9	18	1520.1		536744
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial15 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5505.2
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71	13	1217		40711
2	3	86.3	13	1608.7	925.7	233519
3	2	68.3	13	1375.7		427104
4	2	68.7	13	1341.3		620837
5	1	52.4	13			16917
6	2	67.1	13	1885.9		210032
7	1	52.1	13			404419
8	1	65.9	13			597549
9	3	89.3	13	1340.7	1059.7	789112
10	2	68.6	13	1811.4		186376
11	2	69.1	13	1617.9		379561
12	2	72.6	13	1199.4		572913
13	3	97.2	13	1768.8	1379.8	764372
14	1	55.7	13			162870
15	1	55.4	13			356463
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial16 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5505.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53	13			589273
2	2	75	13	1586		795730
3	1	56.9	13			148900
4	3	92.5	13	1181.5	1115.5	355340
5	1	55.5	13			563868
6	1	50.9	13			771178
7	1	60.6	13			123400
8	2	71.5	13	1713.5		330271
9	2	67.1	13	1745.9		537610
10	2	82.2	13	1577.8		744134
11	2	72.6	13	1750.4		97686
12	2	80	13	1003		305053
13	3	95.8	13	1780.2	1296.2	510746
14	1	54.2	13			720319
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial17 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5507.6
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.1	19	1012.9	1317.9	52977
2	3	92.2	19	1899.8	1049.8	205176
3	2	68.5	19	1282.5		357914
4	2	71.5	19	1037.5		510882
5	3	87.1	19	1037.9	1822.9	34217
6	3	88.5	19	912.5	1523.5	186575
7	3	83.6	19	1371.4	1294.4	338528
8	3	83.6	19	1398.4	1305.4	490954
9	3	99.8	19	1158.2	1620.2	15503
10	3	89.6	19	1183.4	1901.4	167443
11	3	87.4	19	996.6	1844.6	319911
12	3	88.5	19	1396.5	929.5	472325
13	3	89.4	19	1670.6	1613.6	623424
14	2	71.3	19	1747.7		149235
15	2	74.5	19	1543.5		301746
16	3	85.3	19	1548.7	941.7	453454
17	3	100	19	1229	1165	605192
18	2	67.2	19	1710.8		130347
19	1	55	19			283590
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial18 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5506.4
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	16			487755
2	3	86.8	16	1723.2	1254.2	655505
3	2	74.2	16	1111.8		124896
4	2	82.8	16	1481.2		295445
5	2	79.5	16	1403.5		465779
6	3	86	16	1220	1208	634975
7	2	72	16	1466		103856
8	1	60.4	16			274881
9	1	64.7	16			445531
10	1	51.2	16			616373
11	3	86.6	16	1621.4	1840.4	82589
12	2	79.8	16	1134.2		253311
13	3	87.2	16	1604.8	943.8	423342
14	1	56.4	16			595568
15	1	61.7	16			62035
16	1	51.1	16			232778
17	2	76.5	16	1532.5		402479
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial19 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5502
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.5	5			1222231
2	1	51	5			87110
3	1	60	5			450423
4	2	67.3	5	1654.7		812897
5	2	71.9	5	1003.1		1176945
6	2	69.4	5	1460.6		42317
7	2	75.2	5	1741.8		405184
8	2	67.3	5	995.7		768420
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial20 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20		VSG Frequency(MHz): 5506	
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.1	15			565546
2	2	67.1	15	1435.9		745328
3	1	61.5	15			180215
4	3	89.3	15	1308.7	1890.7	360314
5	3	97.1	15	1857.9	1771.9	540844
6	2	81.8	15	1570.2		723381
7	2	82.2	15	1233.8		157754
8	1	55.3	15			339300
9	2	74.9	15	1769.1		519607
10	2	79.7	15	1859.3		700910
11	2	67.4	15	994.6		135364
12	1	63.9	15			317064
13	1	59.4	15			498541
14	3	89.1	15	1115.9	1535.9	677669
15	3	85.5	15	1485.5	993.5	112911
16	1	65.1	15			294975
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial21 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5492.8
Number of Bursts in Trial:			19		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.1	18	1486.9		400153
2	2	68.8	18	1813.2		552233
3	2	82.4	18	1653.6		76340
4	1	63.2	18			229408
5	1	59.7	18			382127
6	1	50.2	18			534768
7	2	82.1	18	1905.9		57496
8	2	77.6	18	1168.4		209936
9	2	70.2	18	1744.8		362025
10	3	98.1	18	1089.9	1027.9	513843
11	3	84.8	18	1386.2	1829.2	38658
12	3	98.9	18	1237.1	1078.1	190800
13	1	57.1	18			344443
14	3	87.8	18	1570.2	1193.2	494722
15	3	94.2	18	977.8	1126.8	19951
16	2	67.3	18	1458.7		172553
17	3	99	18	1037	1329	324476
18	1	65.4	18			478272
19	2	74.4	18	1027.6		1210
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial22 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5492.8
Number of Bursts in Trial:			19		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	18	980.1		153649
2	1	60.4	18			306781
3	2	71.1	18	1263.9		458372
4	2	67.7	18	967.3		611795
5	2	69.4	18	1185.6		135030
6	1	54.3	18			288014
7	2	74.5	18	1222.5		439613
8	1	62.2	18			594088
9	2	76.8	18	1017.2		116213
10	3	94.3	18	1143.7	1291.7	267997
11	3	87.3	18	1197.7	1179.7	420240
12	2	67	18	1169		573650
13	1	61.5	18			97513
14	1	65.6	18			250369
15	3	95	18	1704	1043	401075
16	3	89.2	18	1826.8	1431.8	552964
17	1	53	18			78748
18	3	87.1	18	1323.9	1625.9	230559
19	1	62	18			384290
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial23 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5495.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.5	12			729769
2	1	54.9	12			81404
3	3	85	12	1880	1328	287728
4	3	84	12	1493	1655	494416
5	2	69.1	12	1627.9		702730
6	3	99	12	1077	1068	55637
7	3	97.1	12	1136.9	1263.9	262671
8	2	83.3	12	1443.7		469872
9	3	98.3	12	1458.7	1243.7	676371
10	3	87.2	12	1449.8	985.8	30136
11	3	85.5	12	1009.5	1330.5	236972
12	1	50	12			445124
13	1	64.9	12			652606
14	3	94	12	1190	1165	4656
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial24 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5493.6
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.7	16			174571
2	1	66.6	16			345576
3	1	54.7	16			516256
4	1	57	16			687505
5	1	51.1	16			153583
6	1	62.9	16			324481
7	1	58.8	16			495620
8	3	85.3	16	978.7	1487.7	663341
9	3	88	16	1154	1658	131958
10	1	55.3	16			303504
11	3	83.4	16	1079.6	1588.6	472479
12	2	82.9	16	1521.1		643466
13	2	81	16	1181		111418
14	2	73.3	16	1731.7		281565
15	2	83.3	16	1868.7		452073
16	1	62.2	16			624066
17	3	98.6	16	1190.4	1418.4	90109
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial25 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5492.8
Number of Bursts in Trial:			18		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	18	1532.9	1267.9	245561
2	2	80.3	18	1114.7		407293
3	3	87	18	1876	950	567027
4	1	57.8	18			65644
5	2	69.4	18	1190.6		226562
6	3	83.9	18	1632.1	1028.1	386762
7	2	76.5	18	1384.5		548400
8	1	51.9	18			45722
9	2	68.7	18	1240.3		206592
10	2	72.4	18	1380.6		367742
11	2	71	18	1905		527824
12	2	76.2	18	1027.8		25815
13	2	75.1	18	1583.9		186628
14	3	91.3	18	1766.7	1887.7	346542
15	3	94.2	18	1037.8	1762.8	507373
16	2	72.3	18	1722.7		5968
17	2	73.1	18	1859.9		166810
18	3	96.8	18	1349.2	1001.2	327139
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial26 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5494.4
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99	14	1393	1346	585698
2	3	90.3	14	1599.7	1296.7	779043
3	2	82.2	14	1550.8		176544
4	1	51.8	14			370755
5	2	74.2	14	1275.8		563437
6	1	53.1	14			758049
7	2	72.3	14	1503.7		152868
8	2	66.9	14	1604.1		345985
9	2	79.7	14	1888.3		538789
10	1	50.5	14			733939
11	3	86.2	14	1591.8	1648.8	128737
12	2	67.9	14	1412.1		322477
13	2	73.8	14	1832.2		515266
14	1	50	14			710590
15	3	86.1	14	1750.9	1217.9	105021
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial27 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5496.4
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.6	9	1818.4	1782.4	406782
2	3	94.5	9	1758.5	1571.5	670216
3	2	69.8	9	987.2		935811
4	2	77.9	9	1385.1		111096
5	3	86.2	9	1760.8	1711.8	374087
6	3	95.3	9	1114.7	1392.7	638147
7	2	82.7	9	1816.3		902717
8	2	78.3	9	1566.7		78591
9	1	55.1	9			342900
10	2	82.5	9	1741.5		606010
11	3	90.5	9	1465.5	1768.5	869048
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial28 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5496.8
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	87.9	8	1191.1	1431.1	50692
2	1	59	8			341635
3	1	62.9	8			631912
4	1	64.1	8			922939
5	3	89.2	8	1478.8	1557.8	14979
6	1	60.6	8			305589
7	1	57.9	8			596611
8	2	76.5	8	1234.5		885913
9	3	84.3	8	1787.7	1779.7	1174518
10	2	71.9	8	1704.1		269522
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial29 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5497.2
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	7			623142
2	3	89.2	7	1088.8	1286.8	944041
3	1	56.1	7			1268586
4	3	83.9	7	1730.1	1707.1	259337
5	3	85.6	7	1665.4	1570.4	581804
6	1	52.5	7			906468
7	1	54.2	7			1229437
8	2	75.9	7	1418.1		220120
9	1	65.7	7			543413
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial30 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5494
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.7	15			486629
2	3	98.7	15	1650.3	1571.3	665585
3	2	71	15	1831		101169
4	3	90.2	15	1332.8	1262.8	281973
5	3	86.5	15	1092.5	1001.5	463282
6	3	96.9	15	1607.1	1216.1	643279
7	2	74.4	15	1487.6		78945
8	3	94.5	15	1402.5	1570.5	259671
9	3	86.9	15	1650.1	1533.1	440150
10	1	51.5	15			623524
11	1	66.2	15			56757
12	1	62	15			238230
13	2	77.1	15	1323.9		419129
14	2	69.4	15	1561.6		600350
15	3	83.7	15	1039.3	1439.3	34291
16	1	65.3	15			215815
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type6 for 5500MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HE40_5310MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	100		60	Pass
3	30	93.33		60	Pass
4	30	83.33		60	Pass
Aggregate (Radar Types 1-4)	120	94.165		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type1 for 5310MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI (msec)	Test A/B	Successful Detection (Yes/No)
			(Pulses Per Second)			
1	5299	10	1432.7	698	A	Yes
2	5300	2	1858.7	538	A	Yes
3	5307	21	1089.3	918	A	Yes
4	5294	8	1519.8	658	A	Yes
5	5327	20	1113.6	898	A	Yes
6	5292	7	1567.4	638	A	Yes
7	5299	23	326.2	3066	A	Yes
8	5299	6	1618.1	618	A	Yes
9	5323	9	1474.9	678	A	Yes
10	5292	17	1193.3	838	A	Yes
11	5317	18	1165.5	858	A	Yes
12	5314	4	1730.1	578	A	Yes
13	5296	13	1319.3	758	A	Yes
14	5328	15	1253.1	798	A	Yes
15	5315	12	1355	738	A	Yes
16	5300	-	920.8	1086	B	Yes
17	5295	-	424.4	2356	B	Yes
18	5305	-	1272.3	786	B	Yes
19	5292	-	349	2865	B	Yes
20	5299	-	1221	819	B	Yes
21	5309	-	830.6	1204	B	Yes
22	5323	-	361.5	2766	B	Yes
23	5299	-	536.5	1864	B	Yes
24	5320	-	940.7	1063	B	Yes
25	5300	-	695.9	1437	B	Yes
26	5320	-	446	2242	B	Yes
27	5292	-	1377.4	726	B	Yes
28	5314	-	1387	721	B	Yes
29	5324	-	672.9	1486	B	Yes
30	5323	-	394.2	2537	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5310MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5291	25	2.7	205	Yes
2	5290	23	1.1	157	Yes
3	5328	26	2.8	223	Yes
4	5324	27	3.8	170	Yes
5	5295	28	4.4	206	Yes
6	5297	24	1.6	193	Yes
7	5328	26	3	166	Yes
8	5290	28	4.2	175	Yes
9	5328	26	3.1	211	Yes
10	5320	23	1.2	199	Yes
11	5311	24	2	185	Yes
12	5312	25	2.5	151	Yes
13	5318	23	1.4	229	Yes
14	5317	28	4.3	159	Yes
15	5314	26	3.2	208	Yes
16	5321	26	3	164	Yes
17	5321	29	4.6	163	Yes
18	5292	27	3.8	191	Yes
19	5315	23	1.1	150	Yes
20	5291	27	3.6	220	Yes
21	5315	29	4.5	222	Yes
22	5304	29	4.5	155	Yes
23	5302	26	2.9	195	Yes
24	5295	27	3.8	179	Yes
25	5307	28	4.3	172	Yes
26	5317	27	3.3	201	Yes
27	5317	24	2.1	160	Yes
28	5308	24	1.8	210	Yes
29	5295	23	1.5	162	Yes
30	5321	27	3.5	158	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type3 for 5310MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5292	17	7.7	456	Yes
2	5311	16	6.1	317	Yes
3	5306	17	7.8	201	Yes
4	5326	18	8.8	489	Yes
5	5322	18	9.4	293	Yes
6	5293	16	6.6	368	Yes
7	5313	17	8	436	Yes
8	5301	18	9.2	235	Yes
9	5301	17	8.1	435	Yes
10	5301	16	6.2	319	Yes
11	5299	16	7	477	Yes
12	5323	17	7.5	482	Yes
13	5311	16	6.4	351	Yes
14	5292	18	9.3	458	Yes
15	5294	17	8.2	273	Yes
16	5297	17	8	271	Yes
17	5324	18	9.6	229	No
18	5306	18	8.8	438	Yes
19	5327	16	6.1	309	Yes
20	5295	17	8.6	218	Yes
21	5325	18	9.5	406	Yes
22	5304	18	9.5	226	Yes
23	5321	17	7.9	389	Yes
24	5319	18	8.8	372	Yes
25	5301	18	9.3	449	Yes
26	5320	17	8.3	490	Yes
27	5299	16	7.1	344	Yes
28	5302	16	6.8	237	No
29	5325	16	6.5	283	Yes
30	5322	17	8.5	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type4 for 5310MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	14	14.8	456	Yes
2	5290	12	11.3	317	Yes
3	5299	14	15.1	201	Yes
4	5320	15	17.3	489	Yes
5	5310	16	18.7	293	Yes
6	5315	12	12.3	368	No
7	5300	14	15.5	436	No
8	5308	16	18.2	235	Yes
9	5313	14	15.7	435	Yes
10	5300	12	11.4	319	Yes
11	5321	13	13.3	477	No
12	5310	13	14.4	482	No
13	5327	12	11.9	351	Yes
14	5292	16	18.4	458	Yes
15	5310	14	16	273	Yes
16	5297	14	15.6	271	Yes
17	5329	16	19.1	229	No
18	5318	15	17.4	438	Yes
19	5308	12	11.4	309	Yes
20	5297	15	16.9	218	Yes
21	5302	16	18.9	406	Yes
22	5314	16	18.8	226	Yes
23	5320	14	15.2	389	Yes
24	5321	15	17.4	372	Yes
25	5298	16	18.4	449	Yes
26	5325	14	16.2	490	Yes
27	5308	13	13.5	344	Yes
28	5310	13	12.8	237	Yes
29	5301	12	12.2	283	Yes
30	5303	15	16.7	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial1 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	11	1790.7		613953
2	1	52	11			838761
3	2	72.7	11	1562.3		140587
4	3	84.7	11	1117.3	1801.3	363321
5	3	92.6	11	1688.4	1262.4	585705
6	1	57.4	11			811035
7	2	74.7	11	1511.3		113195
8	3	90	11	1319	1389	335932
9	2	75.9	11	1031.1		559910
10	1	52.6	11			783892
11	1	62.6	11			85843
12	2	69.1	11	1226.9		308788
13	1	55.3	11			532794
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial2 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	5	1174.9	1143.9	1227681
2	2	77.8	5	1680.2		94672
3	2	75.6	5	1667.4		457807
4	3	94.7	5	1463.3	982.3	820375
5	3	85.4	5	1696.6	1097.6	1182967
6	1	52.2	5			50006
7	2	82.6	5	1820.4		413056
8	3	93.7	5	1635.3	1112.3	775395
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial3 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.4	12	1147.6	973.6	699341
2	2	73.2	12	1610.8		3222
3	3	85.2	12	1638.8	1716.8	225810
4	3	90.8	12	1429.2	1602.2	448565
5	2	78.8	12	1754.2		672187
6	1	64	12			897633
7	1	60.1	12			199252
8	1	57	12			422694
9	2	81.5	12	1138.5		645555
10	3	85.3	12	1291.7	1809.7	866852
11	2	69.4	12	1445.6		171392
12	2	76.2	12	1034.8		394756
13	1	63.8	12			618745
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.2	16			643934
2	1	59	16			110192
3	3	97.1	16	1041.9	1671.9	280018
4	1	50.3	16			452091
5	3	85.1	16	1504.9	1436.9	619696
6	1	51.6	16			89124
7	2	73.1	16	1213.9		259326
8	2	68.4	16	1506.6		430071
9	1	57.2	16			601556
10	2	75.7	16	1535.3		67975
11	1	60.2	16			239036
12	1	57	16			409916
13	2	80.2	16	1855.8		578911
14	1	57.6	16			47040
15	3	89.2	16	1053.8	1891.8	216818
16	3	88	16	1813	1452	386957
17	3	95.1	16	1438.9	1272.9	557392
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial5 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5		VSG Frequency(MHz): 5310	
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.3	18	1464.7	1132.7	23175
2	1	52.3	18			175944
3	2	80.2	18	1462.8		327936
4	2	67.1	18	978.9		480772
5	2	77.9	18	1123.1		4430
6	2	78.9	18	1872.1		156813
7	3	87.5	18	1854.5	1560.5	308163
8	3	94	18	945	1379	461086
9	1	63.7	18			616080
10	3	93.4	18	1314.6	1431.6	137813
11	1	64.6	18			291279
12	2	83	18	1429		442655
13	3	94.5	18	1620.5	1768.5	593830
14	2	67.4	18	974.6		119422
15	3	93.3	18	1784.7	1167.7	271116
16	3	92.9	18	1763.1	1415.1	422783
17	3	91.5	18	1549.5	1525.5	575427
18	2	77.9	18	1214.1		100587
19	2	68.7	18	1313.3		252936
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial6 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6		VSG Frequency(MHz): 5310	
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.5	7	1869.5		858068
2	3	94.3	7	1867.7	1099.7	1178986
3	1	50.3	7			173237
4	1	50.5	7			496346
5	1	59.4	7			818993
6	2	75.3	7	1241.7		1141412
7	3	86.1	7	1316.9	961.9	133174
8	3	97.6	7	1326.4	1583.4	455540
9	2	75	7	1325		778689
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial7 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7		VSG Frequency(MHz): 5310	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.8	12	1134.2	1834.2	705521
2	3	98.6	12	1126.4	906.4	59988
3	1	56.3	12			267570
4	2	70.9	12	1501.1		474452
5	2	69	12	1665		681138
6	3	86.4	12	1350.6	1137.6	34495
7	3	96	12	1073	1123	241437
8	2	67.1	12	1290.9		449060
9	3	96.1	12	1735.9	1227.9	654365
10	3	96.8	12	1020.2	916.2	9028
11	3	85.3	12	992.7	1588.7	215845
12	2	80.2	12	1504.8		423065
13	1	59.5	12			631560
14	1	56.4	12			838658
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial8 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	17	1083.7		148121
2	1	58.3	17			309910
3	1	58.4	17			471017
4	3	85.4	17	1070.6	1277.6	629955
5	1	62.7	17			128710
6	1	58.2	17			289851
7	2	67	17	1824		449889
8	1	64.2	17			612759
9	3	88.7	17	1373.3	1623.3	108171
10	2	79.8	17	1000.2		269696
11	2	70.4	17	1322.6		430667
12	1	59.4	17			592369
13	1	50.8	17			88931
14	3	89	17	1368	1123	249017
15	1	51.7	17			411708
16	2	70.8	17	998.2		571916
17	3	91.8	17	1089.2	1090.2	68740
18	3	91.9	17	1665.1	1067.1	229414
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial9 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.3	13	1479.7		502855
2	1	62.5	13			711338
3	1	60.2	13			63190
4	1	65.1	13			270675
5	3	87.1	13	1063.9	1787.9	476604
6	3	93.8	13	1395.2	938.2	683529
7	1	63.9	13			37620
8	1	58	13			245095
9	2	71.4	13	1714.6		451518
10	2	76.2	13	970.8		659039
11	3	96.9	13	1083.1	1230.1	12040
12	3	94.8	13	1076.2	1483.2	218988
13	3	92.6	13	1741.4	1589.4	425281
14	3	88.6	13	1301.4	965.4	633150
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial10 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	5	1280		1473453
2	3	87.8	5	1876.2	1589.2	339046
3	2	79	5	1604		702378
4	3	92.3	5	940.7	967.7	1065409
5	1	50.9	5			1429665
6	3	89.9	5	1726.1	1756.1	294271
7	2	73.4	5	1631.6		657563
8	3	89.3	5	1374.7	1002.7	1019919
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial11 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5313.6
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58	9			1007500
2	2	69.5	9	1161.5		181806
3	1	59.9	9			446174
4	2	76.5	9	1872.5		709281
5	1	50.5	9			974979
6	1	59.5	9			149377
7	3	85.6	9	1646.4	1784.4	412223
8	1	57	9			677718
9	1	65.3	9			941967
10	2	75.3	9	1429.7		116744
11	1	54.9	9			380938
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial12 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5314.4
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.5	11	1659.5	1853.5	589417
2	3	98.9	11	1508.1	1440.1	831150
3	3	97.1	11	1222.9	991.9	77068
4	3	96.3	11	1843.7	1748.7	318255
5	1	56.1	11			561650
6	2	71.2	11	1728.8		802389
7	1	64.7	11			47451
8	2	71.5	11	1616.5		289105
9	1	54.6	11			531899
10	3	86.9	11	1465.1	1437.1	771465
11	3	90.9	11	1383.1	1149.1	17584
12	2	67.3	11	1132.7		259521
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial13 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5312.4
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94	6	1279	1335	668244
2	3	87.3	6	1724.7	1870.7	989439
3	2	81.9	6	1743.1		1314107
4	3	90.5	6	1327.5	1061.5	306146
5	1	63	6			629749
6	1	59.9	6			952980
7	1	59.5	6			1275813
8	2	69.8	6	1621.2		266591
9	1	51.9	6			589973
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial14 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5317.2
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.5	18	1326.5		455105
2	3	92	18	1062	1744	614193
3	1	54.5	18			113524
4	3	90.7	18	1649.3	1445.3	273494
5	1	55.2	18			436226
6	1	60.5	18			597767
7	3	93.2	18	1413.8	1253.8	93188
8	1	54.3	18			254718
9	2	72.5	18	1191.5		415527
10	1	64.3	18			577705
11	1	60.8	18			73697
12	2	71.6	18	934.4		234543
13	3	89.8	18	1845.2	1825.2	394339
14	3	99.2	18	1599.8	1704.8	555113
15	3	89.7	18	1840.3	1306.3	53603
16	2	72	18	1013		214896
17	3	91.6	18	1545.4	1328.4	374827
18	2	72.9	18	1520.1		536744
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial15 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5315.2
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71	13	1217		40711
2	3	86.3	13	1608.7	925.7	233519
3	2	68.3	13	1375.7		427104
4	2	68.7	13	1341.3		620837
5	1	52.4	13			16917
6	2	67.1	13	1885.9		210032
7	1	52.1	13			404419
8	1	65.9	13			597549
9	3	89.3	13	1340.7	1059.7	789112
10	2	68.6	13	1811.4		186376
11	2	69.1	13	1617.9		379561
12	2	72.6	13	1199.4		572913
13	3	97.2	13	1768.8	1379.8	764372
14	1	55.7	13			162870
15	1	55.4	13			356463
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial16 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5315.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53	13			589273
2	2	75	13	1586		795730
3	1	56.9	13			148900
4	3	92.5	13	1181.5	1115.5	355340
5	1	55.5	13			563868
6	1	50.9	13			771178
7	1	60.6	13			123400
8	2	71.5	13	1713.5		330271
9	2	67.1	13	1745.9		537610
10	2	82.2	13	1577.8		744134
11	2	72.6	13	1750.4		97686
12	2	80	13	1003		305053
13	3	95.8	13	1780.2	1296.2	510746
14	1	54.2	13			720319
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial17 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5317.6
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.1	19	1012.9	1317.9	52977
2	3	92.2	19	1899.8	1049.8	205176
3	2	68.5	19	1282.5		357914
4	2	71.5	19	1037.5		510882
5	3	87.1	19	1037.9	1822.9	34217
6	3	88.5	19	912.5	1523.5	186575
7	3	83.6	19	1371.4	1294.4	338528
8	3	83.6	19	1398.4	1305.4	490954
9	3	99.8	19	1158.2	1620.2	15503
10	3	89.6	19	1183.4	1901.4	167443
11	3	87.4	19	996.6	1844.6	319911
12	3	88.5	19	1396.5	929.5	472325
13	3	89.4	19	1670.6	1613.6	623424
14	2	71.3	19	1747.7		149235
15	2	74.5	19	1543.5		301746
16	3	85.3	19	1548.7	941.7	453454
17	3	100	19	1229	1165	605192
18	2	67.2	19	1710.8		130347
19	1	55	19			283590
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial18 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5316.4
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	16			487755
2	3	86.8	16	1723.2	1254.2	655505
3	2	74.2	16	1111.8		124896
4	2	82.8	16	1481.2		295445
5	2	79.5	16	1403.5		465779
6	3	86	16	1220	1208	634975
7	2	72	16	1466		103856
8	1	60.4	16			274881
9	1	64.7	16			445531
10	1	51.2	16			616373
11	3	86.6	16	1621.4	1840.4	82589
12	2	79.8	16	1134.2		253311
13	3	87.2	16	1604.8	943.8	423342
14	1	56.4	16			595568
15	1	61.7	16			62035
16	1	51.1	16			232778
17	2	76.5	16	1532.5		402479
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial19 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5312
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.5	5			1222231
2	1	51	5			87110
3	1	60	5			450423
4	2	67.3	5	1654.7		812897
5	2	71.9	5	1003.1		1176945
6	2	69.4	5	1460.6		42317
7	2	75.2	5	1741.8		405184
8	2	67.3	5	995.7		768420
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial20 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5316
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.1	15			565546
2	2	67.1	15	1435.9		745328
3	1	61.5	15			180215
4	3	89.3	15	1308.7	1890.7	360314
5	3	97.1	15	1857.9	1771.9	540844
6	2	81.8	15	1570.2		723381
7	2	82.2	15	1233.8		157754
8	1	55.3	15			339300
9	2	74.9	15	1769.1		519607
10	2	79.7	15	1859.3		700910
11	2	67.4	15	994.6		135364
12	1	63.9	15			317064
13	1	59.4	15			498541
14	3	89.1	15	1115.9	1535.9	677669
15	3	85.5	15	1485.5	993.5	112911
16	1	65.1	15			294975
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial21 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5302.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.1	18	1486.9		400153
2	2	68.8	18	1813.2		552233
3	2	82.4	18	1653.6		76340
4	1	63.2	18			229408
5	1	59.7	18			382127
6	1	50.2	18			534768
7	2	82.1	18	1905.9		57496
8	2	77.6	18	1168.4		209936
9	2	70.2	18	1744.8		362025
10	3	98.1	18	1089.9	1027.9	513843
11	3	84.8	18	1386.2	1829.2	38658
12	3	98.9	18	1237.1	1078.1	190800
13	1	57.1	18			344443
14	3	87.8	18	1570.2	1193.2	494722
15	3	94.2	18	977.8	1126.8	19951
16	2	67.3	18	1458.7		172553
17	3	99	18	1037	1329	324476
18	1	65.4	18			478272
19	2	74.4	18	1027.6		1210
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial22 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5302.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	18	980.1		153649
2	1	60.4	18			306781
3	2	71.1	18	1263.9		458372
4	2	67.7	18	967.3		611795
5	2	69.4	18	1185.6		135030
6	1	54.3	18			288014
7	2	74.5	18	1222.5		439613
8	1	62.2	18			594088
9	2	76.8	18	1017.2		116213
10	3	94.3	18	1143.7	1291.7	267997
11	3	87.3	18	1197.7	1179.7	420240
12	2	67	18	1169		573650
13	1	61.5	18			97513
14	1	65.6	18			250369
15	3	95	18	1704	1043	401075
16	3	89.2	18	1826.8	1431.8	552964
17	1	53	18			78748
18	3	87.1	18	1323.9	1625.9	230559
19	1	62	18			384290
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial23 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5305.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.5	12			729769
2	1	54.9	12			81404
3	3	85	12	1880	1328	287728
4	3	84	12	1493	1655	494416
5	2	69.1	12	1627.9		702730
6	3	99	12	1077	1068	55637
7	3	97.1	12	1136.9	1263.9	262671
8	2	83.3	12	1443.7		469872
9	3	98.3	12	1458.7	1243.7	676371
10	3	87.2	12	1449.8	985.8	30136
11	3	85.5	12	1009.5	1330.5	236972
12	1	50	12			445124
13	1	64.9	12			652606
14	3	94	12	1190	1165	4656
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial24 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5303.6
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.7	16			174571
2	1	66.6	16			345576
3	1	54.7	16			516256
4	1	57	16			687505
5	1	51.1	16			153583
6	1	62.9	16			324481
7	1	58.8	16			495620
8	3	85.3	16	978.7	1487.7	663341
9	3	88	16	1154	1658	131958
10	1	55.3	16			303504
11	3	83.4	16	1079.6	1588.6	472479
12	2	82.9	16	1521.1		643466
13	2	81	16	1181		111418
14	2	73.3	16	1731.7		281565
15	2	83.3	16	1868.7		452073
16	1	62.2	16			624066
17	3	98.6	16	1190.4	1418.4	90109
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial25 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5302.8
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	18	1532.9	1267.9	245561
2	2	80.3	18	1114.7		407293
3	3	87	18	1876	950	567027
4	1	57.8	18			65644
5	2	69.4	18	1190.6		226562
6	3	83.9	18	1632.1	1028.1	386762
7	2	76.5	18	1384.5		548400
8	1	51.9	18			45722
9	2	68.7	18	1240.3		206592
10	2	72.4	18	1380.6		367742
11	2	71	18	1905		527824
12	2	76.2	18	1027.8		25815
13	2	75.1	18	1583.9		186628
14	3	91.3	18	1766.7	1887.7	346542
15	3	94.2	18	1037.8	1762.8	507373
16	2	72.3	18	1722.7		5968
17	2	73.1	18	1859.9		166810
18	3	96.8	18	1349.2	1001.2	327139
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial26 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5304.4
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99	14	1393	1346	585698
2	3	90.3	14	1599.7	1296.7	779043
3	2	82.2	14	1550.8		176544
4	1	51.8	14			370755
5	2	74.2	14	1275.8		563437
6	1	53.1	14			758049
7	2	72.3	14	1503.7		152868
8	2	66.9	14	1604.1		345985
9	2	79.7	14	1888.3		538789
10	1	50.5	14			733939
11	3	86.2	14	1591.8	1648.8	128737
12	2	67.9	14	1412.1		322477
13	2	73.8	14	1832.2		515266
14	1	50	14			710590
15	3	86.1	14	1750.9	1217.9	105021
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial27 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5306.4
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.6	9	1818.4	1782.4	406782
2	3	94.5	9	1758.5	1571.5	670216
3	2	69.8	9	987.2		935811
4	2	77.9	9	1385.1		111096
5	3	86.2	9	1760.8	1711.8	374087
6	3	95.3	9	1114.7	1392.7	638147
7	2	82.7	9	1816.3		902717
8	2	78.3	9	1566.7		78591
9	1	55.1	9			342900
10	2	82.5	9	1741.5		606010
11	3	90.5	9	1465.5	1768.5	869048
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial28 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5306.8
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	87.9	8	1191.1	1431.1	50692
2	1	59	8			341635
3	1	62.9	8			631912
4	1	64.1	8			922939
5	3	89.2	8	1478.8	1557.8	14979
6	1	60.6	8			305589
7	1	57.9	8			596611
8	2	76.5	8	1234.5		885913
9	3	84.3	8	1787.7	1779.7	1174518
10	2	71.9	8	1704.1		269522
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial29 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5307.2
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	7			623142
2	3	89.2	7	1088.8	1286.8	944041
3	1	56.1	7			1268586
4	3	83.9	7	1730.1	1707.1	259337
5	3	85.6	7	1665.4	1570.4	581804
6	1	52.5	7			906468
7	1	54.2	7			1229437
8	2	75.9	7	1418.1		220120
9	1	65.7	7			543413
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial30 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5304
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.7	15			486629
2	3	98.7	15	1650.3	1571.3	665585
3	2	71	15	1831		101169
4	3	90.2	15	1332.8	1262.8	281973
5	3	86.5	15	1092.5	1001.5	463282
6	3	96.9	15	1607.1	1216.1	643279
7	2	74.4	15	1487.6		78945
8	3	94.5	15	1402.5	1570.5	259671
9	3	86.9	15	1650.1	1533.1	440150
10	1	51.5	15			623524
11	1	66.2	15			56757
12	1	62	15			238230
13	2	77.1	15	1323.9		419129
14	2	69.4	15	1561.6		600350
15	3	83.7	15	1039.3	1439.3	34291
16	1	65.3	15			215815
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type6 for 5310MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HE40_5510MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	96.67		60	Pass
2	30	83.33		60	Pass
3	30	90		60	Pass
4	30	70		60	Pass
Aggregate (Radar Types 1-4)	120	85		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type1 for 5510MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5501	10	1432.7	698	A	Yes
2	5503	2	1858.7	538	A	Yes
3	5519	21	1089.3	918	A	No
4	5509	8	1519.8	658	A	Yes
5	5517	20	1113.6	898	A	Yes
6	5505	7	1567.4	638	A	Yes
7	5512	23	326.2	3066	A	Yes
8	5508	6	1618.1	618	A	Yes
9	5505	9	1474.9	678	A	Yes
10	5504	17	1193.3	838	A	Yes
11	5517	18	1165.5	858	A	Yes
12	5504	4	1730.1	578	A	Yes
13	5518	13	1319.3	758	A	Yes
14	5516	15	1253.1	798	A	Yes
15	5516	12	1355	738	A	Yes
16	5500	-	920.8	1086	B	Yes
17	5515	-	424.4	2356	B	Yes
18	5505	-	1272.3	786	B	Yes
19	5519	-	349	2865	B	Yes
20	5502	-	1221	819	B	Yes
21	5513	-	830.6	1204	B	Yes
22	5516	-	361.5	2766	B	Yes
23	5502	-	536.5	1864	B	Yes
24	5513	-	940.7	1063	B	Yes
25	5517	-	695.9	1437	B	Yes
26	5518	-	446	2242	B	Yes
27	5509	-	1377.4	726	B	Yes
28	5500	-	1387	721	B	Yes
29	5517	-	672.9	1486	B	Yes
30	5518	-	394.2	2537	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5510MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5516	25	2.7	205	Yes
2	5515	23	1.1	157	No
3	5511	26	2.8	223	Yes
4	5519	27	3.8	170	Yes
5	5503	28	4.4	206	Yes
6	5512	24	1.6	193	Yes
7	5518	26	3	166	Yes
8	5514	28	4.2	175	Yes
9	5500	26	3.1	211	Yes
10	5504	23	1.2	199	Yes
11	5513	24	2	185	Yes
12	5512	25	2.5	151	No
13	5502	23	1.4	229	Yes
14	5519	28	4.3	159	Yes
15	5510	26	3.2	208	Yes
16	5519	26	3	164	Yes
17	5507	29	4.6	163	Yes
18	5505	27	3.8	191	Yes
19	5503	23	1.1	150	Yes
20	5515	27	3.6	220	Yes
21	5513	29	4.5	222	Yes
22	5517	29	4.5	155	No
23	5500	26	2.9	195	Yes
24	5507	27	3.8	179	Yes
25	5506	28	4.3	172	Yes
26	5509	27	3.3	201	Yes
27	5500	24	2.1	160	No
28	5504	24	1.8	210	Yes
29	5500	23	1.5	162	No
30	5514	27	3.5	158	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type3 for 5510MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5516	17	7.7	456	Yes
2	5513	16	6.1	317	Yes
3	5507	17	7.8	201	No
4	5508	18	8.8	489	Yes
5	5518	18	9.4	293	Yes
6	5503	16	6.6	368	Yes
7	5514	17	8	436	Yes
8	5501	18	9.2	235	Yes
9	5502	17	8.1	435	Yes
10	5510	16	6.2	319	Yes
11	5513	16	7	477	Yes
12	5502	17	7.5	482	Yes
13	5519	16	6.4	351	Yes
14	5518	18	9.3	458	Yes
15	5518	17	8.2	273	Yes
16	5506	17	8	271	No
17	5505	18	9.6	229	Yes
18	5510	18	8.8	438	Yes
19	5500	16	6.1	309	Yes
20	5511	17	8.6	218	No
21	5508	18	9.5	406	Yes
22	5516	18	9.5	226	Yes
23	5511	17	7.9	389	Yes
24	5503	18	8.8	372	Yes
25	5512	18	9.3	449	Yes
26	5513	17	8.3	490	Yes
27	5500	16	7.1	344	Yes
28	5507	16	6.8	237	Yes
29	5516	16	6.5	283	Yes
30	5500	17	8.5	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type4 for 5510MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5503	14	14.8	456	Yes
2	5515	12	11.3	317	Yes
3	5512	14	15.1	201	Yes
4	5506	15	17.3	489	No
5	5508	16	18.7	293	Yes
6	5518	12	12.3	368	No
7	5512	14	15.5	436	Yes
8	5509	16	18.2	235	Yes
9	5513	14	15.7	435	No
10	5517	12	11.4	319	Yes
11	5501	13	13.3	477	Yes
12	5513	13	14.4	482	No
13	5515	12	11.9	351	Yes
14	5511	16	18.4	458	Yes
15	5516	14	16	273	Yes
16	5519	14	15.6	271	Yes
17	5513	16	19.1	229	No
18	5514	15	17.4	438	No
19	5517	12	11.4	309	Yes
20	5505	15	16.9	218	Yes
21	5513	16	18.9	406	Yes
22	5509	16	18.8	226	Yes
23	5503	14	15.2	389	No
24	5506	15	17.4	372	Yes
25	5519	16	18.4	449	Yes
26	5519	14	16.2	490	No
27	5514	13	13.5	344	Yes
28	5500	13	12.8	237	Yes
29	5517	12	12.2	283	Yes
30	5503	15	16.7	311	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial1 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	11	1790.7		613953
2	1	52	11			838761
3	2	72.7	11	1562.3		140587
4	3	84.7	11	1117.3	1801.3	363321
5	3	92.6	11	1688.4	1262.4	585705
6	1	57.4	11			811035
7	2	74.7	11	1511.3		113195
8	3	90	11	1319	1389	335932
9	2	75.9	11	1031.1		559910
10	1	52.6	11			783892
11	1	62.6	11			85843
12	2	69.1	11	1226.9		308788
13	1	55.3	11			532794
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial2 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	5	1174.9	1143.9	1227681
2	2	77.8	5	1680.2		94672
3	2	75.6	5	1667.4		457807
4	3	94.7	5	1463.3	982.3	820375
5	3	85.4	5	1696.6	1097.6	1182967
6	1	52.2	5			50006
7	2	82.6	5	1820.4		413056
8	3	93.7	5	1635.3	1112.3	775395
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial3 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3		VSG Frequency(MHz): 5510	
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.4	12	1147.6	973.6	699341
2	2	73.2	12	1610.8		3222
3	3	85.2	12	1638.8	1716.8	225810
4	3	90.8	12	1429.2	1602.2	448565
5	2	78.8	12	1754.2		672187
6	1	64	12			897633
7	1	60.1	12			199252
8	1	57	12			422694
9	2	81.5	12	1138.5		645555
10	3	85.3	12	1291.7	1809.7	866852
11	2	69.4	12	1445.6		171392
12	2	76.2	12	1034.8		394756
13	1	63.8	12			618745
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial4 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.2	16			643934
2	1	59	16			110192
3	3	97.1	16	1041.9	1671.9	280018
4	1	50.3	16			452091
5	3	85.1	16	1504.9	1436.9	619696
6	1	51.6	16			89124
7	2	73.1	16	1213.9		259326
8	2	68.4	16	1506.6		430071
9	1	57.2	16			601556
10	2	75.7	16	1535.3		67975
11	1	60.2	16			239036
12	1	57	16			409916
13	2	80.2	16	1855.8		578911
14	1	57.6	16			47040
15	3	89.2	16	1053.8	1891.8	216818
16	3	88	16	1813	1452	386957
17	3	95.1	16	1438.9	1272.9	557392
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial5 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5		VSG Frequency(MHz): 5510	
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.3	18	1464.7	1132.7	23175
2	1	52.3	18			175944
3	2	80.2	18	1462.8		327936
4	2	67.1	18	978.9		480772
5	2	77.9	18	1123.1		4430
6	2	78.9	18	1872.1		156813
7	3	87.5	18	1854.5	1560.5	308163
8	3	94	18	945	1379	461086
9	1	63.7	18			616080
10	3	93.4	18	1314.6	1431.6	137813
11	1	64.6	18			291279
12	2	83	18	1429		442655
13	3	94.5	18	1620.5	1768.5	593830
14	2	67.4	18	974.6		119422
15	3	93.3	18	1784.7	1167.7	271116
16	3	92.9	18	1763.1	1415.1	422783
17	3	91.5	18	1549.5	1525.5	575427
18	2	77.9	18	1214.1		100587
19	2	68.7	18	1313.3		252936
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial6 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.5	7	1869.5		858068
2	3	94.3	7	1867.7	1099.7	1178986
3	1	50.3	7			173237
4	1	50.5	7			496346
5	1	59.4	7			818993
6	2	75.3	7	1241.7		1141412
7	3	86.1	7	1316.9	961.9	133174
8	3	97.6	7	1326.4	1583.4	455540
9	2	75	7	1325		778689
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial7 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.8	12	1134.2	1834.2	705521
2	3	98.6	12	1126.4	906.4	59988
3	1	56.3	12			267570
4	2	70.9	12	1501.1		474452
5	2	69	12	1665		681138
6	3	86.4	12	1350.6	1137.6	34495
7	3	96	12	1073	1123	241437
8	2	67.1	12	1290.9		449060
9	3	96.1	12	1735.9	1227.9	654365
10	3	96.8	12	1020.2	916.2	9028
11	3	85.3	12	992.7	1588.7	215845
12	2	80.2	12	1504.8		423065
13	1	59.5	12			631560
14	1	56.4	12			838658
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial8 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	17	1083.7		148121
2	1	58.3	17			309910
3	1	58.4	17			471017
4	3	85.4	17	1070.6	1277.6	629955
5	1	62.7	17			128710
6	1	58.2	17			289851
7	2	67	17	1824		449889
8	1	64.2	17			612759
9	3	88.7	17	1373.3	1623.3	108171
10	2	79.8	17	1000.2		269696
11	2	70.4	17	1322.6		430667
12	1	59.4	17			592369
13	1	50.8	17			88931
14	3	89	17	1368	1123	249017
15	1	51.7	17			411708
16	2	70.8	17	998.2		571916
17	3	91.8	17	1089.2	1090.2	68740
18	3	91.9	17	1665.1	1067.1	229414
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial9 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9		VSG Frequency(MHz): 5510	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.3	13	1479.7		502855
2	1	62.5	13			711338
3	1	60.2	13			63190
4	1	65.1	13			270675
5	3	87.1	13	1063.9	1787.9	476604
6	3	93.8	13	1395.2	938.2	683529
7	1	63.9	13			37620
8	1	58	13			245095
9	2	71.4	13	1714.6		451518
10	2	76.2	13	970.8		659039
11	3	96.9	13	1083.1	1230.1	12040
12	3	94.8	13	1076.2	1483.2	218988
13	3	92.6	13	1741.4	1589.4	425281
14	3	88.6	13	1301.4	965.4	633150
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial10 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	5	1280		1473453
2	3	87.8	5	1876.2	1589.2	339046
3	2	79	5	1604		702378
4	3	92.3	5	940.7	967.7	1065409
5	1	50.9	5			1429665
6	3	89.9	5	1726.1	1756.1	294271
7	2	73.4	5	1631.6		657563
8	3	89.3	5	1374.7	1002.7	1019919
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial11 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5513.6
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58	9			1007500
2	2	69.5	9	1161.5		181806
3	1	59.9	9			446174
4	2	76.5	9	1872.5		709281
5	1	50.5	9			974979
6	1	59.5	9			149377
7	3	85.6	9	1646.4	1784.4	412223
8	1	57	9			677718
9	1	65.3	9			941967
10	2	75.3	9	1429.7		116744
11	1	54.9	9			380938
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial12 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5514.4
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.5	11	1659.5	1853.5	589417
2	3	98.9	11	1508.1	1440.1	831150
3	3	97.1	11	1222.9	991.9	77068
4	3	96.3	11	1843.7	1748.7	318255
5	1	56.1	11			561650
6	2	71.2	11	1728.8		802389
7	1	64.7	11			47451
8	2	71.5	11	1616.5		289105
9	1	54.6	11			531899
10	3	86.9	11	1465.1	1437.1	771465
11	3	90.9	11	1383.1	1149.1	17584
12	2	67.3	11	1132.7		259521
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial13 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5512.4
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94	6	1279	1335	668244
2	3	87.3	6	1724.7	1870.7	989439
3	2	81.9	6	1743.1		1314107
4	3	90.5	6	1327.5	1061.5	306146
5	1	63	6			629749
6	1	59.9	6			952980
7	1	59.5	6			1275813
8	2	69.8	6	1621.2		266591
9	1	51.9	6			589973
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial14 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5517.2
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.5	18	1326.5		455105
2	3	92	18	1062	1744	614193
3	1	54.5	18			113524
4	3	90.7	18	1649.3	1445.3	273494
5	1	55.2	18			436226
6	1	60.5	18			597767
7	3	93.2	18	1413.8	1253.8	93188
8	1	54.3	18			254718
9	2	72.5	18	1191.5		415527
10	1	64.3	18			577705
11	1	60.8	18			73697
12	2	71.6	18	934.4		234543
13	3	89.8	18	1845.2	1825.2	394339
14	3	99.2	18	1599.8	1704.8	555113
15	3	89.7	18	1840.3	1306.3	53603
16	2	72	18	1013		214896
17	3	91.6	18	1545.4	1328.4	374827
18	2	72.9	18	1520.1		536744
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial15 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5515.2
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71	13	1217		40711
2	3	86.3	13	1608.7	925.7	233519
3	2	68.3	13	1375.7		427104
4	2	68.7	13	1341.3		620837
5	1	52.4	13			16917
6	2	67.1	13	1885.9		210032
7	1	52.1	13			404419
8	1	65.9	13			597549
9	3	89.3	13	1340.7	1059.7	789112
10	2	68.6	13	1811.4		186376
11	2	69.1	13	1617.9		379561
12	2	72.6	13	1199.4		572913
13	3	97.2	13	1768.8	1379.8	764372
14	1	55.7	13			162870
15	1	55.4	13			356463
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial16 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5515.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53	13			589273
2	2	75	13	1586		795730
3	1	56.9	13			148900
4	3	92.5	13	1181.5	1115.5	355340
5	1	55.5	13			563868
6	1	50.9	13			771178
7	1	60.6	13			123400
8	2	71.5	13	1713.5		330271
9	2	67.1	13	1745.9		537610
10	2	82.2	13	1577.8		744134
11	2	72.6	13	1750.4		97686
12	2	80	13	1003		305053
13	3	95.8	13	1780.2	1296.2	510746
14	1	54.2	13			720319
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial17 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17		VSG Frequency(MHz): 5517.6	
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.1	19	1012.9	1317.9	52977
2	3	92.2	19	1899.8	1049.8	205176
3	2	68.5	19	1282.5		357914
4	2	71.5	19	1037.5		510882
5	3	87.1	19	1037.9	1822.9	34217
6	3	88.5	19	912.5	1523.5	186575
7	3	83.6	19	1371.4	1294.4	338528
8	3	83.6	19	1398.4	1305.4	490954
9	3	99.8	19	1158.2	1620.2	15503
10	3	89.6	19	1183.4	1901.4	167443
11	3	87.4	19	996.6	1844.6	319911
12	3	88.5	19	1396.5	929.5	472325
13	3	89.4	19	1670.6	1613.6	623424
14	2	71.3	19	1747.7		149235
15	2	74.5	19	1543.5		301746
16	3	85.3	19	1548.7	941.7	453454
17	3	100	19	1229	1165	605192
18	2	67.2	19	1710.8		130347
19	1	55	19			283590
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial18 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5516.4
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	16			487755
2	3	86.8	16	1723.2	1254.2	655505
3	2	74.2	16	1111.8		124896
4	2	82.8	16	1481.2		295445
5	2	79.5	16	1403.5		465779
6	3	86	16	1220	1208	634975
7	2	72	16	1466		103856
8	1	60.4	16			274881
9	1	64.7	16			445531
10	1	51.2	16			616373
11	3	86.6	16	1621.4	1840.4	82589
12	2	79.8	16	1134.2		253311
13	3	87.2	16	1604.8	943.8	423342
14	1	56.4	16			595568
15	1	61.7	16			62035
16	1	51.1	16			232778
17	2	76.5	16	1532.5		402479
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial19 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5512
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.5	5			1222231
2	1	51	5			87110
3	1	60	5			450423
4	2	67.3	5	1654.7		812897
5	2	71.9	5	1003.1		1176945
6	2	69.4	5	1460.6		42317
7	2	75.2	5	1741.8		405184
8	2	67.3	5	995.7		768420
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial20 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5516
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.1	15			565546
2	2	67.1	15	1435.9		745328
3	1	61.5	15			180215
4	3	89.3	15	1308.7	1890.7	360314
5	3	97.1	15	1857.9	1771.9	540844
6	2	81.8	15	1570.2		723381
7	2	82.2	15	1233.8		157754
8	1	55.3	15			339300
9	2	74.9	15	1769.1		519607
10	2	79.7	15	1859.3		700910
11	2	67.4	15	994.6		135364
12	1	63.9	15			317064
13	1	59.4	15			498541
14	3	89.1	15	1115.9	1535.9	677669
15	3	85.5	15	1485.5	993.5	112911
16	1	65.1	15			294975
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial21 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5502.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.1	18	1486.9		400153
2	2	68.8	18	1813.2		552233
3	2	82.4	18	1653.6		76340
4	1	63.2	18			229408
5	1	59.7	18			382127
6	1	50.2	18			534768
7	2	82.1	18	1905.9		57496
8	2	77.6	18	1168.4		209936
9	2	70.2	18	1744.8		362025
10	3	98.1	18	1089.9	1027.9	513843
11	3	84.8	18	1386.2	1829.2	38658
12	3	98.9	18	1237.1	1078.1	190800
13	1	57.1	18			344443
14	3	87.8	18	1570.2	1193.2	494722
15	3	94.2	18	977.8	1126.8	19951
16	2	67.3	18	1458.7		172553
17	3	99	18	1037	1329	324476
18	1	65.4	18			478272
19	2	74.4	18	1027.6		1210
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial22 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5502.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	18	980.1		153649
2	1	60.4	18			306781
3	2	71.1	18	1263.9		458372
4	2	67.7	18	967.3		611795
5	2	69.4	18	1185.6		135030
6	1	54.3	18			288014
7	2	74.5	18	1222.5		439613
8	1	62.2	18			594088
9	2	76.8	18	1017.2		116213
10	3	94.3	18	1143.7	1291.7	267997
11	3	87.3	18	1197.7	1179.7	420240
12	2	67	18	1169		573650
13	1	61.5	18			97513
14	1	65.6	18			250369
15	3	95	18	1704	1043	401075
16	3	89.2	18	1826.8	1431.8	552964
17	1	53	18			78748
18	3	87.1	18	1323.9	1625.9	230559
19	1	62	18			384290
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial23 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5505.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.5	12			729769
2	1	54.9	12			81404
3	3	85	12	1880	1328	287728
4	3	84	12	1493	1655	494416
5	2	69.1	12	1627.9		702730
6	3	99	12	1077	1068	55637
7	3	97.1	12	1136.9	1263.9	262671
8	2	83.3	12	1443.7		469872
9	3	98.3	12	1458.7	1243.7	676371
10	3	87.2	12	1449.8	985.8	30136
11	3	85.5	12	1009.5	1330.5	236972
12	1	50	12			445124
13	1	64.9	12			652606
14	3	94	12	1190	1165	4656
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial24 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5503.6
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.7	16			174571
2	1	66.6	16			345576
3	1	54.7	16			516256
4	1	57	16			687505
5	1	51.1	16			153583
6	1	62.9	16			324481
7	1	58.8	16			495620
8	3	85.3	16	978.7	1487.7	663341
9	3	88	16	1154	1658	131958
10	1	55.3	16			303504
11	3	83.4	16	1079.6	1588.6	472479
12	2	82.9	16	1521.1		643466
13	2	81	16	1181		111418
14	2	73.3	16	1731.7		281565
15	2	83.3	16	1868.7		452073
16	1	62.2	16			624066
17	3	98.6	16	1190.4	1418.4	90109
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial25 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5502.8
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	18	1532.9	1267.9	245561
2	2	80.3	18	1114.7		407293
3	3	87	18	1876	950	567027
4	1	57.8	18			65644
5	2	69.4	18	1190.6		226562
6	3	83.9	18	1632.1	1028.1	386762
7	2	76.5	18	1384.5		548400
8	1	51.9	18			45722
9	2	68.7	18	1240.3		206592
10	2	72.4	18	1380.6		367742
11	2	71	18	1905		527824
12	2	76.2	18	1027.8		25815
13	2	75.1	18	1583.9		186628
14	3	91.3	18	1766.7	1887.7	346542
15	3	94.2	18	1037.8	1762.8	507373
16	2	72.3	18	1722.7		5968
17	2	73.1	18	1859.9		166810
18	3	96.8	18	1349.2	1001.2	327139
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial26 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5504.4
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99	14	1393	1346	585698
2	3	90.3	14	1599.7	1296.7	779043
3	2	82.2	14	1550.8		176544
4	1	51.8	14			370755
5	2	74.2	14	1275.8		563437
6	1	53.1	14			758049
7	2	72.3	14	1503.7		152868
8	2	66.9	14	1604.1		345985
9	2	79.7	14	1888.3		538789
10	1	50.5	14			733939
11	3	86.2	14	1591.8	1648.8	128737
12	2	67.9	14	1412.1		322477
13	2	73.8	14	1832.2		515266
14	1	50	14			710590
15	3	86.1	14	1750.9	1217.9	105021
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial27 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5506.4
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.6	9	1818.4	1782.4	406782
2	3	94.5	9	1758.5	1571.5	670216
3	2	69.8	9	987.2		935811
4	2	77.9	9	1385.1		111096
5	3	86.2	9	1760.8	1711.8	374087
6	3	95.3	9	1114.7	1392.7	638147
7	2	82.7	9	1816.3		902717
8	2	78.3	9	1566.7		78591
9	1	55.1	9			342900
10	2	82.5	9	1741.5		606010
11	3	90.5	9	1465.5	1768.5	869048
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial28 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5506.8
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	87.9	8	1191.1	1431.1	50692
2	1	59	8			341635
3	1	62.9	8			631912
4	1	64.1	8			922939
5	3	89.2	8	1478.8	1557.8	14979
6	1	60.6	8			305589
7	1	57.9	8			596611
8	2	76.5	8	1234.5		885913
9	3	84.3	8	1787.7	1779.7	1174518
10	2	71.9	8	1704.1		269522
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial29 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5507.2
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	7			623142
2	3	89.2	7	1088.8	1286.8	944041
3	1	56.1	7			1268586
4	3	83.9	7	1730.1	1707.1	259337
5	3	85.6	7	1665.4	1570.4	581804
6	1	52.5	7			906468
7	1	54.2	7			1229437
8	2	75.9	7	1418.1		220120
9	1	65.7	7			543413
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial30 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5504
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.7	15			486629
2	3	98.7	15	1650.3	1571.3	665585
3	2	71	15	1831		101169
4	3	90.2	15	1332.8	1262.8	281973
5	3	86.5	15	1092.5	1001.5	463282
6	3	96.9	15	1607.1	1216.1	643279
7	2	74.4	15	1487.6		78945
8	3	94.5	15	1402.5	1570.5	259671
9	3	86.9	15	1650.1	1533.1	440150
10	1	51.5	15			623524
11	1	66.2	15			56757
12	1	62	15			238230
13	2	77.1	15	1323.9		419129
14	2	69.4	15	1561.6		600350
15	3	83.7	15	1039.3	1439.3	34291
16	1	65.3	15			215815
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type6 for 5510MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

HE80_5290MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	100		60	Pass
3	30	90		60	Pass
4	30	70		60	Pass
Aggregate (Radar Types 1-4)	120	90		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	96.66666667		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type1 for 5290MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI (msec)	Test A/B	Successful Detection (Yes/No)
			(Pulses Per Second)			
1	5280	10	1432.7	698	A	Yes
2	5284	2	1858.7	538	A	Yes
3	5290	21	1089.3	918	A	Yes
4	5292	8	1519.8	658	A	Yes
5	5298	20	1113.6	898	A	Yes
6	5289	7	1567.4	638	A	Yes
7	5285	23	326.2	3066	A	Yes
8	5282	6	1618.1	618	A	Yes
9	5286	9	1474.9	678	A	Yes
10	5286	17	1193.3	838	A	Yes
11	5289	18	1165.5	858	A	Yes
12	5285	4	1730.1	578	A	Yes
13	5298	13	1319.3	758	A	Yes
14	5288	15	1253.1	798	A	Yes
15	5287	12	1355	738	A	Yes
16	5284	-	920.8	1086	B	Yes
17	5287	-	424.4	2356	B	Yes
18	5286	-	1272.3	786	B	Yes
19	5293	-	349	2865	B	Yes
20	5280	-	1221	819	B	Yes
21	5290	-	830.6	1204	B	Yes
22	5285	-	361.5	2766	B	Yes
23	5292	-	536.5	1864	B	Yes
24	5281	-	940.7	1063	B	Yes
25	5291	-	695.9	1437	B	Yes
26	5292	-	446	2242	B	Yes
27	5287	-	1377.4	726	B	Yes
28	5298	-	1387	721	B	Yes
29	5294	-	672.9	1486	B	Yes
30	5299	-	394.2	2537	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5290MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5280	25	2.7	205	Yes
2	5296	23	1.1	157	Yes
3	5289	26	2.8	223	Yes
4	5290	27	3.8	170	Yes
5	5288	28	4.4	206	Yes
6	5283	24	1.6	193	Yes
7	5299	26	3	166	Yes
8	5296	28	4.2	175	Yes
9	5293	26	3.1	211	Yes
10	5293	23	1.2	199	Yes
11	5293	24	2	185	Yes
12	5285	25	2.5	151	Yes
13	5292	23	1.4	229	Yes
14	5293	28	4.3	159	Yes
15	5286	26	3.2	208	Yes
16	5287	26	3	164	Yes
17	5293	29	4.6	163	Yes
18	5288	27	3.8	191	Yes
19	5281	23	1.1	150	Yes
20	5284	27	3.6	220	Yes
21	5286	29	4.5	222	Yes
22	5299	29	4.5	155	Yes
23	5284	26	2.9	195	Yes
24	5296	27	3.8	179	Yes
25	5295	28	4.3	172	Yes
26	5293	27	3.3	201	Yes
27	5281	24	2.1	160	Yes
28	5297	24	1.8	210	Yes
29	5281	23	1.5	162	Yes
30	5298	27	3.5	158	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type3 for 5290MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5287	17	7.7	456	Yes
2	5292	16	6.1	317	No
3	5292	17	7.8	201	No
4	5290	18	8.8	489	Yes
5	5292	18	9.4	293	Yes
6	5281	16	6.6	368	Yes
7	5285	17	8	436	Yes
8	5292	18	9.2	235	Yes
9	5293	17	8.1	435	Yes
10	5297	16	6.2	319	Yes
11	5292	16	7	477	No
12	5289	17	7.5	482	Yes
13	5290	16	6.4	351	Yes
14	5290	18	9.3	458	Yes
15	5283	17	8.2	273	Yes
16	5280	17	8	271	Yes
17	5281	18	9.6	229	Yes
18	5294	18	8.8	438	Yes
19	5284	16	6.1	309	Yes
20	5285	17	8.6	218	Yes
21	5290	18	9.5	406	Yes
22	5286	18	9.5	226	Yes
23	5280	17	7.9	389	Yes
24	5282	18	8.8	372	Yes
25	5285	18	9.3	449	Yes
26	5295	17	8.3	490	Yes
27	5281	16	7.1	344	Yes
28	5292	16	6.8	237	Yes
29	5298	16	6.5	283	Yes
30	5288	17	8.5	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type4 for 5290MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5292	14	14.8	456	Yes
2	5284	12	11.3	317	Yes
3	5299	14	15.1	201	Yes
4	5293	15	17.3	489	No
5	5297	16	18.7	293	Yes
6	5286	12	12.3	368	Yes
7	5280	14	15.5	436	Yes
8	5291	16	18.2	235	No
9	5299	14	15.7	435	Yes
10	5286	12	11.4	319	No
11	5296	13	13.3	477	No
12	5288	13	14.4	482	No
13	5283	12	11.9	351	Yes
14	5294	16	18.4	458	Yes
15	5286	14	16	273	Yes
16	5288	14	15.6	271	Yes
17	5299	16	19.1	229	No
18	5290	15	17.4	438	Yes
19	5297	12	11.4	309	Yes
20	5298	15	16.9	218	No
21	5293	16	18.9	406	Yes
22	5287	16	18.8	226	No
23	5282	14	15.2	389	Yes
24	5287	15	17.4	372	Yes
25	5281	16	18.4	449	Yes
26	5299	14	16.2	490	Yes
27	5285	13	13.5	344	No
28	5287	13	12.8	237	Yes
29	5287	12	12.2	283	Yes
30	5296	15	16.7	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial1 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	11	1790.7		613953
2	1	52	11			838761
3	2	72.7	11	1562.3		140587
4	3	84.7	11	1117.3	1801.3	363321
5	3	92.6	11	1688.4	1262.4	585705
6	1	57.4	11			811035
7	2	74.7	11	1511.3		113195
8	3	90	11	1319	1389	335932
9	2	75.9	11	1031.1		559910
10	1	52.6	11			783892
11	1	62.6	11			85843
12	2	69.1	11	1226.9		308788
13	1	55.3	11			532794
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial2 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	5	1174.9	1143.9	1227681
2	2	77.8	5	1680.2		94672
3	2	75.6	5	1667.4		457807
4	3	94.7	5	1463.3	982.3	820375
5	3	85.4	5	1696.6	1097.6	1182967
6	1	52.2	5			50006
7	2	82.6	5	1820.4		413056
8	3	93.7	5	1635.3	1112.3	775395
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial3 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3		VSG Frequency(MHz): 5290	
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.4	12	1147.6	973.6	699341
2	2	73.2	12	1610.8		3222
3	3	85.2	12	1638.8	1716.8	225810
4	3	90.8	12	1429.2	1602.2	448565
5	2	78.8	12	1754.2		672187
6	1	64	12			897633
7	1	60.1	12			199252
8	1	57	12			422694
9	2	81.5	12	1138.5		645555
10	3	85.3	12	1291.7	1809.7	866852
11	2	69.4	12	1445.6		171392
12	2	76.2	12	1034.8		394756
13	1	63.8	12			618745
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4		VSG Frequency(MHz): 5290	
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.2	16			643934
2	1	59	16			110192
3	3	97.1	16	1041.9	1671.9	280018
4	1	50.3	16			452091
5	3	85.1	16	1504.9	1436.9	619696
6	1	51.6	16			89124
7	2	73.1	16	1213.9		259326
8	2	68.4	16	1506.6		430071
9	1	57.2	16			601556
10	2	75.7	16	1535.3		67975
11	1	60.2	16			239036
12	1	57	16			409916
13	2	80.2	16	1855.8		578911
14	1	57.6	16			47040
15	3	89.2	16	1053.8	1891.8	216818
16	3	88	16	1813	1452	386957
17	3	95.1	16	1438.9	1272.9	557392
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial5 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5		VSG Frequency(MHz): 5290	
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.3	18	1464.7	1132.7	23175
2	1	52.3	18			175944
3	2	80.2	18	1462.8		327936
4	2	67.1	18	978.9		480772
5	2	77.9	18	1123.1		4430
6	2	78.9	18	1872.1		156813
7	3	87.5	18	1854.5	1560.5	308163
8	3	94	18	945	1379	461086
9	1	63.7	18			616080
10	3	93.4	18	1314.6	1431.6	137813
11	1	64.6	18			291279
12	2	83	18	1429		442655
13	3	94.5	18	1620.5	1768.5	593830
14	2	67.4	18	974.6		119422
15	3	93.3	18	1784.7	1167.7	271116
16	3	92.9	18	1763.1	1415.1	422783
17	3	91.5	18	1549.5	1525.5	575427
18	2	77.9	18	1214.1		100587
19	2	68.7	18	1313.3		252936
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.5	7	1869.5		858068
2	3	94.3	7	1867.7	1099.7	1178986
3	1	50.3	7			173237
4	1	50.5	7			496346
5	1	59.4	7			818993
6	2	75.3	7	1241.7		1141412
7	3	86.1	7	1316.9	961.9	133174
8	3	97.6	7	1326.4	1583.4	455540
9	2	75	7	1325		778689
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial7 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7		VSG Frequency(MHz): 5290	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.8	12	1134.2	1834.2	705521
2	3	98.6	12	1126.4	906.4	59988
3	1	56.3	12			267570
4	2	70.9	12	1501.1		474452
5	2	69	12	1665		681138
6	3	86.4	12	1350.6	1137.6	34495
7	3	96	12	1073	1123	241437
8	2	67.1	12	1290.9		449060
9	3	96.1	12	1735.9	1227.9	654365
10	3	96.8	12	1020.2	916.2	9028
11	3	85.3	12	992.7	1588.7	215845
12	2	80.2	12	1504.8		423065
13	1	59.5	12			631560
14	1	56.4	12			838658
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial8 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	17	1083.7		148121
2	1	58.3	17			309910
3	1	58.4	17			471017
4	3	85.4	17	1070.6	1277.6	629955
5	1	62.7	17			128710
6	1	58.2	17			289851
7	2	67	17	1824		449889
8	1	64.2	17			612759
9	3	88.7	17	1373.3	1623.3	108171
10	2	79.8	17	1000.2		269696
11	2	70.4	17	1322.6		430667
12	1	59.4	17			592369
13	1	50.8	17			88931
14	3	89	17	1368	1123	249017
15	1	51.7	17			411708
16	2	70.8	17	998.2		571916
17	3	91.8	17	1089.2	1090.2	68740
18	3	91.9	17	1665.1	1067.1	229414
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial9 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.3	13	1479.7		502855
2	1	62.5	13			711338
3	1	60.2	13			63190
4	1	65.1	13			270675
5	3	87.1	13	1063.9	1787.9	476604
6	3	93.8	13	1395.2	938.2	683529
7	1	63.9	13			37620
8	1	58	13			245095
9	2	71.4	13	1714.6		451518
10	2	76.2	13	970.8		659039
11	3	96.9	13	1083.1	1230.1	12040
12	3	94.8	13	1076.2	1483.2	218988
13	3	92.6	13	1741.4	1589.4	425281
14	3	88.6	13	1301.4	965.4	633150
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial10 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	5	1280		1473453
2	3	87.8	5	1876.2	1589.2	339046
3	2	79	5	1604		702378
4	3	92.3	5	940.7	967.7	1065409
5	1	50.9	5			1429665
6	3	89.9	5	1726.1	1756.1	294271
7	2	73.4	5	1631.6		657563
8	3	89.3	5	1374.7	1002.7	1019919
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial11 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5293.6
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58	9			1007500
2	2	69.5	9	1161.5		181806
3	1	59.9	9			446174
4	2	76.5	9	1872.5		709281
5	1	50.5	9			974979
6	1	59.5	9			149377
7	3	85.6	9	1646.4	1784.4	412223
8	1	57	9			677718
9	1	65.3	9			941967
10	2	75.3	9	1429.7		116744
11	1	54.9	9			380938
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial12 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5294.4
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.5	11	1659.5	1853.5	589417
2	3	98.9	11	1508.1	1440.1	831150
3	3	97.1	11	1222.9	991.9	77068
4	3	96.3	11	1843.7	1748.7	318255
5	1	56.1	11			561650
6	2	71.2	11	1728.8		802389
7	1	64.7	11			47451
8	2	71.5	11	1616.5		289105
9	1	54.6	11			531899
10	3	86.9	11	1465.1	1437.1	771465
11	3	90.9	11	1383.1	1149.1	17584
12	2	67.3	11	1132.7		259521
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial13 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5292.4
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94	6	1279	1335	668244
2	3	87.3	6	1724.7	1870.7	989439
3	2	81.9	6	1743.1		1314107
4	3	90.5	6	1327.5	1061.5	306146
5	1	63	6			629749
6	1	59.9	6			952980
7	1	59.5	6			1275813
8	2	69.8	6	1621.2		266591
9	1	51.9	6			589973
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial14 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5297.2
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.5	18	1326.5		455105
2	3	92	18	1062	1744	614193
3	1	54.5	18			113524
4	3	90.7	18	1649.3	1445.3	273494
5	1	55.2	18			436226
6	1	60.5	18			597767
7	3	93.2	18	1413.8	1253.8	93188
8	1	54.3	18			254718
9	2	72.5	18	1191.5		415527
10	1	64.3	18			577705
11	1	60.8	18			73697
12	2	71.6	18	934.4		234543
13	3	89.8	18	1845.2	1825.2	394339
14	3	99.2	18	1599.8	1704.8	555113
15	3	89.7	18	1840.3	1306.3	53603
16	2	72	18	1013		214896
17	3	91.6	18	1545.4	1328.4	374827
18	2	72.9	18	1520.1		536744
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial15 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5295.2
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71	13	1217		40711
2	3	86.3	13	1608.7	925.7	233519
3	2	68.3	13	1375.7		427104
4	2	68.7	13	1341.3		620837
5	1	52.4	13			16917
6	2	67.1	13	1885.9		210032
7	1	52.1	13			404419
8	1	65.9	13			597549
9	3	89.3	13	1340.7	1059.7	789112
10	2	68.6	13	1811.4		186376
11	2	69.1	13	1617.9		379561
12	2	72.6	13	1199.4		572913
13	3	97.2	13	1768.8	1379.8	764372
14	1	55.7	13			162870
15	1	55.4	13			356463
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial16 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5295.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53	13			589273
2	2	75	13	1586		795730
3	1	56.9	13			148900
4	3	92.5	13	1181.5	1115.5	355340
5	1	55.5	13			563868
6	1	50.9	13			771178
7	1	60.6	13			123400
8	2	71.5	13	1713.5		330271
9	2	67.1	13	1745.9		537610
10	2	82.2	13	1577.8		744134
11	2	72.6	13	1750.4		97686
12	2	80	13	1003		305053
13	3	95.8	13	1780.2	1296.2	510746
14	1	54.2	13			720319
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial17 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5297.6
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.1	19	1012.9	1317.9	52977
2	3	92.2	19	1899.8	1049.8	205176
3	2	68.5	19	1282.5		357914
4	2	71.5	19	1037.5		510882
5	3	87.1	19	1037.9	1822.9	34217
6	3	88.5	19	912.5	1523.5	186575
7	3	83.6	19	1371.4	1294.4	338528
8	3	83.6	19	1398.4	1305.4	490954
9	3	99.8	19	1158.2	1620.2	15503
10	3	89.6	19	1183.4	1901.4	167443
11	3	87.4	19	996.6	1844.6	319911
12	3	88.5	19	1396.5	929.5	472325
13	3	89.4	19	1670.6	1613.6	623424
14	2	71.3	19	1747.7		149235
15	2	74.5	19	1543.5		301746
16	3	85.3	19	1548.7	941.7	453454
17	3	100	19	1229	1165	605192
18	2	67.2	19	1710.8		130347
19	1	55	19			283590
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial18 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5296.4
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	16			487755
2	3	86.8	16	1723.2	1254.2	655505
3	2	74.2	16	1111.8		124896
4	2	82.8	16	1481.2		295445
5	2	79.5	16	1403.5		465779
6	3	86	16	1220	1208	634975
7	2	72	16	1466		103856
8	1	60.4	16			274881
9	1	64.7	16			445531
10	1	51.2	16			616373
11	3	86.6	16	1621.4	1840.4	82589
12	2	79.8	16	1134.2		253311
13	3	87.2	16	1604.8	943.8	423342
14	1	56.4	16			595568
15	1	61.7	16			62035
16	1	51.1	16			232778
17	2	76.5	16	1532.5		402479
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial19 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5292
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.5	5			1222231
2	1	51	5			87110
3	1	60	5			450423
4	2	67.3	5	1654.7		812897
5	2	71.9	5	1003.1		1176945
6	2	69.4	5	1460.6		42317
7	2	75.2	5	1741.8		405184
8	2	67.3	5	995.7		768420
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial20 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5296
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.1	15			565546
2	2	67.1	15	1435.9		745328
3	1	61.5	15			180215
4	3	89.3	15	1308.7	1890.7	360314
5	3	97.1	15	1857.9	1771.9	540844
6	2	81.8	15	1570.2		723381
7	2	82.2	15	1233.8		157754
8	1	55.3	15			339300
9	2	74.9	15	1769.1		519607
10	2	79.7	15	1859.3		700910
11	2	67.4	15	994.6		135364
12	1	63.9	15			317064
13	1	59.4	15			498541
14	3	89.1	15	1115.9	1535.9	677669
15	3	85.5	15	1485.5	993.5	112911
16	1	65.1	15			294975
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial21 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5282.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.1	18	1486.9		400153
2	2	68.8	18	1813.2		552233
3	2	82.4	18	1653.6		76340
4	1	63.2	18			229408
5	1	59.7	18			382127
6	1	50.2	18			534768
7	2	82.1	18	1905.9		57496
8	2	77.6	18	1168.4		209936
9	2	70.2	18	1744.8		362025
10	3	98.1	18	1089.9	1027.9	513843
11	3	84.8	18	1386.2	1829.2	38658
12	3	98.9	18	1237.1	1078.1	190800
13	1	57.1	18			344443
14	3	87.8	18	1570.2	1193.2	494722
15	3	94.2	18	977.8	1126.8	19951
16	2	67.3	18	1458.7		172553
17	3	99	18	1037	1329	324476
18	1	65.4	18			478272
19	2	74.4	18	1027.6		1210
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial22 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5282.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	18	980.1		153649
2	1	60.4	18			306781
3	2	71.1	18	1263.9		458372
4	2	67.7	18	967.3		611795
5	2	69.4	18	1185.6		135030
6	1	54.3	18			288014
7	2	74.5	18	1222.5		439613
8	1	62.2	18			594088
9	2	76.8	18	1017.2		116213
10	3	94.3	18	1143.7	1291.7	267997
11	3	87.3	18	1197.7	1179.7	420240
12	2	67	18	1169		573650
13	1	61.5	18			97513
14	1	65.6	18			250369
15	3	95	18	1704	1043	401075
16	3	89.2	18	1826.8	1431.8	552964
17	1	53	18			78748
18	3	87.1	18	1323.9	1625.9	230559
19	1	62	18			384290
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial23 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5285.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.5	12			729769
2	1	54.9	12			81404
3	3	85	12	1880	1328	287728
4	3	84	12	1493	1655	494416
5	2	69.1	12	1627.9		702730
6	3	99	12	1077	1068	55637
7	3	97.1	12	1136.9	1263.9	262671
8	2	83.3	12	1443.7		469872
9	3	98.3	12	1458.7	1243.7	676371
10	3	87.2	12	1449.8	985.8	30136
11	3	85.5	12	1009.5	1330.5	236972
12	1	50	12			445124
13	1	64.9	12			652606
14	3	94	12	1190	1165	4656
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial24 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5283.6
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.7	16			174571
2	1	66.6	16			345576
3	1	54.7	16			516256
4	1	57	16			687505
5	1	51.1	16			153583
6	1	62.9	16			324481
7	1	58.8	16			495620
8	3	85.3	16	978.7	1487.7	663341
9	3	88	16	1154	1658	131958
10	1	55.3	16			303504
11	3	83.4	16	1079.6	1588.6	472479
12	2	82.9	16	1521.1		643466
13	2	81	16	1181		111418
14	2	73.3	16	1731.7		281565
15	2	83.3	16	1868.7		452073
16	1	62.2	16			624066
17	3	98.6	16	1190.4	1418.4	90109
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial25 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5282.8
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	18	1532.9	1267.9	245561
2	2	80.3	18	1114.7		407293
3	3	87	18	1876	950	567027
4	1	57.8	18			65644
5	2	69.4	18	1190.6		226562
6	3	83.9	18	1632.1	1028.1	386762
7	2	76.5	18	1384.5		548400
8	1	51.9	18			45722
9	2	68.7	18	1240.3		206592
10	2	72.4	18	1380.6		367742
11	2	71	18	1905		527824
12	2	76.2	18	1027.8		25815
13	2	75.1	18	1583.9		186628
14	3	91.3	18	1766.7	1887.7	346542
15	3	94.2	18	1037.8	1762.8	507373
16	2	72.3	18	1722.7		5968
17	2	73.1	18	1859.9		166810
18	3	96.8	18	1349.2	1001.2	327139
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial26 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5284.4
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99	14	1393	1346	585698
2	3	90.3	14	1599.7	1296.7	779043
3	2	82.2	14	1550.8		176544
4	1	51.8	14			370755
5	2	74.2	14	1275.8		563437
6	1	53.1	14			758049
7	2	72.3	14	1503.7		152868
8	2	66.9	14	1604.1		345985
9	2	79.7	14	1888.3		538789
10	1	50.5	14			733939
11	3	86.2	14	1591.8	1648.8	128737
12	2	67.9	14	1412.1		322477
13	2	73.8	14	1832.2		515266
14	1	50	14			710590
15	3	86.1	14	1750.9	1217.9	105021
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial27 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5286.4
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.6	9	1818.4	1782.4	406782
2	3	94.5	9	1758.5	1571.5	670216
3	2	69.8	9	987.2		935811
4	2	77.9	9	1385.1		111096
5	3	86.2	9	1760.8	1711.8	374087
6	3	95.3	9	1114.7	1392.7	638147
7	2	82.7	9	1816.3		902717
8	2	78.3	9	1566.7		78591
9	1	55.1	9			342900
10	2	82.5	9	1741.5		606010
11	3	90.5	9	1465.5	1768.5	869048
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial28 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5286.8
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	87.9	8	1191.1	1431.1	50692
2	1	59	8			341635
3	1	62.9	8			631912
4	1	64.1	8			922939
5	3	89.2	8	1478.8	1557.8	14979
6	1	60.6	8			305589
7	1	57.9	8			596611
8	2	76.5	8	1234.5		885913
9	3	84.3	8	1787.7	1779.7	1174518
10	2	71.9	8	1704.1		269522
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial29 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5287.2
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	7			623142
2	3	89.2	7	1088.8	1286.8	944041
3	1	56.1	7			1268586
4	3	83.9	7	1730.1	1707.1	259337
5	3	85.6	7	1665.4	1570.4	581804
6	1	52.5	7			906468
7	1	54.2	7			1229437
8	2	75.9	7	1418.1		220120
9	1	65.7	7			543413
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial30 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5284
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.7	15			486629
2	3	98.7	15	1650.3	1571.3	665585
3	2	71	15	1831		101169
4	3	90.2	15	1332.8	1262.8	281973
5	3	86.5	15	1092.5	1001.5	463282
6	3	96.9	15	1607.1	1216.1	643279
7	2	74.4	15	1487.6		78945
8	3	94.5	15	1402.5	1570.5	259671
9	3	86.9	15	1650.1	1533.1	440150
10	1	51.5	15			623524
11	1	66.2	15			56757
12	1	62	15			238230
13	2	77.1	15	1323.9		419129
14	2	69.4	15	1561.6		600350
15	3	83.7	15	1039.3	1439.3	34291
16	1	65.3	15			215815
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type6 for 5290MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	No
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HE80_5530MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	96.67		60	Pass
3	30	80		60	Pass
4	30	73.33		60	Pass
Aggregate (Radar Types 1-4)	120	87.5		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type1 for 5530MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5536	10	1432.7	698	A	Yes
2	5533	2	1858.7	538	A	Yes
3	5534	21	1089.3	918	A	Yes
4	5534	8	1519.8	658	A	Yes
5	5527	20	1113.6	898	A	Yes
6	5522	7	1567.4	638	A	Yes
7	5530	23	326.2	3066	A	Yes
8	5529	6	1618.1	618	A	Yes
9	5528	9	1474.9	678	A	Yes
10	5537	17	1193.3	838	A	Yes
11	5535	18	1165.5	858	A	Yes
12	5534	4	1730.1	578	A	Yes
13	5527	13	1319.3	758	A	Yes
14	5537	15	1253.1	798	A	Yes
15	5524	12	1355	738	A	Yes
16	5536	-	920.8	1086	B	Yes
17	5534	-	424.4	2356	B	Yes
18	5526	-	1272.3	786	B	Yes
19	5520	-	349	2865	B	Yes
20	5521	-	1221	819	B	Yes
21	5520	-	830.6	1204	B	Yes
22	5524	-	361.5	2766	B	Yes
23	5533	-	536.5	1864	B	Yes
24	5539	-	940.7	1063	B	Yes
25	5532	-	695.9	1437	B	Yes
26	5533	-	446	2242	B	Yes
27	5531	-	1377.4	726	B	Yes
28	5525	-	1387	721	B	Yes
29	5536	-	672.9	1486	B	Yes
30	5532	-	394.2	2537	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5530MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	25	2.7	205	Yes
2	5521	23	1.1	157	Yes
3	5535	26	2.8	223	Yes
4	5536	27	3.8	170	Yes
5	5524	28	4.4	206	Yes
6	5535	24	1.6	193	Yes
7	5536	26	3	166	Yes
8	5522	28	4.2	175	Yes
9	5530	26	3.1	211	Yes
10	5537	23	1.2	199	Yes
11	5535	24	2	185	No
12	5523	25	2.5	151	Yes
13	5539	23	1.4	229	Yes
14	5535	28	4.3	159	Yes
15	5532	26	3.2	208	Yes
16	5534	26	3	164	Yes
17	5525	29	4.6	163	Yes
18	5533	27	3.8	191	Yes
19	5533	23	1.1	150	Yes
20	5534	27	3.6	220	Yes
21	5528	29	4.5	222	Yes
22	5523	29	4.5	155	Yes
23	5538	26	2.9	195	Yes
24	5527	27	3.8	179	Yes
25	5524	28	4.3	172	Yes
26	5522	27	3.3	201	Yes
27	5521	24	2.1	160	Yes
28	5533	24	1.8	210	Yes
29	5525	23	1.5	162	Yes
30	5536	27	3.5	158	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type3 for 5530MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5534	17	7.7	456	Yes
2	5537	16	6.1	317	Yes
3	5524	17	7.8	201	No
4	5537	18	8.8	489	Yes
5	5527	18	9.4	293	Yes
6	5527	16	6.6	368	Yes
7	5530	17	8	436	Yes
8	5521	18	9.2	235	Yes
9	5521	17	8.1	435	Yes
10	5520	16	6.2	319	No
11	5534	16	7	477	Yes
12	5539	17	7.5	482	Yes
13	5520	16	6.4	351	Yes
14	5530	18	9.3	458	Yes
15	5527	17	8.2	273	Yes
16	5537	17	8	271	Yes
17	5539	18	9.6	229	No
18	5539	18	8.8	438	Yes
19	5532	16	6.1	309	Yes
20	5521	17	8.6	218	No
21	5531	18	9.5	406	Yes
22	5539	18	9.5	226	No
23	5531	17	7.9	389	Yes
24	5535	18	8.8	372	Yes
25	5528	18	9.3	449	Yes
26	5537	17	8.3	490	Yes
27	5524	16	7.1	344	Yes
28	5539	16	6.8	237	No
29	5525	16	6.5	283	Yes
30	5538	17	8.5	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type4 for 5530MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5537	14	14.8	456	Yes
2	5528	12	11.3	317	Yes
3	5534	14	15.1	201	Yes
4	5537	15	17.3	489	No
5	5532	16	18.7	293	Yes
6	5530	12	12.3	368	No
7	5534	14	15.5	436	Yes
8	5532	16	18.2	235	Yes
9	5526	14	15.7	435	Yes
10	5525	12	11.4	319	Yes
11	5539	13	13.3	477	No
12	5535	13	14.4	482	No
13	5521	12	11.9	351	Yes
14	5535	16	18.4	458	No
15	5533	14	16	273	Yes
16	5520	14	15.6	271	Yes
17	5522	16	19.1	229	No
18	5520	15	17.4	438	No
19	5537	12	11.4	309	Yes
20	5536	15	16.9	218	Yes
21	5537	16	18.9	406	Yes
22	5538	16	18.8	226	Yes
23	5526	14	15.2	389	Yes
24	5539	15	17.4	372	Yes
25	5532	16	18.4	449	Yes
26	5533	14	16.2	490	No
27	5532	13	13.5	344	Yes
28	5529	13	12.8	237	Yes
29	5528	12	12.2	283	Yes
30	5537	15	16.7	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial1 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	11	1790.7		613953
2	1	52	11			838761
3	2	72.7	11	1562.3		140587
4	3	84.7	11	1117.3	1801.3	363321
5	3	92.6	11	1688.4	1262.4	585705
6	1	57.4	11			811035
7	2	74.7	11	1511.3		113195
8	3	90	11	1319	1389	335932
9	2	75.9	11	1031.1		559910
10	1	52.6	11			783892
11	1	62.6	11			85843
12	2	69.1	11	1226.9		308788
13	1	55.3	11			532794
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial2 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	5	1174.9	1143.9	1227681
2	2	77.8	5	1680.2		94672
3	2	75.6	5	1667.4		457807
4	3	94.7	5	1463.3	982.3	820375
5	3	85.4	5	1696.6	1097.6	1182967
6	1	52.2	5			50006
7	2	82.6	5	1820.4		413056
8	3	93.7	5	1635.3	1112.3	775395
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial3 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3		VSG Frequency(MHz): 5530	
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.4	12	1147.6	973.6	699341
2	2	73.2	12	1610.8		3222
3	3	85.2	12	1638.8	1716.8	225810
4	3	90.8	12	1429.2	1602.2	448565
5	2	78.8	12	1754.2		672187
6	1	64	12			897633
7	1	60.1	12			199252
8	1	57	12			422694
9	2	81.5	12	1138.5		645555
10	3	85.3	12	1291.7	1809.7	866852
11	2	69.4	12	1445.6		171392
12	2	76.2	12	1034.8		394756
13	1	63.8	12			618745
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial4 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.2	16			643934
2	1	59	16			110192
3	3	97.1	16	1041.9	1671.9	280018
4	1	50.3	16			452091
5	3	85.1	16	1504.9	1436.9	619696
6	1	51.6	16			89124
7	2	73.1	16	1213.9		259326
8	2	68.4	16	1506.6		430071
9	1	57.2	16			601556
10	2	75.7	16	1535.3		67975
11	1	60.2	16			239036
12	1	57	16			409916
13	2	80.2	16	1855.8		578911
14	1	57.6	16			47040
15	3	89.2	16	1053.8	1891.8	216818
16	3	88	16	1813	1452	386957
17	3	95.1	16	1438.9	1272.9	557392
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial5 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5		VSG Frequency(MHz): 5530	
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.3	18	1464.7	1132.7	23175
2	1	52.3	18			175944
3	2	80.2	18	1462.8		327936
4	2	67.1	18	978.9		480772
5	2	77.9	18	1123.1		4430
6	2	78.9	18	1872.1		156813
7	3	87.5	18	1854.5	1560.5	308163
8	3	94	18	945	1379	461086
9	1	63.7	18			616080
10	3	93.4	18	1314.6	1431.6	137813
11	1	64.6	18			291279
12	2	83	18	1429		442655
13	3	94.5	18	1620.5	1768.5	593830
14	2	67.4	18	974.6		119422
15	3	93.3	18	1784.7	1167.7	271116
16	3	92.9	18	1763.1	1415.1	422783
17	3	91.5	18	1549.5	1525.5	575427
18	2	77.9	18	1214.1		100587
19	2	68.7	18	1313.3		252936
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial6 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6		VSG Frequency(MHz): 5530	
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.5	7	1869.5		858068
2	3	94.3	7	1867.7	1099.7	1178986
3	1	50.3	7			173237
4	1	50.5	7			496346
5	1	59.4	7			818993
6	2	75.3	7	1241.7		1141412
7	3	86.1	7	1316.9	961.9	133174
8	3	97.6	7	1326.4	1583.4	455540
9	2	75	7	1325		778689
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial7 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7		VSG Frequency(MHz): 5530	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.8	12	1134.2	1834.2	705521
2	3	98.6	12	1126.4	906.4	59988
3	1	56.3	12			267570
4	2	70.9	12	1501.1		474452
5	2	69	12	1665		681138
6	3	86.4	12	1350.6	1137.6	34495
7	3	96	12	1073	1123	241437
8	2	67.1	12	1290.9		449060
9	3	96.1	12	1735.9	1227.9	654365
10	3	96.8	12	1020.2	916.2	9028
11	3	85.3	12	992.7	1588.7	215845
12	2	80.2	12	1504.8		423065
13	1	59.5	12			631560
14	1	56.4	12			838658
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.3	17	1083.7		148121
2	1	58.3	17			309910
3	1	58.4	17			471017
4	3	85.4	17	1070.6	1277.6	629955
5	1	62.7	17			128710
6	1	58.2	17			289851
7	2	67	17	1824		449889
8	1	64.2	17			612759
9	3	88.7	17	1373.3	1623.3	108171
10	2	79.8	17	1000.2		269696
11	2	70.4	17	1322.6		430667
12	1	59.4	17			592369
13	1	50.8	17			88931
14	3	89	17	1368	1123	249017
15	1	51.7	17			411708
16	2	70.8	17	998.2		571916
17	3	91.8	17	1089.2	1090.2	68740
18	3	91.9	17	1665.1	1067.1	229414
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial9 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9		VSG Frequency(MHz): 5530	
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.3	13	1479.7		502855
2	1	62.5	13			711338
3	1	60.2	13			63190
4	1	65.1	13			270675
5	3	87.1	13	1063.9	1787.9	476604
6	3	93.8	13	1395.2	938.2	683529
7	1	63.9	13			37620
8	1	58	13			245095
9	2	71.4	13	1714.6		451518
10	2	76.2	13	970.8		659039
11	3	96.9	13	1083.1	1230.1	12040
12	3	94.8	13	1076.2	1483.2	218988
13	3	92.6	13	1741.4	1589.4	425281
14	3	88.6	13	1301.4	965.4	633150
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial10 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	5	1280		1473453
2	3	87.8	5	1876.2	1589.2	339046
3	2	79	5	1604		702378
4	3	92.3	5	940.7	967.7	1065409
5	1	50.9	5			1429665
6	3	89.9	5	1726.1	1756.1	294271
7	2	73.4	5	1631.6		657563
8	3	89.3	5	1374.7	1002.7	1019919
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial11 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5533.6
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58	9			1007500
2	2	69.5	9	1161.5		181806
3	1	59.9	9			446174
4	2	76.5	9	1872.5		709281
5	1	50.5	9			974979
6	1	59.5	9			149377
7	3	85.6	9	1646.4	1784.4	412223
8	1	57	9			677718
9	1	65.3	9			941967
10	2	75.3	9	1429.7		116744
11	1	54.9	9			380938
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial12 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5534.4
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.5	11	1659.5	1853.5	589417
2	3	98.9	11	1508.1	1440.1	831150
3	3	97.1	11	1222.9	991.9	77068
4	3	96.3	11	1843.7	1748.7	318255
5	1	56.1	11			561650
6	2	71.2	11	1728.8		802389
7	1	64.7	11			47451
8	2	71.5	11	1616.5		289105
9	1	54.6	11			531899
10	3	86.9	11	1465.1	1437.1	771465
11	3	90.9	11	1383.1	1149.1	17584
12	2	67.3	11	1132.7		259521
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial13 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5532.4
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94	6	1279	1335	668244
2	3	87.3	6	1724.7	1870.7	989439
3	2	81.9	6	1743.1		1314107
4	3	90.5	6	1327.5	1061.5	306146
5	1	63	6			629749
6	1	59.9	6			952980
7	1	59.5	6			1275813
8	2	69.8	6	1621.2		266591
9	1	51.9	6			589973
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial14 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5537.2
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.5	18	1326.5		455105
2	3	92	18	1062	1744	614193
3	1	54.5	18			113524
4	3	90.7	18	1649.3	1445.3	273494
5	1	55.2	18			436226
6	1	60.5	18			597767
7	3	93.2	18	1413.8	1253.8	93188
8	1	54.3	18			254718
9	2	72.5	18	1191.5		415527
10	1	64.3	18			577705
11	1	60.8	18			73697
12	2	71.6	18	934.4		234543
13	3	89.8	18	1845.2	1825.2	394339
14	3	99.2	18	1599.8	1704.8	555113
15	3	89.7	18	1840.3	1306.3	53603
16	2	72	18	1013		214896
17	3	91.6	18	1545.4	1328.4	374827
18	2	72.9	18	1520.1		536744
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial15 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5535.2
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71	13	1217		40711
2	3	86.3	13	1608.7	925.7	233519
3	2	68.3	13	1375.7		427104
4	2	68.7	13	1341.3		620837
5	1	52.4	13			16917
6	2	67.1	13	1885.9		210032
7	1	52.1	13			404419
8	1	65.9	13			597549
9	3	89.3	13	1340.7	1059.7	789112
10	2	68.6	13	1811.4		186376
11	2	69.1	13	1617.9		379561
12	2	72.6	13	1199.4		572913
13	3	97.2	13	1768.8	1379.8	764372
14	1	55.7	13			162870
15	1	55.4	13			356463
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial16 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5535.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53	13			589273
2	2	75	13	1586		795730
3	1	56.9	13			148900
4	3	92.5	13	1181.5	1115.5	355340
5	1	55.5	13			563868
6	1	50.9	13			771178
7	1	60.6	13			123400
8	2	71.5	13	1713.5		330271
9	2	67.1	13	1745.9		537610
10	2	82.2	13	1577.8		744134
11	2	72.6	13	1750.4		97686
12	2	80	13	1003		305053
13	3	95.8	13	1780.2	1296.2	510746
14	1	54.2	13			720319
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial17 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5537.6
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.1	19	1012.9	1317.9	52977
2	3	92.2	19	1899.8	1049.8	205176
3	2	68.5	19	1282.5		357914
4	2	71.5	19	1037.5		510882
5	3	87.1	19	1037.9	1822.9	34217
6	3	88.5	19	912.5	1523.5	186575
7	3	83.6	19	1371.4	1294.4	338528
8	3	83.6	19	1398.4	1305.4	490954
9	3	99.8	19	1158.2	1620.2	15503
10	3	89.6	19	1183.4	1901.4	167443
11	3	87.4	19	996.6	1844.6	319911
12	3	88.5	19	1396.5	929.5	472325
13	3	89.4	19	1670.6	1613.6	623424
14	2	71.3	19	1747.7		149235
15	2	74.5	19	1543.5		301746
16	3	85.3	19	1548.7	941.7	453454
17	3	100	19	1229	1165	605192
18	2	67.2	19	1710.8		130347
19	1	55	19			283590
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial18 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5536.4
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	16			487755
2	3	86.8	16	1723.2	1254.2	655505
3	2	74.2	16	1111.8		124896
4	2	82.8	16	1481.2		295445
5	2	79.5	16	1403.5		465779
6	3	86	16	1220	1208	634975
7	2	72	16	1466		103856
8	1	60.4	16			274881
9	1	64.7	16			445531
10	1	51.2	16			616373
11	3	86.6	16	1621.4	1840.4	82589
12	2	79.8	16	1134.2		253311
13	3	87.2	16	1604.8	943.8	423342
14	1	56.4	16			595568
15	1	61.7	16			62035
16	1	51.1	16			232778
17	2	76.5	16	1532.5		402479
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial19 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5532
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.5	5			1222231
2	1	51	5			87110
3	1	60	5			450423
4	2	67.3	5	1654.7		812897
5	2	71.9	5	1003.1		1176945
6	2	69.4	5	1460.6		42317
7	2	75.2	5	1741.8		405184
8	2	67.3	5	995.7		768420
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial20 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5536
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.1	15			565546
2	2	67.1	15	1435.9		745328
3	1	61.5	15			180215
4	3	89.3	15	1308.7	1890.7	360314
5	3	97.1	15	1857.9	1771.9	540844
6	2	81.8	15	1570.2		723381
7	2	82.2	15	1233.8		157754
8	1	55.3	15			339300
9	2	74.9	15	1769.1		519607
10	2	79.7	15	1859.3		700910
11	2	67.4	15	994.6		135364
12	1	63.9	15			317064
13	1	59.4	15			498541
14	3	89.1	15	1115.9	1535.9	677669
15	3	85.5	15	1485.5	993.5	112911
16	1	65.1	15			294975
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial21 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5522.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78.1	18	1486.9		400153
2	2	68.8	18	1813.2		552233
3	2	82.4	18	1653.6		76340
4	1	63.2	18			229408
5	1	59.7	18			382127
6	1	50.2	18			534768
7	2	82.1	18	1905.9		57496
8	2	77.6	18	1168.4		209936
9	2	70.2	18	1744.8		362025
10	3	98.1	18	1089.9	1027.9	513843
11	3	84.8	18	1386.2	1829.2	38658
12	3	98.9	18	1237.1	1078.1	190800
13	1	57.1	18			344443
14	3	87.8	18	1570.2	1193.2	494722
15	3	94.2	18	977.8	1126.8	19951
16	2	67.3	18	1458.7		172553
17	3	99	18	1037	1329	324476
18	1	65.4	18			478272
19	2	74.4	18	1027.6		1210
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial22 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5522.8
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	18	980.1		153649
2	1	60.4	18			306781
3	2	71.1	18	1263.9		458372
4	2	67.7	18	967.3		611795
5	2	69.4	18	1185.6		135030
6	1	54.3	18			288014
7	2	74.5	18	1222.5		439613
8	1	62.2	18			594088
9	2	76.8	18	1017.2		116213
10	3	94.3	18	1143.7	1291.7	267997
11	3	87.3	18	1197.7	1179.7	420240
12	2	67	18	1169		573650
13	1	61.5	18			97513
14	1	65.6	18			250369
15	3	95	18	1704	1043	401075
16	3	89.2	18	1826.8	1431.8	552964
17	1	53	18			78748
18	3	87.1	18	1323.9	1625.9	230559
19	1	62	18			384290
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial23 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5525.2
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.5	12			729769
2	1	54.9	12			81404
3	3	85	12	1880	1328	287728
4	3	84	12	1493	1655	494416
5	2	69.1	12	1627.9		702730
6	3	99	12	1077	1068	55637
7	3	97.1	12	1136.9	1263.9	262671
8	2	83.3	12	1443.7		469872
9	3	98.3	12	1458.7	1243.7	676371
10	3	87.2	12	1449.8	985.8	30136
11	3	85.5	12	1009.5	1330.5	236972
12	1	50	12			445124
13	1	64.9	12			652606
14	3	94	12	1190	1165	4656
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial24 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5523.6
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.7	16			174571
2	1	66.6	16			345576
3	1	54.7	16			516256
4	1	57	16			687505
5	1	51.1	16			153583
6	1	62.9	16			324481
7	1	58.8	16			495620
8	3	85.3	16	978.7	1487.7	663341
9	3	88	16	1154	1658	131958
10	1	55.3	16			303504
11	3	83.4	16	1079.6	1588.6	472479
12	2	82.9	16	1521.1		643466
13	2	81	16	1181		111418
14	2	73.3	16	1731.7		281565
15	2	83.3	16	1868.7		452073
16	1	62.2	16			624066
17	3	98.6	16	1190.4	1418.4	90109
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial25 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5522.8
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	18	1532.9	1267.9	245561
2	2	80.3	18	1114.7		407293
3	3	87	18	1876	950	567027
4	1	57.8	18			65644
5	2	69.4	18	1190.6		226562
6	3	83.9	18	1632.1	1028.1	386762
7	2	76.5	18	1384.5		548400
8	1	51.9	18			45722
9	2	68.7	18	1240.3		206592
10	2	72.4	18	1380.6		367742
11	2	71	18	1905		527824
12	2	76.2	18	1027.8		25815
13	2	75.1	18	1583.9		186628
14	3	91.3	18	1766.7	1887.7	346542
15	3	94.2	18	1037.8	1762.8	507373
16	2	72.3	18	1722.7		5968
17	2	73.1	18	1859.9		166810
18	3	96.8	18	1349.2	1001.2	327139
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5 Trial26 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5524.4
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99	14	1393	1346	585698
2	3	90.3	14	1599.7	1296.7	779043
3	2	82.2	14	1550.8		176544
4	1	51.8	14			370755
5	2	74.2	14	1275.8		563437
6	1	53.1	14			758049
7	2	72.3	14	1503.7		152868
8	2	66.9	14	1604.1		345985
9	2	79.7	14	1888.3		538789
10	1	50.5	14			733939
11	3	86.2	14	1591.8	1648.8	128737
12	2	67.9	14	1412.1		322477
13	2	73.8	14	1832.2		515266
14	1	50	14			710590
15	3	86.1	14	1750.9	1217.9	105021
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial27 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5526.4
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.6	9	1818.4	1782.4	406782
2	3	94.5	9	1758.5	1571.5	670216
3	2	69.8	9	987.2		935811
4	2	77.9	9	1385.1		111096
5	3	86.2	9	1760.8	1711.8	374087
6	3	95.3	9	1114.7	1392.7	638147
7	2	82.7	9	1816.3		902717
8	2	78.3	9	1566.7		78591
9	1	55.1	9			342900
10	2	82.5	9	1741.5		606010
11	3	90.5	9	1465.5	1768.5	869048
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial28 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5526.8
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	87.9	8	1191.1	1431.1	50692
2	1	59	8			341635
3	1	62.9	8			631912
4	1	64.1	8			922939
5	3	89.2	8	1478.8	1557.8	14979
6	1	60.6	8			305589
7	1	57.9	8			596611
8	2	76.5	8	1234.5		885913
9	3	84.3	8	1787.7	1779.7	1174518
10	2	71.9	8	1704.1		269522
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial29 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5527.2
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	7			623142
2	3	89.2	7	1088.8	1286.8	944041
3	1	56.1	7			1268586
4	3	83.9	7	1730.1	1707.1	259337
5	3	85.6	7	1665.4	1570.4	581804
6	1	52.5	7			906468
7	1	54.2	7			1229437
8	2	75.9	7	1418.1		220120
9	1	65.7	7			543413
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5 Trial30 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5524
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.7	15			486629
2	3	98.7	15	1650.3	1571.3	665585
3	2	71	15	1831		101169
4	3	90.2	15	1332.8	1262.8	281973
5	3	86.5	15	1092.5	1001.5	463282
6	3	96.9	15	1607.1	1216.1	643279
7	2	74.4	15	1487.6		78945
8	3	94.5	15	1402.5	1570.5	259671
9	3	86.9	15	1650.1	1533.1	440150
10	1	51.5	15			623524
11	1	66.2	15			56757
12	1	62	15			238230
13	2	77.1	15	1323.9		419129
14	2	69.4	15	1561.6		600350
15	3	83.7	15	1039.3	1439.3	34291
16	1	65.3	15			215815
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type6 for 5530MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

~End of Report~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.