

**ELECTROMAGNETIC EMISSIONS  
COMPLIANCE REPORT**

**Applicant:** Silex Technology, Inc.  
2-3-1 Hikaridai, Seika-cho, Soraku-gun, Kyoto 619-0237, Ja-  
pan

**Manufacturer:** Silex Technology, Inc.  
2-3-1 Hikaridai, Seika-cho, Soraku-gun, Kyoto 619-0237, Ja-  
pan

**Product Name:** Embedded wireless module

**Brand Name:** Silex Technology

**Model No.:** SX-PCEAX

**Report Number:** TERF2304001051ER

**FCC ID** N6C-PCEAX

**IC:** 4908A-PCEAX

**Date of EUT Received:** April 26, 2023

**Date of Test:** April 27, 2023~December 21, 2023

**Issue Date:** January 12, 2024

**Approved By** \_\_\_\_\_**Jim Chang****We hereby certify that:**

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.407.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2304001051ER	00	Original	November 09, 2023	Yami Kuo	
TERF2304001051ER	01	Revise the Firm-ware Version	November 23, 2023	Yami Kuo	*
TERF2304001051ER	02	Revise chapter 11.3	November 28, 2023	Yami Kuo	*
TERF2304001051ER	03	Revise chapter 8.5	December 21, 2023	Yami Kuo	*
TERF2304001051ER	04	Remove ISED information	January 12, 2024	Yami Kuo	*

**Note:**

- The remark "\*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Contents

1	GENERAL INFORMATION .....	4
2	SYSTEM TEST CONFIGURATION.....	9
3	SUMMARY OF TEST RESULT .....	12
4	DESCRIPTION OF TEST MODES .....	13
5	MEASUREMENT UNCERTAINTY .....	17
6	MEASUREMENT EQUIPMENT USED .....	18
7	CONDUCTED EMISSION TEST .....	21
8	MAXIMUM OUTPUT POWER.....	27
9	MAXIMUM POWER SPECTRAL DENSITY .....	38
10	UNDESIRABLE RADIATED EMISSIONS.....	79
11	CONTENTION BASED PROTOCOL .....	209

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1 GENERAL INFORMATION

### 1.1 Product Description

Product Name:	Embedded wireless module
Brand Name:	Silex Technology
Model No.:	SX-PCEAX
Hardware Version:	N/A
Firmware Version:	HY103710
EUT Series No.:	1CBCEC011DAC
Power Supply:	3.3Vdc
Test Software (Name/Version)	QRCT V4.0.210.0

### 1.2 Modulation & Data Rate

Modulation type:	64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11a, 11n
	1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK for OFDMA in 802.11ax
Transition Rate:	802.11 a: 6 - 54 Mbps
	802.11 ax_20MHz: up to 286.8 Mbps
	802.11 ax_40MHz: up to 573.6 Mbps
	802.11 ax_80MHz: up to 1201 Mbps
	802.11 ax_160MHz: up to 2402 Mbps

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.3 Antenna Designation

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Direction Gain(dBi)
Monopole	2J antennas	2JZ74	5925~6425	4.100	7.110
			6425~6525	5.400	8.410
			6525~6875	5.500	8.510
			6875~7125	4.300	7.310
	Taoglas	GW.05.0153	5925~6425	4.412	7.422
			6425~6525	3.166	6.176
			6525~6875	3.713	6.723
			6875~7125	5.326	8.336

**Note:**

1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
2. Antenna information is provided by the applicant.
3. As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$\bullet \text{ DirectionalGain} = 10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

gj,k = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not;

Gk is the gain in dBi of the kth antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4 Rated Power

WLAN 6E

Wi-Fi	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)
a 20MHz	5955~6415	24	8.88 dBm
	6435~6515	5	9.25 dBm
	6535~6875	18	9.91 dBm
	6895~7095	11	9.34 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**WLAN 6E**

Wi-Fi	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)
ax_HE 20MHz	5955~6415	24	7.91 dBm
	6435~6515	5	8.88 dBm
	6535~6875	18	8.50 dBm
	6895~7095	11	8.31 dBm
ax_HE 40MHz	5965~6405	12	10.91 dBm
	6445~6525	3	11.41 dBm
	6565~6845	8	12.00 dBm
	6885~7085	6	11.36 dBm
ax_HE 80MHz	5985~6385	6	13.88 dBm
	6465	1	14.50 dBm
	6545~6865	5	14.50 dBm
	6945~7025	2	14.31 dBm
ax_HE 160MHz	6025~6345	3	17.35 dBm
	6505	1	15.27 dBm
	6665~6825	2	17.06 dBm
	6985	1	17.06 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.5 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 987594 D02 U-NII 6 GHz EMC Measurement v02r01

FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

### 1.6 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan.	SAC 1	TW0027	TW3702
		SAC 2		
		SAC 3		
		Conduction 1		
		Conducted 1		
		Conducted 2		
		Conducted 3		
		Conducted 4		
		Conducted 5		
		Conducted 6		
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C	TW0028	
		SAC C		
		SAC D		
		SAC G		
		Conducted A		
		Conducted B		
		Conducted C		
		Conducted D		
		Conducted E		
Conducted F				
Conducted G				

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

### 1.7 Special Accessories

There are no special accessories used while test was conducted.

### 1.8 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



## 2 SYSTEM TEST CONFIGURATION

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

#### 2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

#### 2.3.4 CBP Test

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer and signal generator and companion device to perform the test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.4 Measurement Results Explanation Example

### 2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m\*6m\*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

### 2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

## 2.5 Test Configuration



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.6 Control Unit(s)

### 2.6.1 Conduction setup

AC Power-Line Conducted Emission Test Site: Conduction 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	L480	PF-1D07MD 19/08	N/A	N/A
Adapter	EDAC	EA10682N-120	N/A	N/A	N/A

### 2.6.2 Conducted Setup

Conducted Emission Test Site: Conducted 2					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	T430s	R9-WW5EG 13/0	N/A	N/A
Adapter	EDAC	EA10682N-120	N/A	N/A	N/A

### 2.6.3 Radiated Setup

Radiated Emission Test Site: SAC 2					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	L480	PF-1D07MD 19/08	N/A	N/A
Adapter	EDAC	EA10682N-120	N/A	N/A	N/A

### 2.6.4 CBP Setup

Conducted Emission Test Site: Conducted 5					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Accece Ponit	ASUS	GT-AXE11000	LBIAJF200192	N/A	N/A
Notebook	Lenovo	L480	PF-1S9NT5	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 3 SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.407(a)(4~8)	Maximum Conducted Output Power	Compliant
§15.407(a)(4~8)	Power Spectral Density	Compliant
§15.205 §15.209 §15.407(b)(5),(b)(8), (b)(9)	Undesirable Radiated Emissions	Compliant
§15.407(d)(6)	contention-based protocol	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 4 DESCRIPTION OF TEST MODES

### 4.1 Operating Frequencies

UNII-5 5925~6425 MHz									
20MHz				40MHz		80MHz		160MHz	
CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)
1	5955	49	6195	3	5965	7	5985	15	6025
5	5975	53	6215	11	6005	23	6065	47	6185
9	5995	57	6235	19	6045	39	6145	79	6345
13	6015	61	6255	27	6085	55	6225		
17	6035	65	6275	35	6125	71	6305		
21	6055	69	6295	43	6165	87	6385		
25	6075	73	6315	51	6205				
29	6095	77	6335	59	6245				
33	6115	81	6355	67	6285				
37	6135	85	6375	75	6325				
41	6155	89	6395	83	6365				
45	6175	93	6415	91	6405				

UNII-6 6425~6525 MHz									
20MHz		40MHz		80MHz		160MHz			
CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)		
97	6435	99	6445	103	6465	111	6505		
101	6455	107	6485						
105	6475	115	6525						
109	6495								
113	6515								

UNII-7 6525~6875 MHz									
20MHz				40MHz		80MHz		160MHz	
CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)
117	6535	153	6715	123	6565	119	6545	143	6665
121	6555	157	6735	131	6605	135	6625	175	6825
125	6575	161	6755	139	6645	151	6705		
129	6595	165	6775	147	6685	167	6785		
133	6615	169	6795	155	6725	183	6865		
137	6635	173	6815	163	6765				
141	6655	177	6835	171	6805				
145	6675	181	6855	179	6845				
149	6695	185	6875						

UNII-8 6875~7125 MHz									
20MHz		40MHz		80MHz		160MHz			
CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)	CH	Freq. (MHz)		
189	6895	187	6885	199	6945	207	6985		
193	6915	195	6925	215	7025				
197	6935	203	6965						
201	6955	211	7005						
205	6975	219	7045						
209	6995	227	7085						
213	7015								
217	7035								
221	7055								
225	7075								
229	7095								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

#### 4.2 The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
3. Investigation has been done on all the possible configurations for searching the worst case.  
The gevin UE is pre-scanned among below modes.

Modulation	Transmission Chain				Single Transmission Spatial	Multiple Transmission Spatial
<input checked="" type="checkbox"/> 802.11 a	<input checked="" type="checkbox"/> Ch0	<input checked="" type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input type="checkbox"/> 1TX	<input checked="" type="checkbox"/> 2TX
<input type="checkbox"/> 802.11 n	<input type="checkbox"/> Ch0	<input type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input type="checkbox"/> 1TX	<input type="checkbox"/> 2TX
<input type="checkbox"/> 802.11 ac	<input type="checkbox"/> Ch0	<input type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input type="checkbox"/> 1TX	<input type="checkbox"/> 2TX
<input checked="" type="checkbox"/> 802.11 ax	<input checked="" type="checkbox"/> Ch0	<input checked="" type="checkbox"/> Ch1	<input type="checkbox"/> Ch2	<input type="checkbox"/> Ch3	<input type="checkbox"/> 1TX	<input checked="" type="checkbox"/> 2TX

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

CONDUCTED TEST							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5955-6415	1 to 93	1,45,93	OFDM	6	2TX	
	6435-6515	97 to 113	97,105,113				
	6535-6875	117 to 185	117,149,181,185				
	6895-7095	189 to 229	189,209,229				
CONDUCTED TEST							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT
802.11ax_HE20	5955-6415	1 to 93	1,45,93	OFDMA	FULL RU 26/0,26/8 52/37,52/40 106/53,106/54	MCS0	2TX
	6435-6515	97 to 113	97,105,113				
	6535-6875	117 to 185	117,149,181,185				
	6895-7095	189 to 229	189,209,229				
802.11ax_HE40	5965-6405	3 to 91	3,43,91	OFDMA	FULL RU 242/61,242/62	MCS0	2TX
	6445-6525	99 to 115	99,107,115				
	6565-6845	123 to 179	123,147,179				
	6885-7085	187 to 227	187,195,211,227				
802.11ax_HE80	5985-6385	7 to 87	7,39,87	OFDMA	FULL RU 484/65,484/66	MCS0	2TX
	6465	111	103				
	6545-6865	119 to 183	119,135,151,167,183				
	6945-7025	199 to 215	199,215				
802.11ax_HE160	6025-6345	15 to 79	15,47,79	OFDMA	FULL RU 484/65,484/66	MCS0	2TX
	6505	111	111				
	6665-6825	143 to 175	143,175				
	6985	207	207				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Full Test

TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	6435~6515	97 to 113	105	OFDM	6	2TX	
	6535~6875	117 to 185	181				
	6895~7095	189 to 229	209				
TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	6435~6515	97 to 113	97,105,113	OFDM	6	2TX	
	6535~6875	117 to 185	117,149,181,185				
	6895~7095	189 to 229	189,209,229				
TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT
802.11ax_HE20	6435~6515	97 to 113	97,105,113	OFDMA	FULL RU 26/8 52/40 106/54	MCS0	2TX
	6535~6875	117 to 185	117,149,181,185				
	6895~7095	189 to 229	189,209,229				
802.11ax_HE40	6445~6525	99 to 115	99,107,115	OFDMA	FULL RU 242/62	MCS0	2TX
	6565~6845	123 to 179	123,147,179				
	6885~7085	187 to 227	187,195,211,227				
802.11ax_HE80	6465	103	103	OFDMA	FULL RU 484/66	MCS0	2TX
	6545~6865	119 to 183	119,135,151,167,183				
	6945~7025	199 to 215	199,215				
802.11ax_HE160	6505	111	111	OFDMA	FULL RU 996/67,996/S67	MCS0	2TX
	6665~6825	143 to 175	143,175				
	6985	207	207				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Spot Check

TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5955~6415	1 to 93	45	OFDM	6	2TX	
TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5955~6415	1 to 93	93	OFDM	6	2TX	
TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT
802.11ax_HE20	5955~6415	1 to 93	93	OFDMA	FULL RU	MCS0	2TX
802.11ax_HE40	5965~6405	3 to 91	43	OFDMA	FULL RU	MCS0	2TX
802.11ax_HE80	5985~6385	7 to 87	39	OFDMA	FULL RU	MCS0	2TX
802.11ax_HE160	6025~6345	15 to 79	47	OFDMA	FULL RU	MCS0	2TX

**Note:**

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 5 MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.32 dB
Output Power measurement	+/- 1 dB
Emission Bandwidth	+/- 1.53 Hz
Undesignable radiated emission measurement	+/- 1.68 dB
Peak Power Density	+/- 2.16 dB
Temperature	+/- 0.7 °C
Humidity	+/- 3 %
DC / AC Power Source	+/- 1 %

Radiated Spurious Emission Measurement Uncertainty			
<b>Polarization: Vertical</b>	<b>+/-</b>	<b>2.8</b>	<b>dB</b>
			9kHz~30MHz
	<b>+/-</b>	<b>4.82</b>	<b>dB</b>
			30MHz - 1000MHz
<b>Polarization: Horizontal</b>	<b>+/-</b>	<b>4.37</b>	<b>dB</b>
			1GHz - 18GHz
	<b>+/-</b>	<b>4.21</b>	<b>dB</b>
			18GHz - 40GHz
<b>Polarization: Horizontal</b>	<b>+/-</b>	<b>2.8</b>	<b>dB</b>
			9kHz~30MHz
	<b>+/-</b>	<b>4.54</b>	<b>dB</b>
			30MHz - 1000MHz
<b>Polarization: Horizontal</b>	<b>+/-</b>	<b>4.37</b>	<b>dB</b>
			1GHz - 18GHz
<b>Polarization: Horizontal</b>	<b>+/-</b>	<b>4.21</b>	<b>dB</b>
			18GHz - 40GHz

### Note:

1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 6 MEASUREMENT EQUIPMENT USED

### 6.1 Emission from AC power line

AC Power-Line Conducted Emission Test Site: Conduction 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R
LISN	SCHWARZBECK	NSLK 8127	1040	08/23/2022	08/22/2023
Coaxial Cables	EMC Instruments Corp.	EMCCFD300-BM-BM-3000	161207	06/22/2022	06/21/2023
Pulse Limiter	SCHWARZBECK	VTSD 9561F-N	793	06/22/2022	06/21/2023
EMI Test Receiver	R&S	ESR 7	102525	02/18/2023	02/17/2024

### 6.2 Conducted Measurement

Conducted Emission Test Site: Conducted 2					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242081	10/06/2022	10/05/2023
Test Software	SGS	Radio Test Software	Ver. 21	N.C.R	N.C.R
Power Meter	Anritsu	ML2496A	1804001	03/16/2023	03/15/2024
Power Sensor	Anritsu	MA2411B	1726104	03/16/2023	03/15/2024
Power Sensor	Anritsu	MA2411B	1726107	03/16/2023	03/15/2024
Attenuator	Mini-Circuit	BW-S10W2+	4	12/13/2022	12/12/2023
DC Block	Mini-Circuits	BLK-18-S+	1	12/13/2022	12/12/2023

### 6.3 Contention based protocol measurement

Conducted Emission Test Site: Conducted 5					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071406	06/15/2022	06/14/2023
Frequency Extender	KEYSIGHT	N5182BX07	MY59360217	03/07/2023	03/06/2024
Signal Generator	KEYSIGHT	N5182B	MY59100743	03/07/2023	03/06/2024
Attenuator	Agilent	8495B	3308A22470	12/13/2022	12/12/2023
Attenuator	HP	8494B	2812A17605	12/13/2022	12/12/2023
DC Block	Mini-Circuits	BLK-18-S+	4	12/13/2022	12/12/2023
Power Divider	RF-LAMBDA	RFLT2W1G18G	11-JSPF412-020	12/13/2022	12/12/2023
Power Divider	RF-LAMBDA	RFLT2W1G18G	21032900018	12/13/2022	12/12/2023
Power Divider	RF-LAMBDA	RFLT2W1G18G	18112200202	12/13/2022	12/12/2023
Power Divider	RF-LAMBDA	RFLT4W1G18G	SPCD10-010	12/13/2022	12/12/2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 6.4 Radiated Measurement

#### Full Test

Radiated Emission Test Site: SAC 2					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/30/2022	12/29/2023
Loop Antenna	ETS.LINDGREN	6502	148045	10/05/2022	10/04/2023
Horn Antenna	RF SPIN	DRH18-E	210303A18-ES	02/24/2023	02/23/2024
Bi-log Antenna	SCHWARZBECK	VULB9168	9168-1278	03/09/2023	03/08/2024
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242392	12/20/2022	12/19/2023
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R
EMI Test Receiver	R&S	ESR 7	102525	02/18/2023	02/17/2024
Site Cal	SGS	SAC 2	N/A	08/31/2023	08/30/2024
Site Cal	SGS	SAC 2	N/A	08/31/2022	08/30/2023
Pre-Amplifier	EMCI	EMC330N	980826	08/31/2023	08/30/2024
Pre-Amplifier	EMCI	EMC118A45SEE	980867	08/31/2023	08/30/2024
Pre-Amplifier	EMCI	EMC184045B	980135	10/27/2022	10/26/2023
Pre-Amplifier	EMCI	EMC330N	980826	08/31/2022	08/30/2023
Pre-Amplifier	EMCI	EMC118A45SEE	980867	08/31/2022	08/30/2023
Attenuator	Mini-Circuit	BW-S10W2+	2	12/13/2022	12/12/2023
Bandreject Filter 6425-6525	Woken	WFIL-N6425-6525F	WRGBAFCW2J1	12/13/2022	12/12/2023
Bandreject Filter 6525-6875	Woken	WFIL-N6525-6875F	WRGBAFCW2J4	12/13/2022	12/12/2023
Bandreject Filter 6875-7125	Woken	WFIL-N6875-7125F	WRGBAFCW2J9	12/13/2022	12/12/2023
8.6GHz High Pass Filter	Titan	T04H86002600060S01	210619-2-7	12/13/2022	12/12/2023
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY2630/2	12/23/2022	12/22/2023
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY22962/2	12/23/2022	12/22/2023
Coaxial Cables	EMCI	EMC104-SM-SM-1000+EMC105-SM-SM-1000+EMC105-SM-SM-1500+EMC104-SM-SM-600+EMC105-SM-SM-2000	RX Cable 9K-18G (220236+201211+220906+220237+220909)	08/31/2023	08/30/2024
Coaxial Cables	Huber Suhner	SUCOFLEX 102	RX Cable 18G-40G MY2630/2+805062/2	08/31/2023	08/30/2024
Coaxial Cables	EMCI	EMCCFD400-NM-NM-10000	RX Cable below 1G (220238)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC104-SM-SM-600	RX Cable below 1G (220237)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable below 1G (220910)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC104-SM-SM-10000	RX Cable above 1G (220236)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-1000	RX Cable above 1G (201211)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-1500	RX Cable above 1G (220906)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable above 1G (220909)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMCCFD400-NM-NM-10000	RX Cable below 30M (220238)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable below 30M (220910)	08/31/2022	08/30/2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Spot Check

Radiated Emission Test Site: SAC 2					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/30/2022	12/29/2023
Loop Antenna	ETS.LINDGREN	6502	148045	10/05/2022	10/04/2023
Horn Antenna	RF SPIN	DRH18-E	210303A18-ES	02/24/2023	02/23/2024
Bi-log Antenna	SCHWARZBECK	VULB9168	9168-1278	03/09/2023	03/08/2024
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242392	12/20/2022	12/19/2023
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R
EMI Test Receiver	R&S	ESR 7	102525	02/18/2023	02/17/2024
Site Cal	SGS	SAC 2	N/A	08/31/2023	08/30/2024
Site Cal	SGS	SAC 2	N/A	08/31/2022	08/30/2023
Pre-Amplifier	EMCI	EMC330N	980826	08/31/2023	08/30/2024
Pre-Amplifier	EMCI	EMC118A45SEE	980867	08/31/2023	08/30/2024
Pre-Amplifier	EMCI	EMC184045B	980135	10/27/2022	10/26/2023
Pre-Amplifier	EMCI	EMC330N	980826	08/31/2022	08/30/2023
Pre-Amplifier	EMCI	EMC118A45SEE	980867	08/31/2022	08/30/2023
Attenuator	Mini-Circuit	BW-S10W2+	2	12/13/2022	12/12/2023
Bandreject Filter 5925-6425	Woken	WFIL-N5925-6425F	WRGBAFWC2F9	12/13/2022	12/12/2023
8.6GHz High Pass Filter	Titan	T04H86002600060501	210619-2-7	12/13/2022	12/12/2023
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY2630/2	12/23/2022	12/22/2023
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY22962/2	12/23/2022	12/22/2023
Coaxial Cables	EMCI	EMC104-SM-SM-1000+EMC105-SM-SM-1000+EMC105-SM-SM-1500+EMC104-SM-SM-600+EMC105-SM-SM-2000	RX Cable 9K-18G (220236+201211+220906+220237+220909)	08/31/2023	08/30/2024
Coaxial Cables	Huber Suhner	SUCOFLEX 102	RX Cable 18G-40G MY2630/2+805062/2	08/31/2023	08/30/2024
Coaxial Cables	EMCI	EMCCFD400-NM-NM-10000	RX Cable below 1G (220238)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC104-SM-SM-600	RX Cable below 1G (220237)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable below 1G (220910)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC104-SM-SM-10000	RX Cable above 1G (220236)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-1000	RX Cable above 1G (201211)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-1500	RX Cable above 1G (220906)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable above 1G (220909)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMCCFD400-NM-NM-10000	RX Cable below 30M (220238)	08/31/2022	08/30/2023
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable below 30M (220910)	08/31/2022	08/30/2023

**NOTE:** N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7 CONDUCTED EMISSION TEST

### 7.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range MHz	Limits (dBuV)	
	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50


Note

- 1.The lower limit shall apply at the transition frequencies
- 2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

### 7.2 EUT Setup:

1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
3. The LISN was connected with 120Vac/60Hz power source.

### 7.3 Test Setup



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7.4 Measurement Procedure

1. The EUT was placed on a table which is 0.8m above ground plane.
2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
3. Repeat above procedures until all phases of power being supplied by given UE are completed.

## 7.5 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closest to the limit.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### AC POWER LINE CONDUCTED EMISSION TEST DATA

2JZ74

Report Number	:TERF2304001051ER	Test Site	:Conduction 1
Operation Mode	:WLAN6E	Test Date	:2023-06-16
Power	:120V/60Hz	Temp./Humi.	:24.6°C/65%
Probe	:L	Engineer	:Ricky Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V	Limit dB $\mu$ V	Margin dB
0.166	Average	12.16	10.25	22.41	55.17	-32.76
0.166	QP	33.81	10.25	44.06	65.17	-21.11
0.176	Average	11.24	10.25	21.49	54.66	-33.17
0.176	QP	32.41	10.25	42.66	64.66	-22.00
0.336	Peak	30.63	10.25	40.88	59.30	-18.43
0.724	Peak	18.75	10.31	29.06	56.00	-26.94
1.349	Peak	18.50	10.67	29.17	56.00	-26.83
2.073	Peak	15.22	11.06	26.28	56.00	-29.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2304001051ER  
 Operation Mode :WLAN6E  
 Power :120V/60Hz  
 Probe :N

Test Site :Conduction 1  
 Test Date :2023-06-16  
 Temp./Humi. :24.6°C/65%  
 Engineer :Ricky Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV	Limit dBμV	Margin dB
0.156	Average	13.46	10.25	23.71	55.68	-31.97
0.156	QP	35.39	10.25	45.64	65.68	-20.04
0.167	Average	11.63	10.25	21.88	55.11	-33.23
0.167	QP	33.79	10.25	44.04	65.11	-21.07
0.366	Peak	31.26	10.25	41.51	58.60	-17.09
0.969	Peak	17.65	10.36	28.01	56.00	-27.99
1.349	Peak	18.10	10.67	28.77	56.00	-27.23
1.920	Peak	15.47	11.04	26.51	56.00	-29.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**GW.05.0153**

Report Number :TERF2304001051ER  
 Operation Mode :WLAN6E  
 Power :120V/60Hz  
 Probe :L

Test Site :Conduction 1  
 Test Date :2023-06-16  
 Temp./Humi. :24.6°C/65%  
 Engineer :Ricky Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V	Limit dB $\mu$ V	Margin dB
0.162	Average	12.46	10.25	22.71	55.36	-32.65
0.162	QP	34.27	10.25	44.52	65.36	-20.84
0.175	Average	10.78	10.25	21.03	54.72	-33.69
0.175	QP	32.33	10.25	42.58	64.72	-22.14
0.374	Peak	30.06	10.25	40.31	58.41	-18.10
0.702	Peak	19.30	10.31	29.60	56.00	-26.40
1.349	Peak	18.33	10.67	29.00	56.00	-27.00
2.291	Peak	16.50	11.00	27.50	56.00	-28.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2304001051ER  
 Operation Mode :WLAN6E  
 Power :120V/60Hz  
 Probe :N

Test Site :Conduction 1  
 Test Date :2023-06-16  
 Temp./Humi. :24.6°C/65%  
 Engineer :Ricky Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV	Limit dBμV	Margin dB
0.152	Average	13.69	10.25	23.94	55.87	-31.93
0.152	QP	35.63	10.25	45.88	65.87	-19.99
0.163	Average	11.24	10.25	21.49	55.30	-33.81
0.163	QP	34.06	10.25	44.31	65.30	-20.99
0.357	Peak	30.66	10.25	40.91	58.79	-17.88
0.962	Peak	18.18	10.35	28.53	56.00	-27.47
1.349	Peak	20.35	10.67	31.02	56.00	-24.98
1.905	Peak	17.49	11.03	28.52	56.00	-27.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 8 MAXIMUM OUTPUT POWER

### 8.1 Standard Applicable

#### 8.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### 8.1.2 Output Power

##### §15.407(a)

- (4) For a standard power access point and fixed client device operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 36 dBm.  
For outdoor devices, the maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).
- (5) For an indoor access point operating in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.
- (6) For a subordinate device operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.
- (7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm and the device must limit its power to no more than 6 dB below its associated standard power access point's authorized transmit power.
- (8) For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EUT CATEGORY		Equipment Class	§15.407(a)
	Standard Access Point	6SD	EIRP < 36dBm and antenna angle above 30 degrees < 21dBm EIRP for outdoor use
	indoor Access Point	6ID	EIRP < 30dBm
	Subordinate Device	6PP	EIRP < 30dBm
	Fixed Client	6FC	EIRP < 36dBm and antenna angle above 30 degrees < 21dBm EIRP for outdoor use
	Indoor Client	6XD	EIRP < 24dBm
	Standard Client	6FX	EIRP < 30dBm no more than 6 dB below its associated standard power access point's authorized trans-mit power
V	Dual Client	6CD	Compliance both indoor client and standard client limit


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 8.2 Test Setup

### 8.2.1 Duty Cycle



### 8.2.2 Output Power



**Note:**

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$\bullet \text{ DirectionalGain} = 10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

$g_{j,k} = 10^{G_k/20}$  if the kth antenna is being fed by spatial stream j, or zero if it is not;

$G_k$  is the gain in dBi of the kth antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 8.3 Measurement Procedure

#### 8.3.1 Duty Cycle

1. Set span = Zero
2. RBW = 8MHz
3. VBW = 8MHz,
4. Detector = Peak

#### 8.3.2 Output Power

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
5. Record the max. reading and add 10 log(1/duty cycle).
6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
7. MIMO mode: offset is set with “measure and add 10 Log (N)” to measurement for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna, cable loss is specified below.

### 8.4 Duty Cycle Measurement Result


Mode	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle )	1/T (kHz)	VBW setting (kHz)
802.11a	99.10	0.04	0.51	0.01
802.11ax_20	99.70	0.01	0.19	0.01
802.11ax_40	99.71	0.01	0.18	0.01
802.11ax_80	99.57	0.02	0.27	0.01
802.11ax_160	99.27	0.03	0.46	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a\_20MHz\_Chain0\_5955MHz



802.11ax\_80MHz\_Chain0\_5985MHz



802.11ax\_20MHz\_Chain0\_5955MHz



802.11ax\_160MHz\_Chain0\_6025MHz



802.11ax\_40MHz\_Chain0\_5965MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 8.5 Conducted output power

#### 802.11a\_2TX

CH	Frequency (MHz)	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		CH 0	CH 1					
1	5955	-1.21	-2.07	1.39	7.422	8.81	24	PASS
45	6175	-1.49	-2.12	1.22	7.422	8.64	24	PASS
93	6415	-1.41	-1.70	1.46	7.422	8.88	24	PASS
97	6435	-2.67	-2.19	0.59	8.410	9.00	24	PASS
105	6475	-2.13	-2.20	0.84	8.410	9.25	24	PASS
113	6515	-2.34	-2.38	0.65	8.410	9.06	24	PASS
117	6535	-3.18	-1.70	0.63	8.510	9.14	24	PASS
149	6695	-2.57	-1.67	0.91	8.510	9.42	24	PASS
181	6855	-2.37	-0.97	1.40	8.510	9.91	24	PASS
185	6875(U-NII 7)	-5.68	-4.10	-1.81	8.510	6.70	24	PASS
185	6875(U-NII 8)	-5.68	-4.10	-1.81	8.336	6.53	24	PASS
189	6895	-2.97	-1.23	1.00	8.336	9.33	24	PASS
209	6995	-3.00	-2.04	0.52	8.336	8.85	24	PASS
229	7095	-2.73	-2.13	0.59	8.336	8.93	24	PASS

#### 802.11ax\_20\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
1	5955	full	-1.97	-3.18	0.48	7.422	7.90	24	PASS
		26/0	-9.00	-11.37	-7.01	7.422	0.41	24	PASS
		52/37	-6.83	-9.00	-4.77	7.422	2.65	24	PASS
		106/53	-4.53	-6.24	-2.29	7.422	5.13	24	PASS
45	6175	full	-2.28	-2.90	0.43	7.422	7.86	24	PASS
93	6415	full	-2.44	-2.62	0.48	7.422	7.91	24	PASS
		26/8	-11.30	-9.06	-7.02	7.422	0.40	24	PASS
		52/40	-8.00	-7.18	-4.56	7.422	2.86	24	PASS
		106/54	-5.75	-4.52	-2.08	7.422	5.34	24	PASS
97	6435	full	-3.10	-2.38	0.29	8.410	8.70	24	PASS
		26/0	-10.25	-9.27	-6.72	8.410	1.69	24	PASS
		52/37	-8.12	-7.08	-4.56	8.410	3.85	24	PASS
105	6475	106/53	-5.98	-4.60	-2.22	8.410	6.19	24	PASS
105	6475	full	-2.65	-2.43	0.47	8.410	8.88	24	PASS
113	6515	full	-2.88	-2.45	0.35	8.410	8.76	24	PASS
		26/8	-10.17	-9.27	-6.68	8.410	1.73	24	PASS
		52/40	-7.44	-7.60	-4.51	8.410	3.90	24	PASS
		106/54	-5.10	-5.28	-2.18	8.410	6.23	24	PASS
117	6535	full	-3.42	-2.70	-0.03	8.510	8.48	24	PASS
		26/0	-9.97	-10.01	-6.98	8.510	1.53	24	PASS
		52/37	-7.54	-8.00	-4.75	8.510	3.76	24	PASS
		106/53	-4.80	-3.92	-1.32	8.510	7.19	24	PASS
149	6695	full	-3.87	-2.64	-0.20	8.510	8.31	24	PASS
181	6855	full	-3.85	-2.33	-0.01	8.510	8.50	24	PASS
		26/8	-10.55	-9.32	-6.88	8.510	1.63	24	PASS
		52/40	-8.40	-6.40	-4.27	8.510	4.24	24	PASS
		106/54	-5.25	-3.58	-1.32	8.510	7.19	24	PASS
185	6875(U-NII 7)	full	-6.77	-5.43	-3.04	8.510	5.47	24	PASS
185	6875(U-NII 8)	full	-6.77	-5.43	-3.04	8.336	5.30	24	PASS
189	6895	full	-3.93	-2.30	-0.03	8.336	8.31	24	PASS
		26/0	-10.58	-9.11	-6.77	8.336	1.57	24	PASS
		52/37	-7.88	-6.24	-3.97	8.336	4.37	24	PASS
		106/53	-5.02	-2.95	-0.85	8.336	7.49	24	PASS
209	6995	full	-3.51	-2.66	-0.05	8.336	8.29	24	PASS
229	7095	full	-7.05	-6.36	-3.68	8.336	4.66	24	PASS
		26/8	-10.97	-9.76	-7.31	8.336	1.03	24	PASS
		52/40	-8.13	-6.90	-4.46	8.336	3.88	24	PASS
		106/54	-7.48	-6.82	-4.12	8.336	4.21	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11ax\_40\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
3	5965	full	-0.20	0.82	3.35	7.422	10.77	24	PASS
		242/61	-2.12	-1.93	0.99	7.422	8.41	24	PASS
43	6165	full	0.07	0.85	3.49	7.422	10.91	24	PASS
91	6405	full	0.07	0.59	3.35	7.422	10.77	24	PASS
		242/62	-2.36	-1.88	0.90	7.422	8.32	24	PASS
99	6445	full	-0.10	0.08	3.00	8.410	11.41	24	PASS
		242/61	-2.41	-2.32	0.65	8.410	9.06	24	PASS
107	6485	full	-0.24	-0.22	2.78	8.410	11.19	24	PASS
		242/62	-1.92	-2.12	0.99	8.410	9.40	24	PASS
115	6525(U-NII 6)	full	-3.21	-1.94	0.48	8.410	8.89	24	PASS
115	6525(U-NII 7)	full	-3.21	-1.94	0.48	8.510	8.99	24	PASS
123	6565	full	-0.40	1.20	3.49	8.510	12.00	24	PASS
		242/61	-2.00	-0.61	1.76	8.510	10.27	24	PASS
147	6685	full	0.10	0.77	3.46	8.510	11.97	24	PASS
179	6845	full	-0.10	0.66	3.31	8.510	11.82	24	PASS
		242/62	-2.40	-1.03	1.35	8.510	9.86	24	PASS
187	6885(U-NII 7)	full	-6.86	-5.09	-2.87	8.510	5.64	24	PASS
187	6885(U-NII 8)	full	-1.71	0.08	2.29	8.336	10.62	24	PASS
195	6925	full	-0.94	0.79	3.02	8.336	11.36	24	PASS
		242/61	-2.74	-0.67	1.43	8.336	9.77	24	PASS
211	7005	full	-0.54	0.34	2.94	8.336	11.27	24	PASS
227	7085	full	-0.72	0.07	2.71	8.336	11.04	24	PASS
		242/62	-2.45	-1.64	0.99	8.336	9.32	24	PASS

802.11ax\_80\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
7	5985	full	2.79	3.91	6.40	7.422	13.82	24	PASS
		484/65	0.58	1.08	3.85	7.422	11.27	24	PASS
39	6145	full	2.94	3.91	6.46	7.422	13.88	24	PASS
87	6385	full	2.38	3.60	6.04	7.422	13.46	24	PASS
		484/66	0.30	1.53	3.97	7.422	11.39	24	PASS
103	6465	full	2.71	2.20	5.47	8.410	13.88	24	PASS
		484/65	2.23	1.33	4.81	8.410	13.22	24	PASS
		484/66	1.84	1.18	4.53	8.410	12.94	24	PASS
119	6545(U-NII 6)	full	-2.65	-1.90	0.75	8.410	9.16	24	PASS
119	6545(U-NII 7)	full	2.37	3.12	5.77	8.510	14.28	24	PASS
135	6625	full	2.06	3.11	5.63	8.510	14.14	24	PASS
		484/65	1.59	2.33	4.98	8.510	13.49	24	PASS
151	6705	full	2.67	3.26	5.98	8.510	14.49	24	PASS
167	6785	full	2.51	3.41	5.99	8.510	14.50	24	PASS
		484/66	1.21	1.96	4.61	8.510	13.12	24	PASS
183	6865(U-NII 7)	full	-0.30	1.69	3.82	8.510	12.33	24	PASS
183	6865(U-NII 8)	full	-2.61	-0.62	1.51	8.336	9.84	24	PASS
199	6945	full	1.86	3.84	5.97	8.336	14.31	24	PASS
		484/65	0.97	2.67	4.91	8.336	13.25	24	PASS
215	7025	full	2.34	2.84	5.61	8.336	13.94	24	PASS
		484/66	1.35	1.66	4.52	8.336	12.85	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax\_160\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
15	6025	full	5.82	7.79	9.93	7.422	17.35	24	PASS
		996/67	4.58	5.28	7.96	7.422	15.38	24	PASS
47	6185	full	6.04	5.92	8.99	7.422	16.41	24	PASS
79	6345	full	5.28	6.24	8.80	7.422	16.22	24	PASS
		996/S67	4.24	5.15	7.73	7.422	15.15	24	PASS
111	6505(U-NII 6)	full	3.29	4.34	6.86	8.410	15.27	24	PASS
111	6505(U-NII 7)	full	0.99	2.05	4.56	8.510	13.07	24	PASS
143	6665	full	4.92	6.07	8.55	8.510	17.06	24	PASS
		996/67	4.70	5.22	7.98	8.510	16.49	24	PASS
		996/S67	4.39	5.37	7.92	8.510	16.43	24	PASS
175	6825(U-NII 7)	full	4.26	5.33	7.84	8.510	16.35	24	PASS
175	6825(U-NII 8)	full	-2.40	-1.32	1.18	8.336	9.52	24	PASS
207	6985	full	5.56	5.85	8.72	8.336	17.06	24	PASS
		996/67	3.30	4.22	6.80	8.336	15.13	24	PASS
		996/S67	3.94	3.85	6.91	8.336	15.24	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Lowest power

802.11a\_2TX

CH	Frequency (MHz)	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		CH 0	CH 1					
1	5955	-6.94	-8.50	-4.64	7.422	2.78	24	PASS
45	6175	-7.43	-8.59	-4.96	7.422	2.46	24	PASS
93	6415	-8.41	-7.26	-4.79	7.422	2.63	24	PASS
97	6435	-9.15	-8.11	-5.59	8.410	2.82	24	PASS
105	6475	-8.07	-8.31	-5.18	8.410	3.23	24	PASS
113	6515	-8.32	-8.44	-5.37	8.410	3.04	24	PASS
117	6535	-8.82	-8.33	-5.56	8.510	2.95	24	PASS
149	6695	-8.50	-8.26	-5.37	8.510	3.14	24	PASS
181	6855	-8.09	-7.22	-4.62	8.510	3.89	24	PASS
185	6875(U-NII 7)	-11.50	-10.39	-7.90	8.510	0.61	24	PASS
185	6875(U-NII 8)	-11.50	-10.39	-7.90	8.336	0.44	24	PASS
189	6895	-9.76	-7.47	-5.46	8.336	2.88	24	PASS
209	6995	-9.59	-8.12	-5.78	8.336	2.55	24	PASS
229	7095	-8.88	-8.02	-5.42	8.336	2.92	24	PASS

802.11ax\_20\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
1	5955	full	-8.26	-9.57	-5.85	7.422	1.57	24	PASS
		26/0	-15.27	-16.98	-13.03	7.422	-5.61	24	PASS
		52/37	-13.40	-15.06	-11.14	7.422	-3.72	24	PASS
		106/53	-11.18	-12.31	-8.70	7.422	-1.27	24	PASS
45	6175	full	-8.64	-9.09	-5.85	7.422	1.58	24	PASS
93	6415	full	-9.46	-8.37	-5.87	7.422	1.55	24	PASS
		26/8	-17.14	-15.58	-13.28	7.422	-5.85	24	PASS
		52/40	-14.50	-12.86	-10.59	7.422	-3.17	24	PASS
		106/54	-12.00	-11.05	-8.49	7.422	-1.06	24	PASS
97	6435	full	-9.52	-8.27	-5.84	8.410	2.57	24	PASS
		26/0	-16.08	-15.42	-12.72	8.410	-4.31	24	PASS
		52/37	-14.29	-13.45	-10.84	8.410	-2.43	24	PASS
		106/53	-12.14	-10.83	-8.42	8.410	-0.01	24	PASS
105	6475	full	-8.90	-8.97	-5.92	8.410	2.49	24	PASS
113	6515	full	-9.14	-9.11	-6.11	8.410	2.30	24	PASS
		26/8	-16.58	-15.76	-13.14	8.410	-4.73	24	PASS
		52/40	-14.30	-13.41	-10.82	8.410	-2.41	24	PASS
		106/54	-11.47	-11.15	-8.29	8.410	0.12	24	PASS
117	6535	full	-9.88	-9.20	-6.51	8.510	2.00	24	PASS
		26/0	-15.97	-16.03	-12.99	8.510	-4.48	24	PASS
		52/37	-14.21	-14.12	-11.15	8.510	-2.64	24	PASS
		106/53	-11.04	-10.17	-7.57	8.510	0.94	24	PASS
149	6695	full	-9.72	-9.22	-6.45	8.510	2.06	24	PASS
181	6855	full	-9.96	-9.01	-6.45	8.510	2.06	24	PASS
		26/8	-16.82	-15.32	-12.99	8.510	-4.48	24	PASS
		52/40	-14.64	-12.88	-10.66	8.510	-2.15	24	PASS
		106/54	-10.97	-10.30	-7.61	8.510	0.90	24	PASS
185	6875(U-NII 7)	full	-12.83	-11.99	-9.38	8.510	-0.87	24	PASS
185	6875(U-NII 8)	full	-12.83	-11.99	-9.38	8.336	-1.04	24	PASS
189	6895	full	-10.73	-8.41	-6.40	8.336	1.93	24	PASS
		26/0	-16.62	-15.35	-12.93	8.336	-4.59	24	PASS
		52/37	-14.12	-12.65	-10.31	8.336	-1.97	24	PASS
		106/53	-11.02	-9.13	-6.96	8.336	1.38	24	PASS
209	6995	full	-9.96	-8.35	-6.07	8.336	2.27	24	PASS
229	7095	full	-13.55	-12.52	-9.99	8.336	-1.66	24	PASS
		26/8	-17.18	-15.71	-13.37	8.336	-5.03	24	PASS
		52/40	-14.44	-13.11	-10.71	8.336	-2.37	24	PASS
		106/54	-13.70	-13.05	-10.35	8.336	-2.01	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax\_40\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
3	5965	full	-6.22	-5.44	-2.80	7.422	4.62	24	PASS
		242/61	-9.06	-7.28	-5.07	7.422	2.36	24	PASS
43	6165	full	-6.35	-5.33	-2.80	7.422	4.62	24	PASS
91	6405	full	-6.76	-5.60	-3.13	7.422	4.29	24	PASS
		242/62	-8.48	-8.26	-5.36	7.422	2.07	24	PASS
99	6445	full	-6.43	-6.51	-3.46	8.410	4.95	24	PASS
		242/61	-9.09	-8.42	-5.73	8.410	2.68	24	PASS
107	6485	full	-6.51	-6.61	-3.55	8.410	4.86	24	PASS
		242/62	-8.35	-8.31	-5.32	8.410	3.09	24	PASS
115	6525(U-NII 6)	full	-8.91	-8.22	-5.54	8.410	2.87	24	PASS
115	6525(U-NII 7)	full	-8.91	-8.22	-5.54	8.510	2.97	24	PASS
123	6565	full	-6.21	-5.50	-2.83	8.510	5.68	24	PASS
		242/61	-8.64	-6.42	-4.38	8.510	4.13	24	PASS
147	6685	full	-5.75	-5.41	-2.56	8.510	5.95	24	PASS
179	6845	full	-6.42	-5.52	-2.93	8.510	5.58	24	PASS
		242/62	-8.52	-7.33	-4.87	8.510	3.64	24	PASS
187	6885(U-NII 7)	full	-13.30	-11.33	-9.19	8.510	-0.68	24	PASS
187	6885(U-NII 8)	full	-8.15	-6.16	-4.03	8.336	4.31	24	PASS
195	6925	full	-7.55	-5.38	-3.32	8.336	5.02	24	PASS
		242/61	-8.51	-7.13	-4.75	8.336	3.58	24	PASS
211	7005	full	-6.97	-5.36	-3.08	8.336	5.26	24	PASS
227	7085	full	-7.27	-6.34	-3.77	8.336	4.57	24	PASS
		242/62	-8.32	-7.94	-5.11	8.336	3.22	24	PASS

802.11ax\_80\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
7	5985	full	-3.70	-1.97	0.26	7.422	7.68	24	PASS
		484/65	-6.27	-5.12	-2.65	7.422	4.77	24	PASS
39	6145	full	-3.41	-2.39	0.14	7.422	7.56	24	PASS
87	6385	full	-3.43	-2.91	-0.15	7.422	7.27	24	PASS
		484/66	-5.93	-4.65	-2.23	7.422	5.19	24	PASS
103	6465	full	-3.92	-3.97	-0.94	8.410	7.47	24	PASS
		484/65	-4.60	-4.67	-1.63	8.410	6.78	24	PASS
		484/66	-4.46	-4.51	-1.48	8.410	6.93	24	PASS
119	6545(U-NII 6)	full	-9.01	-8.05	-5.49	8.410	2.92	24	PASS
119	6545(U-NII 7)	full	-3.99	-3.03	-0.47	8.510	8.04	24	PASS
135	6625	full	-4.32	-3.45	-0.85	8.510	7.66	24	PASS
		484/65	-4.71	-3.79	-1.22	8.510	7.29	24	PASS
151	6705	full	-3.16	-3.34	-0.24	8.510	8.27	24	PASS
167	6785	full	-3.69	-2.56	-0.08	8.510	8.43	24	PASS
		484/66	-5.03	-3.89	-1.41	8.510	7.10	24	PASS
183	6865(U-NII 7)	full	-6.35	-5.07	-2.65	8.510	5.86	24	PASS
183	6865(U-NII 8)	full	-8.66	-7.38	-4.97	8.336	3.37	24	PASS
199	6945	full	-3.26	-2.89	-0.06	8.336	8.27	24	PASS
		484/65	-4.65	-4.15	-1.38	8.336	6.95	24	PASS
215	7025	full	-3.82	-3.34	-0.56	8.336	7.77	24	PASS
		484/66	-5.19	-4.58	-1.87	8.336	6.47	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax\_160\_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER + Factor(dBm)		TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
			CH 0	CH 1					
15	6025	full	-0.41	1.44	3.62	7.422	11.05	24	PASS
		996/67	-2.37	-0.34	1.77	7.422	9.20	24	PASS
47	6185	full	-0.15	-0.86	2.52	7.422	9.94	24	PASS
79	6345	full	-0.74	-0.43	2.43	7.422	9.85	24	PASS
		996/S67	-1.35	-1.29	1.69	7.422	9.11	24	PASS
111	6505(U-NII 6)	full	-3.23	-1.99	0.44	8.410	8.85	24	PASS
111	6505(U-NII 7)	full	-5.53	-4.28	-1.85	8.510	6.66	24	PASS
143	6665	full	-0.99	-0.49	2.28	8.510	10.79	24	PASS
		996/67	-1.46	-1.42	1.57	8.510	10.08	24	PASS
		996/S67	-1.42	-0.80	1.91	8.510	10.42	24	PASS
175	6825(U-NII 7)	full	-2.03	-0.78	1.65	8.510	10.16	24	PASS
175	6825(U-NII 8)	full	-8.69	-7.43	-5.00	8.336	3.33	24	PASS
207	6985	full	-1.08	-0.47	2.25	8.336	10.58	24	PASS
		996/67	-2.95	-2.44	0.32	8.336	8.66	24	PASS
		996/S67	-3.03	-2.11	0.47	8.336	8.80	24	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 9 MAXIMUM POWER SPECTRAL DENSITY

### 9.1 Standard Applicable

#### §15.407(a)

- (4) For a standard power access point and fixed client device operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 23 dBm e.i.r.p in any 1-megahertz band.
- (5) For an indoor access point operating in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p. in any 1-megahertz band.
- (6) For a subordinate device operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p in any 1-megahertz band.
- (7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 17 dBm e.i.r.p. in any 1- megahertz band.
- (8) For client devices operating under the control of an indoor access point in the 5.925- 7.125 GHz bands, the maximum power spectral density must not exceed -1 dBm e.i.r.p. in any 1-megahertz band.

EUT CATEGORY	Equipment Class	§15.407(a)
Standard Access Point	6SD	EIRP < 23dBm/MHz
indoor Access Point	6ID	EIRP < 5dBm/MHz
Subordinate Device	6PP	EIRP < 5dBm/MHz
Fixed Client	6FC	EIRP < 23dBm/MHz
Indoor Client	6XD	EIRP < -1dBm/MHz
Standard Client	6FX	EIRP < 17dBm/MHz
V Dual Client	6CD	Compliance both indoor client and standard client limits

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Note:**

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$DirectionalGain = 10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;


NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

$g_{j,k} = / 20 \log G_k$  if the kth antenna is being fed by spatial stream j, or zero if it is not;

$G_k$  is the gain in dBi of the kth antenna.

## 9.2 Test Setup



## 9.3 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
4. Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (1001 pts), detector = power averaging (rms), if available. Otherwise, use sample detector mode, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)
5. Use the cursor on spectrum to peak search the highest level of trace
6. (1)Duty cycle ≥ 98% : Record the max. reading.  
(2)Duty cycle < 98% : Record the max. reading and add 10 log(1/duty cycle).
7. Repeat above procedures until all default test channel (low, middle, and high) was complete.
8. MIMO mode: offset is set following “measure and add 10 Log (N)” on spectrum to measure the PSD for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antennas.

**Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 9.4 Measurement Result

### 9.4.1 Power spectral density

POWER DENSITY 802.11a MODE								
Frequency (MHz)	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	ERP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	Ch0 meas	Ch1 meas						
5955	-11.939	-12.556	0.00	-9.23	7.422	-1.80	-1.00	-0.80
6175	-12.541	-12.336	0.00	-9.43	7.422	-2.00	-1.00	-1.00
6415	-12.996	-11.664	0.00	-9.27	7.422	-1.85	-1.00	-0.85
6435	-13.750	-12.054	0.00	-9.81	8.410	-1.40	-1.00	-0.40
6475	-13.181	-12.277	0.00	-9.70	8.410	-1.29	-1.00	-0.29
6515	-13.223	-12.467	0.00	-9.82	8.410	-1.41	-1.00	-0.41
6535	-14.380	-11.843	0.00	-9.92	8.510	-1.41	-1.00	-0.41
6695	-13.772	-12.329	0.00	-9.98	8.510	-1.47	-1.00	-0.47
6855	-14.620	-12.141	0.00	-10.20	8.510	-1.69	-1.00	-0.69
6875(U-NII 7)	-16.977	-14.758	0.00	-12.72	8.510	-4.21	-1.00	-3.21
6875(U-NII 8)	-16.977	-14.758	0.00	-12.72	8.336	-4.38	-1.00	-3.38
6895	-14.837	-12.011	0.00	-10.19	8.336	-1.85	-1.00	-0.85
6995	-14.050	-12.564	0.00	-10.23	8.336	-1.90	-1.00	-0.90
7095	-14.298	-12.774	0.00	-10.46	8.336	-2.12	-1.00	-1.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



POWER DENSITY 802.11ax HE20 MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5955	full	-12.544	-12.523	0.00	-9.52	7.422	-2.10	-1.00	-1.10
	26/0	-11.918	-13.301	0.00	-9.54	7.422	-2.12	-1.00	-1.12
	52/37	-12.255	-13.190	0.00	-9.69	7.422	-2.27	-1.00	-1.27
	106/53	-12.494	-12.824	0.00	-9.65	7.422	-2.22	-1.00	-1.22
6175	full	-12.717	-12.132	0.00	-9.40	7.422	-1.98	-1.00	-0.98
6415	full	-12.688	-12.034	0.00	-9.34	7.422	-1.92	-1.00	-0.92
	26/8	-14.234	-10.758	0.00	-9.15	7.422	-1.72	-1.00	-0.72
	52/40	-14.239	-11.762	0.00	-9.82	7.422	-2.39	-1.00	-1.39
	106/54	-14.677	-11.655	0.00	-9.90	7.422	-2.48	-1.00	-1.48
6435	full	-13.565	-11.844	0.00	-9.61	8.410	-1.20	-1.00	-0.20
	26/0	-14.003	-11.769	0.00	-9.73	8.410	-1.32	-1.00	-0.32
	52/37	-14.070	-11.576	0.00	-9.64	8.410	-1.23	-1.00	-0.23
	106/53	-14.128	-11.516	0.00	-9.62	8.410	-1.21	-1.00	-0.21
6475	full	-13.237	-12.291	0.00	-9.73	8.410	-1.32	-1.00	-0.32
6515	full	-12.945	-12.068	0.00	-9.47	8.410	-1.06	-1.00	-0.06
	26/8	-13.744	-11.782	0.00	-9.64	8.410	-1.23	-1.00	-0.23
	52/40	-13.496	-12.168	0.00	-9.77	8.410	-1.36	-1.00	-0.36
	106/54	-13.772	-12.733	0.00	-10.21	8.410	-1.80	-1.00	-0.80
6535	full	-14.109	-12.097	0.00	-9.98	8.510	-1.47	-1.00	-0.47
	26/0	-13.534	-12.511	0.00	-9.98	8.510	-1.47	-1.00	-0.47
	52/37	-13.342	-12.265	0.00	-9.76	8.510	-1.25	-1.00	-0.25
	106/53	-13.577	-12.533	0.00	-10.01	8.510	-1.50	-1.00	-0.50
6695	full	-14.045	-12.398	0.00	-10.13	8.510	-1.62	-1.00	-0.62
6855	full	-13.964	-11.927	0.00	-9.82	8.510	-1.31	-1.00	-0.31
	26/8	-15.358	-11.576	0.00	-10.06	8.510	-1.55	-1.00	-0.55
	52/40	-15.192	-11.378	0.00	-9.87	8.510	-1.36	-1.00	-0.36
	106/54	-14.588	-11.704	0.00	-9.90	8.510	-1.39	-1.00	-0.39
6875(U-NII 7)	full	-17.124	-14.561	0.00	-12.65	8.510	-4.14	-1.00	-3.14
6875(U-NII 8)	full	-17.124	-14.561	0.00	-12.65	8.336	-4.31	-1.00	-3.31
6895	full	-14.268	-12.042	0.00	-10.00	8.336	-1.67	-1.00	-0.67
	26/0	-14.977	-11.994	0.00	-10.22	8.336	-1.89	-1.00	-0.89
	52/37	-14.876	-11.928	0.00	-10.15	8.336	-1.81	-1.00	-0.81
	106/53	-14.978	-11.654	0.00	-10.00	8.336	-1.66	-1.00	-0.66
6995	full	-14.776	-12.341	0.00	-10.38	8.336	-2.04	-1.00	-1.04
7095	full	-16.967	-16.805	0.00	-13.87	8.336	-5.54	-1.00	-4.54
	26/8	-14.598	-12.409	0.00	-10.36	8.336	-2.02	-1.00	-1.02
	52/40	-14.008	-12.151	0.00	-9.97	8.336	-1.63	-1.00	-0.63
	106/54	-16.738	-14.853	0.00	-12.68	8.336	-4.35	-1.00	-3.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax HE40 MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	ERP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5965	full	-13.257	-12.063	0.00	-9.61	7.422	-2.19	-1.00	-1.19
	242/61	-13.311	-12.282	0.00	-9.76	7.422	-2.33	-1.00	-1.33
6165	full	-13.930	-12.134	0.00	-9.93	7.422	-2.51	-1.00	-1.51
	242/62	-13.731	-12.442	0.00	-10.03	7.422	-2.61	-1.00	-1.61
6405	full	-14.058	-12.293	0.00	-10.08	7.422	-2.65	-1.00	-1.65
	242/62	-13.580	-12.122	0.00	-9.78	8.410	-1.37	-1.00	-0.37
6445	full	-14.018	-12.672	0.00	-10.28	8.410	-1.87	-1.00	-0.87
	242/61	-13.829	-12.936	0.00	-10.35	8.410	-1.94	-1.00	-0.94
6485	full	-13.053	-13.756	0.00	-10.38	8.410	-1.97	-1.00	-0.97
	242/62	-16.710	-14.155	0.00	-12.24	8.410	-3.83	-1.00	-2.83
6525(U-NII 6)	full	-16.710	-14.155	0.00	-12.24	8.510	-3.73	-1.00	-2.73
6565	full	-13.676	-11.636	0.00	-9.53	8.510	-1.02	-1.00	-0.02
	242/61	-13.798	-11.873	0.00	-9.72	8.510	-1.21	-1.00	-0.21
6685	full	-13.407	-12.269	0.00	-9.79	8.510	-1.28	-1.00	-0.28
	242/61	-14.393	-12.434	0.00	-10.29	8.510	-1.78	-1.00	-0.78
6845	full	-14.456	-12.287	0.00	-10.23	8.510	-1.72	-1.00	-0.72
	242/62	-21.383	-18.519	0.00	-16.71	8.510	-8.20	-1.00	-7.20
6885(U-NII 7)	full	-16.233	-13.353	0.00	-11.55	8.336	-3.21	-1.00	-2.21
6925	full	-14.872	-12.260	0.00	-10.36	8.336	-2.03	-1.00	-1.03
	242/61	-14.964	-12.006	0.00	-10.23	8.336	-1.89	-1.00	-0.89
7005	full	-14.324	-12.616	0.00	-10.38	8.336	-2.04	-1.00	-1.04
	242/61	-14.300	-12.744	0.00	-10.44	8.336	-2.11	-1.00	-1.11
7085	full	-14.500	-13.177	0.00	-10.78	8.336	-2.44	-1.00	-1.44
	242/62								

POWER DENSITY 802.11ax HE80 MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	ERP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
5985	full	-13.262	-11.497	0.00	-9.28	7.422	-1.86	-1.00	-0.86
	484/65	-13.168	-12.061	0.00	-9.57	7.422	-2.15	-1.00	-1.15
6145	full	-13.225	-11.522	0.00	-9.28	7.422	-1.86	-1.00	-0.86
	484/66	-13.510	-11.363	0.00	-9.29	7.422	-1.87	-1.00	-0.87
6385	full	-15.641	-13.542	0.00	-11.46	7.422	-4.03	-1.00	-3.03
	484/66	-12.952	-13.059	0.00	-9.99	8.410	-1.58	-1.00	-0.58
6465	full	-13.172	-13.040	0.00	-10.10	8.410	-1.69	-1.00	-0.69
	484/65	-13.616	-13.701	0.00	-10.65	8.410	-2.24	-1.00	-1.24
6545(U-NII 6)	full	-18.811	-17.378	0.00	-15.03	8.410	-6.62	-1.00	-5.62
	484/66	-13.791	-12.363	0.00	-10.01	8.510	-1.50	-1.00	-0.50
6545(U-NII 7)	full	-14.085	-12.082	0.00	-9.96	8.510	-1.45	-1.00	-0.45
	484/65	-13.357	-11.976	0.00	-9.60	8.510	-1.09	-1.00	-0.09
6705	full	-13.857	-12.507	0.00	-10.12	8.510	-1.61	-1.00	-0.61
	484/66	-13.947	-12.164	0.00	-9.95	8.510	-1.44	-1.00	-0.44
6785	full	-13.796	-12.202	0.00	-9.92	8.510	-1.41	-1.00	-0.41
	484/66	-16.283	-13.642	0.00	-11.75	8.510	-3.24	-1.00	-2.24
6865(U-NII 7)	full	-18.598	-15.960	0.00	-14.07	8.336	-5.74	-1.00	-4.74
6945	full	-14.603	-11.783	0.00	-9.96	8.336	-1.62	-1.00	-0.62
	484/65	-14.855	-12.201	0.00	-10.32	8.336	-1.98	-1.00	-0.98
7025	full	-14.240	-12.508	0.00	-10.28	8.336	-1.94	-1.00	-0.94
	484/66	-14.524	-13.097	0.00	-10.74	8.336	-2.41	-1.00	-1.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


POWER DENSITY 802.11ax HE160 MODE									
Frequency (MHz)	RU config.	PSD (dBm/MHz)		Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
		Ch0 meas	Ch1 meas						
6025	full	-13.309	-11.115	0.00	-9.06	7.422	-1.64	-1.00	-0.64
	996/67	-13.495	-12.365	0.00	-9.88	7.422	-2.46	-1.00	-1.46
6185	full	-12.700	-11.950	0.00	-9.30	7.422	-1.88	-1.00	-0.88
	996/S67	-13.707	-11.438	0.00	-9.42	7.422	-1.99	-1.00	-0.99
6345	full	-13.401	-12.138	0.00	-9.71	7.422	-2.29	-1.00	-1.29
	996/S67	-13.401	-12.138	0.00	-9.71	7.422	-2.29	-1.00	-1.29
6505(U-NII 6)	full	-14.532	-13.312	0.00	-10.87	8.410	-2.46	-1.00	-1.46
6505(U-NII 7)	full	-16.826	-15.603	0.00	-13.16	8.510	-4.65	-1.00	-3.65
6665	full	-13.521	-12.401	0.00	-9.91	8.510	-1.40	-1.00	-0.40
	996/67	-13.589	-12.374	0.00	-9.93	8.510	-1.42	-1.00	-0.42
	996/S67	-13.684	-12.087	0.00	-9.80	8.510	-1.29	-1.00	-0.29
6825(U-NII 7)	full	-14.950	-12.843	0.00	-10.76	8.510	-2.25	-1.00	-1.25
6825(U-NII 8)	full	-21.608	-19.500	0.00	-17.42	8.336	-9.08	-1.00	-8.08
6985	full	-13.674	-12.436	0.00	-10.00	8.336	-1.66	-1.00	-0.66
	996/67	-14.266	-13.310	0.00	-10.75	8.336	-2.42	-1.00	-1.42
	996/S67	-14.556	-13.462	0.00	-10.96	8.336	-2.63	-1.00	-1.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a\_20MHz\_Chain0\_5955MHz




802.11a\_20MHz\_Chain0\_6435MHz




802.11a\_20MHz\_Chain0\_6175MHz




802.11a\_20MHz\_Chain0\_6475MHz



802.11a\_20MHz\_Chain0\_6415MHz



802.11a\_20MHz\_Chain0\_6515MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a\_20MHz\_Chain0\_6535MHz




802.11a\_20MHz\_Chain0\_6875MHz




802.11a\_20MHz\_Chain0\_6695MHz




802.11a\_20MHz\_Chain0\_6895MHz



802.11a\_20MHz\_Chain0\_6855MHz



802.11a\_20MHz\_Chain0\_6995MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a\_20MHz\_Chain0\_7095MHz




802.11a\_20MHz\_Chain1\_6415MHz




802.11a\_20MHz\_Chain1\_5955MHz




802.11a\_20MHz\_Chain1\_6435MHz



802.11a\_20MHz\_Chain1\_6175MHz



802.11a\_20MHz\_Chain1\_6475MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a\_20MHz\_Chain1\_6515MHz




802.11a\_20MHz\_Chain1\_6855MHz




802.11a\_20MHz\_Chain1\_6535MHz




802.11a\_20MHz\_Chain1\_6875MHz



802.11a\_20MHz\_Chain1\_6695MHz



802.11a\_20MHz\_Chain1\_6895MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a\_20MHz\_Chain1\_6995MHz




802.11ax\_20MHz\_Chain0\_5955MHz\_RU106\_53




802.11a\_20MHz\_Chain1\_7095MHz




802.11ax\_20MHz\_Chain0\_5955MHz\_RU26\_0



802.11ax\_20MHz\_Chain0\_5955MHz



802.11ax\_20MHz\_Chain0\_5955MHz\_RU52\_37




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax\_20MHz\_Chain0\_6175MHz



802.11ax\_20MHz\_Chain0\_6415MHz\_RU26\_8



802.11ax\_20MHz\_Chain0\_6415MHz




802.11ax\_20MHz\_Chain0\_6415MHz\_RU52\_40



802.11ax\_20MHz\_Chain0\_6415MHz\_RU106\_54



802.11ax\_20MHz\_Chain0\_6435MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax\_20MHz\_Chain0\_6435MHz\_RU106\_53




802.11ax\_20MHz\_Chain0\_6475MHz




802.11ax\_20MHz\_Chain0\_6435MHz\_RU26\_0




802.11ax\_20MHz\_Chain0\_6515MHz



802.11ax\_20MHz\_Chain0\_6435MHz\_RU52\_37



802.11ax\_20MHz\_Chain0\_6515MHz\_RU106\_54



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax\_20MHz\_Chain0\_6515MHz\_RU26\_8



802.11ax\_20MHz\_Chain0\_6535MHz\_RU106\_53




802.11ax\_20MHz\_Chain0\_6515MHz\_RU52\_40




802.11ax\_20MHz\_Chain0\_6535MHz\_RU26\_0



802.11ax\_20MHz\_Chain0\_6535MHz



802.11ax\_20MHz\_Chain0\_6535MHz\_RU52\_37




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax\_20MHz\_Chain0\_6695MHz




802.11ax\_20MHz\_Chain0\_6855MHz\_RU26\_8




802.11ax\_20MHz\_Chain0\_6855MHz




802.11ax\_20MHz\_Chain0\_6855MHz\_RU52\_40



802.11ax\_20MHz\_Chain0\_6855MHz\_RU106\_54



802.11ax\_20MHz\_Chain0\_6875MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax\_20MHz\_Chain0\_6895MHz




802.11ax\_20MHz\_Chain0\_6895MHz\_RU52\_37



802.11ax\_20MHz\_Chain0\_6895MHz\_RU106\_53




802.11ax\_20MHz\_Chain0\_6995MHz



802.11ax\_20MHz\_Chain0\_6895MHz\_RU26\_0



802.11ax\_20MHz\_Chain0\_7095MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax\_20MHz\_Chain0\_7095MHz\_RU106\_54




802.11ax\_20MHz\_Chain1\_5955MHz



802.11ax\_20MHz\_Chain0\_7095MHz\_RU26\_8




802.11ax\_20MHz\_Chain1\_5955MHz\_RU106\_53



802.11ax\_20MHz\_Chain0\_7095MHz\_RU52\_40



802.11ax\_20MHz\_Chain1\_5955MHz\_RU26\_0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax\_20MHz\_Chain1\_5955MHz\_RU52\_37




802.11ax\_20MHz\_Chain1\_6415MHz\_RU106\_54




802.11ax\_20MHz\_Chain1\_6175MHz




802.11ax\_20MHz\_Chain1\_6415MHz\_RU26\_8



802.11ax\_20MHz\_Chain1\_6415MHz



802.11ax\_20MHz\_Chain1\_6415MHz\_RU52\_40




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax\_20MHz\_Chain1\_6435MHz




802.11ax\_20MHz\_Chain1\_6435MHz\_RU52\_37




802.11ax\_20MHz\_Chain1\_6435MHz\_RU106\_53




802.11ax\_20MHz\_Chain1\_6475MHz



802.11ax\_20MHz\_Chain1\_6435MHz\_RU26\_0



802.11ax\_20MHz\_Chain1\_6515MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax\_20MHz\_Chain1\_6515MHz\_RU106\_54




802.11ax\_20MHz\_Chain1\_6535MHz




802.11ax\_20MHz\_Chain1\_6515MHz\_RU26\_8



802.11ax\_20MHz\_Chain1\_6535MHz\_RU106\_53



802.11ax\_20MHz\_Chain1\_6515MHz\_RU52\_40



802.11ax\_20MHz\_Chain1\_6535MHz\_RU26\_0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax\_20MHz\_Chain1\_6535MHz\_RU52\_37




802.11ax\_20MHz\_Chain1\_6855MHz\_RU106\_54




802.11ax\_20MHz\_Chain1\_6695MHz




802.11ax\_20MHz\_Chain1\_6855MHz\_RU26\_8



802.11ax\_20MHz\_Chain1\_6855MHz



802.11ax\_20MHz\_Chain1\_6855MHz\_RU52\_40




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax\_20MHz\_Chain1\_6875MHz




802.11ax\_20MHz\_Chain1\_6895MHz\_RU26\_0




802.11ax\_20MHz\_Chain1\_6895MHz




802.11ax\_20MHz\_Chain1\_6895MHz\_RU52\_37



802.11ax\_20MHz\_Chain1\_6895MHz\_RU106\_53



802.11ax\_20MHz\_Chain1\_6995MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax\_20MHz\_Chain1\_7095MHz




802.11ax\_20MHz\_Chain1\_7095MHz\_RU52\_40




802.11ax\_20MHz\_Chain1\_7095MHz\_RU106\_54




802.11ax\_40MHz\_Chain0\_5965MHz



802.11ax\_20MHz\_Chain1\_7095MHz\_RU26\_8



802.11ax\_40MHz\_Chain0\_5965MHz\_RU242\_61



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.