

Page: 1 of 253

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Silex Technology, Inc.

2-3-1 Hikaridai, Seika-cho, Soraku-gun, Kyoto 619-0237,

Japan

Manufacturer: Silex Technology, Inc.

2-3-1 Hikaridai, Seika-cho, Soraku-gun, Kyoto 619-0237,

Japan

Product Name: Embedded wireless module

Brand Name: Silex Technology

Model No.: SX-PCEAX

Report Number: TERF2305001144ER

FCC ID N6C-PCEAX

IC: 4908A-PCEAX

Date of EUT Received: April 26, 2023

Date of Test: May 3, 2023~September 25, 2023

Issue Date: November 23, 2023

Approved By_____

Jim Chang

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 253

Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
TERF2305001144ER	00	Original.	November 9, 2023	Susan Lin		
TERF2305001144ER	01	Revise the Firmware Version	November 23, 2023	Susan Lin	*	

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 3 of 253

Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULTS	11
4	DESCRIPTION OF TEST MODES	12
5	MEASUREMENT UNCERTAINTY	15
6	MEASUREMENT EQUIPMENT USED	16
7	CONDUCTED EMISSION TEST	18
8	PEAK OUTPUT POWER MEASUREMENT	22
9	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	39
10	POWER SPECTRAL DENSITY	241

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 4 of 253

GENERAL INFORMATION

1.1 **Product Description**

Product Name:	Embedded wireless module
Brand Name:	Silex Technology
Model No.:	SX-PCEAX
Hardware Version:	N/A
Firmware Version:	HY103710
EUT Series No.:	1CBCEC011DAC
Power Supply:	3.3Vdc
Test Software (Name/Version):	QRCT V4.0.210.0

1.2 **RF Specification**

WLAN 2.4GHz

Wi-Fi	Frequency	Channels	Rated Pov	Rated Power (dBm)		
VVI-F1	Range	Channels	Peak	Avg.	Technology	
802.11b	2412~2462	11	23.81	21.43	DSSS	
802.11g	2412~2462	11	25.26	19.35	OFDM	
802.11n20	2412~2462	11	24.14	17.98	OFDM	
802.11n40	2422~2452	7	19.93	13.98	OFDM	
802.11ac20	2412~2462	11	24.00	17.91	OFDM	
802.11ac40	2422~2452	7	19.83	13.94	OFDM	
802.11ax20	2412~2462	11	26.57	17.92	OFDMA	
802.11ax40	2422~2462	9	25.87	13.60	OFDMA	
		CCK, DQPSK, DBPSK for DSSS				
		256 QAM, 64QAM, 16QAM, QPSK, BPSK for				
Modulatio	on type:	OFDM				
		1024 QAM, 256 QAM , 64QAM, 16QAM, QPSK,				
		BPSK for OFDMA				
		802.11 b: 1/2/5.5/11 Mbps				
		802.11 g: 6/	9/12/18/24/3	36/48/54 Mb	ps	
Data F	lata.	802.11 n_20MHz:up to 144.4Mbps				
Data Rate:		802.11 n_40MHz:up to 300Mbps				
		802.11 ax_20MHz:up to 286.8Mbps				
	802.11 ax_40MHz:up to 573.6Mbps					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 5 of 253

WLAN 2.4GHz for IC

WLAN 2.4011Z	101 10						
Wi-Fi	Frequency	Channels	Rated Pov	ver (dBm)	Rated Power	Modulation	
V V I - I I	Range	Chamileis	Peak	Avg.	in dBm (EIRP)	Technology	
802.11b	2412~2462	11	23.81	21.43	27.62	DSSS	
802.11g	2412~2462	11	25.26	19.35	25.53	OFDM	
802.11n20	2412~2462	11	24.14	17.98	24.17	OFDM	
802.11n40	2422~2452	7	19.93	13.98	20.17	OFDM	
802.11ac20	2412~2462	11	24.00	17.91	24.09	OFDM	
802.11ac40	2422~2452	7	19.83	13.94	20.13	OFDM	
802.11ax20	2412~2462	11	26.57	17.92	24.11	OFDMA	
802.11ax40	2422~2452	7	25.87	13.60	19.78	OFDMA	
		CCK, DQPSK, DBPSK for DSSS					
Modulatio	on type:	256 QAM, 64QAM, 16QAM, QPSK, BPSK for OFDM					
		1024 QAM, 256 QAM, 64QAM, 16QAM, QPSK, BPSK for OFDMA					
		802.11 b: 1/2/5.5/11 Mbps					
		802.11 g: 6/9/12/18/24/36/48/54 Mbps					
Data Rate:		802.11 n_20MHz:up to 144.4Mbps					
Dala	Naic.	802.11 n_40MHz:up to 300Mbps					
		802.11 ax_2	20MHz:up to	286.8Mbps			
		802.11 ax_40MHz:up to 573.6Mbps					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 6 of 253

1.3 Antenna Designation

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Directional Gain (dBi)
Dipole	Molex	146153	2412~2462	3.175	6.185
Dipole	Unictron Technologies Corp.	AA258	2412~2462	2.67	5.68

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.
- As per section F. 2). e). (ii) of FCC KDB 662911 D01
 If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{j,k} = 10^{Gk/20}$ if the kth antenna is being fed by spatial stream j, or zero if it is not;

 G_k is the gain in dBi of the kth antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,什報告結果僅享到 (計算) 以 是一个专家的 () 是一种,但是一个专家的 () 是一个专家的 () 是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个专家的,是一个一个专家的,是一个一个一个,是一个一个一个一个一个。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 7 of 253

Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 15.247 Meas Guidance v05r02

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

RSS-247 issue 3 Aug. 2023

RSS-Gen, issue 5 April, 2018

ANSI C63.10:2013

1.5 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB
		SAC 1		
		SAC 2		
		SAC 3		
	No.134, Wu Kung Road, New Taipei	Conduction 1		
		Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3		
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C		TW3702
		SAC C		
(TAF code 3702)		SAC D		
		SAC G		
	No 2 Koji 1et Pd. Cujeban Dietriet	Conducted A	1	
	No.2, Keji 1st Rd., Guishan District,	Conducted B	TW0028	
	Taoyuan City, Taiwan 333	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 Special Accessories

There are no special accessories used while test was conducted.

1.7 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 8 of 253

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 9 of 253

2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.


There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.


2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

2.5 Test Configuration







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 10 of 253

2.6 Control Unit(s)

AC Power-Line Conducted Emission Test Site: Conduction 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	L480	PF-1D07MD 19/08	N/A	N/A
Adapter	EDAC	EA10682N-120	N/A	N/A	N/A

Conducted Emission Test Site: Conducted 2					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	T430s	R9-WW5EG 13/0	N/A	N/A
Adapter	EDAC	EA10682N-120	N/A	N/A	N/A

Radiated Emission Test Site: SAC 2						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.	
Notebook	Lenovo	L480	PF-1D07MD 19/08	N/A	N/A	
Adapter	EDAC	EA10682N-120	N/A	N/A	N/A	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测验之样只有含,同既此样只属风风风干。大规华工概太八司隶而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 11 of 253

SUMMARY OF TEST RESULTS

FCC Rules	ISED Rules	Description Of Test	Result	Note
§15.207(a)	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant	N
§15.247(b)	RSS-247 §5.4 d	Peak Output Power	Compliant	
§15.205 §15.209 §15.247(d)	RSS-247 §5.5 RSS-Gen §8.9 RSS-Gen §8.10 RSS-Gen §6.13	Radiated Band Edge and Spurious Emission	Compliant	N
§15.247(e)	RSS-247 §5.2 b	Power Spectral Density	Compliant	

Note

- N/S Indicates whether item(s) being newly tested [N] or spot checked [S].
- Items other than newly tested [N] are leveraged from test report TERF2304001049ER.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 12 of 253

DESCRIPTION OF TEST MODES

4.1 **Operating Frequencies**

Modulation	of BW 20MHz	Modulation of BW 40MHz				
CHANNEL	FREQUENCY (MHz)	CHANNEL	FREQUENCY (MHz)			
1	2412	3	2422			
2	2417	4	2427			
3	2422	5	2432			
4	2427	6	2437			
5	2432	7	2442			
6	2437	8	2447			
7	2442	9	2452			
8	2447					
9	2452					
10	2457					
11 2462						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 13 of 253

The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The gevin UE is pre-scanned among below modes.

_	<u> </u>											
	Modulation		Transmission Chain Transmiss Spatial				Single ransmission Spatial	Ті	Multi ransmission Spatial			
V	802.11 b	٧	Ch0	٧	Ch1		Ch2	Ch3		1TX	٧	2TX
V	802.11 g	٧	Ch0	٧	Ch1		Ch2	Ch3		1TX	٧	2TX
V	802.11 n	٧	Ch0	٧	Ch1		Ch2	Ch3		1TX	٧	2TX
V	802.11 ac	٧	Ch0	٧	Ch1		Ch2	Ch3		1TX	٧	2TX
V	802.11 ax	٧	Ch0	٧	Ch1		Ch2	Ch3		1TX	٧	2TX

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

	Conducted									
MODE	AVAILABLE TO CHANNEL CH		MODULATION	DATA RATE (Mbps)	ANTENNA PORT					
802.11b	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	DSSS	1	2TX					
802.11g	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	OFDM	6	2TX					
802.11n (HT20)	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	OFDM	MCS0	2TX					
802.11n (HT40)	3 to 9	3,4,5,6,7,8,9	OFDM	MCS0	2TX					
802.11ax (HE20)	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	OFDMA	MCS0	2TX					
802.11ax (HE40)	3 to 9	3,4,5,6,7,8,9	OFDMA	MCS0	2TX					

	TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz)								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11g	802.11g 1 to 11 6 OFDM 6 2TX								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 14 of 253

TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)									
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11b	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	DSSS	1	2TX				
802.11g	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	OFDM	6	2TX				
802.11n (HT20)	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	OFDM	MCS0	2TX				
802.11n (HT40)	3 to 9	3,4,5,6,7,8,9	OFDM	MCS0	2TX				
802.11ax (HE20)	1 to 11	1,2,3,4,5,6,7,8,9, 10,11	OFDMA	MCS0	2TX				
802.11ax (HE40)	3 to 9	3,4,5,6,7,8,9	OFDMA	MCS0	2TX				

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 15 of 253

5 MEASUREMENT UNCERTAINTY

Test Items	Un	certain	ty
AC Power Line Conducted Emission	+/-	2.32	dB
Output Power measurement	+/-	1	dB
Emission Bandwidth	+/-	1.53	Hz
Undesignable radiated emission measurement	+/-	1.68	dB
Peak Power Density	+/-	2.16	dB
Temperature	+/-	0.7	٥°
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty					
	+/-	2.8	dB	9kHz~30MHz	
Dalani-ation, Vantical	+/-	4.82	dB	30MHz - 1000MHz	
Polarization: Vertical	+/-	4.37	dB	1GHz - 18GHz	
	+/-	4.21	dB	18GHz - 40GHz	
	+/-	2.8	dB	9kHz~30MHz	
B.1. 2. 20. 11. 2. 11. 2. 11. 2	+/-	4.54	dB	30MHz - 1000MHz	
Polarization: Horizontal	+/-	4.37	dB	1GHz - 18GHz	
	+/-	4.21	dB	18GHz - 40GHz	

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 16 of 253

MEASUREMENT EQUIPMENT USED

6.1 **Emission from AC power line**

	AC Power-Line Conducted Emission Test Site: Conduction 1								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R				
LISN	SCHWARZBECK	NSLK 8127	1040	08/23/2022	08/22/2023				
Coaxial Cables	EMC Instruments Corp.	EMCCFD300-BM- BM-3000	161207	06/22/2022	06/21/2023				
Pulse Limiter	SCHWARZBECK	VTSD 9561F-N	793	06/22/2022	06/21/2023				
EMI Test Receiver	R&S	ESR 7	102525	02/18/2023	02/17/2024				

6.2 **Conducted Measurement**

	Conducted Emission Test Site: Conducted 2									
	Conducted Emission Test Site. Conducted 2									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242081	10/06/2022	10/05/2023					
Test Software	SGS	Radio Test Software	Ver. 21	N.C.R	N.C.R					
Power Meter	Anritsu	ML2496A	1804001	03/16/2023	03/15/2024					
Power Sensor	Anritsu	MA2411B	1726104	03/16/2023	03/15/2024					
Power Sensor	Anritsu	MA2411B	1726107	03/16/2023	03/15/2024					
Attenuator	Mini-Circuit	BW-S10W2+	4	12/13/2022	12/12/2023					
DC Block	Mini-Circuits	BLK-18-S+	1	12/13/2022	12/12/2023					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 17 of 253

6.3 Radiated Measurement

Radiated Emission Test Site: SAC 2							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/30/2022	12/29/2023		
Loop Antenna	ETS.LINDGREN	6502	148045	10/05/2022	10/04/2023		
Horn Antenna	RF SPIN	DRH18-E	210303A18-ES	02/24/2023	02/23/2024		
Bi-log Antenna	SCHWARZBECK	VULB9168	9168-1278	03/09/2023	03/08/2024		
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY60242392	12/20/2022	12/19/2023		
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R		
EMI Test Receiver	R&S	ESR 7	102525	02/18/2023	02/17/2024		
Site Cal	SGS	SAC 2	N/A	08/31/2022	08/30/2023		
Pre-Amplifier	EMCI	EMC184045B	980135	10/27/2022	10/26/2023		
Pre-Amplifier	EMCI	EMC330N	980826	08/31/2022	08/30/2023		
Pre-Amplifier	EMCI	EMC118A45SEE	980867	08/31/2022	08/30/2023		
Attenuator	Mini-Circuit	BW-S10W2+	2	12/13/2022	12/12/2023		
Bandreject Filter 2400-2483.5	EWT	EWT-14-0166	M1	12/13/2022	12/12/2023		
4GHz High Pass Filter	WI	WHKX4.0/18G- 10SS	WHKX4.0/18G- 10SS	12/13/2022	12/12/2023		
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY2630/2	12/23/2022	12/22/2023		
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY22962/2	12/23/2022	12/22/2023		
Coaxial Cables	EMCI	EMCCFD400-NM- NM-10000	RX Cable below 1G (220238)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMC104-SM-SM- 600	RX Cable below 1G (220237)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMC105-SM-SM- 2000	RX Cable below 1G (220910)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMC104-SM-SM- 10000	RX Cable above 1G (220236)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMC105-SM-SM- 1000	RX Cable above 1G (201211)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMC105-SM-SM- 1500	RX Cable above 1G (220906)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMC105-SM-SM- 2000	RX Cable above 1G (220909)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMCCFD400-NM- NM-10000	RX Cable below 30M (220238)	08/31/2022	08/30/2023		
Coaxial Cables	EMCI	EMC105-SM-SM- 2000	RX Cable below 30M (220910)	08/31/2022	08/30/2023		

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 18 of 253

CONDUCTED EMISSION TEST

7.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range		mits BuV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50


Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz

7.2 **EUT Setup:**

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

7.3 **Test Setup**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 19 of 253

7.4 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

7.5 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closest to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 253


AC POWER LINE CONDUCTED EMISSION TEST DATA

Report Number :TERF2305001144ER Test Site :Conduction 1

Operation Mode :WLAN2.4G **Test Date** :2023-06-16

Power :120V/60Hz Temp./Humi. :24.6°C/65%

Probe :Ricky Chen Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dΒμV	dΒμV	dB
0.151	Average	14.16	10.25	24.41	55.94	-31.53
0.151	QP	35.46	10.25	45.71	65.94	-20.23
0.168	Average	12.17	10.25	22.42	55.04	-32.62
0.168	QP	33.44	10.25	43.69	65.04	-21.35
0.380	Peak	29.89	10.25	40.14	58.28	-18.14
1.220	Peak	18.11	10.57	28.68	56.00	-27.32
1.349	Peak	18.94	10.67	29.61	56.00	-26.39
1.995	Peak	15.49	11.08	26.57	56.00	-29.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 21 of 253

Report Number :TERF2305001144ER **Test Site** :Conduction 1

Operation Mode :WLAN2.4G **Test Date** :2023-06-16 Power :120V/60Hz Temp./Humi. :24.6°C/65%

Probe :N Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.155	Average	13.78	10.25	24.03	55.74	-31.71
0.155	QP	35.49	10.25	45.74	65.74	-20.00
0.170	Average	10.26	10.25	20.51	54.98	-34.47
0.170	QP	33.10	10.25	43.35	64.98	-21.63
0.357	Peak	29.60	10.25	39.85	58.79	-18.94
0.992	Peak	17.89	10.36	28.24	56.00	-27.76
1.349	Peak	19.71	10.67	30.38	56.00	-25.62
1.905	Peak	15.27	11.03	26.30	56.00	-29.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 22 of 253

PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

8.1.1 **Duty Cycle**

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

8.1.2 **FCC**

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

8.1.3 **ISED**

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt and the e.i.r.p. shall not exceed 4 W.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Page: 23 of 253

NANT = the total number of antennas


 $g_{j,k} = 10^{Gk/20}$ if the kth antenna is being fed by spatial stream j, or zero if it is not;

G_k is the gain in dBi of the kth antenna.


The antenna gain is greater than 6 dBi, therefore the power limit has been attenuated accordingly.

8.2 Test Setup

8.2.1 Duty Cycle



8.2.2 Output Power:



8.3 Measurement Procedure

8.3.1 Duty Cycle:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

8.3.2 Output Power

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

- 4. Record the max. Reading as observed from Spectrum or Power Meter.
- 5. MIMO mode: offset is set with "measure and add 10 Log (N)" to measurement for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna, cable loss is specified below.

* Note: The duty cycle factor and below is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solic responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 24 of 253

8.4 **Measurement Result**

8.4.1 **Duty Cycle:**

	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11b	99.86	0.01	0.12	0.01
802.11g	99.24	0.03	0.48	0.01
802.11n_20	99.71	0.01	0.18	0.01
802.11n_40	99.71	0.01	0.18	0.01
802.11ac_20	99.71	0.01	0.18	0.01
802.11ac_40	99.72	0.01	0.18	0.01
802.11ax_20	99.71	0.01	0.18	0.01
802.11ax_40	99.71	0.01	0.18	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


台灣檢驗科技股份有限公司




Page: 25 of 253

8.4.2 Duty Cycle test plots


802.11b 20MHz Chain0 2412MHz



802.11g 20MHz Chain0 2412MHz




802.11n_20MHz_Chain0_2412MHz



802.11n_40MHz_Chain0_2422MHz



802.11ac_20MHz_Chain0_2412MHz



802.11ac_40MHz_Chain0_2422MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 26 of 253

802.11ax_20MHz_Chain0_2412MHz



802.11ax 40MHz Chain0 2422MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 27 of 253

8.4.3 **Output Power**

802.1	1b_2TX							
СН	Freq. (MHz)	Data Rate	Power set	Po	Output wer Bm)	Total Peak Output Power	Limit (dBm)	RESULT
				Ch0	Ch1	(dBm)		
1	2412	1	15.5	18.67	18.22	21.46	29.81	PASS
2	2417	1	16	19.20	18.64	21.94	29.81	PASS
3	2422	1	16.5	19.79	19.38	22.60	29.81	PASS
4	2427	1	18	20.91	20.48	23.71	29.81	PASS
5	2432	1	18	21.02	20.56	23.81	29.81	PASS
6	2437	1	16.5	19.92	19.51	22.73	29.81	PASS
7	2442	1	16.5	19.97	19.39	22.70	29.81	PASS
8	2447	1	15.5	18.96	18.57	21.78	29.81	PASS
9	2452	1	15.5	18.97	18.67	21.83	29.81	PASS
10	2457	1	14.5	18.22	17.46	20.87	29.81	PASS
11	2462	1	14.5	18.08	17.63	20.87	29.81	PASS
802.1°	1b_2TX							
				Avg.	Output	Total Avg.		
СН	Freq.	Data	Power	Po	wer		Limit	RESULT
СП	(MHz)	Rate	set	(dl	Bm)	Output Power	(dBm)	KESULI
				Ch0	Ch1	(dBm)		
1	2412	1	15.5	16.20	15.85	19.03	29.81	PASS
2	2417	1	16	16.72	16.22	19.48	29.81	PASS
3	2422	1	16.5	17.47	16.96	20.23	29.81	PASS
4	2427	1	18	18.64	18.10	21.38	29.81	PASS
5	2432	1	18	18.70	18.13	21.43	29.81	PASS
6	2437	1	16.5	17.57	16.92	20.26	29.81	PASS
7	2442	1	16.5	17.65	16.82	20.26	29.81	PASS
8	2447	1	15.5	16.54	16.02	19.29	29.81	PASS
9	2452	1	15.5	16.49	16.20	19.35	29.81	PASS
10	2457	1	14.5	15.80	14.92	18.39	29.81	PASS
11	2462	1	14.5	15.60	15.16	18.39	29.81	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 28 of 253

	1g_2TX			Dook	Output	I		
СН	Freq. (MHz)	Data Rate	Power set	Po	wer Bm)	Total Peak Output Power	Limit (dBm)	RESULT
				Ch0	Ch1	(dBm)	. ,	
1	2412	6	11	18.32	17.67	21.02	29.81	PASS
2	2417	6	11	18.85	17.71	21.33	29.81	PASS
3	2422	6	13.5	20.65	20.32	23.50	29.81	PASS
4	2427	6	13.5	20.94	19.97	23.49	29.81	PASS
5	2432	6	15.5	22.13	22.26	25.21	29.81	PASS
6	2437	6	15.5	22.19	22.31	25.26	29.81	PASS
7	2442	6	14.5	21.63	21.38	24.52	29.81	PASS
8	2447	6	12	19.87	18.91	22.43	29.81	PASS
9	2452	6	12.5	19.69	19.31	22.51	29.81	PASS
10	2457	6	12	19.28	18.95	22.13	29.81	PASS
11	2462	6	11	18.57	17.94	21.28	29.81	PASS
802.1	1g_2TX		•					•
				Avg. (Output	Total Avg.		
СН	Freq.	Data	Power	Po	wer	Output Power	Limit	RESULT
CII	(MHz)	Rate	set	(dl	Bm)	(dBm)	(dBm)	KLSOLI
				Ch0	Ch1	(ubiii)		
1	2412	6	11	12.26	11.37	14.85	29.81	PASS
2	2417	6	11	12.59	11.27	14.99	29.81	PASS
3	2422	6	13.5	14.67	14.15	17.43	29.81	PASS
			13.5	14.07	14.15	17.40	29.01	1
4	2427	6	13.5	14.87	13.98	17.46	29.81	PASS
<u>4</u> 5	2427 2432	6						
			13.5	14.87	13.98	17.46	29.81	PASS
5	2432	6	13.5 15.5	14.87 16.47	13.98 16.15	17.46 19.33	29.81 29.81	PASS PASS
5 6	2432 2437	6 6	13.5 15.5 15.5	14.87 16.47 16.42	13.98 16.15 16.25	17.46 19.33 19.35	29.81 29.81 29.81	PASS PASS PASS
5 6 7	2432 2437 2442	6 6 6	13.5 15.5 15.5 14.5	14.87 16.47 16.42 15.67	13.98 16.15 16.25 15.13	17.46 19.33 19.35 18.42	29.81 29.81 29.81 29.81	PASS PASS PASS PASS
5 6 7 8	2432 2437 2442 2447	6 6 6 6	13.5 15.5 15.5 14.5 12	14.87 16.47 16.42 15.67 13.74	13.98 16.15 16.25 15.13 12.75	17.46 19.33 19.35 18.42 16.29	29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 29 of 253

CH (MHz) Freq. (MHz) Data Rate Power set Power (dBm) (dBm) Total Peak Output Power (dBm) 1 2412 MCS0 10 16.99 16.11 19.58 2 2417 MCS0 11 18.46 17.09 20.84 3 2422 MCS0 11 18.56 16.99 20.86 4 2427 MCS0 13 20.24 19.38 22.84 5 2432 MCS0 13 20.29 19.48 22.91 6 2437 MCS0 14 21.31 20.39 23.88 7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64	Limit (dBm) 29.81 29.81	RESULT
1 2412 MCS0 10 16.99 16.11 19.58 2 2417 MCS0 11 18.46 17.09 20.84 3 2422 MCS0 11 18.56 16.99 20.86 4 2427 MCS0 13 20.24 19.38 22.84 5 2432 MCS0 13 20.29 19.48 22.91 6 2437 MCS0 14 21.31 20.39 23.88 7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	
2 2417 MCS0 11 18.46 17.09 20.84 3 2422 MCS0 11 18.56 16.99 20.86 4 2427 MCS0 13 20.24 19.38 22.84 5 2432 MCS0 13 20.29 19.48 22.91 6 2437 MCS0 14 21.31 20.39 23.88 7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	
3 2422 MCS0 11 18.56 16.99 20.86 4 2427 MCS0 13 20.24 19.38 22.84 5 2432 MCS0 13 20.29 19.48 22.91 6 2437 MCS0 14 21.31 20.39 23.88 7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09		PASS
4 2427 MCS0 13 20.24 19.38 22.84 5 2432 MCS0 13 20.29 19.48 22.91 6 2437 MCS0 14 21.31 20.39 23.88 7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	00.04	PASS
5 2432 MCS0 13 20.29 19.48 22.91 6 2437 MCS0 14 21.31 20.39 23.88 7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	PASS
6 2437 MCS0 14 21.31 20.39 23.88 7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	PASS
7 2442 MCS0 14.5 21.28 20.98 24.14 8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	PASS
8 2447 MCS0 13.5 20.63 20.27 23.46 9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	PASS
9 2452 MCS0 13.5 20.46 19.92 23.21 10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	PASS
10 2457 MCS0 10 17.53 16.39 20.01 11 2462 MCS0 10 17.64 16.44 20.09	29.81	PASS
11 2462 MCS0 10 17.64 16.44 20.09	29.81	PASS
	29.81	PASS
902 41° HT30M 3TV	29.81	PASS
0V2.1111_[T12V1V1_21A		
Avg. Output Total Avg.		
CH Freq. Data Power Power Output Power	Limit	RESULT
(MHz) Rate set (dBm) (dBm)	(dBm)	KLOOLI
1 2412 MCS0 10 10.87 10.05 13.49	29.81	PASS
2 2417 MCS0 11 12.40 11.10 14.81	29.81	PASS
3 2422 MCS0 11 12.42 11.27 14.90	29.81	PASS
4 2427 MCS0 13 14.17 13.16 16.71	29.81	PASS
5 2432 MCS0 13 14.18 13.35 16.80	29.81	PASS
6 2437 MCS0 14 15.17 14.20 17.72	29.81	PASS
7 2442 MCS0 14.5 15.20 14.73 17.98	29.81	PASS
8 2447 MCS0 13.5 14.46 13.88 17.19	29.81	PASS
9 2452 MCS0 13.5 14.45 13.97 17.23	20.04	PASS
10 2457 MCS0 10 11.43 10.36 13.94	29.81	
11 2462 MCS0 10 11.39 10.22 13.86	29.81	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 30 of 253

СН	Freq. (MHz)	Data Rate	Power set	Po (dl	Output wer Bm)	Total Peak Output Power (dBm)	Limit (dBm)	RESULT
				Ch0	Ch1	, ,		
3	2422	MCS0	8	14.46	14.35	17.42	29.81	PASS
4	2427	MCS0	8.5	15.29	14.83	18.08	29.81	PASS
5	2432	MCS0	9.5	16.68	16.08	19.40	29.81	PASS
6	2437	MCS0	10	17.23	16.59	19.93	29.81	PASS
7	2442	MCS0	10	17.13	16.54	19.86	29.81	PASS
8	2447	MCS0	8.5	15.09	14.97	18.04	29.81	PASS
9	2452	MCS0	8.5	15.16	14.83	18.01	29.81	PASS
802.1°	1n_HT40M_	2TX	<u> </u>			-		
СН	Freq. (MHz)	Data Rate	Power set	Po	Output wer Bm)	Total Avg. Output Power	Limit (dBm)	RESULT
				Ch0	Ch1	(dBm)		
3	2422	MCS0	8	8.73	8.88	11.82	29.81	PASS
4	2427	MCS0	8.5	9.26	9.42	12.35	29.81	PASS
5	2432	MCS0	9.5	10.87	10.13	13.53	29.81	PASS
6	2437	MCS0	10	11.27	10.60	13.96	29.81	PASS
7	2442	MCS0	10	11.33	10.58	13.98	29.81	PASS
8	2447	MCS0	8.5	9.34	9.53	12.45	29.81	PASS
U			0.0	0.0.	0.00			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 31 of 253

002.1	1ac_VHT2			Deale	O44			1
СН	Freq. (MHz)	Data Rate	Power set	Po	Output wer 3m)	Total Peak Output Power	Limit (dBm)	RESULT
				Ch0	Ch1	(dBm)		
1	2412	MCS0	10	17.03	16.21	19.65	29.81	PASS
2	2417	MCS0	11	18.38	17.01	20.76	29.81	PASS
3	2422	MCS0	11	18.46	16.87	20.75	29.81	PASS
4	2427	MCS0	13	20.15	19.34	22.77	29.81	PASS
5	2432	MCS0	13	20.21	19.38	22.83	29.81	PASS
6	2437	MCS0	14	21.29	20.31	23.84	29.81	PASS
7	2442	MCS0	14.5	21.14	20.84	24.00	29.81	PASS
8	2447	MCS0	13.5	20.55	20.17	23.37	29.81	PASS
9	2452	MCS0	13.5	20.39	19.86	23.14	29.81	PASS
10	2457	MCS0	10	17.51	16.13	19.88	29.81	PASS
11	2462	MCS0	10	17.45	16.36	19.95	29.81	PASS
802.1	1ac_VHT2	OM_2TX	•			•		•
				Avg. (Output	Total Avg.		
СН	Freq.	Data	Power	Po	wer	Output Power	Limit	RESULT
СП	(MHz)	Rate	set	(dl	3m)	•	(dBm)	KESULI
				Ch0	Ch1	(dBm)		
1	2412	MCS0	10	10.79	10.02	13.43	29.81	PASS
2	2417	MCS0	11	12.33	11.05	14.75	29.81	PASS
3	2422							
J	2422	MCS0	11	12.40	11.20	14.85	29.81	PASS
4	2422	MCS0 MCS0	11 13	12.40 14.14	11.20 13.13	14.85 16.68	29.81 29.81	PASS PASS
4	2427	MCS0 MCS0 MCS0	13	14.14	13.13	16.68	29.81	PASS
4 5	2427 2432	MCS0 MCS0 MCS0 MCS0	13 13	14.14 14.10	13.13 13.25	16.68 16.71	29.81 29.81	PASS PASS PASS PASS
4 5 6	2427 2432 2437	MCS0 MCS0 MCS0 MCS0 MCS0	13 13 14	14.14 14.10 15.10	13.13 13.25 14.12	16.68 16.71 17.65	29.81 29.81 29.81	PASS PASS PASS PASS PASS
4 5 6 7	2427 2432 2437 2442	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	13 13 14 14.5	14.14 14.10 15.10 15.09	13.13 13.25 14.12 14.69	16.68 16.71 17.65 17.91	29.81 29.81 29.81 29.81	PASS PASS PASS PASS
4 5 6 7 8	2427 2432 2437 2442 2447	MCS0 MCS0 MCS0 MCS0 MCS0	13 13 14 14.5 13.5	14.14 14.10 15.10 15.09 14.45	13.13 13.25 14.12 14.69 13.82	16.68 16.71 17.65 17.91 17.16	29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS
4 5 6 7 8 9	2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	13 13 14 14.5 13.5 13.5	14.14 14.10 15.10 15.09 14.45 14.42	13.13 13.25 14.12 14.69 13.82 13.93	16.68 16.71 17.65 17.91 17.16 17.19	29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 32 of 253

	1ac_VHT40	217						
СН	Freq. (MHz)	Data Rate	Power set	Po	Output wer Bm)	Total Peak Output Power (dBm)	Limit (dBm)	RESULT
				Ch0	Ch1	(dBiii)		
3	2422	MCS0	8	14.41	14.25	17.34	29.81	PASS
4	2427	MCS0	8.5	15.25	14.79	18.04	29.81	PASS
5	2432	MCS0	9.5	16.56	16.01	19.30	29.81	PASS
6	2437	MCS0	10	17.15	16.47	19.83	29.81	PASS
7	2442	MCS0	10	17.06	16.49	19.79	29.81	PASS
8	2447	MCS0	8.5	15.01	14.87	17.95	29.81	PASS
9	2452	MCS0	8.5	15.06	14.75	17.92	29.81	PASS
802.1°	1ac_VHT40	M_2TX	•					•
СН	Freq.	Data	Power	_	Output wer	Total Avg. Output Power	Limit	RESULT
•	(MHz)	Rate	set	(dl	Bm)	(dBm)	(dBm)	1120021
				Ch0	Ch1	(dBiii)		
3	2422	MCS0	8	8.69	8.83	11.77	29.81	PASS
4	2427	MCS0	8.5	9.22	9.39	12.32	29.81	PASS
5	2432	MCS0	9.5	10.82	10.08	13.48	29.81	PASS
6	2437	MCS0	10	11.24	10.55	13.92	29.81	PASS
7	2442	MCS0	10	11.30	10.53	13.94	29.81	PASS
8	2447	MCS0	8.5	9.28	9.49	12.40	29.81	PASS
U	l I							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 33 of 253

					Peak	Output	Total Peak		
СН	Freq.	Data	RU Config	Power	Po	wer	Output Power	Limit	RESUL
OII	(MHz)	Rate	No coming	set	(di	3m)	(dBm)	(dBm)	KLOOL
					Ch0	Ch1	(ubiii)		
			full	9.5	17.52	16.93	20.25	29.81	PASS
1	2412	MCS0	26/0	9.5	20.79	20.24	23.53	29.81	PASS
•			52/37	10	21.79	20.53	24.22	29.81	PASS
			106/53	9.5	20.06	20.26	23.17	29.81	PASS
			full	11	19.65	18.51	22.13	29.81	PASS
2	2417	MCS0	26/0	11	22.11	21.35	24.76	29.81	PASS
			52/37	11.5	22.87	21.81	25.38	29.81	PASS
			106/53	11	21.23	21.53	24.39	29.81	PASS
3	2422	MCS0	full	11	19.79	18.84	22.35	29.81	PASS
4	2427	MCS0	full	13	21.33	20.73	24.05	29.81	PASS
5	2432	MCS0	full	13	21.19	20.65	23.94	29.81	PASS
			full	14	22.13	21.36	24.77	29.81	PASS
6	2437	MCS0	26/0	14	22.83	23.99	26.46	29.81	PASS
			52/37	14.5	22.85	24.17	26.57	29.81	PASS
			106/53	14	22.83	23.75	26.32	29.81	PASS
7	2442	MCS0	full	14	22.12	21.94	25.04	29.81	PASS
8	2447	MCS0	full	13.5	21.63	21.36	24.51	29.81	PASS
9	2452	MCS0	full	13	21.45	21.02	24.25	29.81	PASS
			full	9.5	17.91	17.01	20.49	29.81	PASS
10	2457	MCS0	26/8	9.5	21.17	20.38	23.80	29.81	PASS
			52/40	10	21.71	20.67	24.23	29.81	PASS
			106/54	9.5	20.91	20.32	23.64	29.81	PASS
			full	10	18.67	17.72	21.23	29.81	PASS
11	2462	MCS0	26/8	10.5	21.89	21.01	24.48	29.81	PASS
			52/40	10	21.62	21.35	24.50	29.81	PASS
202.4	1 11520	M OTV	106/54	9.5	20.81	20.78	23.81	29.81	PASS
302.1	 1ax_HE20 	M_2TX	106/54	9.5			23.81	29.81	PASS
					Avg. (Output	23.81 Total Avg.		PASS
802.1°	Freq.	Data	106/54 RU Config	Power	Avg. (Output wer		Limit	PASS RESUL
					Avg. (Po	Output wer 3m)	Total Avg.		
	Freq.	Data	RU Config	Power set	Avg. (Po (dl Ch0	Output wer 3m) Ch1	Total Avg. Output Power (dBm)	Limit (dBm)	RESUL
СН	Freq. (MHz)	Data Rate	RU Config	Power set	Avg. (Po (dl Ch0 10.38	Output wer 3m) Ch1	Total Avg. Output Power (dBm)	Limit (dBm)	RESUL ⁻
	Freq.	Data	RU Config full 26/0	Power set 9.5 9.5	Avg. (di Ch0 10.38	Output wer Bm) Ch1 9.73	Total Avg. Output Power (dBm) 13.08 13.02	Limit (dBm) 29.81 29.81	RESUL* PASS PASS
СН	Freq. (MHz)	Data Rate	Full 26/0 52/37	Power set 9.5 9.5 10	Avg. (dl Ch0 10.38 10.22	Output wer 3m) Ch1 9.73 9.78 9.57	Total Avg. Output Power (dBm) 13.08 13.02 13.05	Limit (dBm) 29.81 29.81 29.81	PASS PASS PASS
СН	Freq. (MHz)	Data Rate	full 26/0 52/37 106/53	Power set 9.5 9.5 10 9.5	Avg. (Po (dl Ch0 10.38 10.22 10.45 10.28	Output wer 3m) Ch1 9.73 9.78 9.57 9.72	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02	Limit (dBm) 29.81 29.81 29.81 29.81	PASS PASS PASS PASS
CH 1	Freq. (MHz)	Data Rate	full 26/0 52/37 106/53 full	9.5 9.5 10 9.5	Avg. 0 Po (dli Ch0 10.38 10.22 10.45 10.28 12.37	Output wer 3m) Ch1 9.73 9.78 9.57 9.72 11.32	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89	Limit (dBm) 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS
СН	Freq. (MHz)	Data Rate	full 26/0 52/37 106/53 full 26/0	Power set 9.5 9.5 10 9.5 11 11	Avg. 0 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78	29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS
CH 1	Freq. (MHz)	Data Rate	full 26/0 52/37 106/53 full 26/0 52/37	9.5 9.5 10 9.5 11 11 11.5	Avg. 6 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84	29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
CH 1	Freq. (MHz) 2412	Data Rate	full 26/0 52/37 106/53 full 26/0 52/37 106/53	Power set 9.5 9.5 10 9.5 11 11.5 11	Avg. 6 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73	29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3	Freq. (MHz) 2412 2417	Data Rate	full 26/0 52/37 106/53 full 26/0 52/37 106/53 full 106/53	9.5 9.5 10 9.5 11 11 11.5 11	Avg. (Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96	29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3 4	2412 2417 2422 2427	Data Rate MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full 26/0 52/37 106/53 full full full full full full full ful	9.5 9.5 10 9.5 11 11 11.5 11 13	Avg. 0 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3	Freq. (MHz) 2412 2417	Data Rate	full 26/0 52/37 106/53 full 26/0 52/37 106/53 full 406/53 full full full full	9.5 9.5 10 9.5 11 11.5 11 11.5 11	Avg. 0 Po (dl Ch0 10.38 10.22 10.45 12.37 12.28 12.37 12.29 12.47 14.06 14.39	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3 4	2412 2417 2422 2427	Data Rate MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full 26/0 52/37 106/53 full full full full full	9.5 9.5 10 9.5 11 11.5 11 13 13	Avg. 0 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3 4	2412 2417 2422 2427	Data Rate MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full 26/0 52/37 106/53 full full full full full 26/0	9.5 9.5 10 9.5 11 11.5 11 13 13 14	Avg. 0 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3 4 5 5	2412 2417 2422 2427 2432	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full 26/0 52/37 106/53 full full full full 526/0 52/37	9.5 9.5 10 9.5 11 11.5 11 13 13 14 14 14.5	Avg. 0 Po (di Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88 15.20	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3 4 5 6	2412 2412 2417 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	Full 26/0 52/37 106/53 full full full full full 52/37 106/53	9.5 9.5 10 9.5 11 11.5 11 11.5 11 13 13 14 14.5 14	Avg. 6 Po (dil Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88 15.20 15.02	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32 14.40 14.19	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3 4 5 6 7	Freq. (MHz) 2412 2417 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	Full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full full full 26/0 52/37 106/53 full full full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full 6/53 full full 6/53 full full 6/53 full full 6/53	9.5 9.5 10 9.5 11 11 11.5 11 13 13 14 14.5 14	Avg. 6 Po (dil Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.29 12.47 14.06 14.39 15.30 14.88 15.20 15.02 15.13	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32 14.40 14.19	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
CH 1 2 3 4 5 6 7 8	2412 2417 2417 2422 2432 2437 2442 2447	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	Full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full full full full full ful	9.5 9.5 10 9.5 11 11.5 11 13 13 14 14.5 14 14.5	Avg. 6 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88 15.20 15.02 15.13 14.64	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32 14.40 14.19	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40	Limit (dBm) 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
1 2 3 4 5 6 7	Freq. (MHz) 2412 2417 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	Full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full full full full full ful	9.5 9.5 10 9.5 11 11.5 11 13 13 14 14.5 14 14.5 14	Avg. 6 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88 15.20 15.13 14.64 14.24	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32 14.40 14.19 14.68 14.12	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40 17.05	Limit (dBm) 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
CH 1 2 3 4 5 6 7 8	2412 2417 2417 2422 2432 2437 2442 2447	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full full full full full ful	9.5 9.5 9.5 10 9.5 11 11.5 11 13 13 14 14.5 14 14.5 14 14.5 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Avg. 6 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88 15.20 15.02 15.13 14.64 14.24 10.90	Output wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.40 14.19 14.68 14.12 13.83 10.07	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40 17.05 13.52	Limit (dBm) 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
CH 1 2 3 4 5 6 7 8	2412 2417 2417 2422 2432 2437 2442 2447	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full full 26/8	9.5 9.5 10 9.5 11 11.5 11 11.5 11 13 13 14 14.5 14 14.5 14 13.5 9.5 9.5	Avg. 6 Po (dl Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88 15.20 15.02 15.13 14.64 14.24 10.90 10.36	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32 14.40 14.19 14.68 14.12 13.83 10.07 9.65	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40 17.05 13.52 13.03	Limit (dBm) 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
2 3 4 5 6 7 8 9	2412 2417 2412 2417 2422 2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full 526/0 52/37 106/53 full full 526/0 52/37 106/53 full full full 526/8 52/40	9.5 9.5 10 9.5 11 11.5 11 11.5 11 13 13 14 14 14.5 14 14.5 14 15.5 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Avg. 6 Po (dll Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.06 14.39 15.30 14.88 15.20 15.13 14.64 14.24 10.90 10.36 10.64	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.42 14.42 14.42 14.42 14.68 14.12 13.83 10.07 9.65 9.79	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40 17.05 13.52 13.03 13.25	Limit (dBm) 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
2 3 4 5 6 7 8 9	2412 2417 2412 2417 2422 2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full full full full full ful	9.5 9.5 9.5 10 9.5 11 11.5 11 11.3 13 14 14.5 14 14.5 14 14.5 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Avg. 6 Po (dll Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.46 14.39 15.30 14.88 15.20 15.13 14.64 14.24 10.90 10.36 10.64 10.54	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.42 14.42 14.42 14.42 14.42 14.49 14.68 14.12 13.83 10.07 9.65 9.79 9.72	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40 17.05 13.52 13.03 13.25 13.16	Limit (dBm) 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
2 3 4 5 6 7 8 9	2412 2417 2412 2417 2422 2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full 526/0 52/37 106/53 full full 26/0 52/37 106/53 full full full full full full full ful	9.5 9.5 10 9.5 11 11.5 11 11.5 11 11.5 11 14.5 14.1 14.5 14.5	Avg. 6 Po (dll Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.46 14.39 15.30 14.88 15.20 15.13 14.64 14.24 10.90 10.36 10.64 10.54 11.44	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.32 14.40 14.19 14.68 14.12 13.83 10.07 9.65 9.79 9.72 10.45	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40 17.05 13.52 13.03 13.25 13.16 13.99	Limit (dBm) 29.81	PASS PASS PASS PASS PASS PASS PASS PASS
2 3 4 5 6 7 8 9	2412 2417 2412 2417 2422 2427 2432 2437 2442 2447 2452	MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	full 26/0 52/37 106/53 full full 26/0 52/37 106/53 full full full full full full full ful	9.5 9.5 9.5 10 9.5 11 11.5 11 11.3 13 14 14.5 14 14.5 14 14.5 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Avg. 6 Po (dll Ch0 10.38 10.22 10.45 10.28 12.37 12.28 12.37 12.39 12.47 14.46 14.39 15.30 14.88 15.20 15.13 14.64 14.24 10.90 10.36 10.64 10.54	Dutput wer Bm) Ch1 9.73 9.78 9.57 9.72 11.32 11.18 11.20 10.93 11.35 13.78 13.50 14.42 14.42 14.42 14.42 14.42 14.42 14.49 14.68 14.12 13.83 10.07 9.65 9.79 9.72	Total Avg. Output Power (dBm) 13.08 13.02 13.05 13.02 14.89 14.78 14.84 14.73 14.96 16.94 16.98 17.90 17.62 17.83 17.64 17.92 17.40 17.05 13.52 13.03 13.25 13.16	Limit (dBm) 29.81	PASS PASS PASS PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 34 of 253

802.1	1ax_HE40	M_2TX							
СН	Freq. (MHz)	Data Rate	RU Config	Power set	Po (dl	Output wer Bm)	Total Peak Output Power (dBm)	Limit (dBm)	RESULT
					Ch0	Ch1	, ,		
3	2422	MCS0	full	8.5	15.41	15.39	18.41	29.81	PASS
			242/61	9	19.55	19.66	22.62	29.81	PASS
4	2427	MCS0	full	9	15.96	16.03	19.01	29.81	PASS
			242/61	10	19.96	20.92	23.48	29.81	PASS
5	2432	MCS0	full	10	17.62	17.12	20.39	29.81	PASS
6	2437	MCS0	full	10	17.57	16.65	20.14	29.81	PASS
			242/61	13.5	22.84	22.87	25.87	29.81	PASS
7	2442	MCS0	full	10	17.44	16.69	20.09	29.81	PASS
8	2447	MCS0	full	9	16.14	15.74	18.95	29.81	PASS
			242/62	10.5	20.88	21.07	23.99	29.81	PASS
9	2452	MCS0	full	9	16.25	15.77	19.03	29.81	PASS
			242/62	8	18.47	18.94	21.72	29.81	PASS
802.1	1ax_HE40	M_2TX							
СН	Freq.	Data Rate	RU Config	Power set	Po	Output wer Bm)	Total Avg. Output Power	Limit (dBm)	RESULT
					Ch0	Ch1	(dBm)	, ,	
	0.400	14000	full	8.5	8.89	8.87	11.89	29.81	PASS
3	2422	MCS0	242/61	9	5.86	5.14	8.53	29.81	PASS
4	0407	MOCO	full	9	9.44	9.49	12.48	29.81	PASS
4	2427	MCS0	242/61	10	7.43	6.85	10.16	29.81	PASS
5	2432	MCS0	full	10	10.90	10.24	13.60	29.81	PASS
	2437	MCS0	full	10	10.87	10.15	13.54	29.81	PASS
c	1 /4 5 /	1 かにっし ト			10.78	10.20	13.51	29.81	PASS
6	2407	"""	242/61	13.5	10.70				
7	2442	MCS0	242/61 full	13.5 10	10.83	10.25	13.56	29.81	PASS
7	2442	MCS0		13.5 10 9			13.56 12.43	29.81 29.81	PASS PASS
			full	10 9	10.83	10.25			
7 8	2442 2447	MCS0 MCS0	full full	10 9 10.5	10.83 9.64	10.25 9.19	12.43	29.81	PASS
7	2442	MCS0	full full 242/62	10 9	10.83 9.64 7.90	10.25 9.19 7.16	12.43 10.56	29.81 29.81	PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 35 of 253

СН	Freq.	Data Rate	1	Output wer	Total Avg. Output Power	Antenna Gain	EIRP (dBm)	Limit (dBm)	RESULT
	(141112)	Nate	Ch0	Ch1	(dBm)	(dBi)	(abiii)	(ubiii)	
1	2412	1	16.20	15.85	19.03	6.185	25.22	36	PASS
2	2417	1	16.72	16.22	19.48	6.185	25.67	36	PASS
3	2422	1	17.47	16.96	20.23	6.185	26.41	36	PASS
4	2427	1	18.64	18.10	21.38	6.185	27.57	36	PASS
5	2432	1	18.70	18.13	21.43	6.185	27.62	36	PASS
6	2437	1	17.57	16.92	20.26	6.185	26.45	36	PASS
7	2442	1	17.65	16.82	20.26	6.185	26.45	36	PASS
8	2447	1	16.54	16.02	19.29	6.185	25.48	36	PASS
9	2452	1	16.49	16.20	19.35	6.185	25.54	36	PASS
10	2457	1	15.80	14.92	18.39	6.185	24.57	36	PASS
11	2462	1	15.60	15.16	18.39	6.185	24.58	36	PASS

802.11	g_2TX								
СН	Freq. (MHz)	Data Rate	1	Output wer	Total Avg. Output Power	Antenna Gain	EIRP (dBm)	Limit (dBm)	RESULT
	(11112)	nato	Ch0	Ch1	(dBm)	(dBi)	(uBiii)	(aBiii)	
1	2412	6	12.26	11.37	14.85	6.185	21.04	36	PASS
2	2417	6	12.59	11.27	14.99	6.185	21.18	36	PASS
3	2422	6	14.67	14.15	17.43	6.185	23.62	36	PASS
4	2427	6	14.87	13.98	17.46	6.185	23.65	36	PASS
5	2432	6	16.47	16.15	19.33	6.185	25.51	36	PASS
6	2437	6	16.42	16.25	19.35	6.185	25.53	36	PASS
7	2442	6	15.67	15.13	18.42	6.185	24.61	36	PASS
8	2447	6	13.74	12.75	16.29	6.185	22.47	36	PASS
9	2452	6	13.74	13.17	16.48	6.185	22.66	36	PASS
10	2457	6	13.39	12.75	16.10	6.185	22.28	36	PASS
11	2462	6	12.55	11.64	15.13	6.185	21.32	36	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 36 of 253

	Eve-	Data	Avg. C	Output	Total Avg.	Antenna	EIRP	Limit	
СН	Freq.		Po	wer	Output Power	Gain			RESUL
	(MHz)	Rate	Ch0	Ch1	(dBm)	(dBi)	(dBm)	(dBm)	
1	2412	MCS0	10.87	10.05	13.49	6.185	19.68	36	PASS
2	2417	MCS0	12.40	11.10	14.81	6.185	21.00	36	PASS
3	2422	MCS0	12.42	11.27	14.90	6.185	21.08	36	PASS
4	2427	MCS0	14.17	13.16	16.71	6.185	22.89	36	PASS
5	2432	MCS0	14.18	13.35	16.80	6.185	22.98	36	PASS
6	2437	MCS0	15.17	14.20	17.72	6.185	23.91	36	PASS
7	2442	MCS0	15.20	14.73	17.98	6.185	24.17	36	PASS
8	2447	MCS0	14.46	13.88	17.19	6.185	23.38	36	PASS
9	2452	MCS0	14.45	13.97	17.23	6.185	23.41	36	PASS
10	2457	MCS0	11.43	10.36	13.94	6.185	20.13	36	PASS
11	2462	MCS0	11.39	10.22	13.86	6.185	20.04	36	PASS
02.11	n_HT40M	_2TX							
	_	D. (.	Avg. C	Output	Total Avg.	Antenna	FIDD	1	
СН	Freq.	Data	Po	wer	Output Power	Gain	EIRP	Limit	RESUL
	(MHz)	Rate	Ch0	Ch1	(dBm)	(dBi)	(dBm)	(dBm)	
3	2422	MCS0	8.73	8.88	11.82	6.185	18.00	36	PASS
4	2427	MCS0	9.26	9.42	12.35	6.185	18.54	36	PASS
5	2432	MCS0	10.87	10.13	13.53	6.185	19.71	36	PASS
6	2437	MCS0	11.27	10.60	13.96	6.185	20.15	36	PASS
7	2442	MCS0	11.33	10.58	13.98	6.185	20.17	36	PASS
8	2447	MCS0	9.34	9.53	12.45	6.185	18.63	36	PASS
9	2452	MCS0	9.32	9.50	12.42	6.185	18.61	36	PASS
02.11	ac_VHT20	M_2TX	·						
	F	Data	Avg. C	Output	Total Avg.	Antenna	EIRP	1 ::4	
СН	Freq.	Data	Po	wer	Output Power	Gain		Limit	RESUL
	(MHz)	Rate	Ch0	Ch1	(dBm)	(dBi)	(dBm)	(dBm)	
1	2412	MCS0	10.79	10.02	13.43	6.185	19.62	36	PASS
2	2417	MCS0	12.33	11.05	14.75	6.185	20.94	36	PASS
3	2422	MCS0	12.40	11.20	14.85	6.185	21.04	36	PASS
4	2427	MCS0	14.14	13.13	16.68	6.185	22.86	36	PASS
5	2432	MCS0	14.10	13.25	16.71	6.185	22.89	36	PASS
6	2437	MCS0	15.10	14.12	17.65	6.185	23.84	36	PASS
7	2442	MCS0	15.09	14.69	17.91	6.185	24.09	36	PASS
8	2447	MCS0	14.45	13.82	17.16	6.185	23.34	36	PASS
9	2452	MCS0	14.42	13.93	17.19	6.185	23.38	36	PASS
10	2457	MCS0	11.39	10.30	13.89	6.185	20.08	36	PASS
				1	1	1	1	i	1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此都华结里倚影响赋之缘是台香,同时此楼是倚保留的手。木都华丰德木公司事而纯可,不可驾份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 37 of 253

802 11	ac_VHT4	OM 2TY	•							
002.1		UWI_ZIA		Avg. 0	Output	Total Avg.	Antenna			
СН	Freq.		Data		wer	Output Power	Gain	EIRP	Limit	RESULT
	(MHz)		Rate	Ch0	Ch1	(dBm)	(dBi)	(dBm)	(dBm)	
3	2422		MCS0	8.69	8.83	11.77	6.185	17.96	36	PASS
4	2427		MCS0		9.39	12.32	6.185	18.50	36	PASS
5	2432		MCS0	10.82	10.08	13.48	6.185	19.66	36	PASS
6	2437		MCS0	11.24	10.55	13.92	6.185	20.11	36	PASS
7	2442		MCS0	11.30	10.53	13.94	6.185	20.13	36	PASS
8	2447		MCS0	9.28	9.49	12.40	6.185	18.58	36	PASS
9	2452		MCS0	9.30	9.43	12.38	6.185	18.56	36	PASS
802.11	ax_HE20	M_2TX								
	Freq.	Data		Avg. 0	Output	Total Avg.	Antenna	EIRP		
СН	(MHz)	Rate	RU Config	Power		Output Power	Gain	(dBm)	Limit	RESULT
	(141112)	Kale		Ch0	Ch1	(dBm)	(dBi)	(ubiii)		
			full	10.38	9.73	13.08	6.185	19.27	36	PASS
1	2412	MCS0	26/0	10.22	9.78	13.02	6.185	19.20	36	PASS
'		1000	52/37	10.45	9.57	13.05	6.185	19.23	36	PASS
			106/53	10.28	9.72	13.02	6.185	19.21	36	PASS
			full	12.37	11.32	14.89	6.185	21.07	36	PASS
2	2417	MCS0	26/0	12.28	11.18	14.78	6.185	20.96	36	PASS
_			52/37	12.37	11.20	14.84	6.185	21.02	36	PASS
			106/53	12.39	10.93	14.73	6.185	20.92	36	PASS
3	2422	MCS0	full	12.47	11.35	14.96	6.185	21.14	36	PASS
4	2427	MCS0	full	14.06	13.78	16.94	6.185	23.12	36	PASS
5	2432	MCS0	full	14.39	13.50	16.98	6.185	23.17	36	PASS
			full	15.30	14.42	17.90	6.185	24.08	36	PASS
6	2437	MCS0	26/0	14.88	14.32	17.62	6.185	23.81	36	PASS
			52/37	15.20	14.40	17.83	6.185	24.02	36	PASS
	0440	11000	106/53	15.02	14.19	17.64	6.185	23.82	36	PASS
7	2442	MCS0	full	15.13	14.68	17.92	6.185	24.11	36	PASS
8	2447	MCS0	full	14.64	14.12	17.40	6.185	23.59	36	PASS
9	2452	MCS0	full	14.24	13.83	17.05	6.185	23.24	36	PASS
			full	10.90	10.07	13.52	6.185	19.70	36	PASS
10	2457	MCS0	26/8	10.36	9.65	13.03	6.185	19.22	36	PASS
		-	52/40	10.64	9.79	13.25	6.185	19.43	36	PASS PASS
			106/54	10.54	9.72	13.16	6.185	19.35	36	PASS
			full 26/8	11.44	10.45	13.99	6.185 6.185	20.17	36 36	PASS
11	2462	MCS0	52/40	10.60	10.40 9.90	13.94 13.28	6.185	19.46	36	PASS
			JZ/4U	10.00	3.30	13.20	0.100	13.40	30	1 700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

10.39

10.82

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

13.62

106/54

6.185

19.81

36

PASS



Page: 38 of 253

802.11	ax_HE40	M_2TX								
СН	Freq.	Data Rate	RU Config	1	Output wer	Total Avg. Output Power	Antenna Gain	EIRP (dBm)	Limit	RESULT
	(141112)	Nate		Ch0	Ch1	(dBm)	(dBi)	(ubiii)		
3	2422	MCS0	full	8.89	8.87	11.89	6.185	18.08	36	PASS
3 2422	IVICOU	242/61	5.86	5.14	8.53	6.185	14.71	36	PASS	
1	4 2427 1	MCS0	full	9.44	9.49	12.48	6.185	18.66	36	PASS
7		10000	242/61	7.43	6.85	10.16	6.185	16.35	36	PASS
5	2432	MCS0	full	10.90	10.24	13.60	6.185	19.78	36	PASS
6	2437	MCS0	full	10.87	10.15	13.54	6.185	19.72	36	PASS
U	2401	10000	242/61	10.78	10.20	13.51	6.185	19.70	36	PASS
7	2442	MCS0	full	10.83	10.25	13.56	6.185	19.75	36	PASS
8	2447	MCS0	full	9.64	9.19	12.43	6.185	18.62	36	PASS
0	2771	10000	242/62	7.90	7.16	10.56	6.185	16.74	36	PASS
9	2452	MCS0	full	9.60	9.14	12.39	6.185	18.57	36	PASS
9	2432	1000	242/62	4.64	4.97	7.82	6.185	14.01	36	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 39 of 253

9 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

9.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 and RSS-Gen §8.9 Table 5 and 6 limit as below.

And according to §15.33(a) (1) & RSS-Gen §6.13.2.a, for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

1. The lower limit shall apply at the transition frequencies.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 40 of 253




Test Setup


(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



(C) Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 41 of 253

9.3 Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz.
- 6. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Maximum Emission Measurements at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Emission Measurements at frequency above 1 GHz.
- 9. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 12. Repeat above procedures until all default test channel measured were complete.

9.4 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有铅明,此数些结果属聚则能之种具有多,同时此类具属聚则的主。大数型主流统大力事而实力,因而似处推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 42 of 253

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB) Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

9.5 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

9.6 **Measurement Result**

Note:

- 1. Refer to next page spectrum analyzer data chart and tabular data sheets.
- Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 43 of 253

9.6.1 Radiated Band Edge Measurement Result


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11b
 Test Date
 :2023-07-19

 Test Frequency
 :2412 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2324.040	Peak	60.32	-4.35	55.96	74.00	-18.04
2324.040	Average	48.53	-4.35	44.18	54.00	-9.82
2365.920	Peak	61.74	-4.30	57.44	74.00	-16.56
2365.920	Average	49.15	-4.30	44.85	54.00	-9.15
2387.360	Peak	61.55	-4.18	57.37	74.00	-16.63
2387.360	Average	51.53	-4.18	47.35	54.00	-6.65
2390.000	Peak	60.37	-4.17	56.20	74.00	-17.80
2390.000	Average	49.69	-4.17	45.52	54.00	-8.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues

Inis document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/lerms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 44 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2412 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
	2330.880	Peak	61.68	-4.36	57.31	74.00	-16.69
	2330.880	Average	49.45	-4.36	45.09	54.00	-8.91
	2382.920	Peak	62.26	-4.20	58.06	74.00	-15.94
	2382.920	Average	53.45	-4.20	49.25	54.00	-4.75
	2387.840	Peak	62.25	-4.18	58.08	74.00	-15.92
	2387.840	Average	53.53	-4.18	49.35	54.00	-4.65
	2390.000	Peak	60.65	-4.17	56.49	74.00	-17.51
	2390.000	Average	50.86	-4.17	46.69	54.00	-7.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 45 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2417 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
2370.080	Peak	61.61	-4.28	57.33	74.00	-16.67
2370.080	Average	53.48	-4.28	49.20	54.00	-4.80
2377.520	Peak	62.23	-4.24	58.00	74.00	-16.00
2377.520	Average	53.23	-4.24	48.99	54.00	-5.01
2386.880	Peak	61.65	-4.18	57.47	74.00	-16.53
2386.880	Average	53.02	-4.18	48.84	54.00	-5.16
2390.000	Peak	60.61	-4.17	56.44	74.00	-17.56
2390.000	Average	51.46	-4.17	47.29	54.00	-6.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 46 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2417 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2356.080	Peak	62.12	-4.36	57.76	74.00	-16.24
2356.080	Average	50.28	-4.36	45.92	54.00	-8.08
2377.520	Peak	62.29	-4.24	58.06	74.00	-15.94
2377.520	Average	53.33	-4.24	49.09	54.00	-4.91
2382.960	Peak	62.45	-4.20	58.25	74.00	-15.75
2382.960	Average	52.22	-4.20	48.02	54.00	-5.98
2390.000	Peak	62.11	-4.17	57.94	74.00	-16.06
2390.000	Average	54.13	-4.17	49.96	54.00	-4.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.sgs.com.tw




Page: 47 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11b **Test Date** :2023-07-19 **Test Frequency** :2422 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2374.125	Peak	63.85	-4.25	59.59	74.00	-14.41
2374.125	Average	52.28	-4.25	48.03	54.00	-5.97
2381.875	Peak	62.91	-4.21	58.70	74.00	-15.30
2381.875	Average	53.52	-4.21	49.31	54.00	-4.69
2385.125	Peak	62.61	-4.19	58.42	74.00	-15.58
2385.125	Average	54.72	-4.19	50.53	54.00	-3.47
2390.000	Peak	60.86	-4.17	56.70	74.00	-17.30
2390.000	Average	50.78	-4.17	46.61	54.00	-7.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 48 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11b **Test Date** :2023-07-19 **Test Frequency** :2422 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						_
2343.625	Peak	61.96	-4.38	57.58	74.00	-16.42
2343.625	Average	49.98	-4.38	45.60	54.00	-8.40
2374.375	Peak	63.03	-4.25	58.78	74.00	-15.22
2374.375	Average	53.95	-4.25	49.70	54.00	-4.30
2384.250	Peak	62.65	-4.20	58.45	74.00	-15.55
2384.250	Average	54.49	-4.20	50.29	54.00	-3.71
2390.000	Peak	60.96	-4.17	56.79	74.00	-17.21
2390.000	Average	50.16	-4.17	45.99	54.00	-8.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 49 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2427 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
2341.980	Peak	60.93	-4.38	56.56	74.00	-17.44
2341.980	Average	49.95	-4.38	45.57	54.00	-8.43
2378.170	Peak	61.15	-4.23	56.91	74.00	-17.09
2378.170	Average	52.42	-4.23	48.19	54.00	-5.81
2386.490	Peak	62.14	-4.19	57.96	74.00	-16.04
2386.490	Average	53.08	-4.19	48.89	54.00	-5.11
2390.000	Peak	61.15	-4.17	56.99	74.00	-17.01
2390.000	Average	51.59	-4.17	47.42	54.00	-6.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 50 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2427 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
2320.010	Peak	61.33	-4.35	56.98	74.00	-17.02
2320.010	Average	49.29	-4.35	44.94	54.00	-9.06
2378.510	Peak	63.04	-4.23	58.81	74.00	-15.19
2378.510	Average	49.28	-4.23	45.05	54.00	-8.95
2386.750	Peak	62.75	-4.18	58.56	74.00	-15.44
2386.750	Average	54.69	-4.18	50.51	54.00	-3.49
2390.000	Peak	62.15	-4.17	57.98	74.00	-16.02
2390.000	Average	52.19	-4.17	48.02	54.00	-5.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 51 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11b **Test Date** :2023-07-19 **Test Frequency** :2432 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
2332.490	Peak	60.35	-4.37	55.98	74.00	-18.02
2332.490	Average	50.21	-4.37	45.84	54.00	-8.16
2375.285	Peak	61.21	-4.25	56.97	74.00	-17.03
2375.285	Average	52.72	-4.25	48.47	54.00	-5.53
2383.115	Peak	62.18	-4.20	57.97	74.00	-16.03
2383.115	Average	53.87	-4.20	49.67	54.00	-4.33
2390.000	Peak	62.47	-4.17	58.31	74.00	-15.69
2390.000	Average	54.17	-4.17	50.00	54.00	-4.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279


www.sgs.com.tw



Page: 52 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11b **Test Date** :2023-07-19 **Test Frequency** :2432 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2337.000	Peak	61.46	-4.37	57.09	74.00	-16.91
2337.000	Average	50.59	-4.37	46.22	54.00	-7.78
2372.045	Peak	61.85	-4.27	57.58	74.00	-16.42
2372.045	Average	53.45	-4.27	49.18	54.00	-4.82
2380.820	Peak	63.68	-4.22	59.47	74.00	-14.53
2380.820	Average	55.18	-4.22	50.96	54.00	-3.04
2390.000	Peak	61.90	-4.17	57.74	74.00	-16.26
2390.000	Average	53.48	-4.17	49.31	54.00	-4.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 53 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11b
 Test Date
 :2023-07-19

 Test Frequency
 :2437 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2366.760	Peak	59.85	-4.30	55.56	74.00	-18.44
2366.760	Average	49.95	-4.30	45.65	54.00	-8.35
2388.180	Peak	61.91	-4.18	57.73	74.00	-16.27
2388.180	Average	52.53	-4.18	48.35	54.00	-5.65
2390.000	Peak	61.39	-4.17	57.22	74.00	-16.78
2390.000	Average	51.92	-4.17	47.75	54.00	-6.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 54 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2437 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2362.640	Peak	61.14	-4.32	56.82	74.00	-17.18
2362.640	Average	51.06	-4.32	46.74	54.00	-7.26
2388.040	Peak	63.29	-4.18	59.11	74.00	-14.89
2388.040	Average	55.08	-4.18	50.90	54.00	-3.10
2390.000	Peak	62.78	-4.17	58.61	74.00	-15.39
2390.000	Average	54.67	-4.17	50.50	54.00	-3.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 55 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2437 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	60.32	-4.26	56.06	74.00	-17.94
2483.500	Average	49.93	-4.26	45.67	54.00	-8.33
2493.100	Peak	59.89	-4.18	55.70	74.00	-18.30
2493.100	Average	49.58	-4.18	45.40	54.00	-8.60
2496.475	Peak	59.59	-4.16	55.43	74.00	-18.57
2496.475	Average	49.69	-4.16	45.53	54.00	-8.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 56 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2437 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	61.03	-4.26	56.77	74.00	-17.23
2483.500	Average	51.02	-4.26	46.76	54.00	-7.24
2488.000	Peak	61.66	-4.22	57.44	74.00	-16.56
2488.000	Average	52.06	-4.22	47.84	54.00	-6.16
2494.900	Peak	61.21	-4.17	57.04	74.00	-16.96
2494.900	Average	50.08	-4.17	45.91	54.00	-8.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 57 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11b
 Test Date
 :2023-07-19

 Test Frequency
 :2442 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	60.45	-4.26	56.19	74.00	-17.81
2483.500	Average	50.05	-4.26	45.79	54.00	-8.21
2489.710	Peak	61.11	-4.21	56.90	74.00	-17.10
2489.710	Average	49.89	-4.21	45.68	54.00	-8.32
2497.900	Peak	60.77	-4.15	56.63	74.00	-17.37
2497.900	Average	49.10	-4.15	44.95	54.00	-9.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 58 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2442 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
2483.500	Peak	63.04	-4.26	58.78	74.00	-15.22
2483.500	Average	53.21	-4.26	48.95	54.00	-5.05
2488.820	Peak	61.76	-4.22	57.54	74.00	-16.46
2488.820	Average	52.86	-4.22	48.64	54.00	-5.36
2496.870	Peak	61.35	-4.15	57.20	74.00	-16.80
2496.870	Average	50.26	-4.15	46.11	54.00	-7.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 59 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2447 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	60.42	-4.26	56.16	74.00	-17.84
2483.500	Average	49.57	-4.26	45.31	54.00	-8.69
2486.620	Peak	61.29	-4.23	57.06	74.00	-16.94
2486.620	Average	50.96	-4.23	46.73	54.00	-7.27
2496.230	Peak	60.88	-4.16	56.72	74.00	-17.28
2496.230	Average	49.28	-4.16	45.12	54.00	-8.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 60 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2447 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	64.68	-4.26	60.42	74.00	-13.58
2483.500	Average	53.80	-4.26	49.54	54.00	-4.46
2484.530	Peak	64.31	-4.25	60.06	74.00	-13.94
2484.530	Average	54.83	-4.25	50.58	54.00	-3.42
2498.375	Peak	61.77	-4.14	57.63	74.00	-16.37
2498.375	Average	51.60	-4.14	47.46	54.00	-6.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 61 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11b **Test Date** :2023-07-19 **Test Frequency** :2452 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	61.23	-4.26	56.97	74.00	-17.03
2483.500	Average	51.18	-4.26	46.92	54.00	-7.08
2489.680	Peak	61.74	-4.21	57.53	74.00	-16.47
2489.680	Average	51.82	-4.21	47.61	54.00	-6.39
2497.900	Peak	60.97	-4.15	56.82	74.00	-17.18
2497.900	Average	49.38	-4.15	45.23	54.00	-8.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 62 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11b **Test Date** :2023-07-19 **Test Frequency** :2452 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	61.48	-4.26	57.22	74.00	-16.78
2483.500	Average	51.74	-4.26	47.48	54.00	-6.52
2486.920	Peak	63.56	-4.23	59.33	74.00	-14.67
2486.920	Average	54.55	-4.23	50.32	54.00	-3.68
2491.360	Peak	65.13	-4.20	60.94	74.00	-13.06
2491.360	Average	54.25	-4.20	50.05	54.00	-3.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 63 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11b
 Test Date
 :2023-07-19

 Test Frequency
 :2457 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	60.82	-4.26	56.56	74.00	-17.44
2483.500	Average	51.12	-4.26	46.86	54.00	-7.14
2488.670	Peak	62.08	-4.22	57.86	74.00	-16.14
2488.670	Average	50.42	-4.22	46.20	54.00	-7.80
2495.435	Peak	63.23	-4.17	59.06	74.00	-14.94
2495.435	Average	49.42	-4.17	45.25	54.00	-8.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 64 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11b **Test Frequency** :2457 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	62.69	-4.26	58.43	74.00	-15.57
2483.500	Average	53.09	-4.26	48.83	54.00	-5.17
2485.535	Peak	62.16	-4.24	57.92	74.00	-16.08
2485.535	Average	54.05	-4.24	49.81	54.00	-4.19
2493.345	Peak	64.67	-4.18	60.49	74.00	-13.51
2493.345	Average	52.19	-4.18	48.01	54.00	-5.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EUT Pol

:H Plane

Report No.: TERF2305001144ER

:Ricky Chen


Page: 65 of 253


Engineer

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11b **Test Date** :2023-07-19 **Test Frequency** :2462 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical





Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	59.66	-4.26	55.40	74.00	-18.60
2483.500	Average	49.85	-4.26	45.59	54.00	-8.41
2490.950	Peak	61.33	-4.20	57.13	74.00	-16.87
2490.950	Average	50.46	-4.20	46.26	54.00	-7.74
2498.250	Peak	61.79	-4.14	57.64	74.00	-16.36
2498.250	Average	49.06	-4.14	44.92	54.00	-9.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:26.4°C/64%

Page: 66 of 253

Report Number :TERF2305001144ER

Operation Mode :802.11b

Test Frequency :2462 MHz

Test Mode :Bandedge

EUT Pol :H Plane


Test Site :SAC 2

Temp./Humi.

Test Date :2023-07-19

Antenna Pol. :Horizontal

Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	61.91	-4.26	57.65	74.00	-16.35
2483.500	Average	51.76	-4.26	47.50	54.00	-6.50
2488.400	Peak	63.45	-4.22	59.23	74.00	-14.77
2488.400	Average	54.88	-4.22	50.66	54.00	-3.34
2496.300	Peak	63.73	-4.16	59.57	74.00	-14.43
2496.300	Average	50.78	-4.16	46.62	54.00	-7.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测计之緣具有書,同時所撰具備保留的子。木都生主领太八司書而幹可,不可無的複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 67 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2412 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2332.080	Peak	60.54	-4.37	56.18	74.00	-17.82
2332.080	Average	48.66	-4.37	44.29	54.00	-9.71
2389.280	Peak	63.15	-4.17	58.98	74.00	-15.02
2389.280	Average	51.98	-4.17	47.81	54.00	-6.19
2390.000	Peak	63.52	-4.17	59.35	74.00	-14.65
2390.000	Average	51.78	-4.17	47.61	54.00	-6.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 68 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2412 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2348.760	Peak	61.25	-4.39	56.86	74.00	-17.14
2348.760	Average	49.58	-4.39	45.19	54.00	-8.81
2379.240	Peak	64.56	-4.23	60.34	74.00	-13.66
2379.240	Average	51.58	-4.23	47.35	54.00	-6.65
2390.000	Peak	66.32	-4.17	62.16	74.00	-11.84
2390.000	Average	54.58	-4.17	50.41	54.00	-3.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 69 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-07-19

 Test Frequency
 :2417 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2329.320	Peak	60.34	-4.36	55.97	74.00	-18.03
2329.320	Average	49.08	-4.36	44.72	54.00	-9.28
2376.720	Peak	62.64	-4.24	58.40	74.00	-15.60
2376.720	Average	50.34	-4.24	46.10	54.00	-7.90
2390.000	Peak	62.31	-4.17	58.15	74.00	-15.85
2390.000	Average	51.65	-4.17	47.48	54.00	-6.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


www.sgs.com.tw



Page: 70 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2417 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
2324.520	Peak	61.84	-4.35	57.49	74.00	-16.51
2324.520	Average	49.64	-4.35	45.29	54.00	-8.71
2385.800	Peak	65.32	-4.19	61.13	74.00	-12.87
2385.800	Average	53.42	-4.19	49.23	54.00	-4.77
2390.000	Peak	64.13	-4.17	59.97	74.00	-14.03
2390.000	Average	53.64	-4.17	49.47	54.00	-4.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 71 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2422 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2337.625	Peak	60.42	-4.37	56.04	74.00	-17.96
2337.625	Average	49.36	-4.37	44.99	54.00	-9.01
2378.000	Peak	62.52	-4.23	58.29	74.00	-15.71
2378.000	Average	50.75	-4.23	46.52	54.00	-7.48
2390.000	Peak	62.78	-4.17	58.61	74.00	-15.39
2390.000	Average	52.44	-4.17	48.27	54.00	-5.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 72 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2422 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2339.875	Peak	61.70	-4.38	57.33	74.00	-16.67
2339.875	Average	50.28	-4.38	45.90	54.00	-8.10
2378.000	Peak	65.23	-4.23	61.00	74.00	-13.00
2378.000	Average	52.67	-4.23	48.44	54.00	-5.56
2390.000	Peak	65.48	-4.17	61.32	74.00	-12.68
2390.000	Average	54.55	-4.17	50.38	54.00	-3.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 73 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2427 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2334.440	Peak	61.30	-4.37	56.93	74.00	-17.07
2334.440	Average	49.28	-4.37	44.91	54.00	-9.09
2386.960	Peak	64.45	-4.18	60.27	74.00	-13.73
2386.960	Average	52.41	-4.18	48.23	54.00	-5.77
2390.000	Peak	63.39	-4.17	59.23	74.00	-14.77
2390.000	Average	52.96	-4.17	48.79	54.00	-5.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 74 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2427 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2333.530	Peak	62.02	-4.37	57.65	74.00	-16.35
2333.530	Average	49.92	-4.37	45.55	54.00	-8.45
2378.770	Peak	65.81	-4.23	61.59	74.00	-12.41
2378.770	Average	52.58	-4.23	48.35	54.00	-5.65
2390.000	Peak	64.98	-4.17	60.82	74.00	-13.18
2390.000	Average	54.96	-4.17	50.79	54.00	-3.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 75 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-07-19

 Test Frequency
 :2432 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2334.435	Peak	60.64	-4.37	56.27	74.00	-17.73
2334.435	Average	49.31	-4.37	44.94	54.00	-9.06
2383.305	Peak	65.55	-4.20	61.34	74.00	-12.66
2383.305	Average	52.26	-4.20	48.06	54.00	-5.94
2390.000	Peak	65.90	-4.17	61.73	74.00	-12.27
2390.000	Average	53.41	-4.17	49.24	54.00	-4.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 76 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2432 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2338.755	Peak	62.35	-4.37	57.98	74.00	-16.02
2338.755	Average	50.53	-4.37	46.16	54.00	-7.84
2383.710	Peak	68.28	-4.20	64.08	74.00	-9.92
2383.710	Average	54.24	-4.20	50.04	54.00	-3.96
2390.000	Peak	65.94	-4.17	61.77	74.00	-12.23
2390.000	Average	55.10	-4.17	50.93	54.00	-3.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 77 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-07-19

 Test Frequency
 :2437 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2344.580	Peak	61.58	-4.38	57.20	74.00	-16.80
2344.580	Average	49.59	-4.38	45.21	54.00	-8.79
2388.820	Peak	66.05	-4.17	61.87	74.00	-12.13
2388.820	Average	52.62	-4.17	48.45	54.00	-5.55
2390.000	Peak	62.87	-4.17	58.70	74.00	-15.30
2390.000	Average	53.02	-4.17	48.85	54.00	-5.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 78 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2437 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2345.560	Peak	61.00	-4.38	56.62	74.00	-17.38
2345.560	Average	50.63	-4.38	46.25	54.00	-7.75
2387.000	Peak	65.36	-4.18	61.18	74.00	-12.82
2387.000	Average	53.94	-4.18	49.76	54.00	-4.24
2390.000	Peak	63.17	-4.17	59.00	74.00	-15.00
2390.000	Average	54.11	-4.17	49.94	54.00	-4.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 79 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2437 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	60.53	-4.26	56.27	74.00	-17.73
2483.500	Average	51.12	-4.26	46.86	54.00	-7.14
2486.125	Peak	62.84	-4.24	58.60	74.00	-15.40
2486.125	Average	50.60	-4.24	46.36	54.00	-7.64
2494.525	Peak	61.50	-4.17	57.33	74.00	-16.67
2494.525	Average	49.98	-4.17	45.81	54.00	-8.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.sgs.com.tw



Page: 80 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2437 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	63.47	-4.26	59.21	74.00	-14.79
2483.500	Average	52.85	-4.26	48.59	54.00	-5.41
2485.600	Peak	67.67	-4.24	63.43	74.00	-10.57
2485.600	Average	53.13	-4.24	48.89	54.00	-5.11
2494.600	Peak	63.59	-4.17	59.42	74.00	-14.58
2494.600	Average	50.91	-4.17	46.74	54.00	-7.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




:SAC 2

Page: 81 of 253

Report Number :TERF2305001144ER Test Site

Operation Mode:802.11gTest Date:2023-07-19Test Frequency:2442 MHzTemp./Humi.:26.4°C/64%Test Mode:BandedgeAntenna Pol.:Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	61.52	-4.26	57.27	74.00	-16.73
2483.500	Average	51.32	-4.26	47.06	54.00	-6.94
2487.820	Peak	63.67	-4.22	59.45	74.00	-14.55
2487.820	Average	50.96	-4.22	46.74	54.00	-7.26
2491.600	Peak	63.26	-4.19	59.06	74.00	-14.94
2491.600	Average	50.47	-4.19	46.28	54.00	-7.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


www.sgs.com.tw



Page: 82 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2442 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	67.65	-4.26	63.39	74.00	-10.61
2483.500	Average	54.37	-4.26	50.11	54.00	-3.89
2487.890	Peak	69.86	-4.22	65.64	74.00	-8.36
2487.890	Average	53.77	-4.22	49.55	54.00	-4.45
2493.350	Peak	69.16	-4.18	64.97	74.00	-9.03
2493.350	Average	52.76	-4.18	48.58	54.00	-5.42

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 83 of 253

Report Number :TERF2305001144ER

Operation Mode :802.11g
Test Frequency :2447 MHz

Test Mode :Bandedge

EUT Pol :H Plane


Test Site :SAC 2

Test Date :2023-07-19

Temp./Humi. :26.4°C/64%

Antenna Pol. :Vertical

Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.500	Peak	62.21	-4.26	57.95	74.00	-16.05
2483.500	Average	51.22	-4.26	46.96	54.00	-7.04
2483.750	Peak	64.53	-4.26	60.27	74.00	-13.73
2483.750	Average	51.05	-4.26	46.79	54.00	-7.21
2495.645	Peak	62.15	-4.16	57.98	74.00	-16.02
2495.645	Average	50.09	-4.16	45.93	54.00	-8.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




:SAC 2

Page: 84 of 253

Report Number :TERF2305001144ER Test Site

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2447 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	66.24	-4.26	61.99	74.00	-12.01
2483.500	Average	54.28	-4.26	50.02	54.00	-3.98
2488.365	Peak	67.55	-4.22	63.33	74.00	-10.67
2488.365	Average	53.44	-4.22	49.22	54.00	-4.78
2493.110	Peak	66.56	-4.18	62.38	74.00	-11.62
2493.110	Average	52.75	-4.18	48.57	54.00	-5.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:SAC 2


Page: 85 of 253

Report Number **Test Site** :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2452 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	61.93	-4.26	57.67	74.00	-16.33
2483.500	Average	51.32	-4.26	47.06	54.00	-6.94
2484.520	Peak	63.88	-4.25	59.63	74.00	-14.37
2484.520	Average	51.28	-4.25	47.03	54.00	-6.97
2494.540	Peak	62.82	-4.17	58.64	74.00	-15.36
2494.540	Average	50.48	-4.17	46.31	54.00	-7.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 86 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2452 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	66.08	-4.26	61.83	74.00	-12.17
2483.500	Average	54.58	-4.26	50.32	54.00	-3.68
2483.680	Peak	67.17	-4.26	62.91	74.00	-11.09
2483.680	Average	54.48	-4.26	50.22	54.00	-3.78
2488.180	Peak	67.68	-4.22	63.46	74.00	-10.54
2488.180	Average	53.97	-4.22	49.75	54.00	-4.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 87 of 253

Report Number :TERF2305001144ER

Operation Mode :802.11g **Test Frequency** :2457 MHz **Test Mode**

:Bandedge


EUT Pol :H Plane **Test Site** :SAC 2

Test Date :2023-07-19

Temp./Humi. :26.4°C/64%

Antenna Pol. :Vertical

Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	61.30	-4.26	57.05	74.00	-16.95
2483.500	Average	50.99	-4.26	46.73	54.00	-7.27
2489.660	Peak	63.98	-4.21	59.77	74.00	-14.23
2489.660	Average	50.58	-4.21	46.37	54.00	-7.63
2494.225	Peak	62.43	-4.17	58.25	74.00	-15.75
2494.225	Average	50.12	-4.17	45.95	54.00	-8.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司




:SAC 2

Page: 88 of 253

Report Number :TERF2305001144ER Test Site

Operation Mode Test Date :2023-07-19 :802.11g **Test Frequency** :2457 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	66.99	-4.26	62.73	74.00	-11.27
2483.500	Average	54.50	-4.26	50.24	54.00	-3.76
2488.120	Peak	66.52	-4.22	62.30	74.00	-11.70
2488.120	Average	54.02	-4.22	49.80	54.00	-4.20
2493.950	Peak	66.93	-4.18	62.76	74.00	-11.24
2493.950	Average	52.96	-4.18	48.78	54.00	-5.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 89 of 253

Report Number :TERF2305001144ER

Operation Mode :802.11g
Test Frequency :2462 MHz
Test Mode :Bandedge

EUT Pol :H Plane


Test Site :SAC 2

Test Date :2023-07-19

Temp./Humi. :26.4°C/64%

Antenna Pol. :Vertical

Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.500	Peak	63.66	-4.26	59.40	74.00	-14.60
2483.500	Average	52.79	-4.26	48.53	54.00	-5.47
2489.150	Peak	64.12	-4.21	59.90	74.00	-14.10
2489.150	Average	51.15	-4.21	46.94	54.00	-7.06
2498.750	Peak	63.36	-4.14	59.22	74.00	-14.78
2498.750	Average	50.18	-4.14	46.04	54.00	-7.96

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 90 of 253

Report Number :TERF2305001144ER

Operation Mode :802.11g
Test Frequency :2462 MHz
Test Mode :Bandedge
EUT Pol :H Plane


Test Site :SAC 2

Test Date :2023-07-19

Temp./Humi. :26.4°C/64%

Antenna Pol. :Horizontal

Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.500	Peak	67.09	-4.26	62.83	74.00	-11.17
2483.500	Average	55.12	-4.26	50.86	54.00	-3.14
2484.200	Peak	67.90	-4.25	63.65	74.00	-10.35
2484.200	Average	54.82	-4.25	50.57	54.00	-3.43
2496.600	Peak	64.89	-4.16	60.73	74.00	-13.27
2496.600	Average	51.79	-4.16	47.63	54.00	-6.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他幾乎區域內的子。木都些主领大八司事而能可,不可如以複剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 91 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** :2412 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
2331.720	Peak	60.62	-4.36	56.25	74.00	-17.75
2331.720	Average	48.98	-4.36	44.62	54.00	-9.38
2380.200	Peak	62.11	-4.22	57.89	74.00	-16.11
2380.200	Average	50.12	-4.22	45.90	54.00	-8.10
2390.000	Peak	63.31	-4.17	59.15	74.00	-14.85
2390.000	Average	52.60	-4.17	48.43	54.00	-5.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 92 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** :2412 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
2343.600	Peak	61.20	-4.38	56.82	74.00	-17.18
2343.600	Average	49.33	-4.38	44.95	54.00	-9.05
2382.240	Peak	62.91	-4.21	58.70	74.00	-15.30
2382.240	Average	50.92	-4.21	46.71	54.00	-7.29
2388.840	Peak	65.29	-4.17	61.12	74.00	-12.88
2388.840	Average	52.58	-4.17	48.41	54.00	-5.59
2390.000	Peak	65.83	-4.17	61.66	74.00	-12.34
2390.000	Average	53.89	-4.17	49.72	54.00	-4.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 93 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n20
 Test Date
 :2023-07-19

 Test Frequency
 :2417 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2324.640	Peak	60.82	-4.35	56.46	74.00	-17.54
2324.640	Average	48.89	-4.35	44.54	54.00	-9.46
2385.120	Peak	63.34	-4.19	59.15	74.00	-14.85
2385.120	Average	51.42	-4.19	47.23	54.00	-6.77
2390.000	Peak	63.66	-4.17	59.50	74.00	-14.50
2390.000	Average	52.36	-4.17	48.19	54.00	-5.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 94 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** :2417 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
2316.960	Peak	61.72	-4.34	57.38	74.00	-16.62
2316.960	Average	49.48	-4.34	45.14	54.00	-8.86
2365.920	Peak	62.80	-4.30	58.50	74.00	-15.50
2365.920	Average	50.96	-4.30	46.66	54.00	-7.34
2385.120	Peak	65.82	-4.19	61.63	74.00	-12.37
2385.120	Average	53.39	-4.19	49.20	54.00	-4.80
2390.000	Peak	64.30	-4.17	60.13	74.00	-13.87
2390.000	Average	53.96	-4.17	49.79	54.00	-4.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 95 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n20
 Test Date
 :2023-07-19

 Test Frequency
 :2422 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2333.375	Peak	62.13	-4.37	57.76	74.00	-16.24
2333.375	Average	49.36	-4.37	44.99	54.00	-9.01
2388.500	Peak	66.73	-4.17	62.55	74.00	-11.45
2388.500	Average	53.18	-4.17	49.01	54.00	-4.99
2390.000	Peak	65.50	-4.17	61.33	74.00	-12.67
2390.000	Average	53.48	-4.17	49.31	54.00	-4.69

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


www.sgs.com.tw



Page: 96 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2422 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2342.500	Peak	62.69	-4.38	58.31	74.00	-15.69
2342.500	Average	50.39	-4.38	46.01	54.00	-7.99
2385.125	Peak	66.16	-4.19	61.97	74.00	-12.03
2385.125	Average	53.45	-4.19	49.26	54.00	-4.74
2390.000	Peak	67.35	-4.17	63.18	74.00	-10.82
2390.000	Average	54.98	-4.17	50.81	54.00	-3.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 97 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2427 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2325.860	Peak	60.39	-4.36	56.03	74.00	-17.97
2325.860	Average	48.89	-4.36	44.53	54.00	-9.47
2383.190	Peak	63.99	-4.20	59.78	74.00	-14.22
2383.190	Average	51.46	-4.20	47.26	54.00	-6.74
2390.000	Peak	64.01	-4.17	59.84	74.00	-14.16
2390.000	Average	52.39	-4.17	48.22	54.00	-5.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 98 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2427 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
2331.710	Peak	62.29	-4.36	57.92	74.00	-16.08
2331.710	Average	49.95	-4.36	45.59	54.00	-8.41
2373.960	Peak	67.76	-4.26	63.50	74.00	-10.50
2373.960	Average	52.69	-4.26	48.43	54.00	-5.57
2384.880	Peak	67.54	-4.19	63.34	74.00	-10.66
2384.880	Average	53.89	-4.19	49.70	54.00	-4.30
2390.000	Peak	66.01	-4.17	61.84	74.00	-12.16
2390.000	Average	54.28	-4.17	50.11	54.00	-3.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 99 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2432 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
2352.255	Peak	61.58	-4.38	57.21	74.00	-16.79
2352.255	Average	49.75	-4.38	45.37	54.00	-8.63
2381.820	Peak	64.32	-4.21	60.11	74.00	-13.89
2381.820	Average	51.92	-4.21	47.71	54.00	-6.29
2390.000	Peak	64.42	-4.17	60.25	74.00	-13.75
2390.000	Average	52.98	-4.17	48.81	54.00	-5.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 100 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2432 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2353.470	Peak	63.11	-4.37	58.74	74.00	-15.26
2353.470	Average	51.55	-4.37	47.18	54.00	-6.82
2381.280	Peak	67.06	-4.21	62.84	74.00	-11.16
2381.280	Average	54.09	-4.21	49.88	54.00	-4.12
2388.975	Peak	67.92	-4.17	63.75	74.00	-10.25
2388.975	Average	54.63	-4.17	50.46	54.00	-3.54
2390.000	Peak	65.87	-4.17	61.71	74.00	-12.29
2390.000	Average	54.76	-4.17	50.59	54.00	-3.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 101 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2336.040	Peak	61.18	-4.37	56.81	74.00	-17.19
2336.040	Average	49.18	-4.37	44.81	54.00	-9.19
2386.860	Peak	64.08	-4.18	59.90	74.00	-14.10
2386.860	Average	51.95	-4.18	47.77	54.00	-6.23
2390.000	Peak	63.22	-4.17	59.06	74.00	-14.94
2390.000	Average	51.99	-4.17	47.82	54.00	-6.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 102 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2339.680	Peak	62.40	-4.38	58.03	74.00	-15.97
2339.680	Average	50.49	-4.38	46.11	54.00	-7.89
2374.960	Peak	65.47	-4.25	61.22	74.00	-12.78
2374.960	Average	52.85	-4.25	48.60	54.00	-5.40
2383.780	Peak	67.73	-4.20	63.53	74.00	-10.47
2383.780	Average	53.62	-4.20	49.42	54.00	-4.58
2390.000	Peak	65.67	-4.17	61.50	74.00	-12.50
2390.000	Average	53.58	-4.17	49.41	54.00	-4.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 103 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	63.25	-4.26	58.99	74.00	-15.01
2483.500	Average	51.86	-4.26	47.60	54.00	-6.40
2490.475	Peak	64.17	-4.20	59.96	74.00	-14.04
2490.475	Average	50.89	-4.20	46.69	54.00	-7.31
2497.975	Peak	62.06	-4.15	57.92	74.00	-16.08
2497.975	Average	50.05	-4.15	45.90	54.00	-8.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 104 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
2483.500	Peak	65.42	-4.26	61.16	74.00	-12.84
2483.500	Average	54.02	-4.26	49.76	54.00	-4.24
2487.100	Peak	68.04	-4.23	63.81	74.00	-10.19
2487.100	Average	54.26	-4.23	50.03	54.00	-3.97
2490.550	Peak	67.85	-4.20	63.65	74.00	-10.35
2490.550	Average	53.72	-4.20	49.52	54.00	-4.48
2494.825	Peak	64.30	-4.17	60.13	74.00	-13.87
2494.825	Average	52.48	-4.17	48.31	54.00	-5.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 105 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** :2442 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	63.09	-4.26	58.83	74.00	-15.17
2483.500	Average	52.51	-4.26	48.25	54.00	-5.75
2488.940	Peak	64.52	-4.22	60.30	74.00	-13.70
2488.940	Average	51.87	-4.22	47.65	54.00	-6.35
2495.730	Peak	63.20	-4.16	59.04	74.00	-14.96
2495.730	Average	50.79	-4.16	46.63	54.00	-7.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 106 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** :2442 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	63.99	-4.26	59.73	74.00	-14.27
2483.500	Average	55.06	-4.26	50.80	54.00	-3.20
2490.760	Peak	64.75	-4.20	60.55	74.00	-13.45
2490.760	Average	53.19	-4.20	48.99	54.00	-5.01
2495.590	Peak	64.11	-4.16	59.94	74.00	-14.06
2495.590	Average	52.48	-4.16	48.32	54.00	-5.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 107 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** :2447 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	64.63	-4.26	60.37	74.00	-13.63
2483.500	Average	52.15	-4.26	47.89	54.00	-6.11
2488.105	Peak	63.36	-4.22	59.14	74.00	-14.86
2488.105	Average	51.06	-4.22	46.84	54.00	-7.16
2496.100	Peak	62.62	-4.16	58.46	74.00	-15.54
2496.100	Average	50.35	-4.16	46.19	54.00	-7.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 108 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** :2447 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	64.50	-4.26	60.24	74.00	-13.76
2483.500	Average	53.80	-4.26	49.54	54.00	-4.46
2486.220	Peak	67.36	-4.24	63.12	74.00	-10.88
2486.220	Average	53.63	-4.24	49.39	54.00	-4.61
2492.655	Peak	65.42	-4.19	61.23	74.00	-12.77
2492.655	Average	52.21	-4.19	48.02	54.00	-5.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EUT Pol

:H Plane

Report No.: TERF2305001144ER

:Ricky Chen


Page: 109 of 253

Engineer

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2452 MHz

Test Mode :Bandedge Antenna Pol. :Vertical



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	63.27	-4.26	59.01	74.00	-14.99
2483.500	Average	52.04	-4.26	47.78	54.00	-6.22
2488.600	Peak	64.40	-4.22	60.19	74.00	-13.81
2488.600	Average	51.64	-4.22	47.42	54.00	-6.58
2495.980	Peak	63.96	-4.16	59.79	74.00	-14.21
2495.980	Average	50.98	-4.16	46.82	54.00	-7.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 110 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2452 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	65.37	-4.26	61.11	74.00	-12.89
2483.500	Average	54.34	-4.26	50.08	54.00	-3.92
2489.740	Peak	66.41	-4.21	62.21	74.00	-11.79
2489.740	Average	53.03	-4.21	48.82	54.00	-5.18
2495.500	Peak	65.23	-4.16	61.07	74.00	-12.93
2495.500	Average	52.06	-4.16	47.90	54.00	-6.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 111 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2457 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	62.69	-4.26	58.44	74.00	-15.56
2483.500	Average	52.39	-4.26	48.13	54.00	-5.87
2489.825	Peak	64.39	-4.21	60.18	74.00	-13.82
2489.825	Average	52.03	-4.21	47.82	54.00	-6.18
2496.095	Peak	64.01	-4.16	59.85	74.00	-14.15
2496.095	Average	51.32	-4.16	47.16	54.00	-6.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279


www.sgs.com.tw



Page: 112 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2457 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	65.17	-4.26	60.91	74.00	-13.09
2483.500	Average	54.31	-4.26	50.05	54.00	-3.95
2486.580	Peak	66.10	-4.23	61.87	74.00	-12.13
2486.580	Average	54.43	-4.23	50.20	54.00	-3.80
2494.720	Peak	66.21	-4.17	62.04	74.00	-11.96
2494.720	Average	53.28	-4.17	49.11	54.00	-4.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 113 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n20
 Test Date
 :2023-07-19

 Test Frequency
 :2462 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	63.59	-4.26	59.33	74.00	-14.67
2483.500	Average	52.17	-4.26	47.91	54.00	-6.09
2488.950	Peak	61.65	-4.22	57.43	74.00	-16.57
2488.950	Average	50.52	-4.22	46.30	54.00	-7.70
2497.200	Peak	62.00	-4.15	57.85	74.00	-16.15
2497.200	Average	49.98	-4.15	45.83	54.00	-8.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 114 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11n20 **Test Frequency** Temp./Humi. :26.4°C/64% :2462 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
2483.500	Peak	65.55	-4.26	61.29	74.00	-12.71
2483.500	Average	53.98	-4.26	49.72	54.00	-4.28
2488.850	Peak	65.35	-4.22	61.13	74.00	-12.87
2488.850	Average	51.64	-4.22	47.42	54.00	-6.58
2495.800	Peak	63.81	-4.16	59.65	74.00	-14.35
2495.800	Average	50.52	-4.16	46.36	54.00	-7.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 115 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n40
 Test Date
 :2023-07-19

 Test Frequency
 :2422 MHz
 Temp./Humi.
 :26.4 ℃ /64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2347.440	Peak	61.37	-4.39	56.98	74.00	-17.02
2347.440	Average	49.75	-4.39	45.36	54.00	-8.64
2382.840	Peak	63.24	-4.21	59.04	74.00	-14.96
2382.840	Average	51.06	-4.21	46.85	54.00	-7.15
2390.000	Peak	63.63	-4.17	59.46	74.00	-14.54
2390.000	Average	52.49	-4.17	48.32	54.00	-5.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 116 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2422 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2347.440	Peak	62.00	-4.39	57.61	74.00	-16.39
2347.440	Average	49.96	-4.39	45.57	54.00	-8.43
2384.640	Peak	65.98	-4.20	61.78	74.00	-12.22
2384.640	Average	53.33	-4.20	49.13	54.00	-4.87
2390.000	Peak	65.15	-4.17	60.98	74.00	-13.02
2390.000	Average	54.30	-4.17	50.13	54.00	-3.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 117 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n40
 Test Date
 :2023-07-19

 Test Frequency
 :2427 MHz
 Temp./Humi.
 :26.4 ℃ /64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2334.500	Peak	61.40	-4.37	57.03	74.00	-16.97
2334.500	Average	49.81	-4.37	45.44	54.00	-8.56
2380.125	Peak	62.53	-4.22	58.31	74.00	-15.69
2380.125	Average	50.44	-4.22	46.22	54.00	-7.78
2390.000	Peak	63.66	-4.17	59.50	74.00	-14.50
2390.000	Average	52.44	-4.17	48.27	54.00	-5.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 118 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2427 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2323.910	Peak	65.73	-4.35	61.38	74.00	-12.62
2323.910	Average	53.77	-4.35	49.42	54.00	-4.58
2362.910	Peak	65.47	-4.32	61.15	74.00	-12.85
2362.910	Average	53.93	-4.32	49.61	54.00	-4.39
2390.000	Peak	64.44	-4.17	60.27	74.00	-13.73
2390.000	Average	54.40	-4.17	50.23	54.00	-3.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.sgs.com.tw




Page: 119 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2432 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2337.040	Peak	61.25	-4.37	56.88	74.00	-17.12
2337.040	Average	49.91	-4.37	45.54	54.00	-8.46
2374.090	Peak	61.90	-4.25	57.64	74.00	-16.36
2374.090	Average	50.68	-4.25	46.43	54.00	-7.57
2390.000	Peak	64.03	-4.17	59.87	74.00	-14.13
2390.000	Average	52.11	-4.17	47.94	54.00	-6.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 120 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2432 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2339.770	Peak	62.11	-4.38	57.73	74.00	-16.27
2339.770	Average	50.23	-4.38	45.85	54.00	-8.15
2382.150	Peak	65.55	-4.21	61.34	74.00	-12.66
2382.150	Average	52.85	-4.21	48.64	54.00	-5.36
2390.000	Peak	66.97	-4.17	62.80	74.00	-11.20
2390.000	Average	54.98	-4.17	50.81	54.00	-3.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 121 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2339.960	Peak	61.72	-4.38	57.35	74.00	-16.65
2339.960	Average	50.12	-4.38	45.74	54.00	-8.26
2371.320	Peak	63.18	-4.27	58.91	74.00	-15.09
2371.320	Average	51.11	-4.27	46.84	54.00	-7.16
2390.000	Peak	63.61	-4.17	59.45	74.00	-14.55
2390.000	Average	53.04	-4.17	48.87	54.00	-5.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 122 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2332.960	Peak	62.63	-4.37	58.26	74.00	-15.74
2332.960	Average	50.81	-4.37	46.44	54.00	-7.56
2379.440	Peak	65.29	-4.22	61.07	74.00	-12.93
2379.440	Average	53.59	-4.22	49.37	54.00	-4.63
2390.000	Peak	64.88	-4.17	60.71	74.00	-13.29
2390.000	Average	54.69	-4.17	50.52	54.00	-3.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 123 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	64.43	-4.26	60.17	74.00	-13.83
2483.500	Average	52.23	-4.26	47.97	54.00	-6.03
2487.925	Peak	62.96	-4.22	58.74	74.00	-15.26
2487.925	Average	51.36	-4.22	47.14	54.00	-6.86
2494.450	Peak	61.89	-4.17	57.72	74.00	-16.28
2494.450	Average	50.29	-4.17	46.12	54.00	-7.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279


www.sgs.com.tw



Page: 124 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2437 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	68.22	-4.26	63.96	74.00	-10.04
2483.500	Average	54.53	-4.26	50.27	54.00	-3.73
2486.125	Peak	67.95	-4.24	63.71	74.00	-10.29
2486.125	Average	53.40	-4.24	49.16	54.00	-4.84
2493.400	Peak	65.54	-4.18	61.36	74.00	-12.64
2493.400	Average	52.05	-4.18	47.87	54.00	-6.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 125 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** :2442 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	64.48	-4.26	60.22	74.00	-13.78
2483.500	Average	53.90	-4.26	49.64	54.00	-4.36
2490.130	Peak	64.99	-4.21	60.78	74.00	-13.22
2490.130	Average	52.84	-4.21	48.63	54.00	-5.37
2498.110	Peak	63.53	-4.14	59.39	74.00	-14.61
2498.110	Average	51.52	-4.14	47.38	54.00	-6.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 126 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** :2442 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	65.52	-4.26	61.26	74.00	-12.74
2483.500	Average	54.87	-4.26	50.61	54.00	-3.39
2490.340	Peak	66.44	-4.20	62.23	74.00	-11.77
2490.340	Average	53.99	-4.20	49.79	54.00	-4.21
2494.260	Peak	66.03	-4.17	61.86	74.00	-12.14
2494.260	Average	52.87	-4.17	48.70	54.00	-5.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 127 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n40
 Test Date
 :2023-07-19

 Test Frequency
 :2447 MHz
 Temp./Humi.
 :26.4 ℃ /64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	64.28	-4.26	60.02	74.00	-13.98
2483.500	Average	53.38	-4.26	49.12	54.00	-4.88
2493.045	Peak	64.11	-4.18	59.93	74.00	-14.07
2493.045	Average	51.36	-4.18	47.18	54.00	-6.82
2498.570	Peak	61.58	-4.14	57.44	74.00	-16.56
2498.570	Average	50.47	-4.14	46.33	54.00	-7.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 128 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** :2447 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	65.22	-4.26	60.96	74.00	-13.04
2483.500	Average	54.89	-4.26	50.63	54.00	-3.37
2492.655	Peak	66.04	-4.19	61.85	74.00	-12.15
2492.655	Average	53.74	-4.19	49.55	54.00	-4.45
2498.440	Peak	64.30	-4.14	60.16	74.00	-13.84
2498.440	Average	51.65	-4.14	47.51	54.00	-6.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 129 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n40
 Test Date
 :2023-07-19

 Test Frequency
 :2452 MHz
 Temp./Humi.
 :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	64.89	-4.26	60.63	74.00	-13.37
2483.500	Average	53.62	-4.26	49.36	54.00	-4.64
2491.600	Peak	64.77	-4.19	60.57	74.00	-13.43
2491.600	Average	52.28	-4.19	48.09	54.00	-5.91
2497.800	Peak	63.32	-4.15	59.17	74.00	-14.83
2497.800	Average	50.61	-4.15	46.46	54.00	-7.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 130 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-07-19 :802.11n40 **Test Frequency** Temp./Humi. :26.4°C/64% :2452 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	65.92	-4.26	61.66	74.00	-12.34
2483.500	Average	54.97	-4.26	50.71	54.00	-3.29
2489.800	Peak	66.94	-4.21	62.73	74.00	-11.27
2489.800	Average	53.01	-4.21	48.80	54.00	-5.20
2497.150	Peak	66.22	-4.15	62.06	74.00	-11.94
2497.150	Average	52.98	-4.15	48.83	54.00	-5.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 131 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2412 MHz :26.4°C/64% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2346.960	Peak	61.26	-4.39	56.87	74.00	-17.13
2346.960	Average	49.18	-4.39	44.79	54.00	-9.21
2387.640	Peak	63.07	-4.18	58.89	74.00	-15.11
2387.640	Average	50.36	-4.18	46.18	54.00	-7.82
2390.000	Peak	65.07	-4.17	60.91	74.00	-13.09
2390.000	Average	52.39	-4.17	48.22	54.00	-5.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 132 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2412 MHz :26.4°C/64% Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2338.680	Peak	61.72	-4.37	57.34	74.00	-16.66
2338.680	Average	49.35	-4.37	44.98	54.00	-9.02
2381.160	Peak	63.26	-4.21	59.05	74.00	-14.95
2381.160	Average	51.22	-4.21	47.01	54.00	-6.99
2389.080	Peak	67.05	-4.17	62.88	74.00	-11.12
2389.080	Average	53.82	-4.17	49.65	54.00	-4.35
2390.000	Peak	66.33	-4.17	62.16	74.00	-11.84
2390.000	Average	54.63	-4.17	50.46	54.00	-3.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page: 133 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 26/0 Test Date :2023-07-19

Test Frequency :2412 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2335.920	Peak	60.78	-4.37	56.41	74.00	-17.59
2335.920	Average	49.07	-4.37	44.70	54.00	-9.30
2367.720	Peak	64.09	-4.29	59.80	74.00	-14.20
2367.720	Average	49.92	-4.29	45.63	54.00	-8.37
2385.240	Peak	70.60	-4.19	66.41	74.00	-7.59
2385.240	Average	50.24	-4.19	46.05	54.00	-7.95
2390.000	Peak	71.49	-4.17	67.32	74.00	-6.68
2390.000	Average	50.74	-4.17	46.57	54.00	-7.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的明,所都生结里做到明显的意思,同时所撰只做是200千。木超生主领木公司事而许可,不可到份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 134 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 26/0 **Test Date** :2023-07-19

Test Frequency :2412 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
	11001771	3.5 p. 1	<u> </u>	45 p. 17111	<u> </u>	
2326.920	Peak	62.28	-4.36	57.92	74.00	-16.08
2326.920	Average	49.88	-4.36	45.52	54.00	-8.48
2383.800	Peak	73.48	-4.20	69.28	74.00	-4.72
2383.800	Average	52.36	-4.20	48.16	54.00	-5.84
2388.960	Peak	75.05	-4.17	70.88	74.00	-3.12
2388.960	Average	53.18	-4.17	49.01	54.00	-4.99
2390.000	Peak	73.47	-4.17	69.30	74.00	-4.70
2390.000	Average	53.27	-4.17	49.10	54.00	-4.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 135 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 52/37 **Test Date** :2023-07-19

Test Frequency :2412 MHz :26.4°C/64% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2334.600	Peak	60.57	-4.37	56.20	74.00	-17.80
2334.600	Average	48.80	-4.37	44.43	54.00	-9.57
2368.440	Peak	63.43	-4.29	59.14	74.00	-14.86
2368.440	Average	49.54	-4.29	45.25	54.00	-8.75
2385.720	Peak	70.38	-4.19	66.19	74.00	-7.81
2385.720	Average	50.45	-4.19	46.26	54.00	-7.74
2390.000	Peak	72.93	-4.17	68.76	74.00	-5.24
2390.000	Average	51.28	-4.17	47.11	54.00	-6.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 136 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 52/37 Test Date :2023-07-19

Test Frequency :2412 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
2328.720	Peak	61.77	-4.36	57.41	74.00	-16.59
2328.720	Average	49.95	-4.36	45.59	54.00	-8.41
2372.040	Peak	68.75	-4.27	64.48	74.00	-9.52
2372.040	Average	51.83	-4.27	47.56	54.00	-6.44
2389.200	Peak	74.74	-4.17	70.57	74.00	-3.43
2389.200	Average	53.51	-4.17	49.34	54.00	-4.66
2390.000	Peak	72.25	-4.17	68.09	74.00	-5.91
2390.000	Average	53.82	-4.17	49.65	54.00	-4.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 137 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax20 RU 106/53 **Operation Mode Test Date** :2023-07-19

Test Frequency :2412 MHz :26.4°C/64% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
2332.680	Peak	60.22	-4.37	55.85	74.00	-18.15
2332.680	Average	48.72	-4.37	44.35	54.00	-9.65
2367.600	Peak	62.36	-4.29	58.07	74.00	-15.93
2367.600	Average	49.34	-4.29	45.05	54.00	-8.95
2385.360	Peak	66.95	-4.19	62.76	74.00	-11.24
2385.360	Average	50.01	-4.19	45.82	54.00	-8.18
2390.000	Peak	69.10	-4.17	64.94	74.00	-9.06
2390.000	Average	51.56	-4.17	47.39	54.00	-6.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 138 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax20 RU 106/53 **Operation Mode Test Date** :2023-07-19

Test Frequency :2412 MHz :26.4°C/64% Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
2338.560	Peak	60.58	-4.37	56.20	74.00	-17.80
2338.560	Average	49.54	-4.37	45.17	54.00	-8.83
2376.000	Peak	65.63	-4.24	61.38	74.00	-12.62
2376.000	Average	51.34	-4.24	47.10	54.00	-6.90
2388.480	Peak	71.31	-4.17	67.14	74.00	-6.86
2388.480	Average	53.03	-4.17	48.86	54.00	-5.14
2390.000	Peak	69.04	-4.17	64.88	74.00	-9.12
2390.000	Average	53.42	-4.17	49.25	54.00	-4.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 139 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2417 MHz :26.4°C/64% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2373.720	Peak	61.26	-4.26	57.01	74.00	-16.99
2373.720	Average	49.89	-4.26	45.63	54.00	-8.37
2382.840	Peak	62.37	-4.21	58.17	74.00	-15.83
2382.840	Average	50.34	-4.21	46.13	54.00	-7.87
2390.000	Peak	61.07	-4.17	56.91	74.00	-17.09
2390.000	Average	51.14	-4.17	46.97	54.00	-7.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 140 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2417 MHz :26.4°C/64% Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2371.440	Peak	63.41	-4.27	59.14	74.00	-14.86
2371.440	Average	51.00	-4.27	46.73	54.00	-7.27
2378.760	Peak	64.70	-4.23	60.47	74.00	-13.53
2378.760	Average	51.98	-4.23	47.75	54.00	-6.25
2390.000	Peak	68.38	-4.17	64.21	74.00	-9.79
2390.000	Average	54.98	-4.17	50.81	54.00	-3.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw



Page: 141 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 26/0 **Test Date** :2023-07-19

Test Frequency :2417 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2337.120	Peak	61.04	-4.37	56.67	74.00	-17.33
2337.120	Average	49.13	-4.37	44.76	54.00	-9.24
2376.600	Peak	63.48	-4.24	59.24	74.00	-14.76
2376.600	Average	50.58	-4.24	46.34	54.00	-7.66
2390.000	Peak	70.45	-4.17	66.28	74.00	-7.72
2390.000	Average	51.06	-4.17	46.89	54.00	-7.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 142 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 26/0 Test Date :2023-07-19

Test Frequency :2417 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2339.040	Peak	62.30	-4.37	57.93	74.00	-16.07
2339.040	Average	51.07	-4.37	46.70	54.00	-7.30
2376.320	Peak	70.73	-4.24	66.49	74.00	-7.51
2376.320	Average	54.33	-4.24	50.09	54.00	-3.91
2390.000	Peak	71.54	-4.17	67.37	74.00	-6.63
2390.000	Average	53.64	-4.17	49.47	54.00	-4.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 143 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 52/37 Test Date :2023-07-19

Test Frequency :2417 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2	331.240	Peak	61.78	-4.36	57.42	74.00	-16.58
2	331.240	Average	49.50	-4.36	45.14	54.00	-8.86
2	370.600	Peak	62.41	-4.27	58.14	74.00	-15.86
2	370.600	Average	50.58	-4.27	46.31	54.00	-7.69
2	385.600	Peak	66.49	-4.19	62.30	74.00	-11.70
2	385.600	Average	51.13	-4.19	46.94	54.00	-7.06
2	390.000	Peak	72.10	-4.17	67.93	74.00	-6.07
2	390.000	Average	51.47	-4.17	47.30	54.00	-6.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 144 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax20 RU 52/37 **Test Date** :2023-07-19 Operation Mode

Test Frequency :2417 MHz :26.4°C/64% Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2342.880	Peak	62.71	-4.38	58.33	74.00	-15.67
2342.880	Average	51.17	-4.38	46.79	54.00	-7.21
2378.880	Peak	67.19	-4.23	62.96	74.00	-11.04
2378.880	Average	53.90	-4.23	49.67	54.00	-4.33
2388.360	Peak	73.87	-4.17	69.70	74.00	-4.30
2388.360	Average	53.78	-4.17	49.61	54.00	-4.39
2390.000	Peak	70.84	-4.17	66.67	74.00	-7.33
2390.000	Average	53.87	-4.17	49.70	54.00	-4.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 145 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 106/53 **Test Date** :2023-07-19

Test Frequency :2417 MHz :26.4°C/64% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2340.480	Peak	61.40	-4.38	57.02	74.00	-16.98
2340.480	Average	49.34	-4.38	44.96	54.00	-9.04
2376.360	Peak	64.16	-4.24	59.91	74.00	-14.09
2376.360	Average	50.18	-4.24	45.94	54.00	-8.06
2385.840	Peak	69.76	-4.19	65.57	74.00	-8.43
2385.840	Average	50.88	-4.19	46.69	54.00	-7.31
2390.000	Peak	75.00	-4.17	70.83	74.00	-3.17
2390.000	Average	52.05	-4.17	47.88	54.00	-6.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 146 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 106/53 Test Date :2023-07-19

Test Frequency :2417 MHz Temp./Humi. :26.4°C/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
Peak	65.46	-4.34	61.12	74.00	-12.88
Average	49.97	-4.34	45.63	54.00	-8.37
Peak	65.68	-4.37	61.31	74.00	-12.69
Average	50.03	-4.37	45.66	54.00	-8.34
Peak	70.71	-4.28	66.43	74.00	-7.57
Average	51.96	-4.28	47.68	54.00	-6.32
Peak	74.97	-4.21	70.76	74.00	-3.24
Average	53.50	-4.21	49.29	54.00	-4.71
Peak	72.96	-4.17	68.79	74.00	-5.21
Average	54.71	-4.17	50.54	54.00	-3.46
	Mode PK/QP/AV Peak Average Peak Average Peak Average Peak Average Peak Average Peak Peak	Mode PK/QP/AV Reading Level dBμV Peak 65.46 Average 49.97 Peak 65.68 Average 50.03 Peak 70.71 Average 51.96 Peak 74.97 Average 53.50 Peak 72.96	Mode PK/QP/AV Reading Level dBμV dB Peak 65.46 -4.34 Average 49.97 -4.34 Peak 65.68 -4.37 Average 50.03 -4.37 Peak 70.71 -4.28 Average 51.96 -4.28 Peak 74.97 -4.21 Average 53.50 -4.21 Peak 72.96 -4.17	Mode PK/QP/AVReading Level dBμVFS dBμV/mPeak65.46 4.97-4.34 -4.34 45.6361.12Average 	Mode PK/QP/AVReading Level dBμVFS dBμV/m@3m dBμV/mPeak65.46 49.97 -4.34 -4.34 -4.37 -4.37 -4.37 -4.37 -4.37 -4.37 -4.38 -4.37 -4.37 -4.39 -4.37 -4.39 -4.39 -4.37 -4.28 -4.28 -4.28 -4.28 -4.28 -4.28 -4.28 -4.28 -4.28 -4.29 -4.21 -4.29 -4.20 -4.20 -4.20 -4.21 -4.21 -4.29 -4.20 -4.20 -4.20 -4.21 -4.21 -4.22 -4.23 -4.24 -4.24 -4.25 -4.26 -4.27 -4.29 -4.20 -4.20 -4.20 -4.21 -4.21 -4.22 -4.23 -4.24 -4.24 -4.25 -4.26 -4.27 -4.29 -4.20 -4.20 -4.20 -4.21 -4.21 -4.22 -4.23 -4.24 -4.24 -4.25 -4.26 -4.27 -4.27 -4.28 -4.28 -4.28 -4.29 -4.20 -4.20 -4.20 -4.21 -4.21 -4.22 -4.23 -4.24 -4.24 -4.25 -4.26 -4.26 -4.27 -4.27 -4.28 -4.28 -4.28 -4.29 -4.20 -4.20 -4.20 -4.20 -4.20 -4.21 -4.20 -4.21 -4.20 -4.21 -4.20 -4.21 -4.20 -4.21 -4.20 -4.21 -4.20 -4.21 -4.20 -4.21 -4.20 -4.21 -4.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的明,所都生结里做到明显的意思,同时所撰只做是200千。木超生主领木公司事而许可,不可到份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 147 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2422 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2338.625	Peak	60.80	-4.37	56.43	74.00	-17.57
2338.625	Average	49.45	-4.37	45.08	54.00	-8.92
2386.625	Peak	62.82	-4.18	58.64	74.00	-15.36
2386.625	Average	51.06	-4.18	46.88	54.00	-7.12
2390.000	Peak	62.15	-4.17	57.98	74.00	-16.02
2390.000	Average	51.59	-4.17	47.42	54.00	-6.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 148 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2422 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
1011 12	11001770	αυμν	<u>ub</u>	αυμνπι	аврулп	<u> </u>
2339.875	Peak	61.52	-4.38	57.15	74.00	-16.85
2339.875	Average	49.92	-4.38	45.54	54.00	-8.46
2371.500	Peak	64.88	-4.27	60.61	74.00	-13.39
2371.500	Average	51.56	-4.27	47.29	54.00	-6.71
2388.625	Peak	66.08	-4.17	61.91	74.00	-12.09
2388.625	Average	54.18	-4.17	50.01	54.00	-3.99
2390.000	Peak	65.93	-4.17	61.76	74.00	-12.24
2390.000	Average	54.48	-4.17	50.31	54.00	-3.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的明,所都生结里做到明显的意思,同时所撰只做是200千。木超生主领木公司事而许可,不可到份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 149 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2427 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2336.260	Peak	61.66	-4.37	57.29	74.00	-16.71
2336.260	Average	49.32	-4.37	44.95	54.00	-9.05
2386.310	Peak	63.76	-4.19	59.57	74.00	-14.43
2386.310	Average	51.53	-4.19	47.34	54.00	-6.66
2390.000	Peak	63.33	-4.17	59.17	74.00	-14.83
2390.000	Average	51.96	-4.17	47.79	54.00	-6.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 150 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2427 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2344.970	Peak	62.55	-4.38	58.17	74.00	-15.83
2344.970	Average	50.48	-4.38	46.10	54.00	-7.90
2374.610	Peak	66.13	-4.25	61.88	74.00	-12.12
2374.610	Average	52.59	-4.25	48.34	54.00	-5.66
2387.870	Peak	68.05	-4.18	63.87	74.00	-10.13
2387.870	Average	54.65	-4.18	50.47	54.00	-3.53
2390.000	Peak	66.25	-4.17	62.08	74.00	-11.92
2390.000	Average	54.96	-4.17	50.79	54.00	-3.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 151 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2432 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2360.085	Peak	61.80	-4.33	57.47	74.00	-16.53
2360.085	Average	49.85	-4.33	45.52	54.00	-8.48
2389.110	Peak	64.67	-4.17	60.50	74.00	-13.50
2389.110	Average	52.12	-4.17	47.95	54.00	-6.05
2390.000	Peak	64.73	-4.17	60.56	74.00	-13.44
2390.000	Average	52.19	-4.17	48.02	54.00	-5.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 152 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2432 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2347.665	Peak	62.97	-4.39	58.58	74.00	-15.42
2347.665	Average	51.16	-4.39	46.77	54.00	-7.23
2381.010	Peak	66.60	-4.22	62.38	74.00	-11.62
2381.010	Average	53.86	-4.22	49.64	54.00	-4.36
2390.000	Peak	67.07	-4.17	62.91	74.00	-11.09
2390.000	Average	55.06	-4.17	50.89	54.00	-3.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 153 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2437 MHz :26.4°C/64% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2353.120	Peak	62.11	-4.37	57.73	74.00	-16.27
2353.120	Average	49.93	-4.37	45.56	54.00	-8.44
2382.380	Peak	63.44	-4.21	59.23	74.00	-14.77
2382.380	Average	51.56	-4.21	47.35	54.00	-6.65
2390.000	Peak	62.53	-4.17	58.36	74.00	-15.64
2390.000	Average	51.88	-4.17	47.71	54.00	-6.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 154 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2437 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
2330.300	Peak	62.26	-4.36	57.90	74.00	-16.10
2330.300	Average	50.28	-4.36	45.92	54.00	-8.08
2374.820	Peak	65.72	-4.25	61.47	74.00	-12.53
2374.820	Average	53.32	-4.25	49.07	54.00	-4.93
2386.860	Peak	67.62	-4.18	63.43	74.00	-10.57
2386.860	Average	54.79	-4.18	50.61	54.00	-3.39
2390.000	Peak	65.92	-4.17	61.76	74.00	-12.24
2390.000	Average	54.92	-4.17	50.75	54.00	-3.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 155 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2437 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	63.49	-4.26	59.23	74.00	-14.77
2483.500	Average	51.49	-4.26	47.23	54.00	-6.77
2485.975	Peak	62.25	-4.24	58.01	74.00	-15.99
2485.975	Average	50.52	-4.24	46.28	54.00	-7.72
2493.400	Peak	62.16	-4.18	57.98	74.00	-16.02
2493.400	Average	46.69	-4.18	42.51	54.00	-11.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 156 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2437 MHz :26.4°C/64% Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	66.49	-4.26	62.24	74.00	-11.76
2483.500	Average	54.23	-4.26	49.97	54.00	-4.03
2487.475	Peak	68.22	-4.23	63.99	74.00	-10.01
2487.475	Average	53.55	-4.23	49.32	54.00	-4.68
2496.775	Peak	65.14	-4.15	60.98	74.00	-13.02
2496.775	Average	51.46	-4.15	47.31	54.00	-6.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 157 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2442 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	62.71	-4.26	58.45	74.00	-15.55
2483.500	Average	51.92	-4.26	47.66	54.00	-6.34
2487.470	Peak	64.67	-4.23	60.45	74.00	-13.55
2487.470	Average	51.39	-4.23	47.16	54.00	-6.84
2493.560	Peak	63.38	-4.18	59.20	74.00	-14.80
2493.560	Average	50.15	-4.18	45.97	54.00	-8.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 158 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2442 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	66.41	-4.26	62.15	74.00	-11.85
2483.500	Average	54.89	-4.26	50.63	54.00	-3.37
2485.510	Peak	66.98	-4.24	62.74	74.00	-11.26
2485.510	Average	54.28	-4.24	50.04	54.00	-3.96
2493.980	Peak	66.13	-4.18	61.95	74.00	-12.05
2493.980	Average	52.66	-4.18	48.48	54.00	-5.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 159 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :2447 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	64.29	-4.26	60.03	74.00	-13.97
2483.500	Average	52.82	-4.26	48.56	54.00	-5.44
2486.350	Peak	64.26	-4.24	60.03	74.00	-13.97
2486.350	Average	51.69	-4.24	47.45	54.00	-6.55
2492.655	Peak	63.39	-4.19	59.21	74.00	-14.79
2492.655	Average	50.92	-4.19	46.73	54.00	-7.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 160 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2447 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	66.20	-4.26	61.94	74.00	-12.06
2483.500	Average	54.92	-4.26	50.66	54.00	-3.34
2484.985	Peak	68.97	-4.25	64.72	74.00	-9.28
2484.985	Average	54.46	-4.25	50.21	54.00	-3.79
2494.605	Peak	66.02	-4.17	61.84	74.00	-12.16
2494.605	Average	52.19	-4.17	48.02	54.00	-5.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 161 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency Temp./Humi. :26.4°C/64% :2452 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	62.82	-4.26	58.56	74.00	-15.44
2483.500	Average	51.79	-4.26	47.53	54.00	-6.47
2489.440	Peak	63.98	-4.21	59.77	74.00	-14.23
2489.440	Average	51.15	-4.21	46.94	54.00	-7.06
2494.720	Peak	63.05	-4.17	58.88	74.00	-15.12
2494.720	Average	50.19	-4.17	46.02	54.00	-7.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 162 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2452 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	67.64	-4.26	63.38	74.00	-10.62
2483.500	Average	54.98	-4.26	50.72	54.00	-3.28
2492.920	Peak	66.66	-4.18	62.47	74.00	-11.53
2492.920	Average	53.22	-4.18	49.04	54.00	-4.96
2498.800	Peak	65.12	-4.14	60.98	74.00	-13.02
2498.800	Average	51.76	-4.14	47.62	54.00	-6.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 163 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	62.10	-4.26	57.84	74.00	-16.16
2483.500	Average	51.53	-4.26	47.27	54.00	-6.73
2487.400	Peak	63.55	-4.23	59.33	74.00	-14.67
2487.400	Average	50.89	-4.23	46.66	54.00	-7.34
2496.100	Peak	63.74	-4.16	59.58	74.00	-14.42
2496.100	Average	50.33	-4.16	46.17	54.00	-7.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 164 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
2483.500	Peak	66.99	-4.26	62.74	74.00	-11.26
2483.500	Average	54.98	-4.26	50.72	54.00	-3.28
2489.550	Peak	67.66	-4.21	63.45	74.00	-10.55
2489.550	Average	54.12	-4.21	49.91	54.00	-4.09
2497.900	Peak	65.54	-4.15	61.39	74.00	-12.61
2497.900	Average	52.79	-4.15	48.64	54.00	-5.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 165 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 26/8 **Test Date** :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	66.91	-4.26	62.65	74.00	-11.35
2483.500	Average	50.53	-4.26	46.27	54.00	-7.73
2489.350	Peak	72.45	-4.21	68.24	74.00	-5.76
2489.350	Average	49.92	-4.21	45.71	54.00	-8.29
2494.250	Peak	69.88	-4.17	65.71	74.00	-8.29
2494.250	Average	49.84	-4.17	45.67	54.00	-8.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 166 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 26/8 **Test Date** :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	68.93	-4.26	64.67	74.00	-9.33
2483.500	Average	51.19	-4.26	46.93	54.00	-7.07
2490.550	Peak	74.81	-4.20	70.60	74.00	-3.40
2490.550	Average	54.26	-4.20	50.06	54.00	-3.94
2496.450	Peak	72.86	-4.16	68.70	74.00	-5.30
2496.450	Average	50.84	-4.16	46.68	54.00	-7.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 167 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 52/40 **Test Date** :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	67.22	-4.26	62.96	74.00	-11.04
2483.500	Average	50.14	-4.26	45.88	54.00	-8.12
2489.500	Peak	73.52	-4.21	69.31	74.00	-4.69
2489.500	Average	50.36	-4.21	46.15	54.00	-7.85
2494.300	Peak	72.01	-4.17	67.83	74.00	-6.17
2494.300	Average	50.01	-4.17	45.84	54.00	-8.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 168 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 52/40 **Test Date** :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	69.79	-4.26	65.53	74.00	-8.47
2483.500	Average	51.17	-4.26	46.91	54.00	-7.09
2490.000	Peak	74.63	-4.21	70.43	74.00	-3.57
2490.000	Average	54.45	-4.21	50.24	54.00	-3.76
2495.850	Peak	74.23	-4.16	70.06	74.00	-3.94
2495.850	Average	50.96	-4.16	46.80	54.00	-7.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 169 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 106/54 **Test Date** :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	70.42	-4.26	66.16	74.00	-7.84
2483.500	Average	50.22	-4.26	45.96	54.00	-8.04
2488.900	Peak	72.58	-4.22	68.36	74.00	-5.64
2488.900	Average	50.29	-4.22	46.07	54.00	-7.93
2493.850	Peak	71.59	-4.18	67.41	74.00	-6.59
2493.850	Average	49.99	-4.18	45.81	54.00	-8.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 170 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 106/54 Test Date :2023-07-19

Test Frequency :2457 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	64.44	-4.26	60.19	74.00	-13.81
2483.500	Average	52.54	-4.26	48.28	54.00	-5.72
2492.000	Peak	74.08	-4.19	69.88	74.00	-4.12
2492.000	Average	51.58	-4.19	47.39	54.00	-6.61
2495.850	Peak	72.02	-4.16	67.86	74.00	-6.14
2495.850	Average	51.04	-4.16	46.88	54.00	-7.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 171 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency Temp./Humi. :26.4°C/64% :2462 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	64.96	-4.26	60.70	74.00	-13.30
2483.500	Average	52.22	-4.26	47.96	54.00	-6.04
2489.750	Peak	62.65	-4.21	58.44	74.00	-15.56
2489.750	Average	50.22	-4.21	46.01	54.00	-7.99
2497.950	Peak	61.98	-4.15	57.83	74.00	-16.17
2497.950	Average	49.85	-4.15	45.70	54.00	-8.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 172 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU FULL **Test Date** :2023-07-19

Test Frequency :26.4°C/64% :2462 MHz Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	66.23	-4.26	61.97	74.00	-12.03
2483.500	Average	54.30	-4.26	50.04	54.00	-3.96
2484.250	Peak	67.26	-4.25	63.00	74.00	-11.00
2484.250	Average	54.15	-4.25	49.90	54.00	-4.10
2499.700	Peak	64.15	-4.13	60.01	74.00	-13.99
2499.700	Average	50.26	-4.13	46.13	54.00	-7.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 173 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 26/8 Test Date :2023-07-19

Test Frequency :2462 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	71.03	-4.26	66.77	74.00	-7.23
2483.500	Average	50.18	-4.26	45.92	54.00	-8.08
2485.200	Peak	73.53	-4.24	69.29	74.00	-4.71
2485.200	Average	50.24	-4.24	46.00	54.00	-8.00
2494.850	Peak	70.74	-4.17	66.57	74.00	-7.43
2494.850	Average	49.66	-4.17	45.49	54.00	-8.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 174 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 26/8 Test Date :2023-07-19

Test Frequency :2462 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	74.60	-4.26	70.34	74.00	-3.66
2483.500	Average	51.91	-4.26	47.65	54.00	-6.35
2487.500	Peak	74.44	-4.23	70.21	74.00	-3.79
2487.500	Average	51.84	-4.23	47.61	54.00	-6.39
2492.450	Peak	73.48	-4.19	69.30	74.00	-4.70
2492.450	Average	50.82	-4.19	46.63	54.00	-7.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 175 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 52/40 Test Date :2023-07-19

Test Frequency :2462 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	68.61	-4.26	64.36	74.00	-9.64
2483.500	Average	49.88	-4.26	45.62	54.00	-8.38
2485.100	Peak	70.79	-4.25	66.55	74.00	-7.45
2485.100	Average	49.82	-4.25	45.57	54.00	-8.43
2495.750	Peak	61.71	-4.16	57.55	74.00	-16.45
2495.750	Average	49.47	-4.16	45.31	54.00	-8.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw




Page: 176 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax20 RU 52/40 **Test Date** :2023-07-19

Test Frequency Temp./Humi. :26.4°C/64% :2462 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	71.51	-4.26	67.26	74.00	-6.74
2483.500	Average	55.08	-4.26	50.82	54.00	-3.18
2485.400	Peak	74.15	-4.24	69.90	74.00	-4.10
2485.400	Average	55.03	-4.24	50.79	54.00	-3.21
2496.000	Peak	66.61	-4.16	62.45	74.00	-11.55
2496.000	Average	54.84	-4.16	50.68	54.00	-3.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 177 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 106/54 Test Date :2023-07-19

Test Frequency :2462 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	69.21	-4.26	64.95	74.00	-9.05
2483.500	Average	50.23	-4.26	45.97	54.00	-8.03
2489.400	Peak	63.72	-4.21	59.51	74.00	-14.49
2489.400	Average	49.38	-4.21	45.17	54.00	-8.83
2494.750	Peak	61.68	-4.17	57.51	74.00	-16.49
2494.750	Average	49.37	-4.17	45.20	54.00	-8.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 178 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU 106/54 Test Date :2023-07-19

Test Frequency :2462 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	74.47	-4.26	70.21	74.00	-3.79
2483.500	Average	52.45	-4.26	48.19	54.00	-5.81
2488.400	Peak	68.93	-4.22	64.71	74.00	-9.29
2488.400	Average	50.58	-4.22	46.36	54.00	-7.64
2495.350	Peak	63.42	-4.17	59.25	74.00	-14.75
2495.350	Average	50.16	-4.17	45.99	54.00	-8.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 179 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2422 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2336.760	Peak	60.80	-4.37	56.43	74.00	-17.57
2336.760	Average	48.68	-4.37	44.31	54.00	-9.69
2386.440	Peak	61.70	-4.19	57.52	74.00	-16.48
2386.440	Average	49.56	-4.19	45.37	54.00	-8.63
2390.000	Peak	60.71	-4.17	56.54	74.00	-17.46
2390.000	Average	50.02	-4.17	45.85	54.00	-8.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 180 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2422 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2342.040	Peak	61.86	-4.38	57.48	74.00	-16.52
2342.040	Average	50.32	-4.38	45.94	54.00	-8.06
2379.960	Peak	64.73	-4.22	60.51	74.00	-13.49
2379.960	Average	52.14	-4.22	47.92	54.00	-6.08
2390.000	Peak	67.30	-4.17	63.14	74.00	-10.86
2390.000	Average	54.60	-4.17	50.43	54.00	-3.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 181 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU 242/61 Test Date :2023-07-19

Test Frequency :2422 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2330.880	Peak	60.72	-4.36	56.36	74.00	-17.64
2330.880	Average	48.80	-4.36	44.44	54.00	-9.56
2374.800	Peak	65.46	-4.25	61.21	74.00	-12.79
2374.800	Average	49.21	-4.25	44.96	54.00	-9.04
2390.000	Peak	72.08	-4.17	67.92	74.00	-6.08
2390.000	Average	51.53	-4.17	47.36	54.00	-6.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 182 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU 242/61 **Operation Mode Test Date** :2023-07-19

Test Frequency :2422 MHz :26.4°C/64% Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
2336.880	Peak	62.49	-4.37	58.12	74.00	-15.88
2336.880	Average	49.95	-4.37	45.58	54.00	-8.42
2364.360	Peak	66.78	-4.31	62.47	74.00	-11.53
2364.360	Average	50.19	-4.31	45.88	54.00	-8.12
2388.200	Peak	73.89	-4.18	69.72	74.00	-4.28
2388.200	Average	54.86	-4.18	50.68	54.00	-3.32
2390.000	Peak	74.48	-4.17	70.31	74.00	-3.69
2390.000	Average	54.42	-4.17	50.25	54.00	-3.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 183 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU FULL **Test Date** :2023-07-19

Test Frequency :26.4°C/64% :2427 MHz Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2341.640	Peak	61.06	-4.38	56.68	74.00	-17.32
2341.640	Average	48.94	-4.38	44.56	54.00	-9.44
2378.460	Peak	61.49	-4.23	57.26	74.00	-16.74
2378.460	Average	49.25	-4.23	45.02	54.00	-8.98
2390.000	Peak	61.33	-4.17	57.17	74.00	-16.83
2390.000	Average	50.21	-4.17	46.04	54.00	-7.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 184 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU FULL **Operation Mode Test Date** :2023-07-19

Test Frequency :26.4°C/64% :2427 MHz Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2338.280	Peak	62.02	-4.37	57.64	74.00	-16.36
2338.280	Average	50.35	-4.37	45.98	54.00	-8.02
2379.720	Peak	64.69	-4.22	60.46	74.00	-13.54
2379.720	Average	51.66	-4.22	47.44	54.00	-6.56
2390.000	Peak	64.68	-4.17	60.51	74.00	-13.49
2390.000	Average	53.64	-4.17	49.47	54.00	-4.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 185 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU 242/61 Test Date :2023-07-19

Test Frequency :2427 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2341.080	Peak	61.89	-4.38	57.51	74.00	-16.49
2341.080	Average	49.10	-4.38	44.72	54.00	-9.28
2382.240	Peak	70.29	-4.21	66.08	74.00	-7.92
2382.240	Average	51.63	-4.21	47.42	54.00	-6.58
2390.000	Peak	72.91	-4.17	68.74	74.00	-5.26
2390.000	Average	52.66	-4.17	48.49	54.00	-5.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 186 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU 242/61 **Test Date** :2023-07-19

Test Frequency :2427 MHz :26.4°C/64% Temp./Humi. **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2332.120	Peak	62.85	-4.37	58.48	74.00	-15.52
2332.120	Average	50.21	-4.37	45.84	54.00	-8.16
2364.880	Peak	67.43	-4.31	63.12	74.00	-10.88
2364.880	Average	51.21	-4.31	46.90	54.00	-7.10
2388.260	Peak	74.80	-4.18	70.62	74.00	-3.38
2388.260	Average	54.35	-4.18	50.17	54.00	-3.83
2390.000	Peak	73.11	-4.17	68.94	74.00	-5.06
2390.000	Average	53.44	-4.17	49.27	54.00	-4.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page: 187 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2432 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2346.120	Peak	61.06	-4.38	56.68	74.00	-17.32
2346.120	Average	48.98	-4.38	44.60	54.00	-9.40
2380.700	Peak	61.29	-4.22	57.07	74.00	-16.93
2380.700	Average	49.70	-4.22	45.48	54.00	-8.52
2390.000	Peak	62.75	-4.17	58.58	74.00	-15.42
2390.000	Average	51.18	-4.17	47.01	54.00	-6.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 188 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2432 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2340.660	Peak	62.92	-4.38	58.54	74.00	-15.46
2340.660	Average	50.83	-4.38	46.45	54.00	-7.55
2383.780	Peak	67.06	-4.20	62.86	74.00	-11.14
2383.780	Average	53.08	-4.20	48.88	54.00	-5.12
2390.000	Peak	67.07	-4.17	62.90	74.00	-11.10
2390.000	Average	54.87	-4.17	50.70	54.00	-3.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 189 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU FULL **Test Date** :2023-07-19

Test Frequency :2437 MHz :26.4°C/64% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2343.180	Peak	61.00	-4.38	56.62	74.00	-17.38
2343.180	Average	48.95	-4.38	44.57	54.00	-9.43
2385.180	Peak	62.23	-4.19	58.04	74.00	-15.96
2385.180	Average	49.93	-4.19	45.74	54.00	-8.26
2390.000	Peak	62.13	-4.17	57.96	74.00	-16.04
2390.000	Average	50.82	-4.17	46.65	54.00	-7.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 www.sgs.com.tw




Page: 190 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2437 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2334.360	Peak	61.41	-4.37	57.04	74.00	-16.96
2334.360	Average	50.43	-4.37	46.06	54.00	-7.94
2388.960	Peak	66.04	-4.17	61.87	74.00	-12.13
2388.960	Average	53.24	-4.17	49.07	54.00	-4.93
2390.000	Peak	64.91	-4.17	60.74	74.00	-13.26
2390.000	Average	53.44	-4.17	49.27	54.00	-4.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 191 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU FULL **Test Date** :2023-07-19

Test Frequency :2437 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	62.54	-4.26	58.28	74.00	-15.72
2483.500	Average	51.10	-4.26	46.84	54.00	-7.16
2489.125	Peak	61.84	-4.21	57.63	74.00	-16.37
2489.125	Average	49.96	-4.21	45.75	54.00	-8.25
2494.150	Peak	62.25	-4.18	58.08	74.00	-15.92
2494.150	Average	49.85	-4.18	45.67	54.00	-8.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.sgs.com.tw




Page: 192 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU FULL **Operation Mode Test Date** :2023-07-19

Test Frequency :2437 MHz Temp./Humi. :26.4°C/64% **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	65.27	-4.26	61.01	74.00	-12.99
2483.500	Average	54.13	-4.26	49.87	54.00	-4.13
2488.300	Peak	65.61	-4.22	61.39	74.00	-12.61
2488.300	Average	52.46	-4.22	48.24	54.00	-5.76
2497.300	Peak	63.46	-4.15	59.31	74.00	-14.69
2497.300	Average	51.39	-4.15	47.24	54.00	-6.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 193 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU FULL **Test Date** :2023-07-19

Test Frequency :2442 MHz Temp./Humi. :26.4°C/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	64.64	-4.26	60.38	74.00	-13.62
2483.500	Average	52.05	-4.26	47.79	54.00	-6.21
2484.550	Peak	66.62	-4.25	62.37	74.00	-11.63
2484.550	Average	51.68	-4.25	47.43	54.00	-6.57
2492.350	Peak	62.70	-4.19	58.51	74.00	-15.49
2492.350	Average	50.64	-4.19	46.45	54.00	-7.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 194 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2442 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	67.79	-4.26	63.53	74.00	-10.47
2483.500	Average	54.19	-4.26	49.93	54.00	-4.07
2486.800	Peak	67.32	-4.23	63.09	74.00	-10.91
2486.800	Average	54.68	-4.23	50.45	54.00	-3.55
2493.550	Peak	64.65	-4.18	60.47	74.00	-13.53
2493.550	Average	52.47	-4.18	48.29	54.00	-5.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 195 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2447 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	61.65	-4.26	57.40	74.00	-16.60
2483.500	Average	50.66	-4.26	46.40	54.00	-7.60
2490.025	Peak	62.39	-4.21	58.18	74.00	-15.82
2490.025	Average	49.72	-4.21	45.51	54.00	-8.49
2495.350	Peak	61.43	-4.17	57.27	74.00	-16.73
2495.350	Average	49.71	-4.17	45.54	54.00	-8.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 196 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-07-19

Test Frequency :2447 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	64.88	-4.26	60.62	74.00	-13.38
2483.500	Average	54.34	-4.26	50.08	54.00	-3.92
2485.000	Peak	65.92	-4.25	61.68	74.00	-12.32
2485.000	Average	53.69	-4.25	49.44	54.00	-4.56
2495.725	Peak	64.32	-4.16	60.16	74.00	-13.84
2495.725	Average	51.63	-4.16	47.47	54.00	-6.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 197 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU 242/62 Test Date :2023-07-19

Test Frequency :2447 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	66.79	-4.26	62.53	74.00	-11.47
2483.500	Average	50.45	-4.26	46.19	54.00	-7.81
2484.850	Peak	71.59	-4.25	67.34	74.00	-6.66
2484.850	Average	51.47	-4.25	47.22	54.00	-6.78
2489.050	Peak	69.99	-4.21	65.78	74.00	-8.22
2489.050	Average	50.45	-4.21	46.24	54.00	-7.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 198 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU 242/62 Test Date :2023-07-19

Test Frequency :2447 MHz Temp./Humi. :26.4℃/64% Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.500	Peak	69.98	-4.26	65.73	74.00	-8.27
2483.500	Average	53.24	-4.26	48.98	54.00	-5.02
2484.850	Peak	71.17	-4.25	66.92	74.00	-7.08
2484.850	Average	53.71	-4.25	49.46	54.00	-4.54
2495.875	Peak	69.31	-4.16	65.15	74.00	-8.85
2495.875	Average	50.97	-4.16	46.81	54.00	-7.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 199 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU FULL **Test Date** :2023-07-19

Test Frequency Temp./Humi. :26.4°C/64% :2452 MHz

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane :Ricky Chen Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	61.73	-4.26	57.47	74.00	-16.53
2483.500	Average	50.74	-4.26	46.48	54.00	-7.52
2484.800	Peak	64.62	-4.25	60.37	74.00	-13.63
2484.800	Average	50.78	-4.25	46.53	54.00	-7.47
2495.200	Peak	61.87	-4.17	57.71	74.00	-16.29
2495.200	Average	50.57	-4.17	46.40	54.00	-7.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 200 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU FULL **Test Date** :2023-07-19

Test Frequency Temp./Humi. :26.4°C/64% :2452 MHz **Test Mode** :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.500	Peak	64.61	-4.26	60.36	74.00	-13.64
2483.500	Average	53.10	-4.26	48.84	54.00	-5.16
2484.750	Peak	67.66	-4.25	63.42	74.00	-10.58
2484.750	Average	53.67	-4.25	49.42	54.00	-4.58
2488.200	Peak	64.79	-4.22	60.57	74.00	-13.43
2488.200	Average	54.15	-4.22	49.93	54.00	-4.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 201 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11ax40 RU 242/62 **Test Date** :2023-07-19

Test Frequency :26.4°C/64% :2452 MHz Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	62.10	-4.26	57.84	74.00	-16.16
2483.500	Average	49.23	-4.26	44.97	54.00	-9.03
2485.200	Peak	63.93	-4.24	59.68	74.00	-14.32
2485.200	Average	49.18	-4.24	44.94	54.00	-9.06
2498.550	Peak	63.55	-4.14	59.41	74.00	-14.59
2498.550	Average	49.01	-4.14	44.87	54.00	-9.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 202 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU 242/62 Test Date :2023-07-19

Test Frequency :2452 MHz Temp./Humi. :26.4℃/64%

Test Mode :Bandedge Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Peak	67.62	-4.26	63.37	74.00	-10.63
2483.500	Average	55.09	-4.26	50.83	54.00	-3.17
2487.650	Peak	68.19	-4.23	63.96	74.00	-10.04
2487.650	Average	54.88	-4.23	50.65	54.00	-3.35
2496.200	Peak	69.19	-4.16	65.03	74.00	-8.97
2496.200	Average	54.82	-4.16	50.66	54.00	-3.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的主,不可與以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 203 of 253

9.6.2 Spurious Emission:


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-08-14

 Test Frequency
 :2437 MHz
 Temp./Humi.
 :25.3℃/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
73.650	QP	51.75	-15.64	36.11	40.00	-3.89
121.180	Peak	37.43	-15.09	22.34	43.50	-21.16
242.430	Peak	38.61	-13.78	24.82	46.00	-21.18
307.420	Peak	39.46	-12.13	27.33	46.00	-18.67
327.790	Peak	39.06	-11.31	27.75	46.00	-18.25
492.690	Peak	38.59	-7.50	31.09	46.00	-14.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 204 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-08-14

 Test Frequency
 :2437 MHz
 Temp./Humi.
 :25.3℃/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
72.680	Peak	51.12	-15.22	35.90	40.00	-4.10
126.030	Peak	46.88	-14.54	32.33	43.50	-11.17
189.080	Peak	43.99	-15.34	28.65	43.50	-14.85
246.310	Peak	44.99	-13.63	31.36	46.00	-14.64
332.640	Peak	41.96	-11.08	30.88	46.00	-15.12
493.660	Peak	36.59	-7.53	29.07	46.00	-16.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 205 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11b **Test Date** :2023-08-14 Operation Mode **Test Frequency** :2412 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.000	Peak	43.82	2.23	46.05	74.00	-27.95
4824.000	Average	34.40	2.23	36.63	54.00	-17.37
7236.000	Peak	38.74	7.09	45.83	74.00	-28.17
7236.000	Average	29.28	7.09	36.37	54.00	-17.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 206 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11b Test Date :2023-08-14

Test Frequency :2412 MHz Temp./Humi. :25.3℃/66%
Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4824.000	Peak	43.38	2.23	45.61	74.00	-28.39
4824.000	Average	34.66	2.23	36.89	54.00	-17.11
7236.000	Peak	39.17	7.09	46.25	74.00	-27.75
7236.000	Average	30.89	7.09	37.98	54.00	-16.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 207 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11b **Test Date** :2023-08-14 Operation Mode **Test Frequency** :2437 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4874.000	Peak	44.42	2.59	47.01	74.00	-26.99
4874.000	Average	35.06	2.59	37.65	54.00	-16.35
7311.000	Peak	38.36	7.67	46.03	74.00	-27.97
7311.000	Average	29.29	7.67	36.96	54.00	-17.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 208 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11b **Test Date** :2023-08-14 Operation Mode

Test Frequency :2437 MHz Temp./Humi. :25.3°C/66% **Test Mode** :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4874.000	Peak	44.92	2.59	47.51	74.00	-26.49
4874.000	Average	36.76	2.59	39.35	54.00	-14.65
7311.000	Peak	39.10	7.67	46.77	74.00	-27.23
7311.000	Average	30.51	7.67	38.18	54.00	-15.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.sgs.com.tw




Page: 209 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11b **Test Date** :2023-08-14 Operation Mode **Test Frequency** :2462 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.000	Peak	43.24	2.83	46.07	74.00	-27.93
4924.000	Average	33.58	2.83	36.41	54.00	-17.59
7386.000	Peak	38.48	7.19	45.68	74.00	-28.32
7386.000	Average	29.36	7.19	36.55	54.00	-17.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 210 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11b Test Date :2023-08-14

Test Frequency :2462 MHz Temp./Humi. :25.3℃/66% Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4924.000	Peak	44.87	2.83	47.69	74.00	-26.31
4924.000	Average	35.18	2.83	38.01	54.00	-15.99
7386.000	Peak	39.44	7.19	46.64	74.00	-27.36
7386.000	Average	29.83	7.19	37.02	54.00	-16.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 211 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode Test Date :2023-08-14 :802.11g **Test Frequency** :2412 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4824.000	Peak	40.15	2.23	42.38	74.00	-31.62
4824.000	Average	30.62	2.23	32.85	54.00	-21.15
7236.000	Peak	38.80	7.09	45.89	74.00	-28.11
7236.000	Average	29.38	7.09	36.47	54.00	-17.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 212 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-08-14

 Test Frequency
 :2412 MHz
 Temp./Humi.
 :25.3℃/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4824.000	Peak	39.20	2.23	41.43	74.00	-32.57
4824.000	Average	30.38	2.23	32.61	54.00	-21.39
7236.000	Peak	38.91	7.09	46.00	74.00	-28.00
7236.000	Average	29.36	7.09	36.45	54.00	-17.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主義大學可能可以不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 213 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-08-14

 Test Frequency
 :2437 MHz
 Temp./Humi.
 :25.3℃/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.000	Peak	42.23	2.59	44.82	74.00	-29.18
4874.000	Average	32.46	2.59	35.05	54.00	-18.95
7311.000	Peak	38.90	7.67	46.57	74.00	-27.43
7311.000	Average	29.33	7.67	37.00	54.00	-17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 214 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Test Date :2023-08-14 Operation Mode :802.11g **Test Frequency** :2437 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4874.000	Peak	44.87	2.59	47.47	74.00	-26.53
4874.000	Average	34.08	2.59	36.67	54.00	-17.33
7311.000	Peak	38.98	7.67	46.66	74.00	-27.34
7311.000	Average	29.76	7.67	37.43	54.00	-16.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 215 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-08-14

 Test Frequency
 :2462 MHz
 Temp./Humi.
 :25.3℃/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4924.000	Peak	41.18	2.83	44.01	74.00	-29.99
4924.000	Average	30.92	2.83	33.75	54.00	-20.25
7386.000	Peak	38.12	7.19	45.31	74.00	-28.69
7386.000	Average	29.35	7.19	36.54	54.00	-17.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 216 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11g
 Test Date
 :2023-08-14

 Test Frequency
 :2462 MHz
 Temp./Humi.
 :25.3℃/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.000	Peak	40.04	2.83	42.87	74.00	-31.13
4924.000	Average	30.93	2.83	33.76	54.00	-20.24
7386.000	Peak	38.44	7.19	45.63	74.00	-28.37
7386.000	Average	29.40	7.19	36.59	54.00	-17.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 217 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n20
 Test Date
 :2023-08-14

 Test Frequency
 :2412 MHz
 Temp./Humi.
 :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.000	Peak	40.46	2.23	42.69	74.00	-31.31
4824.000	Average	30.60	2.23	32.83	54.00	-21.17
7236.000	Peak	39.43	7.09	46.52	74.00	-27.48
7236.000	Average	29.81	7.09	36.90	54.00	-17.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 218 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11n20 Test Date :2023-08-14

Test Frequency :2412 MHz Temp./Humi. :25.3℃/66% Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.000	Peak	41.14	2.23	43.37	74.00	-30.63
4824.000	Average	30.82	2.23	33.05	54.00	-20.95
7236.000	Peak	39.82	7.09	46.90	74.00	-27.10
7236.000	Average	29.86	7.09	36.95	54.00	-17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 219 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n20
 Test Date
 :2023-08-14

 Test Frequency
 :2437 MHz
 Temp./Humi.
 :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.000	Peak	43.95	2.59	46.54	74.00	-27.46
4874.000	Average	32.23	2.59	34.82	54.00	-19.18
7311.000	Peak	39.65	7.67	47.32	74.00	-26.68
7311.000	Average	29.73	7.67	37.40	54.00	-16.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 1




Page: 220 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11n20 **Test Date** :2023-08-14 **Operation Mode**

Test Frequency :2437 MHz Temp./Humi. :25.3°C/66% **Test Mode** :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.000	Peak	42.76	2.59	45.35	74.00	-28.65
4874.000	Average	31.81	2.59	34.40	54.00	-19.60
7311.000	Peak	39.39	7.67	47.06	74.00	-26.94
7311.000	Average	30.04	7.67	37.71	54.00	-16.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 www.sgs.com.tw



Page: 221 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

 Operation Mode
 :802.11n20
 Test Date
 :2023-08-14

 Test Frequency
 :2462 MHz
 Temp./Humi.
 :25.3℃/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4924.000	Peak	40.28	2.83	43.11	74.00	-30.89
4924.000	Average	31.07	2.83	33.90	54.00	-20.10
7386.000	Peak	39.26	7.19	46.46	74.00	-27.54
7386.000	Average	29.80	7.19	36.99	54.00	-17.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操品倚保留的形。木都华丰德木公司事而纯可,不可部份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. No.13 台灣檢驗科技股份有限公司 t (886




Page: 222 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11n20 Test Date :2023-08-14

Test Frequency :2462 MHz Temp./Humi. :25.3℃/66%
Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4924.000	Peak	40.27	2.83	43.10	74.00	-30.90
4924.000	Average	31.52	2.83	34.35	54.00	-19.65
7386.000	Peak	38.89	7.19	46.09	74.00	-27.91
7386.000	Average	29.83	7.19	37.02	54.00	-16.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 223 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11n40 **Test Date** :2023-08-14 **Operation Mode Test Frequency** :2422 MHz :25.3°C/66% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4844.000	Peak	40.63	2.37	43.00	74.00	-31.00
4844.000	Average	30.69	2.37	33.06	54.00	-20.94
7266.000	Peak	39.36	7.12	46.48	74.00	-27.52
7266.000	Average	29.82	7.12	36.94	54.00	-17.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




Page: 224 of 253

Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11n40 Test Date :2023-08-14

Test Frequency :2422 MHz Temp./Humi. :25.3℃/66%
Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4844.000	Peak	39.99	2.37	42.36	74.00	-31.64
4844.000	Average	30.63	2.37	33.00	54.00	-21.00
7266.000	Peak	38.96	7.12	46.07	74.00	-27.93
7266.000	Average	29.75	7.12	36.87	54.00	-17.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 225 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11n40 **Test Date** :2023-08-14 **Operation Mode Test Frequency** :2437 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.000	Peak	40.38	2.59	42.97	74.00	-31.03
4874.000	Average	31.03	2.59	33.62	54.00	-20.38
7311.000	Peak	39.40	7.67	47.07	74.00	-26.93
7311.000	Average	29.68	7.67	37.35	54.00	-16.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司




Page: 226 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11n40 **Test Date** :2023-08-14 **Operation Mode**

Test Frequency :2437 MHz Temp./Humi. :25.3°C/66% **Test Mode** :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.000	Peak	41.72	2.59	44.31	74.00	-29.69
4874.000	Average	31.04	2.59	33.63	54.00	-20.37
7311.000	Peak	38.86	7.67	46.53	74.00	-27.47
7311.000	Average	29.69	7.67	37.36	54.00	-16.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 227 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

Operation Mode :802.11n40 **Test Date** :2023-08-14 **Test Frequency** :2452 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4904.000	Peak	40.70	2.80	43.50	74.00	-30.50
4904.000	Average	30.81	2.80	33.61	54.00	-20.39
7356.000	Peak	39.51	7.68	47.19	74.00	-26.81
7356.000	Average	29.55	7.68	37.23	54.00	-16.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司




Page: 228 of 253

Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11n40 **Test Date** :2023-08-14 **Operation Mode Test Frequency** :2452 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
4904.000	Peak	39.55	2.80	42.35	74.00	-31.65
4904.000	Average	30.24	2.80	33.04	54.00	-20.96
7356.000	Peak	38.13	7.68	45.80	74.00	-28.20
7356.000	Average	29.53	7.68	37.21	54.00	-16.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 229 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax20 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2412 MHz :25.3°C/66% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.000	Peak	41.44	2.23	43.67	74.00	-30.33
4824.000	Average	30.79	2.23	33.02	54.00	-20.98
7236.000	Peak	39.78	7.09	46.87	74.00	-27.13
7236.000	Average	29.86	7.09	36.95	54.00	-17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 230 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax20 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2412 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.000	Peak	39.69	2.23	41.92	74.00	-32.08
4824.000	Average	30.85	2.23	33.08	54.00	-20.92
7236.000	Peak	39.30	7.09	46.39	74.00	-27.61
7236.000	Average	29.91	7.09	37.00	54.00	-17.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 231 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax20 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2437 MHz :25.3°C/66% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.000	Peak	41.39	2.59	43.99	74.00	-30.01
4874.000	Average	32.16	2.59	34.75	54.00	-19.25
7311.000	Peak	39.01	7.67	46.68	74.00	-27.32
7311.000	Average	29.75	7.67	37.42	54.00	-16.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.sgs.com.tw



Page: 232 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax20 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2437 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.000	Peak	41.33	2.59	43.92	74.00	-30.08
4874.000	Average	31.68	2.59	34.27	54.00	-19.73
7311.000	Peak	39.03	7.67	46.70	74.00	-27.30
7311.000	Average	30.02	7.67	37.69	54.00	-16.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 www.sgs.com.tw



Page: 233 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-08-14

Test Frequency :2462 MHz Temp./Humi. :25.3℃/66%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4924.000	Peak	40.57	2.83	43.40	74.00	-30.60
4924.000	Average	31.22	2.83	34.05	54.00	-19.95
7386.000	Peak	39.46	7.19	46.65	74.00	-27.35
7386.000	Average	29.85	7.19	37.04	54.00	-16.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司事而连可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 234 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax20 RU FULL Test Date :2023-08-14

Test Frequency :2462 MHz Temp./Humi. :25.3℃/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.000	Peak	40.23	2.83	43.06	74.00	-30.94
4924.000	Average	31.53	2.83	34.36	54.00	-19.64
7386.000	Peak	39.14	7.19	46.33	74.00	-27.67
7386.000	Average	29.87	7.19	37.06	54.00	-16.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 235 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2422 MHz :25.3°C/66% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4844.000	Peak	39.58	2.37	41.95	74.00	-32.05
4844.000	Average	30.56	2.37	32.93	54.00	-21.07
7266.000	Peak	38.44	7.12	45.56	74.00	-28.44
7266.000	Average	29.83	7.12	36.95	54.00	-17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 236 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2422 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4844.000	Peak	39.63	2.37	42.00	74.00	-32.00
4844.000	Average	30.64	2.37	33.01	54.00	-20.99
7266.000	Peak	39.66	7.12	46.77	74.00	-27.23
7266.000	Average	29.87	7.12	36.99	54.00	-17.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 237 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2437 MHz :25.3°C/66% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.000	Peak	41.05	2.59	43.65	74.00	-30.35
4874.000	Average	31.17	2.59	33.76	54.00	-20.24
7311.000	Peak	38.74	7.67	46.41	74.00	-27.59
7311.000	Average	29.72	7.67	37.39	54.00	-16.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 238 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2437 MHz Temp./Humi. :25.3°C/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.000	Peak	40.50	2.59	43.09	74.00	-30.91
4874.000	Average	31.34	2.59	33.93	54.00	-20.07
7311.000	Peak	39.58	7.67	47.25	74.00	-26.75
7311.000	Average	29.73	7.67	37.40	54.00	-16.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 239 of 253


Report Number **Test Site** :SAC 2 :TERF2305001144ER

:802.11ax40 RU FULL **Test Date** :2023-08-14 Operation Mode

Test Frequency :2452 MHz :25.3°C/66% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4904.000	Peak	40.71	2.80	43.51	74.00	-30.49
4904.000	Average	30.89	2.80	33.69	54.00	-20.31
7356.000	Peak	39.26	7.68	46.94	74.00	-27.06
7356.000	Average	29.53	7.68	37.21	54.00	-16.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 240 of 253


Report Number :TERF2305001144ER Test Site :SAC 2

Operation Mode :802.11ax40 RU FULL Test Date :2023-08-14

Test Frequency :2452 MHz Temp./Humi. :25.3℃/66%

Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Ricky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4904.000	Peak	40.36	2.80	43.16	74.00	-30.84
4904.000	Average	30.85	2.80	33.65	54.00	-20.35
7356.000	Peak	38.48	7.68	46.16	74.00	-27.84
7356.000	Average	29.55	7.68	37.23	54.00	-16.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司事而连可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 241 of 253


10 POWER SPECTRAL DENSITY

10.1 Standard Applicable

Per Part 15.247 (e) & RSS-247 section 5.2 b

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

10.2 Test Setup



10.3 **Measurement Procedure**

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz & VBW = 10 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Note:

For the test of MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

10.4 As per FCC KDB 662911 D01

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 242 of 253

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SSS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{i,k} = /20$ 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is greater than 6 dBi and has been attenuated in the test result.

10.5 **Power spectral density**

POWER DENSITY 802.11b						
Freq.	Ch0	Ch1	PSD	Limit	Result	
(MHz)	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)		
2412	-7.60	-8.68	-5.10	7.81	PASS	
2437	-5.00	-5.79	-2.37	7.81	PASS	
2462	-7.71	-8.77	-5.20	7.81	PASS	

POWER DENSITY 802.11g							
Freq.	Ch0	Ch1	PSD	Limit	Result		
(MHz)	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)			
2412	-11.19	-13.42	-9.15	7.81	PASS		
2437	-7.82	-8.06	-4.93	7.81	PASS		
2462	-9.67	-12.08	-7.70	7.81	PASS		

POWER DENSITY 802.11n HT20							
Freq.	Ch0	Ch1	PSD	Limit	Result		
(MHz)	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)			
2412	-14.22	-14.51	-11.35	7.81	PASS		
2437	-7.58	-9.17	-5.29	7.81	PASS		
2462	-11.52	-11.86	-8.68	7.81	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 243 of 253

POWER DENSITY 802.11n HT40						
Freq.	Ch0	Ch1	PSD	Limit	Result	
(MHz)	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)	Result	
2422	-18.65	-18.85	-15.74	7.81	PASS	
2437	-16.31	-17.80	-13.98	7.81	PASS	
2452	-16.29	-18.00	-14.05	7.81	PASS	

POWER DENSITY 802.11ax HE20							
Freq.	RU Config	Ch0	Ch1	PSD	Limit	Result	
(MHz)	KU COIIIIg	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)	i NG Suit	
	full	-14.93	-15.99	-12.42	7.81	PASS	
2412	26/0	-5.91	-6.07	-2.98	7.81	PASS	
	52/37	-8.73	-9.97	-6.30	7.81	PASS	
	106/53	-11.52	-13.42	-9.36	7.81	PASS	
2437	full	-9.16	-9.27	-6.20	7.81	PASS	
2462	full	-14.86	-15.24	-12.04	7.81	PASS	
	26/8	-5.66	-6.35	-2.98	7.81	PASS	
	52/40	-10.46	-11.19	-7.80	7.81	PASS	
	106/54	-12.45	-13.78	-10.05	7.81	PASS	

POWER DENSITY 802.11ax HE40							
Freq.	RU Config	Ch0	Ch1	PSD	Limit	Result	
(MHz)	No coning	PSD	PSD	(dBm/3kHz)	(dBm/3kHz)	INGSUIL	
2422	full	-20.36	-20.45	-17.39	7.81	PASS	
2422	242/61	-17.70	-17.54	-14.61	7.81	PASS	
2437	full	-16.43	-17.94	-14.11	7.81	PASS	
2452	full	-18.77	-19.30	-16.02	7.81	PASS	
2402	242/62	-18.32	-17.91	-15.10	7.81	PASS	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 244 of 253


802.11b 20MHz Chain0 2412MHz



802.11b 20MHz Chain0 2437MHz




802.11b_20MHz_Chain0_2462MHz



802.11b 20MHz Chain1 2412MHz



802.11b_20MHz_Chain1_2437MHz



802.11b_20MHz_Chain1_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操品倚保留的形。木都华丰德木公司事而纯可,不可部份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 245 of 253


802.11g_20MHz_Chain0_2412MHz




802.11g 20MHz Chain0 2437MHz




802.11g_20MHz_Chain0_2462MHz



802.11g_20MHz_Chain1_2412MHz



802.11g_20MHz_Chain1_2437MHz



802.11g_20MHz_Chain1_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操品倚保留的形。木都华丰德木公司事而纯可,不可部份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 246 of 253

802.11n 20MHz Chain0 2412MHz




802.11n 20MHz Chain0 2437MHz




802.11n_20MHz_Chain0_2462MHz



802.11n 20MHz Chain1 2412MHz



802.11n_20MHz_Chain1_2437MHz



802.11n_20MHz_Chain1_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操品倚保留的形。木都华丰德木公司事而纯可,不可部份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 247 of 253


802.11n 40MHz Chain0 2422MHz



802.11n 40MHz Chain0 2437MHz




802.11n_40MHz_Chain0_2452MHz




802.11n 40MHz Chain1 2422MHz



802.11n_40MHz_Chain1_2437MHz



802.11n_40MHz_Chain1_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操品倚保留的形。木都华丰德木公司事而纯可,不可部份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.