
## N6SGBIR15 FCC and IC Labels



FCC and IC label locations on Encore S series fuel dispenser for N6SGBIR15 TRIND

Page 1 of 4

<pre>4,556,927; 4,566,504; 4,570,686; 4,687,033; 4,728,788; 4,748,846; 4,799,940; 4,805,453; 4,876,653; 4,930,655; 4,934,565; 4,934,565; 4,934,565; 4,938,251; 4,938,251; 4,938,251; 4,938,251; 4,938,251; 4,938,251; 4,938,251; 4,938,251; 5,040,577; 5,040,577; 5,098,179; 5,154,548; 5,156,199; 5,228,084; 5,269,353; 5,325,706; 5,345,979; 5,355,915; 5,345,379; 5,355,915; 5,345,379; 5,355,915; 5,344,868; 5,407,115; 5,448,688; 5,407,115; 5,448,688; 5,400,888; 5,464,466; 5,501,246; 5,535,130; 5,542,458; ADDITIONAL</pre>	D OR SOLD UNDER ONE OR MORE OF THE FOLLOWING U.S. PATENTS: 5,543,849; 6,089,284; 6,421,616; 6,763,974; D422,604 5,546,981; 6,092,410; 6,422,464; 6,766,949; D426,555 5,557,084; 6,098,879; 6,431,226; D262,971; D428,424 5,571,310; 6,102,085; 6,438,452; D265,092; D428,897 5,602,745; 6,109,477; 6,460,579; D306,719; D429,739 5,626,649; 6,112,134; 6,463,389; D309,144; D429,739 5,708,580; 6,116,505; 6,470,233; D413,124; D431,252 5,719,779; 6,119,110; 6,493,440; D413,311; D431,573 5,719,781; 6,176,421; 6,523,744; D413,301; D432,548 5,734,851; 6,176,421; 6,523,744; D413,901; D432,554 5,755,854; 6,184,846; 6,529,900; D413,902; D433,031 5,782,275; 6,185,307; 6,532,999; D414,192; D433,033 5,782,275; 6,185,307; 6,532,999; D414,192; D433,033 5,784,931; 6,250,151; 6,546,882; D414,778; D433,034 5,803,136; 6,253,779; 6,571,151; D414,778; D433,034 5,803,136; 6,253,779; 6,571,151; D414,778; D433,037 5,843,212; 6,263,319; 6,571,101; D414,780; D433,037 5,843,212; 6,263,319; 6,571,101; D414,780; D433,037 5,843,212; 6,263,319; 6,571,201; D414,780; D433,037 5,868,179; 6,226,148; 6,574,603; D414,781; D433,037 5,868,179; 6,226,148; 6,574,862; D414,781; D433,037 5,868,179; 6,226,148; 6,574,603; D414,781; D433,037 5,868,179; 6,226,148; 6,574,603; D415,166; D433,421 5,990,500; 6,275,746; 6,573,884; D414,781; D433,037 5,868,179; 6,226,148; 6,574,603; D415,166; D433,421 5,990,500; 6,327,176; 6,618,362; D415,167; D433,422 5,954,269; 6,360,293; 6,861,862; D415,167; D433,422 5,954,269; 6,360,294; 6,681,814; D415,166; D433,421 5,990,500; 6,327,176; 6,670,777; D415,177; D434,424 5,052,629; 6,360,353; 6,736,313; D418,252; D443,720 5,775; 6,387,649; 6,697,755; D415,177; D433,685 5,971,042; 6,338,369; 6,760,977; D415,777; D434,424 5,052,629; 6,360,137; 6,710,71; D416,915; D433,685 5,971,042; 6,338,369; 6,761,190; D422,285; RE52,38 U.S. AND FOREIGN PATENTS APPLIED FOR OR PENDING N,Y,F,D, C,OF A, #4986 arco Inc, Greensboro, NC USA COMPLIES WITH FCC RULE, PART 15, OPERATIONS IS SUBJECT TO NG TWO CONDITIONS: DEVICE	

Γ

F

NOTES:


 $|1\rangle$  materials and finish per Q11490.

UNLESS OTHERWISE SPECIFIED, UPPER & LOWER CASE LETTERING SHALL BE .05 HELVETICA MEDIUM CHARACTERS. ALL PRINTING TO BE BLACK WITH WHITE BACKGROUND. 2.

 $\gamma$ 

- ADHESIVE RELEASE LINER TO BE SCORED FOR EASY REMOVA 3.
- M02962B001 WAS RELEASED AND THEN OBSOLETED. IT WAS 4. REPLACED BY M02962B006.

## ANY CHANGE TO THIS DESIGN MAY AFFECT FCC CERTIFICATION AND FCC FILE MUST BE UPDATED



4


Page 2 of 4

		1	_
	CVU	REVISIONS	
	SYM A	DESCRIPTION PRODUCTION RELEASE.	1
	B	ADDED: B002 THRU B004.	
		ECO: 02/14/03 TJP	1
		0664864	4
	С	CHANGED: BOO1 BY ADDING N.Y.F.D,	
۹L.		MOVING GILBARCO INC	
``.		& UPPING THE REV.	-
		ECO: 10/17/03 RAK	1
	D	ADDED: MUZ96ZBUUS.	1
		CHNG: DRAWING WAS 1 SHEET; MOVED BOO1 TO	
		B004 ŤO SH2.	
		ECO: 0665544 DES/CUL INDEX/	
	F	REV SH INDEX.	
	C.	ADDED BOO6 & NOTE 4.	
		REMOVED: BOO1 THAT WAS 120 TALL.	
			-
		ECO: 0666577 08/30/04 RAK	
	F	REV SH INDEX.	[]
		CHANGED: HEIGHT OF B006 WAS 145.	
		REMOVED: DUPLICATE	
		PATENT NUMBERS	4
		ECO: 09/14/04 RAK	1
	G	REVISED SH INDEX.	
		ECO: 09/19/05 DRS	4
	Н	0667752 09719703 REVISED SH INDEX.	
			1
		0667301 11/30/05	1
			R
U.			
©Gi	lbaı	rco Inc.	A
©Ga	sboy	/ International LLC	
DEC	AL		
		FCC	
RAKO	8/19/	02 TR SCALE 2:1	1
:0		APP SYM MO2062	-
0	664	551 NO. MO2962	J
		I	

FCC ID: N6SGBIR15	
Manufacturer: Gilbarco, Inc. Model: TRIND	 12.7
THIS EQUIPMENT CONTAINS AN INTENTIONAL RADIATOR APPROVED BY THE FCC, UNDER FCC I.D. NUMBER SHOWN ABOVE. M02962B007 REV G	

## PART NO M02962B007

Label 2: Equipment contains FCC Interntional Radiator Label Units are millimeters. Location: exterior to dispenser on inner dispenser column sheathing. Page 3 of 4



PART NUMBER N23951 10 Label 3: FCC and IC Interntional Radiator Label Units are inches. Location: interior to dispenser on sheet metal for mounting the Gateway board (T20678 G1). Page 4 of 4