























42Wh

Standard  
Rechargeable  
Li-ion Battery

Type J0PGR  
7.6V

**!** Please Disconnect and Remove Battery

DELL  
Battery Questions?  
Go to [www.dell.com](http://www.dell.com)

Cells made in China  
Assembled in China

CAUTION Do not expose.  
See the manual for safety  
PRÉCAUTION Ne pas soumettre à des températures supérieures à 65 °C (149 °F)  
VORSICHT Der Akku darf niemals Temperaturen über 65 °C ausgesetzt werden. Sicherheitsanweisungen finden Sie im Handbuch.  
注意：電池警告事項，請參閱說明書  
禁止拆解、撞擊、擠壓或投入火中

7.6V / 5250mAh  
二次鋰電池組

デル(株)  
7.6V  
5250mAh

XU100253-16066  
진지  
Simple Technology  
(Chong Qing) Inc.  
A/S 연락처: 080-854-0066

Type Approved  
Safety  
Regular Production  
Surveillance  
www.tuv.com  
ID: 2000000900

EU 5250mAh  
Raheen Business Park  
Limerick Ireland

Japan Only

锂离子电池组  
型号: J0PGR  
额定容量: 5250mAh  
充电限制电压: 8.8V

TIS: 2217-2548  
Dell Corporation  
(Thailand) Ltd.  
2ICP5140/78-2

2x4

**Do not expose the battery to temperatures above 65 °C (149 °F). See the manual for safety instructions.**

Ne pas soumettre la batterie à des températures supérieures à 65 °C (149 °F). Voir le manuel pour des instructions de sécurité.

Der Akku darf niemals Temperaturen über 65 °C ausgesetzt werden. Sicherheitsanweisungen finden Sie im Handbuch.

警告事項  
禁止拆解、撞擊、擠壓或投入火中，若出現嚴重鼓脹，請勿繼續使用，請勿置於高溫環境中，電池浸水後禁止使用！

53-16066  
Simple Technology  
(Chong Qing) Inc.  
A/S 연락처: 080-854-0066

7G04  
I.T.E. ACCESSORY  
E184259  
SCQ

LISTED

廢電池請回收

RECYCLE  
ABRC  
Li-ion  
1-800-822-8337

Japan Only

IS 16046/IEC 62133

R-41015750

2017/06

CN-0FTH6F-SLW00-  
767-K27H-A00  
DP/N 0FTH6F

M2x4



