



### **Highest Channel (3697.5 MHz)**




# 10 MHz BW

### Lowest Channel (3605 MHz)






### Middle Channel (3650 MHz)




### Highest Channel (3695 MHz)






### **15 MHz BW**

### Lowest Channel (3607.5 MHz)




### Middle Channel (3650 MHz)






### **Highest Channel (3692.5 MHz)**




### **20 MHz BW**

## Lowest Channel (3610 MHz)






### Middle Channel (3650 MHz)



### **Highest Channel (3690 MHz)**





#### TEST A.5: 3.5 GHZ EMISSION AND INTERFERENCE LIMITS

LIMITE.	Product standard:	Part 96.41 Subclause (e)
LIMITS:	Test standard:	ANSI C63.26-2015

#### **LIMITS**

The radio frequency voltage or powers generated within the equipment and appearing on a spurious frequency shall be checked at the equipment output terminals when properly loaded with a suitable artificial antenna. Curves or equivalent data shall show the magnitude of each harmonic and other spurious emission that can be detected when the equipment is operated under the conditions specified in § 2.1049 as appropriate. The magnitude of spurious emissions which are attenuated more than 20 dB below the permissible value need not be specified.


Confirm that the device satisfies the emission limits specified in Section 96.41(e) for all declared channel sizes, at the lowest and highest edges of the band, and in the middle of the band. The RMS detector was used for the measurement at each frequency with 400 MHz span.

A narrower RBW is permitted in all cases to improve measurement accuracy, provided the measured power is integrated over the full reference bandwidth.

The limits for emission outside the fundamental are stated below.

- within 0-10 MHz above and below the assigned channel ≤ -13 dBm/MHz
- greater than 10 MHz above and below the assigned channel ≤ -25 dBm/MHz
- any emission below 3530 MHz and above 3720 MHz ≤ -40 dBm/MHz

#### **TEST SETUP**





TESTED SAMPLES:	S/01	
TESTED CONDITIONS MODES:	TC#01 (Band 48)	
TEST RESULTS:	PASS	

# 5 MHz BW

No conducted spurious signal was detected for the lowest, middle and highest operating channels.

## 10 MHz BW

Lowest 3555 MHz		Middle 3625 MHz		Highest 3695 MHz	
Spurious Frequency (MHz)	Emission Level (dBm/MHz)	Spurious Frequency (MHz)	Emission Level (dBm/MHz)	Spurious Frequency (MHz)	Emission Level (dBm/MHz)
No Spurious		3758.74	-46.60	3828.58	-50.33
Measurement uncertainty (dB) <± 0.64					

## **15 MHz BW**

No conducted spurious signal was detected for the lowest, middle and highest operating channels.

### 20 MHz BW


No conducted spurious signal was detected for the lowest, middle and highest operating channels.

Verdict: PASS (See next plots)




#### 5 MHz BW

#### Lowest Channel (3552.5 MHz)




#### Middle Channel (3625 MHz)






#### **Highest Channel (3697.5 MHz)**




### 10 MHz BW

#### Lowest Channel (3555 MHz)






#### Middle Channel (3625 MHz)




#### **Highest Channel (3695 MHz)**






#### **15 MHz BW**

#### Lowest Channel (3557.5 MHz)




### Middle Channel (3625 MHz)






### Highest Channel (3692.5 MHz)




#### 20 MHz BW

#### Lowest Channel (3560 MHz)






### Middle Channel (3625 MHz)



#### **Highest Channel (3690 MHz)**





TESTED SAMPLES:	S/01	
TESTED CONDITIONS MODES:	TC#02 (Band 42)	
TEST RESULTS:	PASS	

### 5 MHz BW

No conducted spurious signal was detected for the lowest, middle and highest operating channels.

### **10 MHz BW**

No conducted spurious signal was detected for the lowest, middle and highest operating channels.

### **15 MHz BW**

No conducted spurious signal was detected for the lowest, middle and highest operating channels.

## 20 MHz BW


No conducted spurious signal was detected for the lowest, middle and highest operating channels.

Verdict: PASS (See next plots)




#### 5 MHz BW

#### Lowest Channel (3552.5 MHz)




### Middle Channel (3575 MHz)






#### **Highest Channel (3597.5 MHz)**




#### 10 MHz BW

#### Lowest Channel (3555 MHz)






# 




#### **Highest Channel (3595 MHz)**






### **15 MHz BW**

#### Lowest Channel (3557.5 MHz)




### Middle Channel (3575 MHz)






#### Highest Channel (3592.5 MHz)




#### 20 MHz BW

#### Lowest Channel (3560 MHz)






#### Middle Channel (3575 MHz)



#### **Highest Channel (3590 MHz)**



DEKRA Certification, Inc. 405 Glenn Dr. Suite 12, Sterling, VA 20164 United States of America



TESTED SAMPLES:	S/01	
TESTED CONDITIONS MODES:	TC#03 (Band 43)	
TEST RESULTS:	PASS	

### 5 MHz BW

No conducted spurious signal was detected for the lowest, middle and highest operating channels.

### 10 MHz BW

Lowest 3605 MHz		Middle 3650 MHz		Highest 3695 MHz	
Spurious	Emission	Spurious	Emission	Spurious	Emission
Frequency	Level	Frequency	Level	Frequency	Level
(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)
3738.58	-49.50	3783.58	-48.58	3828.70	-49.74
3746.42	-49.47	3791.70	-49.85	3836.26	-50.79
Measurement uncertainty (dB) <± 0.64					

### 15 MHz BW

No conducted spurious signal was detected for the lowest, middle and highest operating channels.

### **20 MHz BW**


No conducted spurious signal was detected for the lowest, middle and highest operating channels.

Verdict: PASS (See next plots)




#### 5 MHz BW

#### Lowest Channel (3602.5 MHz)




#### Middle Channel (3650 MHz)






### Highest Channel (3697.5 MHz)




#### 10 MHz BW

#### Lowest Channel (3605 MHz)






#### Middle Channel (3650 MHz)




#### **Highest Channel (3695 MHz)**






### **15 MHz BW**

#### Lowest Channel (3607.5 MHz)




#### Middle Channel (3650 MHz)






### Highest Channel (3692.5 MHz)




#### 20 MHz BW

#### Lowest Channel (3610 MHz)






#### Middle Channel (3650 MHz)



#### **Highest Channel (3690 MHz)**






TEST A.6: CONDUCTED SPURIOUS EMISSIONS AT ANTENNA TERMINALS							
I IMITO.	Product standard:	Part 2.1051 and 96.41 Subclause (e)					
LIMITS:	Test standard:	ANSI C63.26-2015					

### **LIMITS**

The radio frequency voltage or powers generated within the equipment and appearing on a spurious frequency shall be checked at the equipment output terminals when properly loaded with a suitable artificial antenna. Curves or equivalent data shall show the magnitude of each harmonic and other spurious emission that can be detected when the equipment is operated under the conditions specified in § 2.1049 as appropriate. The magnitude of spurious emissions which are attenuated more than 20 dB below the permissible value need not be specified.

The limits for emission outside the fundamental for any emission below 3530 MHz and above 3720 MHz are -40 dBm/MHz.

#### **TEST SETUP**





TESTED SAMPLES:	S/01	
TESTED CONDITIONS MODES:	TC#01 (Band 48)	
TEST RESULTS:	PASS	

## 5 MHz BW

Lowest 3552.5 MHz		Middle 3625 MHz		Highest 3697.5 MHz	
Spurious Emission		Spurious	Emission	Spurious	Emission
Frequency Level		Frequency	Level	Frequency	Level
(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)
No spurious		7250.18	-55.07	No sp	urious

## 10 MHz BW

Lowest 3555 MHz		Middle 3625 MHz		Highest 3695 MHz	
Spurious Emission		Spurious	Emission	Spurious	Emission
Frequency	Level	Frequency	Level	Frequency	Level
(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)
No spurious		7250.18	-54.95	No sp	urious

## **15 MHz BW**

Lowest 3557.5 MHz		Middle 3625 MHz		Highest 3692.5 MHz		
Ī	Spurious Emission		Spurious	Emission	Spurious	Emission
	Frequency	Level	Frequency	Level	Frequency	Level
	(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)
	No spurious		10875.50	-55.11	7385.68	-53.20
					11078.06	-53.05

## **20 MHz BW**

Lowest 3560 MHz		Middle 3625 MHz		Highest 3690 MHz	
Spurious	Emission	Spurious	Emission	Spurious	Emission
Frequency	Level	Frequency	Level	Frequency	Level
(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)	(MHz)	(dBm/MHz)
No spurious		7250.18	-54.93	7380.18	-52.34
		10875.07	-54.81	11070.56	-53.04


Verdict: PASS (See next plots)




### 5 MHz BW

### Lowest Channel (3552.5 MHz)

FREQUENCY RANGE 20 MHz-5 GHz




### FREQUENCY RANGE 5-21 GHz






#### FREQUENCY RANGE 21-37 GHz




### Middle Channel (3625 MHz)

### FREQUENCY RANGE 20 MHz-5 GHz






### FRQUENCY RANGE 5-21 GHz




#### FREQUENCY RANGE 21-37 GHz






### Highest Channel (3697.5 MHz)

#### FREQUENCY RANGE 20 MHz-5 GHz




#### FREQUENCY RANGE 5-21 GHz






#### FREQUENCY RANGE 21-37 GHz



### 10 MHz BW


### Lowest Channel (3555 MHz)

#### FREQUENCY RANGE 20 MHz-5 GHz






#### FREQUENCY RANGE 5-21 GHz




### FREQUENCY RANGE 21-37 GHz






### Middle Channel (3625 MHz)

FREQUENCY RANGE 20 MHz-5 GHz




### FREQUENCY RANGE 5-21 GHz





#### FREQUENCY RANGE 21-37 GHz



### Highest Channel (3695 MHz)

### FREQUENCY RANGE 20 MHz-5 GHz

