Request for Modular/Limited Modular Approval

Date: September 21, 2020			
Subject: Manufacturer's Declaration for ⊠ - Modular Approval □ - Split Modular Approval □ - Limited Modular Approval □ - Limited Spli		pproval	
Confidentiality Request for: <u>N7NEM76</u>			
8 Basic Requirements – FCC Part 15.212(a)(1) For Items Monked "NO(*)" the Limited Module Description Must be Filled Out on the Followship (NO(*)).	lowing Dogo		
For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Fo Modular Approval Requirement	Requirement Met		
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)	⊠ - YES	□ - NO(*)	
Details: Module RADIO elements are shielded. Please see submitted external photograph exhibits.			
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii)	🗵 - YES	□ - NO(*)	
Details: Module chipset design incorporates integrated buffer circuitry.			
3. The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)	⊠ - YES	□ - NO(*)	
Details: Module chipset incorporates voltage regulation to transceiver circuitry.			
4. The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	□ - YES	⊠ - NO(*)	
Details: No applicable to licensed modules.			
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	⊠ - YES	□ - NO(*)	
Details: EUT conformance testing was performed in a standalone configuration.			

	Modular Approval Requirement	Require	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when		
	the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	⊠ - YES	□ - NO(*)
	If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)		
Details: Please refer to FCC ID label format. Labeling instruction has been provided in the user manual exhibit(s).			
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: The Module is compliant with all applicable FCC rules. Compliance requirements are stated in the user manual exhibit(s).		
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
Details: Compliance with RF exposure requirements are addressed in RF exposure report.			

Limited Mod	ule Description	- When A	Applicable
--------------------	-----------------	----------	------------

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: NA

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement		Requirement Met	
 For <u>non-Software Defined Radio</u> transmitter modules we compliance of the device, technical description must be control is implemented to ensure prevention of third-parable Publication 594280. 	provided about how such	☐ - Provided in Separate Cover Letter	□ - N/A
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
 For <u>Software Defined Radio (SDR)</u> devices, transmitte provide a software security description; see KDB Publi 	1.1	- Provided in Separate Cover Letter	□ - N/A
Details: <example a="" –n=""></example>			

Split Modular Requirements			
Requirement	Requirement Provided in Manual		
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	□ - N/A	
Details: <example a="" n="" –=""></example>			

OEM Integration Manual Guidance – KDB 996369 D03 Section 2				
	OEM Integration Manual Guidance - RDB 770307 D03 Section 2			
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures				
for th	ird-parties to use and/or in	tegrate the module into a host device.		
Requirement				
210 (0.11 0.11 0.11 0.11 0.11 0.11 0.11 0		□ - No,		
		If No, and LMA applies, the applicant ca	n optionally choose to not	
		make the following detailed info public.		
Is this module intended for	M	to be basic integration instructions for		
sale to third parties?	⊠ - YES	information below must still be included in the operational		
		description. <u>If the applicant wishes to keep this will require a separate statement co</u>		
		module is not for sale to third partie		
		instructions are internal confide		
		ual – See KDB 996369 D03, Section 2		
		ormation to be in the installation manual.		
		all these items indicating clearly when the Not Applicable". Also if a module is limite		
		estructions may not need to be detailed and		
		t this should include a cover letter as cited		
1. List of applicable FCC rules. KI				
	ated to the transmitter.			
2. Summarize the specific operation				
	is itmits on antennas, cable io onal installation info	ess, reduction of power for point to point		
3. Limited Module Procedures. KD				
		es to verify the host meets the necessary		
limiting condition		•	☐ - All Items shown to	
b. When RF exposure evaluation is necessary, state how control will be maintained such			the left are provided in	
that compitance is ensured, such as Class II for new nosts, etc.				
4. Trace antenna designs. KDB 996369 D03, Section 2.5 a. Layout of trace design, parts list, antenna, connectors, isolation requirements, tests for				
	design verification, and production test procedures for ensuring compliance. If			
confidential, the r	nethod used to keep confiden	itial must be identified and information	or LMA.	
	perational description.		☐ - An LMA applies	
5. RF exposure considerations. KD		yy host manufacturous to use the module	and is approved ONLY	
		w host manufacturers to use the module. to the host manufacturer to define	for use by the grantee in	
		ly) and second additional text needed to be	their own products, and	
provided to the er	nd user in the host product ma	- ·	not intended for sale to	
6. Antennas. KDB 996369 D03, Se			3 rd parties as provided in	
		d all applicable professional installer	a separate cover letter. Therefore the	
		shall also identify the antenna types i-directional" is not considered a type)	information shown to the	
7. Label and compliance information			left is found in the	
		ovide a physical or e-label stating	theory of operation.	
"Contains FCC II	D: " with their finished produ	ct		
8. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9				
a. Test modes that should be taken into consideration by host integrators including				
clarifications necessary for stand-alone and simultaneous configurations. b. Provide information on how to configure test modes for evaluation				
9. Additional testing, Part 15 Subpa				
		,		
Sincerely,				

By: Sr. Certification Engineer Suzi Lan
(Signature/Title¹) (Print name)

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate

