

Modular Approval Checklist FCC ID: **N7NHL7650**

| Item | Requirements | EUT |
|------|---|--|
| 1 | The radio elements must have the radio frequency circuitry shielded | Module RADIO elements are shielded. Please see submitted external photograph exhibits |
| 2 | The module must have buffered modulation/data inputs | Module chipset design incorporates integrated buffer circuitry |
| 3 | The module must contain power supply regulation on the module | Module chipset incorporates voltage regulation to transceiver circuitry |
| 4 | The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s) | No applicable to licensed modules |
| 5 | The module must demonstrate compliance in a stand-alone configuration | EUT conformance testing was performed in a standalone configuration |
| 6 | The licensed module must have a FCC ID label on the module itself. That FCC ID label must be visible through a window on the final device or it must be visible when an access panel, door or cover is easily removed. If not, a second label must be placed on the outside of the final device that contains the following text: Contains "FCC ID: N7NHL7650" | Please refer to FCC ID label format. Labeling instruction has been provided in the user manual exhibit(s). |
| 7 | The module must comply with all specific rules applicable to the transmitter. The grantee must provide comprehensive instructions to explain compliance requirements | The Module is compliant with all applicable FCC rules. Compliance requirements are stated in the user manual exhibit(s). |
| 8 | The module must comply with RF exposure requirements | Compliance with RF exposure requirements is addressed in RF exposure report |