



B66_CH132647_5M_1RB5_16-QAM_Above 1G




Date: 19.FEB.2020 19:00:57

B66_CH132647_5M_1RB5_16-QAM_Below 1G




Date: 19.FEB.2020 19:06:41

B66_CH132022_10M_1RB0_QPSK_Above 1G




Date: 19.FEB.2020 19:32:35

B66_CH132022_10M_1RB0_QPSK_Below 1G




Date: 19.FEB.2020 19:33:02

B66_CH132022_10M_1RB0_16-QAM_Above 1G




Date: 19.FEB.2020 19:31:47

B66_CH132022_10M_1RB0_16-QAM_Below 1G




Date: 19.FEB.2020 19:31:20

B66_CH132322_10M_1RB0_QPSK_Above 1G




Date: 19.FEB.2020 19:19:39

B66_CH132322_10M_1RB0_QPSK_Below 1G




Date: 19.FEB.2020 19:18:48

B66_CH132322_10M_1RB0_16-QAM_Above 1G




Date: 19.FEB.2020 19:28:52

B66_CH132322_10M_1RB0_16-QAM_Below 1G




Date: 19.FEB.2020 19:29:32

B66_CH132622_10M_1RB5_QPSK_Above 1G




Date: 19.FEB.2020 19:12:07

B66_CH132622_10M_1RB5_QPSK_Below 1G




Date: 19.FEB.2020 19:16:51

B66_CH132622_10M_1RB5_16-QAM_Above 1G




Date: 19.FEB.2020 19:10:47

B66_CH132622_10M_1RB5_16-QAM_Below 1G




Date: 19.FEB.2020 19:10:19

B66_CH132047_15M_1RB0_QPSK_Above 1G




Date: 19.FEB.2020 19:38:34

B66_CH132047_15M_1RB0_QPSK_Below 1G




Date: 19.FEB.2020 19:41:50

B66_CH132047_15M_1RB0_16-QAM_Above 1G




Date: 19.FEB.2020 19:36:54

B66_CH132047_15M_1RB0_16-QAM_Below 1G




Date: 19.FEB.2020 19:35:56

B66_CH132322_15M_1RB0_QPSK_Above 1G




Date: 19.FEB.2020 19:45:09

B66_CH132322_15M_1RB0_QPSK_Below 1G




Date: 19.FEB.2020 19:43:58

B66_CH132322_15M_1RB0_16-QAM_Above 1G




Date: 19.FEB.2020 19:45:37

B66_CH132322_15M_1RB0_16-QAM_Below 1G




Date: 19.FEB.2020 19:46:48

B66_CH132597_15M_1RB5_QPSK_Above 1G




Date: 19.FEB.2020 19:50:54

B66_CH132597_15M_1RB5_QPSK_Below 1G




Date: 19.FEB.2020 19:51:47

B66_CH132597_15M_1RB5_16-QAM_Above 1G




Date: 19.FEB.2020 19:49:53

B66_CH132597_15M_1RB5_16-QAM_Below 1G




Date: 19.FEB.2020 19:48:58

B66_CH132072_20M_1RB0_QPSK_Above 1G




Date: 19.FEB.2020 20:19:48

B66_CH132072_20M_1RB0_QPSK_Below 1G




Date: 19.FEB.2020 20:18:50

B66_CH132072_20M_1RB0_16-QAM_Above 1G




Date: 19.FEB.2020 20:20:53

B66_CH132072_20M_1RB0_16-QAM_Below 1G




Date: 19.FEB.2020 20:23:30

B66_CH132322_20M_1RB0_QPSK_Above 1G




Date: 19.FEB.2020 20:17:11

B66_CH132322_20M_1RB0_QPSK_Below 1G




Date: 19.FEB.2020 20:17:46

B66_CH132322_20M_1RB0_16-QAM_Above 1G




Date: 19.FEB.2020 20:14:58

B66_CH132322_20M_1RB0_16-QAM_Below 1G




Date: 19.FEB.2020 20:12:35

B66_CH132572_20M_1RB5_QPSK_Above 1G




Date: 19.FEB.2020 20:03:32

B66_CH132572_20M_1RB5_QPSK_Below 1G




Date: 19.FEB.2020 20:02:04

B66_CH132572_20M_1RB5_16-QAM_Above 1G



Date: 19.FEB.2020 20:04:00

B66_CH132572_20M_1RB5_16-QAM_Below 1G



Date: 19.FEB.2020 20:06:06

Product	Module		
Test Item	Radiated Spurious Emissions		
Test Mode	Mode 1 : LTE Cat-M1_Band 2		
Date of Test	2020/01/13	Test Site	CB2-H
Temperature (°C)	20.0	Humidity (%RH)	55.0

BW 1.4M_CH 18607_16QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3701.400	-46.77	-13	-33.77	-54.87	12.61	4.51
	5552.100	-39.31	-13	-26.31	-46.77	13.13	5.67
	7402.800	-42.39	-13	-29.39	-47.10	11.32	6.60
	9253.500	-42.13	-13	-29.13	-46.75	11.83	7.21
	11104.200	-38.35	-13	-25.35	-42.06	11.67	7.96
	12954.900	-41.33	-13	-28.33	-46.32	13.62	8.64
V	3701.400	-45.94	-13	-32.94	-54.04	12.61	4.51
	5552.100	-41.79	-13	-28.79	-49.25	13.13	5.67
	7402.800	-36.75	-13	-23.75	-41.46	11.32	6.60
	9253.500	-41.45	-13	-28.45	-46.07	11.83	7.21
	11104.200	-38.46	-13	-25.46	-42.17	11.67	7.96
	12954.900	-40.45	-13	-27.45	-45.44	13.62	8.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 18607_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3701.400	-47.08	-13	-34.08	-55.18	12.61	4.51
	5552.100	-39.10	-13	-26.10	-46.56	13.13	5.67
	7402.800	-42.61	-13	-29.61	-47.32	11.32	6.60
	9253.500	-42.92	-13	-29.92	-47.54	11.83	7.21
	11104.200	-39.11	-13	-26.11	-42.82	11.67	7.96
	12954.900	-41.11	-13	-28.11	-46.10	13.62	8.64
V	3701.400	-45.49	-13	-32.49	-53.59	12.61	4.51
	5552.100	-39.20	-13	-26.20	-46.66	13.13	5.67
	7402.800	-34.61	-13	-21.61	-39.32	11.32	6.60
	9253.500	-42.25	-13	-29.25	-46.87	11.83	7.21
	11104.200	-38.94	-13	-25.94	-42.65	11.67	7.96
	12954.900	-41.18	-13	-28.18	-46.17	13.62	8.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 18900_16QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.13	-13	-34.13	-55.20	12.60	4.54
	5640.000	-42.93	-13	-29.93	-50.33	13.10	5.70
	7520.000	-42.02	-13	-29.02	-46.64	11.24	6.61
	9400.000	-42.08	-13	-29.08	-46.58	11.79	7.29
	11280.000	-37.64	-13	-24.64	-41.50	11.92	8.06
	13160.000	-38.26	-13	-25.26	-42.88	13.33	8.70
V	3760.000	-50.02	-13	-37.02	-58.09	12.60	4.54
	5640.000	-43.85	-13	-30.85	-51.25	13.10	5.70
	7520.000	-35.87	-13	-22.87	-40.49	11.24	6.61
	9400.000	-42.38	-13	-29.38	-46.88	11.79	7.29
	11280.000	-37.46	-13	-24.46	-41.32	11.92	8.06
	13160.000	-38.95	-13	-25.95	-43.57	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 18900_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-46.61	-13	-33.61	-54.68	12.60	4.54
	5640.000	-41.59	-13	-28.59	-48.99	13.10	5.70
	7520.000	-41.48	-13	-28.48	-46.10	11.24	6.61
	9400.000	-42.07	-13	-29.07	-46.57	11.79	7.29
	11280.000	-37.34	-13	-24.34	-41.20	11.92	8.06
	13160.000	-38.87	-13	-25.87	-43.49	13.33	8.70
V	3760.000	-49.40	-13	-36.40	-57.47	12.60	4.54
	5640.000	-43.32	-13	-30.32	-50.72	13.10	5.70
	7520.000	-36.27	-13	-23.27	-40.89	11.24	6.61
	9400.000	-41.87	-13	-28.87	-46.37	11.79	7.29
	11280.000	-36.52	-13	-23.52	-40.38	11.92	8.06
	13160.000	-38.58	-13	-25.58	-43.20	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 19193_16QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3818.600	-49.75	-13	-36.75	-57.79	12.60	4.57
	5727.900	-43.07	-13	-30.07	-50.42	13.08	5.73
	7637.200	-40.32	-13	-27.32	-44.97	11.24	6.60
	9546.500	-40.35	-13	-27.35	-44.79	11.80	7.35
	11455.800	-38.01	-13	-25.01	-42.02	12.17	8.15
	13365.100	-37.30	-13	-24.30	-41.52	12.98	8.76
V	3818.600	-47.06	-13	-34.06	-55.10	12.60	4.57
	5727.900	-44.14	-13	-31.14	-51.49	13.08	5.73
	7637.200	-33.64	-13	-20.64	-38.29	11.24	6.60
	9546.500	-40.96	-13	-27.96	-45.40	11.80	7.35
	11455.800	-37.48	-13	-24.48	-41.49	12.17	8.15
	13365.100	-37.49	-13	-24.49	-41.71	12.98	8.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 19193_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3818.600	-49.16	-13	-36.16	-57.20	12.60	4.57
	5727.900	-45.51	-13	-32.51	-52.86	13.08	5.73
	7637.200	-39.64	-13	-26.64	-44.29	11.24	6.60
	9546.500	-41.65	-13	-28.65	-46.09	11.80	7.35
	11455.800	-37.96	-13	-24.96	-41.97	12.17	8.15
	13365.100	-37.25	-13	-24.25	-41.47	12.98	8.76
V	3818.600	-46.92	-13	-33.92	-54.96	12.60	4.57
	5727.900	-45.99	-13	-32.99	-53.34	13.08	5.73
	7637.200	-33.36	-13	-20.36	-38.01	11.24	6.60
	9546.500	-40.96	-13	-27.96	-45.40	11.80	7.35
	11455.800	-37.70	-13	-24.70	-41.71	12.17	8.15
	13365.100	-37.10	-13	-24.10	-41.32	12.98	8.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 18615_16QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3703.000	-46.71	-13	-33.71	-54.81	12.61	4.51
	5554.500	-39.41	-13	-26.41	-46.87	13.12	5.67
	7406.000	-42.49	-13	-29.49	-47.20	11.31	6.60
	9257.500	-42.24	-13	-29.24	-46.86	11.83	7.21
	11109.000	-38.47	-13	-25.47	-42.18	11.67	7.96
	12960.500	-41.47	-13	-28.47	-46.45	13.62	8.64
V	3703.000	-45.89	-13	-32.89	-53.99	12.61	4.51
	5554.500	-41.88	-13	-28.88	-49.34	13.12	5.67
	7406.000	-36.81	-13	-23.81	-41.52	11.31	6.60
	9257.500	-41.58	-13	-28.58	-46.20	11.83	7.21
	11109.000	-38.52	-13	-25.52	-42.23	11.67	7.96
	12960.500	-40.57	-13	-27.57	-45.55	13.62	8.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 18615__QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3703.000	-47.05	-13	-34.05	-55.15	12.61	4.51
	5554.500	-39.34	-13	-26.34	-46.80	13.12	5.67
	7406.000	-42.71	-13	-29.71	-47.42	11.31	6.60
	9257.500	-42.89	-13	-29.89	-47.51	11.83	7.21
	11109.000	-39.48	-13	-26.48	-43.19	11.67	7.96
	12960.500	-41.25	-13	-28.25	-46.23	13.62	8.64
V	3703.000	-45.33	-13	-32.33	-53.43	12.61	4.51
	5554.500	-39.11	-13	-26.11	-46.57	13.12	5.67
	7406.000	-34.88	-13	-21.88	-39.59	11.31	6.60
	9257.500	-42.19	-13	-29.19	-46.81	11.83	7.21
	11109.000	-39.09	-13	-26.09	-42.80	11.67	7.96
	12960.500	-41.32	-13	-28.32	-46.30	13.62	8.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 18900_16QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.21	-13	-34.21	-55.28	12.60	4.54
	5640.000	-43.15	-13	-30.15	-50.55	13.10	5.70
	7520.000	-42.11	-13	-29.11	-46.73	11.24	6.61
	9400.000	-42.14	-13	-29.14	-46.64	11.79	7.29
	11280.000	-37.62	-13	-24.62	-41.48	11.92	8.06
	13160.000	-38.37	-13	-25.37	-42.99	13.33	8.70
V	3760.000	-50.11	-13	-37.11	-58.18	12.60	4.54
	5640.000	-43.95	-13	-30.95	-51.35	13.10	5.70
	7520.000	-35.96	-13	-22.96	-40.58	11.24	6.61
	9400.000	-42.48	-13	-29.48	-46.98	11.79	7.29
	11280.000	-37.52	-13	-24.52	-41.38	11.92	8.06
	13160.000	-38.99	-13	-25.99	-43.61	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 18900_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-46.78	-13	-33.78	-54.85	12.60	4.54
	5640.000	-41.74	-13	-28.74	-49.14	13.10	5.70
	7520.000	-41.52	-13	-28.52	-46.14	11.24	6.61
	9400.000	-42.14	-13	-29.14	-46.64	11.79	7.29
	11280.000	-37.43	-13	-24.43	-41.29	11.92	8.06
	13160.000	-38.91	-13	-25.91	-43.53	13.33	8.70
V	3760.000	-49.53	-13	-36.53	-57.60	12.60	4.54
	5640.000	-43.42	-13	-30.42	-50.82	13.10	5.70
	7520.000	-36.19	-13	-23.19	-40.81	11.24	6.61
	9400.000	-41.95	-13	-28.95	-46.45	11.79	7.29
	11280.000	-36.66	-13	-23.66	-40.52	11.92	8.06
	13160.000	-38.62	-13	-25.62	-43.24	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 19185_16QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3817.000	-49.89	-13	-36.89	-57.93	12.60	4.57
	5725.500	-43.14	-13	-30.14	-50.49	13.08	5.73
	7634.000	-40.42	-13	-27.42	-45.06	11.24	6.60
	9542.500	-40.49	-13	-27.49	-44.93	11.79	7.35
	11451.000	-38.14	-13	-25.14	-42.15	12.16	8.15
	13359.500	-37.41	-13	-24.41	-41.64	12.99	8.76
V	3817.000	-47.11	-13	-34.11	-55.15	12.60	4.57
	5725.500	-44.24	-13	-31.24	-51.59	13.08	5.73
	7634.000	-33.75	-13	-20.75	-38.39	11.24	6.60
	9542.500	-41.17	-13	-28.17	-45.61	11.79	7.35
	11451.000	-37.59	-13	-24.59	-41.60	12.16	8.15
	13359.500	-37.56	-13	-24.56	-41.79	12.99	8.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 19185_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3817.000	-49.25	-13	-36.25	-57.29	12.60	4.57
	5725.500	-45.69	-13	-32.69	-53.04	13.08	5.73
	7634.000	-39.75	-13	-26.75	-44.39	11.24	6.60
	9542.500	-41.72	-13	-28.72	-46.16	11.79	7.35
	11451.000	-38.02	-13	-25.02	-42.03	12.16	8.15
	13359.500	-37.33	-13	-24.33	-41.56	12.99	8.76
V	3817.000	-47.12	-13	-34.12	-55.16	12.60	4.57
	5725.500	-46.21	-13	-33.21	-53.56	13.08	5.73
	7634.000	-33.42	-13	-20.42	-38.06	11.24	6.60
	9542.500	-41.10	-13	-28.10	-45.54	11.79	7.35
	11451.000	-37.86	-13	-24.86	-41.87	12.16	8.15
	13359.500	-37.21	-13	-24.21	-41.44	12.99	8.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 18625_16QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3705.000	-46.85	-13	-33.85	-54.94	12.61	4.51
	5557.500	-39.48	-13	-26.48	-46.93	13.12	5.67
	7410.000	-42.47	-13	-29.47	-47.18	11.31	6.60
	9262.500	-42.28	-13	-29.28	-46.89	11.82	7.21
	11115.000	-38.44	-13	-25.44	-42.16	11.68	7.96
	12967.500	-41.42	-13	-28.42	-46.39	13.62	8.64
V	3705.000	-46.05	-13	-33.05	-54.14	12.61	4.51
	5557.500	-41.89	-13	-28.89	-49.34	13.12	5.67
	7410.000	-36.82	-13	-23.82	-41.53	11.31	6.60
	9262.500	-41.59	-13	-28.59	-46.20	11.82	7.21
	11115.000	-38.55	-13	-25.55	-42.27	11.68	7.96
	12967.500	-40.58	-13	-27.58	-45.55	13.62	8.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 18625__QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3705.000	-47.17	-13	-34.17	-55.26	12.61	4.51
	5557.500	-39.24	-13	-26.24	-46.69	13.12	5.67
	7410.000	-42.75	-13	-29.75	-47.46	11.31	6.60
	9262.500	-42.99	-13	-29.99	-47.60	11.82	7.21
	11115.000	-39.28	-13	-26.28	-43.00	11.68	7.96
	12967.500	-41.22	-13	-28.22	-46.19	13.62	8.64
V	3705.000	-45.58	-13	-32.58	-53.67	12.61	4.51
	5557.500	-39.32	-13	-26.32	-46.77	13.12	5.67
	7410.000	-34.79	-13	-21.79	-39.50	11.31	6.60
	9262.500	-42.36	-13	-29.36	-46.97	11.82	7.21
	11115.000	-39.03	-13	-26.03	-42.75	11.68	7.96
	12967.500	-41.28	-13	-28.28	-46.25	13.62	8.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 18900_16QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.22	-13	-34.22	-55.29	12.60	4.54
	5640.000	-43.18	-13	-30.18	-50.58	13.10	5.70
	7520.000	-42.18	-13	-29.18	-46.80	11.24	6.61
	9400.000	-42.21	-13	-29.21	-46.71	11.79	7.29
	11280.000	-37.77	-13	-24.77	-41.63	11.92	8.06
	13160.000	-38.32	-13	-25.32	-42.94	13.33	8.70
V	3760.000	-50.28	-13	-37.28	-58.35	12.60	4.54
	5640.000	-43.95	-13	-30.95	-51.35	13.10	5.70
	7520.000	-35.98	-13	-22.98	-40.60	11.24	6.61
	9400.000	-42.47	-13	-29.47	-46.97	11.79	7.29
	11280.000	-37.62	-13	-24.62	-41.48	11.92	8.06
	13160.000	-39.24	-13	-26.24	-43.86	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 18900_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-46.75	-13	-33.75	-54.82	12.60	4.54
	5640.000	-41.66	-13	-28.66	-49.06	13.10	5.70
	7520.000	-41.55	-13	-28.55	-46.17	11.24	6.61
	9400.000	-42.17	-13	-29.17	-46.67	11.79	7.29
	11280.000	-37.47	-13	-24.47	-41.33	11.92	8.06
	13160.000	-37.52	-13	-24.52	-42.14	13.33	8.70
V	3760.000	-49.35	-13	-36.35	-57.42	12.60	4.54
	5640.000	-43.45	-13	-30.45	-50.85	13.10	5.70
	7520.000	-36.22	-13	-23.22	-40.84	11.24	6.61
	9400.000	-41.98	-13	-28.98	-46.48	11.79	7.29
	11280.000	-36.69	-13	-23.69	-40.55	11.92	8.06
	13160.000	-38.71	-13	-25.71	-43.33	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 19175_16QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3815.000	-49.68	-13	-36.68	-57.72	12.60	4.57
	5722.500	-43.01	-13	-30.01	-50.36	13.08	5.73
	7630.000	-40.21	-13	-27.21	-44.85	11.24	6.60
	9537.500	-40.29	-13	-27.29	-44.73	11.79	7.35
	11445.000	-38.05	-13	-25.05	-42.05	12.15	8.15
	13352.500	-37.27	-13	-24.27	-41.51	13.00	8.76
V	3815.000	-46.91	-13	-33.91	-54.95	12.60	4.57
	5722.500	-44.02	-13	-31.02	-51.37	13.08	5.73
	7630.000	-33.58	-13	-20.58	-38.22	11.24	6.60
	9537.500	-40.82	-13	-27.82	-45.26	11.79	7.35
	11445.000	-37.39	-13	-24.39	-41.39	12.15	8.15
	13352.500	-37.32	-13	-24.32	-41.56	13.00	8.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 19175__QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3815.000	-49.27	-13	-36.27	-57.31	12.60	4.57
	5722.500	-45.62	-13	-32.62	-52.97	13.08	5.73
	7630.000	-39.71	-13	-26.71	-44.35	11.24	6.60
	9537.500	-41.55	-13	-28.55	-45.99	11.79	7.35
	11445.000	-38.01	-13	-25.01	-42.01	12.15	8.15
	13352.500	-37.22	-13	-24.22	-41.46	13.00	8.76
V	3815.000	-46.88	-13	-33.88	-54.92	12.60	4.57
	5722.500	-45.81	-13	-32.81	-53.16	13.08	5.73
	7630.000	-33.42	-13	-20.42	-38.06	11.24	6.60
	9537.500	-40.89	-13	-27.89	-45.33	11.79	7.35
	11445.000	-37.81	-13	-24.81	-41.81	12.15	8.15
	13352.500	-37.21	-13	-24.21	-41.45	13.00	8.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 18650_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3710.000	-47.59	-13	-34.59	-55.68	12.61	4.51
	5565.000	-39.55	-13	-26.55	-47.00	13.12	5.67
	7420.000	-41.62	-13	-28.62	-46.32	11.30	6.60
	9275.000	-40.42	-13	-27.42	-45.02	11.82	7.22
	11130.000	-38.49	-13	-25.49	-42.22	11.70	7.97
	12985.000	-38.47	-13	-25.47	-43.43	13.61	8.65
V	3710.000	-46.95	-13	-33.95	-55.04	12.61	4.51
	5565.000	-35.76	-13	-22.76	-43.21	13.12	5.67
	7420.000	-36.11	-13	-23.11	-40.81	11.30	6.60
	9275.000	-39.82	-13	-26.82	-44.42	11.82	7.22
	11130.000	-38.91	-13	-25.91	-42.64	11.70	7.97
	12985.000	-39.21	-13	-26.21	-44.17	13.61	8.65

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 18650_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3710.000	-47.61	-13	-34.61	-55.70	12.61	4.51
	5565.000	-39.47	-13	-26.47	-46.92	13.12	5.67
	7420.000	-41.64	-13	-28.64	-46.34	11.30	6.60
	9275.000	-40.38	-13	-27.38	-44.98	11.82	7.22
	11130.000	-38.56	-13	-25.56	-42.29	11.70	7.97
	12985.000	-38.51	-13	-25.51	-43.47	13.61	8.65
V	3710.000	-46.98	-13	-33.98	-55.07	12.61	4.51
	5565.000	-35.78	-13	-22.78	-43.23	13.12	5.67
	7420.000	-36.07	-13	-23.07	-40.77	11.30	6.60
	9275.000	-39.79	-13	-26.79	-44.39	11.82	7.22
	11130.000	-38.85	-13	-25.85	-42.58	11.70	7.97
	12985.000	-39.01	-13	-26.01	-43.97	13.61	8.65

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 18900_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.94	-13	-34.94	-56.01	12.60	4.54
	5640.000	-41.81	-13	-28.81	-49.21	13.10	5.70
	7520.000	-41.42	-13	-28.42	-46.04	11.24	6.61
	9400.000	-39.93	-13	-26.93	-44.43	11.79	7.29
	11280.000	-37.38	-13	-24.38	-41.24	11.92	8.06
	13160.000	-38.59	-13	-25.59	-43.21	13.33	8.70
V	3760.000	-47.32	-13	-34.32	-55.39	12.60	4.54
	5640.000	-35.52	-13	-22.52	-42.92	13.10	5.70
	7520.000	-37.16	-13	-24.16	-41.78	11.24	6.61
	9400.000	-39.91	-13	-26.91	-44.41	11.79	7.29
	11280.000	-37.13	-13	-24.13	-40.99	11.92	8.06
	13160.000	-38.55	-13	-25.55	-43.17	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 18900_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.96	-13	-34.96	-56.03	12.60	4.54
	5640.000	-41.79	-13	-28.79	-49.19	13.10	5.70
	7520.000	-41.35	-13	-28.35	-45.97	11.24	6.61
	9400.000	-39.97	-13	-26.97	-44.47	11.79	7.29
	11280.000	-37.40	-13	-24.40	-41.26	11.92	8.06
	13160.000	-38.52	-13	-25.52	-43.14	13.33	8.70
V	3760.000	-47.11	-13	-34.11	-55.18	12.60	4.54
	5640.000	-35.58	-13	-22.58	-42.98	13.10	5.70
	7520.000	-37.14	-13	-24.14	-41.76	11.24	6.61
	9400.000	-39.85	-13	-26.85	-44.35	11.79	7.29
	11280.000	-37.10	-13	-24.10	-40.96	11.92	8.06
	13160.000	-38.48	-13	-25.48	-43.10	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 19150_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3810.000	-49.06	-13	-36.06	-57.10	12.60	4.56
	5715.000	-44.49	-13	-31.49	-51.85	13.08	5.72
	7620.000	-40.38	-13	-27.38	-45.02	11.24	6.60
	9525.000	-39.89	-13	-26.89	-44.32	11.78	7.35
	11430.000	-37.90	-13	-24.90	-41.89	12.13	8.14
	13335.000	-38.76	-13	-25.76	-43.04	13.03	8.75
V	3810.000	-51.79	-13	-38.79	-59.83	12.60	4.56
	5715.000	-39.70	-13	-26.70	-47.06	13.08	5.72
	7620.000	-37.67	-13	-24.67	-42.31	11.24	6.60
	9525.000	-40.44	-13	-27.44	-44.87	11.78	7.35
	11430.000	-38.35	-13	-25.35	-42.34	12.13	8.14
	13335.000	-38.79	-13	-25.79	-43.07	13.03	8.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 19150_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3810.000	-49.01	-13	-36.01	-57.05	12.60	4.56
	5715.000	-44.54	-13	-31.54	-51.90	13.08	5.72
	7620.000	-40.41	-13	-27.41	-45.05	11.24	6.60
	9525.000	-39.93	-13	-26.93	-44.36	11.78	7.35
	11430.000	-37.92	-13	-24.92	-41.91	12.13	8.14
	13335.000	-38.90	-13	-25.90	-43.18	13.03	8.75
V	3810.000	-51.83	-13	-38.83	-59.87	12.60	4.56
	5715.000	-39.78	-13	-26.78	-47.14	13.08	5.72
	7620.000	-37.65	-13	-24.65	-42.29	11.24	6.60
	9525.000	-40.39	-13	-27.39	-44.82	11.78	7.35
	11430.000	-38.33	-13	-25.33	-42.32	12.13	8.14
	13335.000	-38.65	-13	-25.65	-42.93	13.03	8.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 18675_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3715.000	-47.66	-13	-34.66	-55.75	12.61	4.52
	5572.500	-39.57	-13	-26.57	-47.01	13.12	5.68
	7430.000	-41.70	-13	-28.70	-46.39	11.29	6.61
	9287.500	-40.58	-13	-27.58	-45.17	11.82	7.23
	11145.000	-38.44	-13	-25.44	-42.18	11.73	7.98
	13002.500	-38.48	-13	-25.48	-43.41	13.60	8.66
V	3715.000	-46.89	-13	-33.89	-54.98	12.61	4.52
	5572.500	-35.82	-13	-22.82	-43.26	13.12	5.68
	7430.000	-36.10	-13	-23.10	-40.79	11.29	6.61
	9287.500	-39.79	-13	-26.79	-44.38	11.82	7.23
	11145.000	-38.82	-13	-25.82	-42.56	11.73	7.98
	13002.500	-39.42	-13	-26.42	-44.35	13.60	8.66

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 18675_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3715.000	-38.81	-13	-25.81	-46.90	12.61	4.52
	5572.500	-39.53	-13	-26.53	-46.97	13.12	5.68
	7430.000	-41.68	-13	-28.68	-46.37	11.29	6.61
	9287.500	-40.42	-13	-27.42	-45.01	11.82	7.23
	11145.000	-38.41	-13	-25.41	-42.15	11.73	7.98
	13002.500	-38.44	-13	-25.44	-43.37	13.60	8.66
V	3715.000	-46.95	-13	-33.95	-55.04	12.61	4.52
	5572.500	-35.73	-13	-22.73	-43.17	13.12	5.68
	7430.000	-36.17	-13	-23.17	-40.86	11.29	6.61
	9287.500	-39.88	-13	-26.88	-44.47	11.82	7.23
	11145.000	-38.86	-13	-25.86	-42.60	11.73	7.98
	13002.500	-39.21	-13	-26.21	-44.14	13.60	8.66

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 18900_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.76	-13	-34.76	-55.83	12.60	4.54
	5640.000	-41.85	-13	-28.85	-49.25	13.10	5.70
	7520.000	-41.50	-13	-28.50	-46.12	11.24	6.61
	9400.000	-40.08	-13	-27.08	-44.58	11.79	7.29
	11280.000	-37.42	-13	-24.42	-41.28	11.92	8.06
	13160.000	-38.70	-13	-25.70	-43.32	13.33	8.70
V	3760.000	-47.38	-13	-34.38	-55.45	12.60	4.54
	5640.000	-35.45	-13	-22.45	-42.85	13.10	5.70
	7520.000	-37.46	-13	-24.46	-42.08	11.24	6.61
	9400.000	-40.14	-13	-27.14	-44.64	11.79	7.29
	11280.000	-37.08	-13	-24.08	-40.94	11.92	8.06
	13160.000	-38.39	-13	-25.39	-43.01	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 18900_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.91	-13	-34.91	-55.98	12.60	4.54
	5640.000	-41.82	-13	-28.82	-49.22	13.10	5.70
	7520.000	-41.42	-13	-28.42	-46.04	11.24	6.61
	9400.000	-39.90	-13	-26.90	-44.40	11.79	7.29
	11280.000	-37.33	-13	-24.33	-41.19	11.92	8.06
	13160.000	-38.56	-13	-25.56	-43.18	13.33	8.70
V	3760.000	-47.20	-13	-34.20	-55.27	12.60	4.54
	5640.000	-35.60	-13	-22.60	-43.00	13.10	5.70
	7520.000	-37.22	-13	-24.22	-41.84	11.24	6.61
	9400.000	-39.80	-13	-26.80	-44.30	11.79	7.29
	11280.000	-37.26	-13	-24.26	-41.12	11.92	8.06
	13160.000	-38.59	-13	-25.59	-43.21	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 19125_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3805.000	-49.15	-13	-36.15	-57.19	12.60	4.56
	5707.500	-44.69	-13	-31.69	-52.05	13.08	5.72
	7610.000	-40.47	-13	-27.47	-45.11	11.24	6.60
	9512.500	-39.93	-13	-26.93	-44.36	11.77	7.35
	11415.000	-37.60	-13	-24.60	-41.58	12.11	8.13
	13317.500	-38.81	-13	-25.81	-43.12	13.06	8.75
V	3805.000	-51.65	-13	-38.65	-59.69	12.60	4.56
	5707.500	-39.60	-13	-26.60	-46.96	13.08	5.72
	7610.000	-37.92	-13	-24.92	-42.56	11.24	6.60
	9512.500	-40.45	-13	-27.45	-44.88	11.77	7.35
	11415.000	-38.67	-13	-25.67	-42.65	12.11	8.13
	13317.500	-38.70	-13	-25.70	-43.01	13.06	8.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 19125_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3805.000	-49.13	-13	-36.13	-57.17	12.60	4.56
	5707.500	-44.66	-13	-31.66	-52.02	13.08	5.72
	7610.000	-40.53	-13	-27.53	-45.17	11.24	6.60
	9512.500	-39.86	-13	-26.86	-44.29	11.77	7.35
	11415.000	-37.84	-13	-24.84	-41.82	12.11	8.13
	13317.500	-38.99	-13	-25.99	-43.30	13.06	8.75
V	3805.000	-51.67	-13	-38.67	-59.71	12.60	4.56
	5707.500	-39.96	-13	-26.96	-47.32	13.08	5.72
	7610.000	-37.77	-13	-24.77	-42.41	11.24	6.60
	9512.500	-40.41	-13	-27.41	-44.84	11.77	7.35
	11415.000	-38.37	-13	-25.37	-42.35	12.11	8.13
	13317.500	-38.80	-13	-25.80	-43.11	13.06	8.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 18700_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3720.000	-47.71	-13	-34.71	-55.80	12.61	4.52
	5580.000	-39.66	-13	-26.66	-47.10	13.12	5.68
	7440.000	-41.50	-13	-28.50	-46.18	11.28	6.61
	9300.000	-40.63	-13	-27.63	-45.21	11.82	7.23
	11160.000	-38.47	-13	-25.47	-42.23	11.75	7.99
	13020.000	-38.80	-13	-25.80	-43.70	13.57	8.67
V	3720.000	-46.75	-13	-33.75	-54.84	12.61	4.52
	5580.000	-35.74	-13	-22.74	-43.18	13.12	5.68
	7440.000	-36.05	-13	-23.05	-40.73	11.28	6.61
	9300.000	-39.48	-13	-26.48	-44.06	11.82	7.23
	11160.000	-38.89	-13	-25.89	-42.65	11.75	7.99
	13020.000	-39.56	-13	-26.56	-44.46	13.57	8.67

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 18700_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3720.000	-38.79	-13	-25.79	-46.88	12.61	4.52
	5580.000	-39.49	-13	-26.49	-46.93	13.12	5.68
	7440.000	-41.71	-13	-28.71	-46.39	11.28	6.61
	9300.000	-40.49	-13	-27.49	-45.07	11.82	7.23
	11160.000	-38.57	-13	-25.57	-42.33	11.75	7.99
	13020.000	-38.47	-13	-25.47	-43.37	13.57	8.67
V	3720.000	-46.86	-13	-33.86	-54.95	12.61	4.52
	5580.000	-35.79	-13	-22.79	-43.23	13.12	5.68
	7440.000	-36.30	-13	-23.30	-40.98	11.28	6.61
	9300.000	-39.91	-13	-26.91	-44.49	11.82	7.23
	11160.000	-38.91	-13	-25.91	-42.67	11.75	7.99
	13020.000	-39.61	-13	-26.61	-44.51	13.57	8.67

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 18900_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.70	-13	-34.70	-55.77	12.60	4.54
	5640.000	-41.92	-13	-28.92	-49.32	13.10	5.70
	7520.000	-41.60	-13	-28.60	-46.22	11.24	6.61
	9400.000	-40.37	-13	-27.37	-44.87	11.79	7.29
	11280.000	-37.50	-13	-24.50	-41.36	11.92	8.06
	13160.000	-38.82	-13	-25.82	-43.44	13.33	8.70
V	3760.000	-47.35	-13	-34.35	-55.42	12.60	4.54
	5640.000	-35.58	-13	-22.58	-42.98	13.10	5.70
	7520.000	-37.71	-13	-24.71	-42.33	11.24	6.61
	9400.000	-40.32	-13	-27.32	-44.82	11.79	7.29
	11280.000	-37.28	-13	-24.28	-41.14	11.92	8.06
	13160.000	-38.40	-13	-25.40	-43.02	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 18900_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-47.98	-13	-34.98	-56.05	12.60	4.54
	5640.000	-41.73	-13	-28.73	-49.13	13.10	5.70
	7520.000	-41.58	-13	-28.58	-46.20	11.24	6.61
	9400.000	-39.81	-13	-26.81	-44.31	11.79	7.29
	11280.000	-37.35	-13	-24.35	-41.21	11.92	8.06
	13160.000	-38.65	-13	-25.65	-43.27	13.33	8.70
V	3760.000	-47.25	-13	-34.25	-55.32	12.60	4.54
	5640.000	-35.54	-13	-22.54	-42.94	13.10	5.70
	7520.000	-37.25	-13	-24.25	-41.87	11.24	6.61
	9400.000	-39.73	-13	-26.73	-44.23	11.79	7.29
	11280.000	-37.29	-13	-24.29	-41.15	11.92	8.06
	13160.000	-38.61	-13	-25.61	-43.23	13.33	8.70

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 19100_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3800.000	-49.31	-13	-36.31	-57.36	12.60	4.56
	5700.000	-44.77	-13	-31.77	-52.14	13.08	5.72
	7600.000	-40.50	-13	-27.50	-45.14	11.24	6.60
	9500.000	-40.01	-13	-27.01	-44.43	11.77	7.34
	11400.000	-37.50	-13	-24.50	-41.46	12.09	8.12
	13300.000	-38.97	-13	-25.97	-43.32	13.09	8.74
V	3800.000	-51.71	-13	-38.71	-59.76	12.60	4.56
	5700.000	-39.59	-13	-26.59	-46.96	13.08	5.72
	7600.000	-37.89	-13	-24.89	-42.53	11.24	6.60
	9500.000	-40.37	-13	-27.37	-44.79	11.77	7.34
	11400.000	-38.58	-13	-25.58	-42.54	12.09	8.12
	13300.000	-38.67	-13	-25.67	-43.02	13.09	8.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 19100_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3800.000	-49.09	-13	-36.09	-57.14	12.60	4.56
	5700.000	-44.84	-13	-31.84	-52.21	13.08	5.72
	7600.000	-40.82	-13	-27.82	-45.46	11.24	6.60
	9500.000	-39.85	-13	-26.85	-44.27	11.77	7.34
	11400.000	-37.90	-13	-24.90	-41.86	12.09	8.12
	13300.000	-39.05	-13	-26.05	-43.40	13.09	8.74
V	3800.000	-51.72	-13	-38.72	-59.77	12.60	4.56
	5700.000	-40.04	-13	-27.04	-47.41	13.08	5.72
	7600.000	-37.67	-13	-24.67	-42.31	11.24	6.60
	9500.000	-40.35	-13	-27.35	-44.77	11.77	7.34
	11400.000	-38.41	-13	-25.41	-42.37	12.09	8.12
	13300.000	-38.75	-13	-25.75	-43.10	13.09	8.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emissions		
Test Mode	Mode 2 : LTE Cat-M1_Band 4		
Date of Test	2020/01/15	Test Site	CB2-H
Temperature (°C)	21.0	Humidity (%RH)	56.0

BW 1.4M_CH 19957_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3421.400	-34.68	-13	-21.68	-42.77	12.44	4.35
	5132.100	-43.41	-13	-30.41	-50.80	12.78	5.39
	6842.800	-42.59	-13	-29.59	-48.07	11.84	6.36
	8553.500	-40.62	-13	-27.62	-45.58	11.87	6.91
	10264.200	-39.87	-13	-26.87	-44.12	11.86	7.61
	11974.900	-37.10	-13	-24.10	-42.01	13.13	8.22
V	3421.400	-33.71	-13	-20.71	-41.80	12.44	4.35
	5132.100	-40.85	-13	-27.85	-48.24	12.78	5.39
	6842.800	-40.26	-13	-27.26	-45.74	11.84	6.36
	8553.500	-40.39	-13	-27.39	-45.35	11.87	6.91
	10264.200	-39.48	-13	-26.48	-43.73	11.86	7.61
	11974.900	-38.24	-13	-25.24	-43.15	13.13	8.22

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 19957_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3421.400	-34.74	-13	-21.74	-42.83	12.44	4.35
	5132.100	-43.43	-13	-30.43	-50.82	12.78	5.39
	6842.800	-42.19	-13	-29.19	-47.67	11.84	6.36
	8553.500	-40.67	-13	-27.67	-45.63	11.87	6.91
	10264.200	-39.88	-13	-26.88	-44.13	11.86	7.61
	11974.900	-37.41	-13	-24.41	-42.32	13.13	8.22
V	3421.400	-33.75	-13	-20.75	-41.84	12.44	4.35
	5132.100	-40.89	-13	-27.89	-48.28	12.78	5.39
	6842.800	-40.34	-13	-27.34	-45.82	11.84	6.36
	8553.500	-40.51	-13	-27.51	-45.47	11.87	6.91
	10264.200	-39.11	-13	-26.11	-43.36	11.86	7.61
	11974.900	-38.09	-13	-25.09	-43.00	13.13	8.22

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20175_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.07	-13	-23.07	-44.22	12.53	4.38
	5197.500	-40.75	-13	-27.75	-48.16	12.84	5.43
	6930.000	-42.22	-13	-29.22	-47.49	11.73	6.46
	8662.500	-41.27	-13	-28.27	-46.19	11.87	6.95
	10395.000	-39.50	-13	-26.50	-43.57	11.75	7.68
	12127.500	-38.13	-13	-25.13	-43.22	13.35	8.26
V	3465.000	-36.15	-13	-23.15	-44.30	12.53	4.38
	5197.500	-39.80	-13	-26.80	-47.21	12.84	5.43
	6930.000	-42.22	-13	-29.22	-47.49	11.73	6.46
	8662.500	-41.56	-13	-28.56	-46.48	11.87	6.95
	10395.000	-38.99	-13	-25.99	-43.06	11.75	7.68
	12127.500	-38.68	-13	-25.68	-43.77	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20175_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.11	-13	-23.11	-44.26	12.53	4.38
	5197.500	-40.89	-13	-27.89	-48.30	12.84	5.43
	6930.000	-42.01	-13	-29.01	-47.28	11.73	6.46
	8662.500	-41.13	-13	-28.13	-46.05	11.87	6.95
	10395.000	-39.60	-13	-26.60	-43.67	11.75	7.68
	12127.500	-38.09	-13	-25.09	-43.18	13.35	8.26
V	3465.000	-36.09	-13	-23.09	-44.24	12.53	4.38
	5197.500	-39.94	-13	-26.94	-47.35	12.84	5.43
	6930.000	-42.02	-13	-29.02	-47.29	11.73	6.46
	8662.500	-41.53	-13	-28.53	-46.45	11.87	6.95
	10395.000	-39.56	-13	-26.56	-43.63	11.75	7.68
	12127.500	-38.74	-13	-25.74	-43.83	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20393_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3508.600	-36.16	-13	-23.16	-44.36	12.61	4.41
	5262.900	-48.48	-13	-35.48	-55.91	12.91	5.48
	7017.200	-43.25	-13	-30.25	-48.35	11.64	6.54
	8771.500	-41.77	-13	-28.77	-46.66	11.88	6.99
	10525.800	-39.91	-13	-26.91	-43.81	11.65	7.75
	12280.100	-39.43	-13	-26.43	-44.68	13.56	8.31
V	3508.600	-38.23	-13	-25.23	-46.43	12.61	4.41
	5262.900	-47.59	-13	-34.59	-55.02	12.91	5.48
	7017.200	-43.18	-13	-30.18	-48.28	11.64	6.54
	8771.500	-42.94	-13	-29.94	-47.83	11.88	6.99
	10525.800	-40.33	-13	-27.33	-44.23	11.65	7.75
	12280.100	-39.05	-13	-26.05	-44.30	13.56	8.31

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20393_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3508.600	-36.05	-13	-23.05	-44.25	12.61	4.41
	5262.900	-48.58	-13	-35.58	-56.01	12.91	5.48
	7017.200	-43.05	-13	-30.05	-48.15	11.64	6.54
	8771.500	-41.65	-13	-28.65	-46.54	11.88	6.99
	10525.800	-39.87	-13	-26.87	-43.77	11.65	7.75
	12280.100	-39.59	-13	-26.59	-44.84	13.56	8.31
V	3508.600	-38.03	-13	-25.03	-46.23	12.61	4.41
	5262.900	-47.41	-13	-34.41	-54.84	12.91	5.48
	7017.200	-43.20	-13	-30.20	-48.30	11.64	6.54
	8771.500	-42.88	-13	-29.88	-47.77	11.88	6.99
	10525.800	-40.27	-13	-27.27	-44.17	11.65	7.75
	12280.100	-38.96	-13	-25.96	-44.21	13.56	8.31

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 19965_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3423.000	-34.75	-13	-21.75	-42.84	12.44	4.35
	5134.500	-43.66	-13	-30.66	-51.05	12.78	5.39
	6846.000	-42.61	-13	-29.61	-48.08	11.83	6.37
	8557.500	-40.55	-13	-27.55	-45.51	11.87	6.91
	10269.000	-39.71	-13	-26.71	-43.95	11.86	7.62
	11980.500	-37.01	-13	-24.01	-41.93	13.14	8.22
V	3423.000	-33.85	-13	-20.85	-41.94	12.44	4.35
	5134.500	-40.99	-13	-27.99	-48.38	12.78	5.39
	6846.000	-40.15	-13	-27.15	-45.62	11.83	6.37
	8557.500	-40.22	-13	-27.22	-45.18	11.87	6.91
	10269.000	-39.38	-13	-26.38	-43.62	11.86	7.62
	11980.500	-38.14	-13	-25.14	-43.06	13.14	8.22

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 19965_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3423.000	-34.88	-13	-21.88	-42.97	12.44	4.35
	5134.500	-43.59	-13	-30.59	-50.98	12.78	5.39
	6846.000	-42.25	-13	-29.25	-47.72	11.83	6.37
	8557.500	-40.77	-13	-27.77	-45.73	11.87	6.91
	10269.000	-40.12	-13	-27.12	-44.36	11.86	7.62
	11980.500	-37.52	-13	-24.52	-42.44	13.14	8.22
V	3423.000	-33.87	-13	-20.87	-41.96	12.44	4.35
	5134.500	-40.95	-13	-27.95	-48.34	12.78	5.39
	6846.000	-40.39	-13	-27.39	-45.86	11.83	6.37
	8557.500	-40.58	-13	-27.58	-45.54	11.87	6.91
	10269.000	-39.25	-13	-26.25	-43.49	11.86	7.62
	11980.500	-38.17	-13	-25.17	-43.09	13.14	8.22

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20175_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.18	-13	-23.18	-44.33	12.53	4.38
	5197.500	-40.82	-13	-27.82	-48.23	12.84	5.43
	6930.000	-42.31	-13	-29.31	-47.58	11.73	6.46
	8662.500	-41.38	-13	-28.38	-46.30	11.87	6.95
	10395.000	-39.62	-13	-26.62	-43.69	11.75	7.68
	12127.500	-38.21	-13	-25.21	-43.30	13.35	8.26
V	3465.000	-36.11	-13	-23.11	-44.26	12.53	4.38
	5197.500	-39.95	-13	-26.95	-47.36	12.84	5.43
	6930.000	-42.29	-13	-29.29	-47.56	11.73	6.46
	8662.500	-41.62	-13	-28.62	-46.54	11.87	6.95
	10395.000	-39.03	-13	-26.03	-43.10	11.75	7.68
	12127.500	-38.74	-13	-25.74	-43.83	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20175_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.21	-13	-23.21	-44.36	12.53	4.38
	5197.500	-40.95	-13	-27.95	-48.36	12.84	5.43
	6930.000	-42.21	-13	-29.21	-47.48	11.73	6.46
	8662.500	-41.25	-13	-28.25	-46.17	11.87	6.95
	10395.000	-39.75	-13	-26.75	-43.82	11.75	7.68
	12127.500	-38.27	-13	-25.27	-43.36	13.35	8.26
V	3465.000	-36.29	-13	-23.29	-44.44	12.53	4.38
	5197.500	-40.08	-13	-27.08	-47.49	12.84	5.43
	6930.000	-42.25	-13	-29.25	-47.52	11.73	6.46
	8662.500	-41.62	-13	-28.62	-46.54	11.87	6.95
	10395.000	-39.71	-13	-26.71	-43.78	11.75	7.68
	12127.500	-38.82	-13	-25.82	-43.91	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20385_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3507.000	-36.25	-13	-23.25	-44.45	12.61	4.41
	5260.500	-48.52	-13	-35.52	-55.95	12.91	5.48
	7014.000	-43.33	-13	-30.33	-48.43	11.64	6.54
	8767.500	-41.87	-13	-28.87	-46.76	11.88	6.99
	10521.000	-40.02	-13	-27.02	-43.93	11.65	7.75
	12274.500	-39.55	-13	-26.55	-44.80	13.55	8.31
V	3507.000	-36.32	-13	-23.32	-44.52	12.61	4.41
	5260.500	-47.61	-13	-34.61	-55.04	12.91	5.48
	7014.000	-43.29	-13	-30.29	-48.39	11.64	6.54
	8767.500	-43.05	-13	-30.05	-47.94	11.88	6.99
	10521.000	-40.25	-13	-27.25	-44.16	11.65	7.75
	12274.500	-39.14	-13	-26.14	-44.39	13.55	8.31

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20385_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3507.000	-36.14	-13	-23.14	-44.34	12.61	4.41
	5260.500	-48.49	-13	-35.49	-55.92	12.91	5.48
	7014.000	-43.14	-13	-30.14	-48.24	11.64	6.54
	8767.500	-41.77	-13	-28.77	-46.66	11.88	6.99
	10521.000	-39.91	-13	-26.91	-43.82	11.65	7.75
	12274.500	-39.62	-13	-26.62	-44.87	13.55	8.31
V	3507.000	-38.14	-13	-25.14	-46.34	12.61	4.41
	5260.500	-47.52	-13	-34.52	-54.95	12.91	5.48
	7014.000	-43.25	-13	-30.25	-48.35	11.64	6.54
	8767.500	-42.97	-13	-29.97	-47.86	11.88	6.99
	10521.000	-40.32	-13	-27.32	-44.23	11.65	7.75
	12274.500	-39.09	-13	-26.09	-44.34	13.55	8.31

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 19975_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3425.000	-34.76	-13	-21.76	-42.85	12.45	4.36
	5137.500	-43.53	-13	-30.53	-50.92	12.78	5.39
	6850.000	-42.63	-13	-29.63	-48.09	11.83	6.37
	8562.500	-40.63	-13	-27.63	-45.58	11.87	6.91
	10275.000	-40.02	-13	-27.02	-44.25	11.85	7.62
	11987.500	-37.15	-13	-24.15	-42.08	13.16	8.22
V	3425.000	-33.82	-13	-20.82	-41.91	12.45	4.36
	5137.500	-40.91	-13	-27.91	-48.30	12.78	5.39
	6850.000	-40.35	-13	-27.35	-45.81	11.83	6.37
	8562.500	-40.44	-13	-27.44	-45.39	11.87	6.91
	10275.000	-39.61	-13	-26.61	-43.84	11.85	7.62
	11987.500	-38.79	-13	-25.79	-43.72	13.16	8.22

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 19975_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3425.000	-34.85	-13	-21.85	-42.94	12.45	4.36
	5137.500	-43.52	-13	-30.52	-50.91	12.78	5.39
	6850.000	-42.21	-13	-29.21	-47.67	11.83	6.37
	8562.500	-40.77	-13	-27.77	-45.72	11.87	6.91
	10275.000	-39.93	-13	-26.93	-44.16	11.85	7.62
	11987.500	-37.62	-13	-24.62	-42.55	13.16	8.22
V	3425.000	-33.87	-13	-20.87	-41.96	12.45	4.36
	5137.500	-40.96	-13	-27.96	-48.35	12.78	5.39
	6850.000	-40.47	-13	-27.47	-45.93	11.83	6.37
	8562.500	-40.63	-13	-27.63	-45.58	11.87	6.91
	10275.000	-39.23	-13	-26.23	-43.46	11.85	7.62
	11987.500	-38.24	-13	-25.24	-43.17	13.16	8.22

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20175_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.01	-13	-23.01	-44.16	12.53	4.38
	5197.500	-40.89	-13	-27.89	-48.30	12.84	5.43
	6930.000	-42.31	-13	-29.31	-47.58	11.73	6.46
	8662.500	-41.47	-13	-28.47	-46.39	11.87	6.95
	10395.000	-39.69	-13	-26.69	-43.76	11.75	7.68
	12127.500	-38.25	-13	-25.25	-43.34	13.35	8.26
V	3465.000	-36.23	-13	-23.23	-44.38	12.53	4.38
	5197.500	-39.85	-13	-26.85	-47.26	12.84	5.43
	6930.000	-42.39	-13	-29.39	-47.66	11.73	6.46
	8662.500	-41.63	-13	-28.63	-46.55	11.87	6.95
	10395.000	-39.18	-13	-26.18	-43.25	11.75	7.68
	12127.500	-38.79	-13	-25.79	-43.88	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20175_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.01	-13	-23.01	-44.16	12.53	4.38
	5197.500	-40.91	-13	-27.91	-48.32	12.84	5.43
	6930.000	-42.08	-13	-29.08	-47.35	11.73	6.46
	8662.500	-41.21	-13	-28.21	-46.13	11.87	6.95
	10395.000	-39.65	-13	-26.65	-43.72	11.75	7.68
	12127.500	-38.21	-13	-25.21	-43.30	13.35	8.26
V	3465.000	-36.13	-13	-23.13	-44.28	12.53	4.38
	5197.500	-39.89	-13	-26.89	-47.30	12.84	5.43
	6930.000	-42.11	-13	-29.11	-47.38	11.73	6.46
	8662.500	-41.62	-13	-28.62	-46.54	11.87	6.95
	10395.000	-39.68	-13	-26.68	-43.75	11.75	7.68
	12127.500	-38.89	-13	-25.89	-43.98	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20375_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3505.000	-36.24	-13	-23.24	-44.44	12.61	4.41
	5257.500	-48.65	-13	-35.65	-56.08	12.90	5.48
	7010.000	-43.32	-13	-30.32	-48.42	11.64	6.54
	8762.500	-41.90	-13	-28.90	-46.79	11.88	6.98
	10515.000	-40.23	-13	-27.23	-44.14	11.66	7.75
	12267.500	-39.55	-13	-26.55	-44.79	13.54	8.30
V	3505.000	-38.32	-13	-25.32	-46.52	12.61	4.41
	5257.500	-47.81	-13	-34.81	-55.24	12.90	5.48
	7010.000	-43.21	-13	-30.21	-48.31	11.64	6.54
	8762.500	-42.98	-13	-29.98	-47.87	11.88	6.98
	10515.000	-40.42	-13	-27.42	-44.33	11.66	7.75
	12267.500	-39.14	-13	-26.14	-44.38	13.54	8.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20375_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3505.000	-36.14	-13	-23.14	-44.34	12.61	4.41
	5257.500	-48.63	-13	-35.63	-56.06	12.90	5.48
	7010.000	-43.01	-13	-30.01	-48.11	11.64	6.54
	8762.500	-41.76	-13	-28.76	-46.65	11.88	6.98
	10515.000	-39.95	-13	-26.95	-43.86	11.66	7.75
	12267.500	-39.55	-13	-26.55	-44.79	13.54	8.30
V	3505.000	-38.17	-13	-25.17	-46.37	12.61	4.41
	5257.500	-47.56	-13	-34.56	-54.99	12.90	5.48
	7010.000	-43.36	-13	-30.36	-48.46	11.64	6.54
	8762.500	-42.97	-13	-29.97	-47.86	11.88	6.98
	10515.000	-40.39	-13	-27.39	-44.30	11.66	7.75
	12267.500	-38.89	-13	-25.89	-44.13	13.54	8.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20000_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3430.000	-34.55	-13	-21.55	-42.65	12.46	4.36
	5145.000	-43.32	-13	-30.32	-50.72	12.79	5.40
	6860.000	-42.46	-13	-29.46	-47.90	11.82	6.38
	8575.000	-40.58	-13	-27.58	-45.53	11.87	6.92
	10290.000	-39.76	-13	-26.76	-43.97	11.84	7.63
	12005.000	-37.03	-13	-24.03	-41.99	13.19	8.23
V	3430.000	-33.61	-13	-20.61	-41.71	12.46	4.36
	5145.000	-40.75	-13	-27.75	-48.15	12.79	5.40
	6860.000	-40.15	-13	-27.15	-45.59	11.82	6.38
	8575.000	-40.26	-13	-27.26	-45.21	11.87	6.92
	10290.000	-39.34	-13	-26.34	-43.55	11.84	7.63
	12005.000	-38.14	-13	-25.14	-43.10	13.19	8.23

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20000_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3430.000	-34.66	-13	-21.66	-42.76	12.46	4.36
	5145.000	-43.32	-13	-30.32	-50.72	12.79	5.40
	6860.000	-42.02	-13	-29.02	-47.46	11.82	6.38
	8575.000	-40.55	-13	-27.55	-45.50	11.87	6.92
	10290.000	-39.75	-13	-26.75	-43.96	11.84	7.63
	12005.000	-37.36	-13	-24.36	-42.32	13.19	8.23
V	3430.000	-33.61	-13	-20.61	-41.71	12.46	4.36
	5145.000	-40.75	-13	-27.75	-48.15	12.79	5.40
	6860.000	-40.24	-13	-27.24	-45.68	11.82	6.38
	8575.000	-40.43	-13	-27.43	-45.38	11.87	6.92
	10290.000	-39.05	-13	-26.05	-43.26	11.84	7.63
	12005.000	-38.01	-13	-25.01	-42.97	13.19	8.23

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20175_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.02	-13	-23.02	-44.17	12.53	4.38
	5197.500	-40.63	-13	-27.63	-48.04	12.84	5.43
	6930.000	-42.10	-13	-29.10	-47.37	11.73	6.46
	8662.500	-41.18	-13	-28.18	-46.10	11.87	6.95
	10395.000	-39.42	-13	-26.42	-43.49	11.75	7.68
	12127.500	-39.44	-13	-26.44	-44.53	13.35	8.26
V	3465.000	-36.09	-13	-23.09	-44.24	12.53	4.38
	5197.500	-39.72	-13	-26.72	-47.13	12.84	5.43
	6930.000	-42.15	-13	-29.15	-47.42	11.73	6.46
	8662.500	-41.46	-13	-28.46	-46.38	11.87	6.95
	10395.000	-39.05	-13	-26.05	-43.12	11.75	7.68
	12127.500	-38.59	-13	-25.59	-43.68	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20175_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.02	-13	-23.02	-44.17	12.53	4.38
	5197.500	-40.79	-13	-27.79	-48.20	12.84	5.43
	6930.000	-41.95	-13	-28.95	-47.22	11.73	6.46
	8662.500	-41.06	-13	-28.06	-45.98	11.87	6.95
	10395.000	-39.52	-13	-26.52	-43.59	11.75	7.68
	12127.500	-38.03	-13	-25.03	-43.12	13.35	8.26
V	3465.000	-35.98	-13	-22.98	-44.13	12.53	4.38
	5197.500	-39.86	-13	-26.86	-47.27	12.84	5.43
	6930.000	-41.92	-13	-28.92	-47.19	11.73	6.46
	8662.500	-41.49	-13	-28.49	-46.41	11.87	6.95
	10395.000	-39.44	-13	-26.44	-43.51	11.75	7.68
	12127.500	-38.63	-13	-25.63	-43.72	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20350_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3500.000	-36.05	-13	-23.05	-44.25	12.61	4.41
	5250.000	-48.36	-13	-35.36	-55.78	12.89	5.47
	7000.000	-43.15	-13	-30.15	-48.26	11.65	6.54
	8750.000	-41.62	-13	-28.62	-46.52	11.88	6.98
	10500.000	-39.85	-13	-26.85	-43.77	11.66	7.74
	12250.000	-39.32	-13	-26.32	-44.54	13.52	8.30
V	3500.000	-38.15	-13	-25.15	-46.35	12.61	4.41
	5250.000	-47.42	-13	-34.42	-54.84	12.89	5.47
	7000.000	-43.06	-13	-30.06	-48.17	11.65	6.54
	8750.000	-42.86	-13	-29.86	-47.76	11.88	6.98
	10500.000	-40.22	-13	-27.22	-44.14	11.66	7.74
	12250.000	-38.96	-13	-25.96	-44.18	13.52	8.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20350_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3500.000	-36.01	-13	-23.01	-44.21	12.61	4.41
	5250.000	-48.42	-13	-35.42	-55.84	12.89	5.47
	7000.000	-43.02	-13	-30.02	-48.13	11.65	6.54
	8750.000	-41.59	-13	-28.59	-46.49	11.88	6.98
	10500.000	-39.76	-13	-26.76	-43.68	11.66	7.74
	12250.000	-39.46	-13	-26.46	-44.68	13.52	8.30
V	3500.000	-37.89	-13	-24.89	-46.09	12.61	4.41
	5250.000	-47.35	-13	-34.35	-54.77	12.89	5.47
	7000.000	-43.13	-13	-30.13	-48.24	11.65	6.54
	8750.000	-42.79	-13	-29.79	-47.69	11.88	6.98
	10500.000	-40.13	-13	-27.13	-44.05	11.66	7.74
	12250.000	-38.86	-13	-25.86	-44.08	13.52	8.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 20025_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3435.000	-34.48	-13	-21.48	-42.59	12.47	4.36
	5152.500	-43.25	-13	-30.25	-50.65	12.80	5.40
	6870.000	-42.35	-13	-29.35	-47.76	11.81	6.39
	8587.500	-40.47	-13	-27.47	-45.42	11.87	6.92
	10305.000	-39.65	-13	-26.65	-43.84	11.83	7.64
	12022.500	-36.95	-13	-23.95	-41.93	13.21	8.23
V	3435.000	-33.56	-13	-20.56	-41.67	12.47	4.36
	5152.500	-40.65	-13	-27.65	-48.05	12.80	5.40
	6870.000	-40.05	-13	-27.05	-45.46	11.81	6.39
	8587.500	-40.15	-13	-27.15	-45.10	11.87	6.92
	10305.000	-39.24	-13	-26.24	-43.43	11.83	7.64
	12022.500	-38.02	-13	-25.02	-43.00	13.21	8.23

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 20025_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3435.000	-34.55	-13	-21.55	-42.66	12.47	4.36
	5152.500	-43.26	-13	-30.26	-50.66	12.80	5.40
	6870.000	-42.02	-13	-29.02	-47.43	11.81	6.39
	8587.500	-40.44	-13	-27.44	-45.39	11.87	6.92
	10305.000	-39.65	-13	-26.65	-43.84	11.83	7.64
	12022.500	-37.28	-13	-24.28	-42.26	13.21	8.23
V	3435.000	-33.52	-13	-20.52	-41.63	12.47	4.36
	5152.500	-40.69	-13	-27.69	-48.09	12.80	5.40
	6870.000	-40.14	-13	-27.14	-45.55	11.81	6.39
	8587.500	-40.32	-13	-27.32	-45.27	11.87	6.92
	10305.000	-38.96	-13	-25.96	-43.15	11.83	7.64
	12022.500	-37.89	-13	-24.89	-42.87	13.21	8.23

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 20175_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-35.89	-13	-22.89	-44.04	12.53	4.38
	5197.500	-40.56	-13	-27.56	-47.97	12.84	5.43
	6930.000	-42.01	-13	-29.01	-47.28	11.73	6.46
	8662.500	-41.06	-13	-28.06	-45.98	11.87	6.95
	10395.000	-39.34	-13	-26.34	-43.41	11.75	7.68
	12127.500	-37.92	-13	-24.92	-43.01	13.35	8.26
V	3465.000	-35.95	-13	-22.95	-44.10	12.53	4.38
	5197.500	-39.65	-13	-26.65	-47.06	12.84	5.43
	6930.000	-42.02	-13	-29.02	-47.29	11.73	6.46
	8662.500	-41.38	-13	-28.38	-46.30	11.87	6.95
	10395.000	-38.77	-13	-25.77	-42.84	11.75	7.68
	12127.500	-38.48	-13	-25.48	-43.57	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 20175_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-35.98	-13	-22.98	-44.13	12.53	4.38
	5197.500	-40.66	-13	-27.66	-48.07	12.84	5.43
	6930.000	-41.78	-13	-28.78	-47.05	11.73	6.46
	8662.500	-40.89	-13	-27.89	-45.81	11.87	6.95
	10395.000	-39.42	-13	-26.42	-43.49	11.75	7.68
	12127.500	-37.82	-13	-24.82	-42.91	13.35	8.26
V	3465.000	-35.89	-13	-22.89	-44.04	12.53	4.38
	5197.500	-39.75	-13	-26.75	-47.16	12.84	5.43
	6930.000	-41.82	-13	-28.82	-47.09	11.73	6.46
	8662.500	-41.35	-13	-28.35	-46.27	11.87	6.95
	10395.000	-39.34	-13	-26.34	-43.41	11.75	7.68
	12127.500	-38.56	-13	-25.56	-43.65	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 20325_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3495.000	-36.01	-13	-23.01	-44.20	12.60	4.41
	5242.500	-48.23	-13	-35.23	-55.65	12.89	5.47
	6990.000	-43.02	-13	-30.02	-48.16	11.66	6.53
	8737.500	-41.56	-13	-28.56	-46.46	11.88	6.97
	10485.000	-39.75	-13	-26.75	-43.69	11.67	7.73
	12232.500	-39.25	-13	-26.25	-44.45	13.50	8.29
V	3495.000	-38.02	-13	-25.02	-46.21	12.60	4.41
	5242.500	-47.32	-13	-34.32	-54.74	12.89	5.47
	6990.000	-43.03	-13	-30.03	-48.17	11.66	6.53
	8737.500	-42.76	-13	-29.76	-47.66	11.88	6.97
	10485.000	-40.12	-13	-27.12	-44.06	11.67	7.73
	12232.500	-38.89	-13	-25.89	-44.09	13.50	8.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 20325_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3495.000	-35.88	-13	-22.88	-44.07	12.60	4.41
	5242.500	-48.35	-13	-35.35	-55.77	12.89	5.47
	6990.000	-42.84	-13	-29.84	-47.98	11.66	6.53
	8737.500	-41.44	-13	-28.44	-46.34	11.88	6.97
	10485.000	-39.69	-13	-26.69	-43.63	11.67	7.73
	12232.500	-39.34	-13	-26.34	-44.54	13.50	8.29
V	3495.000	-37.87	-13	-24.87	-46.06	12.60	4.41
	5242.500	-47.22	-13	-34.22	-54.64	12.89	5.47
	6990.000	-43.02	-13	-30.02	-48.16	11.66	6.53
	8737.500	-42.63	-13	-29.63	-47.53	11.88	6.97
	10485.000	-40.03	-13	-27.03	-43.97	11.67	7.73
	12232.500	-38.90	-13	-25.90	-44.10	13.50	8.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 20050_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3440.000	-34.89	-13	-21.89	-43.00	12.48	4.37
	5160.000	-43.68	-13	-30.68	-51.08	12.81	5.41
	6880.000	-42.79	-13	-29.79	-48.18	11.79	6.40
	8600.000	-40.87	-13	-27.87	-45.81	11.87	6.93
	10320.000	-40.06	-13	-27.06	-44.23	11.81	7.64
	12040.000	-37.32	-13	-24.32	-42.32	13.23	8.24
V	3440.000	-33.95	-13	-20.95	-42.06	12.48	4.37
	5160.000	-40.98	-13	-27.98	-48.38	12.81	5.41
	6880.000	-40.48	-13	-27.48	-45.87	11.79	6.40
	8600.000	-40.55	-13	-27.55	-45.49	11.87	6.93
	10320.000	-39.68	-13	-26.68	-43.85	11.81	7.64
	12040.000	-38.47	-13	-25.47	-43.47	13.23	8.24

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 20050_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3440.000	-34.95	-13	-21.95	-43.06	12.48	4.37
	5160.000	-43.62	-13	-30.62	-51.02	12.81	5.41
	6880.000	-42.35	-13	-29.35	-47.74	11.79	6.40
	8600.000	-40.88	-13	-27.88	-45.82	11.87	6.93
	10320.000	-40.02	-13	-27.02	-44.19	11.81	7.64
	12040.000	-37.68	-13	-24.68	-42.68	13.23	8.24
V	3440.000	-33.96	-13	-20.96	-42.07	12.48	4.37
	5160.000	-41.12	-13	-28.12	-48.52	12.81	5.41
	6880.000	-40.59	-13	-27.59	-45.98	11.79	6.40
	8600.000	-40.74	-13	-27.74	-45.68	11.87	6.93
	10320.000	-39.35	-13	-26.35	-43.52	11.81	7.64
	12040.000	-38.26	-13	-25.26	-43.26	13.23	8.24

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 20175_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.24	-13	-23.24	-44.39	12.53	4.38
	5197.500	-40.95	-13	-27.95	-48.36	12.84	5.43
	6930.000	-42.42	-13	-29.42	-47.69	11.73	6.46
	8662.500	-41.47	-13	-28.47	-46.39	11.87	6.95
	10395.000	-39.74	-13	-26.74	-43.81	11.75	7.68
	12127.500	-38.36	-13	-25.36	-43.45	13.35	8.26
V	3465.000	-36.33	-13	-23.33	-44.48	12.53	4.38
	5197.500	-39.99	-13	-26.99	-47.40	12.84	5.43
	6930.000	-42.46	-13	-29.46	-47.73	11.73	6.46
	8662.500	-41.72	-13	-28.72	-46.64	11.87	6.95
	10395.000	-39.15	-13	-26.15	-43.22	11.75	7.68
	12127.500	-38.89	-13	-25.89	-43.98	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 20175_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3465.000	-36.32	-13	-23.32	-44.47	12.53	4.38
	5197.500	-41.03	-13	-28.03	-48.44	12.84	5.43
	6930.000	-42.25	-13	-29.25	-47.52	11.73	6.46
	8662.500	-41.35	-13	-28.35	-46.27	11.87	6.95
	10395.000	-39.85	-13	-26.85	-43.92	11.75	7.68
	12127.500	-38.27	-13	-25.27	-43.36	13.35	8.26
V	3465.000	-36.24	-13	-23.24	-44.39	12.53	4.38
	5197.500	-40.12	-13	-27.12	-47.53	12.84	5.43
	6930.000	-42.28	-13	-29.28	-47.55	11.73	6.46
	8662.500	-41.78	-13	-28.78	-46.70	11.87	6.95
	10395.000	-39.77	-13	-26.77	-43.84	11.75	7.68
	12127.500	-38.95	-13	-25.95	-44.04	13.35	8.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 20300_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-36.34	-13	-23.34	-44.53	12.59	4.40
	5235.000	-48.63	-13	-35.63	-56.05	12.88	5.46
	6980.000	-43.48	-13	-30.48	-48.64	11.67	6.51
	8725.000	-41.98	-13	-28.98	-46.89	11.88	6.97
	10470.000	-40.15	-13	-27.15	-44.11	11.69	7.73
	12215.000	-39.65	-13	-26.65	-44.83	13.47	8.29
V	3490.000	-38.48	-13	-25.48	-46.67	12.59	4.40
	5235.000	-47.75	-13	-34.75	-55.17	12.88	5.46
	6980.000	-43.33	-13	-30.33	-48.49	11.67	6.51
	8725.000	-43.21	-13	-30.21	-48.12	11.88	6.97
	10470.000	-40.54	-13	-27.54	-44.50	11.69	7.73
	12215.000	-39.26	-13	-26.26	-44.44	13.47	8.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 20300_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-36.21	-13	-23.21	-44.40	12.59	4.40
	5235.000	-48.79	-13	-35.79	-56.21	12.88	5.46
	6980.000	-43.28	-13	-30.28	-48.44	11.67	6.51
	8725.000	-41.88	-13	-28.88	-46.79	11.88	6.97
	10470.000	-40.05	-13	-27.05	-44.01	11.69	7.73
	12215.000	-39.77	-13	-26.77	-44.95	13.47	8.29
V	3490.000	-38.23	-13	-25.23	-46.42	12.59	4.40
	5235.000	-47.62	-13	-34.62	-55.04	12.88	5.46
	6980.000	-43.44	-13	-30.44	-48.60	11.67	6.51
	8725.000	-42.99	-13	-29.99	-47.90	11.88	6.97
	10470.000	-40.47	-13	-27.47	-44.43	11.69	7.73
	12215.000	-39.25	-13	-26.25	-44.43	13.47	8.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emissions		
Test Mode	Mode 3 : LTE Cat-M1_Band 5		
Date of Test	2020/01/17	Test Site	CB2-H
Temperature (°C)	22.0	Humidity (%RH)	55.0

BW 1.4M_CH 20407_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1649.400	-47.82	-13	-34.82	-54.12	9.29	2.99
	2474.100	-52.05	-13	-39.05	-58.95	10.59	3.68
	3298.800	-50.55	-13	-37.55	-58.46	12.17	4.26
	4123.500	-49.13	-13	-36.13	-57.00	12.61	4.74
	4948.200	-47.27	-13	-34.27	-54.66	12.65	5.26
	5772.900	-46.31	-13	-33.31	-53.63	13.06	5.74
V	1649.400	-48.63	-13	-35.63	-54.93	9.29	2.99
	2474.100	-52.29	-13	-39.29	-59.19	10.59	3.68
	3298.800	-50.01	-13	-37.01	-57.92	12.17	4.26
	4123.500	-48.46	-13	-35.46	-56.33	12.61	4.74
	4948.200	-48.02	-13	-35.02	-55.41	12.65	5.26
	5772.900	-46.35	-13	-33.35	-53.67	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20407_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1649.400	-48.13	-13	-35.13	-54.43	9.29	2.99
	2474.100	-51.50	-13	-38.50	-58.40	10.59	3.68
	3298.800	-50.29	-13	-37.29	-58.20	12.17	4.26
	4123.500	-48.28	-13	-35.28	-56.15	12.61	4.74
	4948.200	-47.46	-13	-34.46	-54.85	12.65	5.26
	5772.900	-46.61	-13	-33.61	-53.93	13.06	5.74
V	1649.400	-52.28	-13	-39.28	-58.58	9.29	2.99
	2474.100	-52.14	-13	-39.14	-59.04	10.59	3.68
	3298.800	-50.46	-13	-37.46	-58.37	12.17	4.26
	4123.500	-48.33	-13	-35.33	-56.20	12.61	4.74
	4948.200	-47.86	-13	-34.86	-55.25	12.65	5.26
	5772.900	-46.39	-13	-33.39	-53.71	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20525_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.03	-13	-34.03	-53.38	9.36	3.01
	2509.500	-51.69	-13	-38.69	-58.60	10.62	3.71
	3346.000	-49.85	-13	-36.85	-57.83	12.27	4.30
	4182.500	-48.60	-13	-35.60	-56.44	12.62	4.78
	5019.000	-46.81	-13	-33.81	-54.17	12.67	5.31
	5855.500	-45.15	-13	-32.15	-52.42	13.04	5.77
V	1673.000	-48.18	-13	-35.18	-54.53	9.36	3.01
	2509.500	-52.45	-13	-39.45	-59.36	10.62	3.71
	3346.000	-50.72	-13	-37.72	-58.70	12.27	4.30
	4182.500	-49.57	-13	-36.57	-57.41	12.62	4.78
	5019.000	-47.30	-13	-34.30	-54.66	12.67	5.31
	5855.500	-46.50	-13	-33.50	-53.77	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20525_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.15	-13	-34.15	-53.50	9.36	3.01
	2509.500	-51.97	-13	-38.97	-58.88	10.62	3.71
	3346.000	-49.97	-13	-36.97	-57.95	12.27	4.30
	4182.500	-48.97	-13	-35.97	-56.81	12.62	4.78
	5019.000	-47.08	-13	-34.08	-54.44	12.67	5.31
	5855.500	-46.61	-13	-33.61	-53.88	13.04	5.77
V	1673.000	-48.47	-13	-35.47	-54.82	9.36	3.01
	2509.500	-52.31	-13	-39.31	-59.22	10.62	3.71
	3346.000	-50.88	-13	-37.88	-58.86	12.27	4.30
	4182.500	-49.32	-13	-36.32	-57.16	12.62	4.78
	5019.000	-47.08	-13	-34.08	-54.44	12.67	5.31
	5855.500	-46.68	-13	-33.68	-53.95	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20643_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1696.600	-47.19	-13	-34.19	-53.59	9.43	3.03
	2544.900	-50.52	-13	-37.52	-57.47	10.68	3.73
	3393.200	-50.55	-13	-37.55	-58.60	12.38	4.33
	4241.500	-49.63	-13	-36.63	-57.44	12.63	4.82
	5089.800	-48.00	-13	-35.00	-55.38	12.74	5.36
	5938.100	-46.03	-13	-33.03	-53.25	13.02	5.80
V	1696.600	-43.92	-13	-30.92	-50.32	9.43	3.03
	2544.900	-52.55	-13	-39.55	-59.50	10.68	3.73
	3393.200	-50.72	-13	-37.72	-58.77	12.38	4.33
	4241.500	-49.18	-13	-36.18	-56.99	12.63	4.82
	5089.800	-48.24	-13	-35.24	-55.62	12.74	5.36
	5938.100	-45.27	-13	-32.27	-52.49	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 20643_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1696.600	-47.18	-13	-34.18	-53.58	9.43	3.03
	2544.900	-50.98	-13	-37.98	-57.93	10.68	3.73
	3393.200	-50.38	-13	-37.38	-58.43	12.38	4.33
	4241.500	-47.47	-13	-34.47	-55.28	12.63	4.82
	5089.800	-47.58	-13	-34.58	-54.96	12.74	5.36
	5938.100	-45.87	-13	-32.87	-53.09	13.02	5.80
V	1696.600	-43.70	-13	-30.70	-50.10	9.43	3.03
	2544.900	-52.64	-13	-39.64	-59.59	10.68	3.73
	3393.200	-50.52	-13	-37.52	-58.57	12.38	4.33
	4241.500	-48.72	-13	-35.72	-56.53	12.63	4.82
	5089.800	-47.11	-13	-34.11	-54.49	12.74	5.36
	5938.100	-45.22	-13	-32.22	-52.44	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20415_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1651.000	-47.69	-13	-34.69	-54.00	9.30	2.99
	2476.500	-52.15	-13	-39.15	-59.05	10.59	3.69
	3302.000	-50.65	-13	-37.65	-58.56	12.18	4.26
	4127.500	-49.27	-13	-36.27	-57.14	12.62	4.74
	4953.000	-47.39	-13	-34.39	-54.78	12.65	5.26
	5778.500	-46.48	-13	-33.48	-53.80	13.06	5.74
V	1651.000	-48.52	-13	-35.52	-54.83	9.30	2.99
	2476.500	-52.12	-13	-39.12	-59.02	10.59	3.69
	3302.000	-50.21	-13	-37.21	-58.12	12.18	4.26
	4127.500	-48.32	-13	-35.32	-56.19	12.62	4.74
	4953.000	-48.88	-13	-35.88	-56.27	12.65	5.26
	5778.500	-46.53	-13	-33.53	-53.85	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20415_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1651.000	-48.26	-13	-35.26	-54.57	9.30	2.99
	2476.500	-51.61	-13	-38.61	-58.51	10.59	3.69
	3302.000	-50.17	-13	-37.17	-58.08	12.18	4.26
	4127.500	-48.16	-13	-35.16	-56.03	12.62	4.74
	4953.000	-47.33	-13	-34.33	-54.72	12.65	5.26
	5778.500	-46.55	-13	-33.55	-53.87	13.06	5.74
V	1651.000	-52.25	-13	-39.25	-58.56	9.30	2.99
	2476.500	-52.25	-13	-39.25	-59.15	10.59	3.69
	3302.000	-50.34	-13	-37.34	-58.25	12.18	4.26
	4127.500	-48.42	-13	-35.42	-56.29	12.62	4.74
	4953.000	-47.96	-13	-34.96	-55.35	12.65	5.26
	5778.500	-46.57	-13	-33.57	-53.89	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20525_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.15	-13	-34.15	-53.50	9.36	3.01
	2509.500	-51.57	-13	-38.57	-58.48	10.62	3.71
	3346.000	-49.71	-13	-36.71	-57.69	12.27	4.30
	4182.500	-48.74	-13	-35.74	-56.58	12.62	4.78
	5019.000	-46.92	-13	-33.92	-54.28	12.67	5.31
	5855.500	-45.24	-13	-32.24	-52.51	13.04	5.77
V	1673.000	-48.01	-13	-35.01	-54.36	9.36	3.01
	2509.500	-52.34	-13	-39.34	-59.25	10.62	3.71
	3346.000	-50.62	-13	-37.62	-58.60	12.27	4.30
	4182.500	-49.35	-13	-36.35	-57.19	12.62	4.78
	5019.000	-47.21	-13	-34.21	-54.57	12.67	5.31
	5855.500	-46.29	-13	-33.29	-53.56	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20525_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.02	-13	-34.02	-53.37	9.36	3.01
	2509.500	-51.88	-13	-38.88	-58.79	10.62	3.71
	3346.000	-50.05	-13	-37.05	-58.03	12.27	4.30
	4182.500	-49.15	-13	-36.15	-56.99	12.62	4.78
	5019.000	-47.23	-13	-34.23	-54.59	12.67	5.31
	5855.500	-46.52	-13	-33.52	-53.79	13.04	5.77
V	1673.000	-48.56	-13	-35.56	-54.91	9.36	3.01
	2509.500	-52.47	-13	-39.47	-59.38	10.62	3.71
	3346.000	-50.75	-13	-37.75	-58.73	12.27	4.30
	4182.500	-49.21	-13	-36.21	-57.05	12.62	4.78
	5019.000	-47.11	-13	-34.11	-54.47	12.67	5.31
	5855.500	-46.78	-13	-33.78	-54.05	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20635_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1695.000	-47.28	-13	-34.28	-53.68	9.43	3.03
	2542.500	-50.69	-13	-37.69	-57.64	10.68	3.73
	3390.000	-50.75	-13	-37.75	-58.79	12.37	4.33
	4237.500	-49.78	-13	-36.78	-57.59	12.63	4.82
	5085.000	-47.89	-13	-34.89	-55.27	12.73	5.35
	5932.500	-46.17	-13	-33.17	-53.39	13.02	5.80
V	1695.000	-43.89	-13	-30.89	-50.29	9.43	3.03
	2542.500	-52.34	-13	-39.34	-59.29	10.68	3.73
	3390.000	-50.89	-13	-37.89	-58.93	12.37	4.33
	4237.500	-49.23	-13	-36.23	-57.04	12.63	4.82
	5085.000	-48.11	-13	-35.11	-55.49	12.73	5.35
	5932.500	-45.36	-13	-32.36	-52.58	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 20635_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1695.000	-47.27	-13	-34.27	-53.67	9.43	3.03
	2542.500	-50.76	-13	-37.76	-57.71	10.68	3.73
	3390.000	-50.44	-13	-37.44	-58.48	12.37	4.33
	4237.500	-47.52	-13	-34.52	-55.33	12.63	4.82
	5085.000	-47.39	-13	-34.39	-54.77	12.73	5.35
	5932.500	-45.92	-13	-32.92	-53.14	13.02	5.80
V	1695.000	-43.89	-13	-30.89	-50.29	9.43	3.03
	2542.500	-52.52	-13	-39.52	-59.47	10.68	3.73
	3390.000	-50.76	-13	-37.76	-58.80	12.37	4.33
	4237.500	-48.89	-13	-35.89	-56.70	12.63	4.82
	5085.000	-47.24	-13	-34.24	-54.62	12.73	5.35
	5932.500	-45.32	-13	-32.32	-52.54	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20425_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1653.000	-47.95	-13	-34.95	-54.26	9.30	2.99
	2479.500	-52.18	-13	-39.18	-59.08	10.59	3.69
	3306.000	-50.42	-13	-37.42	-58.34	12.19	4.27
	4132.500	-49.27	-13	-36.27	-57.14	12.62	4.75
	4959.000	-47.32	-13	-34.32	-54.70	12.65	5.27
	5785.500	-46.41	-13	-33.41	-53.72	13.06	5.75
V	1653.000	-48.77	-13	-35.77	-55.08	9.30	2.99
	2479.500	-52.12	-13	-39.12	-59.02	10.59	3.69
	3306.000	-50.17	-13	-37.17	-58.09	12.19	4.27
	4132.500	-48.63	-13	-35.63	-56.50	12.62	4.75
	4959.000	-47.89	-13	-34.89	-55.27	12.65	5.27
	5785.500	-46.47	-13	-33.47	-53.78	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20425_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1653.000	-48.05	-13	-35.05	-54.36	9.30	2.99
	2479.500	-51.76	-13	-38.76	-58.66	10.59	3.69
	3306.000	-50.36	-13	-37.36	-58.28	12.19	4.27
	4132.500	-48.31	-13	-35.31	-56.18	12.62	4.75
	4959.000	-47.52	-13	-34.52	-54.90	12.65	5.27
	5785.500	-46.59	-13	-33.59	-53.90	13.06	5.75
V	1653.000	-52.16	-13	-39.16	-58.47	9.30	2.99
	2479.500	-52.25	-13	-39.25	-59.15	10.59	3.69
	3306.000	-50.56	-13	-37.56	-58.48	12.19	4.27
	4132.500	-48.48	-13	-35.48	-56.35	12.62	4.75
	4959.000	-48.02	-13	-35.02	-55.40	12.65	5.27
	5785.500	-46.47	-13	-33.47	-53.78	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20525_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.08	-13	-34.08	-53.43	9.36	3.01
	2509.500	-51.89	-13	-38.89	-58.80	10.62	3.71
	3346.000	-49.95	-13	-36.95	-57.93	12.27	4.30
	4182.500	-48.71	-13	-35.71	-56.55	12.62	4.78
	5019.000	-46.97	-13	-33.97	-54.33	12.67	5.31
	5855.500	-45.02	-13	-32.02	-52.29	13.04	5.77
V	1673.000	-48.02	-13	-35.02	-54.37	9.36	3.01
	2509.500	-52.25	-13	-39.25	-59.16	10.62	3.71
	3346.000	-50.65	-13	-37.65	-58.63	12.27	4.30
	4182.500	-49.63	-13	-36.63	-57.47	12.62	4.78
	5019.000	-47.21	-13	-34.21	-54.57	12.67	5.31
	5855.500	-46.41	-13	-33.41	-53.68	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20525_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.26	-13	-34.26	-53.61	9.36	3.01
	2509.500	-52.23	-13	-39.23	-59.14	10.62	3.71
	3346.000	-50.14	-13	-37.14	-58.12	12.27	4.30
	4182.500	-49.21	-13	-36.21	-57.05	12.62	4.78
	5019.000	-47.15	-13	-34.15	-54.51	12.67	5.31
	5855.500	-46.75	-13	-33.75	-54.02	13.04	5.77
V	1673.000	-48.36	-13	-35.36	-54.71	9.36	3.01
	2509.500	-52.46	-13	-39.46	-59.37	10.62	3.71
	3346.000	-50.74	-13	-37.74	-58.72	12.27	4.30
	4182.500	-49.39	-13	-36.39	-57.23	12.62	4.78
	5019.000	-47.01	-13	-34.01	-54.37	12.67	5.31
	5855.500	-46.85	-13	-33.85	-54.12	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20625_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1693.000	-47.02	-13	-34.02	-53.41	9.42	3.03
	2539.500	-50.69	-13	-37.69	-57.63	10.67	3.73
	3386.000	-50.77	-13	-37.77	-58.80	12.36	4.33
	4232.500	-49.71	-13	-36.71	-57.52	12.63	4.82
	5079.000	-48.21	-13	-35.21	-55.59	12.73	5.35
	5925.500	-45.89	-13	-32.89	-53.12	13.02	5.79
V	1693.000	-44.02	-13	-31.02	-50.41	9.42	3.03
	2539.500	-52.41	-13	-39.41	-59.35	10.67	3.73
	3386.000	-50.84	-13	-37.84	-58.87	12.36	4.33
	4232.500	-49.25	-13	-36.25	-57.06	12.63	4.82
	5079.000	-48.36	-13	-35.36	-55.74	12.73	5.35
	5925.500	-45.38	-13	-32.38	-52.61	13.02	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 20625_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1693.000	-47.25	-13	-34.25	-53.64	9.42	3.03
	2539.500	-51.20	-13	-38.20	-58.14	10.67	3.73
	3386.000	-50.47	-13	-37.47	-58.50	12.36	4.33
	4232.500	-47.52	-13	-34.52	-55.33	12.63	4.82
	5079.000	-47.42	-13	-34.42	-54.80	12.73	5.35
	5925.500	-45.69	-13	-32.69	-52.92	13.02	5.79
V	1693.000	-43.85	-13	-30.85	-50.24	9.42	3.03
	2539.500	-52.55	-13	-39.55	-59.49	10.67	3.73
	3386.000	-50.41	-13	-37.41	-58.44	12.36	4.33
	4232.500	-48.69	-13	-35.69	-56.50	12.63	4.82
	5079.000	-47.26	-13	-34.26	-54.64	12.73	5.35
	5925.500	-45.11	-13	-32.11	-52.34	13.02	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20450_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-47.86	-13	-34.86	-54.18	9.32	3.00
	2487.000	-52.22	-13	-39.22	-59.12	10.59	3.69
	3316.000	-50.62	-13	-37.62	-58.55	12.21	4.28
	4145.000	-49.08	-13	-36.08	-56.94	12.62	4.76
	4974.000	-47.32	-13	-34.32	-54.69	12.65	5.28
	5803.000	-46.46	-13	-33.46	-53.76	13.06	5.75
V	1658.000	-48.52	-13	-35.52	-54.84	9.32	3.00
	2487.000	-52.41	-13	-39.41	-59.31	10.59	3.69
	3316.000	-50.31	-13	-37.31	-58.24	12.21	4.28
	4145.000	-48.62	-13	-35.62	-56.48	12.62	4.76
	4974.000	-47.92	-13	-34.92	-55.29	12.65	5.28
	5803.000	-46.25	-13	-33.25	-53.55	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20450_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-48.33	-13	-35.33	-54.65	9.32	3.00
	2487.000	-51.67	-13	-38.67	-58.57	10.59	3.69
	3316.000	-50.36	-13	-37.36	-58.29	12.21	4.28
	4145.000	-48.33	-13	-35.33	-56.19	12.62	4.76
	4974.000	-47.32	-13	-34.32	-54.69	12.65	5.28
	5803.000	-46.74	-13	-33.74	-54.04	13.06	5.75
V	1658.000	-52.11	-13	-39.11	-58.43	9.32	3.00
	2487.000	-52.26	-13	-39.26	-59.16	10.59	3.69
	3316.000	-50.31	-13	-37.31	-58.24	12.21	4.28
	4145.000	-48.48	-13	-35.48	-56.34	12.62	4.76
	4974.000	-47.96	-13	-34.96	-55.33	12.65	5.28
	5803.000	-46.32	-13	-33.32	-53.62	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20525_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.12	-13	-34.12	-53.47	9.36	3.01
	2509.500	-51.89	-13	-38.89	-58.80	10.62	3.71
	3346.000	-48.65	-13	-35.65	-56.63	12.27	4.30
	4182.500	-48.79	-13	-35.79	-56.63	12.62	4.78
	5019.000	-46.91	-13	-33.91	-54.27	12.67	5.31
	5855.500	-45.29	-13	-32.29	-52.56	13.04	5.77
	1673.000	-48.03	-13	-35.03	-54.38	9.36	3.01
	2509.500	-52.32	-13	-39.32	-59.23	10.62	3.71
	3346.000	-50.66	-13	-37.66	-58.64	12.27	4.30
	4182.500	-49.75	-13	-36.75	-57.59	12.62	4.78
	5019.000	-47.44	-13	-34.44	-54.80	12.67	5.31
	5855.500	-46.35	-13	-33.35	-53.62	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20525_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.23	-13	-34.23	-53.58	9.36	3.01
	2509.500	-52.02	-13	-39.02	-58.93	10.62	3.71
	3346.000	-50.05	-13	-37.05	-58.03	12.27	4.30
	4182.500	-49.06	-13	-36.06	-56.90	12.62	4.78
	5019.000	-47.36	-13	-34.36	-54.72	12.67	5.31
	5855.500	-46.31	-13	-33.31	-53.58	13.04	5.77
V	1673.000	-48.32	-13	-35.32	-54.67	9.36	3.01
	2509.500	-52.12	-13	-39.12	-59.03	10.62	3.71
	3346.000	-50.77	-13	-37.77	-58.75	12.27	4.30
	4182.500	-49.20	-13	-36.20	-57.04	12.62	4.78
	5019.000	-47.41	-13	-34.41	-54.77	12.67	5.31
	5855.500	-46.25	-13	-33.25	-53.52	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20600_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1688.000	-47.02	-13	-34.02	-53.40	9.41	3.02
	2532.000	-50.62	-13	-37.62	-57.55	10.66	3.73
	3376.000	-50.62	-13	-37.62	-58.64	12.34	4.32
	4220.000	-49.55	-13	-36.55	-57.37	12.63	4.81
	5064.000	-47.95	-13	-34.95	-55.32	12.71	5.34
	5908.000	-45.95	-13	-32.95	-53.19	13.03	5.79
V	1688.000	-43.89	-13	-30.89	-50.27	9.41	3.02
	2532.000	-52.48	-13	-39.48	-59.41	10.66	3.73
	3376.000	-50.61	-13	-37.61	-58.63	12.34	4.32
	4220.000	-49.26	-13	-36.26	-57.08	12.63	4.81
	5064.000	-48.11	-13	-35.11	-55.48	12.71	5.34
	5908.000	-45.25	-13	-32.25	-52.49	13.03	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 20600_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1688.000	-47.25	-13	-34.25	-53.63	9.41	3.02
	2532.000	-51.15	-13	-38.15	-58.08	10.66	3.73
	3376.000	-50.45	-13	-37.45	-58.47	12.34	4.32
	4220.000	-47.32	-13	-34.32	-55.14	12.63	4.81
	5064.000	-47.35	-13	-34.35	-54.72	12.71	5.34
	5908.000	-45.99	-13	-32.99	-53.23	13.03	5.79
V	1688.000	-43.85	-13	-30.85	-50.23	9.41	3.02
	2532.000	-52.75	-13	-39.75	-59.68	10.66	3.73
	3376.000	-50.36	-13	-37.36	-58.38	12.34	4.32
	4220.000	-48.62	-13	-35.62	-56.44	12.63	4.81
	5064.000	-47.22	-13	-34.22	-54.59	12.71	5.34
	5908.000	-45.36	-13	-32.36	-52.60	13.03	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emissions		
Test Mode	Mode 4 : LTE Cat-M1_Band 12		
Date of Test	2020/01/22	Test Site	CB2-H
Temperature (°C)	19.0	Humidity (%RH)	55.0

BW 1.4M_CH 23017_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1399.400	-45.24	-13	-32.24	-50.76	8.26	2.74
	2099.100	-52.02	-13	-39.02	-59.02	10.40	3.40
	2798.800	-47.82	-13	-34.82	-55.06	11.15	3.91
	3498.500	-44.97	-13	-31.97	-53.17	12.61	4.41
	4198.200	-47.62	-13	-34.62	-55.45	12.62	4.79
	4897.900	-47.71	-13	-34.71	-55.13	12.65	5.23
V	1399.400	-38.28	-13	-25.28	-43.80	8.26	2.74
	2099.100	-48.48	-13	-35.48	-55.48	10.40	3.40
	2798.800	-47.79	-13	-34.79	-55.03	11.15	3.91
	3498.500	-49.88	-13	-36.88	-58.08	12.61	4.41
	4198.200	-46.77	-13	-33.77	-54.60	12.62	4.79
	4897.900	-47.92	-13	-34.92	-55.34	12.65	5.23

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 23017_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1399.400	-43.90	-13	-30.90	-49.42	8.26	2.74
	2099.100	-50.79	-13	-37.79	-57.79	10.40	3.40
	2798.800	-46.61	-13	-33.61	-53.85	11.15	3.91
	3498.500	-44.09	-13	-31.09	-52.29	12.61	4.41
	4198.200	-48.18	-13	-35.18	-56.01	12.62	4.79
	4897.900	-47.14	-13	-34.14	-54.56	12.65	5.23
V	1399.400	-37.65	-13	-24.65	-43.17	8.26	2.74
	2099.100	-45.30	-13	-32.30	-52.30	10.40	3.40
	2798.800	-47.43	-13	-34.43	-54.67	11.15	3.91
	3498.500	-49.78	-13	-36.78	-57.98	12.61	4.41
	4198.200	-46.86	-13	-33.86	-54.69	12.62	4.79
	4897.900	-47.74	-13	-34.74	-55.16	12.65	5.23

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 23095_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.62	-13	-35.62	-54.22	8.35	2.75
	2122.500	-52.42	-13	-39.42	-59.41	10.41	3.42
	2830.000	-50.50	-13	-37.50	-57.78	11.21	3.93
	3537.500	-45.32	-13	-32.32	-53.50	12.61	4.43
	4245.000	-47.16	-13	-34.16	-54.96	12.63	4.83
	4952.500	-47.91	-13	-34.91	-55.30	12.65	5.26
V	1415.000	-42.47	-13	-29.47	-48.07	8.35	2.75
	2122.500	-50.30	-13	-37.30	-57.29	10.41	3.42
	2830.000	-50.23	-13	-37.23	-57.51	11.21	3.93
	3537.500	-49.17	-13	-36.17	-57.35	12.61	4.43
	4245.000	-46.25	-13	-33.25	-54.05	12.63	4.83
	4952.500	-47.93	-13	-34.93	-55.32	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 23095_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.49	-13	-35.49	-54.09	8.35	2.75
	2122.500	-51.05	-13	-38.05	-58.04	10.41	3.42
	2830.000	-49.61	-13	-36.61	-56.89	11.21	3.93
	3537.500	-45.70	-13	-32.70	-53.88	12.61	4.43
	4245.000	-46.95	-13	-33.95	-54.75	12.63	4.83
	4952.500	-47.79	-13	-34.79	-55.18	12.65	5.26
V	1415.000	-42.56	-13	-29.56	-48.16	8.35	2.75
	2122.500	-49.81	-13	-36.81	-56.80	10.41	3.42
	2830.000	-49.97	-13	-36.97	-57.25	11.21	3.93
	3537.500	-48.25	-13	-35.25	-56.43	12.61	4.43
	4245.000	-46.40	-13	-33.40	-54.20	12.63	4.83
	4952.500	-48.23	-13	-35.23	-55.62	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 23173_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1430.600	-45.90	-13	-32.90	-51.57	8.44	2.77
	2145.900	-51.72	-13	-38.72	-58.71	10.42	3.43
	2861.200	-50.41	-13	-37.41	-57.73	11.26	3.95
	3576.500	-48.82	-13	-35.82	-56.98	12.61	4.45
	4291.800	-47.08	-13	-34.08	-54.86	12.64	4.86
	5007.100	-47.36	-13	-34.36	-54.72	12.66	5.30
V	1430.600	-47.40	-13	-34.40	-53.07	8.44	2.77
	2145.900	-51.18	-13	-38.18	-58.17	10.42	3.43
	2861.200	-51.54	-13	-38.54	-58.86	11.26	3.95
	3576.500	-50.08	-13	-37.08	-58.24	12.61	4.45
	4291.800	-47.12	-13	-34.12	-54.90	12.64	4.86
	5007.100	-47.53	-13	-34.53	-54.89	12.66	5.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 23173_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1430.600	-47.34	-13	-34.34	-53.01	8.44	2.77
	2145.900	-53.14	-13	-40.14	-60.13	10.42	3.43
	2861.200	-51.22	-13	-38.22	-58.54	11.26	3.95
	3576.500	-48.75	-13	-35.75	-56.91	12.61	4.45
	4291.800	-47.29	-13	-34.29	-55.07	12.64	4.86
	5007.100	-47.44	-13	-34.44	-54.80	12.66	5.30
V	1430.600	-48.08	-13	-35.08	-53.75	8.44	2.77
	2145.900	-51.05	-13	-38.05	-58.04	10.42	3.43
	2861.200	-50.53	-13	-37.53	-57.85	11.26	3.95
	3576.500	-48.75	-13	-35.75	-56.91	12.61	4.45
	4291.800	-47.63	-13	-34.63	-55.41	12.64	4.86
	5007.100	-47.13	-13	-34.13	-54.49	12.66	5.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 23025_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1401.000	-45.11	-13	-32.11	-50.64	8.27	2.74
	2101.500	-51.89	-13	-38.89	-58.89	10.40	3.40
	2802.000	-47.77	-13	-34.77	-55.02	11.16	3.91
	3502.500	-44.86	-13	-31.86	-53.06	12.61	4.41
	4203.000	-47.55	-13	-34.55	-55.38	12.62	4.80
	4903.500	-47.53	-13	-34.53	-54.95	12.65	5.24
V	1401.000	-38.33	-13	-25.33	-43.86	8.27	2.74
	2101.500	-48.32	-13	-35.32	-55.32	10.40	3.40
	2802.000	-47.62	-13	-34.62	-54.87	11.16	3.91
	3502.500	-49.62	-13	-36.62	-57.82	12.61	4.41
	4203.000	-46.61	-13	-33.61	-54.44	12.62	4.80
	4903.500	-46.42	-13	-33.42	-53.84	12.65	5.24

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 23025_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1401.000	-43.85	-13	-30.85	-49.38	8.27	2.74
	2101.500	-50.65	-13	-37.65	-57.65	10.40	3.40
	2802.000	-46.46	-13	-33.46	-53.71	11.16	3.91
	3502.500	-44.21	-13	-31.21	-52.41	12.61	4.41
	4203.000	-47.99	-13	-34.99	-55.82	12.62	4.80
	4903.500	-47.22	-13	-34.22	-54.64	12.65	5.24
V	1401.000	-37.55	-13	-24.55	-43.08	8.27	2.74
	2101.500	-45.22	-13	-32.22	-52.22	10.40	3.40
	2802.000	-47.32	-13	-34.32	-54.57	11.16	3.91
	3502.500	-49.56	-13	-36.56	-57.76	12.61	4.41
	4203.000	-46.99	-13	-33.99	-54.82	12.62	4.80
	4903.500	-47.62	-13	-34.62	-55.04	12.65	5.24

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 23095_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.51	-13	-35.51	-54.11	8.35	2.75
	2122.500	-52.32	-13	-39.32	-59.31	10.41	3.42
	2830.000	-50.27	-13	-37.27	-57.55	11.21	3.93
	3537.500	-45.62	-13	-32.62	-53.80	12.61	4.43
	4245.000	-47.32	-13	-34.32	-55.12	12.63	4.83
	4952.500	-48.13	-13	-35.13	-55.52	12.65	5.26
V	1415.000	-42.62	-13	-29.62	-48.22	8.35	2.75
	2122.500	-50.47	-13	-37.47	-57.46	10.41	3.42
	2830.000	-50.36	-13	-37.36	-57.64	11.21	3.93
	3537.500	-49.01	-13	-36.01	-57.19	12.61	4.43
	4245.000	-46.39	-13	-33.39	-54.19	12.63	4.83
	4952.500	-48.16	-13	-35.16	-55.55	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 23095_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.33	-13	-35.33	-53.93	8.35	2.75
	2122.500	-51.16	-13	-38.16	-58.15	10.41	3.42
	2830.000	-49.79	-13	-36.79	-57.07	11.21	3.93
	3537.500	-45.82	-13	-32.82	-54.00	12.61	4.43
	4245.000	-46.88	-13	-33.88	-54.68	12.63	4.83
	4952.500	-47.91	-13	-34.91	-55.30	12.65	5.26
V	1415.000	-42.42	-13	-29.42	-48.02	8.35	2.75
	2122.500	-49.72	-13	-36.72	-56.71	10.41	3.42
	2830.000	-49.85	-13	-36.85	-57.13	11.21	3.93
	3537.500	-48.36	-13	-35.36	-56.54	12.61	4.43
	4245.000	-46.59	-13	-33.59	-54.39	12.63	4.83
	4952.500	-48.41	-13	-35.41	-55.80	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 23165_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1429.000	-45.85	-13	-32.85	-51.51	8.43	2.77
	2143.500	-51.62	-13	-38.62	-58.61	10.42	3.43
	2858.000	-50.36	-13	-37.36	-57.67	11.26	3.95
	3572.500	-49.05	-13	-36.05	-57.21	12.61	4.45
	4287.000	-47.16	-13	-34.16	-54.94	12.63	4.85
	5001.500	-47.59	-13	-34.59	-54.95	12.65	5.29
V	1429.000	-47.32	-13	-34.32	-52.98	8.43	2.77
	2143.500	-51.02	-13	-38.02	-58.01	10.42	3.43
	2858.000	-51.22	-13	-38.22	-58.53	11.26	3.95
	3572.500	-50.17	-13	-37.17	-58.33	12.61	4.45
	4287.000	-47.23	-13	-34.23	-55.01	12.63	4.85
	5001.500	-47.63	-13	-34.63	-54.99	12.65	5.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 23165_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1429.000	-47.36	-13	-34.36	-53.02	8.43	2.77
	2143.500	-53.32	-13	-40.32	-60.31	10.42	3.43
	2858.000	-51.39	-13	-38.39	-58.70	11.26	3.95
	3572.500	-48.58	-13	-35.58	-56.74	12.61	4.45
	4287.000	-47.15	-13	-34.15	-54.93	12.63	4.85
	5001.500	-47.30	-13	-34.30	-54.66	12.65	5.29
V	1429.000	-47.96	-13	-34.96	-53.62	8.43	2.77
	2143.500	-51.24	-13	-38.24	-58.23	10.42	3.43
	2858.000	-50.69	-13	-37.69	-58.00	11.26	3.95
	3572.500	-48.62	-13	-35.62	-56.78	12.61	4.45
	4287.000	-47.52	-13	-34.52	-55.30	12.63	4.85
	5001.500	-47.02	-13	-34.02	-54.38	12.65	5.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23035_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1403.000	-46.91	-13	-33.91	-52.45	8.28	2.74
	2104.500	-50.21	-13	-37.21	-57.21	10.40	3.40
	2806.000	-47.71	-13	-34.71	-54.96	11.16	3.91
	3507.500	-40.66	-13	-27.66	-48.86	12.61	4.41
	4209.000	-45.40	-13	-32.40	-53.22	12.63	4.80
	4910.500	-47.95	-13	-34.95	-55.36	12.65	5.24
V	1403.000	-38.87	-13	-25.87	-44.41	8.28	2.74
	2104.500	-47.67	-13	-34.67	-54.67	10.40	3.40
	2806.000	-49.32	-13	-36.32	-56.57	11.16	3.91
	3507.500	-47.69	-13	-34.69	-55.89	12.61	4.41
	4209.000	-45.58	-13	-32.58	-53.40	12.63	4.80
	4910.500	-46.90	-13	-33.90	-54.31	12.65	5.24

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23035_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1403.000	-46.94	-13	-33.94	-52.48	8.28	2.74
	2104.500	-50.08	-13	-37.08	-57.08	10.40	3.40
	2806.000	-47.69	-13	-34.69	-54.94	11.16	3.91
	3507.500	-40.57	-13	-27.57	-48.77	12.61	4.41
	4209.000	-45.53	-13	-32.53	-53.35	12.63	4.80
	4910.500	-47.99	-13	-34.99	-55.40	12.65	5.24
V	1403.000	-38.82	-13	-25.82	-44.36	8.28	2.74
	2104.500	-47.84	-13	-34.84	-54.84	10.40	3.40
	2806.000	-49.29	-13	-36.29	-56.54	11.16	3.91
	3507.500	-47.66	-13	-34.66	-55.86	12.61	4.41
	4209.000	-45.04	-13	-32.04	-52.86	12.63	4.80
	4910.500	-46.94	-13	-33.94	-54.35	12.65	5.24

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23095_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.59	-13	-35.59	-54.19	8.35	2.75
	2122.500	-50.79	-13	-37.79	-57.78	10.41	3.42
	2830.000	-50.35	-13	-37.35	-57.63	11.21	3.93
	3537.500	-43.03	-13	-30.03	-51.21	12.61	4.43
	4245.000	-45.29	-13	-32.29	-53.09	12.63	4.83
	4952.500	-47.64	-13	-34.64	-55.03	12.65	5.26
V	1415.000	-41.60	-13	-28.60	-47.20	8.35	2.75
	2122.500	-49.53	-13	-36.53	-56.52	10.41	3.42
	2830.000	-51.55	-13	-38.55	-58.83	11.21	3.93
	3537.500	-47.25	-13	-34.25	-55.43	12.61	4.43
	4245.000	-45.67	-13	-32.67	-53.47	12.63	4.83
	4952.500	-46.49	-13	-33.49	-53.88	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23095_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.61	-13	-35.61	-54.21	8.35	2.75
	2122.500	-50.83	-13	-37.83	-57.82	10.41	3.42
	2830.000	-50.24	-13	-37.24	-57.52	11.21	3.93
	3537.500	-42.96	-13	-29.96	-51.14	12.61	4.43
	4245.000	-45.44	-13	-32.44	-53.24	12.63	4.83
	4952.500	-47.42	-13	-34.42	-54.81	12.65	5.26
V	1415.000	-41.57	-13	-28.57	-47.17	8.35	2.75
	2122.500	-49.25	-13	-36.25	-56.24	10.41	3.42
	2830.000	-51.49	-13	-38.49	-58.77	11.21	3.93
	3537.500	-47.40	-13	-34.40	-55.58	12.61	4.43
	4245.000	-45.93	-13	-32.93	-53.73	12.63	4.83
	4952.500	-46.65	-13	-33.65	-54.04	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23155_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1427.000	-47.87	-13	-34.87	-53.52	8.42	2.77
	2140.500	-51.33	-13	-38.33	-58.32	10.42	3.43
	2854.000	-51.27	-13	-38.27	-58.58	11.25	3.94
	3567.500	-48.30	-13	-35.30	-56.46	12.61	4.44
	4281.000	-46.70	-13	-33.70	-54.48	12.63	4.85
	4994.500	-47.68	-13	-34.68	-55.04	12.65	5.29
V	1427.000	-48.91	-13	-35.91	-54.56	8.42	2.77
	2140.500	-50.36	-13	-37.36	-57.35	10.42	3.43
	2854.000	-50.78	-13	-37.78	-58.09	11.25	3.94
	3567.500	-49.91	-13	-36.91	-58.07	12.61	4.44
	4281.000	-46.71	-13	-33.71	-54.49	12.63	4.85
	4994.500	-47.39	-13	-34.39	-54.75	12.65	5.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23155_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1427.000	-47.91	-13	-34.91	-53.56	8.42	2.77
	2140.500	-51.40	-13	-38.40	-58.39	10.42	3.43
	2854.000	-51.25	-13	-38.25	-58.56	11.25	3.94
	3567.500	-48.11	-13	-35.11	-56.27	12.61	4.44
	4281.000	-46.24	-13	-33.24	-54.02	12.63	4.85
	4994.500	-47.19	-13	-34.19	-54.55	12.65	5.29
V	1427.000	-48.88	-13	-35.88	-54.53	8.42	2.77
	2140.500	-50.34	-13	-37.34	-57.33	10.42	3.43
	2854.000	-50.92	-13	-37.92	-58.23	11.25	3.94
	3567.500	-49.94	-13	-36.94	-58.10	12.61	4.44
	4281.000	-46.81	-13	-33.81	-54.59	12.63	4.85
	4994.500	-47.28	-13	-34.28	-54.64	12.65	5.29

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23060_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1408.000	-46.98	-13	-33.98	-52.54	8.31	2.75
	2112.000	-50.26	-13	-37.26	-57.26	10.41	3.41
	2816.000	-47.76	-13	-34.76	-55.02	11.18	3.92
	3520.000	-40.75	-13	-27.75	-48.94	12.61	4.42
	4224.000	-45.38	-13	-32.38	-53.20	12.63	4.81
	4928.000	-47.86	-13	-34.86	-55.26	12.65	5.25
V	1408.000	-38.84	-13	-25.84	-44.40	8.31	2.75
	2112.000	-47.71	-13	-34.71	-54.71	10.41	3.41
	2816.000	-49.48	-13	-36.48	-56.74	11.18	3.92
	3520.000	-47.80	-13	-34.80	-55.99	12.61	4.42
	4224.000	-45.67	-13	-32.67	-53.49	12.63	4.81
	4928.000	-46.83	-13	-33.83	-54.23	12.65	5.25

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23060_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1408.000	-46.86	-13	-33.86	-52.42	8.31	2.75
	2112.000	-50.14	-13	-37.14	-57.14	10.41	3.41
	2816.000	-47.71	-13	-34.71	-54.97	11.18	3.92
	3520.000	-40.44	-13	-27.44	-48.63	12.61	4.42
	4224.000	-45.60	-13	-32.60	-53.42	12.63	4.81
	4928.000	-48.05	-13	-35.05	-55.45	12.65	5.25
V	1408.000	-38.89	-13	-25.89	-44.45	8.31	2.75
	2112.000	-47.79	-13	-34.79	-54.79	10.41	3.41
	2816.000	-49.38	-13	-36.38	-56.64	11.18	3.92
	3520.000	-47.75	-13	-34.75	-55.94	12.61	4.42
	4224.000	-45.68	-13	-32.68	-53.50	12.63	4.81
	4928.000	-46.71	-13	-33.71	-54.11	12.65	5.25

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23095_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.86	-13	-35.86	-54.46	8.35	2.75
	2122.500	-50.83	-13	-37.83	-57.82	10.41	3.42
	2830.000	-50.27	-13	-37.27	-57.55	11.21	3.93
	3537.500	-43.13	-13	-30.13	-51.31	12.61	4.43
	4245.000	-45.37	-13	-32.37	-53.17	12.63	4.83
	4952.500	-47.52	-13	-34.52	-54.91	12.65	5.26
V	1415.000	-41.50	-13	-28.50	-47.10	8.35	2.75
	2122.500	-49.46	-13	-36.46	-56.45	10.41	3.42
	2830.000	-51.38	-13	-38.38	-58.66	11.21	3.93
	3537.500	-47.27	-13	-34.27	-55.45	12.61	4.43
	4245.000	-45.56	-13	-32.56	-53.36	12.63	4.83
	4952.500	-46.33	-13	-33.33	-53.72	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23095_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-48.71	-13	-35.71	-54.31	8.35	2.75
	2122.500	-50.66	-13	-37.66	-57.65	10.41	3.42
	2830.000	-50.53	-13	-37.53	-57.81	11.21	3.93
	3537.500	-42.72	-13	-29.72	-50.90	12.61	4.43
	4245.000	-45.39	-13	-32.39	-53.19	12.63	4.83
	4952.500	-47.69	-13	-34.69	-55.08	12.65	5.26
V	1415.000	-41.74	-13	-28.74	-47.34	8.35	2.75
	2122.500	-49.38	-13	-36.38	-56.37	10.41	3.42
	2830.000	-51.26	-13	-38.26	-58.54	11.21	3.93
	3537.500	-47.75	-13	-34.75	-55.93	12.61	4.43
	4245.000	-45.86	-13	-32.86	-53.66	12.63	4.83
	4952.500	-46.97	-13	-33.97	-54.36	12.65	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23130_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1422.000	-47.96	-13	-34.96	-53.59	8.39	2.76
	2133.000	-51.52	-13	-38.52	-58.51	10.42	3.42
	2844.000	-51.67	-13	-38.67	-58.97	11.23	3.94
	3555.000	-48.47	-13	-35.47	-56.64	12.61	4.44
	4266.000	-46.80	-13	-33.80	-54.59	12.63	4.84
	4977.000	-47.76	-13	-34.76	-55.13	12.65	5.28
V	1422.000	-48.85	-13	-35.85	-54.48	8.39	2.76
	2133.000	-50.45	-13	-37.45	-57.44	10.42	3.42
	2844.000	-47.40	-13	-34.40	-54.70	11.23	3.94
	3555.000	-49.72	-13	-36.72	-57.89	12.61	4.44
	4266.000	-46.94	-13	-33.94	-54.73	12.63	4.84
	4977.000	-47.71	-13	-34.71	-55.08	12.65	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23130_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1422.000	-47.85	-13	-34.85	-53.48	8.39	2.76
	2133.000	-51.65	-13	-38.65	-58.64	10.42	3.42
	2844.000	-51.73	-13	-38.73	-59.03	11.23	3.94
	3555.000	-48.67	-13	-35.67	-56.84	12.61	4.44
	4266.000	-46.59	-13	-33.59	-54.38	12.63	4.84
	4977.000	-47.58	-13	-34.58	-54.95	12.65	5.28
V	1422.000	-48.96	-13	-35.96	-54.59	8.39	2.76
	2133.000	-50.37	-13	-37.37	-57.36	10.42	3.42
	2844.000	-50.68	-13	-37.68	-57.98	11.23	3.94
	3555.000	-49.46	-13	-36.46	-57.63	12.61	4.44
	4266.000	-46.75	-13	-33.75	-54.54	12.63	4.84
	4977.000	-47.32	-13	-34.32	-54.69	12.65	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emissions		
Test Mode	Mode 5 : LTE Cat-M1_Band 13		
Date of Test	2020/01/30	Test Site	CB2-H
Temperature (°C)	19.0	Humidity (%RH)	54.0

BW 5M_CH 23205_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1559.000	-39.12	-13	-26.12	-45.24	9.02	2.90
	2338.500	-52.35	-13	-39.35	-59.29	10.52	3.58
	3118.000	-50.60	-13	-37.60	-58.25	11.78	4.13
	3897.500	-47.77	-13	-34.77	-55.77	12.60	4.61
	4677.000	-48.64	-13	-35.64	-56.19	12.66	5.10
	5456.500	-46.90	-13	-33.90	-54.38	13.10	5.62
V	1559.000	-35.07	-13	-22.07	-41.19	9.02	2.90
	2338.500	-53.28	-13	-40.28	-60.22	10.52	3.58
	3118.000	-51.30	-13	-38.30	-58.95	11.78	4.13
	3897.500	-47.19	-13	-34.19	-55.19	12.60	4.61
	4677.000	-48.30	-13	-35.30	-55.85	12.66	5.10
	5456.500	-46.89	-13	-33.89	-54.37	13.10	5.62

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23205_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1559.000	-39.05	-13	-26.05	-45.17	9.02	2.90
	2338.500	-52.21	-13	-39.21	-59.15	10.52	3.58
	3118.000	-50.42	-13	-37.42	-58.07	11.78	4.13
	3897.500	-47.38	-13	-34.38	-55.38	12.60	4.61
	4677.000	-48.61	-13	-35.61	-56.16	12.66	5.10
	5456.500	-46.84	-13	-33.84	-54.32	13.10	5.62
V	1559.000	-35.08	-13	-22.08	-41.20	9.02	2.90
	2338.500	-53.08	-13	-40.08	-60.02	10.52	3.58
	3118.000	-51.27	-13	-38.27	-58.92	11.78	4.13
	3897.500	-47.88	-13	-34.88	-55.88	12.60	4.61
	4677.000	-48.14	-13	-35.14	-55.69	12.66	5.10
	5456.500	-46.71	-13	-33.71	-54.19	13.10	5.62

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23230_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-39.38	-13	-26.38	-45.51	9.03	2.91
	2346.000	-52.50	-13	-39.50	-59.44	10.52	3.59
	3128.000	-50.47	-13	-37.47	-58.13	11.80	4.14
	3910.000	-47.82	-13	-34.82	-55.81	12.60	4.61
	4692.000	-48.79	-13	-35.79	-56.33	12.66	5.11
	5474.000	-46.18	-13	-33.18	-53.66	13.11	5.63
V	1564.000	-35.27	-13	-22.27	-41.40	9.03	2.91
	2346.000	-53.59	-13	-40.59	-60.53	10.52	3.59
	3128.000	-47.21	-13	-34.21	-54.87	11.80	4.14
	3910.000	-51.25	-13	-38.25	-59.24	12.60	4.61
	4692.000	-47.97	-13	-34.97	-55.51	12.66	5.11
	5474.000	-46.51	-13	-33.51	-53.99	13.11	5.63

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23230_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-39.24	-13	-26.24	-45.37	9.03	2.91
	2346.000	-52.35	-13	-39.35	-59.29	10.52	3.59
	3128.000	-50.69	-13	-37.69	-58.35	11.80	4.14
	3910.000	-47.62	-13	-34.62	-55.61	12.60	4.61
	4692.000	-48.59	-13	-35.59	-56.13	12.66	5.11
	5474.000	-46.49	-13	-33.49	-53.97	13.11	5.63
V	1564.000	-35.18	-13	-22.18	-41.31	9.03	2.91
	2346.000	-53.68	-13	-40.68	-60.62	10.52	3.59
	3128.000	-51.55	-13	-38.55	-59.21	11.80	4.14
	3910.000	-47.91	-13	-34.91	-55.90	12.60	4.61
	4692.000	-48.24	-13	-35.24	-55.78	12.66	5.11
	5474.000	-46.59	-13	-33.59	-54.07	13.11	5.63

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23255_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1569.000	-39.65	-13	-26.65	-45.79	9.05	2.91
	2353.500	-52.10	-13	-39.10	-59.03	10.53	3.59
	3138.000	-50.35	-13	-37.35	-58.03	11.82	4.14
	3922.500	-47.73	-13	-34.73	-55.71	12.60	4.62
	4707.000	-48.96	-13	-35.96	-56.49	12.66	5.12
	5491.500	-46.20	-13	-33.20	-53.69	13.13	5.64
V	1569.000	-35.37	-13	-22.37	-41.51	9.05	2.91
	2353.500	-53.71	-13	-40.71	-60.64	10.53	3.59
	3138.000	-47.46	-13	-34.46	-55.14	11.82	4.14
	3922.500	-51.39	-13	-38.39	-59.37	12.60	4.62
	4707.000	-48.14	-13	-35.14	-55.67	12.66	5.12
	5491.500	-46.83	-13	-33.83	-54.32	13.13	5.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 23255_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1569.000	-39.39	-13	-26.39	-45.53	9.05	2.91
	2353.500	-52.66	-13	-39.66	-59.59	10.53	3.59
	3138.000	-47.58	-13	-34.58	-55.26	11.82	4.14
	3922.500	-48.19	-13	-35.19	-56.17	12.60	4.62
	4707.000	-50.76	-13	-37.76	-58.29	12.66	5.12
	5491.500	-46.74	-13	-33.74	-54.23	13.13	5.64
V	1569.000	-35.39	-13	-22.39	-41.53	9.05	2.91
	2353.500	-53.78	-13	-40.78	-60.71	10.53	3.59
	3138.000	-51.62	-13	-38.62	-59.30	11.82	4.14
	3922.500	-47.96	-13	-34.96	-55.94	12.60	4.62
	4707.000	-48.32	-13	-35.32	-55.85	12.66	5.12
	5491.500	-46.80	-13	-33.80	-54.29	13.13	5.64

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23230_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-39.39	-13	-26.39	-45.52	9.03	2.91
	2346.000	-52.45	-13	-39.45	-59.39	10.52	3.59
	3128.000	-50.59	-13	-37.59	-58.25	11.80	4.14
	3910.000	-47.95	-13	-34.95	-55.94	12.60	4.61
	4692.000	-48.90	-13	-35.90	-56.44	12.66	5.11
	5474.000	-46.88	-13	-33.88	-54.36	13.11	5.63
V	1564.000	-35.28	-13	-22.28	-41.41	9.03	2.91
	2346.000	-53.55	-13	-40.55	-60.49	10.52	3.59
	3128.000	-51.07	-13	-38.07	-58.73	11.80	4.14
	3910.000	-47.87	-13	-34.87	-55.86	12.60	4.61
	4692.000	-48.25	-13	-35.25	-55.79	12.66	5.11
	5474.000	-46.71	-13	-33.71	-54.19	13.11	5.63

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23230_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-39.77	-13	-26.77	-45.90	9.03	2.91
	2346.000	-52.32	-13	-39.32	-59.26	10.52	3.59
	3128.000	-50.90	-13	-37.90	-58.56	11.80	4.14
	3910.000	-48.14	-13	-35.14	-56.13	12.60	4.61
	4692.000	-48.22	-13	-35.22	-55.76	12.66	5.11
	5474.000	-46.05	-13	-33.05	-53.53	13.11	5.63
V	1564.000	-35.37	-13	-22.37	-41.50	9.03	2.91
	2346.000	-53.69	-13	-40.69	-60.63	10.52	3.59
	3128.000	-51.55	-13	-38.55	-59.21	11.80	4.14
	3910.000	-47.20	-13	-34.20	-55.19	12.60	4.61
	4692.000	-48.16	-13	-35.16	-55.70	12.66	5.11
	5474.000	-46.77	-13	-33.77	-54.25	13.11	5.63

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23230_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-39.25	-13	-26.25	-45.38	9.03	2.91
	2346.000	-52.37	-13	-39.37	-59.31	10.52	3.59
	3128.000	-50.59	-13	-37.59	-58.25	11.80	4.14
	3910.000	-47.67	-13	-34.67	-55.66	12.60	4.61
	4692.000	-48.78	-13	-35.78	-56.32	12.66	5.11
	5474.000	-46.91	-13	-33.91	-54.39	13.11	5.63
V	1564.000	-35.19	-13	-22.19	-41.32	9.03	2.91
	2346.000	-53.10	-13	-40.10	-60.04	10.52	3.59
	3128.000	-51.39	-13	-38.39	-59.05	11.80	4.14
	3910.000	-47.20	-13	-34.20	-55.19	12.60	4.61
	4692.000	-48.38	-13	-35.38	-55.92	12.66	5.11
	5474.000	-46.50	-13	-33.50	-53.98	13.11	5.63

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 23230_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-39.37	-13	-26.37	-45.50	9.03	2.91
	2346.000	-52.57	-13	-39.57	-59.51	10.52	3.59
	3128.000	-50.68	-13	-37.68	-58.34	11.80	4.14
	3910.000	-47.30	-13	-34.30	-55.29	12.60	4.61
	4692.000	-48.84	-13	-35.84	-56.38	12.66	5.11
	5474.000	-46.68	-13	-33.68	-54.16	13.11	5.63
V	1564.000	-35.29	-13	-22.29	-41.42	9.03	2.91
	2346.000	-53.25	-13	-40.25	-60.19	10.52	3.59
	3128.000	-51.69	-13	-38.69	-59.35	11.80	4.14
	3910.000	-47.73	-13	-34.73	-55.72	12.60	4.61
	4692.000	-48.58	-13	-35.58	-56.12	12.66	5.11
	5474.000	-46.07	-13	-33.07	-53.55	13.11	5.63

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emissions		
Test Mode	Mode 6 : LTE Cat-M1_Band 25		
Date of Test	2020/01/16	Test Site	CB2-H
Temperature (°C)	22.0	Humidity (%RH)	55.0

BW 1.4M_CH 26047_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3701.400	-46.28	-13	-33.28	-53.93	11.94	4.28
	5552.100	-39.69	-13	-26.69	-47.39	12.90	5.20
	7402.800	-41.81	-13	-28.81	-47.67	12.16	6.31
	9253.500	-39.60	-13	-26.60	-44.45	13.30	8.45
	11104.200	-39.27	-13	-26.27	-44.12	13.30	8.45
	12954.900	-41.03	-13	-28.03	-45.88	13.30	8.45
V	3701.400	-45.27	-13	-32.27	-52.92	11.94	4.28
	5552.100	-36.45	-13	-23.45	-44.15	12.90	5.20
	7402.800	-37.83	-13	-24.83	-43.69	12.16	6.31
	9253.500	-40.67	-13	-27.67	-45.52	13.30	8.45
	11104.200	-39.06	-13	-26.06	-43.91	13.30	8.45
	12954.900	-41.06	-13	-28.06	-45.91	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26047_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3701.400	-45.44	-13	-32.44	-53.09	11.94	4.28
	5552.100	-36.74	-13	-23.74	-44.44	12.90	5.20
	7402.800	-40.61	-13	-27.61	-46.47	12.16	6.31
	9253.500	-40.35	-13	-27.35	-45.20	13.30	8.45
	11104.200	-40.17	-13	-27.17	-45.02	13.30	8.45
	12954.900	-40.13	-13	-27.13	-44.98	13.30	8.45
V	3701.400	-44.97	-13	-31.97	-52.62	11.94	4.28
	5552.100	-34.01	-13	-21.01	-41.71	12.90	5.20
	7402.800	-35.94	-13	-22.94	-41.80	12.16	6.31
	9253.500	-41.27	-13	-28.27	-46.12	13.30	8.45
	11104.200	-39.70	-13	-26.70	-44.55	13.30	8.45
	12954.900	-41.24	-13	-28.24	-46.09	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26365_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.45	-13	-35.45	-55.93	11.82	4.34
	5647.500	-40.50	-13	-27.50	-48.16	12.90	5.24
	7530.000	-40.18	-13	-27.18	-45.98	12.28	6.48
	9412.500	-41.06	-13	-28.06	-45.91	13.30	8.45
	11295.000	-39.08	-13	-26.08	-43.93	13.30	8.45
	13177.500	-39.57	-13	-26.57	-44.42	13.30	8.45
V	3765.000	-45.75	-13	-32.75	-53.23	11.82	4.34
	5647.500	-40.94	-13	-27.94	-48.60	12.90	5.24
	7530.000	-37.26	-13	-24.26	-43.06	12.28	6.48
	9412.500	-41.01	-13	-28.01	-45.86	13.30	8.45
	11295.000	-39.02	-13	-26.02	-43.87	13.30	8.45
	13177.500	-39.51	-13	-26.51	-44.36	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26365_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.57	-13	-35.57	-56.05	11.82	4.34
	5647.500	-40.62	-13	-27.62	-48.28	12.90	5.24
	7530.000	-40.00	-13	-27.00	-45.80	12.28	6.48
	9412.500	-40.84	-13	-27.84	-45.69	13.30	8.45
	11295.000	-38.97	-13	-25.97	-43.82	13.30	8.45
	13177.500	-38.93	-13	-25.93	-43.78	13.30	8.45
V	3765.000	-45.39	-13	-32.39	-52.87	11.82	4.34
	5647.500	-35.05	-13	-22.05	-42.71	12.90	5.24
	7530.000	-37.81	-13	-24.81	-43.61	12.28	6.48
	9412.500	-40.79	-13	-27.79	-45.64	13.30	8.45
	11295.000	-39.03	-13	-26.03	-43.88	13.30	8.45
	13177.500	-39.78	-13	-26.78	-44.63	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26683_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3828.600	-48.11	-13	-35.11	-55.42	11.71	4.39
	5742.900	-45.02	-13	-32.02	-52.64	12.90	5.28
	7657.200	-38.24	-13	-25.24	-43.98	12.39	6.65
	9571.500	-39.94	-13	-26.94	-44.79	13.30	8.45
	11485.800	-38.99	-13	-25.99	-43.84	13.30	8.45
	13400.100	-39.20	-13	-26.20	-44.05	13.30	8.45
V	3828.600	-46.35	-13	-33.35	-53.66	11.71	4.39
	5742.900	-39.84	-13	-26.84	-47.46	12.90	5.28
	7657.200	-35.52	-13	-22.52	-41.26	12.39	6.65
	9571.500	-39.97	-13	-26.97	-44.82	13.30	8.45
	11485.800	-39.26	-13	-26.26	-44.11	13.30	8.45
	13400.100	-39.42	-13	-26.42	-44.27	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26683_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3828.600	-48.65	-13	-35.65	-55.96	11.71	4.39
	5742.900	-45.52	-13	-32.52	-53.14	12.90	5.28
	7657.200	-38.07	-13	-25.07	-43.81	12.39	6.65
	9571.500	-40.64	-13	-27.64	-45.49	13.30	8.45
	11485.800	-39.44	-13	-26.44	-44.29	13.30	8.45
	13400.100	-39.11	-13	-26.11	-43.96	13.30	8.45
V	3828.600	-46.74	-13	-33.74	-54.05	11.71	4.39
	5742.900	-36.72	-13	-23.72	-44.34	12.90	5.28
	7657.200	-35.30	-13	-22.30	-41.04	12.39	6.65
	9571.500	-39.98	-13	-26.98	-44.83	13.30	8.45
	11485.800	-39.48	-13	-26.48	-44.33	13.30	8.45
	13400.100	-39.15	-13	-26.15	-44.00	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26055_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3703.000	-46.55	-13	-33.55	-54.20	11.93	4.29
	5554.500	-40.28	-13	-27.28	-47.98	12.90	5.20
	7406.000	-41.91	-13	-28.91	-47.76	12.17	6.31
	9257.500	-39.37	-13	-26.37	-44.22	13.30	8.45
	11109.000	-38.29	-13	-25.29	-43.14	13.30	8.45
	12960.500	-40.70	-13	-27.70	-45.55	13.30	8.45
V	3703.000	-45.07	-13	-32.07	-52.72	11.93	4.29
	5554.500	-35.81	-13	-22.81	-43.51	12.90	5.20
	7406.000	-36.53	-13	-23.53	-42.38	12.17	6.31
	9257.500	-40.56	-13	-27.56	-45.41	13.30	8.45
	11109.000	-38.82	-13	-25.82	-43.67	13.30	8.45
	12960.500	-40.62	-13	-27.62	-45.47	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26055_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3703.000	-45.45	-13	-32.45	-53.10	11.93	4.29
	5554.500	-37.35	-13	-24.35	-45.05	12.90	5.20
	7406.000	-40.21	-13	-27.21	-46.06	12.17	6.31
	9257.500	-40.13	-13	-27.13	-44.98	13.30	8.45
	11109.000	-39.17	-13	-26.17	-44.02	13.30	8.45
	12960.500	-41.28	-13	-28.28	-46.13	13.30	8.45
V	3703.000	-44.28	-13	-31.28	-51.93	11.93	4.29
	5554.500	-33.37	-13	-20.37	-41.07	12.90	5.20
	7406.000	-36.67	-13	-23.67	-42.52	12.17	6.31
	9257.500	-40.57	-13	-27.57	-45.42	13.30	8.45
	11109.000	-39.09	-13	-26.09	-43.94	13.30	8.45
	12960.500	-41.10	-13	-28.10	-45.95	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26365_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-47.93	-13	-34.93	-55.41	11.82	4.34
	5647.500	-41.20	-13	-28.20	-48.86	12.90	5.24
	7530.000	-40.04	-13	-27.04	-45.84	12.28	6.48
	9412.500	-40.75	-13	-27.75	-45.60	13.30	8.45
	11295.000	-38.96	-13	-25.96	-43.81	13.30	8.45
	13177.500	-39.20	-13	-26.20	-44.05	13.30	8.45
V	3765.000	-47.54	-13	-34.54	-55.02	11.82	4.34
	5647.500	-34.38	-13	-21.38	-42.04	12.90	5.24
	7530.000	-37.80	-13	-24.80	-43.60	12.28	6.48
	9412.500	-40.47	-13	-27.47	-45.32	13.30	8.45
	11295.000	-38.57	-13	-25.57	-43.42	13.30	8.45
	13177.500	-39.04	-13	-26.04	-43.89	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26365_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-47.87	-13	-34.87	-55.35	11.82	4.34
	5647.500	-39.57	-13	-26.57	-47.23	12.90	5.24
	7530.000	-39.24	-13	-26.24	-45.04	12.28	6.48
	9412.500	-40.73	-13	-27.73	-45.58	13.30	8.45
	11295.000	-38.92	-13	-25.92	-43.77	13.30	8.45
	13177.500	-38.94	-13	-25.94	-43.79	13.30	8.45
V	3765.000	-45.24	-13	-32.24	-52.72	11.82	4.34
	5647.500	-34.79	-13	-21.79	-42.45	12.90	5.24
	7530.000	-37.08	-13	-24.08	-42.88	12.28	6.48
	9412.500	-40.97	-13	-27.97	-45.82	13.30	8.45
	11295.000	-38.35	-13	-25.35	-43.20	13.30	8.45
	13177.500	-39.09	-13	-26.09	-43.94	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26675_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3827.000	-48.21	-13	-35.21	-55.53	11.71	4.39
	5740.500	-45.18	-13	-32.18	-52.81	12.90	5.27
	7654.000	-38.36	-13	-25.36	-44.10	12.39	6.64
	9567.500	-39.88	-13	-26.88	-44.73	13.30	8.45
	11481.000	-38.87	-13	-25.87	-43.72	13.30	8.45
	13394.500	-39.19	-13	-26.19	-44.04	13.30	8.45
V	3827.000	-46.28	-13	-33.28	-53.60	11.71	4.39
	5740.500	-39.95	-13	-26.95	-47.58	12.90	5.27
	7654.000	-35.65	-13	-22.65	-41.39	12.39	6.64
	9567.500	-39.17	-13	-26.17	-44.02	13.30	8.45
	11481.000	-39.17	-13	-26.17	-44.02	13.30	8.45
	13394.500	-39.65	-13	-26.65	-44.50	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26675_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3827.000	-48.41	-13	-35.41	-55.73	11.71	4.39
	5740.500	-39.68	-13	-26.68	-47.31	12.90	5.27
	7654.000	-36.96	-13	-23.96	-42.70	12.39	6.64
	9567.500	-40.09	-13	-27.09	-44.94	13.30	8.45
	11481.000	-39.48	-13	-26.48	-44.33	13.30	8.45
	13394.500	-39.45	-13	-26.45	-44.30	13.30	8.45
V	3827.000	-46.82	-13	-33.82	-54.14	11.71	4.39
	5740.500	-36.92	-13	-23.92	-44.55	12.90	5.27
	7654.000	-35.42	-13	-22.42	-41.16	12.39	6.64
	9567.500	-39.88	-13	-26.88	-44.73	13.30	8.45
	11481.000	-39.52	-13	-26.52	-44.37	13.30	8.45
	13394.500	-39.31	-13	-26.31	-44.16	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26065_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3705.000	-46.35	-13	-33.35	-53.99	11.93	4.29
	5557.500	-39.58	-13	-26.58	-47.28	12.90	5.20
	7410.000	-41.62	-13	-28.62	-47.47	12.17	6.32
	9262.500	-39.42	-13	-26.42	-44.27	13.30	8.45
	11115.000	-39.36	-13	-26.36	-44.21	13.30	8.45
	12967.500	-41.22	-13	-28.22	-46.07	13.30	8.45
V	3705.000	-45.29	-13	-32.29	-52.93	11.93	4.29
	5557.500	-36.62	-13	-23.62	-44.32	12.90	5.20
	7410.000	-37.95	-13	-24.95	-43.80	12.17	6.32
	9262.500	-40.75	-13	-27.75	-45.60	13.30	8.45
	11115.000	-39.21	-13	-26.21	-44.06	13.30	8.45
	12967.500	-41.14	-13	-28.14	-45.99	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26065_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3705.000	-45.62	-13	-32.62	-53.26	11.93	4.29
	5557.500	-36.68	-13	-23.68	-44.38	12.90	5.20
	7410.000	-40.82	-13	-27.82	-46.67	12.17	6.32
	9262.500	-40.68	-13	-27.68	-45.53	13.30	8.45
	11115.000	-40.25	-13	-27.25	-45.10	13.30	8.45
	12967.500	-40.35	-13	-27.35	-45.20	13.30	8.45
V	3705.000	-45.08	-13	-32.08	-52.72	11.93	4.29
	5557.500	-34.08	-13	-21.08	-41.78	12.90	5.20
	7410.000	-35.88	-13	-22.88	-41.73	12.17	6.32
	9262.500	-41.32	-13	-28.32	-46.17	13.30	8.45
	11115.000	-39.86	-13	-26.86	-44.71	13.30	8.45
	12967.500	-41.33	-13	-28.33	-46.18	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26365_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.32	-13	-35.32	-55.80	11.82	4.34
	5647.500	-40.62	-13	-27.62	-48.28	12.90	5.24
	7530.000	-40.02	-13	-27.02	-45.82	12.28	6.48
	9412.500	-41.13	-13	-28.13	-45.98	13.30	8.45
	11295.000	-39.19	-13	-26.19	-44.04	13.30	8.45
	13177.500	-39.63	-13	-26.63	-44.48	13.30	8.45
V	3765.000	-45.69	-13	-32.69	-53.17	11.82	4.34
	5647.500	-40.88	-13	-27.88	-48.54	12.90	5.24
	7530.000	-37.32	-13	-24.32	-43.12	12.28	6.48
	9412.500	-41.08	-13	-28.08	-45.93	13.30	8.45
	11295.000	-39.07	-13	-26.07	-43.92	13.30	8.45
	13177.500	-39.69	-13	-26.69	-44.54	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26365_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.71	-13	-35.71	-56.19	11.82	4.34
	5647.500	-40.82	-13	-27.82	-48.48	12.90	5.24
	7530.000	-40.12	-13	-27.12	-45.92	12.28	6.48
	9412.500	-40.95	-13	-27.95	-45.80	13.30	8.45
	11295.000	-39.13	-13	-26.13	-43.98	13.30	8.45
	13177.500	-39.11	-13	-26.11	-43.96	13.30	8.45
V	3765.000	-45.42	-13	-32.42	-52.90	11.82	4.34
	5647.500	-35.17	-13	-22.17	-42.83	12.90	5.24
	7530.000	-37.92	-13	-24.92	-43.72	12.28	6.48
	9412.500	-40.89	-13	-27.89	-45.74	13.30	8.45
	11295.000	-39.21	-13	-26.21	-44.06	13.30	8.45
	13177.500	-39.85	-13	-26.85	-44.70	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26665_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3825.000	-48.01	-13	-35.01	-55.33	11.71	4.39
	5737.500	-45.22	-13	-32.22	-52.85	12.90	5.27
	7650.000	-38.17	-13	-25.17	-43.92	12.38	6.64
	9562.500	-39.82	-13	-26.82	-44.67	13.30	8.45
	11475.000	-38.89	-13	-25.89	-43.74	13.30	8.45
	13387.500	-39.31	-13	-26.31	-44.16	13.30	8.45
V	3825.000	-46.44	-13	-33.44	-53.76	11.71	4.39
	5737.500	-39.96	-13	-26.96	-47.59	12.90	5.27
	7650.000	-35.63	-13	-22.63	-41.38	12.38	6.64
	9562.500	-39.89	-13	-26.89	-44.74	13.30	8.45
	11475.000	-39.35	-13	-26.35	-44.20	13.30	8.45
	13387.500	-39.55	-13	-26.55	-44.40	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26665_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3825.000	-48.78	-13	-35.78	-56.10	11.71	4.39
	5737.500	-45.62	-13	-32.62	-53.25	12.90	5.27
	7650.000	-38.12	-13	-25.12	-43.87	12.38	6.64
	9562.500	-40.52	-13	-27.52	-45.37	13.30	8.45
	11475.000	-39.55	-13	-26.55	-44.40	13.30	8.45
	13387.500	-39.25	-13	-26.25	-44.10	13.30	8.45
V	3825.000	-46.89	-13	-33.89	-54.21	11.71	4.39
	5737.500	-36.65	-13	-23.65	-44.28	12.90	5.27
	7650.000	-35.21	-13	-22.21	-40.96	12.38	6.64
	9562.500	-40.03	-13	-27.03	-44.88	13.30	8.45
	11475.000	-39.62	-13	-26.62	-44.47	13.30	8.45
	13387.500	-39.21	-13	-26.21	-44.06	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26090_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3710.000	-46.14	-13	-33.14	-53.77	11.92	4.29
	5565.000	-39.59	-13	-26.59	-47.28	12.90	5.21
	7420.000	-41.92	-13	-28.92	-47.77	12.18	6.33
	9275.000	-39.71	-13	-26.71	-44.56	13.30	8.45
	11130.000	-39.33	-13	-26.33	-44.18	13.30	8.45
	12985.000	-41.13	-13	-28.13	-45.98	13.30	8.45
V	3710.000	-45.17	-13	-32.17	-52.80	11.92	4.29
	5565.000	-36.36	-13	-23.36	-44.05	12.90	5.21
	7420.000	-37.72	-13	-24.72	-43.57	12.18	6.33
	9275.000	-40.55	-13	-27.55	-45.40	13.30	8.45
	11130.000	-39.11	-13	-26.11	-43.96	13.30	8.45
	12985.000	-41.08	-13	-28.08	-45.93	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26090_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3710.000	-45.31	-13	-32.31	-52.94	11.92	4.29
	5565.000	-36.69	-13	-23.69	-44.38	12.90	5.21
	7420.000	-40.62	-13	-27.62	-46.47	12.18	6.33
	9275.000	-40.44	-13	-27.44	-45.29	13.30	8.45
	11130.000	-40.02	-13	-27.02	-44.87	13.30	8.45
	12985.000	-39.99	-13	-26.99	-44.84	13.30	8.45
V	3710.000	-44.89	-13	-31.89	-52.52	11.92	4.29
	5565.000	-34.18	-13	-21.18	-41.87	12.90	5.21
	7420.000	-35.89	-13	-22.89	-41.74	12.18	6.33
	9275.000	-41.36	-13	-28.36	-46.21	13.30	8.45
	11130.000	-39.82	-13	-26.82	-44.67	13.30	8.45
	12985.000	-41.11	-13	-28.11	-45.96	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26365_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.29	-13	-35.29	-55.77	11.82	4.34
	5647.500	-40.42	-13	-27.42	-48.08	12.90	5.24
	7530.000	-40.25	-13	-27.25	-46.05	12.28	6.48
	9412.500	-41.12	-13	-28.12	-45.97	13.30	8.45
	11295.000	-39.18	-13	-26.18	-44.03	13.30	8.45
	13177.500	-39.46	-13	-26.46	-44.31	13.30	8.45
V	3765.000	-45.69	-13	-32.69	-53.17	11.82	4.34
	5647.500	-40.89	-13	-27.89	-48.55	12.90	5.24
	7530.000	-37.36	-13	-24.36	-43.16	12.28	6.48
	9412.500	-41.18	-13	-28.18	-46.03	13.30	8.45
	11295.000	-39.09	-13	-26.09	-43.94	13.30	8.45
	13177.500	-39.63	-13	-26.63	-44.48	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26365_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.47	-13	-35.47	-55.95	11.82	4.34
	5647.500	-40.65	-13	-27.65	-48.31	12.90	5.24
	7530.000	-40.18	-13	-27.18	-45.98	12.28	6.48
	9412.500	-40.95	-13	-27.95	-45.80	13.30	8.45
	11295.000	-38.89	-13	-25.89	-43.74	13.30	8.45
	13177.500	-39.02	-13	-26.02	-43.87	13.30	8.45
V	3765.000	-45.49	-13	-32.49	-52.97	11.82	4.34
	5647.500	-35.17	-13	-22.17	-42.83	12.90	5.24
	7530.000	-37.92	-13	-24.92	-43.72	12.28	6.48
	9412.500	-40.82	-13	-27.82	-45.67	13.30	8.45
	11295.000	-39.26	-13	-26.26	-44.11	13.30	8.45
	13177.500	-39.63	-13	-26.63	-44.48	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26640_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3820.000	-48.05	-13	-35.05	-55.39	11.72	4.39
	5730.000	-45.17	-13	-32.17	-52.80	12.90	5.27
	7640.000	-38.14	-13	-25.14	-43.89	12.38	6.63
	9550.000	-40.02	-13	-27.02	-44.87	13.30	8.45
	11460.000	-39.09	-13	-26.09	-43.94	13.30	8.45
	13370.000	-39.34	-13	-26.34	-44.19	13.30	8.45
V	3820.000	-48.02	-13	-35.02	-55.36	11.72	4.39
	5730.000	-39.96	-13	-26.96	-47.59	12.90	5.27
	7640.000	-35.63	-13	-22.63	-41.38	12.38	6.63
	9550.000	-40.17	-13	-27.17	-45.02	13.30	8.45
	11460.000	-39.36	-13	-26.36	-44.21	13.30	8.45
	13370.000	-39.31	-13	-26.31	-44.16	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26640_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3820.000	-48.49	-13	-35.49	-55.83	11.72	4.39
	5730.000	-45.61	-13	-32.61	-53.24	12.90	5.27
	7640.000	-38.12	-13	-25.12	-43.87	12.38	6.63
	9550.000	-40.55	-13	-27.55	-45.40	13.30	8.45
	11460.000	-39.52	-13	-26.52	-44.37	13.30	8.45
	13370.000	-39.21	-13	-26.21	-44.06	13.30	8.45
V	3820.000	-46.82	-13	-33.82	-54.16	11.72	4.39
	5730.000	-36.69	-13	-23.69	-44.32	12.90	5.27
	7640.000	-35.29	-13	-22.29	-41.04	12.38	6.63
	9550.000	-40.11	-13	-27.11	-44.96	13.30	8.45
	11460.000	-39.61	-13	-26.61	-44.46	13.30	8.45
	13370.000	-39.26	-13	-26.26	-44.11	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26115_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3715.000	-46.18	-13	-33.18	-53.80	11.91	4.30
	5572.500	-39.78	-13	-26.78	-47.47	12.90	5.21
	7430.000	-41.95	-13	-28.95	-47.79	12.19	6.34
	9287.500	-39.49	-13	-26.49	-44.34	13.30	8.45
	11145.000	-39.38	-13	-26.38	-44.23	13.30	8.45
	13002.500	-41.11	-13	-28.11	-45.96	13.30	8.45
V	3715.000	-45.35	-13	-32.35	-52.97	11.91	4.30
	5572.500	-36.57	-13	-23.57	-44.26	12.90	5.21
	7430.000	-37.94	-13	-24.94	-43.78	12.19	6.34
	9287.500	-40.59	-13	-27.59	-45.44	13.30	8.45
	11145.000	-39.14	-13	-26.14	-43.99	13.30	8.45
	13002.500	-41.22	-13	-28.22	-46.07	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26115_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3715.000	-45.29	-13	-32.29	-52.91	11.91	4.30
	5572.500	-36.86	-13	-23.86	-44.55	12.90	5.21
	7430.000	-40.82	-13	-27.82	-46.66	12.19	6.34
	9287.500	-40.46	-13	-27.46	-45.31	13.30	8.45
	11145.000	-40.26	-13	-27.26	-45.11	13.30	8.45
	13002.500	-40.25	-13	-27.25	-45.10	13.30	8.45
V	3715.000	-45.02	-13	-32.02	-52.64	11.91	4.30
	5572.500	-34.18	-13	-21.18	-41.87	12.90	5.21
	7430.000	-35.89	-13	-22.89	-41.73	12.19	6.34
	9287.500	-41.33	-13	-28.33	-46.18	13.30	8.45
	11145.000	-39.89	-13	-26.89	-44.74	13.30	8.45
	13002.500	-41.34	-13	-28.34	-46.19	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26365_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.46	-13	-35.46	-55.94	11.82	4.34
	5647.500	-40.59	-13	-27.59	-48.25	12.90	5.24
	7530.000	-39.98	-13	-26.98	-45.78	12.28	6.48
	9412.500	-40.88	-13	-27.88	-45.73	13.30	8.45
	11295.000	-38.89	-13	-25.89	-43.74	13.30	8.45
	13177.500	-39.33	-13	-26.33	-44.18	13.30	8.45
V	3765.000	-45.63	-13	-32.63	-53.11	11.82	4.34
	5647.500	-40.66	-13	-27.66	-48.32	12.90	5.24
	7530.000	-37.35	-13	-24.35	-43.15	12.28	6.48
	9412.500	-40.91	-13	-27.91	-45.76	13.30	8.45
	11295.000	-39.23	-13	-26.23	-44.08	13.30	8.45
	13177.500	-39.76	-13	-26.76	-44.61	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26365_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.69	-13	-35.69	-56.17	11.82	4.34
	5647.500	-40.53	-13	-27.53	-48.19	12.90	5.24
	7530.000	-40.15	-13	-27.15	-45.95	12.28	6.48
	9412.500	-40.68	-13	-27.68	-45.53	13.30	8.45
	11295.000	-39.15	-13	-26.15	-44.00	13.30	8.45
	13177.500	-39.06	-13	-26.06	-43.91	13.30	8.45
V	3765.000	-45.47	-13	-32.47	-52.95	11.82	4.34
	5647.500	-35.17	-13	-22.17	-42.83	12.90	5.24
	7530.000	-37.95	-13	-24.95	-43.75	12.28	6.48
	9412.500	-40.65	-13	-27.65	-45.50	13.30	8.45
	11295.000	-39.08	-13	-26.08	-43.93	13.30	8.45
	13177.500	-39.85	-13	-26.85	-44.70	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26615_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3815.000	-48.23	-13	-35.23	-55.58	11.73	4.38
	5722.500	-45.09	-13	-32.09	-52.72	12.90	5.27
	7630.000	-38.36	-13	-25.36	-44.11	12.37	6.61
	9537.500	-40.07	-13	-27.07	-44.92	13.30	8.45
	11445.000	-39.14	-13	-26.14	-43.99	13.30	8.45
	13352.500	-39.31	-13	-26.31	-44.16	13.30	8.45
V	3815.000	-46.48	-13	-33.48	-53.83	11.73	4.38
	5722.500	-39.78	-13	-26.78	-47.41	12.90	5.27
	7630.000	-35.63	-13	-22.63	-41.38	12.37	6.61
	9537.500	-40.13	-13	-27.13	-44.98	13.30	8.45
	11445.000	-39.36	-13	-26.36	-44.21	13.30	8.45
	13352.500	-39.58	-13	-26.58	-44.43	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26615_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3815.000	-48.59	-13	-35.59	-55.94	11.73	4.38
	5722.500	-45.43	-13	-32.43	-53.06	12.90	5.27
	7630.000	-38.01	-13	-25.01	-43.76	12.37	6.61
	9537.500	-40.59	-13	-27.59	-45.44	13.30	8.45
	11445.000	-39.35	-13	-26.35	-44.20	13.30	8.45
	13352.500	-39.21	-13	-26.21	-44.06	13.30	8.45
V	3815.000	-46.55	-13	-33.55	-53.90	11.73	4.38
	5722.500	-36.84	-13	-23.84	-44.47	12.90	5.27
	7630.000	-35.12	-13	-22.12	-40.87	12.37	6.61
	9537.500	-39.89	-13	-26.89	-44.74	13.30	8.45
	11445.000	-39.63	-13	-26.63	-44.48	13.30	8.45
	13352.500	-39.24	-13	-26.24	-44.09	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 26140_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3720.000	-46.15	-13	-33.15	-53.75	11.90	4.30
	5580.000	-39.59	-13	-26.59	-47.28	12.90	5.21
	7440.000	-41.95	-13	-28.95	-47.79	12.20	6.36
	9300.000	-39.78	-13	-26.78	-44.63	13.30	8.45
	11160.000	-39.39	-13	-26.39	-44.24	13.30	8.45
	13020.000	-40.95	-13	-27.95	-45.80	13.30	8.45
V	3720.000	-45.36	-13	-32.36	-52.96	11.90	4.30
	5580.000	-36.52	-13	-23.52	-44.21	12.90	5.21
	7440.000	-37.81	-13	-24.81	-43.65	12.20	6.36
	9300.000	-40.52	-13	-27.52	-45.37	13.30	8.45
	11160.000	-39.21	-13	-26.21	-44.06	13.30	8.45
	13020.000	-40.98	-13	-27.98	-45.83	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 26140_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3720.000	-45.62	-13	-32.62	-53.22	11.90	4.30
	5580.000	-36.82	-13	-23.82	-44.51	12.90	5.21
	7440.000	-40.58	-13	-27.58	-46.42	12.20	6.36
	9300.000	-40.57	-13	-27.57	-45.42	13.30	8.45
	11160.000	-40.29	-13	-27.29	-45.14	13.30	8.45
	13020.000	-40.02	-13	-27.02	-44.87	13.30	8.45
V	3720.000	-45.09	-13	-32.09	-52.69	11.90	4.30
	5580.000	-34.25	-13	-21.25	-41.94	12.90	5.21
	7440.000	-36.05	-13	-23.05	-41.89	12.20	6.36
	9300.000	-41.35	-13	-28.35	-46.20	13.30	8.45
	11160.000	-39.85	-13	-26.85	-44.70	13.30	8.45
	13020.000	-41.32	-13	-28.32	-46.17	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 26365_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.37	-13	-35.37	-55.85	11.82	4.34
	5647.500	-40.62	-13	-27.62	-48.28	12.90	5.24
	7530.000	-40.25	-13	-27.25	-46.05	12.28	6.48
	9412.500	-41.16	-13	-28.16	-46.01	13.30	8.45
	11295.000	-39.15	-13	-26.15	-44.00	13.30	8.45
	13177.500	-39.63	-13	-26.63	-44.48	13.30	8.45
V	3765.000	-45.69	-13	-32.69	-53.17	11.82	4.34
	5647.500	-40.86	-13	-27.86	-48.52	12.90	5.24
	7530.000	-37.36	-13	-24.36	-43.16	12.28	6.48
	9412.500	-41.08	-13	-28.08	-45.93	13.30	8.45
	11295.000	-39.12	-13	-26.12	-43.97	13.30	8.45
	13177.500	-39.48	-13	-26.48	-44.33	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 26365_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-48.43	-13	-35.43	-55.91	11.82	4.34
	5647.500	-40.56	-13	-27.56	-48.22	12.90	5.24
	7530.000	-40.15	-13	-27.15	-45.95	12.28	6.48
	9412.500	-40.97	-13	-27.97	-45.82	13.30	8.45
	11295.000	-39.02	-13	-26.02	-43.87	13.30	8.45
	13177.500	-39.03	-13	-26.03	-43.88	13.30	8.45
V	3765.000	-45.56	-13	-32.56	-53.04	11.82	4.34
	5647.500	-35.15	-13	-22.15	-42.81	12.90	5.24
	7530.000	-37.95	-13	-24.95	-43.75	12.28	6.48
	9412.500	-40.86	-13	-27.86	-45.71	13.30	8.45
	11295.000	-39.12	-13	-26.12	-43.97	13.30	8.45
	13177.500	-39.69	-13	-26.69	-44.54	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 26590_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3810.000	-48.23	-13	-35.23	-55.59	11.74	4.38
	5715.000	-45.12	-13	-32.12	-52.76	12.90	5.26
	7620.000	-38.36	-13	-25.36	-44.12	12.36	6.60
	9525.000	-40.09	-13	-27.09	-44.94	13.30	8.45
	11430.000	-38.86	-13	-25.86	-43.71	13.30	8.45
	13335.000	-39.25	-13	-26.25	-44.10	13.30	8.45
V	3810.000	-46.47	-13	-33.47	-53.83	11.74	4.38
	5715.000	-39.96	-13	-26.96	-47.60	12.90	5.26
	7620.000	-35.61	-13	-22.61	-41.37	12.36	6.60
	9525.000	-40.03	-13	-27.03	-44.88	13.30	8.45
	11430.000	-39.11	-13	-26.11	-43.96	13.30	8.45
	13335.000	-39.36	-13	-26.36	-44.21	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 26590_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3810.000	-48.59	-13	-35.59	-55.95	11.74	4.38
	5715.000	-45.43	-13	-32.43	-53.07	12.90	5.26
	7620.000	-38.17	-13	-25.17	-43.93	12.36	6.60
	9525.000	-39.56	-13	-26.56	-44.41	13.30	8.45
	11430.000	-39.51	-13	-26.51	-44.36	13.30	8.45
	13335.000	-39.23	-13	-26.23	-44.08	13.30	8.45
V	3810.000	-46.85	-13	-33.85	-54.21	11.74	4.38
	5715.000	-36.89	-13	-23.89	-44.53	12.90	5.26
	7620.000	-45.43	-13	-32.43	-51.19	12.36	6.60
	9525.000	-39.85	-13	-26.85	-44.70	13.30	8.45
	11430.000	-39.56	-13	-26.56	-44.41	13.30	8.45
	13335.000	-39.26	-13	-26.26	-44.11	13.30	8.45

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emissions (Part 22)		
Test Mode	Mode 7 : LTE Cat-M1_Band 26		
Date of Test	2020/01/31	Test Site	CB2-H
Temperature (°C)	18.0	Humidity (%RH)	54.0

BW 1.4M_CH 26797_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1649.400	-48.95	-13	-35.95	-55.25	9.29	2.99
	2474.100	-52.13	-13	-39.13	-59.03	10.59	3.68
	3298.800	-48.58	-13	-35.58	-56.49	12.17	4.26
	4123.500	-48.69	-13	-35.69	-56.56	12.61	4.74
	4948.200	-47.13	-13	-34.13	-54.52	12.65	5.26
	5772.900	-45.84	-13	-32.84	-53.16	13.06	5.74
V	1649.400	-52.49	-13	-39.49	-58.79	9.29	2.99
	2474.100	-50.35	-13	-37.35	-57.25	10.59	3.68
	3298.800	-50.15	-13	-37.15	-58.06	12.17	4.26
	4123.500	-48.80	-13	-35.80	-56.67	12.61	4.74
	4948.200	-47.75	-13	-34.75	-55.14	12.65	5.26
	5772.900	-46.15	-13	-33.15	-53.47	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26797_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1649.400	-48.99	-13	-35.99	-55.29	9.29	2.99
	2474.100	-52.44	-13	-39.44	-59.34	10.59	3.68
	3298.800	-48.00	-13	-35.00	-55.91	12.17	4.26
	4123.500	-48.30	-13	-35.30	-56.17	12.61	4.74
	4948.200	-47.02	-13	-34.02	-54.41	12.65	5.26
	5772.900	-45.92	-13	-32.92	-53.24	13.06	5.74
V	1649.400	-52.44	-13	-39.44	-58.74	9.29	2.99
	2474.100	-50.19	-13	-37.19	-57.09	10.59	3.68
	3298.800	-50.11	-13	-37.11	-58.02	12.17	4.26
	4123.500	-48.77	-13	-35.77	-56.64	12.61	4.74
	4948.200	-47.66	-13	-34.66	-55.05	12.65	5.26
	5772.900	-46.06	-13	-33.06	-53.38	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26915_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.59	-13	-34.59	-53.94	9.36	3.01
	2509.500	-47.88	-13	-34.88	-54.79	10.62	3.71
	3346.000	-45.69	-13	-32.69	-53.67	12.27	4.30
	4182.500	-47.55	-13	-34.55	-55.39	12.62	4.78
	5019.000	-47.67	-13	-34.67	-55.03	12.67	5.31
	5855.500	-45.41	-13	-32.41	-52.68	13.04	5.77
V	1673.000	-47.61	-13	-34.61	-53.96	9.36	3.01
	2509.500	-52.37	-13	-39.37	-59.28	10.62	3.71
	3346.000	-50.70	-13	-37.70	-58.68	12.27	4.30
	4182.500	-47.89	-13	-34.89	-55.73	12.62	4.78
	5019.000	-46.86	-13	-33.86	-54.22	12.67	5.31
	5855.500	-45.40	-13	-32.40	-52.67	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26915_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.61	-13	-34.61	-53.96	9.36	3.01
	2509.500	-47.94	-13	-34.94	-54.85	10.62	3.71
	3346.000	-45.84	-13	-32.84	-53.82	12.27	4.30
	4182.500	-47.84	-13	-34.84	-55.68	12.62	4.78
	5019.000	-47.29	-13	-34.29	-54.65	12.67	5.31
	5855.500	-45.63	-13	-32.63	-52.90	13.04	5.77
V	1673.000	-47.59	-13	-34.59	-53.94	9.36	3.01
	2509.500	-52.07	-13	-39.07	-58.98	10.62	3.71
	3346.000	-50.56	-13	-37.56	-58.54	12.27	4.30
	4182.500	-47.51	-13	-34.51	-55.35	12.62	4.78
	5019.000	-46.91	-13	-33.91	-54.27	12.67	5.31
	5855.500	-45.39	-13	-32.39	-52.66	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 27033_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1696.600	-47.66	-13	-34.66	-54.06	9.43	3.03
	2544.900	-51.80	-13	-38.80	-58.75	10.68	3.73
	3393.200	-48.91	-13	-35.91	-56.96	12.38	4.33
	4241.500	-47.50	-13	-34.50	-55.31	12.63	4.82
	5089.800	-47.87	-13	-34.87	-55.25	12.74	5.36
	5938.100	-44.36	-13	-31.36	-51.58	13.02	5.80
V	1696.600	-44.36	-13	-31.36	-50.76	9.43	3.03
	2544.900	-51.78	-13	-38.78	-58.73	10.68	3.73
	3393.200	-51.22	-13	-38.22	-59.27	12.38	4.33
	4241.500	-48.70	-13	-35.70	-56.51	12.63	4.82
	5089.800	-47.56	-13	-34.56	-54.94	12.74	5.36
	5938.100	-45.44	-13	-32.44	-52.66	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 27033_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1696.600	-47.54	-13	-34.54	-53.94	9.43	3.03
	2544.900	-51.52	-13	-38.52	-58.47	10.68	3.73
	3393.200	-48.75	-13	-35.75	-56.80	12.38	4.33
	4241.500	-47.95	-13	-34.95	-55.76	12.63	4.82
	5089.800	-47.95	-13	-34.95	-55.33	12.74	5.36
	5938.100	-44.98	-13	-31.98	-52.20	13.02	5.80
V	1696.600	-44.14	-13	-31.14	-50.54	9.43	3.03
	2544.900	-51.83	-13	-38.83	-58.78	10.68	3.73
	3393.200	-51.01	-13	-38.01	-59.06	12.38	4.33
	4241.500	-48.53	-13	-35.53	-56.34	12.63	4.82
	5089.800	-47.70	-13	-34.70	-55.08	12.74	5.36
	5938.100	-45.32	-13	-32.32	-52.54	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26805_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1651.000	-48.82	-13	-35.82	-55.13	9.30	2.99
	2476.500	-52.35	-13	-39.35	-59.25	10.59	3.69
	3302.000	-48.05	-13	-35.05	-55.96	12.18	4.26
	4127.500	-48.69	-13	-35.69	-56.56	12.62	4.74
	4953.000	-47.47	-13	-34.47	-54.86	12.65	5.26
	5778.500	-45.82	-13	-32.82	-53.14	13.06	5.74
V	1651.000	-52.36	-13	-39.36	-58.67	9.30	2.99
	2476.500	-50.47	-13	-37.47	-57.37	10.59	3.69
	3302.000	-50.71	-13	-37.71	-58.62	12.18	4.26
	4127.500	-48.17	-13	-35.17	-56.04	12.62	4.74
	4953.000	-47.40	-13	-34.40	-54.79	12.65	5.26
	5778.500	-46.20	-13	-33.20	-53.52	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26805_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1651.000	-48.95	-13	-35.95	-55.26	9.30	2.99
	2476.500	-52.41	-13	-39.41	-59.31	10.59	3.69
	3302.000	-48.31	-13	-35.31	-56.22	12.18	4.26
	4127.500	-48.16	-13	-35.16	-56.03	12.62	4.74
	4953.000	-47.55	-13	-34.55	-54.94	12.65	5.26
	5778.500	-45.88	-13	-32.88	-53.20	13.06	5.74
V	1651.000	-52.25	-13	-39.25	-58.56	9.30	2.99
	2476.500	-50.35	-13	-37.35	-57.25	10.59	3.69
	3302.000	-50.76	-13	-37.76	-58.67	12.18	4.26
	4127.500	-48.80	-13	-35.80	-56.67	12.62	4.74
	4953.000	-47.17	-13	-34.17	-54.56	12.65	5.26
	5778.500	-46.15	-13	-33.15	-53.47	13.06	5.74

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26915_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.80	-13	-34.80	-54.15	9.36	3.01
	2509.500	-47.19	-13	-34.19	-54.10	10.62	3.71
	3346.000	-45.71	-13	-32.71	-53.69	12.27	4.30
	4182.500	-47.63	-13	-34.63	-55.47	12.62	4.78
	5019.000	-47.26	-13	-34.26	-54.62	12.67	5.31
	5855.500	-45.37	-13	-32.37	-52.64	13.04	5.77
V	1673.000	-47.72	-13	-34.72	-54.07	9.36	3.01
	2509.500	-52.29	-13	-39.29	-59.20	10.62	3.71
	3346.000	-50.39	-13	-37.39	-58.37	12.27	4.30
	4182.500	-47.74	-13	-34.74	-55.58	12.62	4.78
	5019.000	-46.52	-13	-33.52	-53.88	12.67	5.31
	5855.500	-45.87	-13	-32.87	-53.14	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26915_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.45	-13	-34.45	-53.80	9.36	3.01
	2509.500	-47.86	-13	-34.86	-54.77	10.62	3.71
	3346.000	-45.76	-13	-32.76	-53.74	12.27	4.30
	4182.500	-47.09	-13	-34.09	-54.93	12.62	4.78
	5019.000	-47.11	-13	-34.11	-54.47	12.67	5.31
	5855.500	-45.32	-13	-32.32	-52.59	13.04	5.77
V	1673.000	-47.69	-13	-34.69	-54.04	9.36	3.01
	2509.500	-52.08	-13	-39.08	-58.99	10.62	3.71
	3346.000	-50.52	-13	-37.52	-58.50	12.27	4.30
	4182.500	-47.39	-13	-34.39	-55.23	12.62	4.78
	5019.000	-46.49	-13	-33.49	-53.85	12.67	5.31
	5855.500	-45.55	-13	-32.55	-52.82	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 27025_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1695.000	-47.25	-13	-34.25	-53.65	9.43	3.03
	2542.500	-51.32	-13	-38.32	-58.27	10.68	3.73
	3390.000	-48.77	-13	-35.77	-56.81	12.37	4.33
	4237.500	-47.87	-13	-34.87	-55.68	12.63	4.82
	5085.000	-47.67	-13	-34.67	-55.05	12.73	5.35
	5932.500	-45.11	-13	-32.11	-52.33	13.02	5.80
V	1695.000	-44.50	-13	-31.50	-50.90	9.43	3.03
	2542.500	-51.32	-13	-38.32	-58.27	10.68	3.73
	3390.000	-51.59	-13	-38.59	-59.63	12.37	4.33
	4237.500	-48.72	-13	-35.72	-56.53	12.63	4.82
	5085.000	-47.59	-13	-34.59	-54.97	12.73	5.35
	5932.500	-45.20	-13	-32.20	-52.42	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 27025_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1695.000	-47.05	-13	-34.05	-53.45	9.43	3.03
	2542.500	-51.17	-13	-38.17	-58.12	10.68	3.73
	3390.000	-48.90	-13	-35.90	-56.94	12.37	4.33
	4237.500	-47.86	-13	-34.86	-55.67	12.63	4.82
	5085.000	-47.43	-13	-34.43	-54.81	12.73	5.35
	5932.500	-45.14	-13	-32.14	-52.36	13.02	5.80
V	1695.000	-44.32	-13	-31.32	-50.72	9.43	3.03
	2542.500	-51.61	-13	-38.61	-58.56	10.68	3.73
	3390.000	-51.21	-13	-38.21	-59.25	12.37	4.33
	4237.500	-48.69	-13	-35.69	-56.50	12.63	4.82
	5085.000	-47.26	-13	-34.26	-54.64	12.73	5.35
	5932.500	-45.46	-13	-32.46	-52.68	13.02	5.80

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26815_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1653.000	-48.79	-13	-35.79	-55.10	9.30	2.99
	2479.500	-52.57	-13	-39.57	-59.47	10.59	3.69
	3306.000	-48.40	-13	-35.40	-56.32	12.19	4.27
	4132.500	-48.39	-13	-35.39	-56.26	12.62	4.75
	4959.000	-47.47	-13	-34.47	-54.85	12.65	5.27
	5785.500	-45.91	-13	-32.91	-53.22	13.06	5.75
V	1653.000	-52.47	-13	-39.47	-58.78	9.30	2.99
	2479.500	-50.66	-13	-37.66	-57.56	10.59	3.69
	3306.000	-51.30	-13	-38.30	-59.22	12.19	4.27
	4132.500	-48.59	-13	-35.59	-56.46	12.62	4.75
	4959.000	-47.62	-13	-34.62	-55.00	12.65	5.27
	5785.500	-46.78	-13	-33.78	-54.09	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26815_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1653.000	-48.81	-13	-35.81	-55.12	9.30	2.99
	2479.500	-52.37	-13	-39.37	-59.27	10.59	3.69
	3306.000	-48.49	-13	-35.49	-56.41	12.19	4.27
	4132.500	-48.32	-13	-35.32	-56.19	12.62	4.75
	4959.000	-47.80	-13	-34.80	-55.18	12.65	5.27
	5785.500	-45.97	-13	-32.97	-53.28	13.06	5.75
V	1653.000	-52.44	-13	-39.44	-58.75	9.30	2.99
	2479.500	-50.50	-13	-37.50	-57.40	10.59	3.69
	3306.000	-51.12	-13	-38.12	-59.04	12.19	4.27
	4132.500	-48.72	-13	-35.72	-56.59	12.62	4.75
	4959.000	-47.38	-13	-34.38	-54.76	12.65	5.27
	5785.500	-46.18	-13	-33.18	-53.49	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26915_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.71	-13	-34.71	-54.06	9.36	3.01
	2509.500	-47.29	-13	-34.29	-54.20	10.62	3.71
	3346.000	-45.36	-13	-32.36	-53.34	12.27	4.30
	4182.500	-47.92	-13	-34.92	-55.76	12.62	4.78
	5019.000	-47.33	-13	-34.33	-54.69	12.67	5.31
	5855.500	-45.25	-13	-32.25	-52.52	13.04	5.77
V	1673.000	-47.38	-13	-34.38	-53.73	9.36	3.01
	2509.500	-52.44	-13	-39.44	-59.35	10.62	3.71
	3346.000	-50.21	-13	-37.21	-58.19	12.27	4.30
	4182.500	-47.55	-13	-34.55	-55.39	12.62	4.78
	5019.000	-46.68	-13	-33.68	-54.04	12.67	5.31
	5855.500	-45.80	-13	-32.80	-53.07	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26915_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.59	-13	-34.59	-53.94	9.36	3.01
	2509.500	-47.61	-13	-34.61	-54.52	10.62	3.71
	3346.000	-45.71	-13	-32.71	-53.69	12.27	4.30
	4182.500	-47.88	-13	-34.88	-55.72	12.62	4.78
	5019.000	-47.07	-13	-34.07	-54.43	12.67	5.31
	5855.500	-45.26	-13	-32.26	-52.53	13.04	5.77
V	1673.000	-47.29	-13	-34.29	-53.64	9.36	3.01
	2509.500	-52.39	-13	-39.39	-59.30	10.62	3.71
	3346.000	-50.01	-13	-37.01	-57.99	12.27	4.30
	4182.500	-47.55	-13	-34.55	-55.39	12.62	4.78
	5019.000	-46.41	-13	-33.41	-53.77	12.67	5.31
	5855.500	-45.39	-13	-32.39	-52.66	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 27015_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1693.000	-47.35	-13	-34.35	-53.74	9.42	3.03
	2539.500	-51.27	-13	-38.27	-58.21	10.67	3.73
	3386.000	-48.92	-13	-35.92	-56.95	12.36	4.33
	4232.500	-47.68	-13	-34.68	-55.49	12.63	4.82
	5079.000	-47.00	-13	-34.00	-54.38	12.73	5.35
	5925.500	-45.21	-13	-32.21	-52.44	13.02	5.79
V	1693.000	-44.28	-13	-31.28	-50.67	9.42	3.03
	2539.500	-51.54	-13	-38.54	-58.48	10.67	3.73
	3386.000	-51.39	-13	-38.39	-59.42	12.36	4.33
	4232.500	-48.80	-13	-35.80	-56.61	12.63	4.82
	5079.000	-47.02	-13	-34.02	-54.40	12.73	5.35
	5925.500	-45.77	-13	-32.77	-53.00	13.02	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 27015_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1693.000	-47.27	-13	-34.27	-53.66	9.42	3.03
	2539.500	-51.22	-13	-38.22	-58.16	10.67	3.73
	3386.000	-48.86	-13	-35.86	-56.89	12.36	4.33
	4232.500	-47.71	-13	-34.71	-55.52	12.63	4.82
	5079.000	-47.57	-13	-34.57	-54.95	12.73	5.35
	5925.500	-45.38	-13	-32.38	-52.61	13.02	5.79
V	1693.000	-44.44	-13	-31.44	-50.83	9.42	3.03
	2539.500	-51.58	-13	-38.58	-58.52	10.67	3.73
	3386.000	-51.31	-13	-38.31	-59.34	12.36	4.33
	4232.500	-48.78	-13	-35.78	-56.59	12.63	4.82
	5079.000	-47.24	-13	-34.24	-54.62	12.73	5.35
	5925.500	-45.80	-13	-32.80	-53.03	13.02	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26840_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-48.86	-13	-35.86	-55.18	9.32	3.00
	2487.000	-52.07	-13	-39.07	-58.97	10.59	3.69
	3316.000	-48.28	-13	-35.28	-56.21	12.21	4.28
	4145.000	-48.34	-13	-35.34	-56.20	12.62	4.76
	4974.000	-47.56	-13	-34.56	-54.93	12.65	5.28
	5803.000	-46.81	-13	-33.81	-54.11	13.06	5.75
V	1658.000	-52.41	-13	-39.41	-58.73	9.32	3.00
	2487.000	-50.22	-13	-37.22	-57.12	10.59	3.69
	3316.000	-51.75	-13	-38.75	-59.68	12.21	4.28
	4145.000	-48.96	-13	-35.96	-56.82	12.62	4.76
	4974.000	-47.52	-13	-34.52	-54.89	12.65	5.28
	5803.000	-46.69	-13	-33.69	-53.99	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26840_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-48.79	-13	-35.79	-55.11	9.32	3.00
	2487.000	-52.22	-13	-39.22	-59.12	10.59	3.69
	3316.000	-48.24	-13	-35.24	-56.17	12.21	4.28
	4145.000	-48.05	-13	-35.05	-55.91	12.62	4.76
	4974.000	-47.13	-13	-34.13	-54.50	12.65	5.28
	5803.000	-46.11	-13	-33.11	-53.41	13.06	5.75
V	1658.000	-52.38	-13	-39.38	-58.70	9.32	3.00
	2487.000	-50.49	-13	-37.49	-57.39	10.59	3.69
	3316.000	-51.38	-13	-38.38	-59.31	12.21	4.28
	4145.000	-48.89	-13	-35.89	-56.75	12.62	4.76
	4974.000	-47.55	-13	-34.55	-54.92	12.65	5.28
	5803.000	-46.39	-13	-33.39	-53.69	13.06	5.75

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26915_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.26	-13	-34.26	-53.61	9.36	3.01
	2509.500	-47.07	-13	-34.07	-53.98	10.62	3.71
	3346.000	-45.03	-13	-32.03	-53.01	12.27	4.30
	4182.500	-47.88	-13	-34.88	-55.72	12.62	4.78
	5019.000	-47.27	-13	-34.27	-54.63	12.67	5.31
	5855.500	-45.03	-13	-32.03	-52.30	13.04	5.77
V	1673.000	-47.49	-13	-34.49	-53.84	9.36	3.01
	2509.500	-52.26	-13	-39.26	-59.17	10.62	3.71
	3346.000	-50.58	-13	-37.58	-58.56	12.27	4.30
	4182.500	-47.67	-13	-34.67	-55.51	12.62	4.78
	5019.000	-46.11	-13	-33.11	-53.47	12.67	5.31
	5855.500	-45.35	-13	-32.35	-52.62	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26915_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.67	-13	-34.67	-54.02	9.36	3.01
	2509.500	-47.50	-13	-34.50	-54.41	10.62	3.71
	3346.000	-45.62	-13	-32.62	-53.60	12.27	4.30
	4182.500	-47.08	-13	-34.08	-54.92	12.62	4.78
	5019.000	-47.25	-13	-34.25	-54.61	12.67	5.31
	5855.500	-45.83	-13	-32.83	-53.10	13.04	5.77
V	1673.000	-47.42	-13	-34.42	-53.77	9.36	3.01
	2509.500	-52.50	-13	-39.50	-59.41	10.62	3.71
	3346.000	-50.11	-13	-37.11	-58.09	12.27	4.30
	4182.500	-47.80	-13	-34.80	-55.64	12.62	4.78
	5019.000	-46.60	-13	-33.60	-53.96	12.67	5.31
	5855.500	-45.70	-13	-32.70	-52.97	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26990_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1688.000	-46.02	-13	-33.02	-52.40	9.41	3.02
	2532.000	-51.48	-13	-38.48	-58.41	10.66	3.73
	3376.000	-48.40	-13	-35.40	-56.42	12.34	4.32
	4220.000	-47.66	-13	-34.66	-55.48	12.63	4.81
	5064.000	-47.28	-13	-34.28	-54.65	12.71	5.34
	5908.000	-45.76	-13	-32.76	-53.00	13.03	5.79
V	1688.000	-44.58	-13	-31.58	-50.96	9.41	3.02
	2532.000	-51.71	-13	-38.71	-58.64	10.66	3.73
	3376.000	-51.29	-13	-38.29	-59.31	12.34	4.32
	4220.000	-49.43	-13	-36.43	-57.25	12.63	4.81
	5064.000	-47.70	-13	-34.70	-55.07	12.71	5.34
	5908.000	-46.58	-13	-33.58	-53.82	13.03	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 26990_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1688.000	-46.88	-13	-33.88	-53.26	9.41	3.02
	2532.000	-51.32	-13	-38.32	-58.25	10.66	3.73
	3376.000	-48.90	-13	-35.90	-56.92	12.34	4.32
	4220.000	-47.46	-13	-34.46	-55.28	12.63	4.81
	5064.000	-47.73	-13	-34.73	-55.10	12.71	5.34
	5908.000	-45.69	-13	-32.69	-52.93	13.03	5.79
V	1688.000	-44.48	-13	-31.48	-50.86	9.41	3.02
	2532.000	-51.69	-13	-38.69	-58.62	10.66	3.73
	3376.000	-51.14	-13	-38.14	-59.16	12.34	4.32
	4220.000	-49.05	-13	-36.05	-56.87	12.63	4.81
	5064.000	-47.38	-13	-34.38	-54.75	12.71	5.34
	5908.000	-46.61	-13	-33.61	-53.85	13.03	5.79

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26865_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1663.000	-48.92	-13	-35.92	-55.25	9.33	3.00
	2494.500	-52.67	-13	-39.67	-59.57	10.60	3.70
	3326.000	-48.58	-13	-35.58	-56.53	12.23	4.28
	4157.500	-48.20	-13	-35.20	-56.05	12.62	4.76
	4989.000	-48.33	-13	-35.33	-55.69	12.65	5.29
	5820.500	-47.69	-13	-34.69	-54.98	13.05	5.76
V	1663.000	-52.54	-13	-39.54	-58.87	9.33	3.00
	2494.500	-50.69	-13	-37.69	-57.59	10.60	3.70
	3326.000	-51.53	-13	-38.53	-59.48	12.23	4.28
	4157.500	-49.44	-13	-36.44	-57.29	12.62	4.76
	4989.000	-47.02	-13	-34.02	-54.38	12.65	5.29
	5820.500	-46.89	-13	-33.89	-54.18	13.05	5.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26865_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1663.000	-48.88	-13	-35.88	-55.21	9.33	3.00
	2494.500	-52.35	-13	-39.35	-59.25	10.60	3.70
	3326.000	-48.02	-13	-35.02	-55.97	12.23	4.28
	4157.500	-48.27	-13	-35.27	-56.12	12.62	4.76
	4989.000	-48.11	-13	-35.11	-55.47	12.65	5.29
	5820.500	-47.12	-13	-34.12	-54.41	13.05	5.76
V	1663.000	-52.78	-13	-39.78	-59.11	9.33	3.00
	2494.500	-50.40	-13	-37.40	-57.30	10.60	3.70
	3326.000	-51.49	-13	-38.49	-59.44	12.23	4.28
	4157.500	-49.15	-13	-36.15	-57.00	12.62	4.76
	4989.000	-47.59	-13	-34.59	-54.95	12.65	5.29
	5820.500	-46.64	-13	-33.64	-53.93	13.05	5.76

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26915_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.25	-13	-34.25	-53.60	9.36	3.01
	2509.500	-47.80	-13	-34.80	-54.71	10.62	3.71
	3346.000	-45.22	-13	-32.22	-53.20	12.27	4.30
	4182.500	-47.07	-13	-34.07	-54.91	12.62	4.78
	5019.000	-47.39	-13	-34.39	-54.75	12.67	5.31
	5855.500	-45.11	-13	-32.11	-52.38	13.04	5.77
V	1673.000	-48.81	-13	-35.81	-55.16	9.36	3.01
	2509.500	-51.99	-13	-38.99	-58.90	10.62	3.71
	3346.000	-50.67	-13	-37.67	-58.65	12.27	4.30
	4182.500	-47.55	-13	-34.55	-55.39	12.62	4.78
	5019.000	-46.69	-13	-33.69	-54.05	12.67	5.31
	5855.500	-45.32	-13	-32.32	-52.59	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26915_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-47.80	-13	-34.80	-54.15	9.36	3.01
	2509.500	-47.20	-13	-34.20	-54.11	10.62	3.71
	3346.000	-45.19	-13	-32.19	-53.17	12.27	4.30
	4182.500	-47.22	-13	-34.22	-55.06	12.62	4.78
	5019.000	-47.90	-13	-34.90	-55.26	12.67	5.31
	5855.500	-45.02	-13	-32.02	-52.29	13.04	5.77
V	1673.000	-47.27	-13	-34.27	-53.62	9.36	3.01
	2509.500	-52.26	-13	-39.26	-59.17	10.62	3.71
	3346.000	-50.32	-13	-37.32	-58.30	12.27	4.30
	4182.500	-47.70	-13	-34.70	-55.54	12.62	4.78
	5019.000	-46.56	-13	-33.56	-53.92	12.67	5.31
	5855.500	-45.80	-13	-32.80	-53.07	13.04	5.77

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26965_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1683.000	-47.16	-13	-34.16	-53.53	9.39	3.02
	2524.500	-51.25	-13	-38.25	-58.17	10.65	3.72
	3366.000	-48.90	-13	-35.90	-56.91	12.32	4.31
	4207.500	-47.77	-13	-34.77	-55.60	12.62	4.80
	5049.000	-47.07	-13	-34.07	-54.44	12.70	5.33
	5890.500	-45.80	-13	-32.80	-53.05	13.03	5.78
V	1683.000	-44.77	-13	-31.77	-51.14	9.39	3.02
	2524.500	-51.25	-13	-38.25	-58.17	10.65	3.72
	3366.000	-51.90	-13	-38.90	-59.91	12.32	4.31
	4207.500	-49.37	-13	-36.37	-57.20	12.62	4.80
	5049.000	-48.04	-13	-35.04	-55.41	12.70	5.33
	5890.500	-46.36	-13	-33.36	-53.61	13.03	5.78

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 26965_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1683.000	-46.94	-13	-33.94	-53.31	9.39	3.02
	2524.500	-51.05	-13	-38.05	-57.97	10.65	3.72
	3366.000	-48.87	-13	-35.87	-56.88	12.32	4.31
	4207.500	-47.80	-13	-34.80	-55.63	12.62	4.80
	5049.000	-47.20	-13	-34.20	-54.57	12.70	5.33
	5890.500	-45.90	-13	-32.90	-53.15	13.03	5.78
V	1683.000	-44.80	-13	-31.80	-51.17	9.39	3.02
	2524.500	-51.40	-13	-38.40	-58.32	10.65	3.72
	3366.000	-51.24	-13	-38.24	-59.25	12.32	4.31
	4207.500	-49.25	-13	-36.25	-57.08	12.62	4.80
	5049.000	-48.15	-13	-35.15	-55.52	12.70	5.33
	5890.500	-46.70	-13	-33.70	-53.95	13.03	5.78

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emissions (Part 90)		
Test Mode	Mode 7 : LTE Cat-M1_Band 26		
Date of Test	2020/01/31	Test Site	CB2-H
Temperature (°C)	18.0	Humidity (%RH)	54.0

BW 1.4M_CH 26697_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1629.400	-50.38	-13	-37.38	-56.30	8.69	2.77
	2444.100	-51.69	-13	-38.69	-58.78	10.51	3.42
	3258.800	-49.52	-13	-36.52	-57.23	11.67	3.97
	4073.500	-48.73	-13	-35.73	-55.59	11.44	4.59
	4888.200	-47.21	-13	-34.21	-54.15	11.93	5.00
	5702.900	-45.29	-13	-32.29	-52.93	12.90	5.26
V	1629.400	-52.71	-13	-39.71	-58.63	8.69	2.77
	2444.100	-52.35	-13	-39.35	-59.44	10.51	3.42
	3258.800	-50.50	-13	-37.50	-58.21	11.67	3.97
	4073.500	-49.43	-13	-36.43	-56.29	11.44	4.59
	4888.200	-47.29	-13	-34.29	-54.23	11.93	5.00
	5702.900	-46.32	-13	-33.32	-53.96	12.90	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26697_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1629.400	-50.21	-13	-37.21	-56.13	8.69	2.77
	2444.100	-51.04	-13	-38.04	-58.13	10.51	3.42
	3258.800	-49.49	-13	-36.49	-57.20	11.67	3.97
	4073.500	-48.44	-13	-35.44	-55.30	11.44	4.59
	4888.200	-47.55	-13	-34.55	-54.49	11.93	5.00
	5702.900	-45.23	-13	-32.23	-52.87	12.90	5.26
V	1629.400	-52.74	-13	-39.74	-58.66	8.69	2.77
	2444.100	-52.24	-13	-39.24	-59.33	10.51	3.42
	3258.800	-50.48	-13	-37.48	-58.19	11.67	3.97
	4073.500	-49.08	-13	-36.08	-55.94	11.44	4.59
	4888.200	-47.34	-13	-34.34	-54.28	11.93	5.00
	5702.900	-46.04	-13	-33.04	-53.68	12.90	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26740_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1638.000	-50.24	-13	-37.24	-56.17	8.71	2.78
	2457.000	-51.07	-13	-38.07	-58.17	10.53	3.43
	3276.000	-49.03	-13	-36.03	-56.77	11.72	3.98
	4095.000	-49.96	-13	-36.96	-56.82	11.46	4.60
	4914.000	-47.50	-13	-34.50	-54.44	11.95	5.01
	5733.000	-45.47	-13	-32.47	-53.10	12.90	5.27
V	1638.000	-52.77	-13	-39.77	-58.70	8.71	2.78
	2457.000	-52.34	-13	-39.34	-59.44	10.53	3.43
	3276.000	-50.23	-13	-37.23	-57.97	11.72	3.98
	4095.000	-49.05	-13	-36.05	-55.91	11.46	4.60
	4914.000	-47.22	-13	-34.22	-54.16	11.95	5.01
	5733.000	-46.29	-13	-33.29	-53.92	12.90	5.27

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26740_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1638.000	-50.36	-13	-37.36	-56.29	8.71	2.78
	2457.000	-51.24	-13	-38.24	-58.34	10.53	3.43
	3276.000	-49.56	-13	-36.56	-57.30	11.72	3.98
	4095.000	-49.11	-13	-36.11	-55.97	11.46	4.60
	4914.000	-47.67	-13	-34.67	-54.61	11.95	5.01
	5733.000	-45.38	-13	-32.38	-53.01	12.90	5.27
V	1638.000	-52.69	-13	-39.69	-58.62	8.71	2.78
	2457.000	-52.38	-13	-39.38	-59.48	10.53	3.43
	3276.000	-50.30	-13	-37.30	-58.04	11.72	3.98
	4095.000	-49.27	-13	-36.27	-56.13	11.46	4.60
	4914.000	-47.07	-13	-34.07	-54.01	11.95	5.01
	5733.000	-46.16	-13	-33.16	-53.79	12.90	5.27

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26783_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1646.600	-50.65	-13	-37.65	-56.60	8.74	2.79
	2469.900	-51.71	-13	-38.71	-58.83	10.55	3.44
	3293.200	-49.52	-13	-36.52	-57.29	11.76	3.99
	4116.500	-49.69	-13	-36.69	-56.55	11.47	4.61
	4939.800	-47.74	-13	-34.74	-54.69	11.96	5.01
	5763.100	-45.69	-13	-32.69	-53.31	12.90	5.28
V	1646.600	-52.26	-13	-39.26	-58.21	8.74	2.79
	2469.900	-52.74	-13	-39.74	-59.86	10.55	3.44
	3293.200	-50.13	-13	-37.13	-57.90	11.76	3.99
	4116.500	-49.77	-13	-36.77	-56.63	11.47	4.61
	4939.800	-47.30	-13	-34.30	-54.25	11.96	5.01
	5763.100	-46.29	-13	-33.29	-53.91	12.90	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 1.4M_CH 26783_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1646.600	-50.33	-13	-37.33	-56.28	8.74	2.79
	2469.900	-51.10	-13	-38.10	-58.22	10.55	3.44
	3293.200	-49.27	-13	-36.27	-57.04	11.76	3.99
	4116.500	-49.95	-13	-36.95	-56.81	11.47	4.61
	4939.800	-47.55	-13	-34.55	-54.50	11.96	5.01
	5763.100	-45.80	-13	-32.80	-53.42	12.90	5.28
V	1646.600	-52.20	-13	-39.20	-58.15	8.74	2.79
	2469.900	-52.70	-13	-39.70	-59.82	10.55	3.44
	3293.200	-50.03	-13	-37.03	-57.80	11.76	3.99
	4116.500	-49.69	-13	-36.69	-56.55	11.47	4.61
	4939.800	-47.52	-13	-34.52	-54.47	11.96	5.01
	5763.100	-46.57	-13	-33.57	-54.19	12.90	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26705_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1631.000	-50.25	-13	-37.25	-56.17	8.69	2.77
	2446.500	-51.89	-13	-38.89	-58.99	10.51	3.42
	3262.000	-49.44	-13	-36.44	-57.15	11.68	3.97
	4077.500	-48.62	-13	-35.62	-55.48	11.45	4.59
	4893.000	-47.39	-13	-34.39	-54.33	11.94	5.00
	5708.500	-45.17	-13	-32.17	-52.81	12.90	5.26
V	1631.000	-52.62	-13	-39.62	-58.54	8.69	2.77
	2446.500	-52.57	-13	-39.57	-59.67	10.51	3.42
	3262.000	-50.28	-13	-37.28	-57.99	11.68	3.97
	4077.500	-49.24	-13	-36.24	-56.10	11.45	4.59
	4893.000	-47.36	-13	-34.36	-54.30	11.94	5.00
	5708.500	-46.28	-13	-33.28	-53.92	12.90	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26705_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1631.000	-50.05	-13	-37.05	-55.97	8.69	2.77
	2446.500	-50.98	-13	-37.98	-58.08	10.51	3.42
	3262.000	-49.32	-13	-36.32	-57.03	11.68	3.97
	4077.500	-48.21	-13	-35.21	-55.07	11.45	4.59
	4893.000	-47.44	-13	-34.44	-54.38	11.94	5.00
	5708.500	-45.11	-13	-32.11	-52.75	12.90	5.26
V	1631.000	-52.66	-13	-39.66	-58.58	8.69	2.77
	2446.500	-52.15	-13	-39.15	-59.25	10.51	3.42
	3262.000	-50.32	-13	-37.32	-58.03	11.68	3.97
	4077.500	-49.02	-13	-36.02	-55.88	11.45	4.59
	4893.000	-47.54	-13	-34.54	-54.48	11.94	5.00
	5708.500	-46.17	-13	-33.17	-53.81	12.90	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26740_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1638.000	-50.11	-13	-37.11	-56.04	8.71	2.78
	2457.000	-50.95	-13	-37.95	-58.05	10.53	3.43
	3276.000	-49.18	-13	-36.18	-56.92	11.72	3.98
	4095.000	-50.17	-13	-37.17	-57.03	11.46	4.60
	4914.000	-47.32	-13	-34.32	-54.26	11.95	5.01
	5733.000	-45.58	-13	-32.58	-53.21	12.90	5.27
V	1638.000	-52.56	-13	-39.56	-58.49	8.71	2.78
	2457.000	-52.17	-13	-39.17	-59.27	10.53	3.43
	3276.000	-50.35	-13	-37.35	-58.09	11.72	3.98
	4095.000	-49.11	-13	-36.11	-55.97	11.46	4.60
	4914.000	-47.39	-13	-34.39	-54.33	11.95	5.01
	5733.000	-46.32	-13	-33.32	-53.95	12.90	5.27

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26740_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1638.000	-50.24	-13	-37.24	-56.17	8.71	2.78
	2457.000	-51.49	-13	-38.49	-58.59	10.53	3.43
	3276.000	-49.42	-13	-36.42	-57.16	11.72	3.98
	4095.000	-49.26	-13	-36.26	-56.12	11.46	4.60
	4914.000	-47.87	-13	-34.87	-54.81	11.95	5.01
	5733.000	-45.47	-13	-32.47	-53.10	12.90	5.27
V	1638.000	-52.47	-13	-39.47	-58.40	8.71	2.78
	2457.000	-52.49	-13	-39.49	-59.59	10.53	3.43
	3276.000	-50.03	-13	-37.03	-57.77	11.72	3.98
	4095.000	-49.39	-13	-36.39	-56.25	11.46	4.60
	4914.000	-47.25	-13	-34.25	-54.19	11.95	5.01
	5733.000	-46.21	-13	-33.21	-53.84	12.90	5.27

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26775_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1645.000	-50.77	-13	-37.77	-56.72	8.74	2.79
	2467.500	-51.82	-13	-38.82	-58.93	10.55	3.43
	3290.000	-50.02	-13	-37.02	-57.79	11.75	3.99
	4112.500	-49.89	-13	-36.89	-56.75	11.47	4.61
	4935.000	-47.89	-13	-34.89	-54.84	11.96	5.01
	5757.500	-45.91	-13	-32.91	-53.53	12.90	5.28
V	1645.000	-52.46	-13	-39.46	-58.41	8.74	2.79
	2467.500	-52.45	-13	-39.45	-59.56	10.55	3.43
	3290.000	-50.32	-13	-37.32	-58.09	11.75	3.99
	4112.500	-49.92	-13	-36.92	-56.78	11.47	4.61
	4935.000	-47.41	-13	-34.41	-54.36	11.96	5.01
	5757.500	-46.12	-13	-33.12	-53.74	12.90	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 3M_CH 26775_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1645.000	-50.21	-13	-37.21	-56.16	8.74	2.79
	2467.500	-51.35	-13	-38.35	-58.46	10.55	3.43
	3290.000	-49.36	-13	-36.36	-57.13	11.75	3.99
	4112.500	-49.88	-13	-36.88	-56.74	11.47	4.61
	4935.000	-47.39	-13	-34.39	-54.34	11.96	5.01
	5757.500	-45.98	-13	-32.98	-53.60	12.90	5.28
V	1645.000	-52.14	-13	-39.14	-58.09	8.74	2.79
	2467.500	-52.86	-13	-39.86	-59.97	10.55	3.43
	3290.000	-50.19	-13	-37.19	-57.96	11.75	3.99
	4112.500	-49.77	-13	-36.77	-56.63	11.47	4.61
	4935.000	-47.32	-13	-34.32	-54.27	11.96	5.01
	5757.500	-46.45	-13	-33.45	-54.07	12.90	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26715_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1633.000	-50.36	-13	-37.36	-56.28	8.70	2.78
	2449.500	-51.21	-13	-38.21	-58.31	10.52	3.42
	3266.000	-49.65	-13	-36.65	-57.37	11.69	3.97
	4082.500	-48.69	-13	-35.69	-55.55	11.45	4.59
	4899.000	-47.69	-13	-34.69	-54.63	11.94	5.00
	5715.500	-45.36	-13	-32.36	-53.00	12.90	5.26
V	1633.000	-52.46	-13	-39.46	-58.38	8.70	2.78
	2449.500	-52.37	-13	-39.37	-59.47	10.52	3.42
	3266.000	-50.59	-13	-37.59	-58.31	11.69	3.97
	4082.500	-49.12	-13	-36.12	-55.98	11.45	4.59
	4899.000	-47.55	-13	-34.55	-54.49	11.94	5.00
	5715.500	-46.22	-13	-33.22	-53.86	12.90	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26715_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1633.000	-50.36	-13	-37.36	-56.28	8.70	2.78
	2449.500	-51.32	-13	-38.32	-58.42	10.52	3.42
	3266.000	-49.86	-13	-36.86	-57.58	11.69	3.97
	4082.500	-48.56	-13	-35.56	-55.42	11.45	4.59
	4899.000	-47.41	-13	-34.41	-54.35	11.94	5.00
	5715.500	-45.19	-13	-32.19	-52.83	12.90	5.26
V	1633.000	-52.85	-13	-39.85	-58.77	8.70	2.78
	2449.500	-52.36	-13	-39.36	-59.46	10.52	3.42
	3266.000	-50.56	-13	-37.56	-58.28	11.69	3.97
	4082.500	-49.14	-13	-36.14	-56.00	11.45	4.59
	4899.000	-47.48	-13	-34.48	-54.42	11.94	5.00
	5715.500	-45.91	-13	-32.91	-53.55	12.90	5.26

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26740_16-QAM_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1638.000	-50.13	-13	-37.13	-56.06	8.71	2.78
	2457.000	-51.27	-13	-38.27	-58.37	10.53	3.43
	3276.000	-49.10	-13	-36.10	-56.84	11.72	3.98
	4095.000	-49.87	-13	-36.87	-56.73	11.46	4.60
	4914.000	-47.65	-13	-34.65	-54.59	11.95	5.01
	5733.000	-45.28	-13	-32.28	-52.91	12.90	5.27
V	1638.000	-52.69	-13	-39.69	-58.62	8.71	2.78
	2457.000	-52.33	-13	-39.33	-59.43	10.53	3.43
	3276.000	-50.11	-13	-37.11	-57.85	11.72	3.98
	4095.000	-49.16	-13	-36.16	-56.02	11.46	4.60
	4914.000	-47.17	-13	-34.17	-54.11	11.95	5.01
	5733.000	-46.31	-13	-33.31	-53.94	12.90	5.27

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26740_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1638.000	-50.22	-13	-37.22	-56.15	8.71	2.78
	2457.000	-51.34	-13	-38.34	-58.44	10.53	3.43
	3276.000	-49.66	-13	-36.66	-57.40	11.72	3.98
	4095.000	-49.21	-13	-36.21	-56.07	11.46	4.60
	4914.000	-47.51	-13	-34.51	-54.45	11.95	5.01
	5733.000	-45.46	-13	-32.46	-53.09	12.90	5.27
V	1638.000	-52.57	-13	-39.57	-58.50	8.71	2.78
	2457.000	-52.48	-13	-39.48	-59.58	10.53	3.43
	3276.000	-50.11	-13	-37.11	-57.85	11.72	3.98
	4095.000	-49.57	-13	-36.57	-56.43	11.46	4.60
	4914.000	-47.14	-13	-34.14	-54.08	11.95	5.01
	5733.000	-46.23	-13	-33.23	-53.86	12.90	5.27

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26765_16-QAM_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1643.000	-50.66	-13	-37.66	-56.60	8.73	2.79
	2464.500	-51.69	-13	-38.69	-58.80	10.54	3.43
	3286.000	-49.61	-13	-36.61	-57.37	11.74	3.98
	4107.500	-49.77	-13	-36.77	-56.63	11.46	4.61
	4929.000	-47.85	-13	-34.85	-54.80	11.96	5.01
	5750.500	-45.71	-13	-32.71	-53.33	12.90	5.28
V	1643.000	-52.48	-13	-39.48	-58.42	8.73	2.79
	2464.500	-52.77	-13	-39.77	-59.88	10.54	3.43
	3286.000	-50.26	-13	-37.26	-58.02	11.74	3.98
	4107.500	-49.91	-13	-36.91	-56.77	11.46	4.61
	4929.000	-47.41	-13	-34.41	-54.36	11.96	5.01
	5750.500	-46.36	-13	-33.36	-53.98	12.90	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 5M_CH 26765_QPSK_1RB5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1643.000	-50.15	-13	-37.15	-56.09	8.73	2.79
	2464.500	-51.16	-13	-38.16	-58.27	10.54	3.43
	3286.000	-49.34	-13	-36.34	-57.10	11.74	3.98
	4107.500	-49.87	-13	-36.87	-56.73	11.46	4.61
	4929.000	-47.57	-13	-34.57	-54.52	11.96	5.01
	5750.500	-45.89	-13	-32.89	-53.51	12.90	5.28
V	1643.000	-52.20	-13	-39.20	-58.14	8.73	2.79
	2464.500	-52.12	-13	-39.12	-59.23	10.54	3.43
	3286.000	-49.98	-13	-36.98	-57.74	11.74	3.98
	4107.500	-49.79	-13	-36.79	-56.65	11.46	4.61
	4929.000	-47.38	-13	-34.38	-54.33	11.96	5.01
	5750.500	-46.76	-13	-33.76	-54.38	12.90	5.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.