


### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99818G	42.59	54.00	-11.41	13.45	3	Horizontal	216	1.27	-	29.14	40.30	8.15	35.00
PK	11.00151G	54.78	74.00	-19.22	13.44	3	Horizontal	216	1.27	-	41.34	40.29	8.15	35.00
PK	16.50418G	57.00	68.20	-11.20	14.17	3	Horizontal	360	1.50	-	42.83	39.00	10.05	34.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.37	54.00	-10.63	2.68	3	Vertical	84	1.79	-	40.69	31.82	5.73	34.87
AV	5.5878G	107.87	Inf	-Inf	2.72	3	Vertical	84	1.79	-	105.15	31.82	5.79	34.89
PK	5.469G	56.65	68.20	-11.55	2.71	3	Vertical	84	1.79	-	53.94	31.84	5.73	34.86
PK	5.577G	119.25	Inf	-Inf	2.76	3	Vertical	84	1.79	-	116.49	31.85	5.79	34.88
PK	5.727G	55.83	68.20	-12.37	2.88	3	Vertical	84	1.79	-	52.95	32.01	5.80	34.93

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4402G	42.97	54.00	-11.03	2.61	3	Horizontal	333	1.75	-	40.36	31.76	5.72	34.87
AV	5.5722G	99.62	Inf	-Inf	2.77	3	Horizontal	333	1.75	-	96.85	31.86	5.79	34.88
PK	5.4618G	53.93	68.20	-14.27	2.68	3	Horizontal	333	1.75	-	51.25	31.82	5.73	34.87
PK	5.5722G	110.14	Inf	-Inf	2.77	3	Horizontal	333	1.75	-	107.37	31.86	5.79	34.88
PK	5.7264G	53.80	68.20	-14.40	2.88	3	Horizontal	333	1.75	-	50.92	32.01	5.80	34.93

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15771G	42.04	54.00	-11.96	13.07	3	Vertical	267	2.01	-	28.97	39.78	8.21	34.92
PK	11.16151G	54.76	74.00	-19.24	13.07	3	Vertical	267	2.01	-	41.69	39.78	8.21	34.92
PK	16.73672G	58.01	68.20	-10.19	15.36	3	Vertical	179	2.47	-	42.65	39.94	10.12	34.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15799G	41.89	54.00	-12.11	13.07	3	Horizontal	148	1.50	-	28.82	39.78	8.21	34.92
PK	11.16093G	55.31	74.00	-18.69	13.07	3	Horizontal	148	1.50	-	42.24	39.78	8.21	34.92
PK	16.74376G	57.98	68.20	-10.22	15.37	3	Horizontal	4	2.07	-	42.61	39.94	10.12	34.69

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6956G	101.57	Inf	-Inf	2.77	3	Vertical	88	1.70	-	98.80	31.89	5.80	34.92
PK	5.7024G	111.47	Inf	-Inf	2.79	3	Vertical	88	1.70	-	108.68	31.91	5.80	34.92
PK	5.7256G	67.32	68.20	-0.88	2.87	3	Vertical	88	1.70	-	64.45	32.00	5.80	34.93

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	90.71	Inf	-Inf	2.81	3	Horizontal	153	1.44	-	87.90	31.93	5.80	34.92
PK	5.708G	102.26	Inf	-Inf	2.81	3	Horizontal	153	1.44	-	99.45	31.93	5.80	34.92
PK	5.726G	58.44	68.20	-9.76	2.87	3	Horizontal	153	1.44	-	55.57	32.00	5.80	34.93

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39907G	42.30	54.00	-11.70	13.50	3	Vertical	292	3.00	-	28.80	40.00	8.29	34.79
PK	11.40195G	54.71	74.00	-19.29	13.50	3	Vertical	292	3.00	-	41.21	40.00	8.29	34.79
PK	17.10482G	59.45	68.20	-8.75	15.68	3	Vertical	85	1.54	-	43.77	40.00	10.23	34.55



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39915G	42.32	54.00	-11.68	13.50	3	Horizontal	0	1.50	-	28.82	40.00	8.29	34.79
PK	11.39849G	54.74	74.00	-19.26	13.50	3	Horizontal	0	1.50	-	41.24	40.00	8.29	34.79
PK	17.0966G	58.79	68.20	-9.41	15.69	3	Horizontal	81	1.56	-	43.10	40.01	10.23	34.55

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**


**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	42.75	54.00	-11.25	2.63	3	Vertical	85	1.81	-	40.12	31.78	5.72	34.87
AV	5.7176G	106.56	Inf	-Inf	2.84	3	Vertical	85	1.81	-	103.72	31.97	5.80	34.93
PK	5.46G	53.85	68.20	-14.35	2.68	3	Vertical	85	1.81	-	51.17	31.82	5.73	34.87
PK	5.7236G	114.40	Inf	-Inf	2.86	3	Vertical	85	1.81	-	114.54	31.99	5.80	34.93
PK	5.8736G	57.00	68.20	-11.20	3.32	3	Vertical	85	1.81	-	53.68	32.45	5.84	34.97

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	42.34	54.00	-11.66	2.66	3	Horizontal	81	2.54	-	39.68	31.80	5.73	34.87
AV	5.7116G	99.15	Inf	-Inf	2.83	3	Horizontal	81	2.54	-	96.32	31.95	5.80	34.92
PK	5.4692G	53.73	68.20	-14.47	2.71	3	Horizontal	81	2.54	-	51.02	31.84	5.73	34.86
PK	5.7116G	110.30	Inf	-Inf	2.83	3	Horizontal	81	2.54	-	107.47	31.95	5.80	34.92
PK	5.9336G	55.25	68.20	-12.95	3.45	3	Horizontal	81	2.54	-	51.80	32.57	5.87	34.99

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**


**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44068G	42.51	54.00	-11.49	13.57	3	Vertical	255	1.83	-	28.94	40.04	8.30	34.77
PK	11.44025G	54.95	74.00	-19.05	13.57	3	Vertical	255	1.83	-	41.38	40.04	8.30	34.77
PK	17.15839G	58.51	68.20	-9.69	15.67	3	Vertical	206	1.50	-	42.84	40.00	10.25	34.58

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**


**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44153G	42.46	54.00	-11.54	13.57	3	Horizontal	360	1.55	-	28.89	40.04	8.30	34.77
PK	11.43862G	55.09	74.00	-18.91	13.57	3	Horizontal	360	1.55	-	41.52	40.04	8.30	34.77
PK	17.15762G	58.83	68.20	-9.37	15.67	3	Horizontal	153	2.10	-	43.16	40.00	10.25	34.58

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	107.26	Inf	-Inf	2.93	3	Vertical	85	1.81	-	104.33	32.06	5.80	34.93
PK	5.6382G	57.97	68.20	-10.23	2.70	3	Vertical	85	1.81	-	55.27	31.80	5.80	34.90
PK	5.7366G	117.92	Inf	-Inf	2.92	3	Vertical	85	1.81	-	115.00	32.05	5.80	34.93
PK	5.9586G	55.04	68.20	-13.16	3.46	3	Vertical	85	1.81	-	51.58	32.58	5.88	35.00

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	98.11	Inf	-Inf	2.92	3	Horizontal	154	1.50	-	95.19	32.05	5.80	34.93
PK	5.5974G	54.68	68.20	-13.52	2.72	3	Horizontal	154	1.50	-	51.96	31.81	5.80	34.89
PK	5.739G	107.71	Inf	-Inf	2.93	3	Horizontal	154	1.50	-	104.78	32.06	5.80	34.93
PK	5.9754G	55.36	68.20	-12.84	3.44	3	Horizontal	154	1.50	-	51.92	32.55	5.89	35.00

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48986G	43.41	54.00	-10.59	13.66	3	Vertical	315	1.50	-	29.75	40.09	8.32	34.75
PK	11.48904G	55.45	74.00	-18.55	13.66	3	Vertical	315	1.50	-	41.79	40.09	8.32	34.75
PK	17.23695G	58.45	68.20	-9.75	15.77	3	Vertical	202	1.49	-	42.68	40.11	10.27	34.61



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49146G	42.70	54.00	-11.30	13.67	3	Horizontal	24	2.32	-	29.03	40.09	8.32	34.74
PK	11.49074G	55.47	74.00	-18.53	13.67	3	Horizontal	24	2.32	-	41.80	40.09	8.32	34.74
PK	17.23668G	58.43	68.20	-9.77	15.77	3	Horizontal	155	1.70	-	42.66	40.11	10.27	34.61

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	105.75	Inf	-Inf	3.03	3	Vertical	268	1.88	-	102.72	32.18	5.80	34.95
PK	5.5498G	55.65	68.20	-12.55	2.80	3	Vertical	268	1.88	-	52.85	31.90	5.77	34.87
PK	5.7874G	116.38	Inf	-Inf	3.02	3	Vertical	268	1.88	-	113.36	32.17	5.80	34.95
PK	5.9242G	55.67	68.79	-13.12	3.42	3	Vertical	268	1.88	-	52.25	32.55	5.86	34.99

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	99.46	Inf	-Inf	3.01	3	Horizontal	1	1.32	-	96.45	32.15	5.80	34.94
PK	5.5834G	54.66	68.20	-13.54	2.73	3	Horizontal	1	1.32	-	51.93	31.83	5.79	34.89
PK	5.779G	109.28	Inf	-Inf	3.02	3	Horizontal	1	1.32	-	106.26	32.16	5.80	34.94
PK	5.9818G	56.42	68.20	-11.78	3.43	3	Horizontal	1	1.32	-	52.99	32.54	5.89	35.00

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56136G	42.18	54.00	-11.82	13.52	3	Vertical	33	1.47	-	28.66	39.92	8.35	34.75
PK	11.56552G	55.73	74.00	-18.27	13.49	3	Vertical	33	1.47	-	42.24	39.90	8.35	34.76
PK	17.35652G	59.32	68.20	-8.88	16.39	3	Vertical	331	2.23	-	42.93	40.75	10.31	34.67

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57016G	42.62	54.00	-11.38	13.48	3	Horizontal	196	1.50	-	29.14	39.89	8.35	34.76
PK	11.5692G	55.72	74.00	-18.28	13.48	3	Horizontal	196	1.50	-	42.24	39.89	8.35	34.76
PK	17.35994G	58.24	68.20	-9.96	16.42	3	Horizontal	130	1.51	-	41.82	40.78	10.31	34.67

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	104.31	Inf	-Inf	3.13	3	Vertical	180	1.28	-	101.18	32.28	5.81	34.96
PK	5.6126G	55.74	68.20	-12.46	2.71	3	Vertical	180	1.28	-	53.03	31.80	5.80	34.89
PK	5.8178G	115.75	Inf	-Inf	3.12	3	Vertical	180	1.28	-	112.63	32.27	5.81	34.96
PK	5.9354G	55.90	68.20	-12.30	3.45	3	Vertical	180	1.28	-	52.45	32.57	5.87	34.99

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	96.39	Inf	-Inf	3.14	3	Horizontal	328	1.67	-	93.25	32.29	5.81	34.96
PK	5.6126G	55.25	68.20	-12.95	2.71	3	Horizontal	328	1.67	-	52.54	31.80	5.80	34.89
PK	5.8166G	107.73	Inf	-Inf	3.13	3	Horizontal	328	1.67	-	104.60	32.27	5.81	34.95
PK	6.125G	55.48	68.20	-12.72	3.61	3	Horizontal	328	1.67	-	51.87	32.65	5.96	35.00

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6531G	42.11	54.00	-11.89	13.13	3	Vertical	16	3.00	-	28.98	39.53	8.38	34.78
PK	11.64672G	54.20	74.00	-19.80	13.17	3	Vertical	16	3.00	-	41.03	39.57	8.38	34.78
PK	17.47306G	60.42	68.20	-7.78	17.08	3	Vertical	0	1.50	-	43.34	41.47	10.34	34.73



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6449G	42.13	54.00	-11.87	13.19	3	Horizontal	3	1.50	-	28.94	39.58	8.38	34.77
PK	11.64592G	54.99	74.00	-19.01	13.17	3	Horizontal	3	1.50	-	41.82	39.57	8.38	34.78
PK	17.4738G	59.84	68.20	-8.36	17.08	3	Horizontal	226	2.22	-	42.76	41.47	10.34	34.73

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.50	54.00	-5.50	2.55	3	Vertical	82	1.82	-	45.95	32.00	5.47	34.92
AV	5.2052G	95.76	Inf	-Inf	2.27	3	Vertical	82	1.82	-	93.49	31.67	5.51	34.91
PK	5.1452G	73.82	74.00	-0.18	2.55	3	Vertical	82	1.82	-	71.27	32.00	5.47	34.92
PK	5.2056G	109.87	Inf	-Inf	2.27	3	Vertical	82	1.82	-	107.60	31.67	5.51	34.91

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.05	54.00	-8.95	2.55	3	Horizontal	18	2.45	-	42.50	32.00	5.47	34.92
AV	5.1916G	91.37	Inf	-Inf	2.34	3	Horizontal	18	2.45	-	89.03	31.75	5.50	34.91
PK	5.15G	71.87	74.00	-2.13	2.55	3	Horizontal	18	2.45	-	69.32	32.00	5.47	34.92
PK	5.1916G	103.47	Inf	-Inf	2.34	3	Horizontal	18	2.45	-	101.13	31.75	5.50	34.91

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56506G	42.92	54.00	-11.08	13.03	3	Vertical	285	2.24	-	29.89	38.37	9.79	35.13
PK	10.37788G	55.02	68.20	-13.18	12.24	3	Vertical	177	2.31	-	42.78	39.53	7.93	35.22
PK	15.57116G	55.42	74.00	-18.58	13.00	3	Vertical	285	2.24	-	42.42	38.34	9.79	35.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56682G	42.95	54.00	-11.05	13.03	3	Horizontal	279	1.30	-	29.92	38.37	9.79	35.13
PK	10.37668G	55.45	68.20	-12.75	12.24	3	Horizontal	308	2.31	-	43.21	39.53	7.93	35.22
PK	15.56544G	55.72	74.00	-18.28	13.03	3	Horizontal	279	1.30	-	42.69	38.37	9.79	35.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.22	54.00	-0.78	2.55	3	Vertical	90	1.92	-	50.67	32.00	5.47	34.92
AV	5.2136G	101.85	Inf	-Inf	2.22	3	Vertical	90	1.92	-	99.63	31.62	5.51	34.91
PK	5.15G	72.21	74.00	-1.79	2.55	3	Vertical	90	1.92	-	69.66	32.00	5.47	34.92
PK	5.22G	115.28	Inf	-Inf	2.20	3	Vertical	90	1.92	-	113.08	31.58	5.52	34.90

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.51	54.00	-6.49	2.55	3	Horizontal	152.1	2.12	-	44.96	32.00	5.47	34.92
AV	5.2316G	97.00	Inf	-Inf	2.14	3	Horizontal	152.1	2.12	-	94.86	31.51	5.53	34.90
PK	5.148G	63.21	74.00	-10.79	2.55	3	Horizontal	152.1	2.12	-	60.66	32.00	5.47	34.92
PK	5.232G	109.21	Inf	-Inf	2.14	3	Horizontal	152.1	2.12	-	107.07	31.51	5.53	34.90

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68816G	43.10	54.00	-10.90	12.90	3	Vertical	113	1.12	-	30.20	38.29	9.82	35.21
PK	10.4623G	54.18	68.20	-14.02	12.63	3	Vertical	273	1.25	-	41.55	39.79	7.96	35.12
PK	15.69366G	55.47	74.00	-18.53	12.89	3	Vertical	113	1.12	-	42.58	38.29	9.82	35.22



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69442G	43.00	54.00	-11.00	12.89	3	Horizontal	38	1.64	-	30.11	38.29	9.82	35.22
PK	10.46366G	54.98	68.20	-13.22	12.64	3	Horizontal	233	1.80	-	42.34	39.79	7.96	35.11
PK	15.68532G	55.78	74.00	-18.22	12.90	3	Horizontal	38	1.64	-	42.88	38.29	9.82	35.21

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2532G	102.48	Inf	-Inf	2.04	3	Vertical	305	2.21	-	100.44	31.39	5.55	34.90
AV	5.3508G	53.00	54.00	-1.00	2.07	3	Vertical	305	2.21	-	50.93	31.30	5.65	34.88
PK	5.2528G	115.90	Inf	-Inf	2.04	3	Vertical	305	2.21	-	113.86	31.39	5.55	34.90
PK	5.3508G	71.65	74.00	-2.35	2.07	3	Vertical	305	2.21	-	69.58	31.30	5.65	34.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2592G	94.82	Inf	-Inf	2.04	3	Horizontal	11	1.58	-	92.78	31.38	5.56	34.90
AV	5.35G	44.51	54.00	-9.49	2.07	3	Horizontal	11	1.58	-	42.44	31.30	5.65	34.88
PK	5.258G	106.04	Inf	-Inf	2.04	3	Horizontal	11	1.58	-	104.00	31.38	5.56	34.90
PK	5.3508G	62.44	74.00	-11.56	2.07	3	Horizontal	11	1.58	-	60.37	31.30	5.65	34.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80572G	42.52	54.00	-11.48	12.36	3	Vertical	51	2.01	-	30.16	37.80	9.85	35.29
PK	10.53646G	55.19	68.20	-13.01	12.83	3	Vertical	40	1.78	-	42.36	39.90	7.99	35.06
PK	15.8073G	55.09	74.00	-18.91	12.35	3	Vertical	51	2.01	-	42.74	37.80	9.85	35.30

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81244G	42.53	54.00	-11.47	12.35	3	Horizontal	180	1.82	-	30.18	37.80	9.85	35.30
PK	10.5379G	54.10	68.20	-14.10	12.83	3	Horizontal	216	1.77	-	41.27	39.90	7.99	35.06
PK	15.807G	55.15	74.00	-18.85	12.36	3	Horizontal	180	1.82	-	42.79	37.80	9.85	35.29

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3256G	96.49	Inf	-Inf	2.04	3	Vertical	88	1.82	-	94.45	31.30	5.63	34.89
AV	5.366G	45.99	54.00	-8.01	2.19	3	Vertical	88	1.82	-	43.80	31.40	5.67	34.88
PK	5.3256G	110.94	Inf	-Inf	2.04	3	Vertical	88	1.82	-	108.90	31.30	5.63	34.89
PK	5.356G	73.49	74.00	-0.51	2.12	3	Vertical	88	1.82	-	71.37	31.34	5.66	34.88

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3196G	87.97	Inf	-Inf	2.03	3	Horizontal	162	1.72	-	85.94	31.30	5.62	34.89
AV	5.3612G	44.55	54.00	-9.45	2.15	3	Horizontal	162	1.72	-	42.40	31.37	5.66	34.88
PK	5.3008G	103.32	Inf	-Inf	2.01	3	Horizontal	162	1.72	-	101.31	31.30	5.60	34.89
PK	5.3536G	70.53	74.00	-3.47	2.09	3	Horizontal	162	1.72	-	68.44	31.32	5.65	34.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.621G	41.55	54.00	-12.45	12.91	3	Vertical	221	1.96	-	28.64	39.94	8.02	35.05
AV	15.93404G	42.15	54.00	-11.85	12.30	3	Vertical	303	1.25	-	29.85	37.80	9.88	35.38
PK	10.62092G	54.67	74.00	-19.33	12.91	3	Vertical	221	1.96	-	41.76	39.94	8.02	35.05
PK	15.93232G	54.97	74.00	-19.03	12.30	3	Vertical	303	1.25	-	42.67	37.80	9.88	35.38



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62416G	41.88	54.00	-12.12	12.92	3	Horizontal	14	1.73	-	28.96	39.95	8.02	35.05
AV	15.92608G	42.43	54.00	-11.57	12.30	3	Horizontal	280	2.14	-	30.13	37.80	9.88	35.38
PK	10.61618G	54.56	74.00	-19.44	12.90	3	Horizontal	14	1.73	-	41.66	39.93	8.02	35.05
PK	15.92776G	55.55	74.00	-18.45	12.30	3	Horizontal	280	2.14	-	43.25	37.80	9.88	35.38

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.95	54.00	-9.05	2.68	3	Vertical	90	1.87	-	42.27	31.82	5.73	34.87
AV	5.5252G	97.18	Inf	-Inf	2.79	3	Vertical	90	1.87	-	94.39	31.90	5.76	34.87
PK	5.4664G	67.90	68.20	-0.30	2.69	3	Vertical	90	1.87	-	65.21	31.83	5.73	34.87
PK	5.5256G	110.00	Inf	-Inf	2.79	3	Vertical	90	1.87	-	107.21	31.90	5.76	34.87

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	42.81	54.00	-11.19	2.67	3	Horizontal	5	1.54	-	40.14	31.81	5.73	34.87
AV	5.5188G	88.52	Inf	-Inf	2.79	3	Horizontal	5	1.54	-	85.73	31.90	5.76	34.87
PK	5.47G	62.48	68.20	-5.72	2.72	3	Horizontal	5	1.54	-	59.76	31.84	5.74	34.86
PK	5.5184G	99.56	Inf	-Inf	2.79	3	Horizontal	5	1.54	-	96.77	31.90	5.76	34.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02392G	42.46	54.00	-11.54	13.37	3	Vertical	334	1.68	-	29.09	40.20	8.16	34.99
PK	11.02438G	55.68	74.00	-18.32	13.37	3	Vertical	334	1.68	-	42.31	40.20	8.16	34.99
PK	16.52722G	57.90	68.20	-10.30	14.20	3	Vertical	275	2.22	-	43.70	39.00	10.06	34.86

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01646G	42.31	54.00	-11.69	13.40	3	Horizontal	105	1.58	-	28.91	40.23	8.16	34.99
PK	11.01628G	56.39	74.00	-17.61	13.40	3	Horizontal	105	1.58	-	42.99	40.23	8.16	34.99
PK	16.53484G	57.78	68.20	-10.42	14.21	3	Horizontal	0	2.27	-	43.57	39.00	10.06	34.85

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.51	54.00	-6.49	2.68	3	Vertical	270	1.61	-	44.83	31.82	5.73	34.87
AV	5.5372G	101.83	Inf	-Inf	2.80	3	Vertical	270	1.61	-	99.03	31.90	5.77	34.87
PK	5.47G	62.46	68.20	-5.74	2.72	3	Vertical	270	1.61	-	59.74	31.84	5.74	34.86
PK	5.5336G	113.11	Inf	-Inf	2.80	3	Vertical	270	1.61	-	110.31	31.90	5.77	34.87

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.45	54.00	-7.55	2.68	3	Horizontal	348	1.30	-	43.77	31.82	5.73	34.87
AV	5.5476G	98.62	Inf	-Inf	2.80	3	Horizontal	348	1.30	-	95.82	31.90	5.77	34.87
PK	5.4696G	62.86	68.20	-5.34	2.71	3	Horizontal	348	1.30	-	60.15	31.84	5.73	34.86
PK	5.5476G	110.71	Inf	-Inf	2.80	3	Horizontal	348	1.30	-	107.91	31.90	5.77	34.87

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10096G	42.22	54.00	-11.78	13.14	3	Vertical	135	2.20	-	29.08	39.90	8.19	34.95
PK	11.1005G	54.89	74.00	-19.11	13.14	3	Vertical	135	2.20	-	41.75	39.90	8.19	34.95
PK	16.65214G	58.73	68.20	-9.47	14.81	3	Vertical	213	1.16	-	43.92	39.47	10.10	34.76



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10136G	42.12	54.00	-11.88	13.14	3	Horizontal	270	1.49	-	28.98	39.90	8.19	34.95
PK	11.10316G	55.29	74.00	-18.71	13.13	3	Horizontal	270	1.49	-	42.16	39.89	8.19	34.95
PK	16.64894G	58.22	68.20	-9.98	14.76	3	Horizontal	315	2.05	-	43.46	39.44	10.09	34.77

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6526G	98.53	Inf	-Inf	2.70	3	Vertical	177	1.50	-	95.83	31.81	5.80	34.91
PK	5.6538G	109.78	Inf	-Inf	2.70	3	Vertical	177	1.50	-	107.08	31.81	5.80	34.91
PK	5.7276G	68.05	68.20	-0.15	2.88	3	Vertical	177	1.50	-	65.17	32.01	5.80	34.93

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6526G	92.47	Inf	-Inf	2.70	3	Horizontal	158	1.50	-	89.77	31.81	5.80	34.91
PK	5.6538G	105.10	Inf	-Inf	2.70	3	Horizontal	158	1.50	-	102.40	31.81	5.80	34.91
PK	5.7258G	65.03	68.20	-3.17	2.87	3	Horizontal	158	1.50	-	62.16	32.00	5.80	34.93

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3358G	41.80	54.00	-12.20	13.25	3	Vertical	318	1.35	-	28.55	39.81	8.27	34.83
PK	11.33596G	54.35	74.00	-19.65	13.25	3	Vertical	318	1.35	-	41.10	39.81	8.27	34.83
PK	17.01152G	58.30	68.20	-9.90	15.96	3	Vertical	251	1.09	-	42.34	40.27	10.20	34.51

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34296G	41.71	54.00	-12.29	13.28	3	Horizontal	52	1.42	-	28.43	39.83	8.27	34.82
PK	11.3442G	55.24	74.00	-18.76	13.28	3	Horizontal	52	1.42	-	41.96	39.83	8.27	34.82
PK	17.00562G	58.06	68.20	-10.14	15.98	3	Horizontal	273	1.87	-	42.08	40.28	10.20	34.50

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4256G	42.72	54.00	-11.28	2.54	3	Vertical	86	1.50	-	40.18	31.70	5.71	34.87
AV	5.6956G	100.86	Inf	-Inf	2.77	3	Vertical	86	1.50	-	98.09	31.89	5.80	34.92
PK	5.4664G	54.52	68.20	-13.68	2.69	3	Vertical	86	1.50	-	51.83	31.83	5.73	34.87
PK	5.6944G	113.09	Inf	-Inf	2.77	3	Vertical	86	1.50	-	110.32	31.89	5.80	34.92
PK	5.8744G	57.65	68.20	-10.55	3.32	3	Vertical	86	1.50	-	54.33	32.45	5.84	34.97

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	42.51	54.00	-11.49	2.67	3	Horizontal	157	1.56	-	39.84	31.81	5.73	34.87
AV	5.7148G	94.41	Inf	-Inf	2.84	3	Horizontal	157	1.56	-	91.57	31.96	5.80	34.92
PK	5.4652G	54.90	68.20	-13.30	2.69	3	Horizontal	157	1.56	-	52.21	31.83	5.73	34.87
PK	5.7124G	105.21	Inf	-Inf	2.83	3	Horizontal	157	1.56	-	102.38	31.95	5.80	34.92
PK	5.9692G	55.65	68.20	-12.55	3.44	3	Horizontal	157	1.56	-	52.21	32.56	5.88	35.00

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42298G	42.28	54.00	-11.72	13.54	3	Vertical	25	1.15	-	28.74	40.02	8.30	34.78
PK	11.41946G	54.96	74.00	-19.04	13.54	3	Vertical	25	1.15	-	41.42	40.02	8.30	34.78
PK	17.1279G	59.25	68.20	-8.95	15.68	3	Vertical	261	1.20	-	43.57	40.00	10.24	34.56



**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42146G	42.25	54.00	-11.75	13.54	3	Horizontal	321	1.73	-	28.71	40.02	8.30	34.78
PK	11.41504G	55.52	74.00	-18.48	13.54	3	Horizontal	321	1.73	-	41.98	40.02	8.30	34.78
PK	17.13266G	59.00	68.20	-9.20	15.68	3	Horizontal	42	1.15	-	43.32	40.00	10.24	34.56

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	101.49	Inf	-Inf	2.96	3	Vertical	181	1.49	-	98.53	32.09	5.80	34.93
PK	5.6434G	63.33	68.20	-4.87	2.70	3	Vertical	181	1.49	-	60.63	31.80	5.80	34.90
PK	5.7466G	111.55	Inf	-Inf	2.96	3	Vertical	181	1.49	-	108.59	32.09	5.80	34.93
PK	6.025G	56.11	68.20	-12.09	3.40	3	Vertical	181	1.49	-	52.71	32.50	5.91	35.01

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7646G	95.39	Inf	-Inf	2.99	3	Horizontal	6	1.35	-	92.40	32.13	5.80	34.94
PK	5.6446G	58.30	68.20	-9.90	2.70	3	Horizontal	6	1.35	-	55.60	31.80	5.80	34.90
PK	5.7694G	106.30	Inf	-Inf	3.00	3	Horizontal	6	1.35	-	103.30	32.14	5.80	34.94
PK	6.049G	55.89	68.20	-12.31	3.41	3	Horizontal	6	1.35	-	52.48	32.50	5.92	35.01

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5061G	42.40	54.00	-11.60	13.67	3	Vertical	220	1.79	-	28.73	40.08	8.33	34.74
PK	11.50922G	55.93	74.00	-18.07	13.66	3	Vertical	220	1.79	-	42.27	40.07	8.33	34.74
PK	17.26822G	58.62	68.20	-9.58	15.85	3	Vertical	162	1.88	-	42.77	40.20	10.28	34.63

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51136G	42.51	54.00	-11.49	13.66	3	Horizontal	6	1.64	-	28.85	40.07	8.33	34.74
PK	11.5053G	55.37	74.00	-18.63	13.67	3	Horizontal	6	1.64	-	41.70	40.08	8.33	34.74
PK	17.26844G	58.84	68.20	-9.36	15.86	3	Horizontal	242	1.01	-	42.98	40.21	10.28	34.63

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	101.08	Inf	-Inf	3.04	3	Vertical	273	1.99	-	98.04	32.19	5.80	34.95
PK	5.6354G	56.12	68.20	-12.08	2.70	3	Vertical	273	1.99	-	53.42	31.80	5.80	34.90
PK	5.7782G	113.07	Inf	-Inf	3.02	3	Vertical	273	1.99	-	110.05	32.16	5.80	34.94
PK	5.9318G	64.00	68.20	-4.20	3.44	3	Vertical	273	1.99	-	60.56	32.56	5.87	34.99

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	94.28	Inf	-Inf	3.05	3	Horizontal	226	1.84	-	91.23	32.20	5.80	34.95
PK	5.6462G	55.60	68.20	-12.60	2.70	3	Horizontal	226	1.84	-	52.90	31.80	5.80	34.90
PK	5.8022G	104.32	Inf	-Inf	3.06	3	Horizontal	226	1.84	-	101.26	32.21	5.80	34.95
PK	5.9306G	56.30	68.20	-11.90	3.44	3	Horizontal	226	1.84	-	52.86	32.56	5.87	34.99

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59066G	42.03	54.00	-11.97	13.43	3	Vertical	360	1.61	-	28.60	39.83	8.36	34.76
PK	11.58762G	55.06	74.00	-18.94	13.44	3	Vertical	360	1.61	-	41.62	39.84	8.36	34.76
PK	17.38274G	59.97	68.20	-8.23	16.59	3	Vertical	250	2.10	-	43.38	40.96	10.31	34.68



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58836G	42.06	54.00	-11.94	13.43	3	Horizontal	179	1.50	-	28.63	39.83	8.36	34.76
PK	11.585G	54.92	74.00	-19.08	13.43	3	Horizontal	179	1.50	-	41.49	39.84	8.35	34.76
PK	17.38634G	59.54	68.20	-8.66	16.62	3	Horizontal	27	1.16	-	42.92	40.99	10.32	34.69

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	2.55	3	Vertical	81	1.92	-	51.00	32.00	5.47	34.92
AV	5.214G	93.31	Inf	-Inf	2.22	3	Vertical	81	1.92	-	91.09	31.62	5.51	34.91
AV	5.35G	42.45	54.00	-11.55	2.07	3	Vertical	81	1.92	-	40.38	31.30	5.65	34.88
PK	5.134G	73.38	74.00	-0.62	2.55	3	Vertical	81	1.92	-	70.83	32.00	5.47	34.92
PK	5.212G	105.21	Inf	-Inf	2.23	3	Vertical	81	1.92	-	102.98	31.63	5.51	34.91
PK	5.374G	55.27	74.00	-18.73	2.23	3	Vertical	81	1.92	-	53.04	31.44	5.67	34.88

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.58	54.00	-5.42	2.55	3	Horizontal	19	2.28	-	46.03	32.00	5.47	34.92
AV	5.192G	89.44	Inf	-Inf	2.34	3	Horizontal	19	2.28	-	87.10	31.75	5.50	34.91
AV	5.459G	41.96	54.00	-12.04	2.68	3	Horizontal	19	2.28	-	39.28	31.82	5.73	34.87
PK	5.127G	69.67	74.00	-4.33	2.54	3	Horizontal	19	2.28	-	67.13	32.00	5.46	34.92
PK	5.19G	101.92	Inf	-Inf	2.35	3	Horizontal	19	2.28	-	99.57	31.76	5.50	34.91
PK	5.368G	54.80	74.00	-19.20	2.20	3	Horizontal	19	2.28	-	52.60	31.41	5.67	34.88

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6516G	42.75	54.00	-11.25	12.87	3	Vertical	330	2.44	-	29.88	38.25	9.81	35.19
PK	10.44848G	54.60	68.20	-13.60	12.58	3	Vertical	11	1.86	-	42.02	39.75	7.96	35.13
PK	15.63608G	56.49	74.00	-17.51	12.87	3	Vertical	330	2.44	-	43.62	38.24	9.81	35.18

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62696G	42.71	54.00	-11.29	12.87	3	Horizontal	2	2.06	-	29.84	38.23	9.81	35.17
PK	10.4104G	54.32	68.20	-13.88	12.39	3	Horizontal	267	1.92	-	41.93	39.63	7.94	35.18
PK	15.63016G	55.74	74.00	-18.26	12.87	3	Horizontal	2	2.06	-	42.87	38.23	9.81	35.17

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	44.83	54.00	-9.17	2.55	3	Vertical	308	2.22	-	42.28	32.00	5.47	34.92
AV	5.31G	94.74	Inf	-Inf	2.02	3	Vertical	308	2.22	-	92.72	31.30	5.61	34.89
AV	5.35G	53.33	54.00	-0.67	2.07	3	Vertical	308	2.22	-	51.26	31.30	5.65	34.88
PK	5.15G	59.17	74.00	-14.83	2.55	3	Vertical	308	2.22	-	56.62	32.00	5.47	34.92
PK	5.327G	106.74	Inf	-Inf	2.04	3	Vertical	308	2.22	-	104.70	31.30	5.63	34.89
PK	5.35G	73.72	74.00	-0.28	2.07	3	Vertical	308	2.22	-	71.65	31.30	5.65	34.88

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	43.01	54.00	-10.99	2.55	3	Horizontal	8	1.63	-	40.46	32.00	5.47	34.92
AV	5.252G	87.86	Inf	-Inf	2.05	3	Horizontal	8	1.63	-	85.81	31.40	5.55	34.90
AV	5.354G	45.24	54.00	-8.76	2.09	3	Horizontal	8	1.63	-	43.15	31.32	5.65	34.88
PK	5.122G	55.82	74.00	-18.18	2.54	3	Horizontal	8	1.63	-	53.28	32.00	5.46	34.92
PK	5.253G	100.28	Inf	-Inf	2.04	3	Horizontal	8	1.63	-	98.24	31.39	5.55	34.90
PK	5.36G	65.73	74.00	-8.27	2.14	3	Horizontal	8	1.63	-	63.59	31.36	5.66	34.88

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85432G	41.99	54.00	-12.01	12.33	3	Vertical	245	2.07	-	29.66	37.80	9.86	35.33
PK	10.576G	54.46	68.20	-13.74	12.84	3	Vertical	25	1.18	-	41.62	39.90	8.00	35.06
PK	15.86648G	54.74	74.00	-19.26	12.33	3	Vertical	245	2.07	-	42.41	37.80	9.87	35.34



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84584G	41.98	54.00	-12.02	12.34	3	Horizontal	143	2.42	-	29.64	37.80	9.86	35.32
PK	10.54224G	54.64	68.20	-13.56	12.83	3	Horizontal	33	2.06	-	41.81	39.90	7.99	35.06
PK	15.86184G	54.99	74.00	-19.01	12.34	3	Horizontal	143	2.42	-	42.65	37.80	9.87	35.33

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.74	54.00	-6.26	2.68	3	Vertical	89	1.81	-	45.06	31.82	5.73	34.87
AV	5.544G	95.33	Inf	-Inf	2.80	3	Vertical	89	1.81	-	92.53	31.90	5.77	34.87
PK	5.464G	67.69	68.20	-0.51	2.69	3	Vertical	89	1.81	-	65.00	31.83	5.73	34.87
PK	5.543G	107.92	Inf	-Inf	2.80	3	Vertical	89	1.81	-	105.12	31.90	5.77	34.87
PK	5.76G	56.70	68.20	-11.50	2.98	3	Vertical	89	1.81	-	53.72	32.12	5.80	34.94

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.79	54.00	-10.21	2.68	3	Horizontal	336	1.90	-	41.11	31.82	5.73	34.87
AV	5.533G	86.83	Inf	-Inf	2.80	3	Horizontal	336	1.90	-	84.03	31.90	5.77	34.87
PK	5.467G	62.15	68.20	-6.05	2.69	3	Horizontal	336	1.90	-	59.46	31.83	5.73	34.87
PK	5.517G	98.92	Inf	-Inf	2.79	3	Horizontal	336	1.90	-	96.13	31.90	5.76	34.87
PK	5.775G	56.44	68.20	-11.76	3.01	3	Horizontal	336	1.90	-	53.43	32.15	5.80	34.94

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03008G	42.18	54.00	-11.82	13.36	3	Vertical	62	1.94	-	28.82	40.18	8.16	34.98
PK	11.05248G	55.45	74.00	-18.55	13.29	3	Vertical	62	1.94	-	42.16	40.09	8.17	34.97
PK	16.60936G	57.74	68.20	-10.46	14.36	3	Vertical	70	1.34	-	43.38	39.08	10.08	34.80

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07376G	41.95	54.00	-12.05	13.22	3	Horizontal	127	1.91	-	28.73	40.00	8.18	34.96
PK	11.0304G	55.17	74.00	-18.83	13.36	3	Horizontal	127	1.91	-	41.81	40.18	8.16	34.98
PK	16.55864G	58.38	68.20	-9.82	14.23	3	Horizontal	312	1.14	-	44.15	39.00	10.07	34.84

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.45	54.00	-7.55	2.68	3	Vertical	88	1.78	-	43.77	31.82	5.73	34.87
AV	5.595G	98.70	Inf	-Inf	2.72	3	Vertical	88	1.78	-	95.98	31.81	5.80	34.89
PK	5.47G	62.51	68.20	-5.69	2.72	3	Vertical	88	1.78	-	59.79	31.84	5.74	34.86
PK	5.582G	111.48	Inf	-Inf	2.75	3	Vertical	88	1.78	-	108.73	31.84	5.79	34.88
PK	5.736G	67.47	68.20	-0.73	2.91	3	Vertical	88	1.78	-	64.56	32.04	5.80	34.93

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.87	54.00	-11.13	2.68	3	Horizontal	156	1.79	-	40.19	31.82	5.73	34.87
AV	5.632G	89.96	Inf	-Inf	2.70	3	Horizontal	156	1.79	-	87.26	31.80	5.80	34.90
PK	5.462G	56.01	68.20	-12.19	2.68	3	Horizontal	156	1.79	-	53.33	31.82	5.73	34.87
PK	5.623G	102.13	Inf	-Inf	2.70	3	Horizontal	156	1.79	-	99.43	31.80	5.80	34.90
PK	5.729G	60.97	68.20	-7.23	2.89	3	Horizontal	156	1.79	-	58.08	32.02	5.80	34.93

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22048G	41.33	54.00	-12.67	13.04	3	Vertical	20	2.05	-	28.29	39.70	8.23	34.89
PK	11.21616G	55.14	74.00	-18.86	13.04	3	Vertical	20	2.05	-	42.10	39.70	8.23	34.89
PK	16.82872G	58.91	68.20	-9.29	15.52	3	Vertical	149	1.37	-	43.39	40.00	10.15	34.63



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19008G	41.32	54.00	-12.68	13.04	3	Horizontal	92	1.99	-	28.28	39.72	8.22	34.90
PK	11.18512G	55.83	74.00	-18.17	13.04	3	Horizontal	92	1.99	-	42.79	39.73	8.21	34.90
PK	16.84008G	58.67	68.20	-9.53	15.53	3	Horizontal	278	2.30	-	43.14	40.00	10.15	34.62

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.16	54.00	-9.84	2.68	3	Vertical	155.9	1.79	-	41.48	31.82	5.73	34.87
AV	5.6528G	94.83	Inf	-Inf	2.70	3	Vertical	155.9	1.79	-	92.13	31.81	5.80	34.91
PK	5.4668G	55.78	68.20	-12.42	2.69	3	Vertical	155.9	1.79	-	53.09	31.83	5.73	34.87
PK	5.6528G	107.11	Inf	-Inf	2.70	3	Vertical	155.9	1.79	-	104.41	31.81	5.80	34.91
PK	5.8508G	66.33	68.20	-1.87	3.26	3	Vertical	155.9	1.79	-	63.07	32.40	5.83	34.97

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.59	54.00	-10.41	2.68	3	Horizontal	158	1.50	-	40.91	31.82	5.73	34.87
AV	5.6576G	90.45	Inf	-Inf	2.71	3	Horizontal	158	1.50	-	87.74	31.82	5.80	34.91
PK	5.462G	56.74	68.20	-11.46	2.68	3	Horizontal	158	1.50	-	54.06	31.82	5.73	34.87
PK	5.6576G	102.70	Inf	-Inf	2.71	3	Horizontal	158	1.50	-	99.99	31.82	5.80	34.91
PK	5.852G	57.88	68.20	-10.32	3.26	3	Horizontal	158	1.50	-	54.62	32.40	5.83	34.97

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41792G	41.83	54.00	-12.17	13.54	3	Vertical	342	2.44	-	28.29	40.02	8.30	34.78
PK	11.39008G	54.87	74.00	-19.13	13.46	3	Vertical	342	2.44	-	41.41	39.97	8.29	34.80
PK	17.05112G	59.32	68.20	-8.88	15.85	3	Vertical	68	2.27	-	43.47	40.15	10.22	34.52

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.415688G	41.82	54.00	-12.18	13.54	3	Horizontal	281	2.07	-	28.28	40.02	8.30	34.78
PK	11.41488G	55.43	74.00	-18.57	13.53	3	Horizontal	281	2.07	-	41.90	40.01	8.30	34.78
PK	17.068888G	59.87	68.20	-8.33	15.78	3	Horizontal	68	1.20	-	44.09	40.09	10.22	34.53

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	96.72	Inf	-Inf	2.96	3	Vertical	181	1.43	-	93.76	32.10	5.80	34.94
PK	5.6478G	68.03	68.20	-0.17	2.70	3	Vertical	181	1.43	-	65.33	31.80	5.80	34.90
PK	5.7462G	108.51	Inf	-Inf	2.95	3	Vertical	181	1.43	-	105.56	32.08	5.80	34.93
PK	5.937G	62.08	68.20	-6.12	3.45	3	Vertical	181	1.43	-	58.63	32.57	5.87	34.99

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	91.18	Inf	-Inf	2.92	3	Horizontal	157	1.47	-	88.26	32.05	5.80	34.93
PK	5.643G	65.70	68.20	-2.50	2.70	3	Horizontal	157	1.47	-	63.00	31.80	5.80	34.90
PK	5.7378G	103.78	Inf	-Inf	2.92	3	Horizontal	157	1.47	-	100.86	32.05	5.80	34.93
PK	5.9262G	56.73	68.20	-11.47	3.42	3	Horizontal	157	1.47	-	53.31	32.55	5.86	34.99

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51384G	42.11	54.00	-11.89	13.65	3	Vertical	32	1.78	-	28.46	40.06	8.33	34.74
PK	11.55288G	55.62	74.00	-18.38	13.53	3	Vertical	32	1.78	-	42.09	39.94	8.34	34.75
PK	17.36148G	59.92	68.20	-8.28	16.43	3	Vertical	123	1.66	-	43.49	40.79	10.31	34.67



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51576G	42.03	54.00	-11.97	13.64	3	Horizontal	318	1.81	-	28.39	40.05	8.33	34.74
PK	11.5772G	55.70	74.00	-18.30	13.46	3	Horizontal	318	1.81	-	42.24	39.87	8.35	34.76
PK	17.35988G	59.23	68.20	-8.97	16.42	3	Horizontal	27	1.31	-	42.81	40.78	10.31	34.67



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.1496G	50.17	54.00	-3.83	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.1848G	99.30	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1482G	65.69	74.00	-8.31	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1844G	110.67	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	5.175G	103.39	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	PK	5.1472G	67.88	74.00	-6.12	3	Horizontal	299	2.20	-
5775MHz	Pass	PK	5.1786G	114.34	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	15.54159G	42.11	54.00	-11.89	3	Vertical	81	1.38	-
5775MHz	Pass	PK	10.35976G	55.36	68.20	-12.84	3	Vertical	344	3.00	-
5775MHz	Pass	PK	15.5395G	54.89	74.00	-19.11	3	Vertical	81	1.38	-
5775MHz	Pass	AV	15.54077G	42.09	54.00	-11.91	3	Horizontal	124	1.50	-
5775MHz	Pass	PK	10.36004G	54.48	68.20	-13.72	3	Horizontal	39	2.13	-
5775MHz	Pass	PK	15.54186G	54.54	74.00	-19.46	3	Horizontal	124	1.50	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	119.24M	40.32	43.50	-3.18	-18.91	3	Vertical	360	1.00	-	59.23	16.69	1.08	36.68
PK	276.38M	42.09	46.00	-3.91	-16.98	3	Vertical	360	1.00	-	59.07	17.85	1.59	36.42
PK	416.06M	40.32	46.00	-5.68	-12.80	3	Vertical	360	1.00	-	53.12	21.82	1.97	36.59
PK	551.86M	40.77	46.00	-5.23	-10.01	3	Vertical	360	1.00	-	50.78	24.69	2.38	37.08
PK	831.22M	42.35	46.00	-3.65	-6.88	3	Vertical	360	1.00	-	49.23	27.82	2.87	37.57
QP	74.3M	39.00	40.00	-1.00	-24.37	3	Vertical	77	1.00	-	63.37	11.71	0.86	36.94

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	136.7M	39.58	43.50	-3.92	-18.51	3	Horizontal	0	1.00	-	58.09	16.78	1.16	36.45
PK	239.52M	38.61	46.00	-7.39	-18.55	3	Horizontal	0	1.00	-	57.16	16.35	1.46	36.36
PK	416.06M	39.08	46.00	-6.92	-12.80	3	Horizontal	0	1.00	-	51.88	21.82	1.97	36.59
PK	549.92M	37.83	46.00	-8.17	-10.25	3	Horizontal	0	1.00	-	48.08	24.45	2.38	37.08
QP	60M	39.78	40.00	-0.22	-25.34	3	Horizontal	192	3.00	-	65.12	10.90	0.82	37.06
QP	75.26M	37.65	40.00	-2.35	-24.30	3	Horizontal	222	2.39	-	61.95	11.77	0.86	36.93



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.15G	73.31	74.00	-0.69	3	Horizontal	298	2.20	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.34	54.00	-0.66	3	Vertical	322	2.42	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	301	1.81	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3548G	73.10	74.00	-0.90	3	Horizontal	301.6	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	308	1.83	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	67.94	68.20	-0.26	3	Horizontal	306	1.96	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4664G	67.99	68.20	-0.21	3	Horizontal	52.3	2.40	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.734G	68.07	68.20	-0.13	3	Horizontal	305	2.54	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.47434G	60.47	68.20	-7.73	3	Vertical	172	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6374G	60.67	68.20	-7.53	3	Horizontal	57	1.78	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	50.17	54.00	-3.83	3	Vertical	329	2.25	-
5180MHz	Pass	AV	5.1848G	99.30	Inf	-Inf	3	Vertical	329	2.25	-
5180MHz	Pass	PK	5.1482G	65.69	74.00	-8.31	3	Vertical	329	2.25	-
5180MHz	Pass	PK	5.1844G	110.67	Inf	-Inf	3	Vertical	329	2.25	-
5180MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
5180MHz	Pass	AV	5.175G	103.39	Inf	-Inf	3	Horizontal	299	2.20	-
5180MHz	Pass	PK	5.1472G	67.88	74.00	-6.12	3	Horizontal	299	2.20	-
5180MHz	Pass	PK	5.1786G	114.34	Inf	-Inf	3	Horizontal	299	2.20	-
5180MHz	Pass	AV	15.54159G	42.11	54.00	-11.89	3	Vertical	81	1.38	-
5180MHz	Pass	PK	10.35976G	55.36	68.20	-12.84	3	Vertical	344	3.00	-
5180MHz	Pass	PK	15.5395G	54.89	74.00	-19.11	3	Vertical	81	1.38	-
5180MHz	Pass	AV	15.54077G	42.09	54.00	-11.91	3	Horizontal	124	1.50	-
5180MHz	Pass	PK	10.36004G	54.48	68.20	-13.72	3	Horizontal	39	2.13	-
5180MHz	Pass	PK	15.54186G	54.54	74.00	-19.46	3	Horizontal	124	1.50	-
5200MHz	Pass	AV	5.15G	49.56	54.00	-4.44	3	Vertical	324	2.32	-
5200MHz	Pass	AV	5.192G	102.78	Inf	-Inf	3	Vertical	324	2.32	-
5200MHz	Pass	PK	5.148G	66.66	74.00	-7.34	3	Vertical	324	2.32	-
5200MHz	Pass	PK	5.1916G	113.47	Inf	-Inf	3	Vertical	324	2.32	-
5200MHz	Pass	AV	5.15G	48.66	54.00	-5.34	3	Horizontal	298	1.50	-
5200MHz	Pass	AV	5.2084G	101.60	Inf	-Inf	3	Horizontal	298	1.50	-
5200MHz	Pass	PK	5.1488G	62.38	74.00	-11.62	3	Horizontal	298	1.50	-
5200MHz	Pass	PK	5.2088G	112.62	Inf	-Inf	3	Horizontal	298	1.50	-
5200MHz	Pass	AV	15.61152G	42.79	54.00	-11.21	3	Vertical	67	2.19	-
5200MHz	Pass	PK	10.39984G	54.89	68.20	-13.31	3	Vertical	356	1.02	-
5200MHz	Pass	PK	15.59688G	55.40	74.00	-18.60	3	Vertical	67	2.19	-
5200MHz	Pass	AV	15.60744G	42.92	54.00	-11.08	3	Horizontal	85	1.93	-
5200MHz	Pass	PK	10.41482G	54.09	68.20	-14.11	3	Horizontal	329.1	1.50	-
5200MHz	Pass	PK	15.60456G	55.51	74.00	-18.49	3	Horizontal	85	1.93	-
5240MHz	Pass	AV	5.1416G	43.46	54.00	-10.54	3	Vertical	316	2.97	-
5240MHz	Pass	AV	5.231G	100.47	Inf	-Inf	3	Vertical	316	2.97	-
5240MHz	Pass	AV	5.3582G	41.85	54.00	-12.15	3	Vertical	316	2.97	-
5240MHz	Pass	PK	5.1326G	56.01	74.00	-17.99	3	Vertical	316	2.97	-
5240MHz	Pass	PK	5.234G	110.90	Inf	-Inf	3	Vertical	316	2.97	-
5240MHz	Pass	PK	5.3774G	53.54	74.00	-20.46	3	Vertical	316	2.97	-
5240MHz	Pass	AV	5.15G	43.43	54.00	-10.57	3	Horizontal	294	2.63	-
5240MHz	Pass	AV	5.2478G	102.35	Inf	-Inf	3	Horizontal	294	2.63	-
5240MHz	Pass	AV	5.369G	42.19	54.00	-11.81	3	Horizontal	294	2.63	-
5240MHz	Pass	PK	5.1458G	57.35	74.00	-16.65	3	Horizontal	294	2.63	-
5240MHz	Pass	PK	5.2484G	113.16	Inf	-Inf	3	Horizontal	294	2.63	-
5240MHz	Pass	PK	5.3558G	54.58	74.00	-19.42	3	Horizontal	294	2.63	-
5240MHz	Pass	AV	15.70644G	42.47	54.00	-11.53	3	Vertical	54	2.21	-
5240MHz	Pass	PK	10.4791G	55.11	68.20	-13.09	3	Vertical	4	2.83	-
5240MHz	Pass	PK	15.71724G	55.06	74.00	-18.94	3	Vertical	54	2.21	-
5240MHz	Pass	AV	15.70824G	42.41	54.00	-11.59	3	Horizontal	115	1.23	-
5240MHz	Pass	PK	10.49488G	54.15	68.20	-14.05	3	Horizontal	204	1.07	-
5240MHz	Pass	PK	15.72168G	55.57	74.00	-18.43	3	Horizontal	115	1.23	-
5260MHz	Pass	AV	5.1496G	43.23	54.00	-10.77	3	Vertical	327	2.28	-
5260MHz	Pass	AV	5.2654G	101.70	Inf	-Inf	3	Vertical	327	2.28	-
5260MHz	Pass	AV	5.3626G	42.08	54.00	-11.92	3	Vertical	327	2.28	-
5260MHz	Pass	PK	5.1166G	56.88	74.00	-17.12	3	Vertical	327	2.28	-
5260MHz	Pass	PK	5.2666G	113.35	Inf	-Inf	3	Vertical	327	2.28	-
5260MHz	Pass	PK	5.3728G	54.27	74.00	-19.73	3	Vertical	327	2.28	-
5260MHz	Pass	AV	5.143G	43.95	54.00	-10.05	3	Horizontal	300	2.06	-
5260MHz	Pass	AV	5.2522G	103.99	Inf	-Inf	3	Horizontal	300	2.06	-
5260MHz	Pass	AV	5.359G	42.94	54.00	-11.06	3	Horizontal	300	2.06	-
5260MHz	Pass	PK	5.1124G	56.35	74.00	-17.65	3	Horizontal	300	2.06	-
5260MHz	Pass	PK	5.2516G	114.77	Inf	-Inf	3	Horizontal	300	2.06	-
5260MHz	Pass	PK	5.35G	55.37	74.00	-18.63	3	Horizontal	300	2.06	-
5260MHz	Pass	AV	15.77624G	44.99	54.00	-9.01	3	Vertical	184	1.03	-
5260MHz	Pass	PK	10.51942G	54.29	68.20	-13.91	3	Vertical	18	2.25	-



RSE TX above 1GHz\_Beamforming\_WiFi B

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.78272G	56.05	74.00	-17.95	3	Vertical	184	1.03	-
5260MHz	Pass	AV	15.78228G	44.80	54.00	-9.20	3	Horizontal	201	2.29	-
5260MHz	Pass	PK	10.52398G	53.99	68.20	-14.21	3	Horizontal	165	1.41	-
5260MHz	Pass	PK	15.78468G	54.75	74.00	-19.25	3	Horizontal	201	2.29	-
5300MHz	Pass	AV	5.2948G	102.72	Inf	-Inf	3	Vertical	325	2.28	-
5300MHz	Pass	AV	5.35G	45.75	54.00	-8.25	3	Vertical	325	2.28	-
5300MHz	Pass	PK	5.2936G	114.03	Inf	-Inf	3	Vertical	325	2.28	-
5300MHz	Pass	PK	5.3516G	61.52	74.00	-12.48	3	Vertical	325	2.28	-
5300MHz	Pass	AV	5.3048G	102.42	Inf	-Inf	3	Horizontal	301	2.23	-
5300MHz	Pass	AV	5.35G	49.07	54.00	-4.93	3	Horizontal	301	2.23	-
5300MHz	Pass	PK	5.2912G	112.82	Inf	-Inf	3	Horizontal	301	2.23	-
5300MHz	Pass	PK	5.3516G	63.61	74.00	-10.39	3	Horizontal	301	2.23	-
5300MHz	Pass	AV	15.90184G	44.81	54.00	-9.19	3	Vertical	155	1.17	-
5300MHz	Pass	PK	10.60488G	54.25	74.00	-19.75	3	Vertical	232	1.67	-
5300MHz	Pass	PK	15.90366G	54.40	74.00	-19.60	3	Vertical	155	1.17	-
5300MHz	Pass	AV	15.90276G	44.60	54.00	-9.40	3	Horizontal	100	1.53	-
5300MHz	Pass	PK	10.60432G	53.64	74.00	-20.36	3	Horizontal	51	1.50	-
5300MHz	Pass	PK	15.90328G	55.02	74.00	-18.98	3	Horizontal	100	1.53	-
5320MHz	Pass	AV	5.3148G	98.84	Inf	-Inf	3	Vertical	21	1.00	-
5320MHz	Pass	AV	5.35G	50.06	54.00	-3.94	3	Vertical	21	1.00	-
5320MHz	Pass	PK	5.3188G	110.79	Inf	-Inf	3	Vertical	21	1.00	-
5320MHz	Pass	PK	5.351G	64.90	74.00	-9.10	3	Vertical	21	1.00	-
5320MHz	Pass	AV	5.328G	103.52	Inf	-Inf	3	Horizontal	301	1.81	-
5320MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	301	1.81	-
5320MHz	Pass	PK	5.3242G	114.12	Inf	-Inf	3	Horizontal	301	1.81	-
5320MHz	Pass	PK	5.3528G	71.89	74.00	-2.11	3	Horizontal	301	1.81	-
5320MHz	Pass	AV	10.63988G	45.16	54.00	-8.84	3	Vertical	26	2.33	-
5320MHz	Pass	AV	15.96222G	44.56	54.00	-9.44	3	Vertical	325	1.96	-
5320MHz	Pass	PK	10.63978G	53.97	74.00	-20.03	3	Vertical	26	2.33	-
5320MHz	Pass	PK	15.95742G	54.58	74.00	-19.42	3	Vertical	325	1.96	-
5320MHz	Pass	AV	10.63996G	43.84	54.00	-10.16	3	Horizontal	191	2.49	-
5320MHz	Pass	AV	15.96192G	44.53	54.00	-9.47	3	Horizontal	157	1.03	-
5320MHz	Pass	PK	10.64266G	54.46	74.00	-19.54	3	Horizontal	191	2.49	-
5320MHz	Pass	PK	15.95834G	55.74	74.00	-18.26	3	Horizontal	157	1.03	-
5500MHz	Pass	AV	5.46G	42.66	54.00	-11.34	3	Vertical	57	1.50	-
5500MHz	Pass	AV	5.5078G	96.32	Inf	-Inf	3	Vertical	57	1.50	-
5500MHz	Pass	PK	5.4658G	57.08	68.20	-11.12	3	Vertical	57	1.50	-
5500MHz	Pass	PK	5.508G	107.81	Inf	-Inf	3	Vertical	57	1.50	-
5500MHz	Pass	AV	5.46G	46.84	54.00	-7.16	3	Horizontal	306	1.96	-
5500MHz	Pass	AV	5.4918G	103.83	Inf	-Inf	3	Horizontal	306	1.96	-
5500MHz	Pass	PK	5.47G	67.94	68.20	-0.26	3	Horizontal	306	1.96	-
5500MHz	Pass	PK	5.4916G	114.77	Inf	-Inf	3	Horizontal	306	1.96	-
5500MHz	Pass	AV	11.00114G	44.52	54.00	-9.48	3	Vertical	34	1.39	-
5500MHz	Pass	PK	11.00168G	54.96	74.00	-19.04	3	Vertical	34	1.39	-
5500MHz	Pass	PK	16.50304G	56.54	68.20	-11.66	3	Vertical	317	1.76	-
5500MHz	Pass	AV	10.99928G	44.49	54.00	-9.51	3	Horizontal	275	1.26	-
5500MHz	Pass	PK	10.99732G	54.91	74.00	-19.09	3	Horizontal	275	1.26	-
5500MHz	Pass	PK	16.50182G	56.80	68.20	-11.40	3	Horizontal	172	1.77	-
5580MHz	Pass	AV	5.4558G	42.32	54.00	-11.68	3	Vertical	289	1.20	-
5580MHz	Pass	AV	5.5716G	101.99	Inf	-Inf	3	Vertical	289	1.20	-
5580MHz	Pass	PK	5.4618G	54.39	68.20	-13.81	3	Vertical	289	1.20	-
5580MHz	Pass	PK	5.5716G	111.86	Inf	-Inf	3	Vertical	289	1.20	-
5580MHz	Pass	PK	5.7258G	54.84	68.20	-13.36	3	Vertical	289	1.20	-
5580MHz	Pass	AV	5.4594G	43.29	54.00	-10.71	3	Horizontal	306	2.06	-
5580MHz	Pass	AV	5.5872G	107.02	Inf	-Inf	3	Horizontal	306	2.06	-
5580MHz	Pass	PK	5.4636G	55.86	68.20	-12.34	3	Horizontal	306	2.06	-
5580MHz	Pass	PK	5.5824G	117.90	Inf	-Inf	3	Horizontal	306	2.06	-
5580MHz	Pass	PK	5.73G	54.99	68.20	-13.21	3	Horizontal	306	2.06	-
5580MHz	Pass	AV	11.17G	44.04	54.00	-9.96	3	Vertical	287	2.48	-
5580MHz	Pass	PK	11.16328G	54.11	74.00	-19.89	3	Vertical	287	2.48	-
5580MHz	Pass	PK	16.74472G	57.65	68.20	-10.55	3	Vertical	15	1.57	-
5580MHz	Pass	AV	11.16424G	43.86	54.00	-10.14	3	Horizontal	254	1.99	-





RSE TX above 1GHz\_Beamforming\_WiFi B

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	11.15598G	54.07	74.00	-19.93	3	Horizontal	254	1.99	-
5580MHz	Pass	PK	16.74056G	57.43	68.20	-10.77	3	Horizontal	259	2.40	-
5700MHz	Pass	AV	5.708G	94.95	Inf	-Inf	3	Vertical	63	1.78	-
5700MHz	Pass	PK	5.708G	106.43	Inf	-Inf	3	Vertical	63	1.78	-
5700MHz	Pass	PK	5.7252G	63.63	68.20	-4.57	3	Vertical	63	1.78	-
5700MHz	Pass	AV	5.6912G	98.64	Inf	-Inf	3	Horizontal	48	2.07	-
5700MHz	Pass	PK	5.6916G	110.70	Inf	-Inf	3	Horizontal	48	2.07	-
5700MHz	Pass	PK	5.7252G	67.42	68.20	-0.78	3	Horizontal	48	2.07	-
5700MHz	Pass	AV	11.40492G	44.29	54.00	-9.71	3	Vertical	259	2.16	-
5700MHz	Pass	PK	11.39956G	54.84	74.00	-19.16	3	Vertical	259	2.16	-
5700MHz	Pass	PK	17.09144G	58.18	68.20	-10.02	3	Vertical	21	2.07	-
5700MHz	Pass	AV	11.40928G	44.30	54.00	-9.70	3	Horizontal	265	1.68	-
5700MHz	Pass	PK	11.40824G	54.11	74.00	-19.89	3	Horizontal	265	1.68	-
5700MHz	Pass	PK	17.09464G	59.00	68.20	-9.20	3	Horizontal	72	1.16	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	42.61	54.00	-11.39	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	101.03	Inf	-Inf	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	54.18	68.20	-14.02	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	112.68	Inf	-Inf	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	55.77	68.20	-12.43	3	Vertical	64	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	42.48	54.00	-11.52	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	105.69	Inf	-Inf	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	54.91	68.20	-13.29	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	115.82	Inf	-Inf	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8916G	55.91	68.20	-12.29	3	Horizontal	85	1.90	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44256G	44.52	54.00	-9.48	3	Vertical	342	1.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43076G	54.48	74.00	-19.52	3	Vertical	342	1.88	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15428G	58.10	68.20	-10.10	3	Vertical	55	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43448G	44.58	54.00	-9.42	3	Horizontal	311	1.06	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44556G	54.72	74.00	-19.28	3	Horizontal	311	1.06	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17G	58.02	68.20	-10.18	3	Horizontal	190	1.76	-
5745MHz	Pass	AV	5.7366G	100.97	Inf	-Inf	3	Vertical	52	1.77	-
5745MHz	Pass	PK	5.5806G	54.98	68.20	-13.22	3	Vertical	52	1.77	-
5745MHz	Pass	PK	5.7366G	111.35	Inf	-Inf	3	Vertical	52	1.77	-
5745MHz	Pass	PK	6.033G	55.22	68.20	-12.98	3	Vertical	52	1.77	-
5745MHz	Pass	AV	5.7366G	105.92	Inf	-Inf	3	Horizontal	45	1.78	-
5745MHz	Pass	PK	5.6226G	55.96	68.20	-12.24	3	Horizontal	45	1.78	-
5745MHz	Pass	PK	5.7354G	115.29	Inf	-Inf	3	Horizontal	45	1.78	-
5745MHz	Pass	PK	5.9394G	55.96	68.20	-12.24	3	Horizontal	45	1.78	-
5745MHz	Pass	AV	11.49592G	44.54	54.00	-9.46	3	Vertical	12	1.50	-
5745MHz	Pass	PK	11.48444G	54.96	74.00	-19.04	3	Vertical	12	1.50	-
5745MHz	Pass	PK	17.2335G	57.82	68.20	-10.38	3	Vertical	278	1.39	-
5745MHz	Pass	AV	11.49316G	44.58	54.00	-9.42	3	Horizontal	119	2.48	-
5745MHz	Pass	PK	11.49904G	55.21	74.00	-18.79	3	Horizontal	119	2.48	-
5745MHz	Pass	PK	17.23836G	58.06	68.20	-10.14	3	Horizontal	53	1.50	-
5785MHz	Pass	AV	5.779G	102.70	Inf	-Inf	3	Vertical	290	1.40	-
5785MHz	Pass	PK	5.5162G	55.26	68.20	-12.94	3	Vertical	290	1.40	-
5785MHz	Pass	PK	5.785G	110.40	Inf	-Inf	3	Vertical	290	1.40	-
5785MHz	Pass	PK	5.9806G	54.89	68.20	-13.31	3	Vertical	290	1.40	-
5785MHz	Pass	AV	5.7826G	104.77	Inf	-Inf	3	Horizontal	312	1.56	-
5785MHz	Pass	PK	5.611G	55.79	68.20	-12.41	3	Horizontal	312	1.56	-
5785MHz	Pass	PK	5.7838G	112.46	Inf	-Inf	3	Horizontal	312	1.56	-
5785MHz	Pass	PK	5.9254G	55.01	68.20	-13.19	3	Horizontal	312	1.56	-
5785MHz	Pass	AV	11.5702G	44.74	54.00	-9.26	3	Vertical	92	1.69	-
5785MHz	Pass	PK	11.57508G	54.63	74.00	-19.37	3	Vertical	92	1.69	-
5785MHz	Pass	PK	17.35816G	58.79	68.20	-9.41	3	Vertical	269	1.40	-
5785MHz	Pass	AV	11.56704G	44.32	54.00	-9.68	3	Horizontal	261	1.35	-
5785MHz	Pass	PK	11.56112G	55.02	74.00	-18.98	3	Horizontal	261	1.35	-
5785MHz	Pass	PK	17.3548G	58.94	68.20	-9.26	3	Horizontal	270	2.19	-
5825MHz	Pass	AV	5.8334G	101.04	Inf	-Inf	3	Vertical	55	1.96	-
5825MHz	Pass	PK	5.6138G	55.92	68.20	-12.28	3	Vertical	55	1.96	-
5825MHz	Pass	PK	5.8298G	112.17	Inf	-Inf	3	Vertical	55	1.96	-
5825MHz	Pass	PK	6.0302G	56.25	68.20	-11.95	3	Vertical	55	1.96	-



RSE TX above 1GHz\_Beamforming\_WiFi B

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	AV	5.8178G	106.09	Inf	-Inf	3	Horizontal	308	2.01	-
5825MHz	Pass	PK	5.6138G	56.55	68.20	-11.65	3	Horizontal	308	2.01	-
5825MHz	Pass	PK	5.8274G	116.21	Inf	-Inf	3	Horizontal	308	2.01	-
5825MHz	Pass	PK	6.0374G	55.28	68.20	-12.92	3	Horizontal	308	2.01	-
5825MHz	Pass	AV	11.64976G	42.08	54.00	-11.92	3	Vertical	360	1.79	-
5825MHz	Pass	PK	11.65074G	55.09	74.00	-18.91	3	Vertical	360	1.79	-
5825MHz	Pass	PK	17.47434G	60.47	68.20	-7.73	3	Vertical	172	1.50	-
5825MHz	Pass	AV	11.64992G	42.59	54.00	-11.41	3	Horizontal	322	2.51	-
5825MHz	Pass	PK	11.64948G	54.95	74.00	-19.05	3	Horizontal	322	2.51	-
5825MHz	Pass	PK	17.47289G	60.09	68.20	-8.11	3	Horizontal	15	1.01	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	47.35	54.00	-6.65	3	Vertical	328	1.00	-
5190MHz	Pass	AV	5.1744G	92.07	Inf	-Inf	3	Vertical	328	1.00	-
5190MHz	Pass	PK	5.15G	70.38	74.00	-3.62	3	Vertical	328	1.00	-
5190MHz	Pass	PK	5.174G	103.99	Inf	-Inf	3	Vertical	328	1.00	-
5190MHz	Pass	AV	5.1444G	48.20	54.00	-5.80	3	Horizontal	298	2.20	-
5190MHz	Pass	AV	5.2052G	94.60	Inf	-Inf	3	Horizontal	298	2.20	-
5190MHz	Pass	PK	5.15G	73.31	74.00	-0.69	3	Horizontal	298	2.20	-
5190MHz	Pass	PK	5.1836G	108.64	Inf	-Inf	3	Horizontal	298	2.20	-
5190MHz	Pass	AV	15.55542G	41.95	54.00	-12.05	3	Vertical	138	1.31	-
5190MHz	Pass	PK	10.37994G	54.69	68.20	-13.51	3	Vertical	352	1.00	-
5190MHz	Pass	PK	15.57528G	54.75	74.00	-19.25	3	Vertical	138	1.31	-
5190MHz	Pass	AV	15.56928G	41.91	54.00	-12.09	3	Horizontal	280	1.74	-
5190MHz	Pass	PK	10.37988G	55.52	68.20	-12.68	3	Horizontal	141	1.95	-
5190MHz	Pass	PK	15.5775G	54.23	74.00	-19.77	3	Horizontal	280	1.74	-
5230MHz	Pass	AV	5.1496G	49.47	54.00	-4.53	3	Vertical	322	2.44	-
5230MHz	Pass	AV	5.2456G	97.95	Inf	-Inf	3	Vertical	322	2.44	-
5230MHz	Pass	PK	5.1324G	64.05	74.00	-9.95	3	Vertical	322	2.44	-
5230MHz	Pass	PK	5.2456G	110.12	Inf	-Inf	3	Vertical	322	2.44	-
5230MHz	Pass	AV	5.1496G	51.11	54.00	-2.89	3	Horizontal	305	2.04	-
5230MHz	Pass	AV	5.2248G	103.37	Inf	-Inf	3	Horizontal	305	2.04	-
5230MHz	Pass	PK	5.1344G	69.88	74.00	-4.12	3	Horizontal	305	2.04	-
5230MHz	Pass	PK	5.2252G	114.76	Inf	-Inf	3	Horizontal	305	2.04	-
5230MHz	Pass	AV	15.7002G	42.27	54.00	-11.73	3	Vertical	44	2.32	-
5230MHz	Pass	PK	10.46324G	54.71	68.20	-13.49	3	Vertical	3	2.90	-
5230MHz	Pass	PK	15.68874G	55.33	74.00	-18.67	3	Vertical	44	2.32	-
5230MHz	Pass	AV	15.69366G	42.36	54.00	-11.64	3	Horizontal	157	1.46	-
5230MHz	Pass	PK	10.45994G	54.99	68.20	-13.21	3	Horizontal	226	2.17	-
5230MHz	Pass	PK	15.68946G	54.49	74.00	-19.51	3	Horizontal	157	1.46	-
5270MHz	Pass	AV	5.2608G	95.39	Inf	-Inf	3	Vertical	264.1	2.03	-
5270MHz	Pass	AV	5.35G	46.08	54.00	-7.92	3	Vertical	264.1	2.03	-
5270MHz	Pass	PK	5.272G	107.05	Inf	-Inf	3	Vertical	264.1	2.03	-
5270MHz	Pass	PK	5.35G	59.09	74.00	-14.91	3	Vertical	264.1	2.03	-
5270MHz	Pass	AV	5.2728G	101.81	Inf	-Inf	3	Horizontal	62	1.70	-
5270MHz	Pass	AV	5.3508G	51.93	54.00	-2.07	3	Horizontal	62	1.70	-
5270MHz	Pass	PK	5.272G	113.13	Inf	-Inf	3	Horizontal	62	1.70	-
5270MHz	Pass	PK	5.35G	65.96	74.00	-8.04	3	Horizontal	62	1.70	-
5270MHz	Pass	AV	15.80652G	41.71	54.00	-12.29	3	Vertical	68	1.40	-
5270MHz	Pass	PK	10.52728G	54.27	68.20	-13.93	3	Vertical	14	1.02	-
5270MHz	Pass	PK	15.80334G	53.86	74.00	-20.14	3	Vertical	68	1.40	-
5270MHz	Pass	AV	15.81948G	41.78	54.00	-12.22	3	Horizontal	335	1.71	-
5270MHz	Pass	PK	10.5478G	54.13	68.20	-14.07	3	Horizontal	281	1.39	-
5270MHz	Pass	PK	15.79704G	54.42	74.00	-19.58	3	Horizontal	335	1.71	-
5310MHz	Pass	AV	5.3G	90.45	Inf	-Inf	3	Vertical	338	2.97	-
5310MHz	Pass	AV	5.3512G	45.46	54.00	-8.54	3	Vertical	338	2.97	-
5310MHz	Pass	PK	5.2928G	105.82	Inf	-Inf	3	Vertical	338	2.97	-
5310MHz	Pass	PK	5.3604G	67.05	74.00	-6.95	3	Vertical	338	2.97	-
5310MHz	Pass	AV	5.3044G	94.07	Inf	-Inf	3	Horizontal	301.6	1.50	-
5310MHz	Pass	AV	5.3512G	48.77	54.00	-5.23	3	Horizontal	301.6	1.50	-
5310MHz	Pass	PK	5.3052G	107.57	Inf	-Inf	3	Horizontal	301.6	1.50	-
5310MHz	Pass	PK	5.3548G	73.10	74.00	-0.90	3	Horizontal	301.6	1.50	-
5310MHz	Pass	AV	10.61976G	42.49	54.00	-11.51	3	Vertical	6	1.01	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	15.918G	41.40	54.00	-12.60	3	Vertical	239	2.11	-
5310MHz	Pass	PK	10.62846G	54.17	74.00	-19.83	3	Vertical	6	1.01	-
5310MHz	Pass	PK	15.92724G	54.58	74.00	-19.42	3	Vertical	239	2.11	-
5310MHz	Pass	AV	10.61994G	42.60	54.00	-11.40	3	Horizontal	181	1.76	-
5310MHz	Pass	AV	15.91632G	41.33	54.00	-12.67	3	Horizontal	77	2.32	-
5310MHz	Pass	PK	10.60824G	53.59	74.00	-20.41	3	Horizontal	181	1.76	-
5310MHz	Pass	PK	15.91812G	54.03	74.00	-19.97	3	Horizontal	77	2.32	-
5510MHz	Pass	AV	5.4588G	42.72	54.00	-11.28	3	Vertical	248.5	1.56	-
5510MHz	Pass	AV	5.4988G	90.31	Inf	-Inf	3	Vertical	248.5	1.56	-
5510MHz	Pass	PK	5.468G	66.93	68.20	-1.27	3	Vertical	248.5	1.56	-
5510MHz	Pass	PK	5.4976G	101.01	Inf	-Inf	3	Vertical	248.5	1.56	-
5510MHz	Pass	AV	5.4576G	43.70	54.00	-10.30	3	Horizontal	52.3	2.40	-
5510MHz	Pass	AV	5.492G	94.52	Inf	-Inf	3	Horizontal	52.3	2.40	-
5510MHz	Pass	PK	5.4664G	67.99	68.20	-0.21	3	Horizontal	52.3	2.40	-
5510MHz	Pass	PK	5.4976G	107.91	Inf	-Inf	3	Horizontal	52.3	2.40	-
5510MHz	Pass	AV	11.00668G	42.22	54.00	-11.78	3	Vertical	144	1.80	-
5510MHz	Pass	PK	11.01064G	55.23	74.00	-18.77	3	Vertical	144	1.80	-
5510MHz	Pass	PK	16.5174G	56.17	68.20	-12.03	3	Vertical	297	1.43	-
5510MHz	Pass	AV	11.01556G	42.01	54.00	-11.99	3	Horizontal	43	1.34	-
5510MHz	Pass	PK	11.00932G	55.09	74.00	-18.91	3	Horizontal	43	1.34	-
5510MHz	Pass	PK	16.53702G	56.51	68.20	-11.69	3	Horizontal	145	1.47	-
5550MHz	Pass	AV	5.4584G	42.45	54.00	-11.55	3	Vertical	58	1.83	-
5550MHz	Pass	AV	5.5424G	94.28	Inf	-Inf	3	Vertical	58	1.83	-
5550MHz	Pass	PK	5.4616G	60.21	68.20	-7.99	3	Vertical	58	1.83	-
5550MHz	Pass	PK	5.5484G	109.31	Inf	-Inf	3	Vertical	58	1.83	-
5550MHz	Pass	AV	5.4596G	46.06	54.00	-7.94	3	Horizontal	307.6	2.01	-
5550MHz	Pass	AV	5.5376G	102.58	Inf	-Inf	3	Horizontal	307.6	2.01	-
5550MHz	Pass	PK	5.4668G	67.97	68.20	-0.23	3	Horizontal	307.6	2.01	-
5550MHz	Pass	PK	5.5376G	113.46	Inf	-Inf	3	Horizontal	307.6	2.01	-
5550MHz	Pass	AV	11.09556G	41.91	54.00	-12.09	3	Vertical	103	1.80	-
5550MHz	Pass	PK	11.09256G	54.92	74.00	-19.08	3	Vertical	103	1.80	-
5550MHz	Pass	PK	16.6572G	57.18	68.20	-11.02	3	Vertical	90	1.04	-
5550MHz	Pass	AV	11.0868G	42.07	54.00	-11.93	3	Horizontal	354	1.36	-
5550MHz	Pass	PK	11.09268G	55.44	74.00	-18.56	3	Horizontal	354	1.36	-
5550MHz	Pass	PK	16.64364G	57.39	68.20	-10.81	3	Horizontal	272	2.32	-
5670MHz	Pass	AV	5.6532G	97.14	Inf	-Inf	3	Vertical	60	1.05	-
5670MHz	Pass	AV	5.727G	47.04	Inf	-Inf	3	Vertical	60	1.05	-
5670MHz	Pass	PK	5.6532G	106.55	Inf	-Inf	3	Vertical	60	1.05	-
5670MHz	Pass	PK	5.739G	62.24	68.20	-5.96	3	Vertical	60	1.05	-
5670MHz	Pass	AV	5.685G	96.02	Inf	-Inf	3	Horizontal	54	2.23	-
5670MHz	Pass	AV	5.7252G	48.60	Inf	-Inf	3	Horizontal	54	2.23	-
5670MHz	Pass	PK	5.6856G	108.94	Inf	-Inf	3	Horizontal	54	2.23	-
5670MHz	Pass	PK	5.7432G	67.14	68.20	-1.06	3	Horizontal	54	2.23	-
5670MHz	Pass	AV	11.33764G	41.32	54.00	-12.68	3	Vertical	352	1.80	-
5670MHz	Pass	PK	11.33746G	54.14	74.00	-19.86	3	Vertical	352	1.80	-
5670MHz	Pass	PK	17.00882G	57.20	68.20	-11.00	3	Vertical	343	1.79	-
5670MHz	Pass	AV	11.33536G	41.21	54.00	-12.79	3	Horizontal	24	2.19	-
5670MHz	Pass	PK	11.34072G	54.47	74.00	-19.53	3	Horizontal	24	2.19	-
5670MHz	Pass	PK	17.0078G	57.10	68.20	-11.10	3	Horizontal	198	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	44.40	54.00	-9.60	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	98.97	Inf	-Inf	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	53.05	68.20	-15.15	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7256G	109.36	Inf	-Inf	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8996G	55.75	68.20	-12.45	3	Vertical	62	1.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4652G	44.83	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	103.10	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.8504G	47.43	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	55.40	68.20	-12.80	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	113.09	Inf	-Inf	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	62.11	68.20	-6.09	3	Horizontal	90	2.10	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41804G	41.71	54.00	-12.29	3	Vertical	0	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41956G	54.94	74.00	-19.06	3	Vertical	0	1.62	-



RSE TX above 1GHz\_Beamforming\_WiFi B

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.125G	57.84	68.20	-10.36	3	Vertical	2	1.29	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42074G	41.78	54.00	-12.22	3	Horizontal	180	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41952G	54.70	74.00	-19.30	3	Horizontal	180	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12518G	58.37	68.20	-9.83	3	Horizontal	7	1.67	-
5755MHz	Pass	AV	5.7406G	100.41	Inf	-Inf	3	Vertical	308	1.93	-
5755MHz	Pass	PK	5.6494G	57.05	68.20	-11.15	3	Vertical	308	1.93	-
5755MHz	Pass	PK	5.7526G	109.88	Inf	-Inf	3	Vertical	308	1.93	-
5755MHz	Pass	PK	6.001G	54.96	68.20	-13.24	3	Vertical	308	1.93	-
5755MHz	Pass	AV	5.7706G	106.06	Inf	-Inf	3	Horizontal	57	1.78	-
5755MHz	Pass	PK	5.6374G	60.67	68.20	-7.53	3	Horizontal	57	1.78	-
5755MHz	Pass	PK	5.7706G	114.37	Inf	-Inf	3	Horizontal	57	1.78	-
5755MHz	Pass	PK	5.977G	55.20	68.20	-13.00	3	Horizontal	57	1.78	-
5755MHz	Pass	AV	11.50806G	41.90	54.00	-12.10	3	Vertical	36	1.55	-
5755MHz	Pass	PK	11.5146G	54.54	74.00	-19.46	3	Vertical	36	1.55	-
5755MHz	Pass	PK	17.26168G	58.29	68.20	-9.91	3	Vertical	145	1.10	-
5755MHz	Pass	AV	11.51216G	41.82	54.00	-12.18	3	Horizontal	150	1.15	-
5755MHz	Pass	PK	11.50992G	54.21	74.00	-19.79	3	Horizontal	150	1.15	-
5755MHz	Pass	PK	17.2628G	57.69	68.20	-10.51	3	Horizontal	3	1.73	-
5795MHz	Pass	AV	5.7794G	99.30	Inf	-Inf	3	Vertical	307	1.80	-
5795MHz	Pass	PK	5.543G	54.58	68.20	-13.62	3	Vertical	307	1.80	-
5795MHz	Pass	PK	5.7782G	108.08	Inf	-Inf	3	Vertical	307	1.80	-
5795MHz	Pass	PK	5.9294G	55.07	68.20	-13.13	3	Vertical	307	1.80	-
5795MHz	Pass	AV	5.7902G	106.20	Inf	-Inf	3	Horizontal	88	1.80	-
5795MHz	Pass	PK	5.5946G	56.44	68.20	-11.76	3	Horizontal	88	1.80	-
5795MHz	Pass	PK	5.8106G	115.14	Inf	-Inf	3	Horizontal	88	1.80	-
5795MHz	Pass	PK	5.9234G	59.02	69.38	-10.36	3	Horizontal	88	1.80	-
5795MHz	Pass	AV	11.58986G	44.69	54.00	-9.31	3	Vertical	355	1.13	-
5795MHz	Pass	PK	11.59104G	54.40	74.00	-19.60	3	Vertical	355	1.13	-
5795MHz	Pass	PK	17.38736G	58.31	68.20	-9.89	3	Vertical	153	1.31	-
5795MHz	Pass	AV	11.5922G	44.04	54.00	-9.96	3	Horizontal	330	1.78	-
5795MHz	Pass	PK	11.59068G	54.01	74.00	-19.99	3	Horizontal	330	1.78	-
5795MHz	Pass	PK	17.38702G	58.66	68.20	-9.54	3	Horizontal	205	1.75	-
802.11ax HEW80-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.34	54.00	-0.66	3	Vertical	322	2.42	-
5210MHz	Pass	AV	5.186G	91.09	Inf	-Inf	3	Vertical	322	2.42	-
5210MHz	Pass	AV	5.44G	41.73	54.00	-12.27	3	Vertical	322	2.42	-
5210MHz	Pass	PK	5.139G	68.54	74.00	-5.46	3	Vertical	322	2.42	-
5210MHz	Pass	PK	5.192G	101.93	Inf	-Inf	3	Vertical	322	2.42	-
5210MHz	Pass	PK	5.38G	53.97	74.00	-20.03	3	Vertical	322	2.42	-
5210MHz	Pass	AV	5.15G	48.24	54.00	-5.76	3	Horizontal	69	1.80	-
5210MHz	Pass	AV	5.237G	92.54	Inf	-Inf	3	Horizontal	69	1.80	-
5210MHz	Pass	AV	5.35G	43.21	54.00	-10.79	3	Horizontal	69	1.80	-
5210MHz	Pass	PK	5.124G	67.90	74.00	-6.10	3	Horizontal	69	1.80	-
5210MHz	Pass	PK	5.24G	103.72	Inf	-Inf	3	Horizontal	69	1.80	-
5210MHz	Pass	PK	5.366G	57.66	74.00	-16.34	3	Horizontal	69	1.80	-
5210MHz	Pass	AV	15.62694G	41.76	54.00	-12.24	3	Vertical	214	1.71	-
5210MHz	Pass	PK	10.42004G	54.65	68.20	-13.55	3	Vertical	350	1.03	-
5210MHz	Pass	PK	15.62636G	54.50	74.00	-19.50	3	Vertical	214	1.71	-
5210MHz	Pass	AV	15.63294G	41.65	54.00	-12.35	3	Horizontal	337	2.45	-
5210MHz	Pass	PK	10.41992G	54.60	68.20	-13.60	3	Horizontal	172	1.55	-
5210MHz	Pass	PK	15.63062G	54.34	74.00	-19.66	3	Horizontal	337	2.45	-
5290MHz	Pass	AV	5.146G	42.87	54.00	-11.13	3	Vertical	330	1.02	-
5290MHz	Pass	AV	5.328G	91.57	Inf	-Inf	3	Vertical	330	1.02	-
5290MHz	Pass	AV	5.352G	50.26	54.00	-3.74	3	Vertical	330	1.02	-
5290MHz	Pass	PK	5.147G	56.38	74.00	-17.62	3	Vertical	330	1.02	-
5290MHz	Pass	PK	5.326G	102.16	Inf	-Inf	3	Vertical	330	1.02	-
5290MHz	Pass	PK	5.352G	66.38	74.00	-7.62	3	Vertical	330	1.02	-
5290MHz	Pass	AV	5.149G	44.15	54.00	-9.85	3	Horizontal	308	1.83	-
5290MHz	Pass	AV	5.283G	94.73	Inf	-Inf	3	Horizontal	308	1.83	-
5290MHz	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	308	1.83	-
5290MHz	Pass	PK	5.133G	57.00	74.00	-17.00	3	Horizontal	308	1.83	-
5290MHz	Pass	PK	5.287G	106.60	Inf	-Inf	3	Horizontal	308	1.83	-



RSE TX above 1GHz\_Beamforming\_WiFi B

Appendix E.8


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.384G	71.85	74.00	-2.15	3	Horizontal	308	1.83	-
5290MHz	Pass	AV	15.8669G	41.18	54.00	-12.82	3	Vertical	281	1.46	-
5290MHz	Pass	PK	10.57964G	53.99	68.20	-14.21	3	Vertical	3	1.06	-
5290MHz	Pass	PK	15.86618G	53.60	74.00	-20.40	3	Vertical	281	1.46	-
5290MHz	Pass	AV	15.86608G	41.18	54.00	-12.82	3	Horizontal	293	2.47	-
5290MHz	Pass	PK	10.57622G	54.47	68.20	-13.73	3	Horizontal	53	2.44	-
5290MHz	Pass	PK	15.86646G	54.39	74.00	-19.61	3	Horizontal	293	2.47	-
5530MHz	Pass	AV	5.46G	42.57	54.00	-11.43	3	Vertical	63	1.68	-
5530MHz	Pass	AV	5.529G	86.67	Inf	-Inf	3	Vertical	63	1.68	-
5530MHz	Pass	PK	5.462G	58.45	68.20	-9.75	3	Vertical	63	1.68	-
5530MHz	Pass	PK	5.527G	99.51	Inf	-Inf	3	Vertical	63	1.68	-
5530MHz	Pass	PK	5.749G	54.73	68.20	-13.47	3	Vertical	63	1.68	-
5530MHz	Pass	AV	5.45G	46.98	54.00	-7.02	3	Horizontal	307	2.06	-
5530MHz	Pass	AV	5.533G	96.19	Inf	-Inf	3	Horizontal	307	2.06	-
5530MHz	Pass	PK	5.469G	67.79	68.20	-0.41	3	Horizontal	307	2.06	-
5530MHz	Pass	PK	5.531G	109.07	Inf	-Inf	3	Horizontal	307	2.06	-
5530MHz	Pass	PK	5.76G	55.86	68.20	-12.34	3	Horizontal	307	2.06	-
5530MHz	Pass	AV	11.05992G	41.74	54.00	-12.26	3	Vertical	0	2.77	-
5530MHz	Pass	PK	11.05642G	54.99	74.00	-19.01	3	Vertical	0	2.77	-
5530MHz	Pass	PK	16.5923G	56.49	68.20	-11.71	3	Vertical	153	1.15	-
5530MHz	Pass	AV	11.05982G	41.88	54.00	-12.12	3	Horizontal	315	2.09	-
5530MHz	Pass	PK	11.06406G	55.51	74.00	-18.49	3	Horizontal	315	2.09	-
5530MHz	Pass	PK	16.58688G	56.26	68.20	-11.94	3	Horizontal	156	1.70	-
5610MHz	Pass	AV	5.46G	42.52	54.00	-11.48	3	Vertical	59	1.81	-
5610MHz	Pass	AV	5.614G	92.85	Inf	-Inf	3	Vertical	59	1.81	-
5610MHz	Pass	PK	5.468G	54.26	68.20	-13.94	3	Vertical	59	1.81	-
5610MHz	Pass	PK	5.607G	104.55	Inf	-Inf	3	Vertical	59	1.81	-
5610MHz	Pass	PK	5.725G	62.11	68.20	-6.09	3	Vertical	59	1.81	-
5610MHz	Pass	AV	5.46G	46.06	54.00	-7.94	3	Horizontal	305	2.54	-
5610MHz	Pass	AV	5.643G	98.80	Inf	-Inf	3	Horizontal	305	2.54	-
5610MHz	Pass	PK	5.461G	62.23	68.20	-5.97	3	Horizontal	305	2.54	-
5610MHz	Pass	PK	5.647G	110.93	Inf	-Inf	3	Horizontal	305	2.54	-
5610MHz	Pass	PK	5.734G	68.07	68.20	-0.13	3	Horizontal	305	2.54	-
5610MHz	Pass	AV	11.2202G	41.07	54.00	-12.93	3	Vertical	30	1.15	-
5610MHz	Pass	PK	11.22184G	53.98	74.00	-20.02	3	Vertical	30	1.15	-
5610MHz	Pass	PK	16.83182G	57.34	68.20	-10.86	3	Vertical	198	2.37	-
5610MHz	Pass	AV	11.21978G	41.08	54.00	-12.92	3	Horizontal	31	1.08	-
5610MHz	Pass	PK	11.21662G	53.84	74.00	-20.16	3	Horizontal	31	1.08	-
5610MHz	Pass	PK	16.82976G	56.95	68.20	-11.25	3	Horizontal	292	2.31	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	42.63	54.00	-11.37	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7056G	94.83	Inf	-Inf	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.06	68.20	-13.14	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7044G	106.39	Inf	-Inf	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	61.18	68.20	-7.02	3	Vertical	57	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.15	54.00	-10.85	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6552G	92.84	Inf	-Inf	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.36	68.20	-10.84	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	103.89	Inf	-Inf	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	62.65	68.20	-5.55	3	Horizontal	330	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37994G	41.38	54.00	-12.62	3	Vertical	355	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3781G	54.12	74.00	-19.88	3	Vertical	355	1.80	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07102G	57.88	68.20	-10.32	3	Vertical	83	1.58	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37988G	41.21	54.00	-12.79	3	Horizontal	326	1.39	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3798G	53.89	74.00	-20.11	3	Horizontal	326	1.39	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06728G	57.95	68.20	-10.25	3	Horizontal	352	1.47	-
5775MHz	Pass	AV	5.1496G	50.17	54.00	-3.83	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.1848G	99.30	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1482G	65.69	74.00	-8.31	3	Vertical	329	2.25	-
5775MHz	Pass	PK	5.1844G	110.67	Inf	-Inf	3	Vertical	329	2.25	-
5775MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	5.175G	103.39	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	PK	5.1472G	67.88	74.00	-6.12	3	Horizontal	299	2.20	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.1786G	114.34	Inf	-Inf	3	Horizontal	299	2.20	-
5775MHz	Pass	AV	15.54159G	42.11	54.00	-11.89	3	Vertical	81	1.38	-
5775MHz	Pass	PK	10.35976G	55.36	68.20	-12.84	3	Vertical	344	3.00	-
5775MHz	Pass	PK	15.5395G	54.89	74.00	-19.11	3	Vertical	81	1.38	-
5775MHz	Pass	AV	15.54077G	42.09	54.00	-11.91	3	Horizontal	124	1.50	-
5775MHz	Pass	PK	10.36004G	54.48	68.20	-13.72	3	Horizontal	39	2.13	-
5775MHz	Pass	PK	15.54186G	54.54	74.00	-19.46	3	Horizontal	124	1.50	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.17	54.00	-3.83	2.55	3	Vertical	329	2.25	-	47.62	32.00	5.47	34.92
AV	5.1848G	99.30	Inf	-Inf	2.37	3	Vertical	329	2.25	-	96.93	31.79	5.49	34.91
PK	5.1482G	65.69	74.00	-8.31	2.55	3	Vertical	329	2.25	-	63.14	32.00	5.47	34.92
PK	5.1844G	110.67	Inf	-Inf	2.37	3	Vertical	329	2.25	-	108.30	31.79	5.49	34.91

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	2.55	3	Horizontal	299	2.20	-	51.31	32.00	5.47	34.92
AV	5.175G	103.39	Inf	-Inf	2.43	3	Horizontal	299	2.20	-	100.96	31.85	5.49	34.91
PK	5.1472G	67.88	74.00	-6.12	2.55	3	Horizontal	299	2.20	-	65.33	32.00	5.47	34.92
PK	5.1786G	114.34	Inf	-Inf	2.41	3	Horizontal	299	2.20	-	111.93	31.83	5.49	34.91



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54159G	42.11	54.00	-11.89	13.17	3	Vertical	81	1.38	-	28.94	38.49	9.79	35.11
PK	10.35976G	55.36	68.20	-12.84	12.17	3	Vertical	344	3.00	-	43.19	39.48	7.93	35.24
PK	15.5395G	54.89	74.00	-19.11	13.17	3	Vertical	81	1.38	-	41.72	38.50	9.78	35.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54077G	42.09	54.00	-11.91	13.18	3	Horizontal	124	1.50	-	28.91	38.50	9.79	35.11
PK	10.36004G	54.48	68.20	-13.72	12.17	3	Horizontal	39	2.13	-	42.31	39.48	7.93	35.24
PK	15.54186G	54.54	74.00	-19.46	13.17	3	Horizontal	124	1.50	-	41.37	38.49	9.79	35.11

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.56	54.00	-4.44	2.55	3	Vertical	324	2.32	-	47.01	32.00	5.47	34.92
AV	5.192G	102.78	Inf	-Inf	2.34	3	Vertical	324	2.32	-	100.44	31.75	5.50	34.91
PK	5.148G	66.66	74.00	-7.34	2.55	3	Vertical	324	2.32	-	64.11	32.00	5.47	34.92
PK	5.1916G	113.47	Inf	-Inf	2.34	3	Vertical	324	2.32	-	111.13	31.75	5.50	34.91

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.66	54.00	-5.34	2.55	3	Horizontal	298	1.50	-	46.11	32.00	5.47	34.92
AV	5.2084G	101.60	Inf	-Inf	2.25	3	Horizontal	298	1.50	-	99.35	31.65	5.51	34.91
PK	5.1488G	62.38	74.00	-11.62	2.55	3	Horizontal	298	1.50	-	59.83	32.00	5.47	34.92
PK	5.2088G	112.62	Inf	-Inf	2.25	3	Horizontal	298	1.50	-	110.37	31.65	5.51	34.91

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61152G	42.79	54.00	-11.21	12.85	3	Vertical	67	2.19	-	29.94	38.21	9.80	35.16
PK	10.39984G	54.89	68.20	-13.31	12.35	3	Vertical	356	1.02	-	42.54	39.60	7.94	35.19
PK	15.59688G	55.40	74.00	-18.60	12.87	3	Vertical	67	2.19	-	42.53	38.22	9.80	35.15

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60744G	42.92	54.00	-11.08	12.85	3	Horizontal	85	1.93	-	30.07	38.21	9.80	35.16
PK	10.41482G	54.09	68.20	-14.11	12.42	3	Horizontal	329.1	1.50	-	41.67	39.64	7.95	35.17
PK	15.60456G	55.51	74.00	-18.49	12.85	3	Horizontal	85	1.93	-	42.66	38.20	9.80	35.15

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	43.46	54.00	-10.54	2.55	3	Vertical	316	2.97	-	40.91	32.00	5.47	34.92
AV	5.231G	100.47	Inf	-Inf	2.14	3	Vertical	316	2.97	-	98.33	31.51	5.53	34.90
AV	5.3582G	41.85	54.00	-12.15	2.13	3	Vertical	316	2.97	-	39.72	31.35	5.66	34.88
PK	5.1326G	56.01	74.00	-17.99	2.55	3	Vertical	316	2.97	-	53.46	32.00	5.47	34.92
PK	5.234G	110.90	Inf	-Inf	2.13	3	Vertical	316	2.97	-	108.77	31.50	5.53	34.90
PK	5.3774G	53.54	74.00	-20.46	2.26	3	Vertical	316	2.97	-	51.28	31.46	5.68	34.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.43	54.00	-10.57	2.55	3	Horizontal	294	2.63	-	40.88	32.00	5.47	34.92
AV	5.2478G	102.35	Inf	-Inf	2.06	3	Horizontal	294	2.63	-	100.29	31.41	5.55	34.90
AV	5.369G	42.19	54.00	-11.81	2.20	3	Horizontal	294	2.63	-	39.99	31.41	5.67	34.88
PK	5.1458G	57.35	74.00	-16.65	2.55	3	Horizontal	294	2.63	-	54.80	32.00	5.47	34.92
PK	5.2484G	113.16	Inf	-Inf	2.06	3	Horizontal	294	2.63	-	111.10	31.41	5.55	34.90
PK	5.3558G	54.58	74.00	-19.42	2.11	3	Horizontal	294	2.63	-	52.47	31.33	5.66	34.88



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70644G	42.47	54.00	-11.53	12.88	3	Vertical	54	2.21	-	29.59	38.27	9.83	35.22
PK	10.4791G	55.11	68.20	-13.09	12.71	3	Vertical	4	2.83	-	42.40	39.84	7.97	35.10
PK	15.71724G	55.06	74.00	-18.94	12.81	3	Vertical	54	2.21	-	42.25	38.21	9.83	35.23

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70824G	42.41	54.00	-11.59	12.86	3	Horizontal	115	1.23	-	29.55	38.26	9.83	35.23
PK	10.49488G	54.15	68.20	-14.05	12.77	3	Horizontal	204	1.07	-	41.38	39.88	7.97	35.08
PK	15.72168G	55.57	74.00	-18.43	12.78	3	Horizontal	115	1.23	-	42.79	38.19	9.83	35.24

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	43.23	54.00	-10.77	2.55	3	Vertical	327	2.28	-	40.68	32.00	5.47	34.92
AV	5.2654G	101.70	Inf	-Inf	2.04	3	Vertical	327	2.28	-	99.66	31.37	5.57	34.90
AV	5.3626G	42.08	54.00	-11.92	2.16	3	Vertical	327	2.28	-	39.92	31.38	5.66	34.88
PK	5.1166G	56.88	74.00	-17.12	2.54	3	Vertical	327	2.28	-	54.34	32.00	5.46	34.92
PK	5.2666G	113.35	Inf	-Inf	2.04	3	Vertical	327	2.28	-	111.31	31.37	5.57	34.90
PK	5.3728G	54.27	74.00	-19.73	2.23	3	Vertical	327	2.28	-	52.04	31.44	5.67	34.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	43.95	54.00	-10.05	2.55	3	Horizontal	300	2.06	-	41.40	32.00	5.47	34.92
AV	5.2522G	103.99	Inf	-Inf	2.05	3	Horizontal	300	2.06	-	101.94	31.40	5.55	34.90
AV	5.359G	42.94	54.00	-11.06	2.13	3	Horizontal	300	2.06	-	40.81	31.35	5.66	34.88
PK	5.1124G	56.35	74.00	-17.65	2.54	3	Horizontal	300	2.06	-	53.81	32.00	5.46	34.92
PK	5.2516G	114.77	Inf	-Inf	2.05	3	Horizontal	300	2.06	-	112.72	31.40	5.55	34.90
PK	5.35G	55.37	74.00	-18.63	2.07	3	Horizontal	300	2.06	-	53.30	31.30	5.65	34.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77624G	44.99	54.00	-9.01	12.49	3	Vertical	184	1.03	-	32.50	37.92	9.84	35.27
PK	10.51942G	54.29	68.20	-13.91	12.81	3	Vertical	18	2.25	-	41.48	39.90	7.98	35.07
PK	15.78272G	56.05	74.00	-17.95	12.46	3	Vertical	184	1.03	-	43.59	37.89	9.85	35.28

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78228G	44.80	54.00	-9.20	12.46	3	Horizontal	201	2.29	-	32.34	37.89	9.85	35.28
PK	10.52398G	53.99	68.20	-14.21	12.81	3	Horizontal	165	1.41	-	41.18	39.90	7.98	35.07
PK	15.78468G	54.75	74.00	-19.25	12.45	3	Horizontal	201	2.29	-	42.30	37.88	9.85	35.28

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2948G	102.72	Inf	-Inf	2.01	3	Vertical	325	2.28	-	100.71	31.31	5.59	34.89
AV	5.35G	45.75	54.00	-8.25	2.07	3	Vertical	325	2.28	-	43.68	31.30	5.65	34.88
PK	5.2936G	114.03	Inf	-Inf	2.01	3	Vertical	325	2.28	-	112.02	31.31	5.59	34.89
PK	5.3516G	61.52	74.00	-12.48	2.08	3	Vertical	325	2.28	-	59.44	31.31	5.65	34.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	102.42	Inf	-Inf	2.01	3	Horizontal	301	2.23	-	100.41	31.30	5.60	34.89
AV	5.35G	49.07	54.00	-4.93	2.07	3	Horizontal	301	2.23	-	47.00	31.30	5.65	34.88
PK	5.2912G	112.82	Inf	-Inf	2.02	3	Horizontal	301	2.23	-	110.80	31.32	5.59	34.89
PK	5.3516G	63.61	74.00	-10.39	2.08	3	Horizontal	301	2.23	-	61.53	31.31	5.65	34.88



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90184G	44.81	54.00	-9.19	12.32	3	Vertical	155	1.17	-	32.49	37.80	9.88	35.36
PK	10.60488G	54.25	74.00	-19.75	12.86	3	Vertical	232	1.67	-	41.39	39.91	8.01	35.06
PK	15.90366G	54.40	74.00	-19.60	12.32	3	Vertical	155	1.17	-	42.08	37.80	9.88	35.36

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90276G	44.60	54.00	-9.40	12.32	3	Horizontal	100	1.53	-	32.28	37.80	9.88	35.36
PK	10.60432G	53.64	74.00	-20.36	12.86	3	Horizontal	51	1.50	-	40.78	39.91	8.01	35.06
PK	15.90328G	55.02	74.00	-18.98	12.32	3	Horizontal	100	1.53	-	42.70	37.80	9.88	35.36

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	98.84	Inf	-Inf	2.02	3	Vertical	21	1.00	-	96.82	31.30	5.61	34.89
AV	5.35G	50.06	54.00	-3.94	2.07	3	Vertical	21	1.00	-	47.99	31.30	5.65	34.88
PK	5.3188G	110.79	Inf	-Inf	2.03	3	Vertical	21	1.00	-	108.76	31.30	5.62	34.89
PK	5.351G	64.90	74.00	-9.10	2.08	3	Vertical	21	1.00	-	62.82	31.31	5.65	34.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.328G	103.52	Inf	-Inf	2.04	3	Horizontal	301	1.81	-	101.48	31.30	5.63	34.89
AV	5.35G	53.80	54.00	-0.20	2.07	3	Horizontal	301	1.81	-	51.73	31.30	5.65	34.88
PK	5.3242G	114.12	Inf	-Inf	2.03	3	Horizontal	301	1.81	-	112.09	31.30	5.62	34.89
PK	5.3528G	71.89	74.00	-2.11	2.09	3	Horizontal	301	1.81	-	69.80	31.32	5.65	34.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63988G	45.16	54.00	-8.84	12.95	3	Vertical	26	2.33	-	32.21	39.98	8.02	35.05
AV	15.96222G	44.56	54.00	-9.44	12.29	3	Vertical	325	1.96	-	32.27	37.80	9.89	35.40
PK	10.63978G	53.97	74.00	-20.03	12.95	3	Vertical	26	2.33	-	41.02	39.98	8.02	35.05
PK	15.95742G	54.58	74.00	-19.42	12.29	3	Vertical	325	1.96	-	42.29	37.80	9.89	35.40

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63996G	43.84	54.00	-10.16	12.95	3	Horizontal	191	2.49	-	30.89	39.98	8.02	35.05
AV	15.96192G	44.53	54.00	-9.47	12.29	3	Horizontal	157	1.03	-	32.24	37.80	9.89	35.40
PK	10.64266G	54.46	74.00	-19.54	12.96	3	Horizontal	191	2.49	-	41.50	39.99	8.02	35.05
PK	15.95834G	55.74	74.00	-18.26	12.29	3	Horizontal	157	1.03	-	43.45	37.80	9.89	35.40

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.66	54.00	-11.34	2.68	3	Vertical	57	1.50	-	39.98	31.82	5.73	34.87
AV	5.5078G	96.32	Inf	-Inf	2.79	3	Vertical	57	1.50	-	93.53	31.90	5.75	34.86
PK	5.4658G	57.08	68.20	-11.12	2.69	3	Vertical	57	1.50	-	54.39	31.83	5.73	34.87
PK	5.508G	107.81	Inf	-Inf	2.79	3	Vertical	57	1.50	-	105.02	31.90	5.75	34.86

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.84	54.00	-7.16	2.68	3	Horizontal	306	1.96	-	44.16	31.82	5.73	34.87
AV	5.4918G	103.83	Inf	-Inf	2.77	3	Horizontal	306	1.96	-	101.06	31.88	5.75	34.86
PK	5.47G	67.94	68.20	-0.26	2.72	3	Horizontal	306	1.96	-	65.22	31.84	5.74	34.86
PK	5.4916G	114.77	Inf	-Inf	2.77	3	Horizontal	306	1.96	-	112.00	31.88	5.75	34.86



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00114G	44.52	54.00	-9.48	13.45	3	Vertical	34	1.39	-	31.07	40.30	8.15	35.00
PK	11.00168G	54.96	74.00	-19.04	13.44	3	Vertical	34	1.39	-	41.52	40.29	8.15	35.00
PK	16.50304G	56.54	68.20	-11.66	14.17	3	Vertical	317	1.76	-	42.37	39.00	10.05	34.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99928G	44.49	54.00	-9.51	13.45	3	Horizontal	275	1.26	-	31.04	40.30	8.15	35.00
PK	10.99732G	54.91	74.00	-19.09	13.45	3	Horizontal	275	1.26	-	41.46	40.30	8.15	35.00
PK	16.50182G	56.80	68.20	-11.40	14.17	3	Horizontal	172	1.77	-	42.63	39.00	10.05	34.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	42.32	54.00	-11.68	2.67	3	Vertical	289	1.20	-	39.65	31.81	5.73	34.87
AV	5.5716G	101.99	Inf	-Inf	2.77	3	Vertical	289	1.20	-	99.22	31.86	5.79	34.88
PK	5.4618G	54.39	68.20	-13.81	2.68	3	Vertical	289	1.20	-	51.71	31.82	5.73	34.87
PK	5.5716G	111.86	Inf	-Inf	2.77	3	Vertical	289	1.20	-	109.09	31.86	5.79	34.88
PK	5.7258G	54.84	68.20	-13.36	2.87	3	Vertical	289	1.20	-	51.97	32.00	5.80	34.93

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


#### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	43.29	54.00	-10.71	2.68	3	Horizontal	306	2.06	-	40.61	31.82	5.73	34.87
AV	5.5872G	107.02	Inf	-Inf	2.73	3	Horizontal	306	2.06	-	104.29	31.83	5.79	34.89
PK	5.4636G	55.86	68.20	-12.34	2.69	3	Horizontal	306	2.06	-	53.17	31.83	5.73	34.87
PK	5.5824G	117.90	Inf	-Inf	2.75	3	Horizontal	306	2.06	-	115.15	31.84	5.79	34.88
PK	5.73G	54.99	68.20	-13.21	2.89	3	Horizontal	306	2.06	-	52.10	32.02	5.80	34.93

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17G	44.04	54.00	-9.96	13.06	3	Vertical	287	2.48	-	30.98	39.76	8.21	34.91
PK	11.16328G	54.11	74.00	-19.89	13.06	3	Vertical	287	2.48	-	41.05	39.77	8.21	34.92
PK	16.74472G	57.65	68.20	-10.55	15.37	3	Vertical	15	1.57	-	42.28	39.94	10.12	34.69

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16424G	43.86	54.00	-10.14	13.07	3	Horizontal	254	1.99	-	30.79	39.77	8.21	34.91
PK	11.15598G	54.07	74.00	-19.93	13.07	3	Horizontal	254	1.99	-	41.00	39.79	8.20	34.92
PK	16.74056G	57.43	68.20	-10.77	15.36	3	Horizontal	259	2.40	-	42.07	39.94	10.12	34.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	94.95	Inf	-Inf	2.81	3	Vertical	63	1.78	-	92.14	31.93	5.80	34.92
PK	5.708G	106.43	Inf	-Inf	2.81	3	Vertical	63	1.78	-	103.62	31.93	5.80	34.92
PK	5.7252G	63.63	68.20	-4.57	2.87	3	Vertical	63	1.78	-	60.76	32.00	5.80	34.93

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	98.64	Inf	-Inf	2.76	3	Horizontal	48	2.07	-	95.88	31.88	5.80	34.92
PK	5.6916G	110.70	Inf	-Inf	2.76	3	Horizontal	48	2.07	-	107.94	31.88	5.80	34.92
PK	5.7252G	67.42	68.20	-0.78	2.87	3	Horizontal	48	2.07	-	64.55	32.00	5.80	34.93



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40492G	44.29	54.00	-9.71	13.50	3	Vertical	259	2.16	-	30.79	40.00	8.29	34.79
PK	11.39956G	54.84	74.00	-19.16	13.50	3	Vertical	259	2.16	-	41.34	40.00	8.29	34.79
PK	17.09144G	58.18	68.20	-10.02	15.72	3	Vertical	21	2.07	-	42.46	40.03	10.23	34.54

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40928G	44.30	54.00	-9.70	13.51	3	Horizontal	265	1.68	-	30.79	40.01	8.29	34.79
PK	11.40824G	54.11	74.00	-19.89	13.51	3	Horizontal	265	1.68	-	40.60	40.01	8.29	34.79
PK	17.09464G	59.00	68.20	-9.20	15.70	3	Horizontal	72	1.16	-	43.30	40.02	10.23	34.55

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	42.61	54.00	-11.39	2.68	3	Vertical	64	1.85	-	39.93	31.82	5.73	34.87
AV	5.7152G	101.03	Inf	-Inf	2.84	3	Vertical	64	1.85	-	98.19	31.96	5.80	34.92
PK	5.4656G	54.18	68.20	-14.02	2.69	3	Vertical	64	1.85	-	51.49	31.83	5.73	34.87
PK	5.7164G	112.68	Inf	-Inf	2.85	3	Vertical	64	1.85	-	109.83	31.97	5.80	34.92
PK	5.9096G	55.77	68.20	-12.43	3.39	3	Vertical	64	1.85	-	52.38	32.52	5.85	34.98

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.48	54.00	-11.52	2.68	3	Horizontal	85	1.90	-	39.80	31.82	5.73	34.87
AV	5.7284G	105.69	Inf	-Inf	2.88	3	Horizontal	85	1.90	-	102.81	32.01	5.80	34.93
PK	5.4692G	54.91	68.20	-13.29	2.71	3	Horizontal	85	1.90	-	52.20	31.84	5.73	34.86
PK	5.7284G	115.82	Inf	-Inf	2.88	3	Horizontal	85	1.90	-	112.94	32.01	5.80	34.93
PK	5.8916G	55.91	68.20	-12.29	3.35	3	Horizontal	85	1.90	-	52.56	32.48	5.85	34.98

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**


**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44256G	44.52	54.00	-9.48	13.57	3	Vertical	342	1.88	-	30.95	40.04	8.30	34.77
PK	11.43076G	54.48	74.00	-19.52	13.55	3	Vertical	342	1.88	-	40.93	40.03	8.30	34.78
PK	17.15428G	58.10	68.20	-10.10	15.68	3	Vertical	55	1.81	-	42.42	40.00	10.25	34.57

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43448G	44.58	54.00	-9.42	13.56	3	Horizontal	311	1.06	-	31.02	40.03	8.30	34.77
PK	11.44556G	54.72	74.00	-19.28	13.59	3	Horizontal	311	1.06	-	41.13	40.05	8.31	34.77
PK	17.17G	58.02	68.20	-10.18	15.67	3	Horizontal	190	1.76	-	42.35	40.00	10.25	34.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	100.97	Inf	-Inf	2.92	3	Vertical	52	1.77	-	98.05	32.05	5.80	34.93
PK	5.5806G	54.98	68.20	-13.22	2.75	3	Vertical	52	1.77	-	52.23	31.84	5.79	34.88
PK	5.7366G	111.35	Inf	-Inf	2.92	3	Vertical	52	1.77	-	108.43	32.05	5.80	34.93
PK	6.033G	55.22	68.20	-12.98	3.41	3	Vertical	52	1.77	-	51.81	32.50	5.92	35.01

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	105.92	Inf	-Inf	2.92	3	Horizontal	45	1.78	-	103.00	32.05	5.80	34.93
PK	5.6226G	55.96	68.20	-12.24	2.70	3	Horizontal	45	1.78	-	53.26	31.80	5.80	34.90
PK	5.7354G	115.29	Inf	-Inf	2.91	3	Horizontal	45	1.78	-	112.38	32.04	5.80	34.93
PK	5.9394G	55.96	68.20	-12.24	3.46	3	Horizontal	45	1.78	-	52.50	32.58	5.87	34.99



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49592G	44.54	54.00	-9.46	13.68	3	Vertical	12	1.50	-	30.86	40.10	8.32	34.74
PK	11.48444G	54.96	74.00	-19.04	13.65	3	Vertical	12	1.50	-	41.31	40.08	8.32	34.75
PK	17.2335G	57.82	68.20	-10.38	15.76	3	Vertical	278	1.39	-	42.06	40.10	10.27	34.61

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49316G	44.58	54.00	-9.42	13.67	3	Horizontal	119	2.48	-	30.91	40.09	8.32	34.74
PK	11.49904G	55.21	74.00	-18.79	13.68	3	Horizontal	119	2.48	-	41.53	40.10	8.32	34.74
PK	17.23836G	58.06	68.20	-10.14	15.78	3	Horizontal	53	1.50	-	42.28	40.12	10.27	34.61

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	102.70	Inf	-Inf	3.02	3	Vertical	290	1.40	-	99.68	32.16	5.80	34.94
PK	5.5162G	55.26	68.20	-12.94	2.80	3	Vertical	290	1.40	-	52.46	31.90	5.76	34.86
PK	5.785G	110.40	Inf	-Inf	3.02	3	Vertical	290	1.40	-	107.38	32.17	5.80	34.95
PK	5.9806G	54.89	68.20	-13.31	3.43	3	Vertical	290	1.40	-	51.46	32.54	5.89	35.00

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	104.77	Inf	-Inf	3.03	3	Horizontal	312	1.56	-	101.74	32.17	5.80	34.94
PK	5.611G	55.79	68.20	-12.41	2.71	3	Horizontal	312	1.56	-	53.08	31.80	5.80	34.89
PK	5.7838G	112.46	Inf	-Inf	3.02	3	Horizontal	312	1.56	-	109.44	32.17	5.80	34.95
PK	5.9254G	55.01	68.20	-13.19	3.42	3	Horizontal	312	1.56	-	51.59	32.55	5.86	34.99

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5702G	44.74	54.00	-9.26	13.48	3	Vertical	92	1.69	-	31.26	39.89	8.35	34.76
PK	11.57508G	54.63	74.00	-19.37	13.46	3	Vertical	92	1.69	-	41.17	39.87	8.35	34.76
PK	17.35816G	58.79	68.20	-9.41	16.41	3	Vertical	269	1.40	-	42.38	40.77	10.31	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56704G	44.32	54.00	-9.68	13.49	3	Horizontal	261	1.35	-	30.83	39.90	8.35	34.76
PK	11.56112G	55.02	74.00	-18.98	13.52	3	Horizontal	261	1.35	-	41.50	39.92	8.35	34.75
PK	17.3548G	58.94	68.20	-9.26	16.38	3	Horizontal	270	2.19	-	42.56	40.74	10.31	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	101.04	Inf	-Inf	3.19	3	Vertical	55	1.96	-	97.85	32.33	5.82	34.96
PK	5.6138G	55.92	68.20	-12.28	2.71	3	Vertical	55	1.96	-	53.21	31.80	5.80	34.89
PK	5.8298G	112.17	Inf	-Inf	3.17	3	Vertical	55	1.96	-	109.00	32.32	5.81	34.96
PK	6.0302G	56.25	68.20	-11.95	3.41	3	Vertical	55	1.96	-	52.84	32.50	5.92	35.01

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	106.09	Inf	-Inf	3.12	3	Horizontal	308	2.01	-	102.97	32.27	5.81	34.96
PK	5.6138G	56.55	68.20	-11.65	2.71	3	Horizontal	308	2.01	-	53.84	31.80	5.80	34.89
PK	5.8274G	116.21	Inf	-Inf	3.16	3	Horizontal	308	2.01	-	113.05	32.31	5.81	34.96
PK	6.0374G	55.28	68.20	-12.92	3.41	3	Horizontal	308	2.01	-	51.87	32.50	5.92	35.01



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64976G	42.08	54.00	-11.92	13.15	3	Vertical	360	1.79	-	28.93	39.55	8.38	34.78
PK	11.65074G	55.09	74.00	-18.91	13.15	3	Vertical	360	1.79	-	41.94	39.55	8.38	34.78
PK	17.47434G	60.47	68.20	-7.73	17.08	3	Vertical	172	1.50	-	43.39	41.47	10.34	34.73

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64992G	42.59	54.00	-11.41	13.15	3	Horizontal	322	2.51	-	29.44	39.55	8.38	34.78
PK	11.64948G	54.95	74.00	-19.05	13.15	3	Horizontal	322	2.51	-	41.80	39.55	8.38	34.78
PK	17.47289G	60.09	68.20	-8.11	17.07	3	Horizontal	15	1.01	-	43.02	41.46	10.34	34.73

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.35	54.00	-6.65	2.55	3	Vertical	328	1.00	-	44.80	32.00	5.47	34.92
AV	5.1744G	92.07	Inf	-Inf	2.43	3	Vertical	328	1.00	-	89.64	31.85	5.49	34.91
PK	5.15G	70.38	74.00	-3.62	2.55	3	Vertical	328	1.00	-	67.83	32.00	5.47	34.92
PK	5.174G	103.99	Inf	-Inf	2.44	3	Vertical	328	1.00	-	101.55	31.86	5.49	34.91

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	48.20	54.00	-5.80	2.55	3	Horizontal	298	2.20	-	45.65	32.00	5.47	34.92
AV	5.2052G	94.60	Inf	-Inf	2.27	3	Horizontal	298	2.20	-	92.33	31.67	5.51	34.91
PK	5.15G	73.31	74.00	-0.69	2.55	3	Horizontal	298	2.20	-	70.76	32.00	5.47	34.92
PK	5.1836G	108.64	Inf	-Inf	2.38	3	Horizontal	298	2.20	-	106.26	31.80	5.49	34.91

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55542G	41.95	54.00	-12.05	13.09	3	Vertical	138	1.31	-	28.86	38.42	9.79	35.12
PK	10.37994G	54.69	68.20	-13.51	12.26	3	Vertical	352	1.00	-	42.43	39.54	7.93	35.21
PK	15.57528G	54.75	74.00	-19.25	12.98	3	Vertical	138	1.31	-	41.77	38.32	9.79	35.13

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56928G	41.91	54.00	-12.09	13.01	3	Horizontal	280	1.74	-	28.90	38.35	9.79	35.13
PK	10.37988G	55.52	68.20	-12.68	12.26	3	Horizontal	141	1.95	-	43.26	39.54	7.93	35.21
PK	15.5775G	54.23	74.00	-19.77	12.97	3	Horizontal	280	1.74	-	41.26	38.31	9.79	35.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.47	54.00	-4.53	2.55	3	Vertical	322	2.44	-	46.92	32.00	5.47	34.92
AV	5.2456G	97.95	Inf	-Inf	2.08	3	Vertical	322	2.44	-	95.87	31.43	5.55	34.90
PK	5.1324G	64.05	74.00	-9.95	2.55	3	Vertical	322	2.44	-	61.50	32.00	5.47	34.92
PK	5.2456G	110.12	Inf	-Inf	2.08	3	Vertical	322	2.44	-	108.04	31.43	5.55	34.90

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.11	54.00	-2.89	2.55	3	Horizontal	305	2.04	-	48.56	32.00	5.47	34.92
AV	5.2248G	103.37	Inf	-Inf	2.17	3	Horizontal	305	2.04	-	101.20	31.55	5.52	34.90
PK	5.1344G	69.88	74.00	-4.12	2.55	3	Horizontal	305	2.04	-	67.33	32.00	5.47	34.92
PK	5.2252G	114.76	Inf	-Inf	2.18	3	Horizontal	305	2.04	-	112.58	31.55	5.53	34.90



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7002G	42.27	54.00	-11.73	12.91	3	Vertical	44	2.32	-	29.36	38.30	9.83	35.22
PK	10.46324G	54.71	68.20	-13.49	12.64	3	Vertical	3	2.90	-	42.07	39.79	7.96	35.11
PK	15.68874G	55.33	74.00	-18.67	12.90	3	Vertical	44	2.32	-	42.43	38.29	9.82	35.21

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69366G	42.36	54.00	-11.64	12.89	3	Horizontal	157	1.46	-	29.47	38.29	9.82	35.22
PK	10.45994G	54.99	68.20	-13.21	12.62	3	Horizontal	226	2.17	-	42.37	39.78	7.96	35.12
PK	15.68946G	54.49	74.00	-19.51	12.90	3	Horizontal	157	1.46	-	41.59	38.29	9.82	35.21

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2608G	95.39	Inf	-Inf	2.04	3	Vertical	264.1	2.03	-	93.35	31.38	5.56	34.90
AV	5.35G	46.08	54.00	-7.92	2.07	3	Vertical	264.1	2.03	-	44.01	31.30	5.65	34.88
PK	5.272G	107.05	Inf	-Inf	2.03	3	Vertical	264.1	2.03	-	105.02	31.36	5.57	34.90
PK	5.35G	59.09	74.00	-14.91	2.07	3	Vertical	264.1	2.03	-	57.02	31.30	5.65	34.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2728G	101.81	Inf	-Inf	2.02	3	Horizontal	62	1.70	-	99.79	31.35	5.57	34.90
AV	5.3508G	51.93	54.00	-2.07	2.07	3	Horizontal	62	1.70	-	49.86	31.30	5.65	34.88
PK	5.272G	113.13	Inf	-Inf	2.03	3	Horizontal	62	1.70	-	111.10	31.36	5.57	34.90
PK	5.35G	65.96	74.00	-8.04	2.07	3	Horizontal	62	1.70	-	63.89	31.30	5.65	34.88

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80652G	41.71	54.00	-12.29	12.36	3	Vertical	68	1.40	-	29.35	37.80	9.85	35.29
PK	10.52728G	54.27	68.20	-13.93	12.81	3	Vertical	14	1.02	-	41.46	39.90	7.98	35.07
PK	15.80334G	53.86	74.00	-20.14	12.36	3	Vertical	68	1.40	-	41.50	37.80	9.85	35.29

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81948G	41.78	54.00	-12.22	12.35	3	Horizontal	335	1.71	-	29.43	37.80	9.85	35.30
PK	10.5478G	54.13	68.20	-14.07	12.83	3	Horizontal	281	1.39	-	41.30	39.90	7.99	35.06
PK	15.79704G	54.42	74.00	-19.58	12.37	3	Horizontal	335	1.71	-	42.05	37.81	9.85	35.29

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3G	90.45	Inf	-Inf	2.01	3	Vertical	338	2.97	-	88.44	31.30	5.60	34.89
AV	5.3512G	45.46	54.00	-8.54	2.08	3	Vertical	338	2.97	-	43.38	31.31	5.65	34.88
PK	5.2928G	105.82	Inf	-Inf	2.01	3	Vertical	338	2.97	-	103.81	31.31	5.59	34.89
PK	5.3604G	67.05	74.00	-6.95	2.14	3	Vertical	338	2.97	-	64.91	31.36	5.66	34.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	94.07	Inf	-Inf	2.01	3	Horizontal	301.6	1.50	-	92.06	31.30	5.60	34.89
AV	5.3512G	48.77	54.00	-5.23	2.08	3	Horizontal	301.6	1.50	-	46.69	31.31	5.65	34.88
PK	5.3052G	107.57	Inf	-Inf	2.02	3	Horizontal	301.6	1.50	-	105.55	31.30	5.61	34.89
PK	5.3548G	73.10	74.00	-0.90	2.10	3	Horizontal	301.6	1.50	-	71.00	31.33	5.65	34.88



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61976G	42.49	54.00	-11.51	12.91	3	Vertical	6	1.01	-	29.58	39.94	8.02	35.05
AV	15.918G	41.40	54.00	-12.60	12.31	3	Vertical	239	2.11	-	29.09	37.80	9.88	35.37
PK	10.62846G	54.17	74.00	-19.83	12.93	3	Vertical	6	1.01	-	41.24	39.96	8.02	35.05
PK	15.92724G	54.58	74.00	-19.42	12.30	3	Vertical	239	2.11	-	42.28	37.80	9.88	35.38

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61994G	42.60	54.00	-11.40	12.91	3	Horizontal	181	1.76	-	29.69	39.94	8.02	35.05
AV	15.91632G	41.33	54.00	-12.67	12.31	3	Horizontal	77	2.32	-	29.02	37.80	9.88	35.37
PK	10.60824G	53.59	74.00	-20.41	12.88	3	Horizontal	181	1.76	-	40.71	39.92	8.01	35.05
PK	15.91812G	54.03	74.00	-19.97	12.31	3	Horizontal	77	2.32	-	41.72	37.80	9.88	35.37

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.72	54.00	-11.28	2.68	3	Vertical	248.5	1.56	-	40.04	31.82	5.73	34.87
AV	5.4988G	90.31	Inf	-Inf	2.79	3	Vertical	248.5	1.56	-	87.52	31.90	5.75	34.86
PK	5.468G	66.93	68.20	-1.27	2.70	3	Vertical	248.5	1.56	-	64.23	31.84	5.73	34.87
PK	5.4976G	101.01	Inf	-Inf	2.79	3	Vertical	248.5	1.56	-	98.22	31.90	5.75	34.86

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	43.70	54.00	-10.30	2.68	3	Horizontal	52.3	2.40	-	41.02	31.82	5.73	34.87
AV	5.492G	94.52	Inf	-Inf	2.77	3	Horizontal	52.3	2.40	-	91.75	31.88	5.75	34.86
PK	5.4664G	67.99	68.20	-0.21	2.69	3	Horizontal	52.3	2.40	-	65.30	31.83	5.73	34.87
PK	5.4976G	107.91	Inf	-Inf	2.79	3	Horizontal	52.3	2.40	-	105.12	31.90	5.75	34.86

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00668G	42.22	54.00	-11.78	13.42	3	Vertical	144	1.80	-	28.80	40.27	8.15	35.00
PK	11.01064G	55.23	74.00	-18.77	13.42	3	Vertical	144	1.80	-	41.81	40.26	8.15	34.99
PK	16.5174G	56.17	68.20	-12.03	14.19	3	Vertical	297	1.43	-	41.98	39.00	10.06	34.87

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01556G	42.01	54.00	-11.99	13.41	3	Horizontal	43	1.34	-	28.60	40.24	8.16	34.99
PK	11.00932G	55.09	74.00	-18.91	13.41	3	Horizontal	43	1.34	-	41.68	40.26	8.15	35.00
PK	16.53702G	56.51	68.20	-11.69	14.21	3	Horizontal	145	1.47	-	42.30	39.00	10.06	34.85

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	42.45	54.00	-11.55	2.68	3	Vertical	58	1.83	-	39.77	31.82	5.73	34.87
AV	5.5424G	94.28	Inf	-Inf	2.80	3	Vertical	58	1.83	-	91.48	31.90	5.77	34.87
PK	5.4616G	60.21	68.20	-7.99	2.68	3	Vertical	58	1.83	-	57.53	31.82	5.73	34.87
PK	5.5484G	109.31	Inf	-Inf	2.80	3	Vertical	58	1.83	-	106.51	31.90	5.77	34.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.06	54.00	-7.94	2.68	3	Horizontal	307.6	2.01	-	43.38	31.82	5.73	34.87
AV	5.5376G	102.58	Inf	-Inf	2.80	3	Horizontal	307.6	2.01	-	99.78	31.90	5.77	34.87
PK	5.4668G	67.97	68.20	-0.23	2.69	3	Horizontal	307.6	2.01	-	65.28	31.83	5.73	34.87
PK	5.5376G	113.46	Inf	-Inf	2.80	3	Horizontal	307.6	2.01	-	110.66	31.90	5.77	34.87



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09556G	41.91	54.00	-12.09	13.15	3	Vertical	103	1.80	-	28.76	39.92	8.18	34.95
PK	11.09256G	54.92	74.00	-19.08	13.16	3	Vertical	103	1.80	-	41.76	39.93	8.18	34.95
PK	16.6572G	57.18	68.20	-11.02	14.85	3	Vertical	90	1.04	-	42.33	39.51	10.10	34.76

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0868G	42.07	54.00	-11.93	13.18	3	Horizontal	354	1.36	-	28.89	39.95	8.18	34.95
PK	11.09268G	55.44	74.00	-18.56	13.16	3	Horizontal	354	1.36	-	42.28	39.93	8.18	34.95
PK	16.64364G	57.39	68.20	-10.81	14.71	3	Horizontal	272	2.32	-	42.68	39.39	10.09	34.77

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5670MHz\_TX




09/02/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6532G	97.14	Inf	-Inf	2.70	3	Vertical	60	1.05	-	94.44	31.81	5.80	34.91
AV	5.727G	47.04	Inf	-Inf	2.88	3	Vertical	60	1.05	-	44.16	32.01	5.80	34.93
PK	5.6532G	106.55	Inf	-Inf	2.70	3	Vertical	60	1.05	-	103.85	31.81	5.80	34.91
PK	5.739G	62.24	68.20	-5.96	2.93	3	Vertical	60	1.05	-	59.31	32.06	5.80	34.93

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.685G	96.02	Inf	-Inf	2.75	3	Horizontal	54	2.23	-	93.27	31.87	5.80	34.92
AV	5.7252G	48.60	Inf	-Inf	2.87	3	Horizontal	54	2.23	-	45.73	32.00	5.80	34.93
PK	5.6856G	108.94	Inf	-Inf	2.75	3	Horizontal	54	2.23	-	106.19	31.87	5.80	34.92
PK	5.7432G	67.14	68.20	-1.06	2.94	3	Horizontal	54	2.23	-	64.20	32.07	5.80	34.93

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33764G	41.32	54.00	-12.68	13.26	3	Vertical	352	1.80	-	28.06	39.81	8.27	34.82
PK	11.33746G	54.14	74.00	-19.86	13.26	3	Vertical	352	1.80	-	40.88	39.81	8.27	34.82
PK	17.00882G	57.20	68.20	-11.00	15.97	3	Vertical	343	1.79	-	41.23	40.27	10.20	34.50

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33536G	41.21	54.00	-12.79	13.25	3	Horizontal	24	2.19	-	27.96	39.81	8.27	34.83
PK	11.34072G	54.47	74.00	-19.53	13.27	3	Horizontal	24	2.19	-	41.20	39.82	8.27	34.82
PK	17.0078G	57.10	68.20	-11.10	15.98	3	Horizontal	198	1.46	-	41.12	40.28	10.20	34.50

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	44.40	54.00	-9.60	2.67	3	Vertical	62	1.97	-	41.73	31.81	5.73	34.87
AV	5.6944G	98.97	Inf	-Inf	2.77	3	Vertical	62	1.97	-	96.20	31.89	5.80	34.92
PK	5.464G	53.05	68.20	-15.15	2.69	3	Vertical	62	1.97	-	50.36	31.83	5.73	34.87
PK	5.7256G	109.36	Inf	-Inf	2.87	3	Vertical	62	1.97	-	106.49	32.00	5.80	34.93
PK	5.8996G	55.75	68.20	-12.45	3.37	3	Vertical	62	1.97	-	52.38	32.50	5.85	34.98

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4652G	44.83	Inf	-Inf	2.69	3	Horizontal	90	2.10	-	42.14	31.83	5.73	34.87
AV	5.6944G	103.10	Inf	-Inf	2.77	3	Horizontal	90	2.10	-	100.33	31.89	5.80	34.92
AV	5.8504G	47.43	Inf	-Inf	3.26	3	Horizontal	90	2.10	-	44.17	32.40	5.83	34.97
PK	5.4676G	55.40	68.20	-12.80	2.70	3	Horizontal	90	2.10	-	52.70	31.84	5.73	34.87
PK	5.6992G	113.09	Inf	-Inf	2.78	3	Horizontal	90	2.10	-	110.31	31.90	5.80	34.92
PK	5.8576G	62.11	68.20	-6.09	3.28	3	Horizontal	90	2.10	-	58.83	32.42	5.83	34.97



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41804G	41.71	54.00	-12.29	13.54	3	Vertical	0	1.62	-	28.17	40.02	8.30	34.78
PK	11.41956G	54.94	74.00	-19.06	13.54	3	Vertical	0	1.62	-	41.40	40.02	8.30	34.78
PK	17.125G	57.84	68.20	-10.36	15.68	3	Vertical	2	1.29	-	42.16	40.00	10.24	34.56

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42074G	41.78	54.00	-12.22	13.54	3	Horizontal	180	1.62	-	28.24	40.02	8.30	34.78
PK	11.41952G	54.70	74.00	-19.30	13.54	3	Horizontal	180	1.62	-	41.16	40.02	8.30	34.78
PK	17.12518G	58.37	68.20	-9.83	15.68	3	Horizontal	7	1.67	-	42.69	40.00	10.24	34.56

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7406G	100.41	Inf	-Inf	2.93	3	Vertical	308	1.93	-	97.48	32.06	5.80	34.93
PK	5.6494G	57.05	68.20	-11.15	2.70	3	Vertical	308	1.93	-	54.35	31.80	5.80	34.90
PK	5.7526G	109.88	Inf	-Inf	2.97	3	Vertical	308	1.93	-	106.91	32.11	5.80	34.94
PK	6.001G	54.96	68.20	-13.24	3.39	3	Vertical	308	1.93	-	51.57	32.50	5.90	35.01

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	106.06	Inf	-Inf	3.00	3	Horizontal	57	1.78	-	103.06	32.14	5.80	34.94
PK	5.6374G	60.67	68.20	-7.53	2.70	3	Horizontal	57	1.78	-	57.97	31.80	5.80	34.90
PK	5.7706G	114.37	Inf	-Inf	3.00	3	Horizontal	57	1.78	-	111.37	32.14	5.80	34.94
PK	5.977G	55.20	68.20	-13.00	3.44	3	Horizontal	57	1.78	-	51.76	32.55	5.89	35.00

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50806G	41.90	54.00	-12.10	13.67	3	Vertical	36	1.55	-	28.23	40.08	8.33	34.74
PK	11.5146G	54.54	74.00	-19.46	13.65	3	Vertical	36	1.55	-	40.89	40.06	8.33	34.74
PK	17.26168G	58.29	68.20	-9.91	15.84	3	Vertical	145	1.10	-	42.45	40.19	10.28	34.63

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51216G	41.82	54.00	-12.18	13.65	3	Horizontal	150	1.15	-	28.17	40.06	8.33	34.74
PK	11.50992G	54.21	74.00	-19.79	13.66	3	Horizontal	150	1.15	-	40.55	40.07	8.33	34.74
PK	17.2628G	57.69	68.20	-10.51	15.84	3	Horizontal	3	1.73	-	41.85	40.19	10.28	34.63

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


#### 5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	99.30	Inf	-Inf	3.02	3	Vertical	307	1.80	-	96.28	32.16	5.80	34.94
PK	5.543G	54.58	68.20	-13.62	2.80	3	Vertical	307	1.80	-	51.78	31.90	5.77	34.87
PK	5.7782G	108.08	Inf	-Inf	3.02	3	Vertical	307	1.80	-	105.06	32.16	5.80	34.94
PK	5.9294G	55.07	68.20	-13.13	3.43	3	Vertical	307	1.80	-	51.64	32.56	5.86	34.99

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	106.20	Inf	-Inf	3.03	3	Horizontal	88	1.80	-	103.17	32.18	5.80	34.95
PK	5.5946G	56.44	68.20	-11.76	2.72	3	Horizontal	88	1.80	-	53.72	31.81	5.80	34.89
PK	5.8106G	115.14	Inf	-Inf	3.10	3	Horizontal	88	1.80	-	112.04	32.24	5.81	34.95
PK	5.9234G	59.02	69.38	-10.36	3.42	3	Horizontal	88	1.80	-	55.60	32.55	5.86	34.99



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58986G	44.69	54.00	-9.31	13.43	3	Vertical	355	1.13	-	31.26	39.83	8.36	34.76
PK	11.59104G	54.40	74.00	-19.60	13.43	3	Vertical	355	1.13	-	40.97	39.83	8.36	34.76
PK	17.38736G	58.31	68.20	-9.89	16.63	3	Vertical	153	1.31	-	41.68	41.00	10.32	34.69

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5922G	44.04	54.00	-9.96	13.42	3	Horizontal	330	1.78	-	30.62	39.82	8.36	34.76
PK	11.59068G	54.01	74.00	-19.99	13.43	3	Horizontal	330	1.78	-	40.58	39.83	8.36	34.76
PK	17.38702G	58.66	68.20	-9.54	16.63	3	Horizontal	205	1.75	-	42.03	41.00	10.32	34.69

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.34	54.00	-0.66	2.55	3	Vertical	322	2.42	-	50.79	32.00	5.47	34.92
AV	5.186G	91.09	Inf	-Inf	2.36	3	Vertical	322	2.42	-	88.73	31.78	5.49	34.91
AV	5.44G	41.73	54.00	-12.27	2.61	3	Vertical	322	2.42	-	39.12	31.76	5.72	34.87
PK	5.139G	68.54	74.00	-5.46	2.55	3	Vertical	322	2.42	-	65.99	32.00	5.47	34.92
PK	5.192G	101.93	Inf	-Inf	2.34	3	Vertical	322	2.42	-	99.59	31.75	5.50	34.91
PK	5.38G	53.97	74.00	-20.03	2.28	3	Vertical	322	2.42	-	51.69	31.48	5.68	34.88

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.24	54.00	-5.76	2.55	3	Horizontal	69	1.80	-	45.69	32.00	5.47	34.92
AV	5.237G	92.54	Inf	-Inf	2.12	3	Horizontal	69	1.80	-	90.42	31.48	5.54	34.90
AV	5.35G	43.21	54.00	-10.79	2.07	3	Horizontal	69	1.80	-	41.14	31.30	5.65	34.88
PK	5.124G	67.90	74.00	-6.10	2.54	3	Horizontal	69	1.80	-	65.36	32.00	5.46	34.92
PK	5.24G	103.72	Inf	-Inf	2.10	3	Horizontal	69	1.80	-	101.62	31.46	5.54	34.90
PK	5.366G	57.66	74.00	-16.34	2.19	3	Horizontal	69	1.80	-	55.47	31.40	5.67	34.88

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62694G	41.76	54.00	-12.24	12.87	3	Vertical	214	1.71	-	28.89	38.23	9.81	35.17
PK	10.42004G	54.65	68.20	-13.55	12.44	3	Vertical	350	1.03	-	42.21	39.66	7.95	35.17
PK	15.62636G	54.50	74.00	-19.50	12.87	3	Vertical	214	1.71	-	41.63	38.23	9.81	35.17

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63294G	41.65	54.00	-12.35	12.87	3	Horizontal	337	2.45	-	28.78	38.23	9.81	35.17
PK	10.41992G	54.60	68.20	-13.60	12.44	3	Horizontal	172	1.55	-	42.16	39.66	7.95	35.17
PK	15.63062G	54.34	74.00	-19.66	12.87	3	Horizontal	337	2.45	-	41.47	38.23	9.81	35.17

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	42.87	54.00	-11.13	2.55	3	Vertical	330	1.02	-	40.32	32.00	5.47	34.92
AV	5.328G	91.57	Inf	-Inf	2.04	3	Vertical	330	1.02	-	89.53	31.30	5.63	34.89
AV	5.352G	50.26	54.00	-3.74	2.08	3	Vertical	330	1.02	-	48.18	31.31	5.65	34.88
PK	5.147G	56.38	74.00	-17.62	2.55	3	Vertical	330	1.02	-	53.83	32.00	5.47	34.92
PK	5.326G	102.16	Inf	-Inf	2.04	3	Vertical	330	1.02	-	100.12	31.30	5.63	34.89
PK	5.352G	66.38	74.00	-7.62	2.08	3	Vertical	330	1.02	-	64.30	31.31	5.65	34.88

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	44.15	54.00	-9.85	2.55	3	Horizontal	308	1.83	-	41.60	32.00	5.47	34.92
AV	5.283G	94.73	Inf	-Inf	2.02	3	Horizontal	308	1.83	-	92.71	31.33	5.58	34.89
AV	5.35G	53.84	54.00	-0.16	2.07	3	Horizontal	308	1.83	-	51.77	31.30	5.65	34.88
PK	5.133G	57.00	74.00	-17.00	2.55	3	Horizontal	308	1.83	-	54.45	32.00	5.47	34.92
PK	5.287G	106.60	Inf	-Inf	2.03	3	Horizontal	308	1.83	-	104.57	31.33	5.59	34.89
PK	5.384G	71.85	74.00	-2.15	2.30	3	Horizontal	308	1.83	-	69.55	31.50	5.68	34.88



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8669G	41.18	54.00	-12.82	12.33	3	Vertical	281	1.46	-	28.85	37.80	9.87	35.34
PK	10.57964G	53.99	68.20	-14.21	12.84	3	Vertical	3	1.06	-	41.15	39.90	8.00	35.06
PK	15.86618G	53.60	74.00	-20.40	12.33	3	Vertical	281	1.46	-	41.27	37.80	9.87	35.34

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86608G	41.18	54.00	-12.82	12.33	3	Horizontal	293	2.47	-	28.85	37.80	9.87	35.34
PK	10.57622G	54.47	68.20	-13.73	12.84	3	Horizontal	53	2.44	-	41.63	39.90	8.00	35.06
PK	15.86646G	54.39	74.00	-19.61	12.33	3	Horizontal	293	2.47	-	42.06	37.80	9.87	35.34

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.57	54.00	-11.43	2.68	3	Vertical	63	1.68	-	39.89	31.82	5.73	34.87
AV	5.529G	86.67	Inf	-Inf	2.79	3	Vertical	63	1.68	-	83.88	31.90	5.76	34.87
PK	5.462G	58.45	68.20	-9.75	2.68	3	Vertical	63	1.68	-	55.77	31.82	5.73	34.87
PK	5.527G	99.51	Inf	-Inf	2.79	3	Vertical	63	1.68	-	96.72	31.90	5.76	34.87
PK	5.749G	54.73	68.20	-13.47	2.97	3	Vertical	63	1.68	-	51.76	32.10	5.80	34.93

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	46.98	54.00	-7.02	2.65	3	Horizontal	307	2.06	-	44.33	31.80	5.72	34.87
AV	5.533G	96.19	Inf	-Inf	2.80	3	Horizontal	307	2.06	-	93.39	31.90	5.77	34.87
PK	5.469G	67.79	68.20	-0.41	2.71	3	Horizontal	307	2.06	-	65.08	31.84	5.73	34.86
PK	5.531G	109.07	Inf	-Inf	2.80	3	Horizontal	307	2.06	-	106.27	31.90	5.77	34.87
PK	5.76G	55.86	68.20	-12.34	2.98	3	Horizontal	307	2.06	-	52.88	32.12	5.80	34.94

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05992G	41.74	54.00	-12.26	13.26	3	Vertical	0	2.77	-	28.48	40.06	8.17	34.97
PK	11.05642G	54.99	74.00	-19.01	13.27	3	Vertical	0	2.77	-	41.72	40.07	8.17	34.97
PK	16.5923G	56.49	68.20	-11.71	14.27	3	Vertical	153	1.15	-	42.22	39.00	10.08	34.81

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05982G	41.88	54.00	-12.12	13.26	3	Horizontal	315	2.09	-	28.62	40.06	8.17	34.97
PK	11.06406G	55.51	74.00	-18.49	13.24	3	Horizontal	315	2.09	-	42.27	40.04	8.17	34.97
PK	16.58688G	56.26	68.20	-11.94	14.27	3	Horizontal	156	1.70	-	41.99	39.00	10.08	34.81

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.52	54.00	-11.48	2.68	3	Vertical	59	1.81	-	39.84	31.82	5.73	34.87
AV	5.614G	92.85	Inf	-Inf	2.71	3	Vertical	59	1.81	-	90.14	31.80	5.80	34.89
PK	5.468G	54.26	68.20	-13.94	2.70	3	Vertical	59	1.81	-	51.56	31.84	5.73	34.87
PK	5.607G	104.55	Inf	-Inf	2.71	3	Vertical	59	1.81	-	101.84	31.80	5.80	34.89
PK	5.725G	62.11	68.20	-6.09	2.87	3	Vertical	59	1.81	-	59.24	32.00	5.80	34.93

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.06	54.00	-7.94	2.68	3	Horizontal	305	2.54	-	43.38	31.82	5.73	34.87
AV	5.643G	98.80	Inf	-Inf	2.70	3	Horizontal	305	2.54	-	96.10	31.80	5.80	34.90
PK	5.461G	62.23	68.20	-5.97	2.68	3	Horizontal	305	2.54	-	59.55	31.82	5.73	34.87
PK	5.647G	110.93	Inf	-Inf	2.70	3	Horizontal	305	2.54	-	108.23	31.80	5.80	34.90
PK	5.734G	68.07	68.20	-0.13	2.91	3	Horizontal	305	2.54	-	65.16	32.04	5.80	34.93



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2202G	41.07	54.00	-12.93	13.04	3	Vertical	30	1.15	-	28.03	39.70	8.23	34.89
PK	11.22184G	53.98	74.00	-20.02	13.05	3	Vertical	30	1.15	-	40.93	39.70	8.23	34.88
PK	16.83182G	57.34	68.20	-10.86	15.52	3	Vertical	198	2.37	-	41.82	40.00	10.15	34.63

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21978G	41.08	54.00	-12.92	13.04	3	Horizontal	31	1.08	-	28.04	39.70	8.23	34.89
PK	11.21662G	53.84	74.00	-20.16	13.04	3	Horizontal	31	1.08	-	40.80	39.70	8.23	34.89
PK	16.82976G	56.95	68.20	-11.25	15.52	3	Horizontal	292	2.31	-	41.43	40.00	10.15	34.63

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	42.63	54.00	-11.37	2.67	3	Vertical	57	1.79	-	39.96	31.81	5.73	34.87
AV	5.7056G	94.83	Inf	-Inf	2.80	3	Vertical	57	1.79	-	92.03	31.92	5.80	34.92
PK	5.4656G	55.06	68.20	-13.14	2.69	3	Vertical	57	1.79	-	52.37	31.83	5.73	34.87
PK	5.7044G	106.39	Inf	-Inf	2.80	3	Vertical	57	1.79	-	103.59	31.92	5.80	34.92
PK	5.852G	61.18	68.20	-7.02	3.26	3	Vertical	57	1.79	-	57.92	32.40	5.83	34.97

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.15	54.00	-10.85	2.68	3	Horizontal	330	1.02	-	40.47	31.82	5.73	34.87
AV	5.6552G	92.84	Inf	-Inf	2.70	3	Horizontal	330	1.02	-	90.14	31.81	5.80	34.91
PK	5.4656G	57.36	68.20	-10.84	2.69	3	Horizontal	330	1.02	-	54.67	31.83	5.73	34.87
PK	5.672G	103.89	Inf	-Inf	2.73	3	Horizontal	330	1.02	-	101.16	31.84	5.80	34.91
PK	5.8556G	62.65	68.20	-5.55	3.27	3	Horizontal	330	1.02	-	59.38	32.41	5.83	34.97

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37994G	41.38	54.00	-12.62	13.42	3	Vertical	355	1.80	-	27.96	39.94	8.28	34.80
PK	11.3781G	54.12	74.00	-19.88	13.41	3	Vertical	355	1.80	-	40.71	39.93	8.28	34.80
PK	17.07102G	57.88	68.20	-10.32	15.78	3	Vertical	83	1.58	-	42.10	40.09	10.22	34.53

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37988G	41.21	54.00	-12.79	13.42	3	Horizontal	326	1.39	-	27.79	39.94	8.28	34.80
PK	11.3798G	53.89	74.00	-20.11	13.42	3	Horizontal	326	1.39	-	40.47	39.94	8.28	34.80
PK	17.06728G	57.95	68.20	-10.25	15.79	3	Horizontal	352	1.47	-	42.16	40.10	10.22	34.53

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	93.88	Inf	-Inf	2.93	3	Vertical	304	2.37	-	90.95	32.06	5.80	34.93
PK	5.6478G	62.73	68.20	-5.47	2.70	3	Vertical	304	2.37	-	60.03	31.80	5.80	34.90
PK	5.7486G	104.72	Inf	-Inf	2.96	3	Vertical	304	2.37	-	101.76	32.09	5.80	34.93
PK	5.9526G	58.76	68.20	-9.44	3.47	3	Vertical	304	2.37	-	55.29	32.59	5.88	35.00

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8002G	100.40	Inf	-Inf	3.05	3	Horizontal	91	2.00	-	97.35	32.20	5.80	34.95
PK	5.6406G	68.09	68.20	-0.11	2.70	3	Horizontal	91	2.00	-	65.39	31.80	5.80	34.90
PK	5.8014G	110.70	Inf	-Inf	3.06	3	Horizontal	91	2.00	-	107.64	32.21	5.80	34.95
PK	5.9286G	65.95	68.20	-2.25	3.43	3	Horizontal	91	2.00	-	62.52	32.56	5.86	34.99



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54516G	41.28	54.00	-12.72	13.55	3	Vertical	160	2.99	-	27.73	39.96	8.34	34.75
PK	11.54922G	54.41	74.00	-19.59	13.54	3	Vertical	160	2.99	-	40.87	39.95	8.34	34.75
PK	17.32644G	57.89	68.20	-10.31	16.15	3	Vertical	7	1.62	-	41.74	40.51	10.30	34.66

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5477G	41.31	54.00	-12.69	13.55	3	Horizontal	275	1.51	-	27.76	39.96	8.34	34.75
PK	11.54688G	54.03	74.00	-19.97	13.55	3	Horizontal	275	1.51	-	40.48	39.96	8.34	34.75
PK	17.32206G	57.44	68.20	-10.76	16.13	3	Horizontal	336	2.34	-	41.31	40.48	10.30	34.65




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.092G	43.56	54.00	-10.44	Vertical
Mode 2	Pass	AV	4.996G	38.02	54.00	-15.98	Vertical

**Mode Configure**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.2G	30.25	54.00	-23.75	3	Vertical	129	1.50	-
Mode 1	Pass	AV	5.092G	43.56	54.00	-10.44	3	Vertical	62	2.47	-
Mode 1	Pass	AV	5.32G	36.92	54.00	-17.08	3	Vertical	51	2.14	-
Mode 1	Pass	PK	2.2G	49.11	74.00	-24.89	3	Vertical	129	1.50	-
Mode 1	Pass	PK	5.092G	52.86	74.00	-21.14	3	Vertical	62	2.47	-
Mode 1	Pass	PK	5.32G	47.18	74.00	-26.82	3	Vertical	51	2.14	-
Mode 1	Pass	AV	2.224G	29.32	54.00	-24.68	3	Horizontal	43	1.24	-
Mode 1	Pass	AV	4.804G	34.41	54.00	-19.59	3	Horizontal	9	1.50	-
Mode 1	Pass	AV	5.08004G	39.24	54.00	-14.76	3	Horizontal	65	2.32	-
Mode 1	Pass	PK	2.224G	42.16	74.00	-31.84	3	Horizontal	43	1.24	-
Mode 1	Pass	PK	4.804G	44.87	74.00	-29.13	3	Horizontal	9	1.50	-
Mode 1	Pass	PK	5.08G	48.59	74.00	-25.41	3	Horizontal	65	2.32	-
Mode 2	Pass	AV	1.996G	27.79	54.00	-26.21	3	Vertical	340	1.50	-
Mode 2	Pass	AV	4.996G	38.02	54.00	-15.98	3	Vertical	22	1.00	-
Mode 2	Pass	AV	5.548G	33.93	54.00	-20.07	3	Vertical	0	1.99	-
Mode 2	Pass	PK	1.996G	44.80	74.00	-29.20	3	Vertical	340	1.50	-
Mode 2	Pass	PK	4.996G	48.10	74.00	-25.90	3	Vertical	22	1.00	-
Mode 2	Pass	PK	5.548G	47.62	74.00	-26.38	3	Vertical	0	1.99	-
Mode 2	Pass	AV	1.996G	28.61	54.00	-25.39	3	Horizontal	306	1.50	-
Mode 2	Pass	AV	4.144G	32.97	54.00	-21.03	3	Horizontal	109	2.50	-
Mode 2	Pass	AV	4.708G	33.98	54.00	-20.02	3	Horizontal	118	1.50	-
Mode 2	Pass	PK	1.996G	40.82	74.00	-33.18	3	Horizontal	306	1.50	-
Mode 2	Pass	PK	4.144G	43.00	74.00	-31.00	3	Horizontal	109	2.50	-
Mode 2	Pass	PK	4.708G	44.59	74.00	-29.41	3	Horizontal	118	1.50	-

### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.2G	30.25	54.00	-23.75	-3.17	3	Vertical	129	1.50	-	33.42	28.00	3.60	34.77
AV	5.092G	43.56	54.00	-10.44	2.39	3	Vertical	62	2.47	-	41.17	31.87	5.45	34.93
AV	5.32G	36.92	54.00	-17.08	2.05	3	Vertical	51	2.14	-	34.87	31.32	5.62	34.89
PK	2.2G	49.11	74.00	-24.89	-3.17	3	Vertical	129	1.50	-	52.28	28.00	3.60	34.77
PK	5.092G	52.86	74.00	-21.14	2.39	3	Vertical	62	2.47	-	50.47	31.87	5.45	34.93
PK	5.32G	47.18	74.00	-26.82	2.05	3	Vertical	51	2.14	-	45.13	31.32	5.62	34.89

### Radiated Emissions above 1GHz\_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.224G	29.32	54.00	-24.68	-3.09	3	Horizontal	43	1.24	-	32.41	28.05	3.64	34.78
AV	4.804G	34.41	54.00	-19.59	1.47	3	Horizontal	9	1.50	-	32.94	31.10	5.30	34.93
AV	5.08004G	39.24	54.00	-14.76	2.33	3	Horizontal	65	2.32	-	36.91	31.82	5.44	34.93
PK	2.224G	42.16	74.00	-31.84	-3.09	3	Horizontal	43	1.24	-	45.25	28.05	3.64	34.78
PK	4.804G	44.87	74.00	-29.13	1.47	3	Horizontal	9	1.50	-	43.40	31.10	5.30	34.93
PK	5.08G	48.59	74.00	-25.41	2.33	3	Horizontal	65	2.32	-	46.26	31.82	5.44	34.93

### Radiated Emissions above 1GHz\_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	27.79	54.00	-26.21	-5.29	3	Vertical	340	1.50	-	33.08	25.98	3.40	34.67
AV	4.996G	38.02	54.00	-15.98	1.94	3	Vertical	22	1.00	-	36.08	31.48	5.40	34.94
AV	5.548G	33.93	54.00	-20.07	2.60	3	Vertical	0	1.99	-	31.33	31.70	5.78	34.88
PK	1.996G	44.80	74.00	-29.20	-5.29	3	Vertical	340	1.50	-	50.09	25.98	3.40	34.67
PK	4.996G	48.10	74.00	-25.90	1.94	3	Vertical	22	1.00	-	46.16	31.48	5.40	34.94
PK	5.548G	47.62	74.00	-26.38	2.60	3	Vertical	0	1.99	-	45.02	31.70	5.77	34.87

### Radiated Emissions above 1GHz\_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	28.61	54.00	-25.39	-5.29	3	Horizontal	306	1.50	-	33.90	25.98	3.40	34.67
AV	4.144G	32.97	54.00	-21.03	-0.05	3	Horizontal	109	2.50	-	33.02	29.80	4.97	34.82
AV	4.708G	33.98	54.00	-20.02	1.60	3	Horizontal	118	1.50	-	32.38	31.22	5.30	34.92
PK	1.996G	40.82	74.00	-33.18	-5.29	3	Horizontal	306	1.50	-	46.11	25.98	3.40	34.67
PK	4.144G	43.00	74.00	-31.00	-0.05	3	Horizontal	109	2.50	-	43.05	29.80	4.97	34.82
PK	4.708G	44.59	74.00	-29.41	1.60	3	Horizontal	118	1.50	-	42.99	31.22	5.30	34.92