


802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

08/02/2021

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 15.28 | 15.28 | 10.07 | 8.85 | 9.75 | 9.66 |


802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

16/03/2021

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 16.06 | 16.06 | 9.72 | 10.32 | 9.23 | 11.33 |


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5180MHz

16/07/2021

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.85 | 6.85 | 0.87 | 1.79 | 1.27 | -0.31 |


802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5200MHz

16/07/2021

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.52 | 6.52 | 0.81 | 1.53 | 1.28 | -1.23 |

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5240MHz

16/07/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.36 | 6.36 | 0.73 | 0.91 | 1.04 | -1.05 |

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 10.21 | 10.21 | 3.53 | 4.28 | 4.49 | 4.67 |

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

16/03/2021



802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

16/03/2021

CF
5.7GHz


Span
30MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 

| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 10.45 | 10.45 | 4.11 | 4.40 | 3.93 | 5.41 |

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/03/2021

CF
5.71GHz


Span
60MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS




Sum 

Port 1 

Port 2 

Port 3 

Port 4 


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 10.35 | 10.35 | 3.84 | 4.25 | 3.88 | 5.40 |






802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.725-5.85GHz

PSD

16/03/2021

CF
 5.735GHz
 Span
 40MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum 
 Port 1 
 Port 2 
 Port 3 
 Port 4 


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.85 | 8.85 | 2.46 | 2.69 | 2.22 | 4.01 |






802.11ax HEW20_Nss1,(MCS0)_4TX
5745MHz

PSD

16/03/2021

CF
 5.745GHz
 Span
 30MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum 
 Port 1 
 Port 2 
 Port 3 
 Port 4 


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 14.84 | 14.84 | 8.37 | 8.89 | 8.03 | 10.04 |

802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5785MHz

16/03/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5825MHz

16/03/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5190MHz

16/07/2021

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 3.24 | 3.24 | -2.81 | -1.75 | -2.21 | -4.19 |


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5230MHz

16/07/2021

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 3.06 | 3.06 | -2.98 | -2.45 | -2.16 | -3.62 |

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.64 | 7.64 | 0.85 | 1.76 | 1.83 | 2.20 |

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.48 | 7.48 | 0.91 | 1.36 | 1.81 | 1.93 |

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.58 | 7.58 | 0.37 | 1.60 | 2.10 | 2.27 |

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.56 | 7.56 | 0.12 | 1.46 | 2.09 | 2.39 |

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.87 | 7.87 | 0.48 | 1.78 | 2.08 | 3.03 |

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.75 | 7.75 | 1.52 | 1.42 | 1.41 | 2.73 |






802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.725-5.85GHz

PSD

16/03/2021

CF
 5.735GHz
 Span
 40MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum 
 Port 1 
 Port 2 
 Port 3 
 Port 4 


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.45 | 6.45 | 0.19 | 0.11 | -0.24 | 1.71 |






802.11ax HEW40_Nss1,(MCS0)_4TX
5755MHz

PSD

16/03/2021

CF
 5.755GHz
 Span
 60MHz
 RBW
 500kHz
 VBW
 3MHz
 Sweep Time
 20ms
 Detector Type
 RMS



Sum 
 Port 1 
 Port 2 
 Port 3 
 Port 4 


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 12.02 | 12.02 | 5.84 | 6.00 | 5.64 | 7.01 |

802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5795MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 12.24 | 12.24 | 5.74 | 6.33 | 5.68 | 7.16 |

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

16/07/2021



| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 0.76 | 0.76 | -5.42 | -4.30 | -4.82 | -6.16 |


802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5290MHz

16/03/2021

CF
5.29GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 4.82 | 4.82 | -2.11 | -1.06 | -0.97 | -0.67 |


802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

16/03/2021

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 4.62 | 4.62 | -2.76 | -1.32 | -0.59 | -0.79 |

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 5.11 | 5.11 | -2.42 | -0.59 | -0.75 | -0.10 |

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 4.47 | 4.47 | -2.60 | -1.64 | -0.96 | -0.52 |

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

16/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 3.20 | 3.20 | -3.74 | -2.93 | -2.78 | -1.79 |

802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5775MHz

16/03/2021



| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.51 | 9.51 | 2.98 | 3.47 | 3.21 | 4.45 |



Summary

| Mode | PD (dBm/RBW) | EIRP PD (dBm/RBW) |
|-----------------------------------|-----------------|----------------------|
| 5.15-5.25GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 1.00 | 7.52 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | -0.22 | 6.30 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | -0.78 | 5.74 |
| 5.25-5.35GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 9.75 | 16.27 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 6.66 | 13.18 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 6.51 | 13.03 |
| 5.47-5.725GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 9.79 | 16.31 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 6.55 | 13.07 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 6.52 | 13.04 |
| 5.725-5.85GHz | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | 13.65 | 20.17 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | 10.38 | 16.90 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | 9.79 | 16.31 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

| Mode | Result | DG (dBi) | Port 1 (dBm/RBW) | Port 2 (dBm/RBW) | Port 3 (dBm/RBW) | Port 4 (dBm/RBW) | PD (dBm/RBW) | PD Limit (dBm/RBW) | EIRP PD (dBm/RBW) | EIRP PD Limit (dBm/RBW) |
|-----------------------------------|--------|----------|------------------|------------------|------------------|------------------|--------------|--------------------|-------------------|-------------------------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - |
| 5180MHz | Pass | 6.52 | -4.81 | -4.78 | -4.26 | -4.59 | 0.86 | 16.48 | 7.38 | 23.00 |
| 5200MHz | Pass | 6.52 | -5.30 | -4.75 | -3.74 | -4.78 | 0.84 | 16.48 | 7.36 | 23.00 |
| 5240MHz | Pass | 6.52 | -5.40 | -4.97 | -3.02 | -4.82 | 1.00 | 16.48 | 7.52 | 23.00 |
| 5260MHz | Pass | 6.52 | 3.24 | 4.12 | 5.03 | 5.28 | 9.75 | 10.48 | 16.27 | 17.00 |
| 5300MHz | Pass | 6.52 | 2.83 | 3.57 | 3.82 | 5.35 | 9.44 | 10.48 | 15.96 | 17.00 |
| 5320MHz | Pass | 6.52 | 3.19 | 3.50 | 4.65 | 4.60 | 9.46 | 10.48 | 15.98 | 17.00 |
| 5500MHz | Pass | 6.52 | 2.42 | 3.37 | 4.75 | 5.39 | 8.71 | 10.48 | 15.23 | 17.00 |
| 5580MHz | Pass | 6.52 | 1.39 | 3.57 | 3.63 | 5.08 | 8.93 | 10.48 | 15.45 | 17.00 |
| 5700MHz | Pass | 6.52 | 3.62 | 3.51 | 3.55 | 5.96 | 9.30 | 10.48 | 15.82 | 17.00 |
| 5720MHz Straddle 5.47-5.725GHz | Pass | 6.52 | 4.98 | 4.98 | 4.59 | 3.77 | 9.79 | 10.48 | 16.31 | 17.00 |
| 5720MHz Straddle 5.725-5.85GHz | Pass | 6.52 | 2.98 | 3.36 | 2.35 | 2.39 | 8.46 | 29.48 | 14.98 | 36.00 |
| 5745MHz | Pass | 6.52 | 8.04 | 8.66 | 7.52 | 9.76 | 13.26 | 29.48 | 19.78 | 36.00 |
| 5785MHz | Pass | 6.52 | 3.41 | 4.73 | 0.12 | 8.01 | 9.77 | 29.48 | 16.29 | 36.00 |
| 5825MHz | Pass | 6.52 | 8.55 | 9.06 | 7.73 | 9.24 | 13.65 | 29.48 | 20.17 | 36.00 |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - |
| 5190MHz | Pass | 6.52 | -6.74 | -6.08 | -6.10 | -6.11 | -0.71 | 16.48 | 5.81 | 23.00 |
| 5230MHz | Pass | 6.52 | -6.79 | -5.98 | -4.68 | -5.83 | -0.22 | 16.48 | 6.30 | 23.00 |
| 5270MHz | Pass | 6.52 | 1.44 | 1.81 | 1.62 | 1.37 | 6.66 | 10.48 | 13.18 | 17.00 |
| 5310MHz | Pass | 6.52 | 0.84 | 0.80 | 0.84 | 1.46 | 6.52 | 10.48 | 13.04 | 17.00 |
| 5510MHz | Pass | 6.52 | -1.23 | -0.90 | 0.32 | 1.51 | 4.59 | 10.48 | 11.11 | 17.00 |
| 5550MHz | Pass | 6.52 | -0.73 | 1.71 | 1.66 | 2.43 | 6.22 | 10.48 | 12.74 | 17.00 |
| 5670MHz | Pass | 6.52 | 0.94 | 1.45 | 1.20 | 1.97 | 6.55 | 10.48 | 13.07 | 17.00 |
| 5710MHz Straddle 5.47-5.725GHz | Pass | 6.52 | 1.30 | 1.68 | 1.05 | 1.93 | 6.47 | 10.48 | 12.99 | 17.00 |
| 5710MHz Straddle 5.725-5.85GHz | Pass | 6.52 | -2.28 | -1.58 | -1.97 | -0.67 | 4.14 | 29.48 | 10.66 | 36.00 |
| 5755MHz | Pass | 6.52 | 3.01 | 3.25 | 2.41 | 5.32 | 8.86 | 29.48 | 15.38 | 36.00 |
| 5795MHz | Pass | 6.52 | 6.00 | 4.39 | 5.02 | 5.62 | 10.38 | 29.48 | 16.90 | 36.00 |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - |
| 5210MHz | Pass | 6.52 | -7.08 | -6.19 | -5.09 | -6.07 | -0.78 | 16.48 | 5.74 | 23.00 |
| 5290MHz | Pass | 6.52 | 0.62 | 2.44 | 2.00 | 1.92 | 6.51 | 10.48 | 13.03 | 17.00 |
| 5530MHz | Pass | 6.52 | -3.58 | -5.48 | -5.66 | -2.86 | 0.93 | 10.48 | 7.45 | 17.00 |
| 5610MHz | Pass | 6.52 | 0.57 | 1.86 | 1.40 | 2.25 | 6.52 | 10.48 | 13.04 | 17.00 |
| 5690MHz Straddle 5.47-5.725GHz | Pass | 6.52 | -1.85 | -1.49 | -1.50 | -1.11 | 3.49 | 10.48 | 10.01 | 17.00 |
| 5690MHz Straddle 5.725-5.85GHz | Pass | 6.52 | -5.54 | -2.86 | -6.16 | -2.91 | 1.83 | 29.48 | 8.35 | 36.00 |
| 5775MHz | Pass | 6.52 | 6.04 | 4.70 | 5.27 | 4.95 | 9.79 | 29.48 | 16.31 | 36.00 |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5180MHz

16/07/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 0.86 | 0.86 | -4.81 | -4.78 | -4.26 | -4.59 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5200MHz

16/07/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 0.84 | 0.84 | -5.30 | -4.75 | -3.74 | -4.78 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5240MHz

16/07/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 1.00 | 1.00 | -5.40 | -4.97 | -3.02 | -4.82 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5260MHz

18/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.75 | 9.75 | 3.24 | 4.12 | 5.03 | 5.28 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5300MHz

18/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.44 | 9.44 | 2.83 | 3.57 | 3.82 | 5.35 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5320MHz

18/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.46 | 9.46 | 3.19 | 3.50 | 4.65 | 4.60 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5500MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.71 | 8.71 | 2.42 | 3.37 | 4.75 | 5.39 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5580MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.93 | 8.93 | 1.39 | 3.57 | 3.63 | 5.08 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5700MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.30 | 9.30 | 3.62 | 3.51 | 3.55 | 5.96 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.79 | 9.79 | 4.98 | 4.98 | 4.59 | 3.77 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.46 | 8.46 | 2.98 | 3.36 | 2.35 | 2.39 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5745MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 13.26 | 13.26 | 8.04 | 8.66 | 7.52 | 9.76 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.77 | 9.77 | 3.41 | 4.73 | 0.12 | 8.01 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 13.65 | 13.65 | 8.55 | 9.06 | 7.73 | 9.24 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5190MHz

16/07/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -0.71 | -0.71 | -6.74 | -6.08 | -6.10 | -6.11 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5230MHz

16/07/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -0.22 | -0.22 | -6.79 | -5.98 | -4.68 | -5.83 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5270MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.66 | 6.66 | 1.44 | 1.81 | 1.62 | 1.37 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5310MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.52 | 6.52 | 0.84 | 0.80 | 0.84 | 1.46 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 4.59 | 4.59 | -1.23 | -0.90 | 0.32 | 1.51 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.22 | 6.22 | -0.73 | 1.71 | 1.66 | 2.43 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.55 | 6.55 | 0.94 | 1.45 | 1.20 | 1.97 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.47 | 6.47 | 1.30 | 1.68 | 1.05 | 1.93 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 4.14 | 4.14 | -2.28 | -1.58 | -1.97 | -0.67 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5755MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.86 | 8.86 | 3.01 | 3.25 | 2.41 | 5.32 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 10.38 | 10.38 | 6.00 | 4.39 | 5.02 | 5.62 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5210MHz

16/07/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -0.78 | -0.78 | -7.08 | -6.19 | -5.09 | -6.07 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5290MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.51 | 6.51 | 0.62 | 2.44 | 2.00 | 1.92 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 0.93 | 0.93 | -3.58 | -5.48 | -5.66 | -2.86 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.52 | 6.52 | 0.57 | 1.86 | 1.40 | 2.25 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 3.49 | 3.49 | -1.85 | -1.49 | -1.50 | -1.11 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

19/03/2021




| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 1.83 | 1.83 | -5.54 | -2.86 | -6.16 | -2.91 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

19/03/2021



| Sum | PD | Port 1 | Port 2 | Port 3 | Port 4 |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.79 | 9.79 | 6.04 | 4.70 | 5.27 | 4.95 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass | QP | 61.84M | 39.30 | 40.00 | -0.70 | 3 | Vertical | 295 | 1.02 | - |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW80_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5775MHz | Pass | PK | 161.92M | 35.32 | 43.50 | -8.18 | 3 | Vertical | 360 | 1.00 | - |
| 5775MHz | Pass | PK | 425.76M | 37.46 | 46.00 | -8.54 | 3 | Vertical | 360 | 1.00 | - |
| 5775MHz | Pass | PK | 602.3M | 42.36 | 46.00 | -3.64 | 3 | Vertical | 360 | 1.00 | - |
| 5775MHz | Pass | PK | 776.9M | 39.81 | 46.00 | -6.19 | 3 | Vertical | 360 | 1.00 | - |
| 5775MHz | Pass | QP | 41.05M | 37.34 | 40.00 | -2.66 | 3 | Vertical | 262 | 1.00 | - |
| 5775MHz | Pass | QP | 61.84M | 39.30 | 40.00 | -0.70 | 3 | Vertical | 295 | 1.02 | - |
| 5775MHz | Pass | PK | 776.9M | 37.06 | 46.00 | -8.94 | 3 | Horizontal | 0 | 1.00 | - |
| 5775MHz | Pass | PK | 953.44M | 35.15 | 46.00 | -10.85 | 3 | Horizontal | 0 | 3.00 | - |
| 5775MHz | Pass | QP | 71.9M | 39.19 | 40.00 | -0.81 | 3 | Horizontal | 240 | 2.32 | - |
| 5775MHz | Pass | QP | 82.4M | 35.96 | 40.00 | -4.04 | 3 | Horizontal | 228 | 2.36 | - |
| 5775MHz | Pass | QP | 183M | 40.73 | 43.50 | -2.77 | 3 | Horizontal | 273 | 1.18 | - |
| 5775MHz | Pass | QP | 598.42M | 43.21 | 46.00 | -2.79 | 3 | Horizontal | 284 | 1.19 | - |

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 161.92M | 35.32 | 43.50 | -8.18 | -19.50 | 3 | Vertical | 360 | 1.00 | - | 54.82 | 15.65 | 1.23 | 36.38 |
| PK | 425.76M | 37.46 | 46.00 | -8.54 | -12.47 | 3 | Vertical | 360 | 1.00 | - | 49.93 | 22.12 | 2.01 | 36.60 |
| PK | 602.3M | 42.36 | 46.00 | -3.64 | -9.93 | 3 | Vertical | 360 | 1.00 | - | 52.29 | 24.72 | 2.48 | 37.13 |
| PK | 776.9M | 39.81 | 46.00 | -6.19 | -7.41 | 3 | Vertical | 360 | 1.00 | - | 47.22 | 27.36 | 2.77 | 37.54 |
| QP | 41.05M | 37.34 | 40.00 | -2.66 | -18.34 | 3 | Vertical | 262 | 1.00 | - | 55.68 | 17.99 | 0.75 | 37.08 |
| QP | 61.84M | 39.30 | 40.00 | -0.70 | -25.38 | 3 | Vertical | 295 | 1.02 | - | 64.68 | 10.85 | 0.82 | 37.05 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 776.9M | 37.06 | 46.00 | -8.94 | -7.41 | 3 | Horizontal | 0 | 1.00 | - | 44.47 | 27.36 | 2.77 | 37.54 |
| PK | 953.44M | 35.15 | 46.00 | -10.85 | -4.32 | 3 | Horizontal | 0 | 3.00 | - | 39.47 | 30.12 | 3.10 | 37.54 |
| QP | 71.9M | 39.19 | 40.00 | -0.81 | -24.66 | 3 | Horizontal | 240 | 2.32 | - | 63.85 | 11.45 | 0.85 | 36.96 |
| QP | 82.4M | 35.96 | 40.00 | -4.04 | -23.09 | 3 | Horizontal | 228 | 2.36 | - | 59.05 | 12.84 | 0.90 | 36.83 |
| QP | 183M | 40.73 | 43.50 | -2.77 | -21.10 | 3 | Horizontal | 273 | 1.18 | - | 61.83 | 14.02 | 1.29 | 36.41 |
| QP | 598.42M | 43.21 | 46.00 | -2.79 | -9.92 | 3 | Horizontal | 284 | 1.19 | - | 53.13 | 24.73 | 2.47 | 37.12 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX | Pass | AV | 5.1496G | 53.56 | 54.00 | -0.44 | 3 | Vertical | 37 | 2.30 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | AV | 5.15G | 53.80 | 54.00 | -0.20 | 3 | Vertical | 32 | 2.30 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass | AV | 5.15G | 53.88 | 54.00 | -0.12 | 3 | Vertical | 39 | 2.47 | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass | AV | 5.149G | 53.74 | 54.00 | -0.26 | 3 | Vertical | 41 | 2.46 | - |
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX | Pass | AV | 5.35G | 53.57 | 54.00 | -0.43 | 3 | Vertical | 223 | 2.54 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | AV | 5.35G | 53.42 | 54.00 | -0.58 | 3 | Vertical | 225 | 2.56 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass | AV | 5.3508G | 53.93 | 54.00 | -0.07 | 3 | Vertical | 212 | 2.86 | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass | AV | 5.352G | 53.70 | 54.00 | -0.30 | 3 | Vertical | 213 | 2.71 | - |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX | Pass | PK | 5.7254G | 67.69 | 68.20 | -0.51 | 3 | Vertical | 0 | 2.07 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | PK | 5.7252G | 67.91 | 68.20 | -0.29 | 3 | Vertical | 4 | 1.87 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass | PK | 5.7256G | 68.10 | 68.20 | -0.10 | 3 | Vertical | 360 | 1.00 | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass | PK | 5.468G | 67.86 | 68.20 | -0.34 | 3 | Vertical | 4 | 1.00 | - |
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX | Pass | AV | 11.64544G | 43.07 | 54.00 | -10.93 | 3 | Vertical | 282 | 1.50 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | PK | 5.6086G | 56.16 | 68.20 | -12.04 | 3 | Horizontal | 83 | 1.86 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass | PK | 5.6542G | 64.17 | 71.31 | -7.14 | 3 | Vertical | 360 | 1.71 | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass | PK | 5.9262G | 62.36 | 68.20 | -5.84 | 3 | Vertical | 359 | 1.95 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11a_Nss1_(6Mbps)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5180MHz | Pass | AV | 5.1496G | 53.56 | 54.00 | -0.44 | 3 | Vertical | 37 | 2.30 | - |
| 5180MHz | Pass | AV | 5.187G | 101.52 | Inf | -Inf | 3 | Vertical | 37 | 2.30 | - |
| 5180MHz | Pass | PK | 5.1486G | 67.13 | 74.00 | -6.87 | 3 | Vertical | 37 | 2.30 | - |
| 5180MHz | Pass | PK | 5.1808G | 110.23 | Inf | -Inf | 3 | Vertical | 37 | 2.30 | - |
| 5180MHz | Pass | AV | 5.1496G | 50.29 | 54.00 | -3.71 | 3 | Horizontal | 159 | 2.36 | - |
| 5180MHz | Pass | AV | 5.1848G | 96.97 | Inf | -Inf | 3 | Horizontal | 159 | 2.36 | - |
| 5180MHz | Pass | PK | 5.15G | 64.60 | 74.00 | -9.40 | 3 | Horizontal | 159 | 2.36 | - |
| 5180MHz | Pass | PK | 5.1764G | 106.03 | Inf | -Inf | 3 | Horizontal | 159 | 2.36 | - |
| 5180MHz | Pass | PK | 10.3581G | 53.98 | 68.20 | -14.22 | 3 | Vertical | 226 | 1.41 | - |
| 5180MHz | Pass | PK | 10.35542G | 53.61 | 68.20 | -14.59 | 3 | Horizontal | 97 | 2.01 | - |
| 5200MHz | Pass | AV | 5.1492G | 46.46 | 54.00 | -7.54 | 3 | Vertical | 33 | 2.27 | - |
| 5200MHz | Pass | AV | 5.1936G | 102.03 | Inf | -Inf | 3 | Vertical | 33 | 2.27 | - |
| 5200MHz | Pass | PK | 5.1464G | 59.90 | 74.00 | -14.10 | 3 | Vertical | 33 | 2.27 | - |
| 5200MHz | Pass | PK | 5.1952G | 110.80 | Inf | -Inf | 3 | Vertical | 33 | 2.27 | - |
| 5200MHz | Pass | AV | 5.1496G | 44.22 | 54.00 | -9.78 | 3 | Horizontal | 157 | 1.04 | - |
| 5200MHz | Pass | AV | 5.1984G | 96.10 | Inf | -Inf | 3 | Horizontal | 157 | 1.04 | - |
| 5200MHz | Pass | PK | 5.1344G | 55.05 | 74.00 | -18.95 | 3 | Horizontal | 157 | 1.04 | - |
| 5200MHz | Pass | PK | 5.2028G | 104.77 | Inf | -Inf | 3 | Horizontal | 157 | 1.04 | - |
| 5200MHz | Pass | PK | 10.39878G | 54.30 | 68.20 | -13.90 | 3 | Vertical | 94 | 1.50 | - |
| 5200MHz | Pass | PK | 10.39542G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 254 | 1.50 | - |
| 5240MHz | Pass | AV | 5.12G | 45.86 | 54.00 | -8.14 | 3 | Vertical | 216 | 2.58 | - |
| 5240MHz | Pass | AV | 5.2478G | 104.75 | Inf | -Inf | 3 | Vertical | 216 | 2.58 | - |
| 5240MHz | Pass | AV | 5.36G | 47.97 | 54.00 | -6.03 | 3 | Vertical | 216 | 2.58 | - |
| 5240MHz | Pass | PK | 5.1116G | 55.69 | 74.00 | -18.31 | 3 | Vertical | 216 | 2.58 | - |
| 5240MHz | Pass | PK | 5.2334G | 112.94 | Inf | -Inf | 3 | Vertical | 216 | 2.58 | - |
| 5240MHz | Pass | PK | 5.36G | 56.24 | 74.00 | -17.76 | 3 | Vertical | 216 | 2.58 | - |
| 5240MHz | Pass | AV | 5.1224G | 44.16 | 54.00 | -9.84 | 3 | Horizontal | 156 | 1.46 | - |
| 5240MHz | Pass | AV | 5.2352G | 95.59 | Inf | -Inf | 3 | Horizontal | 156 | 1.46 | - |
| 5240MHz | Pass | AV | 5.36G | 42.97 | 54.00 | -11.03 | 3 | Horizontal | 156 | 1.46 | - |
| 5240MHz | Pass | PK | 5.1428G | 55.14 | 74.00 | -18.86 | 3 | Horizontal | 156 | 1.46 | - |
| 5240MHz | Pass | PK | 5.2334G | 103.77 | Inf | -Inf | 3 | Horizontal | 156 | 1.46 | - |
| 5240MHz | Pass | PK | 5.363G | 54.75 | 74.00 | -19.25 | 3 | Horizontal | 156 | 1.46 | - |
| 5240MHz | Pass | PK | 10.47894G | 54.00 | 68.20 | -14.20 | 3 | Vertical | 240 | 1.99 | - |
| 5240MHz | Pass | PK | 10.48258G | 54.82 | 68.20 | -13.38 | 3 | Horizontal | 165 | 1.50 | - |
| 5260MHz | Pass | AV | 5.1208G | 44.68 | 54.00 | -9.32 | 3 | Vertical | 37 | 2.21 | - |
| 5260MHz | Pass | AV | 5.2534G | 100.26 | Inf | -Inf | 3 | Vertical | 37 | 2.21 | - |
| 5260MHz | Pass | AV | 5.353G | 42.79 | 54.00 | -11.21 | 3 | Vertical | 37 | 2.21 | - |
| 5260MHz | Pass | PK | 5.122G | 55.10 | 74.00 | -18.90 | 3 | Vertical | 37 | 2.21 | - |
| 5260MHz | Pass | PK | 5.2582G | 109.16 | Inf | -Inf | 3 | Vertical | 37 | 2.21 | - |
| 5260MHz | Pass | PK | 5.3794G | 54.13 | 74.00 | -19.87 | 3 | Vertical | 37 | 2.21 | - |
| 5260MHz | Pass | AV | 5.1106G | 43.96 | 54.00 | -10.04 | 3 | Horizontal | 159 | 1.26 | - |
| 5260MHz | Pass | AV | 5.254G | 93.53 | Inf | -Inf | 3 | Horizontal | 159 | 1.26 | - |
| 5260MHz | Pass | AV | 5.3866G | 42.57 | 54.00 | -11.43 | 3 | Horizontal | 159 | 1.26 | - |
| 5260MHz | Pass | PK | 5.137G | 54.91 | 74.00 | -19.09 | 3 | Horizontal | 159 | 1.26 | - |
| 5260MHz | Pass | PK | 5.2582G | 102.27 | Inf | -Inf | 3 | Horizontal | 159 | 1.26 | - |
| 5260MHz | Pass | PK | 5.3902G | 53.79 | 74.00 | -20.21 | 3 | Horizontal | 159 | 1.26 | - |
| 5260MHz | Pass | PK | 10.5206G | 55.07 | 68.20 | -13.13 | 3 | Vertical | 348 | 1.50 | - |
| 5260MHz | Pass | PK | 10.52212G | 56.14 | 68.20 | -12.06 | 3 | Horizontal | 360 | 2.60 | - |
| 5300MHz | Pass | AV | 5.3072G | 104.76 | Inf | -Inf | 3 | Vertical | 216 | 2.52 | - |
| 5300MHz | Pass | AV | 5.35G | 46.17 | 54.00 | -7.83 | 3 | Vertical | 216 | 2.52 | - |
| 5300MHz | Pass | PK | 5.3068G | 113.62 | Inf | -Inf | 3 | Vertical | 216 | 2.52 | - |
| 5300MHz | Pass | PK | 5.3524G | 64.59 | 74.00 | -9.41 | 3 | Vertical | 216 | 2.52 | - |
| 5300MHz | Pass | AV | 5.2956G | 94.88 | Inf | -Inf | 3 | Horizontal | 157 | 1.06 | - |
| 5300MHz | Pass | AV | 5.3536G | 42.66 | 54.00 | -11.34 | 3 | Horizontal | 157 | 1.06 | - |
| 5300MHz | Pass | PK | 5.2932G | 103.78 | Inf | -Inf | 3 | Horizontal | 157 | 1.06 | - |
| 5300MHz | Pass | PK | 5.3524G | 56.35 | 74.00 | -17.65 | 3 | Horizontal | 157 | 1.06 | - |
| 5300MHz | Pass | PK | 10.59998G | 54.77 | 68.20 | -13.43 | 3 | Vertical | 155 | 1.50 | - |
| 5300MHz | Pass | PK | 10.60084G | 55.02 | 74.00 | -18.98 | 3 | Horizontal | 176 | 3.00 | - |
| 5320MHz | Pass | AV | 5.3128G | 103.21 | Inf | -Inf | 3 | Vertical | 223 | 2.54 | - |
| 5320MHz | Pass | AV | 5.35G | 53.57 | 54.00 | -0.43 | 3 | Vertical | 223 | 2.54 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5320MHz | Pass | PK | 5.3178G | 111.46 | Inf | -Inf | 3 | Vertical | 223 | 2.54 | - |
| 5320MHz | Pass | PK | 5.3516G | 67.48 | 74.00 | -6.52 | 3 | Vertical | 223 | 2.54 | - |
| 5320MHz | Pass | AV | 5.3128G | 92.82 | Inf | -Inf | 3 | Horizontal | 159 | 1.00 | - |
| 5320MHz | Pass | AV | 5.35G | 45.25 | 54.00 | -8.75 | 3 | Horizontal | 159 | 1.00 | - |
| 5320MHz | Pass | PK | 5.3162G | 101.34 | Inf | -Inf | 3 | Horizontal | 159 | 1.00 | - |
| 5320MHz | Pass | PK | 5.3556G | 58.14 | 74.00 | -15.86 | 3 | Horizontal | 159 | 1.00 | - |
| 5320MHz | Pass | AV | 10.64007G | 42.50 | 54.00 | -11.50 | 3 | Vertical | 214 | 1.50 | - |
| 5320MHz | Pass | PK | 10.63826G | 54.19 | 74.00 | -19.81 | 3 | Vertical | 214 | 1.50 | - |
| 5320MHz | Pass | AV | 10.63961G | 42.31 | 54.00 | -11.69 | 3 | Horizontal | 77 | 1.50 | - |
| 5320MHz | Pass | PK | 10.6385G | 54.40 | 74.00 | -19.60 | 3 | Horizontal | 77 | 1.50 | - |
| 5500MHz | Pass | AV | 5.4588G | 44.03 | 54.00 | -9.97 | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | AV | 5.5042G | 97.20 | Inf | -Inf | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | PK | 5.47G | 67.26 | 68.20 | -0.94 | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | PK | 5.5014G | 105.72 | Inf | -Inf | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | AV | 5.4526G | 43.84 | 54.00 | -10.16 | 3 | Horizontal | 158 | 2.19 | - |
| 5500MHz | Pass | AV | 5.4936G | 95.61 | Inf | -Inf | 3 | Horizontal | 158 | 2.19 | - |
| 5500MHz | Pass | PK | 5.47G | 65.45 | 68.20 | -2.75 | 3 | Horizontal | 158 | 2.19 | - |
| 5500MHz | Pass | PK | 5.498G | 104.05 | Inf | -Inf | 3 | Horizontal | 158 | 2.19 | - |
| 5500MHz | Pass | AV | 11.00199G | 43.19 | 54.00 | -10.81 | 3 | Vertical | 58 | 1.50 | - |
| 5500MHz | Pass | PK | 10.99797G | 55.53 | 74.00 | -18.47 | 3 | Vertical | 58 | 1.50 | - |
| 5500MHz | Pass | AV | 10.99998G | 43.25 | 54.00 | -10.75 | 3 | Horizontal | 360 | 1.50 | - |
| 5500MHz | Pass | PK | 11.00182G | 55.58 | 74.00 | -18.42 | 3 | Horizontal | 360 | 1.50 | - |
| 5580MHz | Pass | AV | 5.4552G | 43.29 | 54.00 | -10.71 | 3 | Vertical | 93 | 3.00 | - |
| 5580MHz | Pass | AV | 5.5842G | 98.95 | Inf | -Inf | 3 | Vertical | 93 | 3.00 | - |
| 5580MHz | Pass | PK | 5.4636G | 54.37 | 68.20 | -13.83 | 3 | Vertical | 93 | 3.00 | - |
| 5580MHz | Pass | PK | 5.5848G | 107.82 | Inf | -Inf | 3 | Vertical | 93 | 3.00 | - |
| 5580MHz | Pass | PK | 5.727G | 55.54 | 68.20 | -12.66 | 3 | Vertical | 93 | 3.00 | - |
| 5580MHz | Pass | AV | 5.439G | 42.63 | 54.00 | -11.37 | 3 | Horizontal | 8 | 1.50 | - |
| 5580MHz | Pass | AV | 5.5872G | 95.57 | Inf | -Inf | 3 | Horizontal | 8 | 1.50 | - |
| 5580MHz | Pass | PK | 5.4636G | 53.94 | 68.20 | -14.26 | 3 | Horizontal | 8 | 1.50 | - |
| 5580MHz | Pass | PK | 5.5848G | 104.46 | Inf | -Inf | 3 | Horizontal | 8 | 1.50 | - |
| 5580MHz | Pass | PK | 5.7288G | 53.71 | 68.20 | -14.49 | 3 | Horizontal | 8 | 1.50 | - |
| 5580MHz | Pass | AV | 11.16226G | 42.94 | 54.00 | -11.06 | 3 | Vertical | 225 | 1.50 | - |
| 5580MHz | Pass | PK | 11.16128G | 54.84 | 74.00 | -19.16 | 3 | Vertical | 225 | 1.50 | - |
| 5580MHz | Pass | AV | 11.15819G | 42.82 | 54.00 | -11.18 | 3 | Horizontal | 279 | 1.50 | - |
| 5580MHz | Pass | PK | 11.15801G | 54.62 | 74.00 | -19.38 | 3 | Horizontal | 279 | 1.50 | - |
| 5700MHz | Pass | AV | 5.7074G | 95.85 | Inf | -Inf | 3 | Vertical | 0 | 2.07 | - |
| 5700MHz | Pass | PK | 5.7074G | 104.12 | Inf | -Inf | 3 | Vertical | 0 | 2.07 | - |
| 5700MHz | Pass | PK | 5.7254G | 67.69 | 68.20 | -0.51 | 3 | Vertical | 0 | 2.07 | - |
| 5700MHz | Pass | AV | 5.7038G | 92.29 | Inf | -Inf | 3 | Horizontal | 10 | 1.40 | - |
| 5700MHz | Pass | PK | 5.7036G | 100.86 | Inf | -Inf | 3 | Horizontal | 10 | 1.40 | - |
| 5700MHz | Pass | PK | 5.7254G | 62.52 | 68.20 | -5.68 | 3 | Horizontal | 10 | 1.40 | - |
| 5700MHz | Pass | AV | 11.40166G | 42.85 | 54.00 | -11.15 | 3 | Vertical | 315 | 1.50 | - |
| 5700MHz | Pass | PK | 11.40144G | 54.60 | 74.00 | -19.40 | 3 | Vertical | 315 | 1.50 | - |
| 5700MHz | Pass | AV | 11.39943G | 42.63 | 54.00 | -11.37 | 3 | Horizontal | 208 | 1.51 | - |
| 5700MHz | Pass | PK | 11.39796G | 55.30 | 74.00 | -18.70 | 3 | Horizontal | 208 | 1.51 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.725G | 98.04 | Inf | -Inf | 3 | Vertical | 359 | 2.07 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.719G | 106.34 | Inf | -Inf | 3 | Vertical | 359 | 2.07 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.874G | 55.64 | 68.20 | -12.56 | 3 | Vertical | 359 | 2.07 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.725G | 94.09 | Inf | -Inf | 3 | Horizontal | 9 | 1.08 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.714G | 102.27 | Inf | -Inf | 3 | Horizontal | 9 | 1.08 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.857G | 55.68 | 68.20 | -12.52 | 3 | Horizontal | 9 | 1.08 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44364G | 42.63 | 54.00 | -11.37 | 3 | Vertical | 246 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43526G | 54.82 | 74.00 | -19.18 | 3 | Vertical | 246 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44156G | 42.39 | 54.00 | -11.61 | 3 | Horizontal | 87 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43772G | 55.62 | 74.00 | -18.38 | 3 | Horizontal | 87 | 1.50 | - |
| 5745MHz | Pass | AV | 5.751G | 97.71 | Inf | -Inf | 3 | Vertical | 0 | 2.00 | - |
| 5745MHz | Pass | PK | 5.5626G | 54.23 | 68.20 | -13.97 | 3 | Vertical | 0 | 2.00 | - |
| 5745MHz | Pass | PK | 5.7522G | 105.75 | Inf | -Inf | 3 | Vertical | 0 | 2.00 | - |
| 5745MHz | Pass | PK | 6.0078G | 54.88 | 68.20 | -13.32 | 3 | Vertical | 0 | 2.00 | - |
| 5745MHz | Pass | AV | 5.7486G | 93.36 | Inf | -Inf | 3 | Horizontal | 80 | 1.83 | - |
| 5745MHz | Pass | PK | 5.5446G | 55.39 | 68.20 | -12.81 | 3 | Horizontal | 80 | 1.83 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5745MHz | Pass | PK | 5.7498G | 101.76 | Inf | -Inf | 3 | Horizontal | 80 | 1.83 | - |
| 5745MHz | Pass | PK | 5.949G | 54.95 | 68.20 | -13.25 | 3 | Horizontal | 80 | 1.83 | - |
| 5745MHz | Pass | AV | 11.492G | 43.00 | 54.00 | -11.00 | 3 | Vertical | 168 | 2.95 | - |
| 5745MHz | Pass | PK | 11.48896G | 55.16 | 74.00 | -18.84 | 3 | Vertical | 168 | 2.95 | - |
| 5745MHz | Pass | AV | 11.4851G | 42.56 | 54.00 | -11.44 | 3 | Horizontal | 278 | 2.38 | - |
| 5745MHz | Pass | PK | 11.49174G | 54.61 | 74.00 | -19.39 | 3 | Horizontal | 278 | 2.38 | - |
| 5785MHz | Pass | AV | 5.791G | 96.55 | Inf | -Inf | 3 | Vertical | 0 | 1.90 | - |
| 5785MHz | Pass | PK | 5.5282G | 54.89 | 68.20 | -13.31 | 3 | Vertical | 0 | 1.90 | - |
| 5785MHz | Pass | PK | 5.7922G | 104.68 | Inf | -Inf | 3 | Vertical | 0 | 1.90 | - |
| 5785MHz | Pass | PK | 5.9878G | 55.17 | 68.20 | -13.03 | 3 | Vertical | 0 | 1.90 | - |
| 5785MHz | Pass | AV | 5.791G | 93.49 | Inf | -Inf | 3 | Horizontal | 11 | 1.78 | - |
| 5785MHz | Pass | PK | 5.5966G | 55.11 | 68.20 | -13.09 | 3 | Horizontal | 11 | 1.78 | - |
| 5785MHz | Pass | PK | 5.7898G | 101.93 | Inf | -Inf | 3 | Horizontal | 11 | 1.78 | - |
| 5785MHz | Pass | PK | 5.9626G | 55.36 | 68.20 | -12.84 | 3 | Horizontal | 11 | 1.78 | - |
| 5785MHz | Pass | AV | 11.57366G | 42.57 | 54.00 | -11.43 | 3 | Vertical | 163 | 1.50 | - |
| 5785MHz | Pass | PK | 11.5682G | 54.20 | 74.00 | -19.80 | 3 | Vertical | 163 | 1.50 | - |
| 5785MHz | Pass | AV | 11.56778G | 42.61 | 54.00 | -11.39 | 3 | Horizontal | 34 | 1.50 | - |
| 5785MHz | Pass | PK | 11.5742G | 55.00 | 74.00 | -19.00 | 3 | Horizontal | 34 | 1.50 | - |
| 5825MHz | Pass | AV | 5.8298G | 97.31 | Inf | -Inf | 3 | Vertical | 0 | 2.07 | - |
| 5825MHz | Pass | PK | 5.6258G | 54.30 | 68.20 | -13.90 | 3 | Vertical | 0 | 2.07 | - |
| 5825MHz | Pass | PK | 5.8202G | 105.41 | Inf | -Inf | 3 | Vertical | 0 | 2.07 | - |
| 5825MHz | Pass | PK | 5.9402G | 54.98 | 68.20 | -13.22 | 3 | Vertical | 0 | 2.07 | - |
| 5825MHz | Pass | AV | 5.8298G | 93.22 | Inf | -Inf | 3 | Horizontal | 9 | 1.16 | - |
| 5825MHz | Pass | PK | 5.6078G | 54.96 | 68.20 | -13.24 | 3 | Horizontal | 9 | 1.16 | - |
| 5825MHz | Pass | PK | 5.819G | 101.79 | Inf | -Inf | 3 | Horizontal | 9 | 1.16 | - |
| 5825MHz | Pass | PK | 5.987G | 56.42 | 68.20 | -11.78 | 3 | Horizontal | 9 | 1.16 | - |
| 5825MHz | Pass | AV | 11.64544G | 43.07 | 54.00 | -10.93 | 3 | Vertical | 282 | 1.50 | - |
| 5825MHz | Pass | PK | 11.64748G | 54.14 | 74.00 | -19.86 | 3 | Vertical | 282 | 1.50 | - |
| 5825MHz | Pass | AV | 11.65128G | 42.48 | 54.00 | -11.52 | 3 | Horizontal | 295 | 1.49 | - |
| 5825MHz | Pass | PK | 11.64526G | 55.13 | 74.00 | -18.87 | 3 | Horizontal | 295 | 1.49 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5180MHz | Pass | AV | 5.15G | 53.80 | 54.00 | -0.20 | 3 | Vertical | 32 | 2.30 | - |
| 5180MHz | Pass | AV | 5.172G | 100.03 | Inf | -Inf | 3 | Vertical | 32 | 2.30 | - |
| 5180MHz | Pass | PK | 5.1492G | 71.17 | 74.00 | -2.83 | 3 | Vertical | 32 | 2.30 | - |
| 5180MHz | Pass | PK | 5.1776G | 111.55 | Inf | -Inf | 3 | Vertical | 32 | 2.30 | - |
| 5180MHz | Pass | AV | 5.15G | 48.80 | 54.00 | -5.20 | 3 | Horizontal | 160 | 2.35 | - |
| 5180MHz | Pass | AV | 5.1818G | 94.76 | Inf | -Inf | 3 | Horizontal | 160 | 2.35 | - |
| 5180MHz | Pass | PK | 5.1486G | 65.13 | 74.00 | -8.87 | 3 | Horizontal | 160 | 2.35 | - |
| 5180MHz | Pass | PK | 5.1884G | 106.61 | Inf | -Inf | 3 | Horizontal | 160 | 2.35 | - |
| 5180MHz | Pass | PK | 10.3628G | 53.97 | 68.20 | -14.23 | 3 | Vertical | 178 | 1.50 | - |
| 5180MHz | Pass | PK | 10.35872G | 55.30 | 68.20 | -12.90 | 3 | Horizontal | 36 | 1.50 | - |
| 5200MHz | Pass | AV | 5.15G | 48.26 | 54.00 | -5.74 | 3 | Vertical | 33 | 2.26 | - |
| 5200MHz | Pass | AV | 5.1936G | 100.95 | Inf | -Inf | 3 | Vertical | 33 | 2.26 | - |
| 5200MHz | Pass | PK | 5.1484G | 63.48 | 74.00 | -10.52 | 3 | Vertical | 33 | 2.26 | - |
| 5200MHz | Pass | PK | 5.1916G | 113.92 | Inf | -Inf | 3 | Vertical | 33 | 2.26 | - |
| 5200MHz | Pass | AV | 5.15G | 45.40 | 54.00 | -8.60 | 3 | Horizontal | 156 | 1.04 | - |
| 5200MHz | Pass | AV | 5.206G | 97.19 | Inf | -Inf | 3 | Horizontal | 156 | 1.04 | - |
| 5200MHz | Pass | PK | 5.1496G | 59.55 | 74.00 | -14.45 | 3 | Horizontal | 156 | 1.04 | - |
| 5200MHz | Pass | PK | 5.1976G | 109.18 | Inf | -Inf | 3 | Horizontal | 156 | 1.04 | - |
| 5200MHz | Pass | PK | 10.3981G | 54.37 | 68.20 | -13.83 | 3 | Vertical | 293 | 1.50 | - |
| 5200MHz | Pass | PK | 10.40256G | 54.88 | 68.20 | -13.32 | 3 | Horizontal | 353 | 2.05 | - |
| 5240MHz | Pass | AV | 5.12G | 44.89 | 54.00 | -9.11 | 3 | Vertical | 219 | 2.87 | - |
| 5240MHz | Pass | AV | 5.2334G | 102.98 | Inf | -Inf | 3 | Vertical | 219 | 2.87 | - |
| 5240MHz | Pass | AV | 5.36G | 46.41 | 54.00 | -7.59 | 3 | Vertical | 219 | 2.87 | - |
| 5240MHz | Pass | PK | 5.1326G | 55.99 | 74.00 | -18.01 | 3 | Vertical | 219 | 2.87 | - |
| 5240MHz | Pass | PK | 5.2328G | 114.79 | Inf | -Inf | 3 | Vertical | 219 | 2.87 | - |
| 5240MHz | Pass | PK | 5.36G | 55.59 | 74.00 | -18.41 | 3 | Vertical | 219 | 2.87 | - |
| 5240MHz | Pass | AV | 5.12G | 43.00 | 54.00 | -11.00 | 3 | Horizontal | 158 | 1.00 | - |
| 5240MHz | Pass | AV | 5.2328G | 95.62 | Inf | -Inf | 3 | Horizontal | 158 | 1.00 | - |
| 5240MHz | Pass | AV | 5.36G | 42.12 | 54.00 | -11.88 | 3 | Horizontal | 158 | 1.00 | - |
| 5240MHz | Pass | PK | 5.1296G | 55.48 | 74.00 | -18.52 | 3 | Horizontal | 158 | 1.00 | - |
| 5240MHz | Pass | PK | 5.2346G | 107.14 | Inf | -Inf | 3 | Horizontal | 158 | 1.00 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5240MHz | Pass | PK | 5.3636G | 53.89 | 74.00 | -20.11 | 3 | Horizontal | 158 | 1.00 | - |
| 5240MHz | Pass | PK | 10.47948G | 54.02 | 68.20 | -14.18 | 3 | Vertical | 360 | 1.48 | - |
| 5240MHz | Pass | PK | 10.48156G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 327 | 2.38 | - |
| 5260MHz | Pass | AV | 5.1196G | 43.29 | 54.00 | -10.71 | 3 | Vertical | 39 | 2.32 | - |
| 5260MHz | Pass | AV | 5.2678G | 100.12 | Inf | -Inf | 3 | Vertical | 39 | 2.32 | - |
| 5260MHz | Pass | AV | 5.41G | 41.79 | 54.00 | -12.21 | 3 | Vertical | 39 | 2.32 | - |
| 5260MHz | Pass | PK | 5.1136G | 55.38 | 74.00 | -18.62 | 3 | Vertical | 39 | 2.32 | - |
| 5260MHz | Pass | PK | 5.2648G | 110.63 | Inf | -Inf | 3 | Vertical | 39 | 2.32 | - |
| 5260MHz | Pass | PK | 5.3566G | 54.22 | 74.00 | -19.78 | 3 | Vertical | 39 | 2.32 | - |
| 5260MHz | Pass | AV | 5.1178G | 42.68 | 54.00 | -11.32 | 3 | Horizontal | 157 | 1.05 | - |
| 5260MHz | Pass | AV | 5.2534G | 95.92 | Inf | -Inf | 3 | Horizontal | 157 | 1.05 | - |
| 5260MHz | Pass | AV | 5.4076G | 41.38 | 54.00 | -12.62 | 3 | Horizontal | 157 | 1.05 | - |
| 5260MHz | Pass | PK | 5.1172G | 55.30 | 74.00 | -18.70 | 3 | Horizontal | 157 | 1.05 | - |
| 5260MHz | Pass | PK | 5.2528G | 107.22 | Inf | -Inf | 3 | Horizontal | 157 | 1.05 | - |
| 5260MHz | Pass | PK | 5.3758G | 54.47 | 74.00 | -19.53 | 3 | Horizontal | 157 | 1.05 | - |
| 5260MHz | Pass | PK | 10.51016G | 54.24 | 68.20 | -13.96 | 3 | Vertical | 11 | 2.70 | - |
| 5260MHz | Pass | PK | 10.51256G | 53.87 | 68.20 | -14.33 | 3 | Horizontal | 76 | 1.50 | - |
| 5300MHz | Pass | AV | 5.2932G | 103.83 | Inf | -Inf | 3 | Vertical | 216 | 2.56 | - |
| 5300MHz | Pass | AV | 5.35G | 49.50 | 54.00 | -4.50 | 3 | Vertical | 216 | 2.56 | - |
| 5300MHz | Pass | PK | 5.2916G | 115.43 | Inf | -Inf | 3 | Vertical | 216 | 2.56 | - |
| 5300MHz | Pass | PK | 5.3504G | 65.60 | 74.00 | -8.40 | 3 | Vertical | 216 | 2.56 | - |
| 5300MHz | Pass | AV | 5.292G | 94.41 | Inf | -Inf | 3 | Horizontal | 157 | 1.50 | - |
| 5300MHz | Pass | AV | 5.3504G | 43.03 | 54.00 | -10.97 | 3 | Horizontal | 157 | 1.50 | - |
| 5300MHz | Pass | PK | 5.292G | 106.15 | Inf | -Inf | 3 | Horizontal | 157 | 1.50 | - |
| 5300MHz | Pass | PK | 5.3528G | 57.11 | 74.00 | -16.89 | 3 | Horizontal | 157 | 1.50 | - |
| 5300MHz | Pass | AV | 10.60002G | 41.35 | 54.00 | -12.65 | 3 | Vertical | 154 | 1.45 | - |
| 5300MHz | Pass | PK | 10.60101G | 54.10 | 74.00 | -19.90 | 3 | Vertical | 154 | 1.45 | - |
| 5300MHz | Pass | AV | 10.60588G | 40.93 | 54.00 | -13.07 | 3 | Horizontal | 199 | 1.50 | - |
| 5300MHz | Pass | PK | 10.60042G | 54.50 | 74.00 | -19.50 | 3 | Horizontal | 199 | 1.50 | - |
| 5320MHz | Pass | AV | 5.3278G | 100.80 | Inf | -Inf | 3 | Vertical | 225 | 2.56 | - |
| 5320MHz | Pass | AV | 5.35G | 53.42 | 54.00 | -0.58 | 3 | Vertical | 225 | 2.56 | - |
| 5320MHz | Pass | PK | 5.3272G | 112.87 | Inf | -Inf | 3 | Vertical | 225 | 2.56 | - |
| 5320MHz | Pass | PK | 5.3518G | 68.35 | 74.00 | -5.65 | 3 | Vertical | 225 | 2.56 | - |
| 5320MHz | Pass | AV | 5.328G | 93.50 | Inf | -Inf | 3 | Horizontal | 157 | 1.00 | - |
| 5320MHz | Pass | AV | 5.35G | 46.58 | 54.00 | -7.42 | 3 | Horizontal | 157 | 1.00 | - |
| 5320MHz | Pass | PK | 5.326G | 105.37 | Inf | -Inf | 3 | Horizontal | 157 | 1.00 | - |
| 5320MHz | Pass | PK | 5.3538G | 60.98 | 74.00 | -13.02 | 3 | Horizontal | 157 | 1.00 | - |
| 5320MHz | Pass | AV | 10.6369G | 40.69 | 54.00 | -13.31 | 3 | Vertical | 68 | 1.50 | - |
| 5320MHz | Pass | PK | 10.63746G | 54.65 | 74.00 | -19.35 | 3 | Vertical | 68 | 1.50 | - |
| 5320MHz | Pass | AV | 10.63548G | 40.77 | 54.00 | -13.23 | 3 | Horizontal | 199 | 1.50 | - |
| 5320MHz | Pass | PK | 10.64312G | 54.50 | 74.00 | -19.50 | 3 | Horizontal | 199 | 1.50 | - |
| 5500MHz | Pass | AV | 5.46G | 45.50 | 54.00 | -8.50 | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | AV | 5.5074G | 96.29 | Inf | -Inf | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | PK | 5.47G | 67.25 | 68.20 | -0.95 | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | PK | 5.5066G | 109.06 | Inf | -Inf | 3 | Vertical | 0 | 1.28 | - |
| 5500MHz | Pass | AV | 5.46G | 45.68 | 54.00 | -8.32 | 3 | Horizontal | 159 | 2.20 | - |
| 5500MHz | Pass | AV | 5.4928G | 95.71 | Inf | -Inf | 3 | Horizontal | 159 | 2.20 | - |
| 5500MHz | Pass | PK | 5.47G | 66.38 | 68.20 | -1.82 | 3 | Horizontal | 159 | 2.20 | - |
| 5500MHz | Pass | PK | 5.507G | 107.60 | Inf | -Inf | 3 | Horizontal | 159 | 2.20 | - |
| 5500MHz | Pass | AV | 11.00118G | 41.53 | 54.00 | -12.47 | 3 | Vertical | 283 | 1.05 | - |
| 5500MHz | Pass | PK | 10.99844G | 55.07 | 74.00 | -18.93 | 3 | Vertical | 283 | 1.05 | - |
| 5500MHz | Pass | AV | 11.00426G | 41.54 | 54.00 | -12.46 | 3 | Horizontal | 215 | 1.50 | - |
| 5500MHz | Pass | PK | 10.99852G | 54.32 | 74.00 | -19.68 | 3 | Horizontal | 215 | 1.50 | - |
| 5580MHz | Pass | AV | 5.4576G | 41.83 | 54.00 | -12.17 | 3 | Vertical | 93 | 1.00 | - |
| 5580MHz | Pass | AV | 5.5866G | 97.60 | Inf | -Inf | 3 | Vertical | 93 | 1.00 | - |
| 5580MHz | Pass | PK | 5.469G | 53.79 | 68.20 | -14.41 | 3 | Vertical | 93 | 1.00 | - |
| 5580MHz | Pass | PK | 5.5848G | 109.70 | Inf | -Inf | 3 | Vertical | 93 | 1.00 | - |
| 5580MHz | Pass | PK | 5.73G | 54.53 | 68.20 | -13.67 | 3 | Vertical | 93 | 1.00 | - |
| 5580MHz | Pass | AV | 5.4462G | 41.52 | 54.00 | -12.48 | 3 | Horizontal | 9 | 1.50 | - |
| 5580MHz | Pass | AV | 5.5878G | 95.14 | Inf | -Inf | 3 | Horizontal | 9 | 1.50 | - |
| 5580MHz | Pass | PK | 5.4612G | 54.22 | 68.20 | -13.98 | 3 | Horizontal | 9 | 1.50 | - |
| 5580MHz | Pass | PK | 5.5818G | 107.22 | Inf | -Inf | 3 | Horizontal | 9 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5580MHz | Pass | PK | 5.7288G | 54.23 | 68.20 | -13.97 | 3 | Horizontal | 9 | 1.50 | - |
| 5580MHz | Pass | AV | 11.15728G | 41.01 | 54.00 | -12.99 | 3 | Vertical | 279 | 1.31 | - |
| 5580MHz | Pass | PK | 11.15544G | 54.47 | 74.00 | -19.53 | 3 | Vertical | 279 | 1.31 | - |
| 5580MHz | Pass | AV | 11.15778G | 41.08 | 54.00 | -12.92 | 3 | Horizontal | 78 | 2.92 | - |
| 5580MHz | Pass | PK | 11.16374G | 53.84 | 74.00 | -20.16 | 3 | Horizontal | 78 | 2.92 | - |
| 5700MHz | Pass | AV | 5.708G | 94.52 | Inf | -Inf | 3 | Vertical | 4 | 1.87 | - |
| 5700MHz | Pass | PK | 5.6944G | 107.26 | Inf | -Inf | 3 | Vertical | 4 | 1.87 | - |
| 5700MHz | Pass | PK | 5.7252G | 67.91 | 68.20 | -0.29 | 3 | Vertical | 4 | 1.87 | - |
| 5700MHz | Pass | AV | 5.6912G | 88.64 | Inf | -Inf | 3 | Horizontal | 185 | 1.43 | - |
| 5700MHz | Pass | PK | 5.6924G | 100.97 | Inf | -Inf | 3 | Horizontal | 185 | 1.43 | - |
| 5700MHz | Pass | PK | 5.7252G | 65.04 | 68.20 | -3.16 | 3 | Horizontal | 185 | 1.43 | - |
| 5700MHz | Pass | AV | 11.40102G | 40.74 | 54.00 | -13.26 | 3 | Vertical | 0 | 2.88 | - |
| 5700MHz | Pass | PK | 11.3988G | 53.96 | 74.00 | -20.04 | 3 | Vertical | 0 | 2.88 | - |
| 5700MHz | Pass | AV | 11.40464G | 40.73 | 54.00 | -13.27 | 3 | Horizontal | 207 | 1.09 | - |
| 5700MHz | Pass | PK | 11.40422G | 54.01 | 74.00 | -19.99 | 3 | Horizontal | 207 | 1.09 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4584G | 41.42 | 54.00 | -12.58 | 3 | Vertical | 3 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7272G | 98.14 | Inf | -Inf | 3 | Vertical | 3 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4644G | 53.40 | 68.20 | -14.80 | 3 | Vertical | 3 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7164G | 110.85 | Inf | -Inf | 3 | Vertical | 3 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8592G | 56.18 | 68.20 | -12.02 | 3 | Vertical | 3 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4524G | 41.30 | 54.00 | -12.70 | 3 | Horizontal | 185 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7128G | 92.80 | Inf | -Inf | 3 | Horizontal | 185 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4608G | 54.69 | 68.20 | -13.51 | 3 | Horizontal | 185 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7176G | 105.69 | Inf | -Inf | 3 | Horizontal | 185 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.852G | 55.56 | 68.20 | -12.64 | 3 | Horizontal | 185 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43622G | 40.88 | 54.00 | -13.12 | 3 | Vertical | 26 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43934G | 54.75 | 74.00 | -19.25 | 3 | Vertical | 26 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43504G | 40.97 | 54.00 | -13.03 | 3 | Horizontal | 253 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44024G | 53.77 | 74.00 | -20.23 | 3 | Horizontal | 253 | 1.50 | - |
| 5745MHz | Pass | AV | 5.751G | 98.48 | Inf | -Inf | 3 | Vertical | 360 | 1.53 | - |
| 5745MHz | Pass | PK | 5.649G | 55.76 | 68.20 | -12.44 | 3 | Vertical | 360 | 1.53 | - |
| 5745MHz | Pass | PK | 5.7534G | 110.41 | Inf | -Inf | 3 | Vertical | 360 | 1.53 | - |
| 5745MHz | Pass | PK | 5.9478G | 55.59 | 68.20 | -12.61 | 3 | Vertical | 360 | 1.53 | - |
| 5745MHz | Pass | AV | 5.7522G | 94.62 | Inf | -Inf | 3 | Horizontal | 82 | 1.82 | - |
| 5745MHz | Pass | PK | 5.6406G | 55.19 | 68.20 | -13.01 | 3 | Horizontal | 82 | 1.82 | - |
| 5745MHz | Pass | PK | 5.7534G | 106.79 | Inf | -Inf | 3 | Horizontal | 82 | 1.82 | - |
| 5745MHz | Pass | PK | 6.0222G | 54.97 | 68.20 | -13.23 | 3 | Horizontal | 82 | 1.82 | - |
| 5745MHz | Pass | AV | 11.49332G | 40.86 | 54.00 | -13.14 | 3 | Vertical | 226 | 1.50 | - |
| 5745MHz | Pass | PK | 11.4852G | 54.04 | 74.00 | -19.96 | 3 | Vertical | 226 | 1.50 | - |
| 5745MHz | Pass | AV | 11.49286G | 40.86 | 54.00 | -13.14 | 3 | Horizontal | 182 | 1.50 | - |
| 5745MHz | Pass | PK | 11.48942G | 54.29 | 74.00 | -19.71 | 3 | Horizontal | 182 | 1.50 | - |
| 5785MHz | Pass | AV | 5.7934G | 99.23 | Inf | -Inf | 3 | Vertical | 358 | 1.80 | - |
| 5785MHz | Pass | PK | 5.5918G | 55.60 | 68.20 | -12.60 | 3 | Vertical | 358 | 1.80 | - |
| 5785MHz | Pass | PK | 5.7922G | 111.13 | Inf | -Inf | 3 | Vertical | 358 | 1.80 | - |
| 5785MHz | Pass | PK | 5.9266G | 55.76 | 68.20 | -12.44 | 3 | Vertical | 358 | 1.80 | - |
| 5785MHz | Pass | AV | 5.7922G | 94.85 | Inf | -Inf | 3 | Horizontal | 83 | 1.86 | - |
| 5785MHz | Pass | PK | 5.6086G | 56.16 | 68.20 | -12.04 | 3 | Horizontal | 83 | 1.86 | - |
| 5785MHz | Pass | PK | 5.791G | 106.79 | Inf | -Inf | 3 | Horizontal | 83 | 1.86 | - |
| 5785MHz | Pass | PK | 6.0598G | 55.93 | 68.20 | -12.27 | 3 | Horizontal | 83 | 1.86 | - |
| 5785MHz | Pass | AV | 11.57308G | 40.84 | 54.00 | -13.16 | 3 | Vertical | 299 | 1.50 | - |
| 5785MHz | Pass | PK | 11.56524G | 54.32 | 74.00 | -19.68 | 3 | Vertical | 299 | 1.50 | - |
| 5785MHz | Pass | AV | 11.57237G | 41.03 | 54.00 | -12.97 | 3 | Horizontal | 129 | 1.50 | - |
| 5785MHz | Pass | PK | 11.5719G | 54.39 | 74.00 | -19.61 | 3 | Horizontal | 129 | 1.50 | - |
| 5825MHz | Pass | AV | 5.8262G | 99.22 | Inf | -Inf | 3 | Vertical | 359 | 1.36 | - |
| 5825MHz | Pass | PK | 5.6342G | 54.96 | 68.20 | -13.24 | 3 | Vertical | 359 | 1.36 | - |
| 5825MHz | Pass | PK | 5.8226G | 111.48 | Inf | -Inf | 3 | Vertical | 359 | 1.36 | - |
| 5825MHz | Pass | PK | 5.927G | 55.71 | 68.20 | -12.49 | 3 | Vertical | 359 | 1.36 | - |
| 5825MHz | Pass | AV | 5.8322G | 92.19 | Inf | -Inf | 3 | Horizontal | 187 | 1.50 | - |
| 5825MHz | Pass | PK | 5.5322G | 55.05 | 68.20 | -13.15 | 3 | Horizontal | 187 | 1.50 | - |
| 5825MHz | Pass | PK | 5.8226G | 104.98 | Inf | -Inf | 3 | Horizontal | 187 | 1.50 | - |
| 5825MHz | Pass | PK | 5.9894G | 54.90 | 68.20 | -13.30 | 3 | Horizontal | 187 | 1.50 | - |
| 5825MHz | Pass | AV | 11.65193G | 40.94 | 54.00 | -13.06 | 3 | Vertical | 190 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5825MHz | Pass | PK | 11.64937G | 54.10 | 74.00 | -19.90 | 3 | Vertical | 190 | 1.50 | - |
| 5825MHz | Pass | AV | 11.65129G | 41.01 | 54.00 | -12.99 | 3 | Horizontal | 72 | 2.69 | - |
| 5825MHz | Pass | PK | 11.65109G | 53.98 | 74.00 | -20.02 | 3 | Horizontal | 72 | 2.69 | - |
| 802.11ax HEW40_Nss1_(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5190MHz | Pass | AV | 5.15G | 53.88 | 54.00 | -0.12 | 3 | Vertical | 39 | 2.47 | - |
| 5190MHz | Pass | AV | 5.1736G | 95.49 | Inf | -Inf | 3 | Vertical | 39 | 2.47 | - |
| 5190MHz | Pass | PK | 5.1496G | 72.85 | 74.00 | -1.15 | 3 | Vertical | 39 | 2.47 | - |
| 5190MHz | Pass | PK | 5.1724G | 107.77 | Inf | -Inf | 3 | Vertical | 39 | 2.47 | - |
| 5190MHz | Pass | AV | 5.15G | 47.83 | 54.00 | -6.17 | 3 | Horizontal | 184 | 1.96 | - |
| 5190MHz | Pass | AV | 5.2068G | 89.24 | Inf | -Inf | 3 | Horizontal | 184 | 1.96 | - |
| 5190MHz | Pass | PK | 5.1496G | 65.75 | 74.00 | -8.25 | 3 | Horizontal | 184 | 1.96 | - |
| 5190MHz | Pass | PK | 5.2024G | 100.86 | Inf | -Inf | 3 | Horizontal | 184 | 1.96 | - |
| 5190MHz | Pass | PK | 10.38199G | 53.93 | 68.20 | -14.27 | 3 | Vertical | 191.1 | 1.78 | - |
| 5190MHz | Pass | PK | 10.38G | 54.32 | 68.20 | -13.88 | 3 | Horizontal | 138 | 2.50 | - |
| 5230MHz | Pass | AV | 5.1492G | 53.60 | 54.00 | -0.40 | 3 | Vertical | 42 | 2.39 | - |
| 5230MHz | Pass | AV | 5.2136G | 99.49 | Inf | -Inf | 3 | Vertical | 42 | 2.39 | - |
| 5230MHz | Pass | PK | 5.1496G | 70.54 | 74.00 | -3.46 | 3 | Vertical | 42 | 2.39 | - |
| 5230MHz | Pass | PK | 5.2228G | 111.62 | Inf | -Inf | 3 | Vertical | 42 | 2.39 | - |
| 5230MHz | Pass | AV | 5.1492G | 47.86 | 54.00 | -6.14 | 3 | Horizontal | 185 | 1.96 | - |
| 5230MHz | Pass | AV | 5.246G | 93.67 | Inf | -Inf | 3 | Horizontal | 185 | 1.96 | - |
| 5230MHz | Pass | PK | 5.1488G | 63.67 | 74.00 | -10.33 | 3 | Horizontal | 185 | 1.96 | - |
| 5230MHz | Pass | PK | 5.226G | 105.64 | Inf | -Inf | 3 | Horizontal | 185 | 1.96 | - |
| 5230MHz | Pass | PK | 10.45938G | 54.41 | 68.20 | -13.79 | 3 | Vertical | 0 | 1.32 | - |
| 5230MHz | Pass | PK | 10.47146G | 54.68 | 68.20 | -13.52 | 3 | Horizontal | 356 | 1.50 | - |
| 5270MHz | Pass | AV | 5.254G | 101.43 | Inf | -Inf | 3 | Vertical | 212 | 2.86 | - |
| 5270MHz | Pass | AV | 5.3508G | 53.93 | 54.00 | -0.07 | 3 | Vertical | 212 | 2.86 | - |
| 5270MHz | Pass | PK | 5.2732G | 113.11 | Inf | -Inf | 3 | Vertical | 212 | 2.86 | - |
| 5270MHz | Pass | PK | 5.352G | 66.94 | 74.00 | -7.06 | 3 | Vertical | 212 | 2.86 | - |
| 5270MHz | Pass | AV | 5.272G | 93.51 | Inf | -Inf | 3 | Horizontal | 186 | 1.63 | - |
| 5270MHz | Pass | AV | 5.3504G | 47.05 | 54.00 | -6.95 | 3 | Horizontal | 186 | 1.63 | - |
| 5270MHz | Pass | PK | 5.2804G | 106.17 | Inf | -Inf | 3 | Horizontal | 186 | 1.63 | - |
| 5270MHz | Pass | PK | 5.35G | 60.19 | 74.00 | -13.81 | 3 | Horizontal | 186 | 1.63 | - |
| 5270MHz | Pass | PK | 10.54792G | 55.21 | 68.20 | -12.99 | 3 | Vertical | 129 | 1.50 | - |
| 5270MHz | Pass | PK | 10.53778G | 54.20 | 68.20 | -14.00 | 3 | Horizontal | 338 | 1.32 | - |
| 5310MHz | Pass | AV | 5.294G | 95.36 | Inf | -Inf | 3 | Vertical | 40 | 2.44 | - |
| 5310MHz | Pass | AV | 5.35G | 53.91 | 54.00 | -0.09 | 3 | Vertical | 40 | 2.44 | - |
| 5310MHz | Pass | PK | 5.3084G | 107.30 | Inf | -Inf | 3 | Vertical | 40 | 2.44 | - |
| 5310MHz | Pass | PK | 5.35G | 72.30 | 74.00 | -1.70 | 3 | Vertical | 40 | 2.44 | - |
| 5310MHz | Pass | AV | 5.294G | 89.26 | Inf | -Inf | 3 | Horizontal | 186 | 1.08 | - |
| 5310MHz | Pass | AV | 5.3504G | 47.48 | 54.00 | -6.52 | 3 | Horizontal | 186 | 1.08 | - |
| 5310MHz | Pass | PK | 5.294G | 100.62 | Inf | -Inf | 3 | Horizontal | 186 | 1.08 | - |
| 5310MHz | Pass | PK | 5.35G | 64.70 | 74.00 | -9.30 | 3 | Horizontal | 186 | 1.08 | - |
| 5310MHz | Pass | AV | 10.6053G | 41.31 | 54.00 | -12.69 | 3 | Vertical | 2 | 2.95 | - |
| 5310MHz | Pass | PK | 10.63488G | 54.19 | 74.00 | -19.81 | 3 | Vertical | 2 | 2.95 | - |
| 5310MHz | Pass | AV | 10.62864G | 41.43 | 54.00 | -12.57 | 3 | Horizontal | 148 | 1.50 | - |
| 5310MHz | Pass | PK | 10.61706G | 54.26 | 74.00 | -19.74 | 3 | Horizontal | 148 | 1.50 | - |
| 5510MHz | Pass | AV | 5.46G | 46.71 | 54.00 | -7.29 | 3 | Vertical | 227 | 2.93 | - |
| 5510MHz | Pass | AV | 5.5248G | 93.16 | Inf | -Inf | 3 | Vertical | 227 | 2.93 | - |
| 5510MHz | Pass | PK | 5.4696G | 68.01 | 68.20 | -0.19 | 3 | Vertical | 227 | 2.93 | - |
| 5510MHz | Pass | PK | 5.5136G | 105.09 | Inf | -Inf | 3 | Vertical | 227 | 2.93 | - |
| 5510MHz | Pass | AV | 5.4592G | 42.93 | 54.00 | -11.07 | 3 | Horizontal | 183 | 1.92 | - |
| 5510MHz | Pass | AV | 5.5248G | 88.24 | Inf | -Inf | 3 | Horizontal | 183 | 1.92 | - |
| 5510MHz | Pass | PK | 5.4696G | 62.06 | 68.20 | -6.14 | 3 | Horizontal | 183 | 1.92 | - |
| 5510MHz | Pass | PK | 5.4984G | 100.14 | Inf | -Inf | 3 | Horizontal | 183 | 1.92 | - |
| 5510MHz | Pass | AV | 11.02354G | 42.15 | 54.00 | -11.85 | 3 | Vertical | 0 | 2.58 | - |
| 5510MHz | Pass | PK | 11.03386G | 54.55 | 74.00 | -19.45 | 3 | Vertical | 0 | 2.58 | - |
| 5510MHz | Pass | AV | 11.02304G | 42.11 | 54.00 | -11.89 | 3 | Horizontal | 333 | 2.59 | - |
| 5510MHz | Pass | PK | 11.01736G | 54.14 | 74.00 | -19.86 | 3 | Horizontal | 333 | 2.59 | - |
| 5550MHz | Pass | AV | 5.46G | 47.02 | 54.00 | -6.98 | 3 | Vertical | 2 | 1.13 | - |
| 5550MHz | Pass | AV | 5.5664G | 97.37 | Inf | -Inf | 3 | Vertical | 2 | 1.13 | - |
| 5550MHz | Pass | PK | 5.47G | 61.87 | 68.20 | -6.33 | 3 | Vertical | 2 | 1.13 | - |
| 5550MHz | Pass | PK | 5.5668G | 109.50 | Inf | -Inf | 3 | Vertical | 2 | 1.13 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5550MHz | Pass | AV | 5.46G | 46.11 | 54.00 | -7.89 | 3 | Horizontal | 183 | 1.75 | - |
| 5550MHz | Pass | AV | 5.5324G | 94.41 | Inf | -Inf | 3 | Horizontal | 183 | 1.75 | - |
| 5550MHz | Pass | PK | 5.4676G | 60.18 | 68.20 | -8.02 | 3 | Horizontal | 183 | 1.75 | - |
| 5550MHz | Pass | PK | 5.5368G | 105.58 | Inf | -Inf | 3 | Horizontal | 183 | 1.75 | - |
| 5550MHz | Pass | AV | 11.09638G | 42.09 | 54.00 | -11.91 | 3 | Vertical | 98 | 1.50 | - |
| 5550MHz | Pass | PK | 11.10374G | 54.79 | 74.00 | -19.21 | 3 | Vertical | 98 | 1.50 | - |
| 5550MHz | Pass | AV | 11.09866G | 42.26 | 54.00 | -11.74 | 3 | Horizontal | 265 | 1.50 | - |
| 5550MHz | Pass | PK | 11.1007G | 54.82 | 74.00 | -19.18 | 3 | Horizontal | 265 | 1.50 | - |
| 5670MHz | Pass | AV | 5.6528G | 94.58 | Inf | -Inf | 3 | Vertical | 360 | 1.00 | - |
| 5670MHz | Pass | PK | 5.6576G | 106.43 | Inf | -Inf | 3 | Vertical | 360 | 1.00 | - |
| 5670MHz | Pass | PK | 5.7256G | 68.10 | 68.20 | -0.10 | 3 | Vertical | 360 | 1.00 | - |
| 5670MHz | Pass | AV | 5.6864G | 88.66 | Inf | -Inf | 3 | Horizontal | 1 | 1.73 | - |
| 5670MHz | Pass | PK | 5.674G | 100.05 | Inf | -Inf | 3 | Horizontal | 1 | 1.73 | - |
| 5670MHz | Pass | PK | 5.7264G | 63.18 | 68.20 | -5.02 | 3 | Horizontal | 1 | 1.73 | - |
| 5670MHz | Pass | AV | 11.33833G | 41.53 | 54.00 | -12.47 | 3 | Vertical | 184 | 1.50 | - |
| 5670MHz | Pass | PK | 11.33938G | 55.04 | 74.00 | -18.96 | 3 | Vertical | 184 | 1.50 | - |
| 5670MHz | Pass | AV | 11.34248G | 41.23 | 54.00 | -12.77 | 3 | Horizontal | 50 | 1.50 | - |
| 5670MHz | Pass | PK | 11.33642G | 54.02 | 74.00 | -19.98 | 3 | Horizontal | 50 | 1.50 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4532G | 42.32 | 54.00 | -11.68 | 3 | Vertical | 358 | 1.13 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7256G | 97.93 | Inf | -Inf | 3 | Vertical | 358 | 1.13 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4688G | 54.46 | 68.20 | -13.74 | 3 | Vertical | 358 | 1.13 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7076G | 109.22 | Inf | -Inf | 3 | Vertical | 358 | 1.13 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8636G | 60.34 | 68.20 | -7.86 | 3 | Vertical | 358 | 1.13 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4508G | 42.14 | 54.00 | -11.86 | 3 | Horizontal | 81 | 1.66 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7064G | 91.56 | Inf | -Inf | 3 | Horizontal | 81 | 1.66 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4604G | 53.35 | 68.20 | -14.85 | 3 | Horizontal | 81 | 1.66 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7088G | 103.42 | Inf | -Inf | 3 | Horizontal | 81 | 1.66 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8564G | 56.35 | 68.20 | -11.85 | 3 | Horizontal | 81 | 1.66 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42001G | 41.79 | 54.00 | -12.21 | 3 | Vertical | 325 | 1.50 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.41896G | 54.65 | 74.00 | -19.35 | 3 | Vertical | 325 | 1.50 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42173G | 41.78 | 54.00 | -12.22 | 3 | Horizontal | 236 | 1.54 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.41879G | 54.50 | 74.00 | -19.50 | 3 | Horizontal | 236 | 1.54 | - |
| 5755MHz | Pass | AV | 5.7706G | 97.75 | Inf | -Inf | 3 | Vertical | 360 | 1.71 | - |
| 5755MHz | Pass | PK | 5.6542G | 64.17 | 71.31 | -7.14 | 3 | Vertical | 360 | 1.71 | - |
| 5755MHz | Pass | PK | 5.7706G | 109.42 | Inf | -Inf | 3 | Vertical | 360 | 1.71 | - |
| 5755MHz | Pass | PK | 5.9338G | 56.44 | 68.20 | -11.76 | 3 | Vertical | 360 | 1.71 | - |
| 5755MHz | Pass | AV | 5.7394G | 93.34 | Inf | -Inf | 3 | Horizontal | 81 | 2.80 | - |
| 5755MHz | Pass | PK | 5.647G | 58.99 | 68.20 | -9.21 | 3 | Horizontal | 81 | 2.80 | - |
| 5755MHz | Pass | PK | 5.7634G | 104.63 | Inf | -Inf | 3 | Horizontal | 81 | 2.80 | - |
| 5755MHz | Pass | PK | 6.0046G | 55.32 | 68.20 | -12.88 | 3 | Horizontal | 81 | 2.80 | - |
| 5755MHz | Pass | AV | 11.51096G | 41.84 | 54.00 | -12.16 | 3 | Vertical | 59 | 2.81 | - |
| 5755MHz | Pass | PK | 11.51036G | 55.36 | 74.00 | -18.64 | 3 | Vertical | 59 | 2.81 | - |
| 5755MHz | Pass | AV | 11.51248G | 42.12 | 54.00 | -11.88 | 3 | Horizontal | 276 | 1.50 | - |
| 5755MHz | Pass | PK | 11.51094G | 54.62 | 74.00 | -19.38 | 3 | Horizontal | 276 | 1.50 | - |
| 5795MHz | Pass | AV | 5.7794G | 94.22 | Inf | -Inf | 3 | Vertical | 80 | 1.87 | - |
| 5795MHz | Pass | PK | 5.6498G | 55.33 | 68.20 | -12.87 | 3 | Vertical | 80 | 1.87 | - |
| 5795MHz | Pass | PK | 5.8118G | 106.46 | Inf | -Inf | 3 | Vertical | 80 | 1.87 | - |
| 5795MHz | Pass | PK | 5.951G | 56.41 | 68.20 | -11.79 | 3 | Vertical | 80 | 1.87 | - |
| 5795MHz | Pass | AV | 5.7902G | 93.77 | Inf | -Inf | 3 | Horizontal | 82 | 2.01 | - |
| 5795MHz | Pass | PK | 5.5838G | 56.97 | 68.20 | -11.23 | 3 | Horizontal | 82 | 2.01 | - |
| 5795MHz | Pass | PK | 5.8118G | 106.36 | Inf | -Inf | 3 | Horizontal | 82 | 2.01 | - |
| 5795MHz | Pass | PK | 5.9282G | 57.56 | 68.20 | -10.64 | 3 | Horizontal | 82 | 2.01 | - |
| 5795MHz | Pass | AV | 11.58528G | 41.65 | 54.00 | -12.35 | 3 | Vertical | 205 | 1.75 | - |
| 5795MHz | Pass | PK | 11.59472G | 54.29 | 74.00 | -19.71 | 3 | Vertical | 205 | 1.75 | - |
| 5795MHz | Pass | AV | 11.58578G | 41.62 | 54.00 | -12.38 | 3 | Horizontal | 153 | 1.31 | - |
| 5795MHz | Pass | PK | 11.59264G | 54.65 | 74.00 | -19.35 | 3 | Horizontal | 153 | 1.31 | - |
| 802.11ax HEW80_Nss1_(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5210MHz | Pass | AV | 5.149G | 53.74 | 54.00 | -0.26 | 3 | Vertical | 41 | 2.46 | - |
| 5210MHz | Pass | AV | 5.173G | 92.49 | Inf | -Inf | 3 | Vertical | 41 | 2.46 | - |
| 5210MHz | Pass | AV | 5.35G | 43.85 | 54.00 | -10.15 | 3 | Vertical | 41 | 2.46 | - |
| 5210MHz | Pass | PK | 5.135G | 71.51 | 74.00 | -2.49 | 3 | Vertical | 41 | 2.46 | - |
| 5210MHz | Pass | PK | 5.186G | 104.74 | Inf | -Inf | 3 | Vertical | 41 | 2.46 | - |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5210MHz | Pass | PK | 5.352G | 57.56 | 74.00 | -16.44 | 3 | Vertical | 41 | 2.46 | - |
| 5210MHz | Pass | AV | 5.15G | 46.72 | 54.00 | -7.28 | 3 | Horizontal | 185 | 1.73 | - |
| 5210MHz | Pass | AV | 5.247G | 85.54 | Inf | -Inf | 3 | Horizontal | 185 | 1.73 | - |
| 5210MHz | Pass | AV | 5.456G | 42.26 | 54.00 | -11.74 | 3 | Horizontal | 185 | 1.73 | - |
| 5210MHz | Pass | PK | 5.135G | 62.58 | 74.00 | -11.42 | 3 | Horizontal | 185 | 1.73 | - |
| 5210MHz | Pass | PK | 5.243G | 96.90 | Inf | -Inf | 3 | Horizontal | 185 | 1.73 | - |
| 5210MHz | Pass | PK | 5.401G | 54.47 | 74.00 | -19.53 | 3 | Horizontal | 185 | 1.73 | - |
| 5210MHz | Pass | PK | 10.41606G | 54.47 | 68.20 | -13.73 | 3 | Vertical | 3 | 1.73 | - |
| 5210MHz | Pass | PK | 10.41512G | 54.80 | 68.20 | -13.40 | 3 | Horizontal | 145 | 1.10 | - |
| 5290MHz | Pass | AV | 5.15G | 44.94 | 54.00 | -9.06 | 3 | Vertical | 213 | 2.71 | - |
| 5290MHz | Pass | AV | 5.253G | 93.63 | Inf | -Inf | 3 | Vertical | 213 | 2.71 | - |
| 5290MHz | Pass | AV | 5.352G | 53.70 | 54.00 | -0.30 | 3 | Vertical | 213 | 2.71 | - |
| 5290MHz | Pass | PK | 5.135G | 58.42 | 74.00 | -15.58 | 3 | Vertical | 213 | 2.71 | - |
| 5290MHz | Pass | PK | 5.275G | 106.00 | Inf | -Inf | 3 | Vertical | 213 | 2.71 | - |
| 5290MHz | Pass | PK | 5.381G | 71.93 | 74.00 | -2.07 | 3 | Vertical | 213 | 2.71 | - |
| 5290MHz | Pass | AV | 5.128G | 43.36 | 54.00 | -10.64 | 3 | Horizontal | 186 | 1.98 | - |
| 5290MHz | Pass | AV | 5.253G | 85.83 | Inf | -Inf | 3 | Horizontal | 186 | 1.98 | - |
| 5290MHz | Pass | AV | 5.351G | 46.83 | 54.00 | -7.17 | 3 | Horizontal | 186 | 1.98 | - |
| 5290MHz | Pass | PK | 5.131G | 55.26 | 74.00 | -18.74 | 3 | Horizontal | 186 | 1.98 | - |
| 5290MHz | Pass | PK | 5.263G | 98.06 | Inf | -Inf | 3 | Horizontal | 186 | 1.98 | - |
| 5290MHz | Pass | PK | 5.358G | 64.17 | 74.00 | -9.83 | 3 | Horizontal | 186 | 1.98 | - |
| 5290MHz | Pass | PK | 10.5819G | 54.22 | 68.20 | -13.98 | 3 | Vertical | 150 | 1.15 | - |
| 5290MHz | Pass | PK | 10.57882G | 53.89 | 68.20 | -14.31 | 3 | Horizontal | 2 | 1.29 | - |
| 5530MHz | Pass | AV | 5.46G | 49.23 | 54.00 | -4.77 | 3 | Vertical | 4 | 1.00 | - |
| 5530MHz | Pass | AV | 5.567G | 90.42 | Inf | -Inf | 3 | Vertical | 4 | 1.00 | - |
| 5530MHz | Pass | PK | 5.468G | 67.86 | 68.20 | -0.34 | 3 | Vertical | 4 | 1.00 | - |
| 5530MHz | Pass | PK | 5.565G | 102.11 | Inf | -Inf | 3 | Vertical | 4 | 1.00 | - |
| 5530MHz | Pass | PK | 5.73G | 56.83 | 68.20 | -11.37 | 3 | Vertical | 4 | 1.00 | - |
| 5530MHz | Pass | AV | 5.46G | 49.01 | 54.00 | -4.99 | 3 | Horizontal | 185 | 1.50 | - |
| 5530MHz | Pass | AV | 5.514G | 86.30 | Inf | -Inf | 3 | Horizontal | 185 | 1.50 | - |
| 5530MHz | Pass | PK | 5.47G | 65.62 | 68.20 | -2.58 | 3 | Horizontal | 185 | 1.50 | - |
| 5530MHz | Pass | PK | 5.52G | 98.46 | Inf | -Inf | 3 | Horizontal | 185 | 1.50 | - |
| 5530MHz | Pass | PK | 5.735G | 55.36 | 68.20 | -12.84 | 3 | Horizontal | 185 | 1.50 | - |
| 5530MHz | Pass | AV | 11.05882G | 42.29 | 54.00 | -11.71 | 3 | Vertical | 180 | 1.62 | - |
| 5530MHz | Pass | PK | 11.06218G | 54.55 | 74.00 | -19.45 | 3 | Vertical | 180 | 1.62 | - |
| 5530MHz | Pass | AV | 11.05752G | 42.18 | 54.00 | -11.82 | 3 | Horizontal | 239 | 1.57 | - |
| 5530MHz | Pass | PK | 11.05544G | 54.92 | 74.00 | -19.08 | 3 | Horizontal | 239 | 1.57 | - |
| 5610MHz | Pass | AV | 5.458G | 44.37 | 54.00 | -9.63 | 3 | Vertical | 3 | 1.03 | - |
| 5610MHz | Pass | AV | 5.647G | 93.55 | Inf | -Inf | 3 | Vertical | 3 | 1.03 | - |
| 5610MHz | Pass | PK | 5.47G | 58.50 | 68.20 | -9.70 | 3 | Vertical | 3 | 1.03 | - |
| 5610MHz | Pass | PK | 5.615G | 105.13 | Inf | -Inf | 3 | Vertical | 3 | 1.03 | - |
| 5610MHz | Pass | PK | 5.727G | 67.30 | 68.20 | -0.90 | 3 | Vertical | 3 | 1.03 | - |
| 5610MHz | Pass | AV | 5.459G | 43.98 | 54.00 | -10.02 | 3 | Horizontal | 183 | 1.89 | - |
| 5610MHz | Pass | AV | 5.573G | 88.50 | Inf | -Inf | 3 | Horizontal | 183 | 1.89 | - |
| 5610MHz | Pass | PK | 5.469G | 56.88 | 68.20 | -11.32 | 3 | Horizontal | 183 | 1.89 | - |
| 5610MHz | Pass | PK | 5.575G | 99.80 | Inf | -Inf | 3 | Horizontal | 183 | 1.89 | - |
| 5610MHz | Pass | PK | 5.727G | 59.52 | 68.20 | -8.68 | 3 | Horizontal | 183 | 1.89 | - |
| 5610MHz | Pass | AV | 11.2166G | 41.20 | 54.00 | -12.80 | 3 | Vertical | 274 | 2.24 | - |
| 5610MHz | Pass | PK | 11.22354G | 53.87 | 74.00 | -20.13 | 3 | Vertical | 274 | 2.24 | - |
| 5610MHz | Pass | AV | 11.2188G | 41.40 | 54.00 | -12.60 | 3 | Horizontal | 198 | 1.46 | - |
| 5610MHz | Pass | PK | 11.22302G | 53.97 | 74.00 | -20.03 | 3 | Horizontal | 198 | 1.46 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4572G | 42.44 | 54.00 | -11.56 | 3 | Vertical | 360 | 1.13 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7272G | 93.29 | Inf | -Inf | 3 | Vertical | 360 | 1.13 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4632G | 54.05 | 68.20 | -14.15 | 3 | Vertical | 360 | 1.13 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7272G | 104.84 | Inf | -Inf | 3 | Vertical | 360 | 1.13 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8532G | 62.56 | 68.20 | -5.64 | 3 | Vertical | 360 | 1.13 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.456G | 42.44 | 54.00 | -11.56 | 3 | Horizontal | 80 | 1.81 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7272G | 88.82 | Inf | -Inf | 3 | Horizontal | 80 | 1.81 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4632G | 53.94 | 68.20 | -14.26 | 3 | Horizontal | 80 | 1.81 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7272G | 100.21 | Inf | -Inf | 3 | Horizontal | 80 | 1.81 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.852G | 59.52 | 68.20 | -8.68 | 3 | Horizontal | 80 | 1.81 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.38082G | 41.27 | 54.00 | -12.73 | 3 | Vertical | 332 | 2.23 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.37942G | 53.85 | 74.00 | -20.15 | 3 | Vertical | 332 | 2.23 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.38402G | 41.16 | 54.00 | -12.84 | 3 | Horizontal | 24 | 2.19 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.37762G | 53.36 | 74.00 | -20.64 | 3 | Horizontal | 24 | 2.19 | - |
| 5775MHz | Pass | AV | 5.8122G | 93.85 | Inf | -Inf | 3 | Vertical | 359 | 1.95 | - |
| 5775MHz | Pass | PK | 5.6466G | 61.92 | 68.20 | -6.28 | 3 | Vertical | 359 | 1.95 | - |
| 5775MHz | Pass | PK | 5.781G | 104.61 | Inf | -Inf | 3 | Vertical | 359 | 1.95 | - |
| 5775MHz | Pass | PK | 5.9262G | 62.36 | 68.20 | -5.84 | 3 | Vertical | 359 | 1.95 | - |
| 5775MHz | Pass | AV | 5.8122G | 89.17 | Inf | -Inf | 3 | Horizontal | 72 | 2.84 | - |
| 5775MHz | Pass | PK | 5.6466G | 61.11 | 68.20 | -7.09 | 3 | Horizontal | 72 | 2.84 | - |
| 5775MHz | Pass | PK | 5.8086G | 99.51 | Inf | -Inf | 3 | Horizontal | 72 | 2.84 | - |
| 5775MHz | Pass | PK | 5.9238G | 59.72 | 69.09 | -9.37 | 3 | Horizontal | 72 | 2.84 | - |
| 5775MHz | Pass | AV | 11.55396G | 41.64 | 54.00 | -12.36 | 3 | Vertical | 106 | 1.63 | - |
| 5775MHz | Pass | PK | 11.54796G | 53.85 | 74.00 | -20.15 | 3 | Vertical | 106 | 1.63 | - |
| 5775MHz | Pass | AV | 11.55154G | 41.68 | 54.00 | -12.32 | 3 | Horizontal | 268 | 1.15 | - |
| 5775MHz | Pass | PK | 11.55348G | 54.82 | 74.00 | -19.18 | 3 | Horizontal | 268 | 1.15 | - |

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 53.56 | 54.00 | -0.44 | 2.45 | 3 | Vertical | 37 | 2.30 | - | 51.11 | 31.90 | 5.47 | 34.92 |
| AV | 5.187G | 101.52 | Inf | -Inf | 2.33 | 3 | Vertical | 37 | 2.30 | - | 99.19 | 31.75 | 5.49 | 34.91 |
| PK | 5.1486G | 67.13 | 74.00 | -6.87 | 2.45 | 3 | Vertical | 37 | 2.30 | - | 64.68 | 31.90 | 5.47 | 34.92 |
| PK | 5.1808G | 110.23 | Inf | -Inf | 2.36 | 3 | Vertical | 37 | 2.30 | - | 107.87 | 31.78 | 5.49 | 34.91 |

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 5.1496G | 50.29 | 54.00 | -3.71 | 2.45 | 3 | Horizontal | 159 | 2.36 | - | 47.84 | 31.90 | 5.47 | 34.92 |
| AV | 5.1848G | 96.97 | Inf | -Inf | 2.34 | 3 | Horizontal | 159 | 2.36 | - | 94.63 | 31.76 | 5.49 | 34.91 |
| PK | 5.15G | 64.60 | 74.00 | -9.40 | 2.45 | 3 | Horizontal | 159 | 2.36 | - | 62.15 | 31.90 | 5.47 | 34.92 |
| PK | 5.1764G | 106.03 | Inf | -Inf | 2.37 | 3 | Horizontal | 159 | 2.36 | - | 103.66 | 31.79 | 5.49 | 34.91 |

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.3581G | 53.98 | 68.20 | -14.22 | 12.26 | 3 | Vertical | 226 | 1.41 | - | 41.72 | 39.57 | 7.93 | 35.24 |

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.35542G | 53.61 | 68.20 | -14.59 | 12.25 | 3 | Horizontal | 97 | 2.01 | - | 41.36 | 39.57 | 7.92 | 35.24 |

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1492G | 46.46 | 54.00 | -7.54 | 2.45 | 3 | Vertical | 33 | 2.27 | - | 44.01 | 31.90 | 5.47 | 34.92 |
| AV | 5.1936G | 102.03 | Inf | -Inf | 2.32 | 3 | Vertical | 33 | 2.27 | - | 99.71 | 31.73 | 5.50 | 34.91 |
| PK | 5.1464G | 59.90 | 74.00 | -14.10 | 2.45 | 3 | Vertical | 33 | 2.27 | - | 57.45 | 31.90 | 5.47 | 34.92 |
| PK | 5.1952G | 110.80 | Inf | -Inf | 2.31 | 3 | Vertical | 33 | 2.27 | - | 108.49 | 31.72 | 5.50 | 34.91 |

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 44.22 | 54.00 | -9.78 | 2.45 | 3 | Horizontal | 157 | 1.04 | - | 41.77 | 31.90 | 5.47 | 34.92 |
| AV | 5.1984G | 96.10 | Inf | -Inf | 2.30 | 3 | Horizontal | 157 | 1.04 | - | 93.80 | 31.71 | 5.50 | 34.91 |
| PK | 5.1344G | 55.05 | 74.00 | -18.95 | 2.45 | 3 | Horizontal | 157 | 1.04 | - | 52.60 | 31.90 | 5.47 | 34.92 |
| PK | 5.2028G | 104.77 | Inf | -Inf | 2.28 | 3 | Horizontal | 157 | 1.04 | - | 102.49 | 31.69 | 5.50 | 34.91 |

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.39878G | 54.30 | 68.20 | -13.90 | 12.45 | 3 | Vertical | 94 | 1.50 | - | 41.85 | 39.70 | 7.94 | 35.19 |

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.39542G | 54.48 | 68.20 | -13.72 | 12.43 | 3 | Horizontal | 254 | 1.50 | - | 42.05 | 39.69 | 7.94 | 35.20 |

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.12G | 45.86 | 54.00 | -8.14 | 2.44 | 3 | Vertical | 216 | 2.58 | - | 43.42 | 31.90 | 5.46 | 34.92 |
| AV | 5.2478G | 104.75 | Inf | -Inf | 2.16 | 3 | Vertical | 216 | 2.58 | - | 102.59 | 31.51 | 5.55 | 34.90 |
| AV | 5.36G | 47.97 | 54.00 | -6.03 | 2.02 | 3 | Vertical | 216 | 2.58 | - | 45.95 | 31.24 | 5.66 | 34.88 |
| PK | 5.1116G | 55.69 | 74.00 | -18.31 | 2.44 | 3 | Vertical | 216 | 2.58 | - | 53.25 | 31.90 | 5.46 | 34.92 |
| PK | 5.2334G | 112.94 | Inf | -Inf | 2.20 | 3 | Vertical | 216 | 2.58 | - | 110.74 | 31.57 | 5.53 | 34.90 |
| PK | 5.36G | 56.24 | 74.00 | -17.76 | 2.02 | 3 | Vertical | 216 | 2.58 | - | 54.22 | 31.24 | 5.66 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1224G | 44.16 | 54.00 | -9.84 | 2.44 | 3 | Horizontal | 156 | 1.46 | - | 41.72 | 31.90 | 5.46 | 34.92 |
| AV | 5.2352G | 95.59 | Inf | -Inf | 2.20 | 3 | Horizontal | 156 | 1.46 | - | 93.39 | 31.56 | 5.54 | 34.90 |
| AV | 5.36G | 42.97 | 54.00 | -11.03 | 2.02 | 3 | Horizontal | 156 | 1.46 | - | 40.95 | 31.24 | 5.66 | 34.88 |
| PK | 5.1428G | 55.14 | 74.00 | -18.86 | 2.45 | 3 | Horizontal | 156 | 1.46 | - | 52.69 | 31.90 | 5.47 | 34.92 |
| PK | 5.2334G | 103.77 | Inf | -Inf | 2.20 | 3 | Horizontal | 156 | 1.46 | - | 101.57 | 31.57 | 5.53 | 34.90 |
| PK | 5.363G | 54.75 | 74.00 | -19.25 | 2.03 | 3 | Horizontal | 156 | 1.46 | - | 52.72 | 31.25 | 5.66 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.47894G | 54.00 | 68.20 | -14.20 | 12.81 | 3 | Vertical | 240 | 1.99 | - | 41.19 | 39.94 | 7.97 | 35.10 |

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.48258G | 54.82 | 68.20 | -13.38 | 12.83 | 3 | Horizontal | 165 | 1.50 | - | 41.99 | 39.95 | 7.97 | 35.09 |

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1208G | 44.68 | 54.00 | -9.32 | 2.44 | 3 | Vertical | 37 | 2.21 | - | 42.24 | 31.90 | 5.46 | 34.92 |
| AV | 5.2534G | 100.26 | Inf | -Inf | 2.14 | 3 | Vertical | 37 | 2.21 | - | 98.12 | 31.49 | 5.55 | 34.90 |
| AV | 5.353G | 42.79 | 54.00 | -11.21 | 1.98 | 3 | Vertical | 37 | 2.21 | - | 40.81 | 31.21 | 5.65 | 34.88 |
| PK | 5.122G | 55.10 | 74.00 | -18.90 | 2.44 | 3 | Vertical | 37 | 2.21 | - | 52.66 | 31.90 | 5.46 | 34.92 |
| PK | 5.2582G | 109.16 | Inf | -Inf | 2.14 | 3 | Vertical | 37 | 2.21 | - | 107.02 | 31.48 | 5.56 | 34.90 |
| PK | 5.3794G | 54.13 | 74.00 | -19.87 | 2.12 | 3 | Vertical | 37 | 2.21 | - | 52.01 | 31.32 | 5.68 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1106G | 43.96 | 54.00 | -10.04 | 2.44 | 3 | Horizontal | 159 | 1.26 | - | 41.52 | 31.90 | 5.46 | 34.92 |
| AV | 5.254G | 93.53 | Inf | -Inf | 2.14 | 3 | Horizontal | 159 | 1.26 | - | 91.39 | 31.49 | 5.55 | 34.90 |
| AV | 5.3866G | 42.57 | 54.00 | -11.43 | 2.16 | 3 | Horizontal | 159 | 1.26 | - | 40.41 | 31.35 | 5.69 | 34.88 |
| PK | 5.137G | 54.91 | 74.00 | -19.09 | 2.45 | 3 | Horizontal | 159 | 1.26 | - | 52.46 | 31.90 | 5.47 | 34.92 |
| PK | 5.2582G | 102.27 | Inf | -Inf | 2.14 | 3 | Horizontal | 159 | 1.26 | - | 100.13 | 31.48 | 5.56 | 34.90 |
| PK | 5.3902G | 53.79 | 74.00 | -20.21 | 2.17 | 3 | Horizontal | 159 | 1.26 | - | 51.62 | 31.36 | 5.69 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.5206G | 55.07 | 68.20 | -13.13 | 12.89 | 3 | Vertical | 348 | 1.50 | - | 42.18 | 39.98 | 7.98 | 35.07 |

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.52212G | 56.14 | 68.20 | -12.06 | 12.89 | 3 | Horizontal | 360 | 2.60 | - | 43.25 | 39.98 | 7.98 | 35.07 |

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3072G | 104.76 | Inf | -Inf | 2.09 | 3 | Vertical | 216 | 2.52 | - | 102.67 | 31.37 | 5.61 | 34.89 |
| AV | 5.35G | 46.17 | 54.00 | -7.83 | 1.97 | 3 | Vertical | 216 | 2.52 | - | 44.20 | 31.20 | 5.65 | 34.88 |
| PK | 5.3068G | 113.62 | Inf | -Inf | 2.09 | 3 | Vertical | 216 | 2.52 | - | 111.53 | 31.37 | 5.61 | 34.89 |
| PK | 5.3524G | 64.59 | 74.00 | -9.41 | 1.98 | 3 | Vertical | 216 | 2.52 | - | 62.61 | 31.21 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2956G | 94.88 | Inf | -Inf | 2.12 | 3 | Horizontal | 157 | 1.06 | - | 92.76 | 31.41 | 5.60 | 34.89 |
| AV | 5.3536G | 42.66 | 54.00 | -11.34 | 1.98 | 3 | Horizontal | 157 | 1.06 | - | 40.68 | 31.21 | 5.65 | 34.88 |
| PK | 5.2932G | 103.78 | Inf | -Inf | 2.11 | 3 | Horizontal | 157 | 1.06 | - | 101.67 | 31.41 | 5.59 | 34.89 |
| PK | 5.3524G | 56.35 | 74.00 | -17.65 | 1.98 | 3 | Horizontal | 157 | 1.06 | - | 54.37 | 31.21 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.59998G | 54.77 | 68.20 | -13.43 | 12.85 | 3 | Vertical | 155 | 1.50 | - | 41.92 | 39.90 | 8.01 | 35.06 |

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.60084G | 55.02 | 74.00 | -18.98 | 12.85 | 3 | Horizontal | 176 | 3.00 | - | 42.17 | 39.90 | 8.01 | 35.06 |

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3128G | 103.21 | Inf | -Inf | 2.07 | 3 | Vertical | 223 | 2.54 | - | 101.14 | 31.35 | 5.61 | 34.89 |
| AV | 5.35G | 53.57 | 54.00 | -0.43 | 1.97 | 3 | Vertical | 223 | 2.54 | - | 51.60 | 31.20 | 5.65 | 34.88 |
| PK | 5.3178G | 111.46 | Inf | -Inf | 2.06 | 3 | Vertical | 223 | 2.54 | - | 109.40 | 31.33 | 5.62 | 34.89 |
| PK | 5.3516G | 67.48 | 74.00 | -6.52 | 1.98 | 3 | Vertical | 223 | 2.54 | - | 65.50 | 31.21 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3128G | 92.82 | Inf | -Inf | 2.07 | 3 | Horizontal | 159 | 1.00 | - | 90.75 | 31.35 | 5.61 | 34.89 |
| AV | 5.35G | 45.25 | 54.00 | -8.75 | 1.97 | 3 | Horizontal | 159 | 1.00 | - | 43.28 | 31.20 | 5.65 | 34.88 |
| PK | 5.3162G | 101.34 | Inf | -Inf | 2.07 | 3 | Horizontal | 159 | 1.00 | - | 99.27 | 31.34 | 5.62 | 34.89 |
| PK | 5.3556G | 58.14 | 74.00 | -15.86 | 2.00 | 3 | Horizontal | 159 | 1.00 | - | 56.14 | 31.22 | 5.66 | 34.88 |

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.64007G | 42.50 | 54.00 | -11.50 | 12.91 | 3 | Vertical | 214 | 1.50 | - | 29.59 | 39.94 | 8.02 | 35.05 |
| PK | 10.63826G | 54.19 | 74.00 | -19.81 | 12.91 | 3 | Vertical | 214 | 1.50 | - | 41.28 | 39.94 | 8.02 | 35.05 |

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.63961G | 42.31 | 54.00 | -11.69 | 12.91 | 3 | Horizontal | 77 | 1.50 | - | 29.40 | 39.94 | 8.02 | 35.05 |
| PK | 10.6385G | 54.40 | 74.00 | -19.60 | 12.91 | 3 | Horizontal | 77 | 1.50 | - | 41.49 | 39.94 | 8.02 | 35.05 |

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4588G | 44.03 | 54.00 | -9.97 | 2.48 | 3 | Vertical | 0 | 1.28 | - | 41.55 | 31.62 | 5.73 | 34.87 |
| AV | 5.5042G | 97.20 | Inf | -Inf | 2.59 | 3 | Vertical | 0 | 1.28 | - | 94.61 | 31.70 | 5.75 | 34.86 |
| PK | 5.47G | 67.26 | 68.20 | -0.94 | 2.52 | 3 | Vertical | 0 | 1.28 | - | 64.74 | 31.64 | 5.74 | 34.86 |
| PK | 5.5014G | 105.72 | Inf | -Inf | 2.59 | 3 | Vertical | 0 | 1.28 | - | 103.13 | 31.70 | 5.75 | 34.86 |

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4526G | 43.84 | 54.00 | -10.16 | 2.47 | 3 | Horizontal | 158 | 2.19 | - | 41.37 | 31.61 | 5.73 | 34.87 |
| AV | 5.4936G | 95.61 | Inf | -Inf | 2.58 | 3 | Horizontal | 158 | 2.19 | - | 93.03 | 31.69 | 5.75 | 34.86 |
| PK | 5.47G | 65.45 | 68.20 | -2.75 | 2.52 | 3 | Horizontal | 158 | 2.19 | - | 62.93 | 31.64 | 5.74 | 34.86 |
| PK | 5.498G | 104.05 | Inf | -Inf | 2.59 | 3 | Horizontal | 158 | 2.19 | - | 101.46 | 31.70 | 5.75 | 34.86 |

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.00199G | 43.19 | 54.00 | -10.81 | 13.35 | 3 | Vertical | 58 | 1.50 | - | 29.84 | 40.20 | 8.15 | 35.00 |
| PK | 10.99797G | 55.53 | 74.00 | -18.47 | 13.35 | 3 | Vertical | 58 | 1.50 | - | 42.18 | 40.20 | 8.15 | 35.00 |

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.99998G | 43.25 | 54.00 | -10.75 | 13.35 | 3 | Horizontal | 360 | 1.50 | - | 29.90 | 40.20 | 8.15 | 35.00 |
| PK | 11.00182G | 55.58 | 74.00 | -18.42 | 13.35 | 3 | Horizontal | 360 | 1.50 | - | 42.23 | 40.20 | 8.15 | 35.00 |

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4552G | 43.29 | 54.00 | -10.71 | 2.47 | 3 | Vertical | 93 | 3.00 | - | 40.82 | 31.61 | 5.73 | 34.87 |
| AV | 5.5842G | 98.95 | Inf | -Inf | 2.60 | 3 | Vertical | 93 | 3.00 | - | 96.35 | 31.70 | 5.79 | 34.89 |
| PK | 5.4636G | 54.37 | 68.20 | -13.83 | 2.49 | 3 | Vertical | 93 | 3.00 | - | 51.88 | 31.63 | 5.73 | 34.87 |
| PK | 5.5848G | 107.82 | Inf | -Inf | 2.60 | 3 | Vertical | 93 | 3.00 | - | 105.22 | 31.70 | 5.79 | 34.89 |
| PK | 5.727G | 55.54 | 68.20 | -12.66 | 2.78 | 3 | Vertical | 93 | 3.00 | - | 52.76 | 31.91 | 5.80 | 34.93 |

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.439G | 42.63 | 54.00 | -11.37 | 2.41 | 3 | Horizontal | 8 | 1.50 | - | 40.22 | 31.56 | 5.72 | 34.87 |
| AV | 5.5872G | 95.57 | Inf | -Inf | 2.60 | 3 | Horizontal | 8 | 1.50 | - | 92.97 | 31.70 | 5.79 | 34.89 |
| PK | 5.4636G | 53.94 | 68.20 | -14.26 | 2.49 | 3 | Horizontal | 8 | 1.50 | - | 51.45 | 31.63 | 5.73 | 34.87 |
| PK | 5.5848G | 104.46 | Inf | -Inf | 2.60 | 3 | Horizontal | 8 | 1.50 | - | 101.86 | 31.70 | 5.79 | 34.89 |
| PK | 5.7288G | 53.71 | 68.20 | -14.49 | 2.79 | 3 | Horizontal | 8 | 1.50 | - | 50.92 | 31.92 | 5.80 | 34.93 |

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.16226G | 42.94 | 54.00 | -11.06 | 13.04 | 3 | Vertical | 225 | 1.50 | - | 29.90 | 39.75 | 8.21 | 34.92 |
| PK | 11.16128G | 54.84 | 74.00 | -19.16 | 13.04 | 3 | Vertical | 225 | 1.50 | - | 41.80 | 39.75 | 8.21 | 34.92 |

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.15819G | 42.82 | 54.00 | -11.18 | 13.06 | 3 | Horizontal | 279 | 1.50 | - | 29.76 | 39.77 | 8.21 | 34.92 |
| PK | 11.15801G | 54.62 | 74.00 | -19.38 | 13.06 | 3 | Horizontal | 279 | 1.50 | - | 41.56 | 39.77 | 8.21 | 34.92 |

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7074G | 95.85 | Inf | -Inf | 2.71 | 3 | Vertical | 0 | 2.07 | - | 93.14 | 31.83 | 5.80 | 34.92 |
| PK | 5.7074G | 104.12 | Inf | -Inf | 2.71 | 3 | Vertical | 0 | 2.07 | - | 101.41 | 31.83 | 5.80 | 34.92 |
| PK | 5.7254G | 67.69 | 68.20 | -0.51 | 2.77 | 3 | Vertical | 0 | 2.07 | - | 64.92 | 31.90 | 5.80 | 34.93 |

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7038G | 92.29 | Inf | -Inf | 2.70 | 3 | Horizontal | 10 | 1.40 | - | 89.59 | 31.82 | 5.80 | 34.92 |
| PK | 5.7036G | 100.86 | Inf | -Inf | 2.69 | 3 | Horizontal | 10 | 1.40 | - | 98.17 | 31.81 | 5.80 | 34.92 |
| PK | 5.7254G | 62.52 | 68.20 | -5.68 | 2.77 | 3 | Horizontal | 10 | 1.40 | - | 59.75 | 31.90 | 5.80 | 34.93 |

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.40166G | 42.85 | 54.00 | -11.15 | 13.40 | 3 | Vertical | 315 | 1.50 | - | 29.45 | 39.90 | 8.29 | 34.79 |
| PK | 11.40144G | 54.60 | 74.00 | -19.40 | 13.40 | 3 | Vertical | 315 | 1.50 | - | 41.20 | 39.90 | 8.29 | 34.79 |

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.39943G | 42.63 | 54.00 | -11.37 | 13.40 | 3 | Horizontal | 208 | 1.51 | - | 29.23 | 39.90 | 8.29 | 34.79 |
| PK | 11.39796G | 55.30 | 74.00 | -18.70 | 13.39 | 3 | Horizontal | 208 | 1.51 | - | 41.91 | 39.89 | 8.29 | 34.79 |

802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.725G | 98.04 | Inf | -Inf | 2.77 | 3 | Vertical | 359 | 2.07 | - | 95.27 | 31.90 | 5.80 | 34.93 |
| PK | 5.719G | 106.34 | Inf | -Inf | 2.75 | 3 | Vertical | 359 | 2.07 | - | 103.59 | 31.88 | 5.80 | 34.93 |
| PK | 5.874G | 55.64 | 68.20 | -12.56 | 3.12 | 3 | Vertical | 359 | 2.07 | - | 52.52 | 32.25 | 5.84 | 34.97 |


802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.725G | 94.09 | Inf | -Inf | 2.77 | 3 | Horizontal | 9 | 1.08 | - | 91.32 | 31.90 | 5.80 | 34.93 |
| PK | 5.714G | 102.27 | Inf | -Inf | 2.74 | 3 | Horizontal | 9 | 1.08 | - | 99.53 | 31.86 | 5.80 | 34.92 |
| PK | 5.857G | 55.68 | 68.20 | -12.52 | 3.07 | 3 | Horizontal | 9 | 1.08 | - | 52.61 | 32.21 | 5.83 | 34.97 |

802.11a_Nss1,(6Mbps)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44364G | 42.63 | 54.00 | -11.37 | 13.44 | 3 | Vertical | 246 | 1.93 | - | 29.19 | 39.90 | 8.31 | 34.77 |
| PK | 11.43526G | 54.82 | 74.00 | -19.18 | 13.43 | 3 | Vertical | 246 | 1.93 | - | 41.39 | 39.90 | 8.30 | 34.77 |


802.11a_Nss1,(6Mbps)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44156G | 42.39 | 54.00 | -11.61 | 13.43 | 3 | Horizontal | 87 | 1.50 | - | 28.96 | 39.90 | 8.30 | 34.77 |
| PK | 11.43772G | 55.62 | 74.00 | -18.38 | 13.43 | 3 | Horizontal | 87 | 1.50 | - | 42.19 | 39.90 | 8.30 | 34.77 |

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.751G | 97.71 | Inf | -Inf | 2.86 | 3 | Vertical | 0 | 2.00 | - | 94.85 | 32.00 | 5.80 | 34.94 |
| PK | 5.5626G | 54.23 | 68.20 | -13.97 | 2.60 | 3 | Vertical | 0 | 2.00 | - | 51.63 | 31.70 | 5.78 | 34.88 |
| PK | 5.7522G | 105.75 | Inf | -Inf | 2.86 | 3 | Vertical | 0 | 2.00 | - | 102.89 | 32.00 | 5.80 | 34.94 |
| PK | 6.0078G | 54.88 | 68.20 | -13.32 | 3.29 | 3 | Vertical | 0 | 2.00 | - | 51.59 | 32.40 | 5.90 | 35.01 |

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7486G | 93.36 | Inf | -Inf | 2.86 | 3 | Horizontal | 80 | 1.83 | - | 90.50 | 31.99 | 5.80 | 34.93 |
| PK | 5.5446G | 55.39 | 68.20 | -12.81 | 2.60 | 3 | Horizontal | 80 | 1.83 | - | 52.79 | 31.70 | 5.77 | 34.87 |
| PK | 5.7498G | 101.76 | Inf | -Inf | 2.87 | 3 | Horizontal | 80 | 1.83 | - | 98.89 | 32.00 | 5.80 | 34.93 |
| PK | 5.949G | 54.95 | 68.20 | -13.25 | 3.28 | 3 | Horizontal | 80 | 1.83 | - | 51.67 | 32.40 | 5.87 | 34.99 |

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.492G | 43.00 | 54.00 | -11.00 | 13.48 | 3 | Vertical | 168 | 2.95 | - | 29.52 | 39.90 | 8.32 | 34.74 |
| PK | 11.48896G | 55.16 | 74.00 | -18.84 | 13.47 | 3 | Vertical | 168 | 2.95 | - | 41.69 | 39.90 | 8.32 | 34.75 |

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.4851G | 42.56 | 54.00 | -11.44 | 13.47 | 3 | Horizontal | 278 | 2.38 | - | 29.09 | 39.90 | 8.32 | 34.75 |
| PK | 11.49174G | 54.61 | 74.00 | -19.39 | 13.48 | 3 | Horizontal | 278 | 2.38 | - | 41.13 | 39.90 | 8.32 | 34.74 |

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.791G | 96.55 | Inf | -Inf | 2.93 | 3 | Vertical | 0 | 1.90 | - | 93.62 | 32.08 | 5.80 | 34.95 |
| PK | 5.5282G | 54.89 | 68.20 | -13.31 | 2.59 | 3 | Vertical | 0 | 1.90 | - | 52.30 | 31.70 | 5.76 | 34.87 |
| PK | 5.7922G | 104.68 | Inf | -Inf | 2.93 | 3 | Vertical | 0 | 1.90 | - | 101.75 | 32.08 | 5.80 | 34.95 |
| PK | 5.9878G | 55.17 | 68.20 | -13.03 | 3.28 | 3 | Vertical | 0 | 1.90 | - | 51.89 | 32.40 | 5.89 | 35.01 |

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.791G | 93.49 | Inf | -Inf | 2.93 | 3 | Horizontal | 11 | 1.78 | - | 90.56 | 32.08 | 5.80 | 34.95 |
| PK | 5.5966G | 55.11 | 68.20 | -13.09 | 2.61 | 3 | Horizontal | 11 | 1.78 | - | 52.50 | 31.70 | 5.80 | 34.89 |
| PK | 5.7898G | 101.93 | Inf | -Inf | 2.93 | 3 | Horizontal | 11 | 1.78 | - | 99.00 | 32.08 | 5.80 | 34.95 |
| PK | 5.9626G | 55.36 | 68.20 | -12.84 | 3.28 | 3 | Horizontal | 11 | 1.78 | - | 52.08 | 32.40 | 5.88 | 35.00 |

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57366G | 42.57 | 54.00 | -11.43 | 13.49 | 3 | Vertical | 163 | 1.50 | - | 29.08 | 39.90 | 8.35 | 34.76 |
| PK | 11.5682G | 54.20 | 74.00 | -19.80 | 13.49 | 3 | Vertical | 163 | 1.50 | - | 40.71 | 39.90 | 8.35 | 34.76 |

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.56778G | 42.61 | 54.00 | -11.39 | 13.49 | 3 | Horizontal | 34 | 1.50 | - | 29.12 | 39.90 | 8.35 | 34.76 |
| PK | 11.5742G | 55.00 | 74.00 | -19.00 | 13.49 | 3 | Horizontal | 34 | 1.50 | - | 41.51 | 39.90 | 8.35 | 34.76 |

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8298G | 97.31 | Inf | -Inf | 3.01 | 3 | Vertical | 0 | 2.07 | - | 94.30 | 32.16 | 5.81 | 34.96 |
| PK | 5.6258G | 54.30 | 68.20 | -13.90 | 2.60 | 3 | Vertical | 0 | 2.07 | - | 51.70 | 31.70 | 5.80 | 34.90 |
| PK | 5.8202G | 105.41 | Inf | -Inf | 2.99 | 3 | Vertical | 0 | 2.07 | - | 102.42 | 32.14 | 5.81 | 34.96 |
| PK | 5.9402G | 54.98 | 68.20 | -13.22 | 3.26 | 3 | Vertical | 0 | 2.07 | - | 51.72 | 32.38 | 5.87 | 34.99 |

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8298G | 93.22 | Inf | -Inf | 3.01 | 3 | Horizontal | 9 | 1.16 | - | 90.21 | 32.16 | 5.81 | 34.96 |
| PK | 5.6078G | 54.96 | 68.20 | -13.24 | 2.61 | 3 | Horizontal | 9 | 1.16 | - | 52.35 | 31.70 | 5.80 | 34.89 |
| PK | 5.819G | 101.79 | Inf | -Inf | 2.99 | 3 | Horizontal | 9 | 1.16 | - | 98.80 | 32.14 | 5.81 | 34.96 |
| PK | 5.987G | 56.42 | 68.20 | -11.78 | 3.28 | 3 | Horizontal | 9 | 1.16 | - | 53.14 | 32.40 | 5.89 | 35.01 |

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.64544G | 43.07 | 54.00 | -10.93 | 13.24 | 3 | Vertical | 282 | 1.50 | - | 29.83 | 39.63 | 8.38 | 34.77 |
| PK | 11.64748G | 54.14 | 74.00 | -19.86 | 13.22 | 3 | Vertical | 282 | 1.50 | - | 40.92 | 39.62 | 8.38 | 34.78 |

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.65128G | 42.48 | 54.00 | -11.52 | 13.19 | 3 | Horizontal | 295 | 1.49 | - | 29.29 | 39.59 | 8.38 | 34.78 |
| PK | 11.64526G | 55.13 | 74.00 | -18.87 | 13.24 | 3 | Horizontal | 295 | 1.49 | - | 41.89 | 39.63 | 8.38 | 34.77 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.80 | 54.00 | -0.20 | 2.45 | 3 | Vertical | 32 | 2.30 | - | 51.35 | 31.90 | 5.47 | 34.92 |
| AV | 5.172G | 100.03 | Inf | -Inf | 2.39 | 3 | Vertical | 32 | 2.30 | - | 97.64 | 31.81 | 5.49 | 34.91 |
| PK | 5.1492G | 71.17 | 74.00 | -2.83 | 2.45 | 3 | Vertical | 32 | 2.30 | - | 68.72 | 31.90 | 5.47 | 34.92 |
| PK | 5.1776G | 111.55 | Inf | -Inf | 2.37 | 3 | Vertical | 32 | 2.30 | - | 109.18 | 31.79 | 5.49 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 48.80 | 54.00 | -5.20 | 2.45 | 3 | Horizontal | 160 | 2.35 | - | 46.35 | 31.90 | 5.47 | 34.92 |
| AV | 5.1818G | 94.76 | Inf | -Inf | 2.35 | 3 | Horizontal | 160 | 2.35 | - | 92.41 | 31.77 | 5.49 | 34.91 |
| PK | 5.1486G | 65.13 | 74.00 | -8.87 | 2.45 | 3 | Horizontal | 160 | 2.35 | - | 62.68 | 31.90 | 5.47 | 34.92 |
| PK | 5.1884G | 106.61 | Inf | -Inf | 2.33 | 3 | Horizontal | 160 | 2.35 | - | 104.28 | 31.75 | 5.49 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.3628G | 53.97 | 68.20 | -14.23 | 12.29 | 3 | Vertical | 178 | 1.50 | - | 41.68 | 39.59 | 7.93 | 35.23 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.35872G | 55.30 | 68.20 | -12.90 | 12.27 | 3 | Horizontal | 36 | 1.50 | - | 43.03 | 39.58 | 7.93 | 35.24 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 48.26 | 54.00 | -5.74 | 2.45 | 3 | Vertical | 33 | 2.26 | - | 45.81 | 31.90 | 5.47 | 34.92 |
| AV | 5.1936G | 100.95 | Inf | -Inf | 2.32 | 3 | Vertical | 33 | 2.26 | - | 98.63 | 31.73 | 5.50 | 34.91 |
| PK | 5.1484G | 63.48 | 74.00 | -10.52 | 2.45 | 3 | Vertical | 33 | 2.26 | - | 61.03 | 31.90 | 5.47 | 34.92 |
| PK | 5.1916G | 113.92 | Inf | -Inf | 2.32 | 3 | Vertical | 33 | 2.26 | - | 111.60 | 31.73 | 5.50 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 45.40 | 54.00 | -8.60 | 2.45 | 3 | Horizontal | 156 | 1.04 | - | 42.95 | 31.90 | 5.47 | 34.92 |
| AV | 5.206G | 97.19 | Inf | -Inf | 2.28 | 3 | Horizontal | 156 | 1.04 | - | 94.91 | 31.68 | 5.51 | 34.91 |
| PK | 5.1496G | 59.55 | 74.00 | -14.45 | 2.45 | 3 | Horizontal | 156 | 1.04 | - | 57.10 | 31.90 | 5.47 | 34.92 |
| PK | 5.1976G | 109.18 | Inf | -Inf | 2.30 | 3 | Horizontal | 156 | 1.04 | - | 106.88 | 31.71 | 5.50 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.3981G | 54.37 | 68.20 | -13.83 | 12.44 | 3 | Vertical | 293 | 1.50 | - | 41.93 | 39.69 | 7.94 | 35.19 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.40256G | 54.88 | 68.20 | -13.32 | 12.46 | 3 | Horizontal | 353 | 2.05 | - | 42.42 | 39.71 | 7.94 | 35.19 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.12G | 44.89 | 54.00 | -9.11 | 2.44 | 3 | Vertical | 219 | 2.87 | - | 42.45 | 31.90 | 5.46 | 34.92 |
| AV | 5.2334G | 102.98 | Inf | -Inf | 2.20 | 3 | Vertical | 219 | 2.87 | - | 100.78 | 31.57 | 5.53 | 34.90 |
| AV | 5.36G | 46.41 | 54.00 | -7.59 | 2.02 | 3 | Vertical | 219 | 2.87 | - | 44.39 | 31.24 | 5.66 | 34.88 |
| PK | 5.1326G | 55.99 | 74.00 | -18.01 | 2.45 | 3 | Vertical | 219 | 2.87 | - | 53.54 | 31.90 | 5.47 | 34.92 |
| PK | 5.2328G | 114.79 | Inf | -Inf | 2.20 | 3 | Vertical | 219 | 2.87 | - | 112.59 | 31.57 | 5.53 | 34.90 |
| PK | 5.36G | 55.59 | 74.00 | -18.41 | 2.02 | 3 | Vertical | 219 | 2.87 | - | 53.57 | 31.24 | 5.66 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.12G | 43.00 | 54.00 | -11.00 | 2.44 | 3 | Horizontal | 158 | 1.00 | - | 40.56 | 31.90 | 5.46 | 34.92 |
| AV | 5.2328G | 95.62 | Inf | -Inf | 2.20 | 3 | Horizontal | 158 | 1.00 | - | 93.42 | 31.57 | 5.53 | 34.90 |
| AV | 5.36G | 42.12 | 54.00 | -11.88 | 2.02 | 3 | Horizontal | 158 | 1.00 | - | 40.10 | 31.24 | 5.66 | 34.88 |
| PK | 5.1296G | 55.48 | 74.00 | -18.52 | 2.44 | 3 | Horizontal | 158 | 1.00 | - | 53.04 | 31.90 | 5.46 | 34.92 |
| PK | 5.2346G | 107.14 | Inf | -Inf | 2.19 | 3 | Horizontal | 158 | 1.00 | - | 104.95 | 31.56 | 5.53 | 34.90 |
| PK | 5.3636G | 53.89 | 74.00 | -20.11 | 2.03 | 3 | Horizontal | 158 | 1.00 | - | 51.86 | 31.25 | 5.66 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.47948G | 54.02 | 68.20 | -14.18 | 12.82 | 3 | Vertical | 360 | 1.48 | - | 41.20 | 39.94 | 7.97 | 35.09 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.481566 | 54.48 | 68.20 | -13.72 | 12.82 | 3 | Horizontal | 327 | 2.38 | - | 41.66 | 39.94 | 7.97 | 35.09 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1196G | 43.29 | 54.00 | -10.71 | 2.44 | 3 | Vertical | 39 | 2.32 | - | 40.85 | 31.90 | 5.46 | 34.92 |
| AV | 5.2678G | 100.12 | Inf | -Inf | 2.13 | 3 | Vertical | 39 | 2.32 | - | 97.99 | 31.46 | 5.57 | 34.90 |
| AV | 5.41G | 41.79 | 54.00 | -12.21 | 2.28 | 3 | Vertical | 39 | 2.32 | - | 39.51 | 31.44 | 5.71 | 34.87 |
| PK | 5.1136G | 55.38 | 74.00 | -18.62 | 2.44 | 3 | Vertical | 39 | 2.32 | - | 52.94 | 31.90 | 5.46 | 34.92 |
| PK | 5.2648G | 110.63 | Inf | -Inf | 2.13 | 3 | Vertical | 39 | 2.32 | - | 108.50 | 31.47 | 5.56 | 34.90 |
| PK | 5.3566G | 54.22 | 74.00 | -19.78 | 2.01 | 3 | Vertical | 39 | 2.32 | - | 52.21 | 31.23 | 5.66 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1178G | 42.68 | 54.00 | -11.32 | 2.44 | 3 | Horizontal | 157 | 1.05 | - | 40.24 | 31.90 | 5.46 | 34.92 |
| AV | 5.2534G | 95.92 | Inf | -Inf | 2.14 | 3 | Horizontal | 157 | 1.05 | - | 93.78 | 31.49 | 5.55 | 34.90 |
| AV | 5.4076G | 41.38 | 54.00 | -12.62 | 2.26 | 3 | Horizontal | 157 | 1.05 | - | 39.12 | 31.43 | 5.70 | 34.87 |
| PK | 5.1172G | 55.30 | 74.00 | -18.70 | 2.44 | 3 | Horizontal | 157 | 1.05 | - | 52.86 | 31.90 | 5.46 | 34.92 |
| PK | 5.2528G | 107.22 | Inf | -Inf | 2.14 | 3 | Horizontal | 157 | 1.05 | - | 105.08 | 31.49 | 5.55 | 34.90 |
| PK | 5.3758G | 54.47 | 74.00 | -19.53 | 2.10 | 3 | Horizontal | 157 | 1.05 | - | 52.37 | 31.30 | 5.68 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.51016G | 54.24 | 68.20 | -13.96 | 12.90 | 3 | Vertical | 11 | 2.70 | - | 41.34 | 39.99 | 7.98 | 35.07 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.51256G | 53.87 | 68.20 | -14.33 | 12.90 | 3 | Horizontal | 76 | 1.50 | - | 40.97 | 39.99 | 7.98 | 35.07 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2932G | 103.83 | Inf | -Inf | 2.11 | 3 | Vertical | 216 | 2.56 | - | 101.72 | 31.41 | 5.59 | 34.89 |
| AV | 5.35G | 49.50 | 54.00 | -4.50 | 1.97 | 3 | Vertical | 216 | 2.56 | - | 47.53 | 31.20 | 5.65 | 34.88 |
| PK | 5.2916G | 115.43 | Inf | -Inf | 2.12 | 3 | Vertical | 216 | 2.56 | - | 113.31 | 31.42 | 5.59 | 34.89 |
| PK | 5.3504G | 65.60 | 74.00 | -8.40 | 1.97 | 3 | Vertical | 216 | 2.56 | - | 63.63 | 31.20 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.292G | 94.41 | Inf | -Inf | 2.12 | 3 | Horizontal | 157 | 1.50 | - | 92.29 | 31.42 | 5.59 | 34.89 |
| AV | 5.3504G | 43.03 | 54.00 | -10.97 | 1.97 | 3 | Horizontal | 157 | 1.50 | - | 41.06 | 31.20 | 5.65 | 34.88 |
| PK | 5.292G | 106.15 | Inf | -Inf | 2.12 | 3 | Horizontal | 157 | 1.50 | - | 104.03 | 31.42 | 5.59 | 34.89 |
| PK | 5.3528G | 57.11 | 74.00 | -16.89 | 1.98 | 3 | Horizontal | 157 | 1.50 | - | 55.13 | 31.21 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.60002G | 41.35 | 54.00 | -12.65 | 12.85 | 3 | Vertical | 154 | 1.45 | - | 28.50 | 39.90 | 8.01 | 35.06 |
| PK | 10.60101G | 54.10 | 74.00 | -19.90 | 12.85 | 3 | Vertical | 154 | 1.45 | - | 41.25 | 39.90 | 8.01 | 35.06 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.60588G | 40.93 | 54.00 | -13.07 | 12.86 | 3 | Horizontal | 199 | 1.50 | - | 28.07 | 39.91 | 8.01 | 35.06 |
| PK | 10.60042G | 54.50 | 74.00 | -19.50 | 12.85 | 3 | Horizontal | 199 | 1.50 | - | 41.65 | 39.90 | 8.01 | 35.06 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3278G | 100.80 | Inf | -Inf | 2.03 | 3 | Vertical | 225 | 2.56 | - | 98.77 | 31.29 | 5.63 | 34.89 |
| AV | 5.35G | 53.42 | 54.00 | -0.58 | 1.97 | 3 | Vertical | 225 | 2.56 | - | 51.45 | 31.20 | 5.65 | 34.88 |
| PK | 5.3272G | 112.87 | Inf | -Inf | 2.03 | 3 | Vertical | 225 | 2.56 | - | 110.84 | 31.29 | 5.63 | 34.89 |
| PK | 5.3518G | 68.35 | 74.00 | -5.65 | 1.98 | 3 | Vertical | 225 | 2.56 | - | 66.37 | 31.21 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.328G | 93.50 | Inf | -Inf | 2.03 | 3 | Horizontal | 157 | 1.00 | - | 91.47 | 31.29 | 5.63 | 34.89 |
| AV | 5.35G | 46.58 | 54.00 | -7.42 | 1.97 | 3 | Horizontal | 157 | 1.00 | - | 44.61 | 31.20 | 5.65 | 34.88 |
| PK | 5.326G | 105.37 | Inf | -Inf | 2.04 | 3 | Horizontal | 157 | 1.00 | - | 103.33 | 31.30 | 5.63 | 34.89 |
| PK | 5.3538G | 60.98 | 74.00 | -13.02 | 1.99 | 3 | Horizontal | 157 | 1.00 | - | 58.99 | 31.22 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.6369G | 40.69 | 54.00 | -13.31 | 12.91 | 3 | Vertical | 68 | 1.50 | - | 27.78 | 39.94 | 8.02 | 35.05 |
| PK | 10.63746G | 54.65 | 74.00 | -19.35 | 12.91 | 3 | Vertical | 68 | 1.50 | - | 41.74 | 39.94 | 8.02 | 35.05 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.63548G | 40.77 | 54.00 | -13.23 | 12.91 | 3 | Horizontal | 199 | 1.50 | - | 27.86 | 39.94 | 8.02 | 35.05 |
| PK | 10.64312G | 54.50 | 74.00 | -19.50 | 12.92 | 3 | Horizontal | 199 | 1.50 | - | 41.58 | 39.94 | 8.03 | 35.05 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 45.50 | 54.00 | -8.50 | 2.48 | 3 | Vertical | 0 | 1.28 | - | 43.02 | 31.62 | 5.73 | 34.87 |
| AV | 5.5074G | 96.29 | Inf | -Inf | 2.59 | 3 | Vertical | 0 | 1.28 | - | 93.70 | 31.70 | 5.75 | 34.86 |
| PK | 5.47G | 67.25 | 68.20 | -0.95 | 2.52 | 3 | Vertical | 0 | 1.28 | - | 64.73 | 31.64 | 5.74 | 34.86 |
| PK | 5.5066G | 109.06 | Inf | -Inf | 2.59 | 3 | Vertical | 0 | 1.28 | - | 106.47 | 31.70 | 5.75 | 34.86 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 45.68 | 54.00 | -8.32 | 2.48 | 3 | Horizontal | 159 | 2.20 | - | 43.20 | 31.62 | 5.73 | 34.87 |
| AV | 5.4928G | 95.71 | Inf | -Inf | 2.58 | 3 | Horizontal | 159 | 2.20 | - | 93.13 | 31.69 | 5.75 | 34.86 |
| PK | 5.47G | 66.38 | 68.20 | -1.82 | 2.52 | 3 | Horizontal | 159 | 2.20 | - | 63.86 | 31.64 | 5.74 | 34.86 |
| PK | 5.507G | 107.60 | Inf | -Inf | 2.59 | 3 | Horizontal | 159 | 2.20 | - | 105.01 | 31.70 | 5.75 | 34.86 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.00118G | 41.53 | 54.00 | -12.47 | 13.35 | 3 | Vertical | 283 | 1.05 | - | 28.18 | 40.20 | 8.15 | 35.00 |
| PK | 10.99844G | 55.07 | 74.00 | -18.93 | 13.35 | 3 | Vertical | 283 | 1.05 | - | 41.72 | 40.20 | 8.15 | 35.00 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.00426G | 41.54 | 54.00 | -12.46 | 13.34 | 3 | Horizontal | 215 | 1.50 | - | 28.20 | 40.19 | 8.15 | 35.00 |
| PK | 10.99852G | 54.32 | 74.00 | -19.68 | 13.35 | 3 | Horizontal | 215 | 1.50 | - | 40.97 | 40.20 | 8.15 | 35.00 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4576G | 41.83 | 54.00 | -12.17 | 2.48 | 3 | Vertical | 93 | 1.00 | - | 39.35 | 31.62 | 5.73 | 34.87 |
| AV | 5.5866G | 97.60 | Inf | -Inf | 2.60 | 3 | Vertical | 93 | 1.00 | - | 95.00 | 31.70 | 5.79 | 34.89 |
| PK | 5.469G | 53.79 | 68.20 | -14.41 | 2.51 | 3 | Vertical | 93 | 1.00 | - | 51.28 | 31.64 | 5.73 | 34.86 |
| PK | 5.5848G | 109.70 | Inf | -Inf | 2.60 | 3 | Vertical | 93 | 1.00 | - | 107.10 | 31.70 | 5.79 | 34.89 |
| PK | 5.73G | 54.53 | 68.20 | -13.67 | 2.79 | 3 | Vertical | 93 | 1.00 | - | 51.74 | 31.92 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4462G | 41.52 | 54.00 | -12.48 | 2.43 | 3 | Horizontal | 9 | 1.50 | - | 39.09 | 31.58 | 5.72 | 34.87 |
| AV | 5.5878G | 95.14 | Inf | -Inf | 2.60 | 3 | Horizontal | 9 | 1.50 | - | 92.54 | 31.70 | 5.79 | 34.89 |
| PK | 5.4612G | 54.22 | 68.20 | -13.98 | 2.48 | 3 | Horizontal | 9 | 1.50 | - | 51.74 | 31.62 | 5.73 | 34.87 |
| PK | 5.5818G | 107.22 | Inf | -Inf | 2.61 | 3 | Horizontal | 9 | 1.50 | - | 104.61 | 31.70 | 5.79 | 34.88 |
| PK | 5.7288G | 54.23 | 68.20 | -13.97 | 2.79 | 3 | Horizontal | 9 | 1.50 | - | 51.44 | 31.92 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.15728G | 41.01 | 54.00 | -12.99 | 13.06 | 3 | Vertical | 279 | 1.31 | - | 27.95 | 39.77 | 8.21 | 34.92 |
| PK | 11.15544G | 54.47 | 74.00 | -19.53 | 13.06 | 3 | Vertical | 279 | 1.31 | - | 41.41 | 39.78 | 8.20 | 34.92 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.15778G | 41.08 | 54.00 | -12.92 | 13.06 | 3 | Horizontal | 78 | 2.92 | - | 28.02 | 39.77 | 8.21 | 34.92 |
| PK | 11.16374G | 53.84 | 74.00 | -20.16 | 13.05 | 3 | Horizontal | 78 | 2.92 | - | 40.79 | 39.75 | 8.21 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.708G | 94.52 | Inf | -Inf | 2.71 | 3 | Vertical | 4 | 1.87 | - | 91.81 | 31.83 | 5.80 | 34.92 |
| PK | 5.6944G | 107.26 | Inf | -Inf | 2.67 | 3 | Vertical | 4 | 1.87 | - | 104.59 | 31.79 | 5.80 | 34.92 |
| PK | 5.7252G | 67.91 | 68.20 | -0.29 | 2.77 | 3 | Vertical | 4 | 1.87 | - | 65.14 | 31.90 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6912G | 88.64 | Inf | -Inf | 2.66 | 3 | Horizontal | 185 | 1.43 | - | 85.98 | 31.78 | 5.80 | 34.92 |
| PK | 5.6924G | 100.97 | Inf | -Inf | 2.66 | 3 | Horizontal | 185 | 1.43 | - | 98.31 | 31.78 | 5.80 | 34.92 |
| PK | 5.7252G | 65.04 | 68.20 | -3.16 | 2.77 | 3 | Horizontal | 185 | 1.43 | - | 62.27 | 31.90 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.40102G | 40.74 | 54.00 | -13.26 | 13.40 | 3 | Vertical | 0 | 2.88 | - | 27.34 | 39.90 | 8.29 | 34.79 |
| PK | 11.3988G | 53.96 | 74.00 | -20.04 | 13.40 | 3 | Vertical | 0 | 2.88 | - | 40.56 | 39.90 | 8.29 | 34.79 |


802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.40464G | 40.73 | 54.00 | -13.27 | 13.40 | 3 | Horizontal | 207 | 1.09 | - | 27.33 | 39.90 | 8.29 | 34.79 |
| PK | 11.40422G | 54.01 | 74.00 | -19.99 | 13.40 | 3 | Horizontal | 207 | 1.09 | - | 40.61 | 39.90 | 8.29 | 34.79 |

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4584G | 41.42 | 54.00 | -12.58 | 2.48 | 3 | Vertical | 3 | 1.50 | - | 38.94 | 31.62 | 5.73 | 34.87 |
| AV | 5.7272G | 98.14 | Inf | -Inf | 2.78 | 3 | Vertical | 3 | 1.50 | - | 95.36 | 31.91 | 5.80 | 34.93 |
| PK | 5.4644G | 53.40 | 68.20 | -14.80 | 2.49 | 3 | Vertical | 3 | 1.50 | - | 50.91 | 31.63 | 5.73 | 34.87 |
| PK | 5.7164G | 110.85 | Inf | -Inf | 2.75 | 3 | Vertical | 3 | 1.50 | - | 108.10 | 31.87 | 5.80 | 34.92 |
| PK | 5.8592G | 56.18 | 68.20 | -12.02 | 3.08 | 3 | Vertical | 3 | 1.50 | - | 53.10 | 32.22 | 5.83 | 34.97 |

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4524G | 41.30 | 54.00 | -12.70 | 2.46 | 3 | Horizontal | 185 | 1.50 | - | 38.84 | 31.60 | 5.73 | 34.87 |
| AV | 5.7128G | 92.80 | Inf | -Inf | 2.73 | 3 | Horizontal | 185 | 1.50 | - | 90.07 | 31.85 | 5.80 | 34.92 |
| PK | 5.4608G | 54.69 | 68.20 | -13.51 | 2.48 | 3 | Horizontal | 185 | 1.50 | - | 52.21 | 31.62 | 5.73 | 34.87 |
| PK | 5.7176G | 105.69 | Inf | -Inf | 2.74 | 3 | Horizontal | 185 | 1.50 | - | 102.95 | 31.87 | 5.80 | 34.93 |
| PK | 5.852G | 55.56 | 68.20 | -12.64 | 3.06 | 3 | Horizontal | 185 | 1.50 | - | 52.50 | 32.20 | 5.83 | 34.97 |

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.43622G | 40.88 | 54.00 | -13.12 | 13.43 | 3 | Vertical | 26 | 1.50 | - | 27.45 | 39.90 | 8.30 | 34.77 |
| PK | 11.43934G | 54.75 | 74.00 | -19.25 | 13.43 | 3 | Vertical | 26 | 1.50 | - | 41.32 | 39.90 | 8.30 | 34.77 |


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.43504G | 40.97 | 54.00 | -13.03 | 13.43 | 3 | Horizontal | 253 | 1.50 | - | 27.54 | 39.90 | 8.30 | 34.77 |
| PK | 11.44024G | 53.77 | 74.00 | -20.23 | 13.43 | 3 | Horizontal | 253 | 1.50 | - | 40.34 | 39.90 | 8.30 | 34.77 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.751G | 98.48 | Inf | -Inf | 2.86 | 3 | Vertical | 360 | 1.53 | - | 95.62 | 32.00 | 5.80 | 34.94 |
| PK | 5.649G | 55.76 | 68.20 | -12.44 | 2.60 | 3 | Vertical | 360 | 1.53 | - | 53.16 | 31.70 | 5.80 | 34.90 |
| PK | 5.7534G | 110.41 | Inf | -Inf | 2.87 | 3 | Vertical | 360 | 1.53 | - | 107.54 | 32.01 | 5.80 | 34.94 |
| PK | 5.9478G | 55.59 | 68.20 | -12.61 | 3.28 | 3 | Vertical | 360 | 1.53 | - | 52.31 | 32.40 | 5.87 | 34.99 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7522G | 94.62 | Inf | -Inf | 2.86 | 3 | Horizontal | 82 | 1.82 | - | 91.76 | 32.00 | 5.80 | 34.94 |
| PK | 5.6406G | 55.19 | 68.20 | -13.01 | 2.60 | 3 | Horizontal | 82 | 1.82 | - | 52.59 | 31.70 | 5.80 | 34.90 |
| PK | 5.7534G | 106.79 | Inf | -Inf | 2.87 | 3 | Horizontal | 82 | 1.82 | - | 103.92 | 32.01 | 5.80 | 34.94 |
| PK | 6.0222G | 54.97 | 68.20 | -13.23 | 3.30 | 3 | Horizontal | 82 | 1.82 | - | 51.67 | 32.40 | 5.91 | 35.01 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.49332G | 40.86 | 54.00 | -13.14 | 13.48 | 3 | Vertical | 226 | 1.50 | - | 27.38 | 39.90 | 8.32 | 34.74 |
| PK | 11.4852G | 54.04 | 74.00 | -19.96 | 13.47 | 3 | Vertical | 226 | 1.50 | - | 40.57 | 39.90 | 8.32 | 34.75 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.49286G | 40.86 | 54.00 | -13.14 | 13.48 | 3 | Horizontal | 182 | 1.50 | - | 27.38 | 39.90 | 8.32 | 34.74 |
| PK | 11.48942G | 54.29 | 74.00 | -19.71 | 13.47 | 3 | Horizontal | 182 | 1.50 | - | 40.82 | 39.90 | 8.32 | 34.75 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7934G | 99.23 | Inf | -Inf | 2.94 | 3 | Vertical | 358 | 1.80 | - | 96.29 | 32.09 | 5.80 | 34.95 |
| PK | 5.5918G | 55.60 | 68.20 | -12.60 | 2.61 | 3 | Vertical | 358 | 1.80 | - | 52.99 | 31.70 | 5.80 | 34.89 |
| PK | 5.7922G | 111.13 | Inf | -Inf | 2.93 | 3 | Vertical | 358 | 1.80 | - | 108.20 | 32.08 | 5.80 | 34.95 |
| PK | 5.9266G | 55.76 | 68.20 | -12.44 | 3.22 | 3 | Vertical | 358 | 1.80 | - | 52.54 | 32.35 | 5.86 | 34.99 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7922G | 94.85 | Inf | -Inf | 2.93 | 3 | Horizontal | 83 | 1.86 | - | 91.92 | 32.08 | 5.80 | 34.95 |
| PK | 5.6086G | 56.16 | 68.20 | -12.04 | 2.61 | 3 | Horizontal | 83 | 1.86 | - | 53.55 | 31.70 | 5.80 | 34.89 |
| PK | 5.791G | 106.79 | Inf | -Inf | 2.93 | 3 | Horizontal | 83 | 1.86 | - | 103.86 | 32.08 | 5.80 | 34.95 |
| PK | 6.0598G | 55.93 | 68.20 | -12.27 | 3.35 | 3 | Horizontal | 83 | 1.86 | - | 52.58 | 32.42 | 5.93 | 35.00 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57308G | 40.84 | 54.00 | -13.16 | 13.49 | 3 | Vertical | 299 | 1.50 | - | 27.35 | 39.90 | 8.35 | 34.76 |
| PK | 11.56524G | 54.32 | 74.00 | -19.68 | 13.49 | 3 | Vertical | 299 | 1.50 | - | 40.83 | 39.90 | 8.35 | 34.76 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57237G | 41.03 | 54.00 | -12.97 | 13.49 | 3 | Horizontal | 129 | 1.50 | - | 27.54 | 39.90 | 8.35 | 34.76 |
| PK | 11.5719G | 54.39 | 74.00 | -19.61 | 13.49 | 3 | Horizontal | 129 | 1.50 | - | 40.90 | 39.90 | 8.35 | 34.76 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8262G | 99.22 | Inf | -Inf | 3.00 | 3 | Vertical | 359 | 1.36 | - | 96.22 | 32.15 | 5.81 | 34.96 |
| PK | 5.6342G | 54.96 | 68.20 | -13.24 | 2.60 | 3 | Vertical | 359 | 1.36 | - | 52.36 | 31.70 | 5.80 | 34.90 |
| PK | 5.8226G | 111.48 | Inf | -Inf | 3.00 | 3 | Vertical | 359 | 1.36 | - | 108.48 | 32.15 | 5.81 | 34.96 |
| PK | 5.927G | 55.71 | 68.20 | -12.49 | 3.22 | 3 | Vertical | 359 | 1.36 | - | 52.49 | 32.35 | 5.86 | 34.99 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8322G | 92.19 | Inf | -Inf | 3.02 | 3 | Horizontal | 187 | 1.50 | - | 89.17 | 32.16 | 5.82 | 34.96 |
| PK | 5.5322G | 55.05 | 68.20 | -13.15 | 2.60 | 3 | Horizontal | 187 | 1.50 | - | 52.45 | 31.70 | 5.77 | 34.87 |
| PK | 5.8226G | 104.98 | Inf | -Inf | 3.00 | 3 | Horizontal | 187 | 1.50 | - | 101.98 | 32.15 | 5.81 | 34.96 |
| PK | 5.9894G | 54.90 | 68.20 | -13.30 | 3.28 | 3 | Horizontal | 187 | 1.50 | - | 51.62 | 32.40 | 5.89 | 35.01 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.65193G | 40.94 | 54.00 | -13.06 | 13.19 | 3 | Vertical | 190 | 1.50 | - | 27.75 | 39.59 | 8.38 | 34.78 |
| PK | 11.64937G | 54.10 | 74.00 | -19.90 | 13.20 | 3 | Vertical | 190 | 1.50 | - | 40.90 | 39.60 | 8.38 | 34.78 |

802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.65129G | 41.01 | 54.00 | -12.99 | 13.19 | 3 | Horizontal | 72 | 2.69 | - | 27.82 | 39.59 | 8.38 | 34.78 |
| PK | 11.65109G | 53.98 | 74.00 | -20.02 | 13.19 | 3 | Horizontal | 72 | 2.69 | - | 40.79 | 39.59 | 8.38 | 34.78 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.88 | 54.00 | -0.12 | 2.45 | 3 | Vertical | 39 | 2.47 | - | 51.43 | 31.90 | 5.47 | 34.92 |
| AV | 5.1736G | 95.49 | Inf | -Inf | 2.39 | 3 | Vertical | 39 | 2.47 | - | 93.10 | 31.81 | 5.49 | 34.91 |
| PK | 5.1496G | 72.85 | 74.00 | -1.15 | 2.45 | 3 | Vertical | 39 | 2.47 | - | 70.40 | 31.90 | 5.47 | 34.92 |
| PK | 5.1724G | 107.77 | Inf | -Inf | 2.39 | 3 | Vertical | 39 | 2.47 | - | 105.38 | 31.81 | 5.49 | 34.91 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 47.83 | 54.00 | -6.17 | 2.45 | 3 | Horizontal | 184 | 1.96 | - | 45.38 | 31.90 | 5.47 | 34.92 |
| AV | 5.2068G | 89.24 | Inf | -Inf | 2.27 | 3 | Horizontal | 184 | 1.96 | - | 86.97 | 31.67 | 5.51 | 34.91 |
| PK | 5.1496G | 65.75 | 74.00 | -8.25 | 2.45 | 3 | Horizontal | 184 | 1.96 | - | 63.30 | 31.90 | 5.47 | 34.92 |
| PK | 5.2024G | 100.86 | Inf | -Inf | 2.28 | 3 | Horizontal | 184 | 1.96 | - | 98.58 | 31.69 | 5.50 | 34.91 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.38199G | 53.93 | 68.20 | -14.27 | 12.37 | 3 | Vertical | 191.1 | 1.78 | - | 41.56 | 39.65 | 7.93 | 35.21 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.38G | 54.32 | 68.20 | -13.88 | 12.36 | 3 | Horizontal | 138 | 2.50 | - | 41.96 | 39.64 | 7.93 | 35.21 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1492G | 53.60 | 54.00 | -0.40 | 2.45 | 3 | Vertical | 42 | 2.39 | - | 51.15 | 31.90 | 5.47 | 34.92 |
| AV | 5.2136G | 99.49 | Inf | -Inf | 2.25 | 3 | Vertical | 42 | 2.39 | - | 97.24 | 31.65 | 5.51 | 34.91 |
| PK | 5.1496G | 70.54 | 74.00 | -3.46 | 2.45 | 3 | Vertical | 42 | 2.39 | - | 68.09 | 31.90 | 5.47 | 34.92 |
| PK | 5.2228G | 111.62 | Inf | -Inf | 2.23 | 3 | Vertical | 42 | 2.39 | - | 109.39 | 31.61 | 5.52 | 34.90 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1492G | 47.86 | 54.00 | -6.14 | 2.45 | 3 | Horizontal | 185 | 1.96 | - | 45.41 | 31.90 | 5.47 | 34.92 |
| AV | 5.246G | 93.67 | Inf | -Inf | 2.17 | 3 | Horizontal | 185 | 1.96 | - | 91.50 | 31.52 | 5.55 | 34.90 |
| PK | 5.1488G | 63.67 | 74.00 | -10.33 | 2.45 | 3 | Horizontal | 185 | 1.96 | - | 61.22 | 31.90 | 5.47 | 34.92 |
| PK | 5.226G | 105.64 | Inf | -Inf | 2.23 | 3 | Horizontal | 185 | 1.96 | - | 103.41 | 31.60 | 5.53 | 34.90 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.45938G | 54.41 | 68.20 | -13.79 | 12.72 | 3 | Vertical | 0 | 1.32 | - | 41.69 | 39.88 | 7.96 | 35.12 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.47146G | 54.68 | 68.20 | -13.52 | 12.78 | 3 | Horizontal | 356 | 1.50 | - | 41.90 | 39.91 | 7.97 | 35.10 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.254G | 101.43 | Inf | -Inf | 2.14 | 3 | Vertical | 212 | 2.86 | - | 99.29 | 31.49 | 5.55 | 34.90 |
| AV | 5.3508G | 53.93 | 54.00 | -0.07 | 1.97 | 3 | Vertical | 212 | 2.86 | - | 51.96 | 31.20 | 5.65 | 34.88 |
| PK | 5.2732G | 113.11 | Inf | -Inf | 2.12 | 3 | Vertical | 212 | 2.86 | - | 110.99 | 31.45 | 5.57 | 34.90 |
| PK | 5.352G | 66.94 | 74.00 | -7.06 | 1.98 | 3 | Vertical | 212 | 2.86 | - | 64.96 | 31.21 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.272G | 93.51 | Inf | -Inf | 2.13 | 3 | Horizontal | 186 | 1.63 | - | 91.38 | 31.46 | 5.57 | 34.90 |
| AV | 5.3504G | 47.05 | 54.00 | -6.95 | 1.97 | 3 | Horizontal | 186 | 1.63 | - | 45.08 | 31.20 | 5.65 | 34.88 |
| PK | 5.2804G | 106.17 | Inf | -Inf | 2.12 | 3 | Horizontal | 186 | 1.63 | - | 104.05 | 31.44 | 5.58 | 34.90 |
| PK | 5.35G | 60.19 | 74.00 | -13.81 | 1.97 | 3 | Horizontal | 186 | 1.63 | - | 58.22 | 31.20 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.54792G | 55.21 | 68.20 | -12.99 | 12.88 | 3 | Vertical | 129 | 1.50 | - | 42.33 | 39.95 | 7.99 | 35.06 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.53778G | 54.20 | 68.20 | -14.00 | 12.89 | 3 | Horizontal | 338 | 1.32 | - | 41.31 | 39.96 | 7.99 | 35.06 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.294G | 95.36 | Inf | -Inf | 2.11 | 3 | Vertical | 40 | 2.44 | - | 93.25 | 31.41 | 5.59 | 34.89 |
| AV | 5.35G | 53.91 | 54.00 | -0.09 | 1.97 | 3 | Vertical | 40 | 2.44 | - | 51.94 | 31.20 | 5.65 | 34.88 |
| PK | 5.3084G | 107.30 | Inf | -Inf | 2.09 | 3 | Vertical | 40 | 2.44 | - | 105.21 | 31.37 | 5.61 | 34.89 |
| PK | 5.35G | 72.30 | 74.00 | -1.70 | 1.97 | 3 | Vertical | 40 | 2.44 | - | 70.33 | 31.20 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.294G | 89.26 | Inf | -Inf | 2.11 | 3 | Horizontal | 186 | 1.08 | - | 87.15 | 31.41 | 5.59 | 34.89 |
| AV | 5.3504G | 47.48 | 54.00 | -6.52 | 1.97 | 3 | Horizontal | 186 | 1.08 | - | 45.51 | 31.20 | 5.65 | 34.88 |
| PK | 5.294G | 100.62 | Inf | -Inf | 2.11 | 3 | Horizontal | 186 | 1.08 | - | 98.51 | 31.41 | 5.59 | 34.89 |
| PK | 5.35G | 64.70 | 74.00 | -9.30 | 1.97 | 3 | Horizontal | 186 | 1.08 | - | 62.73 | 31.20 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.6053G | 41.31 | 54.00 | -12.69 | 12.86 | 3 | Vertical | 2 | 2.95 | - | 28.45 | 39.91 | 8.01 | 35.06 |
| PK | 10.63488G | 54.19 | 74.00 | -19.81 | 12.90 | 3 | Vertical | 2 | 2.95 | - | 41.29 | 39.93 | 8.02 | 35.05 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 10.62864G | 41.43 | 54.00 | -12.57 | 12.90 | 3 | Horizontal | 148 | 1.50 | - | 28.53 | 39.93 | 8.02 | 35.05 |
| PK | 10.61706G | 54.26 | 74.00 | -19.74 | 12.89 | 3 | Horizontal | 148 | 1.50 | - | 41.37 | 39.92 | 8.02 | 35.05 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 46.71 | 54.00 | -7.29 | 2.48 | 3 | Vertical | 227 | 2.93 | - | 44.23 | 31.62 | 5.73 | 34.87 |
| AV | 5.5248G | 93.16 | Inf | -Inf | 2.59 | 3 | Vertical | 227 | 2.93 | - | 90.57 | 31.70 | 5.76 | 34.87 |
| PK | 5.4696G | 68.01 | 68.20 | -0.19 | 2.51 | 3 | Vertical | 227 | 2.93 | - | 65.50 | 31.64 | 5.73 | 34.86 |
| PK | 5.5136G | 105.09 | Inf | -Inf | 2.60 | 3 | Vertical | 227 | 2.93 | - | 102.49 | 31.70 | 5.76 | 34.86 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4592G | 42.93 | 54.00 | -11.07 | 2.48 | 3 | Horizontal | 183 | 1.92 | - | 40.45 | 31.62 | 5.73 | 34.87 |
| AV | 5.5248G | 88.24 | Inf | -Inf | 2.59 | 3 | Horizontal | 183 | 1.92 | - | 85.65 | 31.70 | 5.76 | 34.87 |
| PK | 5.4696G | 62.06 | 68.20 | -6.14 | 2.51 | 3 | Horizontal | 183 | 1.92 | - | 59.55 | 31.64 | 5.73 | 34.86 |
| PK | 5.4984G | 100.14 | Inf | -Inf | 2.59 | 3 | Horizontal | 183 | 1.92 | - | 97.55 | 31.70 | 5.75 | 34.86 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.02354G | 42.15 | 54.00 | -11.85 | 13.32 | 3 | Vertical | 0 | 2.58 | - | 28.83 | 40.15 | 8.16 | 34.99 |
| PK | 11.03386G | 54.55 | 74.00 | -19.45 | 13.31 | 3 | Vertical | 0 | 2.58 | - | 41.24 | 40.13 | 8.16 | 34.98 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.02304G | 42.11 | 54.00 | -11.89 | 13.32 | 3 | Horizontal | 333 | 2.59 | - | 28.79 | 40.15 | 8.16 | 34.99 |
| PK | 11.01736G | 54.14 | 74.00 | -19.86 | 13.34 | 3 | Horizontal | 333 | 2.59 | - | 40.80 | 40.17 | 8.16 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 47.02 | 54.00 | -6.98 | 2.48 | 3 | Vertical | 2 | 1.13 | - | 44.54 | 31.62 | 5.73 | 34.87 |
| AV | 5.5664G | 97.37 | Inf | -Inf | 2.60 | 3 | Vertical | 2 | 1.13 | - | 94.77 | 31.70 | 5.78 | 34.88 |
| PK | 5.47G | 61.87 | 68.20 | -6.33 | 2.52 | 3 | Vertical | 2 | 1.13 | - | 59.35 | 31.64 | 5.74 | 34.86 |
| PK | 5.5668G | 109.50 | Inf | -Inf | 2.60 | 3 | Vertical | 2 | 1.13 | - | 106.90 | 31.70 | 5.78 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 46.11 | 54.00 | -7.89 | 2.48 | 3 | Horizontal | 183 | 1.75 | - | 43.63 | 31.62 | 5.73 | 34.87 |
| AV | 5.5324G | 94.41 | Inf | -Inf | 2.60 | 3 | Horizontal | 183 | 1.75 | - | 91.81 | 31.70 | 5.77 | 34.87 |
| PK | 5.4676G | 60.18 | 68.20 | -8.02 | 2.50 | 3 | Horizontal | 183 | 1.75 | - | 57.68 | 31.64 | 5.73 | 34.87 |
| PK | 5.5368G | 105.58 | Inf | -Inf | 2.60 | 3 | Horizontal | 183 | 1.75 | - | 102.98 | 31.70 | 5.77 | 34.87 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.09638G | 42.09 | 54.00 | -11.91 | 13.24 | 3 | Vertical | 98 | 1.50 | - | 28.85 | 40.01 | 8.18 | 34.95 |
| PK | 11.10374G | 54.79 | 74.00 | -19.21 | 13.23 | 3 | Vertical | 98 | 1.50 | - | 41.56 | 39.99 | 8.19 | 34.95 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.09866G | 42.26 | 54.00 | -11.74 | 13.23 | 3 | Horizontal | 265 | 1.50 | - | 29.03 | 40.00 | 8.18 | 34.95 |
| PK | 11.1007G | 54.82 | 74.00 | -19.18 | 13.24 | 3 | Horizontal | 265 | 1.50 | - | 41.58 | 40.00 | 8.19 | 34.95 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6528G | 94.58 | Inf | -Inf | 2.60 | 3 | Vertical | 360 | 1.00 | - | 91.98 | 31.71 | 5.80 | 34.91 |
| PK | 5.6576G | 106.43 | Inf | -Inf | 2.61 | 3 | Vertical | 360 | 1.00 | - | 103.82 | 31.72 | 5.80 | 34.91 |
| PK | 5.7256G | 68.10 | 68.20 | -0.10 | 2.77 | 3 | Vertical | 360 | 1.00 | - | 65.33 | 31.90 | 5.80 | 34.93 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6864G | 88.66 | Inf | -Inf | 2.65 | 3 | Horizontal | 1 | 1.73 | - | 86.01 | 31.77 | 5.80 | 34.92 |
| PK | 5.674G | 100.05 | Inf | -Inf | 2.64 | 3 | Horizontal | 1 | 1.73 | - | 97.41 | 31.75 | 5.80 | 34.91 |
| PK | 5.7264G | 63.18 | 68.20 | -5.02 | 2.78 | 3 | Horizontal | 1 | 1.73 | - | 60.40 | 31.91 | 5.80 | 34.93 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.33833G | 41.53 | 54.00 | -12.47 | 13.16 | 3 | Vertical | 184 | 1.50 | - | 28.37 | 39.71 | 8.27 | 34.82 |
| PK | 11.33938G | 55.04 | 74.00 | -18.96 | 13.17 | 3 | Vertical | 184 | 1.50 | - | 41.87 | 39.72 | 8.27 | 34.82 |


802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.34248G | 41.23 | 54.00 | -12.77 | 13.18 | 3 | Horizontal | 50 | 1.50 | - | 28.05 | 39.73 | 8.27 | 34.82 |
| PK | 11.33642G | 54.02 | 74.00 | -19.98 | 13.15 | 3 | Horizontal | 50 | 1.50 | - | 40.87 | 39.71 | 8.27 | 34.83 |

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4532G | 42.32 | 54.00 | -11.68 | 2.47 | 3 | Vertical | 358 | 1.13 | - | 39.85 | 31.61 | 5.73 | 34.87 |
| AV | 5.7256G | 97.93 | Inf | -Inf | 2.77 | 3 | Vertical | 358 | 1.13 | - | 95.16 | 31.90 | 5.80 | 34.93 |
| PK | 5.4688G | 54.46 | 68.20 | -13.74 | 2.51 | 3 | Vertical | 358 | 1.13 | - | 51.95 | 31.64 | 5.73 | 34.86 |
| PK | 5.7076G | 109.22 | Inf | -Inf | 2.71 | 3 | Vertical | 358 | 1.13 | - | 106.51 | 31.83 | 5.80 | 34.92 |
| PK | 5.8636G | 60.34 | 68.20 | -7.86 | 3.09 | 3 | Vertical | 358 | 1.13 | - | 57.25 | 32.23 | 5.83 | 34.97 |

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4508G | 42.14 | 54.00 | -11.86 | 2.46 | 3 | Horizontal | 81 | 1.66 | - | 39.68 | 31.60 | 5.73 | 34.87 |
| AV | 5.7064G | 91.56 | Inf | -Inf | 2.71 | 3 | Horizontal | 81 | 1.66 | - | 88.85 | 31.83 | 5.80 | 34.92 |
| PK | 5.4604G | 53.35 | 68.20 | -14.85 | 2.48 | 3 | Horizontal | 81 | 1.66 | - | 50.87 | 31.62 | 5.73 | 34.87 |
| PK | 5.7088G | 103.42 | Inf | -Inf | 2.72 | 3 | Horizontal | 81 | 1.66 | - | 100.70 | 31.84 | 5.80 | 34.92 |
| PK | 5.8564G | 56.35 | 68.20 | -11.85 | 3.07 | 3 | Horizontal | 81 | 1.66 | - | 53.28 | 32.21 | 5.83 | 34.97 |

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.42001G | 41.79 | 54.00 | -12.21 | 13.42 | 3 | Vertical | 325 | 1.50 | - | 28.37 | 39.90 | 8.30 | 34.78 |
| PK | 11.41896G | 54.65 | 74.00 | -19.35 | 13.42 | 3 | Vertical | 325 | 1.50 | - | 41.23 | 39.90 | 8.30 | 34.78 |


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.42173G | 41.78 | 54.00 | -12.22 | 13.42 | 3 | Horizontal | 236 | 1.54 | - | 28.36 | 39.90 | 8.30 | 34.78 |
| PK | 11.41879G | 54.50 | 74.00 | -19.50 | 13.42 | 3 | Horizontal | 236 | 1.54 | - | 41.08 | 39.90 | 8.30 | 34.78 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7706G | 97.75 | Inf | -Inf | 2.90 | 3 | Vertical | 360 | 1.71 | - | 94.85 | 32.04 | 5.80 | 34.94 |
| PK | 5.6542G | 64.17 | 71.31 | -7.14 | 2.60 | 3 | Vertical | 360 | 1.71 | - | 61.57 | 31.71 | 5.80 | 34.91 |
| PK | 5.7706G | 109.42 | Inf | -Inf | 2.90 | 3 | Vertical | 360 | 1.71 | - | 106.52 | 32.04 | 5.80 | 34.94 |
| PK | 5.9338G | 56.44 | 68.20 | -11.76 | 3.25 | 3 | Vertical | 360 | 1.71 | - | 53.19 | 32.37 | 5.87 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7394G | 93.34 | Inf | -Inf | 2.83 | 3 | Horizontal | 81 | 2.80 | - | 90.51 | 31.96 | 5.80 | 34.93 |
| PK | 5.647G | 58.99 | 68.20 | -9.21 | 2.60 | 3 | Horizontal | 81 | 2.80 | - | 56.39 | 31.70 | 5.80 | 34.90 |
| PK | 5.7634G | 104.63 | Inf | -Inf | 2.89 | 3 | Horizontal | 81 | 2.80 | - | 101.74 | 32.03 | 5.80 | 34.94 |
| PK | 6.0046G | 55.32 | 68.20 | -12.88 | 3.29 | 3 | Horizontal | 81 | 2.80 | - | 52.03 | 32.40 | 5.90 | 35.01 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.51096G | 41.84 | 54.00 | -12.16 | 13.49 | 3 | Vertical | 59 | 2.81 | - | 28.35 | 39.90 | 8.33 | 34.74 |
| PK | 11.51036G | 55.36 | 74.00 | -18.64 | 13.49 | 3 | Vertical | 59 | 2.81 | - | 41.87 | 39.90 | 8.33 | 34.74 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.51248G | 42.12 | 54.00 | -11.88 | 13.49 | 3 | Horizontal | 276 | 1.50 | - | 28.63 | 39.90 | 8.33 | 34.74 |
| PK | 11.51094G | 54.62 | 74.00 | -19.38 | 13.49 | 3 | Horizontal | 276 | 1.50 | - | 41.13 | 39.90 | 8.33 | 34.74 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7794G | 94.22 | Inf | -Inf | 2.92 | 3 | Vertical | 80 | 1.87 | - | 91.30 | 32.06 | 5.80 | 34.94 |
| PK | 5.6498G | 55.33 | 68.20 | -12.87 | 2.60 | 3 | Vertical | 80 | 1.87 | - | 52.73 | 31.70 | 5.80 | 34.90 |
| PK | 5.8118G | 106.46 | Inf | -Inf | 2.98 | 3 | Vertical | 80 | 1.87 | - | 103.48 | 32.12 | 5.81 | 34.95 |
| PK | 5.951G | 56.41 | 68.20 | -11.79 | 3.28 | 3 | Vertical | 80 | 1.87 | - | 53.13 | 32.40 | 5.88 | 35.00 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7902G | 93.77 | Inf | -Inf | 2.93 | 3 | Horizontal | 82 | 2.01 | - | 90.84 | 32.08 | 5.80 | 34.95 |
| PK | 5.5838G | 56.97 | 68.20 | -11.23 | 2.60 | 3 | Horizontal | 82 | 2.01 | - | 54.37 | 31.70 | 5.79 | 34.89 |
| PK | 5.8118G | 106.36 | Inf | -Inf | 2.98 | 3 | Horizontal | 82 | 2.01 | - | 103.38 | 32.12 | 5.81 | 34.95 |
| PK | 5.9282G | 57.56 | 68.20 | -10.64 | 3.23 | 3 | Horizontal | 82 | 2.01 | - | 54.33 | 32.36 | 5.86 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.58528G | 41.65 | 54.00 | -12.35 | 13.49 | 3 | Vertical | 205 | 1.75 | - | 28.16 | 39.90 | 8.35 | 34.76 |
| PK | 11.59472G | 54.29 | 74.00 | -19.71 | 13.50 | 3 | Vertical | 205 | 1.75 | - | 40.79 | 39.90 | 8.36 | 34.76 |

802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.58578G | 41.62 | 54.00 | -12.38 | 13.50 | 3 | Horizontal | 153 | 1.31 | - | 28.12 | 39.90 | 8.36 | 34.76 |
| PK | 11.59264G | 54.65 | 74.00 | -19.35 | 13.50 | 3 | Horizontal | 153 | 1.31 | - | 41.15 | 39.90 | 8.36 | 34.76 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




18/06/2021

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.149G | 53.74 | 54.00 | -0.26 | 2.45 | 3 | Vertical | 41 | 2.46 | - | 51.29 | 31.90 | 5.47 | 34.92 |
| AV | 5.173G | 92.49 | Inf | -Inf | 2.39 | 3 | Vertical | 41 | 2.46 | - | 90.10 | 31.81 | 5.49 | 34.91 |
| AV | 5.35G | 43.85 | 54.00 | -10.15 | 1.97 | 3 | Vertical | 41 | 2.46 | - | 41.88 | 31.20 | 5.65 | 34.88 |
| PK | 5.135G | 71.51 | 74.00 | -2.49 | 2.45 | 3 | Vertical | 41 | 2.46 | - | 69.06 | 31.90 | 5.47 | 34.92 |
| PK | 5.186G | 104.74 | Inf | -Inf | 2.34 | 3 | Vertical | 41 | 2.46 | - | 102.40 | 31.76 | 5.49 | 34.91 |
| PK | 5.352G | 57.56 | 74.00 | -16.44 | 1.98 | 3 | Vertical | 41 | 2.46 | - | 55.58 | 31.21 | 5.65 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 46.72 | 54.00 | -7.28 | 2.45 | 3 | Horizontal | 185 | 1.73 | - | 44.27 | 31.90 | 5.47 | 34.92 |
| AV | 5.247G | 85.54 | Inf | -Inf | 2.16 | 3 | Horizontal | 185 | 1.73 | - | 83.38 | 31.51 | 5.55 | 34.90 |
| AV | 5.456G | 42.26 | 54.00 | -11.74 | 2.47 | 3 | Horizontal | 185 | 1.73 | - | 39.79 | 31.61 | 5.73 | 34.87 |
| PK | 5.135G | 62.58 | 74.00 | -11.42 | 2.45 | 3 | Horizontal | 185 | 1.73 | - | 60.13 | 31.90 | 5.47 | 34.92 |
| PK | 5.243G | 96.90 | Inf | -Inf | 2.17 | 3 | Horizontal | 185 | 1.73 | - | 94.73 | 31.53 | 5.54 | 34.90 |
| PK | 5.401G | 54.47 | 74.00 | -19.53 | 2.22 | 3 | Horizontal | 185 | 1.73 | - | 52.25 | 31.40 | 5.70 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.416066G | 54.47 | 68.20 | -13.73 | 12.53 | 3 | Vertical | 3 | 1.73 | - | 41.94 | 39.75 | 7.95 | 35.17 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.41512G | 54.80 | 68.20 | -13.40 | 12.53 | 3 | Horizontal | 145 | 1.10 | - | 42.27 | 39.75 | 7.95 | 35.17 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 44.94 | 54.00 | -9.06 | 2.45 | 3 | Vertical | 213 | 2.71 | - | 42.49 | 31.90 | 5.47 | 34.92 |
| AV | 5.253G | 93.63 | Inf | -Inf | 2.14 | 3 | Vertical | 213 | 2.71 | - | 91.49 | 31.49 | 5.55 | 34.90 |
| AV | 5.352G | 53.70 | 54.00 | -0.30 | 1.98 | 3 | Vertical | 213 | 2.71 | - | 51.72 | 31.21 | 5.65 | 34.88 |
| PK | 5.135G | 58.42 | 74.00 | -15.58 | 2.45 | 3 | Vertical | 213 | 2.71 | - | 55.97 | 31.90 | 5.47 | 34.92 |
| PK | 5.275G | 106.00 | Inf | -Inf | 2.13 | 3 | Vertical | 213 | 2.71 | - | 103.87 | 31.45 | 5.58 | 34.90 |
| PK | 5.381G | 71.93 | 74.00 | -2.07 | 2.12 | 3 | Vertical | 213 | 2.71 | - | 69.81 | 31.32 | 5.68 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.128G | 43.36 | 54.00 | -10.64 | 2.44 | 3 | Horizontal | 186 | 1.98 | - | 40.92 | 31.90 | 5.46 | 34.92 |
| AV | 5.253G | 85.83 | Inf | -Inf | 2.14 | 3 | Horizontal | 186 | 1.98 | - | 83.69 | 31.49 | 5.55 | 34.90 |
| AV | 5.351G | 46.83 | 54.00 | -7.17 | 1.97 | 3 | Horizontal | 186 | 1.98 | - | 44.86 | 31.20 | 5.65 | 34.88 |
| PK | 5.131G | 55.26 | 74.00 | -18.74 | 2.45 | 3 | Horizontal | 186 | 1.98 | - | 52.81 | 31.90 | 5.47 | 34.92 |
| PK | 5.263G | 98.06 | Inf | -Inf | 2.13 | 3 | Horizontal | 186 | 1.98 | - | 95.93 | 31.47 | 5.56 | 34.90 |
| PK | 5.358G | 64.17 | 74.00 | -9.83 | 2.01 | 3 | Horizontal | 186 | 1.98 | - | 62.16 | 31.23 | 5.66 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.5819G | 54.22 | 68.20 | -13.98 | 12.86 | 3 | Vertical | 150 | 1.15 | - | 41.36 | 39.92 | 8.00 | 35.06 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 10.57882G | 53.89 | 68.20 | -14.31 | 12.86 | 3 | Horizontal | 2 | 1.29 | - | 41.03 | 39.92 | 8.00 | 35.06 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 49.23 | 54.00 | -4.77 | 2.48 | 3 | Vertical | 4 | 1.00 | - | 46.75 | 31.62 | 5.73 | 34.87 |
| AV | 5.567G | 90.42 | Inf | -Inf | 2.60 | 3 | Vertical | 4 | 1.00 | - | 87.82 | 31.70 | 5.78 | 34.88 |
| PK | 5.468G | 67.86 | 68.20 | -0.34 | 2.50 | 3 | Vertical | 4 | 1.00 | - | 65.36 | 31.64 | 5.73 | 34.87 |
| PK | 5.565G | 102.11 | Inf | -Inf | 2.60 | 3 | Vertical | 4 | 1.00 | - | 99.51 | 31.70 | 5.78 | 34.88 |
| PK | 5.73G | 56.83 | 68.20 | -11.37 | 2.79 | 3 | Vertical | 4 | 1.00 | - | 54.04 | 31.92 | 5.80 | 34.93 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 49.01 | 54.00 | -4.99 | 2.48 | 3 | Horizontal | 185 | 1.50 | - | 46.53 | 31.62 | 5.73 | 34.87 |
| AV | 5.514G | 86.30 | Inf | -Inf | 2.60 | 3 | Horizontal | 185 | 1.50 | - | 83.70 | 31.70 | 5.76 | 34.86 |
| PK | 5.47G | 65.62 | 68.20 | -2.58 | 2.52 | 3 | Horizontal | 185 | 1.50 | - | 63.10 | 31.64 | 5.74 | 34.86 |
| PK | 5.52G | 98.46 | Inf | -Inf | 2.59 | 3 | Horizontal | 185 | 1.50 | - | 95.87 | 31.70 | 5.76 | 34.87 |
| PK | 5.735G | 55.36 | 68.20 | -12.84 | 2.81 | 3 | Horizontal | 185 | 1.50 | - | 52.55 | 31.94 | 5.80 | 34.93 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.05882G | 42.29 | 54.00 | -11.71 | 13.28 | 3 | Vertical | 180 | 1.62 | - | 29.01 | 40.08 | 8.17 | 34.97 |
| PK | 11.06218G | 54.55 | 74.00 | -19.45 | 13.28 | 3 | Vertical | 180 | 1.62 | - | 41.27 | 40.08 | 8.17 | 34.97 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.05752G | 42.18 | 54.00 | -11.82 | 13.28 | 3 | Horizontal | 239 | 1.57 | - | 28.90 | 40.08 | 8.17 | 34.97 |
| PK | 11.05544G | 54.92 | 74.00 | -19.08 | 13.29 | 3 | Horizontal | 239 | 1.57 | - | 41.63 | 40.09 | 8.17 | 34.97 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.458G | 44.37 | 54.00 | -9.63 | 2.48 | 3 | Vertical | 3 | 1.03 | - | 41.89 | 31.62 | 5.73 | 34.87 |
| AV | 5.647G | 93.55 | Inf | -Inf | 2.60 | 3 | Vertical | 3 | 1.03 | - | 90.95 | 31.70 | 5.80 | 34.90 |
| PK | 5.47G | 58.50 | 68.20 | -9.70 | 2.52 | 3 | Vertical | 3 | 1.03 | - | 55.98 | 31.64 | 5.74 | 34.86 |
| PK | 5.615G | 105.13 | Inf | -Inf | 2.61 | 3 | Vertical | 3 | 1.03 | - | 102.52 | 31.70 | 5.80 | 34.89 |
| PK | 5.727G | 67.30 | 68.20 | -0.90 | 2.78 | 3 | Vertical | 3 | 1.03 | - | 64.52 | 31.91 | 5.80 | 34.93 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.459G | 43.98 | 54.00 | -10.02 | 2.48 | 3 | Horizontal | 183 | 1.89 | - | 41.50 | 31.62 | 5.73 | 34.87 |
| AV | 5.573G | 88.50 | Inf | -Inf | 2.61 | 3 | Horizontal | 183 | 1.89 | - | 85.89 | 31.70 | 5.79 | 34.88 |
| PK | 5.469G | 56.88 | 68.20 | -11.32 | 2.51 | 3 | Horizontal | 183 | 1.89 | - | 54.37 | 31.64 | 5.73 | 34.86 |
| PK | 5.575G | 99.80 | Inf | -Inf | 2.61 | 3 | Horizontal | 183 | 1.89 | - | 97.19 | 31.70 | 5.79 | 34.88 |
| PK | 5.727G | 59.52 | 68.20 | -8.68 | 2.78 | 3 | Horizontal | 183 | 1.89 | - | 56.74 | 31.91 | 5.80 | 34.93 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.2166G | 41.20 | 54.00 | -12.80 | 12.94 | 3 | Vertical | 274 | 2.24 | - | 28.26 | 39.60 | 8.23 | 34.89 |
| PK | 11.22354G | 53.87 | 74.00 | -20.13 | 12.95 | 3 | Vertical | 274 | 2.24 | - | 40.92 | 39.60 | 8.23 | 34.88 |


802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.2188G | 41.40 | 54.00 | -12.60 | 12.94 | 3 | Horizontal | 198 | 1.46 | - | 28.46 | 39.60 | 8.23 | 34.89 |
| PK | 11.22302G | 53.97 | 74.00 | -20.03 | 12.95 | 3 | Horizontal | 198 | 1.46 | - | 41.02 | 39.60 | 8.23 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4572G | 42.44 | 54.00 | -11.56 | 2.47 | 3 | Vertical | 360 | 1.13 | - | 39.97 | 31.61 | 5.73 | 34.87 |
| AV | 5.7272G | 93.29 | Inf | -Inf | 2.78 | 3 | Vertical | 360 | 1.13 | - | 90.51 | 31.91 | 5.80 | 34.93 |
| PK | 5.4632G | 54.05 | 68.20 | -14.15 | 2.49 | 3 | Vertical | 360 | 1.13 | - | 51.56 | 31.63 | 5.73 | 34.87 |
| PK | 5.7272G | 104.84 | Inf | -Inf | 2.78 | 3 | Vertical | 360 | 1.13 | - | 102.06 | 31.91 | 5.80 | 34.93 |
| PK | 5.8532G | 62.56 | 68.20 | -5.64 | 3.07 | 3 | Vertical | 360 | 1.13 | - | 59.49 | 32.21 | 5.83 | 34.97 |

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.456G | 42.44 | 54.00 | -11.56 | 2.47 | 3 | Horizontal | 80 | 1.81 | - | 39.97 | 31.61 | 5.73 | 34.87 |
| AV | 5.7272G | 88.82 | Inf | -Inf | 2.78 | 3 | Horizontal | 80 | 1.81 | - | 86.04 | 31.91 | 5.80 | 34.93 |
| PK | 5.4632G | 53.94 | 68.20 | -14.26 | 2.49 | 3 | Horizontal | 80 | 1.81 | - | 51.45 | 31.63 | 5.73 | 34.87 |
| PK | 5.7272G | 100.21 | Inf | -Inf | 2.78 | 3 | Horizontal | 80 | 1.81 | - | 97.43 | 31.91 | 5.80 | 34.93 |
| PK | 5.852G | 59.52 | 68.20 | -8.68 | 3.06 | 3 | Horizontal | 80 | 1.81 | - | 56.46 | 32.20 | 5.83 | 34.97 |

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.38082G | 41.27 | 54.00 | -12.73 | 13.32 | 3 | Vertical | 332 | 2.23 | - | 27.95 | 39.84 | 8.28 | 34.80 |
| PK | 11.37942G | 53.85 | 74.00 | -20.15 | 13.32 | 3 | Vertical | 332 | 2.23 | - | 40.53 | 39.84 | 8.28 | 34.80 |


802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.38402G | 41.16 | 54.00 | -12.84 | 13.33 | 3 | Horizontal | 24 | 2.19 | - | 27.83 | 39.85 | 8.28 | 34.80 |
| PK | 11.37762G | 53.36 | 74.00 | -20.64 | 13.31 | 3 | Horizontal | 24 | 2.19 | - | 40.05 | 39.83 | 8.28 | 34.80 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8122G | 93.85 | Inf | -Inf | 2.98 | 3 | Vertical | 359 | 1.95 | - | 90.87 | 32.12 | 5.81 | 34.95 |
| PK | 5.6466G | 61.92 | 68.20 | -6.28 | 2.60 | 3 | Vertical | 359 | 1.95 | - | 59.32 | 31.70 | 5.80 | 34.90 |
| PK | 5.781G | 104.61 | Inf | -Inf | 2.92 | 3 | Vertical | 359 | 1.95 | - | 101.69 | 32.06 | 5.80 | 34.94 |
| PK | 5.9262G | 62.36 | 68.20 | -5.84 | 3.22 | 3 | Vertical | 359 | 1.95 | - | 59.14 | 32.35 | 5.86 | 34.99 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8122G | 89.17 | Inf | -Inf | 2.98 | 3 | Horizontal | 72 | 2.84 | - | 86.19 | 32.12 | 5.81 | 34.95 |
| PK | 5.6466G | 61.11 | 68.20 | -7.09 | 2.60 | 3 | Horizontal | 72 | 2.84 | - | 58.51 | 31.70 | 5.80 | 34.90 |
| PK | 5.8086G | 99.51 | Inf | -Inf | 2.97 | 3 | Horizontal | 72 | 2.84 | - | 96.54 | 32.12 | 5.80 | 34.95 |
| PK | 5.9238G | 59.72 | 69.09 | -9.37 | 3.22 | 3 | Horizontal | 72 | 2.84 | - | 56.50 | 32.35 | 5.86 | 34.99 |

802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.55396G | 41.64 | 54.00 | -12.36 | 13.49 | 3 | Vertical | 106 | 1.63 | - | 28.15 | 39.90 | 8.34 | 34.75 |
| PK | 11.54796G | 53.85 | 74.00 | -20.15 | 13.49 | 3 | Vertical | 106 | 1.63 | - | 40.36 | 39.90 | 8.34 | 34.75 |

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.55154G | 41.68 | 54.00 | -12.32 | 13.49 | 3 | Horizontal | 268 | 1.15 | - | 28.19 | 39.90 | 8.34 | 34.75 |
| PK | 11.55348G | 54.82 | 74.00 | -19.18 | 13.49 | 3 | Horizontal | 268 | 1.15 | - | 41.33 | 39.90 | 8.34 | 34.75 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|-----------|-------------|------------|----------|
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | QP | 71.32M | 39.74 | 40.00 | -0.26 | 3 | Vertical | 84 | 1.23 | - |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW80_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5775MHz | Pass | PK | 113.42M | 37.23 | 43.50 | -6.27 | 3 | Vertical | 0 | 1.00 | - |
| 5775MHz | Pass | PK | 394.72M | 38.26 | 46.00 | -7.74 | 3 | Vertical | 0 | 1.00 | - |
| 5775MHz | Pass | PK | 776.9M | 38.34 | 46.00 | -7.66 | 3 | Vertical | 0 | 1.00 | - |
| 5775MHz | Pass | PK | 957.32M | 36.88 | 46.00 | -9.12 | 3 | Vertical | 0 | 1.00 | - |
| 5775MHz | Pass | QP | 43.51M | 38.90 | 40.00 | -1.10 | 3 | Vertical | 179 | 1.00 | - |
| 5775MHz | Pass | QP | 71.32M | 39.74 | 40.00 | -0.26 | 3 | Vertical | 84 | 1.23 | - |
| 5775MHz | Pass | PK | 130.88M | 39.08 | 43.50 | -4.42 | 3 | Horizontal | 360 | 1.00 | - |
| 5775MHz | Pass | PK | 423.82M | 37.71 | 46.00 | -8.29 | 3 | Horizontal | 360 | 1.00 | - |
| 5775MHz | Pass | PK | 561.56M | 40.25 | 46.00 | -5.75 | 3 | Horizontal | 360 | 1.00 | - |
| 5775MHz | Pass | PK | 901.06M | 40.76 | 46.00 | -5.24 | 3 | Horizontal | 360 | 1.00 | - |
| 5775MHz | Pass | QP | 78.67M | 39.70 | 40.00 | -0.30 | 3 | Horizontal | 195 | 2.28 | - |
| 5775MHz | Pass | QP | 744.92M | 38.00 | 46.00 | -8.00 | 3 | Horizontal | 99 | 1.18 | - |

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 113.42M | 37.23 | 43.50 | -6.27 | -19.21 | 3 | Vertical | 0 | 1.00 | - | 56.44 | 16.41 | 1.04 | 36.66 |
| PK | 394.72M | 38.26 | 46.00 | -7.74 | -13.78 | 3 | Vertical | 0 | 1.00 | - | 52.04 | 20.89 | 1.90 | 36.57 |
| PK | 776.9M | 38.34 | 46.00 | -7.66 | -7.41 | 3 | Vertical | 0 | 1.00 | - | 45.75 | 27.36 | 2.77 | 37.54 |
| PK | 957.32M | 36.88 | 46.00 | -9.12 | -4.19 | 3 | Vertical | 0 | 1.00 | - | 41.07 | 30.20 | 3.11 | 37.50 |
| QP | 43.51M | 38.90 | 40.00 | -1.10 | -19.72 | 3 | Vertical | 179 | 1.00 | - | 58.62 | 16.58 | 0.77 | 37.07 |
| QP | 71.32M | 39.74 | 40.00 | -0.26 | -24.68 | 3 | Vertical | 84 | 1.23 | - | 64.42 | 11.44 | 0.85 | 36.97 |

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 130.88M | 39.08 | 43.50 | -4.42 | -18.55 | 3 | Horizontal | 360 | 1.00 | - | 57.63 | 16.85 | 1.13 | 36.53 |
| PK | 423.82M | 37.71 | 46.00 | -8.29 | -12.50 | 3 | Horizontal | 360 | 1.00 | - | 50.21 | 22.09 | 2.00 | 36.59 |
| PK | 561.56M | 40.25 | 46.00 | -5.75 | -9.30 | 3 | Horizontal | 360 | 1.00 | - | 49.55 | 25.39 | 2.40 | 37.09 |
| PK | 901.06M | 40.76 | 46.00 | -5.24 | -6.33 | 3 | Horizontal | 360 | 1.00 | - | 47.09 | 28.21 | 3.00 | 37.54 |
| QP | 78.67M | 39.70 | 40.00 | -0.30 | -23.76 | 3 | Horizontal | 195 | 2.28 | - | 63.46 | 12.24 | 0.88 | 36.88 |
| QP | 744.92M | 38.00 | 46.00 | -8.00 | -7.59 | 3 | Horizontal | 99 | 1.18 | - | 45.59 | 27.21 | 2.78 | 37.58 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_4TX | Pass | AV | 5.1466G | 53.34 | 54.00 | -0.66 | 3 | Horizontal | 56 | 1.05 | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | AV | 5.15G | 53.72 | 54.00 | -0.28 | 3 | Horizontal | 56 | 1.00 | - |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 58 | 1.16 | - |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | AV | 5.15G | 53.14 | 54.00 | -0.86 | 3 | Horizontal | 56 | 1.18 | - |
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_4TX | Pass | AV | 5.35G | 53.31 | 54.00 | -0.69 | 3 | Horizontal | 56 | 1.03 | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | AV | 5.35G | 53.50 | 54.00 | -0.50 | 3 | Horizontal | 61 | 1.08 | - |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | AV | 5.35G | 53.72 | 54.00 | -0.28 | 3 | Horizontal | 60 | 1.00 | - |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | AV | 5.35G | 53.42 | 54.00 | -0.58 | 3 | Horizontal | 58 | 1.00 | - |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_4TX | Pass | PK | 5.7264G | 67.60 | 68.20 | -0.60 | 3 | Horizontal | 52 | 1.08 | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | PK | 5.4696G | 67.85 | 68.20 | -0.35 | 3 | Horizontal | 65 | 1.00 | - |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | PK | 5.7264G | 68.05 | 68.20 | -0.15 | 3 | Horizontal | 60 | 2.72 | - |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | PK | 5.73G | 67.77 | 68.20 | -0.43 | 3 | Vertical | 322 | 2.69 | - |
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_4TX | Pass | PK | 17.47653G | 60.53 | 68.20 | -7.67 | 3 | Vertical | 302 | 1.62 | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass | PK | 17.47535G | 60.64 | 68.20 | -7.56 | 3 | Vertical | 334 | 2.23 | - |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass | PK | 5.6434G | 67.90 | 68.20 | -0.30 | 3 | Horizontal | 305 | 2.46 | - |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass | PK | 5.6442G | 67.68 | 68.20 | -0.52 | 3 | Horizontal | 60 | 3.00 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11a_Nss1_(6Mbps)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5180MHz | Pass | AV | 5.1416G | 49.37 | 54.00 | -4.63 | 3 | Vertical | 23 | 2.19 | - |
| 5180MHz | Pass | AV | 5.1806G | 102.50 | Inf | -Inf | 3 | Vertical | 23 | 2.19 | - |
| 5180MHz | Pass | PK | 5.1402G | 63.56 | 74.00 | -10.44 | 3 | Vertical | 23 | 2.19 | - |
| 5180MHz | Pass | PK | 5.1812G | 111.53 | Inf | -Inf | 3 | Vertical | 23 | 2.19 | - |
| 5180MHz | Pass | AV | 5.1466G | 53.34 | 54.00 | -0.66 | 3 | Horizontal | 56 | 1.05 | - |
| 5180MHz | Pass | AV | 5.1854G | 105.59 | Inf | -Inf | 3 | Horizontal | 56 | 1.05 | - |
| 5180MHz | Pass | PK | 5.1446G | 70.82 | 74.00 | -3.18 | 3 | Horizontal | 56 | 1.05 | - |
| 5180MHz | Pass | PK | 5.186G | 115.39 | Inf | -Inf | 3 | Horizontal | 56 | 1.05 | - |
| 5180MHz | Pass | AV | 15.54203G | 43.32 | 54.00 | -10.68 | 3 | Vertical | 134 | 1.50 | - |
| 5180MHz | Pass | PK | 10.35991G | 56.24 | 68.20 | -11.96 | 3 | Vertical | 344 | 2.31 | - |
| 5180MHz | Pass | PK | 15.54233G | 55.10 | 74.00 | -18.90 | 3 | Vertical | 134 | 1.50 | - |
| 5180MHz | Pass | AV | 15.54069G | 43.52 | 54.00 | -10.48 | 3 | Horizontal | 300 | 1.50 | - |
| 5180MHz | Pass | PK | 10.36018G | 54.86 | 68.20 | -13.34 | 3 | Horizontal | 296 | 1.88 | - |
| 5180MHz | Pass | PK | 15.54017G | 55.84 | 74.00 | -18.16 | 3 | Horizontal | 300 | 1.50 | - |
| 5200MHz | Pass | AV | 5.148G | 48.53 | 54.00 | -5.47 | 3 | Vertical | 24 | 2.07 | - |
| 5200MHz | Pass | AV | 5.2012G | 104.33 | Inf | -Inf | 3 | Vertical | 24 | 2.07 | - |
| 5200MHz | Pass | PK | 5.1396G | 64.84 | 74.00 | -9.16 | 3 | Vertical | 24 | 2.07 | - |
| 5200MHz | Pass | PK | 5.2008G | 113.01 | Inf | -Inf | 3 | Vertical | 24 | 2.07 | - |
| 5200MHz | Pass | AV | 5.1456G | 52.22 | 54.00 | -1.78 | 3 | Horizontal | 308 | 2.16 | - |
| 5200MHz | Pass | AV | 5.2056G | 110.31 | Inf | -Inf | 3 | Horizontal | 308 | 2.16 | - |
| 5200MHz | Pass | PK | 5.1456G | 69.12 | 74.00 | -4.88 | 3 | Horizontal | 308 | 2.16 | - |
| 5200MHz | Pass | PK | 5.2044G | 119.31 | Inf | -Inf | 3 | Horizontal | 308 | 2.16 | - |
| 5200MHz | Pass | AV | 15.59969G | 43.62 | 54.00 | -10.38 | 3 | Vertical | 128 | 1.50 | - |
| 5200MHz | Pass | PK | 10.39984G | 55.56 | 68.20 | -12.64 | 3 | Vertical | 349 | 2.21 | - |
| 5200MHz | Pass | PK | 15.60208G | 56.07 | 74.00 | -17.93 | 3 | Vertical | 128 | 1.50 | - |
| 5200MHz | Pass | AV | 15.60227G | 43.67 | 54.00 | -10.33 | 3 | Horizontal | 308 | 1.01 | - |
| 5200MHz | Pass | PK | 10.40009G | 55.35 | 68.20 | -12.85 | 3 | Horizontal | 298 | 1.90 | - |
| 5200MHz | Pass | PK | 15.59994G | 55.51 | 74.00 | -18.49 | 3 | Horizontal | 308 | 1.01 | - |
| 5240MHz | Pass | AV | 5.1074G | 44.49 | 54.00 | -9.51 | 3 | Vertical | 32 | 2.24 | - |
| 5240MHz | Pass | AV | 5.2412G | 104.82 | Inf | -Inf | 3 | Vertical | 32 | 2.24 | - |
| 5240MHz | Pass | AV | 5.3504G | 42.62 | 54.00 | -11.38 | 3 | Vertical | 32 | 2.24 | - |
| 5240MHz | Pass | PK | 5.1044G | 56.02 | 74.00 | -17.98 | 3 | Vertical | 32 | 2.24 | - |
| 5240MHz | Pass | PK | 5.2412G | 113.29 | Inf | -Inf | 3 | Vertical | 32 | 2.24 | - |
| 5240MHz | Pass | PK | 5.3756G | 53.84 | 74.00 | -20.16 | 3 | Vertical | 32 | 2.24 | - |
| 5240MHz | Pass | AV | 5.1164G | 45.06 | 54.00 | -8.94 | 3 | Horizontal | 57 | 1.00 | - |
| 5240MHz | Pass | AV | 5.2454G | 109.26 | Inf | -Inf | 3 | Horizontal | 57 | 1.00 | - |
| 5240MHz | Pass | AV | 5.3702G | 43.77 | 54.00 | -10.23 | 3 | Horizontal | 57 | 1.00 | - |
| 5240MHz | Pass | PK | 5.1404G | 56.02 | 74.00 | -17.98 | 3 | Horizontal | 57 | 1.00 | - |
| 5240MHz | Pass | PK | 5.2454G | 118.26 | Inf | -Inf | 3 | Horizontal | 57 | 1.00 | - |
| 5240MHz | Pass | PK | 5.384G | 55.59 | 74.00 | -18.41 | 3 | Horizontal | 57 | 1.00 | - |
| 5240MHz | Pass | AV | 15.72044G | 43.63 | 54.00 | -10.37 | 3 | Vertical | 238 | 1.50 | - |
| 5240MHz | Pass | PK | 10.47911G | 54.47 | 68.20 | -13.73 | 3 | Vertical | 296 | 1.78 | - |
| 5240MHz | Pass | PK | 15.7194G | 56.02 | 74.00 | -17.98 | 3 | Vertical | 238 | 1.50 | - |
| 5240MHz | Pass | AV | 15.72204G | 43.63 | 54.00 | -10.37 | 3 | Horizontal | 235 | 2.66 | - |
| 5240MHz | Pass | PK | 10.4777G | 54.40 | 68.20 | -13.80 | 3 | Horizontal | 358 | 2.24 | - |
| 5240MHz | Pass | PK | 15.72187G | 55.80 | 74.00 | -18.20 | 3 | Horizontal | 235 | 2.66 | - |
| 5260MHz | Pass | AV | 5.1166G | 44.15 | 54.00 | -9.85 | 3 | Vertical | 32 | 2.27 | - |
| 5260MHz | Pass | AV | 5.2612G | 104.10 | Inf | -Inf | 3 | Vertical | 32 | 2.27 | - |
| 5260MHz | Pass | AV | 5.35G | 42.68 | 54.00 | -11.32 | 3 | Vertical | 32 | 2.27 | - |
| 5260MHz | Pass | PK | 5.1298G | 55.89 | 74.00 | -18.11 | 3 | Vertical | 32 | 2.27 | - |
| 5260MHz | Pass | PK | 5.2618G | 112.78 | Inf | -Inf | 3 | Vertical | 32 | 2.27 | - |
| 5260MHz | Pass | PK | 5.3926G | 53.75 | 74.00 | -20.25 | 3 | Vertical | 32 | 2.27 | - |
| 5260MHz | Pass | AV | 5.1214G | 44.67 | 54.00 | -9.33 | 3 | Horizontal | 56 | 1.00 | - |
| 5260MHz | Pass | AV | 5.2654G | 109.43 | Inf | -Inf | 3 | Horizontal | 56 | 1.00 | - |
| 5260MHz | Pass | AV | 5.3512G | 44.16 | 54.00 | -9.84 | 3 | Horizontal | 56 | 1.00 | - |
| 5260MHz | Pass | PK | 5.1412G | 55.97 | 74.00 | -18.03 | 3 | Horizontal | 56 | 1.00 | - |
| 5260MHz | Pass | PK | 5.2654G | 117.61 | Inf | -Inf | 3 | Horizontal | 56 | 1.00 | - |
| 5260MHz | Pass | PK | 5.3512G | 55.64 | 74.00 | -18.36 | 3 | Horizontal | 56 | 1.00 | - |
| 5260MHz | Pass | AV | 15.78096G | 43.00 | 54.00 | -11.00 | 3 | Vertical | 340 | 1.50 | - |
| 5260MHz | Pass | PK | 10.5207G | 54.77 | 68.20 | -13.43 | 3 | Vertical | 309 | 1.88 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5260MHz | Pass | PK | 15.78042G | 55.14 | 74.00 | -18.86 | 3 | Vertical | 340 | 1.50 | - |
| 5260MHz | Pass | AV | 15.78032G | 43.35 | 54.00 | -10.65 | 3 | Horizontal | 60 | 2.08 | - |
| 5260MHz | Pass | PK | 10.52025G | 54.97 | 68.20 | -13.23 | 3 | Horizontal | 359 | 2.16 | - |
| 5260MHz | Pass | PK | 15.77767G | 54.61 | 74.00 | -19.39 | 3 | Horizontal | 60 | 2.08 | - |
| 5300MHz | Pass | AV | 5.3048G | 101.62 | Inf | -Inf | 3 | Vertical | 99 | 1.50 | - |
| 5300MHz | Pass | AV | 5.35G | 45.10 | 54.00 | -8.90 | 3 | Vertical | 99 | 1.50 | - |
| 5300MHz | Pass | PK | 5.3044G | 110.04 | Inf | -Inf | 3 | Vertical | 99 | 1.50 | - |
| 5300MHz | Pass | PK | 5.3504G | 59.49 | 74.00 | -14.51 | 3 | Vertical | 99 | 1.50 | - |
| 5300MHz | Pass | AV | 5.2968G | 107.60 | Inf | -Inf | 3 | Horizontal | 44 | 1.46 | - |
| 5300MHz | Pass | AV | 5.35G | 47.75 | 54.00 | -6.25 | 3 | Horizontal | 44 | 1.46 | - |
| 5300MHz | Pass | PK | 5.2968G | 116.38 | Inf | -Inf | 3 | Horizontal | 44 | 1.46 | - |
| 5300MHz | Pass | PK | 5.3516G | 62.30 | 74.00 | -11.70 | 3 | Horizontal | 44 | 1.46 | - |
| 5300MHz | Pass | AV | 15.90173G | 42.43 | 54.00 | -11.57 | 3 | Vertical | 231 | 2.69 | - |
| 5300MHz | Pass | PK | 10.59997G | 54.60 | 68.20 | -13.60 | 3 | Vertical | 309 | 1.49 | - |
| 5300MHz | Pass | PK | 15.89931G | 54.28 | 74.00 | -19.72 | 3 | Vertical | 231 | 2.69 | - |
| 5300MHz | Pass | AV | 15.90178G | 42.97 | 54.00 | -11.03 | 3 | Horizontal | 359 | 2.79 | - |
| 5300MHz | Pass | PK | 10.60037G | 54.30 | 74.00 | -19.70 | 3 | Horizontal | 155 | 1.06 | - |
| 5300MHz | Pass | PK | 15.89831G | 54.68 | 74.00 | -19.32 | 3 | Horizontal | 359 | 2.79 | - |
| 5320MHz | Pass | AV | 5.3238G | 100.59 | Inf | -Inf | 3 | Vertical | 100 | 1.49 | - |
| 5320MHz | Pass | AV | 5.3526G | 47.67 | 54.00 | -6.33 | 3 | Vertical | 100 | 1.49 | - |
| 5320MHz | Pass | PK | 5.3244G | 108.77 | Inf | -Inf | 3 | Vertical | 100 | 1.49 | - |
| 5320MHz | Pass | PK | 5.3536G | 61.76 | 74.00 | -12.24 | 3 | Vertical | 100 | 1.49 | - |
| 5320MHz | Pass | AV | 5.3258G | 107.67 | Inf | -Inf | 3 | Horizontal | 56 | 1.03 | - |
| 5320MHz | Pass | AV | 5.35G | 53.31 | 54.00 | -0.69 | 3 | Horizontal | 56 | 1.03 | - |
| 5320MHz | Pass | PK | 5.3256G | 116.52 | Inf | -Inf | 3 | Horizontal | 56 | 1.03 | - |
| 5320MHz | Pass | PK | 5.35G | 67.13 | 74.00 | -6.87 | 3 | Horizontal | 56 | 1.03 | - |
| 5320MHz | Pass | AV | 10.63983G | 44.27 | 54.00 | -9.73 | 3 | Vertical | 316 | 1.16 | - |
| 5320MHz | Pass | AV | 15.95854G | 42.93 | 54.00 | -11.07 | 3 | Vertical | 152 | 1.86 | - |
| 5320MHz | Pass | PK | 10.63976G | 55.38 | 74.00 | -18.62 | 3 | Vertical | 316 | 1.16 | - |
| 5320MHz | Pass | PK | 15.96103G | 54.77 | 74.00 | -19.23 | 3 | Vertical | 152 | 1.86 | - |
| 5320MHz | Pass | AV | 10.6398G | 43.36 | 54.00 | -10.64 | 3 | Horizontal | 160 | 1.35 | - |
| 5320MHz | Pass | AV | 15.96166G | 42.93 | 54.00 | -11.07 | 3 | Horizontal | 277 | 1.50 | - |
| 5320MHz | Pass | PK | 10.63934G | 55.30 | 74.00 | -18.70 | 3 | Horizontal | 160 | 1.35 | - |
| 5320MHz | Pass | PK | 15.96241G | 54.74 | 74.00 | -19.26 | 3 | Horizontal | 277 | 1.50 | - |
| 5500MHz | Pass | AV | 5.455G | 42.98 | 54.00 | -11.02 | 3 | Vertical | 64 | 2.96 | - |
| 5500MHz | Pass | AV | 5.496G | 98.45 | Inf | -Inf | 3 | Vertical | 64 | 2.96 | - |
| 5500MHz | Pass | PK | 5.465G | 56.33 | 68.20 | -11.87 | 3 | Vertical | 64 | 2.96 | - |
| 5500MHz | Pass | PK | 5.4962G | 106.31 | Inf | -Inf | 3 | Vertical | 64 | 2.96 | - |
| 5500MHz | Pass | AV | 5.4576G | 46.09 | 54.00 | -7.91 | 3 | Horizontal | 317 | 2.08 | - |
| 5500MHz | Pass | AV | 5.5054G | 106.19 | Inf | -Inf | 3 | Horizontal | 317 | 2.08 | - |
| 5500MHz | Pass | PK | 5.4646G | 67.42 | 68.20 | -0.78 | 3 | Horizontal | 317 | 2.08 | - |
| 5500MHz | Pass | PK | 5.5056G | 116.12 | Inf | -Inf | 3 | Horizontal | 317 | 2.08 | - |
| 5500MHz | Pass | AV | 10.9883G | 42.67 | 54.00 | -11.33 | 3 | Vertical | 145 | 1.50 | - |
| 5500MHz | Pass | PK | 11.00294G | 54.61 | 74.00 | -19.39 | 3 | Vertical | 145 | 1.50 | - |
| 5500MHz | Pass | PK | 16.49658G | 56.06 | 68.20 | -12.14 | 3 | Vertical | 94 | 1.50 | - |
| 5500MHz | Pass | AV | 11.00378G | 42.86 | 54.00 | -11.14 | 3 | Horizontal | 167 | 1.02 | - |
| 5500MHz | Pass | PK | 11.01092G | 55.17 | 74.00 | -18.83 | 3 | Horizontal | 167 | 1.02 | - |
| 5500MHz | Pass | PK | 16.51032G | 56.94 | 68.20 | -11.26 | 3 | Horizontal | 300 | 2.83 | - |
| 5580MHz | Pass | AV | 5.454G | 43.05 | 54.00 | -10.95 | 3 | Vertical | 298 | 2.50 | - |
| 5580MHz | Pass | AV | 5.5722G | 103.81 | Inf | -Inf | 3 | Vertical | 298 | 2.50 | - |
| 5580MHz | Pass | PK | 5.4672G | 54.80 | 68.20 | -13.40 | 3 | Vertical | 298 | 2.50 | - |
| 5580MHz | Pass | PK | 5.5728G | 112.25 | Inf | -Inf | 3 | Vertical | 298 | 2.50 | - |
| 5580MHz | Pass | PK | 5.7252G | 54.43 | 68.20 | -13.77 | 3 | Vertical | 298 | 2.50 | - |
| 5580MHz | Pass | AV | 5.4456G | 44.11 | 54.00 | -9.89 | 3 | Horizontal | 304 | 2.12 | - |
| 5580MHz | Pass | AV | 5.5764G | 109.61 | Inf | -Inf | 3 | Horizontal | 304 | 2.12 | - |
| 5580MHz | Pass | PK | 5.4678G | 55.19 | 68.20 | -13.01 | 3 | Horizontal | 304 | 2.12 | - |
| 5580MHz | Pass | PK | 5.5752G | 118.32 | Inf | -Inf | 3 | Horizontal | 304 | 2.12 | - |
| 5580MHz | Pass | PK | 5.7258G | 55.02 | 68.20 | -13.18 | 3 | Horizontal | 304 | 2.12 | - |
| 5580MHz | Pass | AV | 11.1603G | 42.38 | 54.00 | -11.62 | 3 | Vertical | 162 | 1.49 | - |
| 5580MHz | Pass | PK | 11.15814G | 54.00 | 74.00 | -20.00 | 3 | Vertical | 162 | 1.49 | - |
| 5580MHz | Pass | PK | 16.7307G | 56.95 | 68.20 | -11.25 | 3 | Vertical | 3 | 1.50 | - |
| 5580MHz | Pass | AV | 11.1738G | 42.29 | 54.00 | -11.71 | 3 | Horizontal | 336 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5580MHz | Pass | PK | 11.14572G | 54.29 | 74.00 | -19.71 | 3 | Horizontal | 336 | 1.50 | - |
| 5580MHz | Pass | PK | 16.75224G | 56.58 | 68.20 | -11.62 | 3 | Horizontal | 138 | 1.50 | - |
| 5700MHz | Pass | AV | 5.694G | 96.91 | Inf | -Inf | 3 | Vertical | 24 | 1.63 | - |
| 5700MHz | Pass | PK | 5.6944G | 105.60 | Inf | -Inf | 3 | Vertical | 24 | 1.63 | - |
| 5700MHz | Pass | PK | 5.7296G | 60.36 | 68.20 | -7.84 | 3 | Vertical | 24 | 1.63 | - |
| 5700MHz | Pass | AV | 5.7044G | 101.72 | Inf | -Inf | 3 | Horizontal | 52 | 1.08 | - |
| 5700MHz | Pass | PK | 5.7056G | 111.20 | Inf | -Inf | 3 | Horizontal | 52 | 1.08 | - |
| 5700MHz | Pass | PK | 5.7264G | 67.60 | 68.20 | -0.60 | 3 | Horizontal | 52 | 1.08 | - |
| 5700MHz | Pass | AV | 11.40006G | 42.70 | 54.00 | -11.30 | 3 | Vertical | 304 | 1.50 | - |
| 5700MHz | Pass | PK | 11.40486G | 54.42 | 74.00 | -19.58 | 3 | Vertical | 304 | 1.50 | - |
| 5700MHz | Pass | PK | 17.10744G | 58.79 | 68.20 | -9.41 | 3 | Vertical | 292 | 2.15 | - |
| 5700MHz | Pass | AV | 11.4135G | 42.57 | 54.00 | -11.43 | 3 | Horizontal | 307 | 1.86 | - |
| 5700MHz | Pass | PK | 11.41254G | 53.59 | 74.00 | -20.41 | 3 | Horizontal | 307 | 1.86 | - |
| 5700MHz | Pass | PK | 17.09382G | 58.28 | 68.20 | -9.92 | 3 | Horizontal | 299 | 1.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.444G | 43.05 | 54.00 | -10.95 | 3 | Vertical | 24 | 1.91 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.714G | 101.90 | Inf | -Inf | 3 | Vertical | 24 | 1.91 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4668G | 53.10 | 68.20 | -15.10 | 3 | Vertical | 24 | 1.91 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.714G | 110.47 | Inf | -Inf | 3 | Vertical | 24 | 1.91 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8952G | 55.37 | 68.20 | -12.83 | 3 | Vertical | 24 | 1.91 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4404G | 43.45 | 54.00 | -10.55 | 3 | Horizontal | 52 | 1.00 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.726G | 107.67 | Inf | -Inf | 3 | Horizontal | 52 | 1.00 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.462G | 54.12 | 68.20 | -14.08 | 3 | Horizontal | 52 | 1.00 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7248G | 115.69 | Inf | -Inf | 3 | Horizontal | 52 | 1.00 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9G | 56.00 | 68.20 | -12.20 | 3 | Horizontal | 52 | 1.00 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44864G | 43.04 | 54.00 | -10.96 | 3 | Vertical | 360 | 1.01 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44726G | 54.41 | 74.00 | -19.59 | 3 | Vertical | 360 | 1.01 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.15028G | 58.44 | 68.20 | -9.76 | 3 | Vertical | 230 | 1.56 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44642G | 42.76 | 54.00 | -11.24 | 3 | Horizontal | 130 | 2.95 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.4391G | 54.44 | 74.00 | -19.56 | 3 | Horizontal | 130 | 2.95 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.16144G | 58.52 | 68.20 | -9.68 | 3 | Horizontal | 173 | 1.85 | - |
| 5745MHz | Pass | AV | 5.7462G | 103.05 | Inf | -Inf | 3 | Vertical | 34 | 2.71 | - |
| 5745MHz | Pass | PK | 5.6022G | 54.89 | 68.20 | -13.31 | 3 | Vertical | 34 | 2.71 | - |
| 5745MHz | Pass | PK | 5.7462G | 110.78 | Inf | -Inf | 3 | Vertical | 34 | 2.71 | - |
| 5745MHz | Pass | PK | 5.9586G | 55.16 | 68.20 | -13.04 | 3 | Vertical | 34 | 2.71 | - |
| 5745MHz | Pass | AV | 5.7426G | 107.69 | Inf | -Inf | 3 | Horizontal | 305 | 1.98 | - |
| 5745MHz | Pass | PK | 5.601G | 55.55 | 68.20 | -12.65 | 3 | Horizontal | 305 | 1.98 | - |
| 5745MHz | Pass | PK | 5.7414G | 116.85 | Inf | -Inf | 3 | Horizontal | 305 | 1.98 | - |
| 5745MHz | Pass | PK | 5.937G | 54.85 | 68.20 | -13.35 | 3 | Horizontal | 305 | 1.98 | - |
| 5745MHz | Pass | AV | 11.49318G | 42.89 | 54.00 | -11.11 | 3 | Vertical | 350 | 1.50 | - |
| 5745MHz | Pass | PK | 11.49018G | 54.39 | 74.00 | -19.61 | 3 | Vertical | 350 | 1.50 | - |
| 5745MHz | Pass | PK | 17.2374G | 57.61 | 68.20 | -10.59 | 3 | Vertical | 231 | 1.48 | - |
| 5745MHz | Pass | AV | 11.48328G | 43.02 | 54.00 | -10.98 | 3 | Horizontal | 88 | 1.50 | - |
| 5745MHz | Pass | PK | 11.48232G | 54.09 | 74.00 | -19.91 | 3 | Horizontal | 88 | 1.50 | - |
| 5745MHz | Pass | PK | 17.23962G | 57.74 | 68.20 | -10.46 | 3 | Horizontal | 318 | 2.02 | - |
| 5785MHz | Pass | AV | 5.779G | 104.28 | Inf | -Inf | 3 | Vertical | 331 | 2.46 | - |
| 5785MHz | Pass | PK | 5.5174G | 54.83 | 68.20 | -13.37 | 3 | Vertical | 331 | 2.46 | - |
| 5785MHz | Pass | PK | 5.779G | 112.93 | Inf | -Inf | 3 | Vertical | 331 | 2.46 | - |
| 5785MHz | Pass | PK | 5.9662G | 55.24 | 68.20 | -12.96 | 3 | Vertical | 331 | 2.46 | - |
| 5785MHz | Pass | AV | 5.7898G | 107.17 | Inf | -Inf | 3 | Horizontal | 310 | 2.09 | - |
| 5785MHz | Pass | PK | 5.6374G | 55.92 | 68.20 | -12.28 | 3 | Horizontal | 310 | 2.09 | - |
| 5785MHz | Pass | PK | 5.7898G | 115.76 | Inf | -Inf | 3 | Horizontal | 310 | 2.09 | - |
| 5785MHz | Pass | PK | 5.9434G | 55.10 | 68.20 | -13.10 | 3 | Horizontal | 310 | 2.09 | - |
| 5785MHz | Pass | AV | 11.57009G | 43.54 | 54.00 | -10.46 | 3 | Vertical | 360 | 1.11 | - |
| 5785MHz | Pass | PK | 11.57002G | 55.40 | 74.00 | -18.60 | 3 | Vertical | 360 | 1.11 | - |
| 5785MHz | Pass | PK | 17.35672G | 59.92 | 68.20 | -8.28 | 3 | Vertical | 296 | 1.47 | - |
| 5785MHz | Pass | AV | 11.57001G | 42.84 | 54.00 | -11.16 | 3 | Horizontal | 360 | 1.50 | - |
| 5785MHz | Pass | PK | 11.57092G | 54.43 | 74.00 | -19.57 | 3 | Horizontal | 360 | 1.50 | - |
| 5785MHz | Pass | PK | 17.35495G | 59.22 | 68.20 | -8.98 | 3 | Horizontal | 272 | 1.36 | - |
| 5825MHz | Pass | AV | 5.8178G | 101.31 | Inf | -Inf | 3 | Vertical | 350 | 1.49 | - |
| 5825MHz | Pass | PK | 5.6138G | 54.51 | 68.20 | -13.69 | 3 | Vertical | 350 | 1.49 | - |
| 5825MHz | Pass | PK | 5.8178G | 110.56 | Inf | -Inf | 3 | Vertical | 350 | 1.49 | - |
| 5825MHz | Pass | PK | 6.0062G | 54.90 | 68.20 | -13.30 | 3 | Vertical | 350 | 1.49 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5825MHz | Pass | AV | 5.8226G | 107.40 | Inf | -Inf | 3 | Horizontal | 306 | 2.10 | - |
| 5825MHz | Pass | PK | 5.6126G | 55.35 | 68.20 | -12.85 | 3 | Horizontal | 306 | 2.10 | - |
| 5825MHz | Pass | PK | 5.8214G | 115.88 | Inf | -Inf | 3 | Horizontal | 306 | 2.10 | - |
| 5825MHz | Pass | PK | 5.939G | 55.26 | 68.20 | -12.94 | 3 | Horizontal | 306 | 2.10 | - |
| 5825MHz | Pass | AV | 11.64985G | 43.22 | 54.00 | -10.78 | 3 | Vertical | 317 | 1.83 | - |
| 5825MHz | Pass | PK | 11.64977G | 54.99 | 74.00 | -19.01 | 3 | Vertical | 317 | 1.83 | - |
| 5825MHz | Pass | PK | 17.47653G | 60.53 | 68.20 | -7.67 | 3 | Vertical | 302 | 1.62 | - |
| 5825MHz | Pass | AV | 11.65179G | 42.65 | 54.00 | -11.35 | 3 | Horizontal | 289 | 1.50 | - |
| 5825MHz | Pass | PK | 11.65022G | 54.54 | 74.00 | -19.46 | 3 | Horizontal | 289 | 1.50 | - |
| 5825MHz | Pass | PK | 17.47316G | 59.79 | 68.20 | -8.41 | 3 | Horizontal | 106 | 1.50 | - |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5180MHz | Pass | AV | 5.15G | 49.54 | 54.00 | -4.46 | 3 | Vertical | 345 | 1.05 | - |
| 5180MHz | Pass | AV | 5.1874G | 97.18 | Inf | -Inf | 3 | Vertical | 345 | 1.05 | - |
| 5180MHz | Pass | PK | 5.149G | 63.73 | 74.00 | -10.27 | 3 | Vertical | 345 | 1.05 | - |
| 5180MHz | Pass | PK | 5.1754G | 110.16 | Inf | -Inf | 3 | Vertical | 345 | 1.05 | - |
| 5180MHz | Pass | AV | 5.15G | 53.72 | 54.00 | -0.28 | 3 | Horizontal | 56 | 1.00 | - |
| 5180MHz | Pass | AV | 5.1878G | 101.51 | Inf | -Inf | 3 | Horizontal | 56 | 1.00 | - |
| 5180MHz | Pass | PK | 5.1498G | 68.89 | 74.00 | -5.11 | 3 | Horizontal | 56 | 1.00 | - |
| 5180MHz | Pass | PK | 5.1754G | 114.69 | Inf | -Inf | 3 | Horizontal | 56 | 1.00 | - |
| 5180MHz | Pass | AV | 15.54096G | 41.10 | 54.00 | -12.90 | 3 | Vertical | 194 | 1.50 | - |
| 5180MHz | Pass | PK | 10.36002G | 55.74 | 68.20 | -12.46 | 3 | Vertical | 351 | 2.21 | - |
| 5180MHz | Pass | PK | 15.53982G | 54.70 | 74.00 | -19.30 | 3 | Vertical | 194 | 1.50 | - |
| 5180MHz | Pass | AV | 15.541G | 41.03 | 54.00 | -12.97 | 3 | Horizontal | 206 | 2.12 | - |
| 5180MHz | Pass | PK | 10.36048G | 54.94 | 68.20 | -13.26 | 3 | Horizontal | 300 | 1.86 | - |
| 5180MHz | Pass | PK | 15.53934G | 55.15 | 74.00 | -18.85 | 3 | Horizontal | 206 | 2.12 | - |
| 5200MHz | Pass | AV | 5.15G | 51.72 | 54.00 | -2.28 | 3 | Vertical | 330 | 2.27 | - |
| 5200MHz | Pass | AV | 5.2084G | 102.91 | Inf | -Inf | 3 | Vertical | 330 | 2.27 | - |
| 5200MHz | Pass | PK | 5.1468G | 66.02 | 74.00 | -7.98 | 3 | Vertical | 330 | 2.27 | - |
| 5200MHz | Pass | PK | 5.196G | 114.79 | Inf | -Inf | 3 | Vertical | 330 | 2.27 | - |
| 5200MHz | Pass | AV | 5.15G | 53.66 | 54.00 | -0.34 | 3 | Horizontal | 56 | 1.00 | - |
| 5200MHz | Pass | AV | 5.206G | 105.02 | Inf | -Inf | 3 | Horizontal | 56 | 1.00 | - |
| 5200MHz | Pass | PK | 5.148G | 68.26 | 74.00 | -5.74 | 3 | Horizontal | 56 | 1.00 | - |
| 5200MHz | Pass | PK | 5.2072G | 116.84 | Inf | -Inf | 3 | Horizontal | 56 | 1.00 | - |
| 5200MHz | Pass | AV | 15.60098G | 41.49 | 54.00 | -12.51 | 3 | Vertical | 232 | 1.50 | - |
| 5200MHz | Pass | PK | 10.39983G | 56.08 | 68.20 | -12.12 | 3 | Vertical | 355 | 2.19 | - |
| 5200MHz | Pass | PK | 15.60033G | 55.29 | 74.00 | -18.71 | 3 | Vertical | 232 | 1.50 | - |
| 5200MHz | Pass | AV | 15.601G | 41.16 | 54.00 | -12.84 | 3 | Horizontal | 220 | 1.50 | - |
| 5200MHz | Pass | PK | 10.39994G | 54.72 | 68.20 | -13.48 | 3 | Horizontal | 299 | 1.90 | - |
| 5200MHz | Pass | PK | 15.59997G | 54.70 | 74.00 | -19.30 | 3 | Horizontal | 220 | 1.50 | - |
| 5240MHz | Pass | AV | 5.15G | 42.57 | 54.00 | -11.43 | 3 | Vertical | 345 | 1.00 | - |
| 5240MHz | Pass | AV | 5.2472G | 100.87 | Inf | -Inf | 3 | Vertical | 345 | 1.00 | - |
| 5240MHz | Pass | AV | 5.3834G | 41.04 | 54.00 | -12.96 | 3 | Vertical | 345 | 1.00 | - |
| 5240MHz | Pass | PK | 5.1056G | 55.37 | 74.00 | -18.63 | 3 | Vertical | 345 | 1.00 | - |
| 5240MHz | Pass | PK | 5.2484G | 112.06 | Inf | -Inf | 3 | Vertical | 345 | 1.00 | - |
| 5240MHz | Pass | PK | 5.3558G | 53.64 | 74.00 | -20.36 | 3 | Vertical | 345 | 1.00 | - |
| 5240MHz | Pass | AV | 5.15G | 43.64 | 54.00 | -10.36 | 3 | Horizontal | 59 | 1.17 | - |
| 5240MHz | Pass | AV | 5.2472G | 104.27 | Inf | -Inf | 3 | Horizontal | 59 | 1.17 | - |
| 5240MHz | Pass | AV | 5.35G | 41.71 | 54.00 | -12.29 | 3 | Horizontal | 59 | 1.17 | - |
| 5240MHz | Pass | PK | 5.1362G | 55.77 | 74.00 | -18.23 | 3 | Horizontal | 59 | 1.17 | - |
| 5240MHz | Pass | PK | 5.2466G | 115.55 | Inf | -Inf | 3 | Horizontal | 59 | 1.17 | - |
| 5240MHz | Pass | PK | 5.3522G | 54.42 | 74.00 | -19.58 | 3 | Horizontal | 59 | 1.17 | - |
| 5240MHz | Pass | AV | 15.7211G | 41.57 | 54.00 | -12.43 | 3 | Vertical | 240 | 2.27 | - |
| 5240MHz | Pass | PK | 10.47961G | 55.65 | 68.20 | -12.55 | 3 | Vertical | 357 | 2.19 | - |
| 5240MHz | Pass | PK | 15.72016G | 55.43 | 74.00 | -18.57 | 3 | Vertical | 240 | 2.27 | - |
| 5240MHz | Pass | AV | 15.72137G | 41.37 | 54.00 | -12.63 | 3 | Horizontal | 304 | 2.77 | - |
| 5240MHz | Pass | PK | 10.48058G | 53.94 | 68.20 | -14.26 | 3 | Horizontal | 165 | 2.25 | - |
| 5240MHz | Pass | PK | 15.72056G | 55.33 | 74.00 | -18.67 | 3 | Horizontal | 304 | 2.77 | - |
| 5260MHz | Pass | AV | 5.146G | 42.34 | 54.00 | -11.66 | 3 | Vertical | 346 | 1.00 | - |
| 5260MHz | Pass | AV | 5.2522G | 100.97 | Inf | -Inf | 3 | Vertical | 346 | 1.00 | - |
| 5260MHz | Pass | AV | 5.35G | 41.46 | 54.00 | -12.54 | 3 | Vertical | 346 | 1.00 | - |
| 5260MHz | Pass | PK | 5.1478G | 54.90 | 74.00 | -19.10 | 3 | Vertical | 346 | 1.00 | - |
| 5260MHz | Pass | PK | 5.2534G | 113.24 | Inf | -Inf | 3 | Vertical | 346 | 1.00 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5260MHz | Pass | PK | 5.3686G | 54.81 | 74.00 | -19.19 | 3 | Vertical | 346 | 1.00 | - |
| 5260MHz | Pass | AV | 5.15G | 42.87 | 54.00 | -11.13 | 3 | Horizontal | 60 | 1.12 | - |
| 5260MHz | Pass | AV | 5.2678G | 103.99 | Inf | -Inf | 3 | Horizontal | 60 | 1.12 | - |
| 5260MHz | Pass | AV | 5.3506G | 42.46 | 54.00 | -11.54 | 3 | Horizontal | 60 | 1.12 | - |
| 5260MHz | Pass | PK | 5.1442G | 55.85 | 74.00 | -18.15 | 3 | Horizontal | 60 | 1.12 | - |
| 5260MHz | Pass | PK | 5.2666G | 115.67 | Inf | -Inf | 3 | Horizontal | 60 | 1.12 | - |
| 5260MHz | Pass | PK | 5.353G | 57.23 | 74.00 | -16.77 | 3 | Horizontal | 60 | 1.12 | - |
| 5260MHz | Pass | AV | 15.78088G | 40.93 | 54.00 | -13.07 | 3 | Vertical | 233 | 1.04 | - |
| 5260MHz | Pass | PK | 10.51989G | 55.03 | 68.20 | -13.17 | 3 | Vertical | 21 | 1.14 | - |
| 5260MHz | Pass | PK | 15.78073G | 54.20 | 74.00 | -19.80 | 3 | Vertical | 233 | 1.04 | - |
| 5260MHz | Pass | AV | 15.78127G | 40.89 | 54.00 | -13.11 | 3 | Horizontal | 300 | 1.50 | - |
| 5260MHz | Pass | PK | 10.51949G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 1 | 2.21 | - |
| 5260MHz | Pass | PK | 15.77989G | 54.77 | 74.00 | -19.23 | 3 | Horizontal | 300 | 1.50 | - |
| 5300MHz | Pass | AV | 5.3064G | 99.97 | Inf | -Inf | 3 | Vertical | 109.8 | 1.00 | - |
| 5300MHz | Pass | AV | 5.35G | 47.68 | 54.00 | -6.32 | 3 | Vertical | 109.8 | 1.00 | - |
| 5300MHz | Pass | PK | 5.2936G | 111.76 | Inf | -Inf | 3 | Vertical | 109.8 | 1.00 | - |
| 5300MHz | Pass | PK | 5.3508G | 61.86 | 74.00 | -12.14 | 3 | Vertical | 109.8 | 1.00 | - |
| 5300MHz | Pass | AV | 5.2928G | 104.24 | Inf | -Inf | 3 | Horizontal | 60 | 1.12 | - |
| 5300MHz | Pass | AV | 5.35G | 50.86 | 54.00 | -3.14 | 3 | Horizontal | 60 | 1.12 | - |
| 5300MHz | Pass | PK | 5.2936G | 116.50 | Inf | -Inf | 3 | Horizontal | 60 | 1.12 | - |
| 5300MHz | Pass | PK | 5.3516G | 67.26 | 74.00 | -6.74 | 3 | Horizontal | 60 | 1.12 | - |
| 5300MHz | Pass | AV | 15.90125G | 40.62 | 54.00 | -13.38 | 3 | Vertical | 269 | 1.50 | - |
| 5300MHz | Pass | PK | 10.59973G | 55.58 | 68.20 | -12.62 | 3 | Vertical | 315 | 1.26 | - |
| 5300MHz | Pass | PK | 15.89923G | 55.30 | 74.00 | -18.70 | 3 | Vertical | 269 | 1.50 | - |
| 5300MHz | Pass | AV | 15.90107G | 40.61 | 54.00 | -13.39 | 3 | Horizontal | 289 | 1.50 | - |
| 5300MHz | Pass | PK | 10.59948G | 54.44 | 68.20 | -13.76 | 3 | Horizontal | 214 | 1.30 | - |
| 5300MHz | Pass | PK | 15.9014G | 54.49 | 74.00 | -19.51 | 3 | Horizontal | 289 | 1.50 | - |
| 5320MHz | Pass | AV | 5.3128G | 98.42 | Inf | -Inf | 3 | Vertical | 346 | 1.02 | - |
| 5320MHz | Pass | AV | 5.35G | 51.01 | 54.00 | -2.99 | 3 | Vertical | 346 | 1.02 | - |
| 5320MHz | Pass | PK | 5.3282G | 111.18 | Inf | -Inf | 3 | Vertical | 346 | 1.02 | - |
| 5320MHz | Pass | PK | 5.351G | 68.66 | 74.00 | -5.34 | 3 | Vertical | 346 | 1.02 | - |
| 5320MHz | Pass | AV | 5.3122G | 102.23 | Inf | -Inf | 3 | Horizontal | 61 | 1.08 | - |
| 5320MHz | Pass | AV | 5.35G | 53.50 | 54.00 | -0.50 | 3 | Horizontal | 61 | 1.08 | - |
| 5320MHz | Pass | PK | 5.3284G | 114.47 | Inf | -Inf | 3 | Horizontal | 61 | 1.08 | - |
| 5320MHz | Pass | PK | 5.35G | 70.54 | 74.00 | -3.46 | 3 | Horizontal | 61 | 1.08 | - |
| 5320MHz | Pass | AV | 10.63988G | 41.37 | 54.00 | -12.63 | 3 | Vertical | 313 | 1.99 | - |
| 5320MHz | Pass | AV | 15.96145G | 40.50 | 54.00 | -13.50 | 3 | Vertical | 31 | 1.72 | - |
| 5320MHz | Pass | PK | 10.63984G | 54.33 | 74.00 | -19.67 | 3 | Vertical | 313 | 1.99 | - |
| 5320MHz | Pass | PK | 15.9605G | 54.63 | 74.00 | -19.37 | 3 | Vertical | 31 | 1.72 | - |
| 5320MHz | Pass | AV | 10.63989G | 41.01 | 54.00 | -12.99 | 3 | Horizontal | 161 | 1.47 | - |
| 5320MHz | Pass | AV | 15.96148G | 40.48 | 54.00 | -13.52 | 3 | Horizontal | 10 | 2.42 | - |
| 5320MHz | Pass | PK | 10.64001G | 54.31 | 74.00 | -19.69 | 3 | Horizontal | 161 | 1.47 | - |
| 5320MHz | Pass | PK | 15.96004G | 54.41 | 74.00 | -19.59 | 3 | Horizontal | 10 | 2.42 | - |
| 5500MHz | Pass | PK | 5.4582G | 55.44 | 74.00 | -18.56 | 3 | Vertical | 310 | 1.50 | - |
| 5500MHz | Pass | AV | 5.46G | 41.95 | 54.00 | -12.05 | 3 | Vertical | 310 | 1.50 | - |
| 5500MHz | Pass | PK | 5.469G | 59.17 | 68.20 | -9.03 | 3 | Vertical | 310 | 1.50 | - |
| 5500MHz | Pass | PK | 5.508G | 107.48 | Inf | -Inf | 3 | Vertical | 310 | 1.50 | - |
| 5500MHz | Pass | AV | 5.5076G | 94.33 | Inf | -Inf | 3 | Vertical | 310 | 1.50 | - |
| 5500MHz | Pass | AV | 5.46G | 45.76 | 54.00 | -8.24 | 3 | Horizontal | 65 | 1.00 | - |
| 5500MHz | Pass | AV | 5.5074G | 102.26 | Inf | -Inf | 3 | Horizontal | 65 | 1.00 | - |
| 5500MHz | Pass | PK | 5.4696G | 67.85 | 68.20 | -0.35 | 3 | Horizontal | 65 | 1.00 | - |
| 5500MHz | Pass | PK | 5.5038G | 114.65 | Inf | -Inf | 3 | Horizontal | 65 | 1.00 | - |
| 5500MHz | Pass | AV | 10.99993G | 41.41 | 54.00 | -12.59 | 3 | Vertical | 230 | 1.47 | - |
| 5500MHz | Pass | PK | 11.00008G | 54.82 | 74.00 | -19.18 | 3 | Vertical | 230 | 1.47 | - |
| 5500MHz | Pass | PK | 16.50141G | 57.63 | 68.20 | -10.57 | 3 | Vertical | 37 | 1.50 | - |
| 5500MHz | Pass | AV | 10.99989G | 41.13 | 54.00 | -12.87 | 3 | Horizontal | 312 | 1.21 | - |
| 5500MHz | Pass | PK | 10.99986G | 54.55 | 74.00 | -19.45 | 3 | Horizontal | 312 | 1.21 | - |
| 5500MHz | Pass | PK | 16.50001G | 56.19 | 68.20 | -12.01 | 3 | Horizontal | 32 | 1.50 | - |
| 5580MHz | Pass | AV | 5.4546G | 41.68 | 54.00 | -12.32 | 3 | Vertical | 329 | 2.61 | - |
| 5580MHz | Pass | AV | 5.5872G | 101.15 | Inf | -Inf | 3 | Vertical | 329 | 2.61 | - |
| 5580MHz | Pass | PK | 5.4678G | 53.81 | 68.20 | -14.39 | 3 | Vertical | 329 | 2.61 | - |
| 5580MHz | Pass | PK | 5.5884G | 113.29 | Inf | -Inf | 3 | Vertical | 329 | 2.61 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5580MHz | Pass | PK | 5.7288G | 54.27 | 68.20 | -13.93 | 3 | Vertical | 329 | 2.61 | - |
| 5580MHz | Pass | AV | 5.46G | 42.42 | 54.00 | -11.58 | 3 | Horizontal | 62 | 2.76 | - |
| 5580MHz | Pass | AV | 5.5878G | 105.41 | Inf | -Inf | 3 | Horizontal | 62 | 2.76 | - |
| 5580MHz | Pass | PK | 5.4606G | 54.92 | 68.20 | -13.28 | 3 | Horizontal | 62 | 2.76 | - |
| 5580MHz | Pass | PK | 5.5878G | 117.43 | Inf | -Inf | 3 | Horizontal | 62 | 2.76 | - |
| 5580MHz | Pass | PK | 5.7288G | 55.46 | 68.20 | -12.74 | 3 | Horizontal | 62 | 2.76 | - |
| 5580MHz | Pass | AV | 11.15935G | 40.53 | 54.00 | -13.47 | 3 | Vertical | 351 | 1.50 | - |
| 5580MHz | Pass | PK | 11.16024G | 54.34 | 74.00 | -19.66 | 3 | Vertical | 351 | 1.50 | - |
| 5580MHz | Pass | PK | 16.74083G | 57.04 | 68.20 | -11.16 | 3 | Vertical | 98 | 3.00 | - |
| 5580MHz | Pass | AV | 11.16015G | 40.56 | 54.00 | -13.44 | 3 | Horizontal | 226 | 1.50 | - |
| 5580MHz | Pass | PK | 11.16041G | 54.70 | 74.00 | -19.30 | 3 | Horizontal | 226 | 1.50 | - |
| 5580MHz | Pass | PK | 16.73937G | 56.56 | 68.20 | -11.64 | 3 | Horizontal | 264 | 1.50 | - |
| 5700MHz | Pass | AV | 5.7076G | 95.35 | Inf | -Inf | 3 | Vertical | 303 | 1.00 | - |
| 5700MHz | Pass | PK | 5.7072G | 107.32 | Inf | -Inf | 3 | Vertical | 303 | 1.00 | - |
| 5700MHz | Pass | PK | 5.7264G | 64.49 | 68.20 | -3.71 | 3 | Vertical | 303 | 1.00 | - |
| 5700MHz | Pass | AV | 5.7068G | 99.23 | Inf | -Inf | 3 | Horizontal | 62 | 2.92 | - |
| 5700MHz | Pass | PK | 5.7076G | 112.08 | Inf | -Inf | 3 | Horizontal | 62 | 2.92 | - |
| 5700MHz | Pass | PK | 5.7252G | 67.66 | 68.20 | -0.54 | 3 | Horizontal | 62 | 2.92 | - |
| 5700MHz | Pass | AV | 11.40145G | 40.63 | 54.00 | -13.37 | 3 | Vertical | 167 | 1.50 | - |
| 5700MHz | Pass | PK | 11.40108G | 54.45 | 74.00 | -19.55 | 3 | Vertical | 167 | 1.50 | - |
| 5700MHz | Pass | PK | 17.10079G | 58.04 | 68.20 | -10.16 | 3 | Vertical | 13 | 1.50 | - |
| 5700MHz | Pass | AV | 11.4014G | 40.60 | 54.00 | -13.40 | 3 | Horizontal | 256 | 1.50 | - |
| 5700MHz | Pass | PK | 11.39966G | 54.48 | 74.00 | -19.52 | 3 | Horizontal | 256 | 1.50 | - |
| 5700MHz | Pass | PK | 17.09944G | 58.00 | 68.20 | -10.20 | 3 | Horizontal | 198 | 1.30 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4584G | 41.27 | 54.00 | -12.73 | 3 | Vertical | 312 | 1.46 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7188G | 98.68 | Inf | -Inf | 3 | Vertical | 312 | 1.46 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.46G | 53.89 | 68.20 | -14.31 | 3 | Vertical | 312 | 1.46 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7176G | 110.54 | Inf | -Inf | 3 | Vertical | 312 | 1.46 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8904G | 55.31 | 68.20 | -12.89 | 3 | Vertical | 312 | 1.46 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4584G | 41.62 | 54.00 | -12.38 | 3 | Horizontal | 61 | 2.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7128G | 105.06 | Inf | -Inf | 3 | Horizontal | 61 | 2.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4668G | 52.92 | 68.20 | -15.28 | 3 | Horizontal | 61 | 2.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7164G | 116.23 | Inf | -Inf | 3 | Horizontal | 61 | 2.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.876G | 55.93 | 68.20 | -12.27 | 3 | Horizontal | 61 | 2.68 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43997G | 41.47 | 54.00 | -12.53 | 3 | Vertical | 2 | 2.26 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43869G | 54.92 | 74.00 | -19.08 | 3 | Vertical | 2 | 2.26 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.16026G | 58.86 | 68.20 | -9.34 | 3 | Vertical | 236 | 2.07 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44086G | 40.79 | 54.00 | -13.21 | 3 | Horizontal | 278 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44106G | 54.29 | 74.00 | -19.71 | 3 | Horizontal | 278 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.15873G | 58.95 | 68.20 | -9.25 | 3 | Horizontal | 227 | 2.45 | - |
| 5745MHz | Pass | AV | 5.7522G | 99.75 | Inf | -Inf | 3 | Vertical | 311 | 1.44 | - |
| 5745MHz | Pass | PK | 5.6046G | 55.01 | 68.20 | -13.19 | 3 | Vertical | 311 | 1.44 | - |
| 5745MHz | Pass | PK | 5.7486G | 110.35 | Inf | -Inf | 3 | Vertical | 311 | 1.44 | - |
| 5745MHz | Pass | PK | 6.0198G | 55.11 | 68.20 | -13.09 | 3 | Vertical | 311 | 1.44 | - |
| 5745MHz | Pass | AV | 5.7534G | 105.82 | Inf | -Inf | 3 | Horizontal | 62 | 2.98 | - |
| 5745MHz | Pass | PK | 5.6382G | 55.08 | 68.20 | -13.12 | 3 | Horizontal | 62 | 2.98 | - |
| 5745MHz | Pass | PK | 5.7402G | 117.12 | Inf | -Inf | 3 | Horizontal | 62 | 2.98 | - |
| 5745MHz | Pass | PK | 5.9358G | 55.28 | 68.20 | -12.92 | 3 | Horizontal | 62 | 2.98 | - |
| 5745MHz | Pass | AV | 11.4898G | 41.42 | 54.00 | -12.58 | 3 | Vertical | 360 | 2.86 | - |
| 5745MHz | Pass | PK | 11.48886G | 54.81 | 74.00 | -19.19 | 3 | Vertical | 360 | 2.86 | - |
| 5745MHz | Pass | PK | 17.23649G | 58.37 | 68.20 | -9.83 | 3 | Vertical | 194 | 1.50 | - |
| 5745MHz | Pass | AV | 11.49096G | 41.16 | 54.00 | -12.84 | 3 | Horizontal | 223 | 1.50 | - |
| 5745MHz | Pass | PK | 11.49092G | 54.79 | 74.00 | -19.21 | 3 | Horizontal | 223 | 1.50 | - |
| 5745MHz | Pass | PK | 17.2335G | 58.00 | 68.20 | -10.20 | 3 | Horizontal | 250 | 1.50 | - |
| 5785MHz | Pass | AV | 5.7778G | 100.34 | Inf | -Inf | 3 | Vertical | 310 | 1.58 | - |
| 5785MHz | Pass | PK | 5.533G | 55.00 | 68.20 | -13.20 | 3 | Vertical | 310 | 1.58 | - |
| 5785MHz | Pass | PK | 5.7766G | 111.39 | Inf | -Inf | 3 | Vertical | 310 | 1.58 | - |
| 5785MHz | Pass | PK | 5.9494G | 55.49 | 68.20 | -12.71 | 3 | Vertical | 310 | 1.58 | - |
| 5785MHz | Pass | AV | 5.7778G | 105.83 | Inf | -Inf | 3 | Horizontal | 62 | 2.72 | - |
| 5785MHz | Pass | PK | 5.605G | 55.42 | 68.20 | -12.78 | 3 | Horizontal | 62 | 2.72 | - |
| 5785MHz | Pass | PK | 5.7886G | 116.96 | Inf | -Inf | 3 | Horizontal | 62 | 2.72 | - |
| 5785MHz | Pass | PK | 6.0106G | 55.38 | 68.20 | -12.82 | 3 | Horizontal | 62 | 2.72 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5785MHz | Pass | AV | 11.56987G | 41.80 | 54.00 | -12.20 | 3 | Vertical | 3 | 2.22 | - |
| 5785MHz | Pass | PK | 11.56929G | 55.20 | 74.00 | -18.80 | 3 | Vertical | 3 | 2.22 | - |
| 5785MHz | Pass | PK | 17.35514G | 59.77 | 68.20 | -8.43 | 3 | Vertical | 302 | 2.98 | - |
| 5785MHz | Pass | AV | 11.56984G | 41.22 | 54.00 | -12.78 | 3 | Horizontal | 181 | 1.35 | - |
| 5785MHz | Pass | PK | 11.57134G | 54.54 | 74.00 | -19.46 | 3 | Horizontal | 181 | 1.35 | - |
| 5785MHz | Pass | PK | 17.35579G | 59.26 | 68.20 | -8.94 | 3 | Horizontal | 177 | 1.72 | - |
| 5825MHz | Pass | AV | 5.8178G | 100.16 | Inf | -Inf | 3 | Vertical | 317 | 1.86 | - |
| 5825MHz | Pass | PK | 5.5958G | 55.00 | 68.20 | -13.20 | 3 | Vertical | 317 | 1.86 | - |
| 5825MHz | Pass | PK | 5.819G | 110.92 | Inf | -Inf | 3 | Vertical | 317 | 1.86 | - |
| 5825MHz | Pass | PK | 5.9498G | 54.89 | 68.20 | -13.31 | 3 | Vertical | 317 | 1.86 | - |
| 5825MHz | Pass | AV | 5.8322G | 104.27 | Inf | -Inf | 3 | Horizontal | 307 | 2.50 | - |
| 5825MHz | Pass | PK | 5.5838G | 55.67 | 68.20 | -12.53 | 3 | Horizontal | 307 | 2.50 | - |
| 5825MHz | Pass | PK | 5.8238G | 115.34 | Inf | -Inf | 3 | Horizontal | 307 | 2.50 | - |
| 5825MHz | Pass | PK | 5.9378G | 55.46 | 68.20 | -12.74 | 3 | Horizontal | 307 | 2.50 | - |
| 5825MHz | Pass | AV | 11.65002G | 41.41 | 54.00 | -12.59 | 3 | Vertical | 3 | 1.96 | - |
| 5825MHz | Pass | PK | 11.65091G | 54.36 | 74.00 | -19.64 | 3 | Vertical | 3 | 1.96 | - |
| 5825MHz | Pass | PK | 17.47535G | 60.64 | 68.20 | -7.56 | 3 | Vertical | 334 | 2.23 | - |
| 5825MHz | Pass | AV | 11.6501G | 40.98 | 54.00 | -13.02 | 3 | Horizontal | 323 | 2.02 | - |
| 5825MHz | Pass | PK | 11.65013G | 54.59 | 74.00 | -19.41 | 3 | Horizontal | 323 | 2.02 | - |
| 5825MHz | Pass | PK | 17.47585G | 59.42 | 68.20 | -8.78 | 3 | Horizontal | 44 | 2.03 | - |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5190MHz | Pass | AV | 5.15G | 48.79 | 54.00 | -5.21 | 3 | Vertical | 331 | 2.28 | - |
| 5190MHz | Pass | AV | 5.1912G | 94.55 | Inf | -Inf | 3 | Vertical | 331 | 2.28 | - |
| 5190MHz | Pass | PK | 5.1492G | 71.83 | 74.00 | -2.17 | 3 | Vertical | 331 | 2.28 | - |
| 5190MHz | Pass | PK | 5.1832G | 106.54 | Inf | -Inf | 3 | Vertical | 331 | 2.28 | - |
| 5190MHz | Pass | AV | 5.1496G | 50.31 | 54.00 | -3.69 | 3 | Horizontal | 59 | 1.00 | - |
| 5190MHz | Pass | AV | 5.2064G | 96.62 | Inf | -Inf | 3 | Horizontal | 59 | 1.00 | - |
| 5190MHz | Pass | PK | 5.1492G | 73.37 | 74.00 | -0.63 | 3 | Horizontal | 59 | 1.00 | - |
| 5190MHz | Pass | PK | 5.1744G | 108.51 | Inf | -Inf | 3 | Horizontal | 59 | 1.00 | - |
| 5190MHz | Pass | AV | 15.57116G | 41.97 | 54.00 | -12.03 | 3 | Vertical | 210 | 1.52 | - |
| 5190MHz | Pass | PK | 10.37989G | 54.86 | 68.20 | -13.34 | 3 | Vertical | 354 | 2.26 | - |
| 5190MHz | Pass | PK | 15.5704G | 54.37 | 74.00 | -19.63 | 3 | Vertical | 210 | 1.52 | - |
| 5190MHz | Pass | AV | 15.57068G | 42.06 | 54.00 | -11.94 | 3 | Horizontal | 163 | 1.49 | - |
| 5190MHz | Pass | PK | 10.37944G | 54.49 | 68.20 | -13.71 | 3 | Horizontal | 11 | 1.39 | - |
| 5190MHz | Pass | PK | 15.5714G | 55.16 | 74.00 | -18.84 | 3 | Horizontal | 163 | 1.49 | - |
| 5230MHz | Pass | AV | 5.15G | 49.39 | 54.00 | -4.61 | 3 | Vertical | 346 | 1.00 | - |
| 5230MHz | Pass | AV | 5.246G | 98.20 | Inf | -Inf | 3 | Vertical | 346 | 1.00 | - |
| 5230MHz | Pass | PK | 5.1456G | 62.61 | 74.00 | -11.39 | 3 | Vertical | 346 | 1.00 | - |
| 5230MHz | Pass | PK | 5.2124G | 109.10 | Inf | -Inf | 3 | Vertical | 346 | 1.00 | - |
| 5230MHz | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 58 | 1.16 | - |
| 5230MHz | Pass | AV | 5.2136G | 101.66 | Inf | -Inf | 3 | Horizontal | 58 | 1.16 | - |
| 5230MHz | Pass | PK | 5.1432G | 67.06 | 74.00 | -6.94 | 3 | Horizontal | 58 | 1.16 | - |
| 5230MHz | Pass | PK | 5.2324G | 113.62 | Inf | -Inf | 3 | Horizontal | 58 | 1.16 | - |
| 5230MHz | Pass | AV | 15.68783G | 43.13 | 54.00 | -10.87 | 3 | Vertical | 296 | 1.50 | - |
| 5230MHz | Pass | PK | 10.45755G | 54.72 | 68.20 | -13.48 | 3 | Vertical | 351 | 1.50 | - |
| 5230MHz | Pass | PK | 15.6911G | 55.45 | 74.00 | -18.55 | 3 | Vertical | 296 | 1.50 | - |
| 5230MHz | Pass | AV | 15.68857G | 43.07 | 54.00 | -10.93 | 3 | Horizontal | 226 | 1.58 | - |
| 5230MHz | Pass | PK | 10.46094G | 54.55 | 68.20 | -13.65 | 3 | Horizontal | 146 | 1.50 | - |
| 5230MHz | Pass | PK | 15.69246G | 56.24 | 74.00 | -17.76 | 3 | Horizontal | 226 | 1.58 | - |
| 5270MHz | Pass | AV | 5.2536G | 98.89 | Inf | -Inf | 3 | Vertical | 346 | 1.00 | - |
| 5270MHz | Pass | AV | 5.3508G | 50.19 | 54.00 | -3.81 | 3 | Vertical | 346 | 1.00 | - |
| 5270MHz | Pass | PK | 5.2556G | 110.89 | Inf | -Inf | 3 | Vertical | 346 | 1.00 | - |
| 5270MHz | Pass | PK | 5.3524G | 62.23 | 74.00 | -11.77 | 3 | Vertical | 346 | 1.00 | - |
| 5270MHz | Pass | AV | 5.2544G | 102.12 | Inf | -Inf | 3 | Horizontal | 60 | 1.00 | - |
| 5270MHz | Pass | AV | 5.35G | 53.72 | 54.00 | -0.28 | 3 | Horizontal | 60 | 1.00 | - |
| 5270MHz | Pass | PK | 5.2792G | 113.68 | Inf | -Inf | 3 | Horizontal | 60 | 1.00 | - |
| 5270MHz | Pass | PK | 5.35G | 66.92 | 74.00 | -7.08 | 3 | Horizontal | 60 | 1.00 | - |
| 5270MHz | Pass | AV | 15.81242G | 42.30 | 54.00 | -11.70 | 3 | Vertical | 14 | 1.50 | - |
| 5270MHz | Pass | PK | 10.54033G | 54.40 | 68.20 | -13.80 | 3 | Vertical | 313 | 1.61 | - |
| 5270MHz | Pass | PK | 15.8081G | 55.73 | 74.00 | -18.27 | 3 | Vertical | 14 | 1.50 | - |
| 5270MHz | Pass | AV | 15.80911G | 42.37 | 54.00 | -11.63 | 3 | Horizontal | 149 | 1.50 | - |
| 5270MHz | Pass | PK | 10.53938G | 54.47 | 68.20 | -13.73 | 3 | Horizontal | 163 | 1.49 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5270MHz | Pass | PK | 15.81115G | 54.59 | 74.00 | -19.41 | 3 | Horizontal | 149 | 1.50 | - |
| 5310MHz | Pass | AV | 5.2936G | 94.89 | Inf | -Inf | 3 | Vertical | 333 | 2.21 | - |
| 5310MHz | Pass | AV | 5.3504G | 50.70 | 54.00 | -3.30 | 3 | Vertical | 333 | 2.21 | - |
| 5310MHz | Pass | PK | 5.3264G | 106.75 | Inf | -Inf | 3 | Vertical | 333 | 2.21 | - |
| 5310MHz | Pass | PK | 5.3508G | 70.11 | 74.00 | -3.89 | 3 | Vertical | 333 | 2.21 | - |
| 5310MHz | Pass | AV | 5.2936G | 97.43 | Inf | -Inf | 3 | Horizontal | 60 | 1.15 | - |
| 5310MHz | Pass | AV | 5.35G | 53.61 | 54.00 | -0.39 | 3 | Horizontal | 60 | 1.15 | - |
| 5310MHz | Pass | PK | 5.3244G | 109.71 | Inf | -Inf | 3 | Horizontal | 60 | 1.15 | - |
| 5310MHz | Pass | PK | 5.35G | 72.50 | 74.00 | -1.50 | 3 | Horizontal | 60 | 1.15 | - |
| 5310MHz | Pass | AV | 10.61995G | 43.08 | 54.00 | -10.92 | 3 | Vertical | 324 | 2.95 | - |
| 5310MHz | Pass | AV | 15.93239G | 41.94 | 54.00 | -12.06 | 3 | Vertical | 1 | 1.50 | - |
| 5310MHz | Pass | PK | 10.61949G | 54.85 | 74.00 | -19.15 | 3 | Vertical | 324 | 2.95 | - |
| 5310MHz | Pass | PK | 15.93199G | 54.65 | 74.00 | -19.35 | 3 | Vertical | 1 | 1.50 | - |
| 5310MHz | Pass | AV | 10.61995G | 42.29 | 54.00 | -11.71 | 3 | Horizontal | 160 | 1.50 | - |
| 5310MHz | Pass | AV | 15.93064G | 41.81 | 54.00 | -12.19 | 3 | Horizontal | 12 | 2.42 | - |
| 5310MHz | Pass | PK | 10.61868G | 55.04 | 74.00 | -18.96 | 3 | Horizontal | 160 | 1.50 | - |
| 5310MHz | Pass | PK | 15.93077G | 54.62 | 74.00 | -19.38 | 3 | Horizontal | 12 | 2.42 | - |
| 5510MHz | Pass | AV | 5.46G | 43.04 | 54.00 | -10.96 | 3 | Vertical | 310 | 1.48 | - |
| 5510MHz | Pass | AV | 5.5264G | 90.45 | Inf | -Inf | 3 | Vertical | 310 | 1.48 | - |
| 5510MHz | Pass | PK | 5.4692G | 60.74 | 68.20 | -7.46 | 3 | Vertical | 310 | 1.48 | - |
| 5510MHz | Pass | PK | 5.524G | 102.22 | Inf | -Inf | 3 | Vertical | 310 | 1.48 | - |
| 5510MHz | Pass | AV | 5.4596G | 46.60 | 54.00 | -7.40 | 3 | Horizontal | 64 | 1.00 | - |
| 5510MHz | Pass | AV | 5.5264G | 97.95 | Inf | -Inf | 3 | Horizontal | 64 | 1.00 | - |
| 5510MHz | Pass | PK | 5.4692G | 67.95 | 68.20 | -0.25 | 3 | Horizontal | 64 | 1.00 | - |
| 5510MHz | Pass | PK | 5.5168G | 110.05 | Inf | -Inf | 3 | Horizontal | 64 | 1.00 | - |
| 5510MHz | Pass | AV | 11.0197G | 42.45 | 54.00 | -11.55 | 3 | Vertical | 318 | 1.42 | - |
| 5510MHz | Pass | PK | 11.01791G | 55.54 | 74.00 | -18.46 | 3 | Vertical | 318 | 1.42 | - |
| 5510MHz | Pass | PK | 16.53087G | 56.79 | 68.20 | -11.41 | 3 | Vertical | 206 | 1.55 | - |
| 5510MHz | Pass | AV | 11.01874G | 42.21 | 54.00 | -11.79 | 3 | Horizontal | 294 | 2.43 | - |
| 5510MHz | Pass | PK | 11.01969G | 54.76 | 74.00 | -19.24 | 3 | Horizontal | 294 | 2.43 | - |
| 5510MHz | Pass | PK | 16.52592G | 56.58 | 68.20 | -11.62 | 3 | Horizontal | 360 | 2.54 | - |
| 5550MHz | Pass | AV | 5.4592G | 45.68 | 54.00 | -8.32 | 3 | Vertical | 328 | 2.64 | - |
| 5550MHz | Pass | AV | 5.5656G | 99.38 | Inf | -Inf | 3 | Vertical | 328 | 2.64 | - |
| 5550MHz | Pass | PK | 5.4696G | 61.56 | 68.20 | -6.64 | 3 | Vertical | 328 | 2.64 | - |
| 5550MHz | Pass | PK | 5.544G | 111.76 | Inf | -Inf | 3 | Vertical | 328 | 2.64 | - |
| 5550MHz | Pass | AV | 5.46G | 50.96 | 54.00 | -3.04 | 3 | Horizontal | 64 | 2.66 | - |
| 5550MHz | Pass | AV | 5.5664G | 103.23 | Inf | -Inf | 3 | Horizontal | 64 | 2.66 | - |
| 5550MHz | Pass | PK | 5.4692G | 68.04 | 68.20 | -0.16 | 3 | Horizontal | 64 | 2.66 | - |
| 5550MHz | Pass | PK | 5.56G | 115.15 | Inf | -Inf | 3 | Horizontal | 64 | 2.66 | - |
| 5550MHz | Pass | AV | 11.10054G | 42.34 | 54.00 | -11.66 | 3 | Vertical | 253 | 1.44 | - |
| 5550MHz | Pass | PK | 11.10756G | 54.48 | 74.00 | -19.52 | 3 | Vertical | 253 | 1.44 | - |
| 5550MHz | Pass | PK | 16.63974G | 56.94 | 68.20 | -11.26 | 3 | Vertical | 278 | 2.97 | - |
| 5550MHz | Pass | AV | 11.0979G | 42.10 | 54.00 | -11.90 | 3 | Horizontal | 353 | 1.50 | - |
| 5550MHz | Pass | PK | 11.11134G | 54.44 | 74.00 | -19.56 | 3 | Horizontal | 353 | 1.50 | - |
| 5550MHz | Pass | PK | 16.65234G | 57.30 | 68.20 | -10.90 | 3 | Horizontal | 140 | 1.96 | - |
| 5670MHz | Pass | AV | 5.6862G | 94.03 | Inf | -Inf | 3 | Vertical | 323 | 2.77 | - |
| 5670MHz | Pass | PK | 5.6778G | 105.58 | Inf | -Inf | 3 | Vertical | 323 | 2.77 | - |
| 5670MHz | Pass | PK | 5.7141G | 64.72 | 68.20 | -3.48 | 3 | Vertical | 323 | 2.77 | - |
| 5670MHz | Pass | AV | 5.6532G | 98.86 | Inf | -Inf | 3 | Horizontal | 60 | 2.72 | - |
| 5670MHz | Pass | PK | 5.6688G | 110.72 | Inf | -Inf | 3 | Horizontal | 60 | 2.72 | - |
| 5670MHz | Pass | PK | 5.7264G | 68.05 | 68.20 | -0.15 | 3 | Horizontal | 60 | 2.72 | - |
| 5670MHz | Pass | AV | 11.3319G | 41.31 | 54.00 | -12.69 | 3 | Vertical | 4 | 1.27 | - |
| 5670MHz | Pass | PK | 11.34294G | 54.25 | 74.00 | -19.75 | 3 | Vertical | 4 | 1.27 | - |
| 5670MHz | Pass | PK | 17.01678G | 57.62 | 68.20 | -10.58 | 3 | Vertical | 185 | 1.50 | - |
| 5670MHz | Pass | AV | 11.32518G | 41.50 | 54.00 | -12.50 | 3 | Horizontal | 43 | 1.98 | - |
| 5670MHz | Pass | PK | 11.33592G | 53.87 | 74.00 | -20.13 | 3 | Horizontal | 43 | 1.98 | - |
| 5670MHz | Pass | PK | 17.01696G | 57.36 | 68.20 | -10.84 | 3 | Horizontal | 114 | 1.50 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4448G | 42.11 | 54.00 | -11.89 | 3 | Vertical | 310 | 1.46 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7172G | 97.66 | Inf | -Inf | 3 | Vertical | 310 | 1.46 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.464G | 52.68 | 68.20 | -15.52 | 3 | Vertical | 310 | 1.46 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7196G | 108.74 | Inf | -Inf | 3 | Vertical | 310 | 1.46 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9236G | 55.06 | 68.20 | -13.14 | 3 | Vertical | 310 | 1.46 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4544G | 42.35 | 54.00 | -11.65 | 3 | Horizontal | 59 | 2.78 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7172G | 103.77 | Inf | -Inf | 3 | Horizontal | 59 | 2.78 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4652G | 53.18 | 68.20 | -15.02 | 3 | Horizontal | 59 | 2.78 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7016G | 114.97 | Inf | -Inf | 3 | Horizontal | 59 | 2.78 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8612G | 62.40 | 68.20 | -5.80 | 3 | Horizontal | 59 | 2.78 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42014G | 42.00 | 54.00 | -12.00 | 3 | Vertical | 215 | 1.50 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.42042G | 54.66 | 74.00 | -19.34 | 3 | Vertical | 215 | 1.50 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.12496G | 58.37 | 68.20 | -9.83 | 3 | Vertical | 200 | 2.11 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.41172G | 41.90 | 54.00 | -12.10 | 3 | Horizontal | 160 | 1.00 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.4302G | 54.45 | 74.00 | -19.55 | 3 | Horizontal | 160 | 1.00 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.13474G | 59.34 | 68.20 | -8.86 | 3 | Horizontal | 25 | 1.77 | - |
| 5755MHz | Pass | AV | 5.7718G | 99.19 | Inf | -Inf | 3 | Vertical | 308 | 1.24 | - |
| 5755MHz | Pass | PK | 5.6482G | 58.98 | 68.20 | -9.22 | 3 | Vertical | 308 | 1.24 | - |
| 5755MHz | Pass | PK | 5.749G | 110.34 | Inf | -Inf | 3 | Vertical | 308 | 1.24 | - |
| 5755MHz | Pass | PK | 5.9326G | 55.45 | 68.20 | -12.75 | 3 | Vertical | 308 | 1.24 | - |
| 5755MHz | Pass | AV | 5.7454G | 102.70 | Inf | -Inf | 3 | Horizontal | 305 | 2.46 | - |
| 5755MHz | Pass | PK | 5.6434G | 67.90 | 68.20 | -0.30 | 3 | Horizontal | 305 | 2.46 | - |
| 5755MHz | Pass | PK | 5.7658G | 114.35 | Inf | -Inf | 3 | Horizontal | 305 | 2.46 | - |
| 5755MHz | Pass | PK | 5.9338G | 57.54 | 68.20 | -10.66 | 3 | Horizontal | 305 | 2.46 | - |
| 5755MHz | Pass | AV | 11.51061G | 42.28 | 54.00 | -11.72 | 3 | Vertical | 16 | 1.50 | - |
| 5755MHz | Pass | PK | 11.50968G | 54.92 | 74.00 | -19.08 | 3 | Vertical | 16 | 1.50 | - |
| 5755MHz | Pass | PK | 17.26479G | 58.26 | 68.20 | -9.94 | 3 | Vertical | 37 | 1.50 | - |
| 5755MHz | Pass | AV | 11.50975G | 42.24 | 54.00 | -11.76 | 3 | Horizontal | 226 | 1.83 | - |
| 5755MHz | Pass | PK | 11.51043G | 54.85 | 74.00 | -19.15 | 3 | Horizontal | 226 | 1.83 | - |
| 5755MHz | Pass | PK | 17.26575G | 58.39 | 68.20 | -9.81 | 3 | Horizontal | 225 | 1.50 | - |
| 5795MHz | Pass | AV | 5.7794G | 99.67 | Inf | -Inf | 3 | Vertical | 309 | 1.25 | - |
| 5795MHz | Pass | PK | 5.6426G | 56.46 | 68.20 | -11.74 | 3 | Vertical | 309 | 1.25 | - |
| 5795MHz | Pass | PK | 5.7986G | 110.27 | Inf | -Inf | 3 | Vertical | 309 | 1.25 | - |
| 5795MHz | Pass | PK | 5.9462G | 56.80 | 68.20 | -11.40 | 3 | Vertical | 309 | 1.25 | - |
| 5795MHz | Pass | AV | 5.7794G | 102.89 | Inf | -Inf | 3 | Horizontal | 312 | 2.55 | - |
| 5795MHz | Pass | PK | 5.6438G | 61.29 | 68.20 | -6.91 | 3 | Horizontal | 312 | 2.55 | - |
| 5795MHz | Pass | PK | 5.7806G | 114.06 | Inf | -Inf | 3 | Horizontal | 312 | 2.55 | - |
| 5795MHz | Pass | PK | 5.9246G | 60.59 | 68.50 | -7.91 | 3 | Horizontal | 312 | 2.55 | - |
| 5795MHz | Pass | AV | 11.58971G | 42.11 | 54.00 | -11.89 | 3 | Vertical | 0 | 1.50 | - |
| 5795MHz | Pass | PK | 11.58876G | 54.49 | 74.00 | -19.51 | 3 | Vertical | 0 | 1.50 | - |
| 5795MHz | Pass | PK | 17.38561G | 60.52 | 68.20 | -7.68 | 3 | Vertical | 302 | 1.26 | - |
| 5795MHz | Pass | AV | 11.59019G | 42.10 | 54.00 | -11.90 | 3 | Horizontal | 328 | 1.50 | - |
| 5795MHz | Pass | PK | 11.59026G | 54.74 | 74.00 | -19.26 | 3 | Horizontal | 328 | 1.50 | - |
| 5795MHz | Pass | PK | 17.3835G | 59.98 | 68.20 | -8.22 | 3 | Horizontal | 290 | 1.50 | - |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5210MHz | Pass | AV | 5.15G | 51.76 | 54.00 | -2.24 | 3 | Vertical | 331 | 2.28 | - |
| 5210MHz | Pass | AV | 5.214G | 91.82 | Inf | -Inf | 3 | Vertical | 331 | 2.28 | - |
| 5210MHz | Pass | AV | 5.35G | 42.60 | 54.00 | -11.40 | 3 | Vertical | 331 | 2.28 | - |
| 5210MHz | Pass | PK | 5.137G | 66.18 | 74.00 | -7.82 | 3 | Vertical | 331 | 2.28 | - |
| 5210MHz | Pass | PK | 5.226G | 104.01 | Inf | -Inf | 3 | Vertical | 331 | 2.28 | - |
| 5210MHz | Pass | PK | 5.35G | 55.89 | 74.00 | -18.11 | 3 | Vertical | 331 | 2.28 | - |
| 5210MHz | Pass | AV | 5.15G | 53.14 | 54.00 | -0.86 | 3 | Horizontal | 56 | 1.18 | - |
| 5210MHz | Pass | AV | 5.229G | 93.63 | Inf | -Inf | 3 | Horizontal | 56 | 1.18 | - |
| 5210MHz | Pass | AV | 5.354G | 43.35 | 54.00 | -10.65 | 3 | Horizontal | 56 | 1.18 | - |
| 5210MHz | Pass | PK | 5.148G | 68.53 | 74.00 | -5.47 | 3 | Horizontal | 56 | 1.18 | - |
| 5210MHz | Pass | PK | 5.246G | 105.41 | Inf | -Inf | 3 | Horizontal | 56 | 1.18 | - |
| 5210MHz | Pass | PK | 5.35G | 57.39 | 74.00 | -16.61 | 3 | Horizontal | 56 | 1.18 | - |
| 5210MHz | Pass | AV | 15.63131G | 42.68 | 54.00 | -11.32 | 3 | Vertical | 327 | 2.06 | - |
| 5210MHz | Pass | PK | 10.41891G | 54.24 | 68.20 | -13.96 | 3 | Vertical | 357 | 1.14 | - |
| 5210MHz | Pass | PK | 15.62957G | 55.33 | 74.00 | -18.67 | 3 | Vertical | 327 | 2.06 | - |
| 5210MHz | Pass | AV | 15.63133G | 42.65 | 54.00 | -11.35 | 3 | Horizontal | 61 | 2.46 | - |
| 5210MHz | Pass | PK | 10.41949G | 54.18 | 68.20 | -14.02 | 3 | Horizontal | 131 | 1.49 | - |
| 5210MHz | Pass | PK | 15.63077G | 55.35 | 74.00 | -18.65 | 3 | Horizontal | 61 | 2.46 | - |
| 5290MHz | Pass | AV | 5.149G | 43.57 | 54.00 | -10.43 | 3 | Vertical | 347 | 1.00 | - |
| 5290MHz | Pass | AV | 5.253G | 90.64 | Inf | -Inf | 3 | Vertical | 347 | 1.00 | - |
| 5290MHz | Pass | AV | 5.35G | 50.30 | 54.00 | -3.70 | 3 | Vertical | 347 | 1.00 | - |
| 5290MHz | Pass | PK | 5.139G | 55.55 | 74.00 | -18.45 | 3 | Vertical | 347 | 1.00 | - |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5290MHz | Pass | PK | 5.266G | 101.05 | Inf | -Inf | 3 | Vertical | 347 | 1.00 | - |
| 5290MHz | Pass | PK | 5.381G | 68.51 | 74.00 | -5.49 | 3 | Vertical | 347 | 1.00 | - |
| 5290MHz | Pass | AV | 5.143G | 44.46 | 54.00 | -9.54 | 3 | Horizontal | 58 | 1.00 | - |
| 5290MHz | Pass | AV | 5.253G | 94.11 | Inf | -Inf | 3 | Horizontal | 58 | 1.00 | - |
| 5290MHz | Pass | AV | 5.35G | 53.42 | 54.00 | -0.58 | 3 | Horizontal | 58 | 1.00 | - |
| 5290MHz | Pass | PK | 5.141G | 56.77 | 74.00 | -17.23 | 3 | Horizontal | 58 | 1.00 | - |
| 5290MHz | Pass | PK | 5.289G | 105.25 | Inf | -Inf | 3 | Horizontal | 58 | 1.00 | - |
| 5290MHz | Pass | PK | 5.361G | 73.08 | 74.00 | -0.92 | 3 | Horizontal | 58 | 1.00 | - |
| 5290MHz | Pass | AV | 15.86863G | 42.10 | 54.00 | -11.90 | 3 | Vertical | 41 | 1.68 | - |
| 5290MHz | Pass | PK | 10.58032G | 53.93 | 68.20 | -14.27 | 3 | Vertical | 200 | 1.91 | - |
| 5290MHz | Pass | PK | 15.86996G | 54.50 | 74.00 | -19.50 | 3 | Vertical | 41 | 1.68 | - |
| 5290MHz | Pass | AV | 15.86986G | 41.85 | 54.00 | -12.15 | 3 | Horizontal | 26 | 2.03 | - |
| 5290MHz | Pass | PK | 10.58106G | 53.71 | 68.20 | -14.49 | 3 | Horizontal | 196 | 2.20 | - |
| 5290MHz | Pass | PK | 15.86864G | 54.86 | 74.00 | -19.14 | 3 | Horizontal | 26 | 2.03 | - |
| 5530MHz | Pass | AV | 5.46G | 44.91 | 54.00 | -9.09 | 3 | Vertical | 324 | 2.42 | - |
| 5530MHz | Pass | AV | 5.567G | 90.68 | Inf | -Inf | 3 | Vertical | 324 | 2.42 | - |
| 5530MHz | Pass | PK | 5.47G | 62.51 | 68.20 | -5.69 | 3 | Vertical | 324 | 2.42 | - |
| 5530MHz | Pass | PK | 5.554G | 101.31 | Inf | -Inf | 3 | Vertical | 324 | 2.42 | - |
| 5530MHz | Pass | PK | 5.744G | 54.77 | 68.20 | -13.43 | 3 | Vertical | 324 | 2.42 | - |
| 5530MHz | Pass | AV | 5.46G | 49.18 | 54.00 | -4.82 | 3 | Horizontal | 62 | 1.00 | - |
| 5530MHz | Pass | AV | 5.547G | 95.67 | Inf | -Inf | 3 | Horizontal | 62 | 1.00 | - |
| 5530MHz | Pass | PK | 5.466G | 67.60 | 68.20 | -0.60 | 3 | Horizontal | 62 | 1.00 | - |
| 5530MHz | Pass | PK | 5.554G | 107.28 | Inf | -Inf | 3 | Horizontal | 62 | 1.00 | - |
| 5530MHz | Pass | PK | 5.767G | 56.40 | 68.20 | -11.80 | 3 | Horizontal | 62 | 1.00 | - |
| 5530MHz | Pass | AV | 11.05907G | 42.20 | 54.00 | -11.80 | 3 | Vertical | 15 | 2.27 | - |
| 5530MHz | Pass | PK | 11.06083G | 54.95 | 74.00 | -19.05 | 3 | Vertical | 15 | 2.27 | - |
| 5530MHz | Pass | PK | 16.58922G | 57.10 | 68.20 | -11.10 | 3 | Vertical | 262 | 1.06 | - |
| 5530MHz | Pass | AV | 11.06063G | 42.18 | 54.00 | -11.82 | 3 | Horizontal | 238 | 2.41 | - |
| 5530MHz | Pass | PK | 11.0611G | 55.05 | 74.00 | -18.95 | 3 | Horizontal | 238 | 2.41 | - |
| 5530MHz | Pass | PK | 16.58983G | 57.08 | 68.20 | -11.12 | 3 | Horizontal | 30 | 1.24 | - |
| 5610MHz | Pass | AV | 5.46G | 46.42 | 54.00 | -7.58 | 3 | Vertical | 322 | 2.69 | - |
| 5610MHz | Pass | AV | 5.633G | 94.88 | Inf | -Inf | 3 | Vertical | 322 | 2.69 | - |
| 5610MHz | Pass | PK | 5.468G | 60.28 | 68.20 | -7.92 | 3 | Vertical | 322 | 2.69 | - |
| 5610MHz | Pass | PK | 5.614G | 106.13 | Inf | -Inf | 3 | Vertical | 322 | 2.69 | - |
| 5610MHz | Pass | PK | 5.73G | 67.77 | 68.20 | -0.43 | 3 | Vertical | 322 | 2.69 | - |
| 5610MHz | Pass | AV | 5.46G | 50.29 | 54.00 | -3.71 | 3 | Horizontal | 79 | 1.00 | - |
| 5610MHz | Pass | AV | 5.612G | 99.51 | Inf | -Inf | 3 | Horizontal | 79 | 1.00 | - |
| 5610MHz | Pass | PK | 5.461G | 63.57 | 68.20 | -4.63 | 3 | Horizontal | 79 | 1.00 | - |
| 5610MHz | Pass | PK | 5.614G | 111.33 | Inf | -Inf | 3 | Horizontal | 79 | 1.00 | - |
| 5610MHz | Pass | PK | 5.731G | 67.62 | 68.20 | -0.58 | 3 | Horizontal | 79 | 1.00 | - |
| 5610MHz | Pass | AV | 11.22019G | 41.79 | 54.00 | -12.21 | 3 | Vertical | 360 | 2.26 | - |
| 5610MHz | Pass | PK | 11.21996G | 54.60 | 74.00 | -19.40 | 3 | Vertical | 360 | 2.26 | - |
| 5610MHz | Pass | PK | 16.82933G | 57.45 | 68.20 | -10.75 | 3 | Vertical | 28 | 1.50 | - |
| 5610MHz | Pass | AV | 11.22038G | 41.63 | 54.00 | -12.37 | 3 | Horizontal | 232 | 1.50 | - |
| 5610MHz | Pass | PK | 11.21974G | 54.47 | 74.00 | -19.53 | 3 | Horizontal | 232 | 1.50 | - |
| 5610MHz | Pass | PK | 16.83098G | 58.55 | 68.20 | -9.65 | 3 | Horizontal | 26 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4596G | 42.82 | 54.00 | -11.18 | 3 | Vertical | 323 | 2.41 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6936G | 96.13 | Inf | -Inf | 3 | Vertical | 323 | 2.41 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4668G | 54.13 | 68.20 | -14.07 | 3 | Vertical | 323 | 2.41 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6912G | 107.22 | Inf | -Inf | 3 | Vertical | 323 | 2.41 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8556G | 61.20 | 68.20 | -7.00 | 3 | Vertical | 323 | 2.41 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4584G | 43.67 | 54.00 | -10.33 | 3 | Horizontal | 60 | 2.92 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7128G | 99.21 | Inf | -Inf | 3 | Horizontal | 60 | 2.92 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4668G | 55.58 | 68.20 | -12.62 | 3 | Horizontal | 60 | 2.92 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7068G | 110.92 | Inf | -Inf | 3 | Horizontal | 60 | 2.92 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.852G | 64.33 | 68.20 | -3.87 | 3 | Horizontal | 60 | 2.92 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.37924G | 41.62 | 54.00 | -12.38 | 3 | Vertical | 223 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.37903G | 54.22 | 74.00 | -19.78 | 3 | Vertical | 223 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.07064G | 58.22 | 68.20 | -9.98 | 3 | Vertical | 106 | 1.64 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.38107G | 41.67 | 54.00 | -12.33 | 3 | Horizontal | 340 | 2.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.37971G | 54.35 | 74.00 | -19.65 | 3 | Horizontal | 340 | 2.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.06996G | 58.05 | 68.20 | -10.15 | 3 | Horizontal | 154 | 1.50 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5775MHz | Pass | AV | 5.757G | 93.81 | Inf | -Inf | 3 | Vertical | 313 | 1.48 | - |
| 5775MHz | Pass | PK | 5.6466G | 59.92 | 68.20 | -8.28 | 3 | Vertical | 313 | 1.48 | - |
| 5775MHz | Pass | PK | 5.7582G | 105.89 | Inf | -Inf | 3 | Vertical | 313 | 1.48 | - |
| 5775MHz | Pass | PK | 5.9274G | 59.61 | 68.20 | -8.59 | 3 | Vertical | 313 | 1.48 | - |
| 5775MHz | Pass | AV | 5.757G | 99.78 | Inf | -Inf | 3 | Horizontal | 60 | 3.00 | - |
| 5775MHz | Pass | PK | 5.6442G | 67.68 | 68.20 | -0.52 | 3 | Horizontal | 60 | 3.00 | - |
| 5775MHz | Pass | PK | 5.7378G | 111.60 | Inf | -Inf | 3 | Horizontal | 60 | 3.00 | - |
| 5775MHz | Pass | PK | 5.925G | 61.44 | 68.20 | -6.76 | 3 | Horizontal | 60 | 3.00 | - |
| 5775MHz | Pass | AV | 11.54997G | 42.69 | 54.00 | -11.31 | 3 | Vertical | 360 | 2.19 | - |
| 5775MHz | Pass | PK | 11.54996G | 55.14 | 74.00 | -18.86 | 3 | Vertical | 360 | 2.19 | - |
| 5775MHz | Pass | PK | 17.32393G | 58.31 | 68.20 | -9.89 | 3 | Vertical | 68 | 1.50 | - |
| 5775MHz | Pass | AV | 11.5506G | 42.22 | 54.00 | -11.78 | 3 | Horizontal | 351 | 1.50 | - |
| 5775MHz | Pass | PK | 11.54993G | 55.26 | 74.00 | -18.74 | 3 | Horizontal | 351 | 1.50 | - |
| 5775MHz | Pass | PK | 17.32622G | 57.98 | 68.20 | -10.22 | 3 | Horizontal | 4 | 1.65 | - |

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1416G | 49.37 | 54.00 | -4.63 | 2.55 | 3 | Vertical | 23 | 2.19 | - | 46.82 | 32.00 | 5.47 | 34.92 |
| AV | 5.1806G | 102.50 | Inf | -Inf | 2.40 | 3 | Vertical | 23 | 2.19 | - | 100.10 | 31.82 | 5.49 | 34.91 |
| PK | 5.1402G | 63.56 | 74.00 | -10.44 | 2.55 | 3 | Vertical | 23 | 2.19 | - | 61.01 | 32.00 | 5.47 | 34.92 |
| PK | 5.1812G | 111.53 | Inf | -Inf | 2.39 | 3 | Vertical | 23 | 2.19 | - | 109.14 | 31.81 | 5.49 | 34.91 |

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1466G | 53.34 | 54.00 | -0.66 | 2.55 | 3 | Horizontal | 56 | 1.05 | - | 50.79 | 32.00 | 5.47 | 34.92 |
| AV | 5.1854G | 105.59 | Inf | -Inf | 2.37 | 3 | Horizontal | 56 | 1.05 | - | 103.22 | 31.79 | 5.49 | 34.91 |
| PK | 5.1446G | 70.82 | 74.00 | -3.18 | 2.55 | 3 | Horizontal | 56 | 1.05 | - | 68.27 | 32.00 | 5.47 | 34.92 |
| PK | 5.186G | 115.39 | Inf | -Inf | 2.36 | 3 | Horizontal | 56 | 1.05 | - | 113.03 | 31.78 | 5.49 | 34.91 |

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.54203G | 43.32 | 54.00 | -10.68 | 13.17 | 3 | Vertical | 134 | 1.50 | - | 30.15 | 38.49 | 9.79 | 35.11 |
| PK | 10.35991G | 56.24 | 68.20 | -11.96 | 12.17 | 3 | Vertical | 344 | 2.31 | - | 44.07 | 39.48 | 7.93 | 35.24 |
| PK | 15.54233G | 55.10 | 74.00 | -18.90 | 13.17 | 3 | Vertical | 134 | 1.50 | - | 41.93 | 38.49 | 9.79 | 35.11 |

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.54069G | 43.52 | 54.00 | -10.48 | 13.18 | 3 | Horizontal | 300 | 1.50 | - | 30.34 | 38.50 | 9.79 | 35.11 |
| PK | 10.36018G | 54.86 | 68.20 | -13.34 | 12.17 | 3 | Horizontal | 296 | 1.88 | - | 42.69 | 39.48 | 7.93 | 35.24 |
| PK | 15.54017G | 55.84 | 74.00 | -18.16 | 13.18 | 3 | Horizontal | 300 | 1.50 | - | 42.66 | 38.50 | 9.79 | 35.11 |

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.148G | 48.53 | 54.00 | -5.47 | 2.55 | 3 | Vertical | 24 | 2.07 | - | 45.98 | 32.00 | 5.47 | 34.92 |
| AV | 5.2012G | 104.33 | Inf | -Inf | 2.28 | 3 | Vertical | 24 | 2.07 | - | 102.05 | 31.69 | 5.50 | 34.91 |
| PK | 5.1396G | 64.84 | 74.00 | -9.16 | 2.55 | 3 | Vertical | 24 | 2.07 | - | 62.29 | 32.00 | 5.47 | 34.92 |
| PK | 5.2008G | 113.01 | Inf | -Inf | 2.29 | 3 | Vertical | 24 | 2.07 | - | 110.72 | 31.70 | 5.50 | 34.91 |

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1456G | 52.22 | 54.00 | -1.78 | 2.55 | 3 | Horizontal | 308 | 2.16 | - | 49.67 | 32.00 | 5.47 | 34.92 |
| AV | 5.2056G | 110.31 | Inf | -Inf | 2.27 | 3 | Horizontal | 308 | 2.16 | - | 108.04 | 31.67 | 5.51 | 34.91 |
| PK | 5.1456G | 69.12 | 74.00 | -4.88 | 2.55 | 3 | Horizontal | 308 | 2.16 | - | 66.57 | 32.00 | 5.47 | 34.92 |
| PK | 5.2044G | 119.31 | Inf | -Inf | 2.26 | 3 | Horizontal | 308 | 2.16 | - | 117.05 | 31.67 | 5.50 | 34.91 |

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.59969G | 43.62 | 54.00 | -10.38 | 12.85 | 3 | Vertical | 128 | 1.50 | - | 30.77 | 38.20 | 9.80 | 35.15 |
| PK | 10.39984G | 55.56 | 68.20 | -12.64 | 12.35 | 3 | Vertical | 349 | 2.21 | - | 43.21 | 39.60 | 7.94 | 35.19 |
| PK | 15.60208G | 56.07 | 74.00 | -17.93 | 12.85 | 3 | Vertical | 128 | 1.50 | - | 43.22 | 38.20 | 9.80 | 35.15 |

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.60227G | 43.67 | 54.00 | -10.33 | 12.85 | 3 | Horizontal | 308 | 1.01 | - | 30.82 | 38.20 | 9.80 | 35.15 |
| PK | 10.40009G | 55.35 | 68.20 | -12.85 | 12.35 | 3 | Horizontal | 298 | 1.90 | - | 43.00 | 39.60 | 7.94 | 35.19 |
| PK | 15.59994G | 55.51 | 74.00 | -18.49 | 12.85 | 3 | Horizontal | 308 | 1.01 | - | 42.66 | 38.20 | 9.80 | 35.15 |

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1074G | 44.49 | 54.00 | -9.51 | 2.53 | 3 | Vertical | 32 | 2.24 | - | 41.96 | 32.00 | 5.45 | 34.92 |
| AV | 5.2412G | 104.82 | Inf | -Inf | 2.09 | 3 | Vertical | 32 | 2.24 | - | 102.73 | 31.45 | 5.54 | 34.90 |
| AV | 5.3504G | 42.62 | 54.00 | -11.38 | 2.07 | 3 | Vertical | 32 | 2.24 | - | 40.55 | 31.30 | 5.65 | 34.88 |
| PK | 5.1044G | 56.02 | 74.00 | -17.98 | 2.53 | 3 | Vertical | 32 | 2.24 | - | 53.49 | 32.00 | 5.45 | 34.92 |
| PK | 5.2412G | 113.29 | Inf | -Inf | 2.09 | 3 | Vertical | 32 | 2.24 | - | 111.20 | 31.45 | 5.54 | 34.90 |
| PK | 5.3756G | 53.84 | 74.00 | -20.16 | 2.25 | 3 | Vertical | 32 | 2.24 | - | 51.59 | 31.45 | 5.68 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1164G | 45.06 | 54.00 | -8.94 | 2.54 | 3 | Horizontal | 57 | 1.00 | - | 42.52 | 32.00 | 5.46 | 34.92 |
| AV | 5.2454G | 109.26 | Inf | -Inf | 2.08 | 3 | Horizontal | 57 | 1.00 | - | 107.18 | 31.43 | 5.55 | 34.90 |
| AV | 5.3702G | 43.77 | 54.00 | -10.23 | 2.21 | 3 | Horizontal | 57 | 1.00 | - | 41.56 | 31.42 | 5.67 | 34.88 |
| PK | 5.1404G | 56.02 | 74.00 | -17.98 | 2.55 | 3 | Horizontal | 57 | 1.00 | - | 53.47 | 32.00 | 5.47 | 34.92 |
| PK | 5.2454G | 118.26 | Inf | -Inf | 2.08 | 3 | Horizontal | 57 | 1.00 | - | 116.18 | 31.43 | 5.55 | 34.90 |
| PK | 5.384G | 55.59 | 74.00 | -18.41 | 2.30 | 3 | Horizontal | 57 | 1.00 | - | 53.29 | 31.50 | 5.68 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.72044G | 43.63 | 54.00 | -10.37 | 12.80 | 3 | Vertical | 238 | 1.50 | - | 30.83 | 38.20 | 9.83 | 35.23 |
| PK | 10.47911G | 54.47 | 68.20 | -13.73 | 12.71 | 3 | Vertical | 296 | 1.78 | - | 41.76 | 39.84 | 7.97 | 35.10 |
| PK | 15.7194G | 56.02 | 74.00 | -17.98 | 12.80 | 3 | Vertical | 238 | 1.50 | - | 43.22 | 38.20 | 9.83 | 35.23 |

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.72204G | 43.63 | 54.00 | -10.37 | 12.78 | 3 | Horizontal | 235 | 2.66 | - | 30.85 | 38.19 | 9.83 | 35.24 |
| PK | 10.4777G | 54.40 | 68.20 | -13.80 | 12.70 | 3 | Horizontal | 358 | 2.24 | - | 41.70 | 39.83 | 7.97 | 35.10 |
| PK | 15.72187G | 55.80 | 74.00 | -18.20 | 12.78 | 3 | Horizontal | 235 | 2.66 | - | 43.02 | 38.19 | 9.83 | 35.24 |

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1166G | 44.15 | 54.00 | -9.85 | 2.54 | 3 | Vertical | 32 | 2.27 | - | 41.61 | 32.00 | 5.46 | 34.92 |
| AV | 5.2612G | 104.10 | Inf | -Inf | 2.04 | 3 | Vertical | 32 | 2.27 | - | 102.06 | 31.38 | 5.56 | 34.90 |
| AV | 5.35G | 42.68 | 54.00 | -11.32 | 2.07 | 3 | Vertical | 32 | 2.27 | - | 40.61 | 31.30 | 5.65 | 34.88 |
| PK | 5.1298G | 55.89 | 74.00 | -18.11 | 2.54 | 3 | Vertical | 32 | 2.27 | - | 53.35 | 32.00 | 5.46 | 34.92 |
| PK | 5.2618G | 112.78 | Inf | -Inf | 2.04 | 3 | Vertical | 32 | 2.27 | - | 110.74 | 31.38 | 5.56 | 34.90 |
| PK | 5.3926G | 53.75 | 74.00 | -20.25 | 2.37 | 3 | Vertical | 32 | 2.27 | - | 51.38 | 31.56 | 5.69 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1214G | 44.67 | 54.00 | -9.33 | 2.54 | 3 | Horizontal | 56 | 1.00 | - | 42.13 | 32.00 | 5.46 | 34.92 |
| AV | 5.2654G | 109.43 | Inf | -Inf | 2.04 | 3 | Horizontal | 56 | 1.00 | - | 107.39 | 31.37 | 5.57 | 34.90 |
| AV | 5.3512G | 44.16 | 54.00 | -9.84 | 2.08 | 3 | Horizontal | 56 | 1.00 | - | 42.08 | 31.31 | 5.65 | 34.88 |
| PK | 5.1412G | 55.97 | 74.00 | -18.03 | 2.55 | 3 | Horizontal | 56 | 1.00 | - | 53.42 | 32.00 | 5.47 | 34.92 |
| PK | 5.2654G | 117.61 | Inf | -Inf | 2.04 | 3 | Horizontal | 56 | 1.00 | - | 115.57 | 31.37 | 5.57 | 34.90 |
| PK | 5.3512G | 55.64 | 74.00 | -18.36 | 2.08 | 3 | Horizontal | 56 | 1.00 | - | 53.56 | 31.31 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.78096G | 43.00 | 54.00 | -11.00 | 12.47 | 3 | Vertical | 340 | 1.50 | - | 30.53 | 37.90 | 9.85 | 35.28 |
| PK | 10.5207G | 54.77 | 68.20 | -13.43 | 12.81 | 3 | Vertical | 309 | 1.88 | - | 41.96 | 39.90 | 7.98 | 35.07 |
| PK | 15.78042G | 55.14 | 74.00 | -18.86 | 12.47 | 3 | Vertical | 340 | 1.50 | - | 42.67 | 37.90 | 9.85 | 35.28 |

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.78032G | 43.35 | 54.00 | -10.65 | 12.47 | 3 | Horizontal | 60 | 2.08 | - | 30.88 | 37.90 | 9.85 | 35.28 |
| PK | 10.52025G | 54.97 | 68.20 | -13.23 | 12.81 | 3 | Horizontal | 359 | 2.16 | - | 42.16 | 39.90 | 7.98 | 35.07 |
| PK | 15.77767G | 54.61 | 74.00 | -19.39 | 12.48 | 3 | Horizontal | 60 | 2.08 | - | 42.13 | 37.91 | 9.84 | 35.27 |

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3048G | 101.62 | Inf | -Inf | 2.01 | 3 | Vertical | 99 | 1.50 | - | 99.61 | 31.30 | 5.60 | 34.89 |
| AV | 5.35G | 45.10 | 54.00 | -8.90 | 2.07 | 3 | Vertical | 99 | 1.50 | - | 43.03 | 31.30 | 5.65 | 34.88 |
| PK | 5.3044G | 110.04 | Inf | -Inf | 2.01 | 3 | Vertical | 99 | 1.50 | - | 108.03 | 31.30 | 5.60 | 34.89 |
| PK | 5.3504G | 59.49 | 74.00 | -14.51 | 2.07 | 3 | Vertical | 99 | 1.50 | - | 57.42 | 31.30 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2968G | 107.60 | Inf | -Inf | 2.02 | 3 | Horizontal | 44 | 1.46 | - | 105.58 | 31.31 | 5.60 | 34.89 |
| AV | 5.35G | 47.75 | 54.00 | -6.25 | 2.07 | 3 | Horizontal | 44 | 1.46 | - | 45.68 | 31.30 | 5.65 | 34.88 |
| PK | 5.2968G | 116.38 | Inf | -Inf | 2.02 | 3 | Horizontal | 44 | 1.46 | - | 114.36 | 31.31 | 5.60 | 34.89 |
| PK | 5.3516G | 62.30 | 74.00 | -11.70 | 2.08 | 3 | Horizontal | 44 | 1.46 | - | 60.22 | 31.31 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.90173G | 42.43 | 54.00 | -11.57 | 12.32 | 3 | Vertical | 231 | 2.69 | - | 30.11 | 37.80 | 9.88 | 35.36 |
| PK | 10.59997G | 54.60 | 68.20 | -13.60 | 12.85 | 3 | Vertical | 309 | 1.49 | - | 41.75 | 39.90 | 8.01 | 35.06 |
| PK | 15.89931G | 54.28 | 74.00 | -19.72 | 12.31 | 3 | Vertical | 231 | 2.69 | - | 41.97 | 37.80 | 9.87 | 35.36 |

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.90178G | 42.97 | 54.00 | -11.03 | 12.32 | 3 | Horizontal | 359 | 2.79 | - | 30.65 | 37.80 | 9.88 | 35.36 |
| PK | 10.60037G | 54.30 | 74.00 | -19.70 | 12.85 | 3 | Horizontal | 155 | 1.06 | - | 41.45 | 39.90 | 8.01 | 35.06 |
| PK | 15.89831G | 54.68 | 74.00 | -19.32 | 12.31 | 3 | Horizontal | 359 | 2.79 | - | 42.37 | 37.80 | 9.87 | 35.36 |

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3238G | 100.59 | Inf | -Inf | 2.03 | 3 | Vertical | 100 | 1.49 | - | 98.56 | 31.30 | 5.62 | 34.89 |
| AV | 5.3526G | 47.67 | 54.00 | -6.33 | 2.09 | 3 | Vertical | 100 | 1.49 | - | 45.58 | 31.32 | 5.65 | 34.88 |
| PK | 5.3244G | 108.77 | Inf | -Inf | 2.03 | 3 | Vertical | 100 | 1.49 | - | 106.74 | 31.30 | 5.62 | 34.89 |
| PK | 5.3536G | 61.76 | 74.00 | -12.24 | 2.09 | 3 | Vertical | 100 | 1.49 | - | 59.67 | 31.32 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3258G | 107.67 | Inf | -Inf | 2.04 | 3 | Horizontal | 56 | 1.03 | - | 105.63 | 31.30 | 5.63 | 34.89 |
| AV | 5.35G | 53.31 | 54.00 | -0.69 | 2.07 | 3 | Horizontal | 56 | 1.03 | - | 51.24 | 31.30 | 5.65 | 34.88 |
| PK | 5.3256G | 116.52 | Inf | -Inf | 2.04 | 3 | Horizontal | 56 | 1.03 | - | 114.48 | 31.30 | 5.63 | 34.89 |
| PK | 5.35G | 67.13 | 74.00 | -6.87 | 2.07 | 3 | Horizontal | 56 | 1.03 | - | 65.06 | 31.30 | 5.65 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.63983G | 44.27 | 54.00 | -9.73 | 12.95 | 3 | Vertical | 316 | 1.16 | - | 31.32 | 39.98 | 8.02 | 35.05 |
| AV | 15.95854G | 42.93 | 54.00 | -11.07 | 12.29 | 3 | Vertical | 152 | 1.86 | - | 30.64 | 37.80 | 9.89 | 35.40 |
| PK | 10.63976G | 55.38 | 74.00 | -18.62 | 12.95 | 3 | Vertical | 316 | 1.16 | - | 42.43 | 39.98 | 8.02 | 35.05 |
| PK | 15.96103G | 54.77 | 74.00 | -19.23 | 12.29 | 3 | Vertical | 152 | 1.86 | - | 42.48 | 37.80 | 9.89 | 35.40 |

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.6398G | 43.36 | 54.00 | -10.64 | 12.95 | 3 | Horizontal | 160 | 1.35 | - | 30.41 | 39.98 | 8.02 | 35.05 |
| AV | 15.96166G | 42.93 | 54.00 | -11.07 | 12.29 | 3 | Horizontal | 277 | 1.50 | - | 30.64 | 37.80 | 9.89 | 35.40 |
| PK | 10.63934G | 55.30 | 74.00 | -18.70 | 12.95 | 3 | Horizontal | 160 | 1.35 | - | 42.35 | 39.98 | 8.02 | 35.05 |
| PK | 15.96241G | 54.74 | 74.00 | -19.26 | 12.29 | 3 | Horizontal | 277 | 1.50 | - | 42.45 | 37.80 | 9.89 | 35.40 |

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.455G | 42.98 | 54.00 | -11.02 | 2.67 | 3 | Vertical | 64 | 2.96 | - | 40.31 | 31.81 | 5.73 | 34.87 |
| AV | 5.496G | 98.45 | Inf | -Inf | 2.78 | 3 | Vertical | 64 | 2.96 | - | 95.67 | 31.89 | 5.75 | 34.86 |
| PK | 5.465G | 56.33 | 68.20 | -11.87 | 2.69 | 3 | Vertical | 64 | 2.96 | - | 53.64 | 31.83 | 5.73 | 34.87 |
| PK | 5.4962G | 106.31 | Inf | -Inf | 2.78 | 3 | Vertical | 64 | 2.96 | - | 103.53 | 31.89 | 5.75 | 34.86 |

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4576G | 46.09 | 54.00 | -7.91 | 2.68 | 3 | Horizontal | 317 | 2.08 | - | 43.41 | 31.82 | 5.73 | 34.87 |
| AV | 5.5054G | 106.19 | Inf | -Inf | 2.79 | 3 | Horizontal | 317 | 2.08 | - | 103.40 | 31.90 | 5.75 | 34.86 |
| PK | 5.4646G | 67.42 | 68.20 | -0.78 | 2.69 | 3 | Horizontal | 317 | 2.08 | - | 64.73 | 31.83 | 5.73 | 34.87 |
| PK | 5.5056G | 116.12 | Inf | -Inf | 2.79 | 3 | Horizontal | 317 | 2.08 | - | 113.33 | 31.90 | 5.75 | 34.86 |

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.9883G | 42.67 | 54.00 | -11.33 | 13.45 | 3 | Vertical | 145 | 1.50 | - | 29.22 | 40.30 | 8.15 | 35.00 |
| PK | 11.00294G | 54.61 | 74.00 | -19.39 | 13.44 | 3 | Vertical | 145 | 1.50 | - | 41.17 | 40.29 | 8.15 | 35.00 |
| PK | 16.49658G | 56.06 | 68.20 | -12.14 | 14.16 | 3 | Vertical | 94 | 1.50 | - | 41.90 | 38.99 | 10.05 | 34.88 |

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.00378G | 42.86 | 54.00 | -11.14 | 13.43 | 3 | Horizontal | 167 | 1.02 | - | 29.43 | 40.28 | 8.15 | 35.00 |
| PK | 11.01092G | 55.17 | 74.00 | -18.83 | 13.42 | 3 | Horizontal | 167 | 1.02 | - | 41.75 | 40.26 | 8.15 | 34.99 |
| PK | 16.51032G | 56.94 | 68.20 | -11.26 | 14.18 | 3 | Horizontal | 300 | 2.83 | - | 42.76 | 39.00 | 10.05 | 34.87 |

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.454G | 43.05 | 54.00 | -10.95 | 2.67 | 3 | Vertical | 298 | 2.50 | - | 40.38 | 31.81 | 5.73 | 34.87 |
| AV | 5.5722G | 103.81 | Inf | -Inf | 2.77 | 3 | Vertical | 298 | 2.50 | - | 101.04 | 31.86 | 5.79 | 34.88 |
| PK | 5.4672G | 54.80 | 68.20 | -13.40 | 2.69 | 3 | Vertical | 298 | 2.50 | - | 52.11 | 31.83 | 5.73 | 34.87 |
| PK | 5.5728G | 112.25 | Inf | -Inf | 2.76 | 3 | Vertical | 298 | 2.50 | - | 109.49 | 31.85 | 5.79 | 34.88 |
| PK | 5.7252G | 54.43 | 68.20 | -13.77 | 2.87 | 3 | Vertical | 298 | 2.50 | - | 51.56 | 32.00 | 5.80 | 34.93 |