


802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4456G | 44.11 | 54.00 | -9.89 | 2.63 | 3 | Horizontal | 304 | 2.12 | - | 41.48 | 31.78 | 5.72 | 34.87 |
| AV | 5.5764G | 109.61 | Inf | -Inf | 2.76 | 3 | Horizontal | 304 | 2.12 | - | 106.85 | 31.85 | 5.79 | 34.88 |
| PK | 5.4678G | 55.19 | 68.20 | -13.01 | 2.70 | 3 | Horizontal | 304 | 2.12 | - | 52.49 | 31.84 | 5.73 | 34.87 |
| PK | 5.5752G | 118.32 | Inf | -Inf | 2.76 | 3 | Horizontal | 304 | 2.12 | - | 115.56 | 31.85 | 5.79 | 34.88 |
| PK | 5.7258G | 55.02 | 68.20 | -13.18 | 2.87 | 3 | Horizontal | 304 | 2.12 | - | 52.15 | 32.00 | 5.80 | 34.93 |

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.1603G | 42.38 | 54.00 | -11.62 | 13.07 | 3 | Vertical | 162 | 1.49 | - | 29.31 | 39.78 | 8.21 | 34.92 |
| PK | 11.15814G | 54.00 | 74.00 | -20.00 | 13.07 | 3 | Vertical | 162 | 1.49 | - | 40.93 | 39.78 | 8.21 | 34.92 |
| PK | 16.7307G | 56.95 | 68.20 | -11.25 | 15.35 | 3 | Vertical | 3 | 1.50 | - | 41.60 | 39.93 | 10.12 | 34.70 |

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.1738G | 42.29 | 54.00 | -11.71 | 13.05 | 3 | Horizontal | 336 | 1.50 | - | 29.24 | 39.75 | 8.21 | 34.91 |
| PK | 11.14572G | 54.29 | 74.00 | -19.71 | 13.09 | 3 | Horizontal | 336 | 1.50 | - | 41.20 | 39.81 | 8.20 | 34.92 |
| PK | 16.75224G | 56.58 | 68.20 | -11.62 | 15.39 | 3 | Horizontal | 138 | 1.50 | - | 41.19 | 39.95 | 10.13 | 34.69 |

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.694G | 96.91 | Inf | -Inf | 2.77 | 3 | Vertical | 24 | 1.63 | - | 94.14 | 31.89 | 5.80 | 34.92 |
| PK | 5.6944G | 105.60 | Inf | -Inf | 2.77 | 3 | Vertical | 24 | 1.63 | - | 102.83 | 31.89 | 5.80 | 34.92 |
| PK | 5.7296G | 60.36 | 68.20 | -7.84 | 2.89 | 3 | Vertical | 24 | 1.63 | - | 57.47 | 32.02 | 5.80 | 34.93 |

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7044G | 101.72 | Inf | -Inf | 2.80 | 3 | Horizontal | 52 | 1.08 | - | 98.92 | 31.92 | 5.80 | 34.92 |
| PK | 5.7056G | 111.20 | Inf | -Inf | 2.80 | 3 | Horizontal | 52 | 1.08 | - | 108.40 | 31.92 | 5.80 | 34.92 |
| PK | 5.7264G | 67.60 | 68.20 | -0.60 | 2.88 | 3 | Horizontal | 52 | 1.08 | - | 64.72 | 32.01 | 5.80 | 34.93 |

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.40006G | 42.70 | 54.00 | -11.30 | 13.50 | 3 | Vertical | 304 | 1.50 | - | 29.20 | 40.00 | 8.29 | 34.79 |
| PK | 11.40486G | 54.42 | 74.00 | -19.58 | 13.50 | 3 | Vertical | 304 | 1.50 | - | 40.92 | 40.00 | 8.29 | 34.79 |
| PK | 17.10744G | 58.79 | 68.20 | -9.41 | 15.68 | 3 | Vertical | 292 | 2.15 | - | 43.11 | 40.00 | 10.23 | 34.55 |

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.4135G | 42.57 | 54.00 | -11.43 | 13.52 | 3 | Horizontal | 307 | 1.86 | - | 29.05 | 40.01 | 8.29 | 34.78 |
| PK | 11.41254G | 53.59 | 74.00 | -20.41 | 13.51 | 3 | Horizontal | 307 | 1.86 | - | 40.08 | 40.01 | 8.29 | 34.79 |
| PK | 17.09382G | 58.28 | 68.20 | -9.92 | 15.70 | 3 | Horizontal | 299 | 1.68 | - | 42.58 | 40.02 | 10.23 | 34.55 |

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.444G | 43.05 | 54.00 | -10.95 | 2.63 | 3 | Vertical | 24 | 1.91 | - | 40.42 | 31.78 | 5.72 | 34.87 |
| AV | 5.714G | 101.90 | Inf | -Inf | 2.84 | 3 | Vertical | 24 | 1.91 | - | 99.06 | 31.96 | 5.80 | 34.92 |
| PK | 5.4668G | 53.10 | 68.20 | -15.10 | 2.69 | 3 | Vertical | 24 | 1.91 | - | 50.41 | 31.83 | 5.73 | 34.87 |
| PK | 5.714G | 110.47 | Inf | -Inf | 2.84 | 3 | Vertical | 24 | 1.91 | - | 107.63 | 31.96 | 5.80 | 34.92 |
| PK | 5.8952G | 55.37 | 68.20 | -12.83 | 3.36 | 3 | Vertical | 24 | 1.91 | - | 52.01 | 32.49 | 5.85 | 34.98 |


802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4404G | 43.45 | 54.00 | -10.55 | 2.61 | 3 | Horizontal | 52 | 1.00 | - | 40.84 | 31.76 | 5.72 | 34.87 |
| AV | 5.726G | 107.67 | Inf | -Inf | 2.87 | 3 | Horizontal | 52 | 1.00 | - | 104.80 | 32.00 | 5.80 | 34.93 |
| PK | 5.462G | 54.12 | 68.20 | -14.08 | 2.68 | 3 | Horizontal | 52 | 1.00 | - | 51.44 | 31.82 | 5.73 | 34.87 |
| PK | 5.7248G | 115.69 | Inf | -Inf | 2.87 | 3 | Horizontal | 52 | 1.00 | - | 112.82 | 32.00 | 5.80 | 34.93 |
| PK | 5.9G | 56.00 | 68.20 | -12.20 | 3.37 | 3 | Horizontal | 52 | 1.00 | - | 52.63 | 32.50 | 5.85 | 34.98 |

802.11a_Nss1,(6Mbps)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44864G | 43.04 | 54.00 | -10.96 | 13.59 | 3 | Vertical | 360 | 1.01 | - | 29.45 | 40.05 | 8.31 | 34.77 |
| PK | 11.44726G | 54.41 | 74.00 | -19.59 | 13.59 | 3 | Vertical | 360 | 1.01 | - | 40.82 | 40.05 | 8.31 | 34.77 |
| PK | 17.15028G | 58.44 | 68.20 | -9.76 | 15.68 | 3 | Vertical | 230 | 1.56 | - | 42.76 | 40.00 | 10.25 | 34.57 |


802.11a_Nss1,(6Mbps)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44642G | 42.76 | 54.00 | -11.24 | 13.59 | 3 | Horizontal | 130 | 2.95 | - | 29.17 | 40.05 | 8.31 | 34.77 |
| PK | 11.4391G | 54.44 | 74.00 | -19.56 | 13.57 | 3 | Horizontal | 130 | 2.95 | - | 40.87 | 40.04 | 8.30 | 34.77 |
| PK | 17.16144G | 58.52 | 68.20 | -9.68 | 15.67 | 3 | Horizontal | 173 | 1.85 | - | 42.85 | 40.00 | 10.25 | 34.58 |

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7462G | 103.05 | Inf | -Inf | 2.95 | 3 | Vertical | 34 | 2.71 | - | 100.10 | 32.08 | 5.80 | 34.93 |
| PK | 5.6022G | 54.89 | 68.20 | -13.31 | 2.71 | 3 | Vertical | 34 | 2.71 | - | 52.18 | 31.80 | 5.80 | 34.89 |
| PK | 5.7462G | 110.78 | Inf | -Inf | 2.95 | 3 | Vertical | 34 | 2.71 | - | 107.83 | 32.08 | 5.80 | 34.93 |
| PK | 5.9586G | 55.16 | 68.20 | -13.04 | 3.46 | 3 | Vertical | 34 | 2.71 | - | 51.70 | 32.58 | 5.88 | 35.00 |

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7426G | 107.69 | Inf | -Inf | 2.94 | 3 | Horizontal | 305 | 1.98 | - | 104.75 | 32.07 | 5.80 | 34.93 |
| PK | 5.601G | 55.55 | 68.20 | -12.65 | 2.71 | 3 | Horizontal | 305 | 1.98 | - | 52.84 | 31.80 | 5.80 | 34.89 |
| PK | 5.7414G | 116.85 | Inf | -Inf | 2.94 | 3 | Horizontal | 305 | 1.98 | - | 113.91 | 32.07 | 5.80 | 34.93 |
| PK | 5.937G | 54.85 | 68.20 | -13.35 | 3.45 | 3 | Horizontal | 305 | 1.98 | - | 51.40 | 32.57 | 5.87 | 34.99 |

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.49318G | 42.89 | 54.00 | -11.11 | 13.67 | 3 | Vertical | 350 | 1.50 | - | 29.22 | 40.09 | 8.32 | 34.74 |
| PK | 11.49018G | 54.39 | 74.00 | -19.61 | 13.66 | 3 | Vertical | 350 | 1.50 | - | 40.73 | 40.09 | 8.32 | 34.75 |
| PK | 17.2374G | 57.61 | 68.20 | -10.59 | 15.77 | 3 | Vertical | 231 | 1.48 | - | 41.84 | 40.11 | 10.27 | 34.61 |

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.48328G | 43.02 | 54.00 | -10.98 | 13.65 | 3 | Horizontal | 88 | 1.50 | - | 29.37 | 40.08 | 8.32 | 34.75 |
| PK | 11.48232G | 54.09 | 74.00 | -19.91 | 13.65 | 3 | Horizontal | 88 | 1.50 | - | 40.44 | 40.08 | 8.32 | 34.75 |
| PK | 17.23962G | 57.74 | 68.20 | -10.46 | 15.77 | 3 | Horizontal | 318 | 2.02 | - | 41.97 | 40.12 | 10.27 | 34.62 |

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.779G | 104.28 | Inf | -Inf | 3.02 | 3 | Vertical | 331 | 2.46 | - | 101.26 | 32.16 | 5.80 | 34.94 |
| PK | 5.5174G | 54.83 | 68.20 | -13.37 | 2.79 | 3 | Vertical | 331 | 2.46 | - | 52.04 | 31.90 | 5.76 | 34.87 |
| PK | 5.779G | 112.93 | Inf | -Inf | 3.02 | 3 | Vertical | 331 | 2.46 | - | 109.91 | 32.16 | 5.80 | 34.94 |
| PK | 5.9662G | 55.24 | 68.20 | -12.96 | 3.45 | 3 | Vertical | 331 | 2.46 | - | 51.79 | 32.57 | 5.88 | 35.00 |

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7898G | 107.17 | Inf | -Inf | 3.03 | 3 | Horizontal | 310 | 2.09 | - | 104.14 | 32.18 | 5.80 | 34.95 |
| PK | 5.6374G | 55.92 | 68.20 | -12.28 | 2.70 | 3 | Horizontal | 310 | 2.09 | - | 53.22 | 31.80 | 5.80 | 34.90 |
| PK | 5.7898G | 115.76 | Inf | -Inf | 3.03 | 3 | Horizontal | 310 | 2.09 | - | 112.73 | 32.18 | 5.80 | 34.95 |
| PK | 5.9434G | 55.10 | 68.20 | -13.10 | 3.47 | 3 | Horizontal | 310 | 2.09 | - | 51.63 | 32.59 | 5.87 | 34.99 |

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57009G | 43.54 | 54.00 | -10.46 | 13.48 | 3 | Vertical | 360 | 1.11 | - | 30.06 | 39.89 | 8.35 | 34.76 |
| PK | 11.57002G | 55.40 | 74.00 | -18.60 | 13.48 | 3 | Vertical | 360 | 1.11 | - | 41.92 | 39.89 | 8.35 | 34.76 |
| PK | 17.35672G | 59.92 | 68.20 | -8.28 | 16.39 | 3 | Vertical | 296 | 1.47 | - | 43.53 | 40.75 | 10.31 | 34.67 |

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.57001G | 42.84 | 54.00 | -11.16 | 13.48 | 3 | Horizontal | 360 | 1.50 | - | 29.36 | 39.89 | 8.35 | 34.76 |
| PK | 11.57092G | 54.43 | 74.00 | -19.57 | 13.48 | 3 | Horizontal | 360 | 1.50 | - | 40.95 | 39.89 | 8.35 | 34.76 |
| PK | 17.35495G | 59.22 | 68.20 | -8.98 | 16.38 | 3 | Horizontal | 272 | 1.36 | - | 42.84 | 40.74 | 10.31 | 34.67 |

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8178G | 101.31 | Inf | -Inf | 3.12 | 3 | Vertical | 350 | 1.49 | - | 98.19 | 32.27 | 5.81 | 34.96 |
| PK | 5.6138G | 54.51 | 68.20 | -13.69 | 2.71 | 3 | Vertical | 350 | 1.49 | - | 51.80 | 31.80 | 5.80 | 34.89 |
| PK | 5.8178G | 110.56 | Inf | -Inf | 3.12 | 3 | Vertical | 350 | 1.49 | - | 107.44 | 32.27 | 5.81 | 34.96 |
| PK | 6.0062G | 54.90 | 68.20 | -13.30 | 3.39 | 3 | Vertical | 350 | 1.49 | - | 51.51 | 32.50 | 5.90 | 35.01 |

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8226G | 107.40 | Inf | -Inf | 3.14 | 3 | Horizontal | 306 | 2.10 | - | 104.26 | 32.29 | 5.81 | 34.96 |
| PK | 5.6126G | 55.35 | 68.20 | -12.85 | 2.71 | 3 | Horizontal | 306 | 2.10 | - | 52.64 | 31.80 | 5.80 | 34.89 |
| PK | 5.8214G | 115.88 | Inf | -Inf | 3.14 | 3 | Horizontal | 306 | 2.10 | - | 112.74 | 32.29 | 5.81 | 34.96 |
| PK | 5.939G | 55.26 | 68.20 | -12.94 | 3.46 | 3 | Horizontal | 306 | 2.10 | - | 51.80 | 32.58 | 5.87 | 34.99 |

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.64985G | 43.22 | 54.00 | -10.78 | 13.15 | 3 | Vertical | 317 | 1.83 | - | 30.07 | 39.55 | 8.38 | 34.78 |
| PK | 11.64977G | 54.99 | 74.00 | -19.01 | 13.15 | 3 | Vertical | 317 | 1.83 | - | 41.84 | 39.55 | 8.38 | 34.78 |
| PK | 17.47653G | 60.53 | 68.20 | -7.67 | 17.09 | 3 | Vertical | 302 | 1.62 | - | 43.44 | 41.48 | 10.34 | 34.73 |

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.65179G | 42.65 | 54.00 | -11.35 | 13.14 | 3 | Horizontal | 289 | 1.50 | - | 29.51 | 39.54 | 8.38 | 34.78 |
| PK | 11.65022G | 54.54 | 74.00 | -19.46 | 13.15 | 3 | Horizontal | 289 | 1.50 | - | 41.39 | 39.55 | 8.38 | 34.78 |
| PK | 17.47316G | 59.79 | 68.20 | -8.41 | 17.08 | 3 | Horizontal | 106 | 1.50 | - | 42.71 | 41.47 | 10.34 | 34.73 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 49.54 | 54.00 | -4.46 | 2.55 | 3 | Vertical | 345 | 1.05 | - | 46.99 | 32.00 | 5.47 | 34.92 |
| AV | 5.1874G | 97.18 | Inf | -Inf | 2.36 | 3 | Vertical | 345 | 1.05 | - | 94.82 | 31.78 | 5.49 | 34.91 |
| PK | 5.149G | 63.73 | 74.00 | -10.27 | 2.55 | 3 | Vertical | 345 | 1.05 | - | 61.18 | 32.00 | 5.47 | 34.92 |
| PK | 5.1754G | 110.16 | Inf | -Inf | 2.43 | 3 | Vertical | 345 | 1.05 | - | 107.73 | 31.85 | 5.49 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.72 | 54.00 | -0.28 | 2.55 | 3 | Horizontal | 56 | 1.00 | - | 51.17 | 32.00 | 5.47 | 34.92 |
| AV | 5.1878G | 101.51 | Inf | -Inf | 2.35 | 3 | Horizontal | 56 | 1.00 | - | 99.16 | 31.77 | 5.49 | 34.91 |
| PK | 5.1498G | 68.89 | 74.00 | -5.11 | 2.55 | 3 | Horizontal | 56 | 1.00 | - | 66.34 | 32.00 | 5.47 | 34.92 |
| PK | 5.1754G | 114.69 | Inf | -Inf | 2.43 | 3 | Horizontal | 56 | 1.00 | - | 112.26 | 31.85 | 5.49 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.54096G | 41.10 | 54.00 | -12.90 | 13.18 | 3 | Vertical | 194 | 1.50 | - | 27.92 | 38.50 | 9.79 | 35.11 |
| PK | 10.36002G | 55.74 | 68.20 | -12.46 | 12.17 | 3 | Vertical | 351 | 2.21 | - | 43.57 | 39.48 | 7.93 | 35.24 |
| PK | 15.53982G | 54.70 | 74.00 | -19.30 | 13.17 | 3 | Vertical | 194 | 1.50 | - | 41.53 | 38.50 | 9.78 | 35.11 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.541G | 41.03 | 54.00 | -12.97 | 13.18 | 3 | Horizontal | 206 | 2.12 | - | 27.85 | 38.50 | 9.79 | 35.11 |
| PK | 10.36048G | 54.94 | 68.20 | -13.26 | 12.17 | 3 | Horizontal | 300 | 1.86 | - | 42.77 | 39.48 | 7.93 | 35.24 |
| PK | 15.53934G | 55.15 | 74.00 | -18.85 | 13.17 | 3 | Horizontal | 206 | 2.12 | - | 41.98 | 38.50 | 9.78 | 35.11 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 51.72 | 54.00 | -2.28 | 2.55 | 3 | Vertical | 330 | 2.27 | - | 49.17 | 32.00 | 5.47 | 34.92 |
| AV | 5.2084G | 102.91 | Inf | -Inf | 2.25 | 3 | Vertical | 330 | 2.27 | - | 100.66 | 31.65 | 5.51 | 34.91 |
| PK | 5.1468G | 66.02 | 74.00 | -7.98 | 2.55 | 3 | Vertical | 330 | 2.27 | - | 63.47 | 32.00 | 5.47 | 34.92 |
| PK | 5.196G | 114.79 | Inf | -Inf | 2.31 | 3 | Vertical | 330 | 2.27 | - | 112.48 | 31.72 | 5.50 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.66 | 54.00 | -0.34 | 2.55 | 3 | Horizontal | 56 | 1.00 | - | 51.11 | 32.00 | 5.47 | 34.92 |
| AV | 5.206G | 105.02 | Inf | -Inf | 2.26 | 3 | Horizontal | 56 | 1.00 | - | 102.76 | 31.66 | 5.51 | 34.91 |
| PK | 5.148G | 68.26 | 74.00 | -5.74 | 2.55 | 3 | Horizontal | 56 | 1.00 | - | 65.71 | 32.00 | 5.47 | 34.92 |
| PK | 5.2072G | 116.84 | Inf | -Inf | 2.26 | 3 | Horizontal | 56 | 1.00 | - | 114.58 | 31.66 | 5.51 | 34.91 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.60098G | 41.49 | 54.00 | -12.51 | 12.85 | 3 | Vertical | 232 | 1.50 | - | 28.64 | 38.20 | 9.80 | 35.15 |
| PK | 10.39983G | 56.08 | 68.20 | -12.12 | 12.35 | 3 | Vertical | 355 | 2.19 | - | 43.73 | 39.60 | 7.94 | 35.19 |
| PK | 15.60033G | 55.29 | 74.00 | -18.71 | 12.85 | 3 | Vertical | 232 | 1.50 | - | 42.44 | 38.20 | 9.80 | 35.15 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.601G | 41.16 | 54.00 | -12.84 | 12.85 | 3 | Horizontal | 220 | 1.50 | - | 28.31 | 38.20 | 9.80 | 35.15 |
| PK | 10.39994G | 54.72 | 68.20 | -13.48 | 12.35 | 3 | Horizontal | 299 | 1.90 | - | 42.37 | 39.60 | 7.94 | 35.19 |
| PK | 15.59997G | 54.70 | 74.00 | -19.30 | 12.85 | 3 | Horizontal | 220 | 1.50 | - | 41.85 | 38.20 | 9.80 | 35.15 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 42.57 | 54.00 | -11.43 | 2.55 | 3 | Vertical | 345 | 1.00 | - | 40.02 | 32.00 | 5.47 | 34.92 |
| AV | 5.2472G | 112.07 | Inf | -Inf | 2.07 | 3 | Vertical | 345 | 1.00 | - | 98.80 | 31.42 | 5.55 | 34.90 |
| AV | 5.3834G | 41.04 | 54.00 | -12.96 | 2.30 | 3 | Vertical | 345 | 1.00 | - | 38.74 | 31.50 | 5.68 | 34.88 |
| PK | 5.1056G | 55.37 | 74.00 | -18.63 | 2.53 | 3 | Vertical | 345 | 1.00 | - | 52.84 | 32.00 | 5.45 | 34.92 |
| PK | 5.2484G | 112.06 | Inf | -Inf | 2.06 | 3 | Vertical | 345 | 1.00 | - | 110.00 | 31.41 | 5.55 | 34.90 |
| PK | 5.3558G | 53.64 | 74.00 | -20.36 | 2.11 | 3 | Vertical | 345 | 1.00 | - | 51.53 | 31.33 | 5.66 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 43.64 | 54.00 | -10.36 | 2.55 | 3 | Horizontal | 59 | 1.17 | - | 41.09 | 32.00 | 5.47 | 34.92 |
| AV | 5.2472G | 104.27 | Inf | -Inf | 2.07 | 3 | Horizontal | 59 | 1.17 | - | 102.20 | 31.42 | 5.55 | 34.90 |
| AV | 5.35G | 41.71 | 54.00 | -12.29 | 2.07 | 3 | Horizontal | 59 | 1.17 | - | 39.64 | 31.30 | 5.65 | 34.88 |
| PK | 5.1362G | 55.77 | 74.00 | -18.23 | 2.55 | 3 | Horizontal | 59 | 1.17 | - | 53.22 | 32.00 | 5.47 | 34.92 |
| PK | 5.2466G | 115.55 | Inf | -Inf | 2.07 | 3 | Horizontal | 59 | 1.17 | - | 113.48 | 31.42 | 5.55 | 34.90 |
| PK | 5.3522G | 54.42 | 74.00 | -19.58 | 2.08 | 3 | Horizontal | 59 | 1.17 | - | 52.34 | 31.31 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.7211G | 41.57 | 54.00 | -12.43 | 12.79 | 3 | Vertical | 240 | 2.27 | - | 28.78 | 38.19 | 9.83 | 35.23 |
| PK | 10.47961G | 55.65 | 68.20 | -12.55 | 12.72 | 3 | Vertical | 357 | 2.19 | - | 42.93 | 39.84 | 7.97 | 35.09 |
| PK | 15.72016G | 55.43 | 74.00 | -18.57 | 12.80 | 3 | Vertical | 240 | 2.27 | - | 42.63 | 38.20 | 9.83 | 35.23 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.72137G | 41.37 | 54.00 | -12.63 | 12.79 | 3 | Horizontal | 304 | 2.77 | - | 28.58 | 38.19 | 9.83 | 35.23 |
| PK | 10.48058G | 53.94 | 68.20 | -14.26 | 12.72 | 3 | Horizontal | 165 | 2.25 | - | 41.22 | 39.84 | 7.97 | 35.09 |
| PK | 15.72056G | 55.33 | 74.00 | -18.67 | 12.80 | 3 | Horizontal | 304 | 2.77 | - | 42.53 | 38.20 | 9.83 | 35.23 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 5.146G | 42.34 | 54.00 | -11.66 | 2.55 | 3 | Vertical | 346 | 1.00 | - | 39.79 | 32.00 | 5.47 | 34.92 |
| AV | 5.2522G | 100.97 | Inf | -Inf | 2.05 | 3 | Vertical | 346 | 1.00 | - | 98.92 | 31.40 | 5.55 | 34.90 |
| AV | 5.35G | 41.46 | 54.00 | -12.54 | 2.07 | 3 | Vertical | 346 | 1.00 | - | 39.39 | 31.30 | 5.65 | 34.88 |
| PK | 5.1478G | 54.90 | 74.00 | -19.10 | 2.55 | 3 | Vertical | 346 | 1.00 | - | 52.35 | 32.00 | 5.47 | 34.92 |
| PK | 5.2534G | 113.24 | Inf | -Inf | 2.04 | 3 | Vertical | 346 | 1.00 | - | 111.20 | 31.39 | 5.55 | 34.90 |
| PK | 5.3686G | 54.81 | 74.00 | -19.19 | 2.20 | 3 | Vertical | 346 | 1.00 | - | 52.61 | 31.41 | 5.67 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 42.87 | 54.00 | -11.13 | 2.55 | 3 | Horizontal | 60 | 1.12 | - | 40.32 | 32.00 | 5.47 | 34.92 |
| AV | 5.2678G | 103.99 | Inf | -Inf | 2.03 | 3 | Horizontal | 60 | 1.12 | - | 101.96 | 31.36 | 5.57 | 34.90 |
| AV | 5.3506G | 42.46 | 54.00 | -11.54 | 2.07 | 3 | Horizontal | 60 | 1.12 | - | 40.39 | 31.30 | 5.65 | 34.88 |
| PK | 5.1442G | 55.85 | 74.00 | -18.15 | 2.55 | 3 | Horizontal | 60 | 1.12 | - | 53.30 | 32.00 | 5.47 | 34.92 |
| PK | 5.2666G | 115.67 | Inf | -Inf | 2.04 | 3 | Horizontal | 60 | 1.12 | - | 113.63 | 31.37 | 5.57 | 34.90 |
| PK | 5.353G | 57.23 | 74.00 | -16.77 | 2.09 | 3 | Horizontal | 60 | 1.12 | - | 55.14 | 31.32 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.78088G | 40.93 | 54.00 | -13.07 | 12.47 | 3 | Vertical | 233 | 1.04 | - | 28.46 | 37.90 | 9.85 | 35.28 |
| PK | 10.51989G | 55.03 | 68.20 | -13.17 | 12.81 | 3 | Vertical | 21 | 1.14 | - | 42.22 | 39.90 | 7.98 | 35.07 |
| PK | 15.78073G | 54.20 | 74.00 | -19.80 | 12.47 | 3 | Vertical | 233 | 1.04 | - | 41.73 | 37.90 | 9.85 | 35.28 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.78127G | 40.89 | 54.00 | -13.11 | 12.46 | 3 | Horizontal | 300 | 1.50 | - | 28.43 | 37.89 | 9.85 | 35.28 |
| PK | 10.51949G | 54.48 | 68.20 | -13.72 | 12.81 | 3 | Horizontal | 1 | 2.21 | - | 41.67 | 39.90 | 7.98 | 35.07 |
| PK | 15.77989G | 54.77 | 74.00 | -19.23 | 12.46 | 3 | Horizontal | 300 | 1.50 | - | 42.31 | 37.90 | 9.84 | 35.28 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3064G | 99.97 | Inf | -Inf | 2.02 | 3 | Vertical | 109.8 | 1.00 | - | 97.95 | 31.30 | 5.61 | 34.89 |
| AV | 5.35G | 47.68 | 54.00 | -6.32 | 2.07 | 3 | Vertical | 109.8 | 1.00 | - | 45.61 | 31.30 | 5.65 | 34.88 |
| PK | 5.2936G | 111.76 | Inf | -Inf | 2.01 | 3 | Vertical | 109.8 | 1.00 | - | 109.75 | 31.31 | 5.59 | 34.89 |
| PK | 5.3508G | 61.86 | 74.00 | -12.14 | 2.07 | 3 | Vertical | 109.8 | 1.00 | - | 59.79 | 31.30 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2928G | 104.24 | Inf | -Inf | 2.01 | 3 | Horizontal | 60 | 1.12 | - | 102.23 | 31.31 | 5.59 | 34.89 |
| AV | 5.35G | 50.86 | 54.00 | -3.14 | 2.07 | 3 | Horizontal | 60 | 1.12 | - | 48.79 | 31.30 | 5.65 | 34.88 |
| PK | 5.2936G | 116.50 | Inf | -Inf | 2.01 | 3 | Horizontal | 60 | 1.12 | - | 114.49 | 31.31 | 5.59 | 34.89 |
| PK | 5.3516G | 67.26 | 74.00 | -6.74 | 2.08 | 3 | Horizontal | 60 | 1.12 | - | 65.18 | 31.31 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.90125G | 40.62 | 54.00 | -13.38 | 12.32 | 3 | Vertical | 269 | 1.50 | - | 28.30 | 37.80 | 9.88 | 35.36 |
| PK | 10.59973G | 55.58 | 68.20 | -12.62 | 12.85 | 3 | Vertical | 315 | 1.26 | - | 42.73 | 39.90 | 8.01 | 35.06 |
| PK | 15.89923G | 55.30 | 74.00 | -18.70 | 12.31 | 3 | Vertical | 269 | 1.50 | - | 42.99 | 37.80 | 9.87 | 35.36 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.90107G | 40.61 | 54.00 | -13.39 | 12.32 | 3 | Horizontal | 289 | 1.50 | - | 28.29 | 37.80 | 9.88 | 35.36 |
| PK | 10.59948G | 54.44 | 68.20 | -13.76 | 12.85 | 3 | Horizontal | 214 | 1.30 | - | 41.59 | 39.90 | 8.01 | 35.06 |
| PK | 15.9014G | 54.49 | 74.00 | -19.51 | 12.32 | 3 | Horizontal | 289 | 1.50 | - | 42.17 | 37.80 | 9.88 | 35.36 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3128G | 98.42 | Inf | -Inf | 2.02 | 3 | Vertical | 346 | 1.02 | - | 96.40 | 31.30 | 5.61 | 34.89 |
| AV | 5.35G | 51.01 | 54.00 | -2.99 | 2.07 | 3 | Vertical | 346 | 1.02 | - | 48.94 | 31.30 | 5.65 | 34.88 |
| PK | 5.3282G | 111.18 | Inf | -Inf | 2.04 | 3 | Vertical | 346 | 1.02 | - | 109.14 | 31.30 | 5.63 | 34.89 |
| PK | 5.351G | 68.66 | 74.00 | -5.34 | 2.08 | 3 | Vertical | 346 | 1.02 | - | 66.58 | 31.31 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3122G | 102.23 | Inf | -Inf | 2.02 | 3 | Horizontal | 61 | 1.08 | - | 100.21 | 31.30 | 5.61 | 34.89 |
| AV | 5.35G | 53.50 | 54.00 | -0.50 | 2.07 | 3 | Horizontal | 61 | 1.08 | - | 51.43 | 31.30 | 5.65 | 34.88 |
| PK | 5.3284G | 114.47 | Inf | -Inf | 2.04 | 3 | Horizontal | 61 | 1.08 | - | 112.43 | 31.30 | 5.63 | 34.89 |
| PK | 5.35G | 70.54 | 74.00 | -3.46 | 2.07 | 3 | Horizontal | 61 | 1.08 | - | 68.47 | 31.30 | 5.65 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.63988G | 41.37 | 54.00 | -12.63 | 12.95 | 3 | Vertical | 313 | 1.99 | - | 28.42 | 39.98 | 8.02 | 35.05 |
| AV | 15.96145G | 40.50 | 54.00 | -13.50 | 12.29 | 3 | Vertical | 31 | 1.72 | - | 28.21 | 37.80 | 9.89 | 35.40 |
| PK | 10.63984G | 54.33 | 74.00 | -19.67 | 12.95 | 3 | Vertical | 313 | 1.99 | - | 41.38 | 39.98 | 8.02 | 35.05 |
| PK | 15.9605G | 54.63 | 74.00 | -19.37 | 12.29 | 3 | Vertical | 31 | 1.72 | - | 42.34 | 37.80 | 9.89 | 35.40 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.63989G | 41.01 | 54.00 | -12.99 | 12.95 | 3 | Horizontal | 161 | 1.47 | - | 28.06 | 39.98 | 8.02 | 35.05 |
| AV | 15.96148G | 40.48 | 54.00 | -13.52 | 12.29 | 3 | Horizontal | 10 | 2.42 | - | 28.19 | 37.80 | 9.89 | 35.40 |
| PK | 10.64001G | 54.31 | 74.00 | -19.69 | 12.95 | 3 | Horizontal | 161 | 1.47 | - | 41.36 | 39.98 | 8.02 | 35.05 |
| PK | 15.96004G | 54.41 | 74.00 | -19.59 | 12.29 | 3 | Horizontal | 10 | 2.42 | - | 42.12 | 37.80 | 9.89 | 35.40 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 5.4582G | 55.44 | 74.00 | -18.56 | 2.68 | 3 | Vertical | 310 | 1.50 | - | 52.76 | 31.82 | 5.73 | 34.87 |
| AV | 5.46G | 41.95 | 54.00 | -12.05 | 2.68 | 3 | Vertical | 310 | 1.50 | - | 39.27 | 31.82 | 5.73 | 34.87 |
| PK | 5.469G | 59.17 | 68.20 | -9.03 | 2.71 | 3 | Vertical | 310 | 1.50 | - | 56.46 | 31.84 | 5.73 | 34.86 |
| PK | 5.508G | 107.48 | Inf | -Inf | 2.79 | 3 | Vertical | 310 | 1.50 | - | 104.69 | 31.90 | 5.75 | 34.86 |
| AV | 5.5076G | 94.33 | Inf | -Inf | 2.79 | 3 | Vertical | 310 | 1.50 | - | 91.54 | 31.90 | 5.75 | 34.86 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 45.76 | 54.00 | -8.24 | 2.68 | 3 | Horizontal | 65 | 1.00 | - | 43.08 | 31.82 | 5.73 | 34.87 |
| AV | 5.5074G | 102.26 | Inf | -Inf | 2.79 | 3 | Horizontal | 65 | 1.00 | - | 99.47 | 31.90 | 5.75 | 34.86 |
| PK | 5.4696G | 67.85 | 68.20 | -0.35 | 2.71 | 3 | Horizontal | 65 | 1.00 | - | 65.14 | 31.84 | 5.73 | 34.86 |
| PK | 5.5038G | 114.65 | Inf | -Inf | 2.79 | 3 | Horizontal | 65 | 1.00 | - | 111.86 | 31.90 | 5.75 | 34.86 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.99993G | 41.41 | 54.00 | -12.59 | 13.45 | 3 | Vertical | 230 | 1.47 | - | 27.96 | 40.30 | 8.15 | 35.00 |
| PK | 11.00008G | 54.82 | 74.00 | -19.18 | 13.45 | 3 | Vertical | 230 | 1.47 | - | 41.37 | 40.30 | 8.15 | 35.00 |
| PK | 16.50141G | 57.63 | 68.20 | -10.57 | 14.17 | 3 | Vertical | 37 | 1.50 | - | 43.46 | 39.00 | 10.05 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.99989G | 41.13 | 54.00 | -12.87 | 13.45 | 3 | Horizontal | 312 | 1.21 | - | 27.68 | 40.30 | 8.15 | 35.00 |
| PK | 10.99986G | 54.55 | 74.00 | -19.45 | 13.45 | 3 | Horizontal | 312 | 1.21 | - | 41.10 | 40.30 | 8.15 | 35.00 |
| PK | 16.50001G | 56.19 | 68.20 | -12.01 | 14.17 | 3 | Horizontal | 32 | 1.50 | - | 42.02 | 39.00 | 10.05 | 34.88 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4546G | 41.68 | 54.00 | -12.32 | 2.67 | 3 | Vertical | 329 | 2.61 | - | 39.01 | 31.81 | 5.73 | 34.87 |
| AV | 5.5872G | 101.15 | Inf | -Inf | 2.73 | 3 | Vertical | 329 | 2.61 | - | 98.42 | 31.83 | 5.79 | 34.89 |
| PK | 5.4678G | 53.81 | 68.20 | -14.39 | 2.70 | 3 | Vertical | 329 | 2.61 | - | 51.11 | 31.84 | 5.73 | 34.87 |
| PK | 5.5884G | 113.29 | Inf | -Inf | 2.72 | 3 | Vertical | 329 | 2.61 | - | 110.57 | 31.82 | 5.79 | 34.89 |
| PK | 5.7288G | 54.27 | 68.20 | -13.93 | 2.89 | 3 | Vertical | 329 | 2.61 | - | 51.38 | 32.02 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 42.42 | 54.00 | -11.58 | 2.68 | 3 | Horizontal | 62 | 2.76 | - | 39.74 | 31.82 | 5.73 | 34.87 |
| AV | 5.5878G | 105.41 | Inf | -Inf | 2.72 | 3 | Horizontal | 62 | 2.76 | - | 102.69 | 31.82 | 5.79 | 34.89 |
| PK | 5.4606G | 54.92 | 68.20 | -13.28 | 2.68 | 3 | Horizontal | 62 | 2.76 | - | 52.24 | 31.82 | 5.73 | 34.87 |
| PK | 5.5878G | 117.43 | Inf | -Inf | 2.72 | 3 | Horizontal | 62 | 2.76 | - | 114.71 | 31.82 | 5.79 | 34.89 |
| PK | 5.7288G | 55.46 | 68.20 | -12.74 | 2.89 | 3 | Horizontal | 62 | 2.76 | - | 52.57 | 32.02 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.15935G | 40.53 | 54.00 | -13.47 | 13.07 | 3 | Vertical | 351 | 1.50 | - | 27.46 | 39.78 | 8.21 | 34.92 |
| PK | 11.16024G | 54.34 | 74.00 | -19.66 | 13.07 | 3 | Vertical | 351 | 1.50 | - | 41.27 | 39.78 | 8.21 | 34.92 |
| PK | 16.74083G | 57.04 | 68.20 | -11.16 | 15.36 | 3 | Vertical | 98 | 3.00 | - | 41.68 | 39.94 | 10.12 | 34.70 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.16015G | 40.56 | 54.00 | -13.44 | 13.07 | 3 | Horizontal | 226 | 1.50 | - | 27.49 | 39.78 | 8.21 | 34.92 |
| PK | 11.16041G | 54.70 | 74.00 | -19.30 | 13.07 | 3 | Horizontal | 226 | 1.50 | - | 41.63 | 39.78 | 8.21 | 34.92 |
| PK | 16.73937G | 56.56 | 68.20 | -11.64 | 15.36 | 3 | Horizontal | 264 | 1.50 | - | 41.20 | 39.94 | 10.12 | 34.70 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7076G | 95.35 | Inf | -Inf | 2.81 | 3 | Vertical | 303 | 1.00 | - | 92.54 | 31.93 | 5.80 | 34.92 |
| PK | 5.7072G | 107.32 | Inf | -Inf | 2.81 | 3 | Vertical | 303 | 1.00 | - | 104.51 | 31.93 | 5.80 | 34.92 |
| PK | 5.7264G | 64.49 | 68.20 | -3.71 | 2.88 | 3 | Vertical | 303 | 1.00 | - | 61.61 | 32.01 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7068G | 99.23 | Inf | -Inf | 2.81 | 3 | Horizontal | 62 | 2.92 | - | 96.42 | 31.93 | 5.80 | 34.92 |
| PK | 5.7076G | 112.08 | Inf | -Inf | 2.81 | 3 | Horizontal | 62 | 2.92 | - | 109.27 | 31.93 | 5.80 | 34.92 |
| PK | 5.7252G | 67.66 | 68.20 | -0.54 | 2.87 | 3 | Horizontal | 62 | 2.92 | - | 64.79 | 32.00 | 5.80 | 34.93 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.40145G | 40.63 | 54.00 | -13.37 | 13.50 | 3 | Vertical | 167 | 1.50 | - | 27.13 | 40.00 | 8.29 | 34.79 |
| PK | 11.40108G | 54.45 | 74.00 | -19.55 | 13.50 | 3 | Vertical | 167 | 1.50 | - | 40.95 | 40.00 | 8.29 | 34.79 |
| PK | 17.10079G | 58.04 | 68.20 | -10.16 | 15.68 | 3 | Vertical | 13 | 1.50 | - | 42.36 | 40.00 | 10.23 | 34.55 |


802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.4014G | 40.60 | 54.00 | -13.40 | 13.50 | 3 | Horizontal | 256 | 1.50 | - | 27.10 | 40.00 | 8.29 | 34.79 |
| PK | 11.39966G | 54.48 | 74.00 | -19.52 | 13.50 | 3 | Horizontal | 256 | 1.50 | - | 40.98 | 40.00 | 8.29 | 34.79 |
| PK | 17.09944G | 58.00 | 68.20 | -10.20 | 15.68 | 3 | Horizontal | 198 | 1.30 | - | 42.32 | 40.00 | 10.23 | 34.55 |

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4584G | 41.27 | 54.00 | -12.73 | 2.68 | 3 | Vertical | 312 | 1.46 | - | 38.59 | 31.82 | 5.73 | 34.87 |
| AV | 5.7188G | 98.68 | Inf | -Inf | 2.85 | 3 | Vertical | 312 | 1.46 | - | 95.83 | 31.98 | 5.80 | 34.93 |
| PK | 5.46G | 53.89 | 68.20 | -14.31 | 2.68 | 3 | Vertical | 312 | 1.46 | - | 51.21 | 31.82 | 5.73 | 34.87 |
| PK | 5.7176G | 110.54 | Inf | -Inf | 2.84 | 3 | Vertical | 312 | 1.46 | - | 107.70 | 31.97 | 5.80 | 34.93 |
| PK | 5.8904G | 55.31 | 68.20 | -12.89 | 3.35 | 3 | Vertical | 312 | 1.46 | - | 51.96 | 32.48 | 5.85 | 34.98 |

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4584G | 41.62 | 54.00 | -12.38 | 2.68 | 3 | Horizontal | 61 | 2.68 | - | 38.94 | 31.82 | 5.73 | 34.87 |
| AV | 5.7128G | 105.06 | Inf | -Inf | 2.83 | 3 | Horizontal | 61 | 2.68 | - | 102.23 | 31.95 | 5.80 | 34.92 |
| PK | 5.4668G | 52.92 | 68.20 | -15.28 | 2.69 | 3 | Horizontal | 61 | 2.68 | - | 50.23 | 31.83 | 5.73 | 34.87 |
| PK | 5.7164G | 116.23 | Inf | -Inf | 2.85 | 3 | Horizontal | 61 | 2.68 | - | 113.38 | 31.97 | 5.80 | 34.92 |
| PK | 5.876G | 55.93 | 68.20 | -12.27 | 3.32 | 3 | Horizontal | 61 | 2.68 | - | 52.61 | 32.45 | 5.84 | 34.97 |

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.43997G | 41.47 | 54.00 | -12.53 | 13.57 | 3 | Vertical | 2 | 2.26 | - | 27.90 | 40.04 | 8.30 | 34.77 |
| PK | 11.43869G | 54.92 | 74.00 | -19.08 | 13.57 | 3 | Vertical | 2 | 2.26 | - | 41.35 | 40.04 | 8.30 | 34.77 |
| PK | 17.16026G | 58.86 | 68.20 | -9.34 | 15.67 | 3 | Vertical | 236 | 2.07 | - | 43.19 | 40.00 | 10.25 | 34.58 |


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44086G | 40.79 | 54.00 | -13.21 | 13.57 | 3 | Horizontal | 278 | 1.50 | - | 27.22 | 40.04 | 8.30 | 34.77 |
| PK | 11.44106G | 54.29 | 74.00 | -19.71 | 13.57 | 3 | Horizontal | 278 | 1.50 | - | 40.72 | 40.04 | 8.30 | 34.77 |
| PK | 17.15873G | 58.95 | 68.20 | -9.25 | 15.67 | 3 | Horizontal | 227 | 2.45 | - | 43.28 | 40.00 | 10.25 | 34.58 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7522G | 99.75 | Inf | -Inf | 2.96 | 3 | Vertical | 311 | 1.44 | - | 96.79 | 32.10 | 5.80 | 34.94 |
| PK | 5.6046G | 55.01 | 68.20 | -13.19 | 2.71 | 3 | Vertical | 311 | 1.44 | - | 52.30 | 31.80 | 5.80 | 34.89 |
| PK | 5.7486G | 110.35 | Inf | -Inf | 2.96 | 3 | Vertical | 311 | 1.44 | - | 107.39 | 32.09 | 5.80 | 34.93 |
| PK | 6.0198G | 55.11 | 68.20 | -13.09 | 3.40 | 3 | Vertical | 311 | 1.44 | - | 51.71 | 32.50 | 5.91 | 35.01 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7534G | 105.82 | Inf | -Inf | 2.97 | 3 | Horizontal | 62 | 2.98 | - | 102.85 | 32.11 | 5.80 | 34.94 |
| PK | 5.6382G | 55.08 | 68.20 | -13.12 | 2.70 | 3 | Horizontal | 62 | 2.98 | - | 52.38 | 31.80 | 5.80 | 34.90 |
| PK | 5.7402G | 117.12 | Inf | -Inf | 2.93 | 3 | Horizontal | 62 | 2.98 | - | 114.19 | 32.06 | 5.80 | 34.93 |
| PK | 5.9358G | 55.28 | 68.20 | -12.92 | 3.45 | 3 | Horizontal | 62 | 2.98 | - | 51.83 | 32.57 | 5.87 | 34.99 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.4898G | 41.42 | 54.00 | -12.58 | 13.66 | 3 | Vertical | 360 | 2.86 | - | 27.76 | 40.09 | 8.32 | 34.75 |
| PK | 11.48886G | 54.81 | 74.00 | -19.19 | 13.66 | 3 | Vertical | 360 | 2.86 | - | 41.15 | 40.09 | 8.32 | 34.75 |
| PK | 17.23649G | 58.37 | 68.20 | -9.83 | 15.77 | 3 | Vertical | 194 | 1.50 | - | 42.60 | 40.11 | 10.27 | 34.61 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.49096G | 41.16 | 54.00 | -12.84 | 13.67 | 3 | Horizontal | 223 | 1.50 | - | 27.49 | 40.09 | 8.32 | 34.74 |
| PK | 11.49092G | 54.79 | 74.00 | -19.21 | 13.67 | 3 | Horizontal | 223 | 1.50 | - | 41.12 | 40.09 | 8.32 | 34.74 |
| PK | 17.2335G | 58.00 | 68.20 | -10.20 | 15.76 | 3 | Horizontal | 250 | 1.50 | - | 42.24 | 40.10 | 10.27 | 34.61 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7778G | 100.34 | Inf | -Inf | 3.02 | 3 | Vertical | 310 | 1.58 | - | 97.32 | 32.16 | 5.80 | 34.94 |
| PK | 5.533G | 55.00 | 68.20 | -13.20 | 2.80 | 3 | Vertical | 310 | 1.58 | - | 52.20 | 31.90 | 5.77 | 34.87 |
| PK | 5.7766G | 111.39 | Inf | -Inf | 3.01 | 3 | Vertical | 310 | 1.58 | - | 108.38 | 32.15 | 5.80 | 34.94 |
| PK | 5.9494G | 55.49 | 68.20 | -12.71 | 3.48 | 3 | Vertical | 310 | 1.58 | - | 52.01 | 32.60 | 5.87 | 34.99 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7778G | 105.83 | Inf | -Inf | 3.02 | 3 | Horizontal | 62 | 2.72 | - | 102.81 | 32.16 | 5.80 | 34.94 |
| PK | 5.605G | 55.42 | 68.20 | -12.78 | 2.71 | 3 | Horizontal | 62 | 2.72 | - | 52.71 | 31.80 | 5.80 | 34.89 |
| PK | 5.7886G | 116.96 | Inf | -Inf | 3.03 | 3 | Horizontal | 62 | 2.72 | - | 113.93 | 32.18 | 5.80 | 34.95 |
| PK | 6.0106G | 55.38 | 68.20 | -12.82 | 3.40 | 3 | Horizontal | 62 | 2.72 | - | 51.98 | 32.50 | 5.91 | 35.01 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.56987G | 41.80 | 54.00 | -12.20 | 13.48 | 3 | Vertical | 3 | 2.22 | - | 28.32 | 39.89 | 8.35 | 34.76 |
| PK | 11.56929G | 55.20 | 74.00 | -18.80 | 13.48 | 3 | Vertical | 3 | 2.22 | - | 41.72 | 39.89 | 8.35 | 34.76 |
| PK | 17.35514G | 59.77 | 68.20 | -8.43 | 16.38 | 3 | Vertical | 302 | 2.98 | - | 43.39 | 40.74 | 10.31 | 34.67 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.56984G | 41.22 | 54.00 | -12.78 | 13.48 | 3 | Horizontal | 181 | 1.35 | - | 27.74 | 39.89 | 8.35 | 34.76 |
| PK | 11.57134G | 54.54 | 74.00 | -19.46 | 13.48 | 3 | Horizontal | 181 | 1.35 | - | 41.06 | 39.89 | 8.35 | 34.76 |
| PK | 17.35579G | 59.26 | 68.20 | -8.94 | 16.39 | 3 | Horizontal | 177 | 1.72 | - | 42.87 | 40.75 | 10.31 | 34.67 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8178G | 100.16 | Inf | -Inf | 3.12 | 3 | Vertical | 317 | 1.86 | - | 97.04 | 32.27 | 5.81 | 34.96 |
| PK | 5.5958G | 55.00 | 68.20 | -13.20 | 2.72 | 3 | Vertical | 317 | 1.86 | - | 52.28 | 31.81 | 5.80 | 34.89 |
| PK | 5.819G | 110.92 | Inf | -Inf | 3.13 | 3 | Vertical | 317 | 1.86 | - | 107.79 | 32.28 | 5.81 | 34.96 |
| PK | 5.9498G | 54.89 | 68.20 | -13.31 | 3.48 | 3 | Vertical | 317 | 1.86 | - | 51.41 | 32.60 | 5.87 | 34.99 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8322G | 104.27 | Inf | -Inf | 3.19 | 3 | Horizontal | 307 | 2.50 | - | 101.08 | 32.33 | 5.82 | 34.96 |
| PK | 5.5838G | 55.67 | 68.20 | -12.53 | 2.73 | 3 | Horizontal | 307 | 2.50 | - | 52.94 | 31.83 | 5.79 | 34.89 |
| PK | 5.8238G | 115.34 | Inf | -Inf | 3.15 | 3 | Horizontal | 307 | 2.50 | - | 112.19 | 32.30 | 5.81 | 34.96 |
| PK | 5.9378G | 55.46 | 68.20 | -12.74 | 3.46 | 3 | Horizontal | 307 | 2.50 | - | 52.00 | 32.58 | 5.87 | 34.99 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.65002G | 41.41 | 54.00 | -12.59 | 13.15 | 3 | Vertical | 3 | 1.96 | - | 28.26 | 39.55 | 8.38 | 34.78 |
| PK | 11.65091G | 54.36 | 74.00 | -19.64 | 13.15 | 3 | Vertical | 3 | 1.96 | - | 41.21 | 39.55 | 8.38 | 34.78 |
| PK | 17.47535G | 60.64 | 68.20 | -7.56 | 17.09 | 3 | Vertical | 334 | 2.23 | - | 43.55 | 41.48 | 10.34 | 34.73 |

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.6501G | 40.98 | 54.00 | -13.02 | 13.15 | 3 | Horizontal | 323 | 2.02 | - | 27.83 | 39.55 | 8.38 | 34.78 |
| PK | 11.65013G | 54.59 | 74.00 | -19.41 | 13.15 | 3 | Horizontal | 323 | 2.02 | - | 41.44 | 39.55 | 8.38 | 34.78 |
| PK | 17.47585G | 59.42 | 68.20 | -8.78 | 17.09 | 3 | Horizontal | 44 | 2.03 | - | 42.33 | 41.48 | 10.34 | 34.73 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 48.79 | 54.00 | -5.21 | 2.55 | 3 | Vertical | 331 | 2.28 | - | 46.24 | 32.00 | 5.47 | 34.92 |
| AV | 5.1912G | 94.55 | Inf | -Inf | 2.34 | 3 | Vertical | 331 | 2.28 | - | 92.21 | 31.75 | 5.50 | 34.91 |
| PK | 5.1492G | 71.83 | 74.00 | -2.17 | 2.55 | 3 | Vertical | 331 | 2.28 | - | 69.28 | 32.00 | 5.47 | 34.92 |
| PK | 5.1832G | 106.54 | Inf | -Inf | 2.38 | 3 | Vertical | 331 | 2.28 | - | 104.16 | 31.80 | 5.49 | 34.91 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 50.31 | 54.00 | -3.69 | 2.55 | 3 | Horizontal | 59 | 1.00 | - | 47.76 | 32.00 | 5.47 | 34.92 |
| AV | 5.2064G | 96.62 | Inf | -Inf | 2.26 | 3 | Horizontal | 59 | 1.00 | - | 94.36 | 31.66 | 5.51 | 34.91 |
| PK | 5.1492G | 73.37 | 74.00 | -0.63 | 2.55 | 3 | Horizontal | 59 | 1.00 | - | 70.82 | 32.00 | 5.47 | 34.92 |
| PK | 5.1744G | 108.51 | Inf | -Inf | 2.43 | 3 | Horizontal | 59 | 1.00 | - | 106.08 | 31.85 | 5.49 | 34.91 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.57116G | 41.97 | 54.00 | -12.03 | 13.00 | 3 | Vertical | 210 | 1.52 | - | 28.97 | 38.34 | 9.79 | 35.13 |
| PK | 10.37989G | 54.86 | 68.20 | -13.34 | 12.26 | 3 | Vertical | 354 | 2.26 | - | 42.60 | 39.54 | 7.93 | 35.21 |
| PK | 15.5704G | 54.37 | 74.00 | -19.63 | 13.01 | 3 | Vertical | 210 | 1.52 | - | 41.36 | 38.35 | 9.79 | 35.13 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.57068G | 42.06 | 54.00 | -11.94 | 13.01 | 3 | Horizontal | 163 | 1.49 | - | 29.05 | 38.35 | 9.79 | 35.13 |
| PK | 10.37944G | 54.49 | 68.20 | -13.71 | 12.26 | 3 | Horizontal | 11 | 1.39 | - | 42.23 | 39.54 | 7.93 | 35.21 |
| PK | 15.5714G | 55.16 | 74.00 | -18.84 | 13.00 | 3 | Horizontal | 163 | 1.49 | - | 42.16 | 38.34 | 9.79 | 35.13 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 49.39 | 54.00 | -4.61 | 2.55 | 3 | Vertical | 346 | 1.00 | - | 46.84 | 32.00 | 5.47 | 34.92 |
| AV | 5.246G | 98.20 | Inf | -Inf | 2.07 | 3 | Vertical | 346 | 1.00 | - | 96.13 | 31.42 | 5.55 | 34.90 |
| PK | 5.1456G | 62.61 | 74.00 | -11.39 | 2.55 | 3 | Vertical | 346 | 1.00 | - | 60.06 | 32.00 | 5.47 | 34.92 |
| PK | 5.2124G | 109.10 | Inf | -Inf | 2.23 | 3 | Vertical | 346 | 1.00 | - | 106.87 | 31.63 | 5.51 | 34.91 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.86 | 54.00 | -0.14 | 2.55 | 3 | Horizontal | 58 | 1.16 | - | 51.31 | 32.00 | 5.47 | 34.92 |
| AV | 5.2136G | 101.66 | Inf | -Inf | 2.22 | 3 | Horizontal | 58 | 1.16 | - | 99.44 | 31.62 | 5.51 | 34.91 |
| PK | 5.1432G | 67.06 | 74.00 | -6.94 | 2.55 | 3 | Horizontal | 58 | 1.16 | - | 64.51 | 32.00 | 5.47 | 34.92 |
| PK | 5.2324G | 113.62 | Inf | -Inf | 2.14 | 3 | Horizontal | 58 | 1.16 | - | 111.48 | 31.51 | 5.53 | 34.90 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.68783G | 43.13 | 54.00 | -10.87 | 12.90 | 3 | Vertical | 296 | 1.50 | - | 30.23 | 38.29 | 9.82 | 35.21 |
| PK | 10.45755G | 54.72 | 68.20 | -13.48 | 12.61 | 3 | Vertical | 351 | 1.50 | - | 42.11 | 39.77 | 7.96 | 35.12 |
| PK | 15.6911G | 55.45 | 74.00 | -18.55 | 12.90 | 3 | Vertical | 296 | 1.50 | - | 42.55 | 38.29 | 9.82 | 35.21 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.68857G | 43.07 | 54.00 | -10.93 | 12.90 | 3 | Horizontal | 226 | 1.58 | - | 30.17 | 38.29 | 9.82 | 35.21 |
| PK | 10.46094G | 54.55 | 68.20 | -13.65 | 12.62 | 3 | Horizontal | 146 | 1.50 | - | 41.93 | 39.78 | 7.96 | 35.12 |
| PK | 15.69246G | 56.24 | 74.00 | -17.76 | 12.90 | 3 | Horizontal | 226 | 1.58 | - | 43.34 | 38.29 | 9.82 | 35.21 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2536G | 98.89 | Inf | -Inf | 2.04 | 3 | Vertical | 346 | 1.00 | - | 96.85 | 31.39 | 5.55 | 34.90 |
| AV | 5.3508G | 50.19 | 54.00 | -3.81 | 2.07 | 3 | Vertical | 346 | 1.00 | - | 48.12 | 31.30 | 5.65 | 34.88 |
| PK | 5.2556G | 110.89 | Inf | -Inf | 2.05 | 3 | Vertical | 346 | 1.00 | - | 108.84 | 31.39 | 5.56 | 34.90 |
| PK | 5.3524G | 62.23 | 74.00 | -11.77 | 2.08 | 3 | Vertical | 346 | 1.00 | - | 60.15 | 31.31 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2544G | 102.12 | Inf | -Inf | 2.04 | 3 | Horizontal | 60 | 1.00 | - | 100.08 | 31.39 | 5.55 | 34.90 |
| AV | 5.35G | 53.72 | 54.00 | -0.28 | 2.07 | 3 | Horizontal | 60 | 1.00 | - | 51.65 | 31.30 | 5.65 | 34.88 |
| PK | 5.2792G | 113.68 | Inf | -Inf | 2.02 | 3 | Horizontal | 60 | 1.00 | - | 111.66 | 31.34 | 5.58 | 34.90 |
| PK | 5.35G | 66.92 | 74.00 | -7.08 | 2.07 | 3 | Horizontal | 60 | 1.00 | - | 64.85 | 31.30 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.81242G | 42.30 | 54.00 | -11.70 | 12.35 | 3 | Vertical | 14 | 1.50 | - | 29.95 | 37.80 | 9.85 | 35.30 |
| PK | 10.54033G | 54.40 | 68.20 | -13.80 | 12.83 | 3 | Vertical | 313 | 1.61 | - | 41.57 | 39.90 | 7.99 | 35.06 |
| PK | 15.8081G | 55.73 | 74.00 | -18.27 | 12.35 | 3 | Vertical | 14 | 1.50 | - | 43.38 | 37.80 | 9.85 | 35.30 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.80911G | 42.37 | 54.00 | -11.63 | 12.35 | 3 | Horizontal | 149 | 1.50 | - | 30.02 | 37.80 | 9.85 | 35.30 |
| PK | 10.53938G | 54.47 | 68.20 | -13.73 | 12.83 | 3 | Horizontal | 163 | 1.49 | - | 41.64 | 39.90 | 7.99 | 35.06 |
| PK | 15.81115G | 54.59 | 74.00 | -19.41 | 12.35 | 3 | Horizontal | 149 | 1.50 | - | 42.24 | 37.80 | 9.85 | 35.30 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2936G | 94.89 | Inf | -Inf | 2.01 | 3 | Vertical | 333 | 2.21 | - | 92.88 | 31.31 | 5.59 | 34.89 |
| AV | 5.3504G | 50.70 | 54.00 | -3.30 | 2.07 | 3 | Vertical | 333 | 2.21 | - | 48.63 | 31.30 | 5.65 | 34.88 |
| PK | 5.3264G | 106.75 | Inf | -Inf | 2.04 | 3 | Vertical | 333 | 2.21 | - | 104.71 | 31.30 | 5.63 | 34.89 |
| PK | 5.3508G | 70.11 | 74.00 | -3.89 | 2.07 | 3 | Vertical | 333 | 2.21 | - | 68.04 | 31.30 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2936G | 97.43 | Inf | -Inf | 2.01 | 3 | Horizontal | 60 | 1.15 | - | 95.42 | 31.31 | 5.59 | 34.89 |
| AV | 5.35G | 53.61 | 54.00 | -0.39 | 2.07 | 3 | Horizontal | 60 | 1.15 | - | 51.54 | 31.30 | 5.65 | 34.88 |
| PK | 5.3244G | 109.71 | Inf | -Inf | 2.03 | 3 | Horizontal | 60 | 1.15 | - | 107.68 | 31.30 | 5.62 | 34.89 |
| PK | 5.35G | 72.50 | 74.00 | -1.50 | 2.07 | 3 | Horizontal | 60 | 1.15 | - | 70.43 | 31.30 | 5.65 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61995G | 43.08 | 54.00 | -10.92 | 12.91 | 3 | Vertical | 324 | 2.95 | - | 30.17 | 39.94 | 8.02 | 35.05 |
| AV | 15.93239G | 41.94 | 54.00 | -12.06 | 12.30 | 3 | Vertical | 1 | 1.50 | - | 29.64 | 37.80 | 9.88 | 35.38 |
| PK | 10.61949G | 54.85 | 74.00 | -19.15 | 12.91 | 3 | Vertical | 324 | 2.95 | - | 41.94 | 39.94 | 8.02 | 35.05 |
| PK | 15.93199G | 54.65 | 74.00 | -19.35 | 12.30 | 3 | Vertical | 1 | 1.50 | - | 42.35 | 37.80 | 9.88 | 35.38 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61995G | 42.29 | 54.00 | -11.71 | 12.91 | 3 | Horizontal | 160 | 1.50 | - | 29.38 | 39.94 | 8.02 | 35.05 |
| AV | 15.93064G | 41.81 | 54.00 | -12.19 | 12.30 | 3 | Horizontal | 12 | 2.42 | - | 29.51 | 37.80 | 9.88 | 35.38 |
| PK | 10.61868G | 55.04 | 74.00 | -18.96 | 12.91 | 3 | Horizontal | 160 | 1.50 | - | 42.13 | 39.94 | 8.02 | 35.05 |
| PK | 15.93077G | 54.62 | 74.00 | -19.38 | 12.30 | 3 | Horizontal | 12 | 2.42 | - | 42.32 | 37.80 | 9.88 | 35.38 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 43.04 | 54.00 | -10.96 | 2.68 | 3 | Vertical | 310 | 1.48 | - | 40.36 | 31.82 | 5.73 | 34.87 |
| AV | 5.5264G | 90.45 | Inf | -Inf | 2.79 | 3 | Vertical | 310 | 1.48 | - | 87.66 | 31.90 | 5.76 | 34.87 |
| PK | 5.4692G | 60.74 | 68.20 | -7.46 | 2.71 | 3 | Vertical | 310 | 1.48 | - | 58.03 | 31.84 | 5.73 | 34.86 |
| PK | 5.524G | 102.22 | Inf | -Inf | 2.79 | 3 | Vertical | 310 | 1.48 | - | 99.43 | 31.90 | 5.76 | 34.87 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4596G | 46.60 | 54.00 | -7.40 | 2.68 | 3 | Horizontal | 64 | 1.00 | - | 43.92 | 31.82 | 5.73 | 34.87 |
| AV | 5.5264G | 97.95 | Inf | -Inf | 2.79 | 3 | Horizontal | 64 | 1.00 | - | 95.16 | 31.90 | 5.76 | 34.87 |
| PK | 5.4692G | 67.95 | 68.20 | -0.25 | 2.71 | 3 | Horizontal | 64 | 1.00 | - | 65.24 | 31.84 | 5.73 | 34.86 |
| PK | 5.5168G | 110.05 | Inf | -Inf | 2.79 | 3 | Horizontal | 64 | 1.00 | - | 107.26 | 31.90 | 5.76 | 34.87 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.0197G | 42.45 | 54.00 | -11.55 | 13.39 | 3 | Vertical | 318 | 1.42 | - | 29.06 | 40.22 | 8.16 | 34.99 |
| PK | 11.01791G | 55.54 | 74.00 | -18.46 | 13.40 | 3 | Vertical | 318 | 1.42 | - | 42.14 | 40.23 | 8.16 | 34.99 |
| PK | 16.53087G | 56.79 | 68.20 | -11.41 | 14.20 | 3 | Vertical | 206 | 1.55 | - | 42.59 | 39.00 | 10.06 | 34.86 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.01874G | 42.21 | 54.00 | -11.79 | 13.40 | 3 | Horizontal | 294 | 2.43 | - | 28.81 | 40.23 | 8.16 | 34.99 |
| PK | 11.01969G | 54.76 | 74.00 | -19.24 | 13.39 | 3 | Horizontal | 294 | 2.43 | - | 41.37 | 40.22 | 8.16 | 34.99 |
| PK | 16.52592G | 56.58 | 68.20 | -11.62 | 14.20 | 3 | Horizontal | 360 | 2.54 | - | 42.38 | 39.00 | 10.06 | 34.86 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4592G | 45.68 | 54.00 | -8.32 | 2.68 | 3 | Vertical | 328 | 2.64 | - | 43.00 | 31.82 | 5.73 | 34.87 |
| AV | 5.5656G | 99.38 | Inf | -Inf | 2.77 | 3 | Vertical | 328 | 2.64 | - | 96.61 | 31.87 | 5.78 | 34.88 |
| PK | 5.4696G | 61.56 | 68.20 | -6.64 | 2.71 | 3 | Vertical | 328 | 2.64 | - | 58.85 | 31.84 | 5.73 | 34.86 |
| PK | 5.544G | 111.76 | Inf | -Inf | 2.80 | 3 | Vertical | 328 | 2.64 | - | 108.96 | 31.90 | 5.77 | 34.87 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 50.96 | 54.00 | -3.04 | 2.68 | 3 | Horizontal | 64 | 2.66 | - | 48.28 | 31.82 | 5.73 | 34.87 |
| AV | 5.5664G | 103.23 | Inf | -Inf | 2.77 | 3 | Horizontal | 64 | 2.66 | - | 100.46 | 31.87 | 5.78 | 34.88 |
| PK | 5.4692G | 68.04 | 68.20 | -0.16 | 2.71 | 3 | Horizontal | 64 | 2.66 | - | 65.33 | 31.84 | 5.73 | 34.86 |
| PK | 5.56G | 115.15 | Inf | -Inf | 2.78 | 3 | Horizontal | 64 | 2.66 | - | 112.37 | 31.88 | 5.78 | 34.88 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.10054G | 42.34 | 54.00 | -11.66 | 13.14 | 3 | Vertical | 253 | 1.44 | - | 29.20 | 39.90 | 8.19 | 34.95 |
| PK | 11.10756G | 54.48 | 74.00 | -19.52 | 13.13 | 3 | Vertical | 253 | 1.44 | - | 41.35 | 39.88 | 8.19 | 34.94 |
| PK | 16.63974G | 56.94 | 68.20 | -11.26 | 14.68 | 3 | Vertical | 278 | 2.97 | - | 42.26 | 39.36 | 10.09 | 34.77 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.0979G | 42.10 | 54.00 | -11.90 | 13.14 | 3 | Horizontal | 353 | 1.50 | - | 28.96 | 39.91 | 8.18 | 34.95 |
| PK | 11.11134G | 54.44 | 74.00 | -19.56 | 13.13 | 3 | Horizontal | 353 | 1.50 | - | 41.31 | 39.88 | 8.19 | 34.94 |
| PK | 16.65234G | 57.30 | 68.20 | -10.90 | 14.81 | 3 | Horizontal | 140 | 1.96 | - | 42.49 | 39.47 | 10.10 | 34.76 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6862G | 94.03 | Inf | -Inf | 2.75 | 3 | Vertical | 323 | 2.77 | - | 91.28 | 31.87 | 5.80 | 34.92 |
| PK | 5.6778G | 105.58 | Inf | -Inf | 2.75 | 3 | Vertical | 323 | 2.77 | - | 102.83 | 31.86 | 5.80 | 34.91 |
| PK | 5.7414G | 64.72 | 68.20 | -3.48 | 2.94 | 3 | Vertical | 323 | 2.77 | - | 61.78 | 32.07 | 5.80 | 34.93 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6532G | 98.86 | Inf | -Inf | 2.70 | 3 | Horizontal | 60 | 2.72 | - | 96.16 | 31.81 | 5.80 | 34.91 |
| PK | 5.6688G | 110.72 | Inf | -Inf | 2.73 | 3 | Horizontal | 60 | 2.72 | - | 107.99 | 31.84 | 5.80 | 34.91 |
| PK | 5.7264G | 68.05 | 68.20 | -0.15 | 2.88 | 3 | Horizontal | 60 | 2.72 | - | 65.17 | 32.01 | 5.80 | 34.93 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.3319G | 41.31 | 54.00 | -12.69 | 13.24 | 3 | Vertical | 4 | 1.27 | - | 28.07 | 39.80 | 8.27 | 34.83 |
| PK | 11.34294G | 54.25 | 74.00 | -19.75 | 13.28 | 3 | Vertical | 4 | 1.27 | - | 40.97 | 39.83 | 8.27 | 34.82 |
| PK | 17.01678G | 57.62 | 68.20 | -10.58 | 15.95 | 3 | Vertical | 185 | 1.50 | - | 41.67 | 40.25 | 10.21 | 34.51 |


802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.32518G | 41.50 | 54.00 | -12.50 | 13.21 | 3 | Horizontal | 43 | 1.98 | - | 28.29 | 39.78 | 8.26 | 34.83 |
| PK | 11.33592G | 53.87 | 74.00 | -20.13 | 13.25 | 3 | Horizontal | 43 | 1.98 | - | 40.62 | 39.81 | 8.27 | 34.83 |
| PK | 17.01696G | 57.36 | 68.20 | -10.84 | 15.95 | 3 | Horizontal | 114 | 1.50 | - | 41.41 | 40.25 | 10.21 | 34.51 |

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4448G | 42.11 | 54.00 | -11.89 | 2.63 | 3 | Vertical | 310 | 1.46 | - | 39.48 | 31.78 | 5.72 | 34.87 |
| AV | 5.7172G | 97.66 | Inf | -Inf | 2.84 | 3 | Vertical | 310 | 1.46 | - | 94.82 | 31.97 | 5.80 | 34.93 |
| PK | 5.464G | 52.68 | 68.20 | -15.52 | 2.69 | 3 | Vertical | 310 | 1.46 | - | 49.99 | 31.83 | 5.73 | 34.87 |
| PK | 5.7196G | 108.74 | Inf | -Inf | 2.85 | 3 | Vertical | 310 | 1.46 | - | 105.89 | 31.98 | 5.80 | 34.93 |
| PK | 5.9236G | 55.06 | 68.20 | -13.14 | 3.42 | 3 | Vertical | 310 | 1.46 | - | 51.64 | 32.55 | 5.86 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4544G | 42.35 | 54.00 | -11.65 | 2.67 | 3 | Horizontal | 59 | 2.78 | - | 39.68 | 31.81 | 5.73 | 34.87 |
| AV | 5.7172G | 103.77 | Inf | -Inf | 2.84 | 3 | Horizontal | 59 | 2.78 | - | 100.93 | 31.97 | 5.80 | 34.93 |
| PK | 5.4652G | 53.18 | 68.20 | -15.02 | 2.69 | 3 | Horizontal | 59 | 2.78 | - | 50.49 | 31.83 | 5.73 | 34.87 |
| PK | 5.7016G | 114.97 | Inf | -Inf | 2.79 | 3 | Horizontal | 59 | 2.78 | - | 112.18 | 31.91 | 5.80 | 34.92 |
| PK | 5.8612G | 62.40 | 68.20 | -5.80 | 3.28 | 3 | Horizontal | 59 | 2.78 | - | 59.12 | 32.42 | 5.83 | 34.97 |

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.42014G | 42.00 | 54.00 | -12.00 | 13.54 | 3 | Vertical | 215 | 1.50 | - | 28.46 | 40.02 | 8.30 | 34.78 |
| PK | 11.42042G | 54.66 | 74.00 | -19.34 | 13.54 | 3 | Vertical | 215 | 1.50 | - | 41.12 | 40.02 | 8.30 | 34.78 |
| PK | 17.12496G | 58.37 | 68.20 | -9.83 | 15.68 | 3 | Vertical | 200 | 2.11 | - | 42.69 | 40.00 | 10.24 | 34.56 |


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.41172G | 41.90 | 54.00 | -12.10 | 13.51 | 3 | Horizontal | 160 | 1.00 | - | 28.39 | 40.01 | 8.29 | 34.79 |
| PK | 11.4302G | 54.45 | 74.00 | -19.55 | 13.55 | 3 | Horizontal | 160 | 1.00 | - | 40.90 | 40.03 | 8.30 | 34.78 |
| PK | 17.13474G | 59.34 | 68.20 | -8.86 | 15.68 | 3 | Horizontal | 25 | 1.77 | - | 43.66 | 40.00 | 10.24 | 34.56 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7718G | 99.19 | Inf | -Inf | 3.00 | 3 | Vertical | 308 | 1.24 | - | 96.19 | 32.14 | 5.80 | 34.94 |
| PK | 5.6482G | 58.98 | 68.20 | -9.22 | 2.70 | 3 | Vertical | 308 | 1.24 | - | 56.28 | 31.80 | 5.80 | 34.90 |
| PK | 5.749G | 110.34 | Inf | -Inf | 2.97 | 3 | Vertical | 308 | 1.24 | - | 107.37 | 32.10 | 5.80 | 34.93 |
| PK | 5.9326G | 55.45 | 68.20 | -12.75 | 3.45 | 3 | Vertical | 308 | 1.24 | - | 52.00 | 32.57 | 5.87 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7454G | 102.70 | Inf | -Inf | 2.95 | 3 | Horizontal | 305 | 2.46 | - | 99.75 | 32.08 | 5.80 | 34.93 |
| PK | 5.6434G | 67.90 | 68.20 | -0.30 | 2.70 | 3 | Horizontal | 305 | 2.46 | - | 65.20 | 31.80 | 5.80 | 34.90 |
| PK | 5.7658G | 114.35 | Inf | -Inf | 2.99 | 3 | Horizontal | 305 | 2.46 | - | 111.36 | 32.13 | 5.80 | 34.94 |
| PK | 5.9338G | 57.54 | 68.20 | -10.66 | 3.45 | 3 | Horizontal | 305 | 2.46 | - | 54.09 | 32.57 | 5.87 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.51061G | 42.28 | 54.00 | -11.72 | 13.66 | 3 | Vertical | 16 | 1.50 | - | 28.62 | 40.07 | 8.33 | 34.74 |
| PK | 11.50968G | 54.92 | 74.00 | -19.08 | 13.66 | 3 | Vertical | 16 | 1.50 | - | 41.26 | 40.07 | 8.33 | 34.74 |
| PK | 17.26479G | 58.26 | 68.20 | -9.94 | 15.84 | 3 | Vertical | 37 | 1.50 | - | 42.42 | 40.19 | 10.28 | 34.63 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.50975G | 42.24 | 54.00 | -11.76 | 13.66 | 3 | Horizontal | 226 | 1.83 | - | 28.58 | 40.07 | 8.33 | 34.74 |
| PK | 11.51043G | 54.85 | 74.00 | -19.15 | 13.66 | 3 | Horizontal | 226 | 1.83 | - | 41.19 | 40.07 | 8.33 | 34.74 |
| PK | 17.26575G | 58.39 | 68.20 | -9.81 | 15.85 | 3 | Horizontal | 225 | 1.50 | - | 42.54 | 40.20 | 10.28 | 34.63 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7794G | 99.67 | Inf | -Inf | 3.02 | 3 | Vertical | 309 | 1.25 | - | 96.65 | 32.16 | 5.80 | 34.94 |
| PK | 5.6426G | 56.46 | 68.20 | -11.74 | 2.70 | 3 | Vertical | 309 | 1.25 | - | 53.76 | 31.80 | 5.80 | 34.90 |
| PK | 5.7986G | 110.27 | Inf | -Inf | 3.05 | 3 | Vertical | 309 | 1.25 | - | 107.22 | 32.20 | 5.80 | 34.95 |
| PK | 5.9462G | 56.80 | 68.20 | -11.40 | 3.47 | 3 | Vertical | 309 | 1.25 | - | 53.33 | 32.59 | 5.87 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7794G | 102.89 | Inf | -Inf | 3.02 | 3 | Horizontal | 312 | 2.55 | - | 99.87 | 32.16 | 5.80 | 34.94 |
| PK | 5.6438G | 61.29 | 68.20 | -6.91 | 2.70 | 3 | Horizontal | 312 | 2.55 | - | 58.59 | 31.80 | 5.80 | 34.90 |
| PK | 5.7806G | 114.06 | Inf | -Inf | 3.02 | 3 | Horizontal | 312 | 2.55 | - | 111.04 | 32.16 | 5.80 | 34.94 |
| PK | 5.9246G | 60.59 | 68.50 | -7.91 | 3.42 | 3 | Horizontal | 312 | 2.55 | - | 57.17 | 32.55 | 5.86 | 34.99 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.58971G | 42.11 | 54.00 | -11.89 | 13.43 | 3 | Vertical | 0 | 1.50 | - | 28.68 | 39.83 | 8.36 | 34.76 |
| PK | 11.58876G | 54.49 | 74.00 | -19.51 | 13.43 | 3 | Vertical | 0 | 1.50 | - | 41.06 | 39.83 | 8.36 | 34.76 |
| PK | 17.38561G | 60.52 | 68.20 | -7.68 | 16.61 | 3 | Vertical | 302 | 1.26 | - | 43.91 | 40.98 | 10.32 | 34.69 |

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.59019G | 42.10 | 54.00 | -11.90 | 13.43 | 3 | Horizontal | 328 | 1.50 | - | 28.67 | 39.83 | 8.36 | 34.76 |
| PK | 11.59026G | 54.74 | 74.00 | -19.26 | 13.43 | 3 | Horizontal | 328 | 1.50 | - | 41.31 | 39.83 | 8.36 | 34.76 |
| PK | 17.3835G | 59.98 | 68.20 | -8.22 | 16.61 | 3 | Horizontal | 290 | 1.50 | - | 43.37 | 40.97 | 10.32 | 34.68 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 51.76 | 54.00 | -2.24 | 2.55 | 3 | Vertical | 331 | 2.28 | - | 49.21 | 32.00 | 5.47 | 34.92 |
| AV | 5.214G | 91.82 | Inf | -Inf | 2.22 | 3 | Vertical | 331 | 2.28 | - | 89.60 | 31.62 | 5.51 | 34.91 |
| AV | 5.35G | 42.60 | 54.00 | -11.40 | 2.07 | 3 | Vertical | 331 | 2.28 | - | 40.53 | 31.30 | 5.65 | 34.88 |
| PK | 5.137G | 66.18 | 74.00 | -7.82 | 2.55 | 3 | Vertical | 331 | 2.28 | - | 63.63 | 32.00 | 5.47 | 34.92 |
| PK | 5.226G | 104.01 | Inf | -Inf | 2.17 | 3 | Vertical | 331 | 2.28 | - | 101.84 | 31.54 | 5.53 | 34.90 |
| PK | 5.35G | 55.89 | 74.00 | -18.11 | 2.07 | 3 | Vertical | 331 | 2.28 | - | 53.82 | 31.30 | 5.65 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.14 | 54.00 | -0.86 | 2.55 | 3 | Horizontal | 56 | 1.18 | - | 50.59 | 32.00 | 5.47 | 34.92 |
| AV | 5.229G | 93.63 | Inf | -Inf | 2.16 | 3 | Horizontal | 56 | 1.18 | - | 91.47 | 31.53 | 5.53 | 34.90 |
| AV | 5.354G | 43.35 | 54.00 | -10.65 | 2.09 | 3 | Horizontal | 56 | 1.18 | - | 41.26 | 31.32 | 5.65 | 34.88 |
| PK | 5.148G | 68.53 | 74.00 | -5.47 | 2.55 | 3 | Horizontal | 56 | 1.18 | - | 65.98 | 32.00 | 5.47 | 34.92 |
| PK | 5.246G | 105.41 | Inf | -Inf | 2.07 | 3 | Horizontal | 56 | 1.18 | - | 103.34 | 31.42 | 5.55 | 34.90 |
| PK | 5.35G | 57.39 | 74.00 | -16.61 | 2.07 | 3 | Horizontal | 56 | 1.18 | - | 55.32 | 31.30 | 5.65 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.63131G | 42.68 | 54.00 | -11.32 | 12.87 | 3 | Vertical | 327 | 2.06 | - | 29.81 | 38.23 | 9.81 | 35.17 |
| PK | 10.41891G | 54.24 | 68.20 | -13.96 | 12.44 | 3 | Vertical | 357 | 1.14 | - | 41.80 | 39.66 | 7.95 | 35.17 |
| PK | 15.62957G | 55.33 | 74.00 | -18.67 | 12.87 | 3 | Vertical | 327 | 2.06 | - | 42.46 | 38.23 | 9.81 | 35.17 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.63133G | 42.65 | 54.00 | -11.35 | 12.87 | 3 | Horizontal | 61 | 2.46 | - | 29.78 | 38.23 | 9.81 | 35.17 |
| PK | 10.41949G | 54.18 | 68.20 | -14.02 | 12.44 | 3 | Horizontal | 131 | 1.49 | - | 41.74 | 39.66 | 7.95 | 35.17 |
| PK | 15.63077G | 55.35 | 74.00 | -18.65 | 12.87 | 3 | Horizontal | 61 | 2.46 | - | 42.48 | 38.23 | 9.81 | 35.17 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.149G | 43.57 | 54.00 | -10.43 | 2.55 | 3 | Vertical | 347 | 1.00 | - | 41.02 | 32.00 | 5.47 | 34.92 |
| AV | 5.253G | 90.64 | Inf | -Inf | 2.04 | 3 | Vertical | 347 | 1.00 | - | 88.60 | 31.39 | 5.55 | 34.90 |
| AV | 5.35G | 50.30 | 54.00 | -3.70 | 2.07 | 3 | Vertical | 347 | 1.00 | - | 48.23 | 31.30 | 5.65 | 34.88 |
| PK | 5.139G | 55.55 | 74.00 | -18.45 | 2.55 | 3 | Vertical | 347 | 1.00 | - | 53.00 | 32.00 | 5.47 | 34.92 |
| PK | 5.266G | 101.05 | Inf | -Inf | 2.04 | 3 | Vertical | 347 | 1.00 | - | 99.01 | 31.37 | 5.57 | 34.90 |
| PK | 5.381G | 68.51 | 74.00 | -5.49 | 2.29 | 3 | Vertical | 347 | 1.00 | - | 66.22 | 31.49 | 5.68 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.143G | 44.46 | 54.00 | -9.54 | 2.55 | 3 | Horizontal | 58 | 1.00 | - | 41.91 | 32.00 | 5.47 | 34.92 |
| AV | 5.253G | 94.11 | Inf | -Inf | 2.04 | 3 | Horizontal | 58 | 1.00 | - | 92.07 | 31.39 | 5.55 | 34.90 |
| AV | 5.35G | 53.42 | 54.00 | -0.58 | 2.07 | 3 | Horizontal | 58 | 1.00 | - | 51.35 | 31.30 | 5.65 | 34.88 |
| PK | 5.141G | 56.77 | 74.00 | -17.23 | 2.55 | 3 | Horizontal | 58 | 1.00 | - | 54.22 | 32.00 | 5.47 | 34.92 |
| PK | 5.289G | 105.25 | Inf | -Inf | 2.02 | 3 | Horizontal | 58 | 1.00 | - | 103.23 | 31.32 | 5.59 | 34.89 |
| PK | 5.361G | 73.08 | 74.00 | -0.92 | 2.15 | 3 | Horizontal | 58 | 1.00 | - | 70.93 | 31.37 | 5.66 | 34.88 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.86863G | 42.10 | 54.00 | -11.90 | 12.33 | 3 | Vertical | 41 | 1.68 | - | 29.77 | 37.80 | 9.87 | 35.34 |
| PK | 10.58032G | 53.93 | 68.20 | -14.27 | 12.84 | 3 | Vertical | 200 | 1.91 | - | 41.09 | 39.90 | 8.00 | 35.06 |
| PK | 15.86996G | 54.50 | 74.00 | -19.50 | 12.33 | 3 | Vertical | 41 | 1.68 | - | 42.17 | 37.80 | 9.87 | 35.34 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.86986G | 41.85 | 54.00 | -12.15 | 12.33 | 3 | Horizontal | 26 | 2.03 | - | 29.52 | 37.80 | 9.87 | 35.34 |
| PK | 10.58106G | 53.71 | 68.20 | -14.49 | 12.84 | 3 | Horizontal | 196 | 2.20 | - | 40.87 | 39.90 | 8.00 | 35.06 |
| PK | 15.86864G | 54.86 | 74.00 | -19.14 | 12.33 | 3 | Horizontal | 26 | 2.03 | - | 42.53 | 37.80 | 9.87 | 35.34 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 44.91 | 54.00 | -9.09 | 2.68 | 3 | Vertical | 324 | 2.42 | - | 42.23 | 31.82 | 5.73 | 34.87 |
| AV | 5.567G | 90.68 | Inf | -Inf | 2.77 | 3 | Vertical | 324 | 2.42 | - | 87.91 | 31.87 | 5.78 | 34.88 |
| PK | 5.47G | 62.51 | 68.20 | -5.69 | 2.72 | 3 | Vertical | 324 | 2.42 | - | 59.79 | 31.84 | 5.74 | 34.86 |
| PK | 5.554G | 101.31 | Inf | -Inf | 2.79 | 3 | Vertical | 324 | 2.42 | - | 98.52 | 31.89 | 5.78 | 34.88 |
| PK | 5.744G | 54.77 | 68.20 | -13.43 | 2.95 | 3 | Vertical | 324 | 2.42 | - | 51.82 | 32.08 | 5.80 | 34.93 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 49.18 | 54.00 | -4.82 | 2.68 | 3 | Horizontal | 62 | 1.00 | - | 46.50 | 31.82 | 5.73 | 34.87 |
| AV | 5.547G | 95.67 | Inf | -Inf | 2.80 | 3 | Horizontal | 62 | 1.00 | - | 92.87 | 31.90 | 5.77 | 34.87 |
| PK | 5.466G | 67.60 | 68.20 | -0.60 | 2.69 | 3 | Horizontal | 62 | 1.00 | - | 64.91 | 31.83 | 5.73 | 34.87 |
| PK | 5.554G | 107.28 | Inf | -Inf | 2.79 | 3 | Horizontal | 62 | 1.00 | - | 104.49 | 31.89 | 5.78 | 34.88 |
| PK | 5.767G | 56.40 | 68.20 | -11.80 | 2.99 | 3 | Horizontal | 62 | 1.00 | - | 53.41 | 32.13 | 5.80 | 34.94 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.05907G | 42.20 | 54.00 | -11.80 | 13.26 | 3 | Vertical | 15 | 2.27 | - | 28.94 | 40.06 | 8.17 | 34.97 |
| PK | 11.06083G | 54.95 | 74.00 | -19.05 | 13.26 | 3 | Vertical | 15 | 2.27 | - | 41.69 | 40.06 | 8.17 | 34.97 |
| PK | 16.58922G | 57.10 | 68.20 | -11.10 | 14.27 | 3 | Vertical | 262 | 1.06 | - | 42.83 | 39.00 | 10.08 | 34.81 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.06063G | 42.18 | 54.00 | -11.82 | 13.26 | 3 | Horizontal | 238 | 2.41 | - | 28.92 | 40.06 | 8.17 | 34.97 |
| PK | 11.0611G | 55.05 | 74.00 | -18.95 | 13.26 | 3 | Horizontal | 238 | 2.41 | - | 41.79 | 40.06 | 8.17 | 34.97 |
| PK | 16.58983G | 57.08 | 68.20 | -11.12 | 14.27 | 3 | Horizontal | 30 | 1.24 | - | 42.81 | 39.00 | 10.08 | 34.81 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 46.42 | 54.00 | -7.58 | 2.68 | 3 | Vertical | 322 | 2.69 | - | 43.74 | 31.82 | 5.73 | 34.87 |
| AV | 5.633G | 94.88 | Inf | -Inf | 2.70 | 3 | Vertical | 322 | 2.69 | - | 92.18 | 31.80 | 5.80 | 34.90 |
| PK | 5.468G | 60.28 | 68.20 | -7.92 | 2.70 | 3 | Vertical | 322 | 2.69 | - | 57.58 | 31.84 | 5.73 | 34.87 |
| PK | 5.614G | 106.13 | Inf | -Inf | 2.71 | 3 | Vertical | 322 | 2.69 | - | 103.42 | 31.80 | 5.80 | 34.89 |
| PK | 5.73G | 67.77 | 68.20 | -0.43 | 2.89 | 3 | Vertical | 322 | 2.69 | - | 64.88 | 32.02 | 5.80 | 34.93 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 50.29 | 54.00 | -3.71 | 2.68 | 3 | Horizontal | 79 | 1.00 | - | 47.61 | 31.82 | 5.73 | 34.87 |
| AV | 5.612G | 99.51 | Inf | -Inf | 2.71 | 3 | Horizontal | 79 | 1.00 | - | 96.80 | 31.80 | 5.80 | 34.89 |
| PK | 5.461G | 63.57 | 68.20 | -4.63 | 2.68 | 3 | Horizontal | 79 | 1.00 | - | 60.89 | 31.82 | 5.73 | 34.87 |
| PK | 5.614G | 111.33 | Inf | -Inf | 2.71 | 3 | Horizontal | 79 | 1.00 | - | 108.62 | 31.80 | 5.80 | 34.89 |
| PK | 5.731G | 67.62 | 68.20 | -0.58 | 2.89 | 3 | Horizontal | 79 | 1.00 | - | 64.73 | 32.02 | 5.80 | 34.93 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.22019G | 41.79 | 54.00 | -12.21 | 13.04 | 3 | Vertical | 360 | 2.26 | - | 28.75 | 39.70 | 8.23 | 34.89 |
| PK | 11.21996G | 54.60 | 74.00 | -19.40 | 13.04 | 3 | Vertical | 360 | 2.26 | - | 41.56 | 39.70 | 8.23 | 34.89 |
| PK | 16.82933G | 57.45 | 68.20 | -10.75 | 15.52 | 3 | Vertical | 28 | 1.50 | - | 41.93 | 40.00 | 10.15 | 34.63 |


802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.22038G | 41.63 | 54.00 | -12.37 | 13.04 | 3 | Horizontal | 232 | 1.50 | - | 28.59 | 39.70 | 8.23 | 34.89 |
| PK | 11.21974G | 54.47 | 74.00 | -19.53 | 13.04 | 3 | Horizontal | 232 | 1.50 | - | 41.43 | 39.70 | 8.23 | 34.89 |
| PK | 16.83098G | 58.55 | 68.20 | -9.65 | 15.52 | 3 | Horizontal | 26 | 1.50 | - | 43.03 | 40.00 | 10.15 | 34.63 |

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4596G | 42.82 | 54.00 | -11.18 | 2.68 | 3 | Vertical | 323 | 2.41 | - | 40.14 | 31.82 | 5.73 | 34.87 |
| AV | 5.6936G | 96.13 | Inf | -Inf | 2.77 | 3 | Vertical | 323 | 2.41 | - | 93.36 | 31.89 | 5.80 | 34.92 |
| PK | 5.4668G | 54.13 | 68.20 | -14.07 | 2.69 | 3 | Vertical | 323 | 2.41 | - | 51.44 | 31.83 | 5.73 | 34.87 |
| PK | 5.6912G | 107.22 | Inf | -Inf | 2.76 | 3 | Vertical | 323 | 2.41 | - | 104.46 | 31.88 | 5.80 | 34.92 |
| PK | 5.8556G | 61.20 | 68.20 | -7.00 | 3.27 | 3 | Vertical | 323 | 2.41 | - | 57.93 | 32.41 | 5.83 | 34.97 |

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4584G | 43.67 | 54.00 | -10.33 | 2.68 | 3 | Horizontal | 60 | 2.92 | - | 40.99 | 31.82 | 5.73 | 34.87 |
| AV | 5.7128G | 99.21 | Inf | -Inf | 2.83 | 3 | Horizontal | 60 | 2.92 | - | 96.38 | 31.95 | 5.80 | 34.92 |
| PK | 5.4668G | 55.58 | 68.20 | -12.62 | 2.69 | 3 | Horizontal | 60 | 2.92 | - | 52.89 | 31.83 | 5.73 | 34.87 |
| PK | 5.7068G | 110.92 | Inf | -Inf | 2.81 | 3 | Horizontal | 60 | 2.92 | - | 108.11 | 31.93 | 5.80 | 34.92 |
| PK | 5.852G | 64.33 | 68.20 | -3.87 | 3.26 | 3 | Horizontal | 60 | 2.92 | - | 61.07 | 32.40 | 5.83 | 34.97 |

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.37924G | 41.62 | 54.00 | -12.38 | 13.42 | 3 | Vertical | 223 | 1.50 | - | 28.20 | 39.94 | 8.28 | 34.80 |
| PK | 11.37903G | 54.22 | 74.00 | -19.78 | 13.42 | 3 | Vertical | 223 | 1.50 | - | 40.80 | 39.94 | 8.28 | 34.80 |
| PK | 17.07064G | 58.22 | 68.20 | -9.98 | 15.78 | 3 | Vertical | 106 | 1.64 | - | 42.44 | 40.09 | 10.22 | 34.53 |


802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.38107G | 41.67 | 54.00 | -12.33 | 13.42 | 3 | Horizontal | 340 | 2.50 | - | 28.25 | 39.94 | 8.28 | 34.80 |
| PK | 11.37971G | 54.35 | 74.00 | -19.65 | 13.42 | 3 | Horizontal | 340 | 2.50 | - | 40.93 | 39.94 | 8.28 | 34.80 |
| PK | 17.06996G | 58.05 | 68.20 | -10.15 | 15.78 | 3 | Horizontal | 154 | 1.50 | - | 42.27 | 40.09 | 10.22 | 34.53 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.757G | 93.81 | Inf | -Inf | 2.97 | 3 | Vertical | 313 | 1.48 | - | 90.84 | 32.11 | 5.80 | 34.94 |
| PK | 5.6466G | 59.92 | 68.20 | -8.28 | 2.70 | 3 | Vertical | 313 | 1.48 | - | 57.22 | 31.80 | 5.80 | 34.90 |
| PK | 5.7582G | 105.89 | Inf | -Inf | 2.98 | 3 | Vertical | 313 | 1.48 | - | 102.91 | 32.12 | 5.80 | 34.94 |
| PK | 5.9274G | 59.61 | 68.20 | -8.59 | 3.42 | 3 | Vertical | 313 | 1.48 | - | 56.19 | 32.55 | 5.86 | 34.99 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.757G | 99.78 | Inf | -Inf | 2.97 | 3 | Horizontal | 60 | 3.00 | - | 96.81 | 32.11 | 5.80 | 34.94 |
| PK | 5.6442G | 67.68 | 68.20 | -0.52 | 2.70 | 3 | Horizontal | 60 | 3.00 | - | 64.98 | 31.80 | 5.80 | 34.90 |
| PK | 5.7378G | 111.60 | Inf | -Inf | 2.92 | 3 | Horizontal | 60 | 3.00 | - | 108.68 | 32.05 | 5.80 | 34.93 |
| PK | 5.925G | 61.44 | 68.20 | -6.76 | 3.42 | 3 | Horizontal | 60 | 3.00 | - | 58.02 | 32.55 | 5.86 | 34.99 |

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.54997G | 42.69 | 54.00 | -11.31 | 13.54 | 3 | Vertical | 360 | 2.19 | - | 29.15 | 39.95 | 8.34 | 34.75 |
| PK | 11.54996G | 55.14 | 74.00 | -18.86 | 13.54 | 3 | Vertical | 360 | 2.19 | - | 41.60 | 39.95 | 8.34 | 34.75 |
| PK | 17.32393G | 58.31 | 68.20 | -9.89 | 16.13 | 3 | Vertical | 68 | 1.50 | - | 42.18 | 40.49 | 10.30 | 34.66 |

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.5506G | 42.22 | 54.00 | -11.78 | 13.54 | 3 | Horizontal | 351 | 1.50 | - | 28.68 | 39.95 | 8.34 | 34.75 |
| PK | 11.54993G | 55.26 | 74.00 | -18.74 | 13.54 | 3 | Horizontal | 351 | 1.50 | - | 41.72 | 39.95 | 8.34 | 34.75 |
| PK | 17.32622G | 57.98 | 68.20 | -10.22 | 16.15 | 3 | Horizontal | 4 | 1.65 | - | 41.83 | 40.51 | 10.30 | 34.66 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 299 | 2.20 | - |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5775MHz | Pass | AV | 5.1496G | 50.17 | 54.00 | -3.83 | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | AV | 5.1848G | 99.30 | Inf | -Inf | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | PK | 5.1482G | 65.69 | 74.00 | -8.31 | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | PK | 5.1844G | 110.67 | Inf | -Inf | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 299 | 2.20 | - |
| 5775MHz | Pass | AV | 5.175G | 103.39 | Inf | -Inf | 3 | Horizontal | 299 | 2.20 | - |
| 5775MHz | Pass | PK | 5.1472G | 67.88 | 74.00 | -6.12 | 3 | Horizontal | 299 | 2.20 | - |
| 5775MHz | Pass | PK | 5.1786G | 114.34 | Inf | -Inf | 3 | Horizontal | 299 | 2.20 | - |
| 5775MHz | Pass | AV | 15.54159G | 42.11 | 54.00 | -11.89 | 3 | Vertical | 81 | 1.38 | - |
| 5775MHz | Pass | PK | 10.35976G | 55.36 | 68.20 | -12.84 | 3 | Vertical | 344 | 3.00 | - |
| 5775MHz | Pass | PK | 15.5395G | 54.89 | 74.00 | -19.11 | 3 | Vertical | 81 | 1.38 | - |
| 5775MHz | Pass | AV | 15.54077G | 42.09 | 54.00 | -11.91 | 3 | Horizontal | 124 | 1.50 | - |
| 5775MHz | Pass | PK | 10.36004G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 39 | 2.13 | - |
| 5775MHz | Pass | PK | 15.54186G | 54.54 | 74.00 | -19.46 | 3 | Horizontal | 124 | 1.50 | - |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 119.24M | 40.32 | 43.50 | -3.18 | -18.91 | 3 | Vertical | 360 | 1.00 | - | 59.23 | 16.69 | 1.08 | 36.68 |
| PK | 276.38M | 42.09 | 46.00 | -3.91 | -16.98 | 3 | Vertical | 360 | 1.00 | - | 59.07 | 17.85 | 1.59 | 36.42 |
| PK | 416.06M | 40.32 | 46.00 | -5.68 | -12.80 | 3 | Vertical | 360 | 1.00 | - | 53.12 | 21.82 | 1.97 | 36.59 |
| PK | 551.86M | 40.77 | 46.00 | -5.23 | -10.01 | 3 | Vertical | 360 | 1.00 | - | 50.78 | 24.69 | 2.38 | 37.08 |
| PK | 831.22M | 42.35 | 46.00 | -3.65 | -6.88 | 3 | Vertical | 360 | 1.00 | - | 49.23 | 27.82 | 2.87 | 37.57 |
| QP | 74.3M | 39.00 | 40.00 | -1.00 | -24.37 | 3 | Vertical | 77 | 1.00 | - | 63.37 | 11.71 | 0.86 | 36.94 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| PK | 136.7M | 39.58 | 43.50 | -3.92 | -18.51 | 3 | Horizontal | 0 | 1.00 | - | 58.09 | 16.78 | 1.16 | 36.45 |
| PK | 239.52M | 38.61 | 46.00 | -7.39 | -18.55 | 3 | Horizontal | 0 | 1.00 | - | 57.16 | 16.35 | 1.46 | 36.36 |
| PK | 416.06M | 39.08 | 46.00 | -6.92 | -12.80 | 3 | Horizontal | 0 | 1.00 | - | 51.88 | 21.82 | 1.97 | 36.59 |
| PK | 549.92M | 37.83 | 46.00 | -8.17 | -10.25 | 3 | Horizontal | 0 | 1.00 | - | 48.08 | 24.45 | 2.38 | 37.08 |
| QP | 60M | 39.78 | 40.00 | -0.22 | -25.34 | 3 | Horizontal | 192 | 3.00 | - | 65.12 | 10.90 | 0.82 | 37.06 |
| QP | 75.26M | 37.65 | 40.00 | -2.35 | -24.30 | 3 | Horizontal | 222 | 2.39 | - | 61.95 | 11.77 | 0.86 | 36.93 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5.15-5.25GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 299 | 2.20 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | Pass | PK | 5.15G | 73.31 | 74.00 | -0.69 | 3 | Horizontal | 298 | 2.20 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | Pass | AV | 5.15G | 53.34 | 54.00 | -0.66 | 3 | Vertical | 322 | 2.42 | - |
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | Pass | AV | 5.35G | 53.80 | 54.00 | -0.20 | 3 | Horizontal | 301 | 1.81 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | Pass | PK | 5.3548G | 73.10 | 74.00 | -0.90 | 3 | Horizontal | 301.6 | 1.50 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | Pass | AV | 5.35G | 53.84 | 54.00 | -0.16 | 3 | Horizontal | 308 | 1.83 | - |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | Pass | PK | 5.47G | 67.94 | 68.20 | -0.26 | 3 | Horizontal | 306 | 1.96 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | Pass | PK | 5.4664G | 67.99 | 68.20 | -0.21 | 3 | Horizontal | 52.3 | 2.40 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | Pass | PK | 5.734G | 68.07 | 68.20 | -0.13 | 3 | Horizontal | 305 | 2.54 | - |
| 5.725-5.85GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | Pass | PK | 17.47434G | 60.47 | 68.20 | -7.73 | 3 | Vertical | 172 | 1.50 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | Pass | PK | 5.6374G | 60.67 | 68.20 | -7.53 | 3 | Horizontal | 57 | 1.78 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_4TX | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 299 | 2.20 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5180MHz | Pass | AV | 5.1496G | 50.17 | 54.00 | -3.83 | 3 | Vertical | 329 | 2.25 | - |
| 5180MHz | Pass | AV | 5.1848G | 99.30 | Inf | -Inf | 3 | Vertical | 329 | 2.25 | - |
| 5180MHz | Pass | PK | 5.1482G | 65.69 | 74.00 | -8.31 | 3 | Vertical | 329 | 2.25 | - |
| 5180MHz | Pass | PK | 5.1844G | 110.67 | Inf | -Inf | 3 | Vertical | 329 | 2.25 | - |
| 5180MHz | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 299 | 2.20 | - |
| 5180MHz | Pass | AV | 5.175G | 103.39 | Inf | -Inf | 3 | Horizontal | 299 | 2.20 | - |
| 5180MHz | Pass | PK | 5.1472G | 67.88 | 74.00 | -6.12 | 3 | Horizontal | 299 | 2.20 | - |
| 5180MHz | Pass | PK | 5.1786G | 114.34 | Inf | -Inf | 3 | Horizontal | 299 | 2.20 | - |
| 5180MHz | Pass | AV | 15.54159G | 42.11 | 54.00 | -11.89 | 3 | Vertical | 81 | 1.38 | - |
| 5180MHz | Pass | PK | 10.35976G | 55.36 | 68.20 | -12.84 | 3 | Vertical | 344 | 3.00 | - |
| 5180MHz | Pass | PK | 15.5395G | 54.89 | 74.00 | -19.11 | 3 | Vertical | 81 | 1.38 | - |
| 5180MHz | Pass | AV | 15.54077G | 42.09 | 54.00 | -11.91 | 3 | Horizontal | 124 | 1.50 | - |
| 5180MHz | Pass | PK | 10.36004G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 39 | 2.13 | - |
| 5180MHz | Pass | PK | 15.54186G | 54.54 | 74.00 | -19.46 | 3 | Horizontal | 124 | 1.50 | - |
| 5200MHz | Pass | AV | 5.15G | 49.56 | 54.00 | -4.44 | 3 | Vertical | 324 | 2.32 | - |
| 5200MHz | Pass | AV | 5.192G | 102.78 | Inf | -Inf | 3 | Vertical | 324 | 2.32 | - |
| 5200MHz | Pass | PK | 5.148G | 66.66 | 74.00 | -7.34 | 3 | Vertical | 324 | 2.32 | - |
| 5200MHz | Pass | PK | 5.1916G | 113.47 | Inf | -Inf | 3 | Vertical | 324 | 2.32 | - |
| 5200MHz | Pass | AV | 5.15G | 48.66 | 54.00 | -5.34 | 3 | Horizontal | 298 | 1.50 | - |
| 5200MHz | Pass | AV | 5.2084G | 101.60 | Inf | -Inf | 3 | Horizontal | 298 | 1.50 | - |
| 5200MHz | Pass | PK | 5.1488G | 62.38 | 74.00 | -11.62 | 3 | Horizontal | 298 | 1.50 | - |
| 5200MHz | Pass | PK | 5.2088G | 112.62 | Inf | -Inf | 3 | Horizontal | 298 | 1.50 | - |
| 5200MHz | Pass | AV | 15.61152G | 42.79 | 54.00 | -11.21 | 3 | Vertical | 67 | 2.19 | - |
| 5200MHz | Pass | PK | 10.39984G | 54.89 | 68.20 | -13.31 | 3 | Vertical | 356 | 1.02 | - |
| 5200MHz | Pass | PK | 15.59688G | 55.40 | 74.00 | -18.60 | 3 | Vertical | 67 | 2.19 | - |
| 5200MHz | Pass | AV | 15.60744G | 42.92 | 54.00 | -11.08 | 3 | Horizontal | 85 | 1.93 | - |
| 5200MHz | Pass | PK | 10.41482G | 54.09 | 68.20 | -14.11 | 3 | Horizontal | 329.1 | 1.50 | - |
| 5200MHz | Pass | PK | 15.60456G | 55.51 | 74.00 | -18.49 | 3 | Horizontal | 85 | 1.93 | - |
| 5240MHz | Pass | AV | 5.1416G | 43.46 | 54.00 | -10.54 | 3 | Vertical | 316 | 2.97 | - |
| 5240MHz | Pass | AV | 5.231G | 100.47 | Inf | -Inf | 3 | Vertical | 316 | 2.97 | - |
| 5240MHz | Pass | AV | 5.3582G | 41.85 | 54.00 | -12.15 | 3 | Vertical | 316 | 2.97 | - |
| 5240MHz | Pass | PK | 5.1326G | 56.01 | 74.00 | -17.99 | 3 | Vertical | 316 | 2.97 | - |
| 5240MHz | Pass | PK | 5.234G | 110.90 | Inf | -Inf | 3 | Vertical | 316 | 2.97 | - |
| 5240MHz | Pass | PK | 5.3774G | 53.54 | 74.00 | -20.46 | 3 | Vertical | 316 | 2.97 | - |
| 5240MHz | Pass | AV | 5.15G | 43.43 | 54.00 | -10.57 | 3 | Horizontal | 294 | 2.63 | - |
| 5240MHz | Pass | AV | 5.2478G | 102.35 | Inf | -Inf | 3 | Horizontal | 294 | 2.63 | - |
| 5240MHz | Pass | AV | 5.369G | 42.19 | 54.00 | -11.81 | 3 | Horizontal | 294 | 2.63 | - |
| 5240MHz | Pass | PK | 5.1458G | 57.35 | 74.00 | -16.65 | 3 | Horizontal | 294 | 2.63 | - |
| 5240MHz | Pass | PK | 5.2484G | 113.16 | Inf | -Inf | 3 | Horizontal | 294 | 2.63 | - |
| 5240MHz | Pass | PK | 5.3558G | 54.58 | 74.00 | -19.42 | 3 | Horizontal | 294 | 2.63 | - |
| 5240MHz | Pass | AV | 15.70644G | 42.47 | 54.00 | -11.53 | 3 | Vertical | 54 | 2.21 | - |
| 5240MHz | Pass | PK | 10.4791G | 55.11 | 68.20 | -13.09 | 3 | Vertical | 4 | 2.83 | - |
| 5240MHz | Pass | PK | 15.71724G | 55.06 | 74.00 | -18.94 | 3 | Vertical | 54 | 2.21 | - |
| 5240MHz | Pass | AV | 15.70824G | 42.41 | 54.00 | -11.59 | 3 | Horizontal | 115 | 1.23 | - |
| 5240MHz | Pass | PK | 10.49488G | 54.15 | 68.20 | -14.05 | 3 | Horizontal | 204 | 1.07 | - |
| 5240MHz | Pass | PK | 15.72168G | 55.57 | 74.00 | -18.43 | 3 | Horizontal | 115 | 1.23 | - |
| 5260MHz | Pass | AV | 5.1496G | 43.23 | 54.00 | -10.77 | 3 | Vertical | 327 | 2.28 | - |
| 5260MHz | Pass | AV | 5.2654G | 101.70 | Inf | -Inf | 3 | Vertical | 327 | 2.28 | - |
| 5260MHz | Pass | AV | 5.3626G | 42.08 | 54.00 | -11.92 | 3 | Vertical | 327 | 2.28 | - |
| 5260MHz | Pass | PK | 5.1166G | 56.88 | 74.00 | -17.12 | 3 | Vertical | 327 | 2.28 | - |
| 5260MHz | Pass | PK | 5.2666G | 113.35 | Inf | -Inf | 3 | Vertical | 327 | 2.28 | - |
| 5260MHz | Pass | PK | 5.3728G | 54.27 | 74.00 | -19.73 | 3 | Vertical | 327 | 2.28 | - |
| 5260MHz | Pass | AV | 5.143G | 43.95 | 54.00 | -10.05 | 3 | Horizontal | 300 | 2.06 | - |
| 5260MHz | Pass | AV | 5.2522G | 103.99 | Inf | -Inf | 3 | Horizontal | 300 | 2.06 | - |
| 5260MHz | Pass | AV | 5.359G | 42.94 | 54.00 | -11.06 | 3 | Horizontal | 300 | 2.06 | - |
| 5260MHz | Pass | PK | 5.1124G | 56.35 | 74.00 | -17.65 | 3 | Horizontal | 300 | 2.06 | - |
| 5260MHz | Pass | PK | 5.2516G | 114.77 | Inf | -Inf | 3 | Horizontal | 300 | 2.06 | - |
| 5260MHz | Pass | PK | 5.35G | 55.37 | 74.00 | -18.63 | 3 | Horizontal | 300 | 2.06 | - |
| 5260MHz | Pass | AV | 15.77624G | 44.99 | 54.00 | -9.01 | 3 | Vertical | 184 | 1.03 | - |
| 5260MHz | Pass | PK | 10.51942G | 54.29 | 68.20 | -13.91 | 3 | Vertical | 18 | 2.25 | - |



RSE TX above 1GHz_Beamforming_WiFi B

Appendix E.6

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5260MHz | Pass | PK | 15.78272G | 56.05 | 74.00 | -17.95 | 3 | Vertical | 184 | 1.03 | - |
| 5260MHz | Pass | AV | 15.78228G | 44.80 | 54.00 | -9.20 | 3 | Horizontal | 201 | 2.29 | - |
| 5260MHz | Pass | PK | 10.52398G | 53.99 | 68.20 | -14.21 | 3 | Horizontal | 165 | 1.41 | - |
| 5260MHz | Pass | PK | 15.78468G | 54.75 | 74.00 | -19.25 | 3 | Horizontal | 201 | 2.29 | - |
| 5300MHz | Pass | AV | 5.2948G | 102.72 | Inf | -Inf | 3 | Vertical | 325 | 2.28 | - |
| 5300MHz | Pass | AV | 5.35G | 45.75 | 54.00 | -8.25 | 3 | Vertical | 325 | 2.28 | - |
| 5300MHz | Pass | PK | 5.2936G | 114.03 | Inf | -Inf | 3 | Vertical | 325 | 2.28 | - |
| 5300MHz | Pass | PK | 5.3516G | 61.52 | 74.00 | -12.48 | 3 | Vertical | 325 | 2.28 | - |
| 5300MHz | Pass | AV | 5.3048G | 102.42 | Inf | -Inf | 3 | Horizontal | 301 | 2.23 | - |
| 5300MHz | Pass | AV | 5.35G | 49.07 | 54.00 | -4.93 | 3 | Horizontal | 301 | 2.23 | - |
| 5300MHz | Pass | PK | 5.2912G | 112.82 | Inf | -Inf | 3 | Horizontal | 301 | 2.23 | - |
| 5300MHz | Pass | PK | 5.3516G | 63.61 | 74.00 | -10.39 | 3 | Horizontal | 301 | 2.23 | - |
| 5300MHz | Pass | AV | 15.90184G | 44.81 | 54.00 | -9.19 | 3 | Vertical | 155 | 1.17 | - |
| 5300MHz | Pass | PK | 10.60488G | 54.25 | 74.00 | -19.75 | 3 | Vertical | 232 | 1.67 | - |
| 5300MHz | Pass | PK | 15.90366G | 54.40 | 74.00 | -19.60 | 3 | Vertical | 155 | 1.17 | - |
| 5300MHz | Pass | AV | 15.90276G | 44.60 | 54.00 | -9.40 | 3 | Horizontal | 100 | 1.53 | - |
| 5300MHz | Pass | PK | 10.60432G | 53.64 | 74.00 | -20.36 | 3 | Horizontal | 51 | 1.50 | - |
| 5300MHz | Pass | PK | 15.90328G | 55.02 | 74.00 | -18.98 | 3 | Horizontal | 100 | 1.53 | - |
| 5320MHz | Pass | AV | 5.3148G | 98.84 | Inf | -Inf | 3 | Vertical | 21 | 1.00 | - |
| 5320MHz | Pass | AV | 5.35G | 50.06 | 54.00 | -3.94 | 3 | Vertical | 21 | 1.00 | - |
| 5320MHz | Pass | PK | 5.3188G | 110.79 | Inf | -Inf | 3 | Vertical | 21 | 1.00 | - |
| 5320MHz | Pass | PK | 5.351G | 64.90 | 74.00 | -9.10 | 3 | Vertical | 21 | 1.00 | - |
| 5320MHz | Pass | AV | 5.328G | 103.52 | Inf | -Inf | 3 | Horizontal | 301 | 1.81 | - |
| 5320MHz | Pass | AV | 5.35G | 53.80 | 54.00 | -0.20 | 3 | Horizontal | 301 | 1.81 | - |
| 5320MHz | Pass | PK | 5.3242G | 114.12 | Inf | -Inf | 3 | Horizontal | 301 | 1.81 | - |
| 5320MHz | Pass | PK | 5.3528G | 71.89 | 74.00 | -2.11 | 3 | Horizontal | 301 | 1.81 | - |
| 5320MHz | Pass | AV | 10.63988G | 45.16 | 54.00 | -8.84 | 3 | Vertical | 26 | 2.33 | - |
| 5320MHz | Pass | AV | 15.96222G | 44.56 | 54.00 | -9.44 | 3 | Vertical | 325 | 1.96 | - |
| 5320MHz | Pass | PK | 10.63978G | 53.97 | 74.00 | -20.03 | 3 | Vertical | 26 | 2.33 | - |
| 5320MHz | Pass | PK | 15.95742G | 54.58 | 74.00 | -19.42 | 3 | Vertical | 325 | 1.96 | - |
| 5320MHz | Pass | AV | 10.63996G | 43.84 | 54.00 | -10.16 | 3 | Horizontal | 191 | 2.49 | - |
| 5320MHz | Pass | AV | 15.96192G | 44.53 | 54.00 | -9.47 | 3 | Horizontal | 157 | 1.03 | - |
| 5320MHz | Pass | PK | 10.64266G | 54.46 | 74.00 | -19.54 | 3 | Horizontal | 191 | 2.49 | - |
| 5320MHz | Pass | PK | 15.95834G | 55.74 | 74.00 | -18.26 | 3 | Horizontal | 157 | 1.03 | - |
| 5500MHz | Pass | AV | 5.46G | 42.66 | 54.00 | -11.34 | 3 | Vertical | 57 | 1.50 | - |
| 5500MHz | Pass | AV | 5.5078G | 96.32 | Inf | -Inf | 3 | Vertical | 57 | 1.50 | - |
| 5500MHz | Pass | PK | 5.4658G | 57.08 | 68.20 | -11.12 | 3 | Vertical | 57 | 1.50 | - |
| 5500MHz | Pass | PK | 5.508G | 107.81 | Inf | -Inf | 3 | Vertical | 57 | 1.50 | - |
| 5500MHz | Pass | AV | 5.46G | 46.84 | 54.00 | -7.16 | 3 | Horizontal | 306 | 1.96 | - |
| 5500MHz | Pass | AV | 5.4918G | 103.83 | Inf | -Inf | 3 | Horizontal | 306 | 1.96 | - |
| 5500MHz | Pass | PK | 5.47G | 67.94 | 68.20 | -0.26 | 3 | Horizontal | 306 | 1.96 | - |
| 5500MHz | Pass | PK | 5.4916G | 114.77 | Inf | -Inf | 3 | Horizontal | 306 | 1.96 | - |
| 5500MHz | Pass | AV | 11.00114G | 44.52 | 54.00 | -9.48 | 3 | Vertical | 34 | 1.39 | - |
| 5500MHz | Pass | PK | 11.00168G | 54.96 | 74.00 | -19.04 | 3 | Vertical | 34 | 1.39 | - |
| 5500MHz | Pass | PK | 16.50304G | 56.54 | 68.20 | -11.66 | 3 | Vertical | 317 | 1.76 | - |
| 5500MHz | Pass | AV | 10.99928G | 44.49 | 54.00 | -9.51 | 3 | Horizontal | 275 | 1.26 | - |
| 5500MHz | Pass | PK | 10.99732G | 54.91 | 74.00 | -19.09 | 3 | Horizontal | 275 | 1.26 | - |
| 5500MHz | Pass | PK | 16.50182G | 56.80 | 68.20 | -11.40 | 3 | Horizontal | 172 | 1.77 | - |
| 5580MHz | Pass | AV | 5.4558G | 42.32 | 54.00 | -11.68 | 3 | Vertical | 289 | 1.20 | - |
| 5580MHz | Pass | AV | 5.5716G | 101.99 | Inf | -Inf | 3 | Vertical | 289 | 1.20 | - |
| 5580MHz | Pass | PK | 5.4618G | 54.39 | 68.20 | -13.81 | 3 | Vertical | 289 | 1.20 | - |
| 5580MHz | Pass | PK | 5.5716G | 111.86 | Inf | -Inf | 3 | Vertical | 289 | 1.20 | - |
| 5580MHz | Pass | PK | 5.7258G | 54.84 | 68.20 | -13.36 | 3 | Vertical | 289 | 1.20 | - |
| 5580MHz | Pass | AV | 5.4594G | 43.29 | 54.00 | -10.71 | 3 | Horizontal | 306 | 2.06 | - |
| 5580MHz | Pass | AV | 5.5872G | 107.02 | Inf | -Inf | 3 | Horizontal | 306 | 2.06 | - |
| 5580MHz | Pass | PK | 5.4636G | 55.86 | 68.20 | -12.34 | 3 | Horizontal | 306 | 2.06 | - |
| 5580MHz | Pass | PK | 5.5824G | 117.90 | Inf | -Inf | 3 | Horizontal | 306 | 2.06 | - |
| 5580MHz | Pass | PK | 5.73G | 54.99 | 68.20 | -13.21 | 3 | Horizontal | 306 | 2.06 | - |
| 5580MHz | Pass | AV | 11.17G | 44.04 | 54.00 | -9.96 | 3 | Vertical | 287 | 2.48 | - |
| 5580MHz | Pass | PK | 11.16328G | 54.11 | 74.00 | -19.89 | 3 | Vertical | 287 | 2.48 | - |
| 5580MHz | Pass | PK | 16.74472G | 57.65 | 68.20 | -10.55 | 3 | Vertical | 15 | 1.57 | - |
| 5580MHz | Pass | AV | 11.16424G | 43.86 | 54.00 | -10.14 | 3 | Horizontal | 254 | 1.99 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5580MHz | Pass | PK | 11.15598G | 54.07 | 74.00 | -19.93 | 3 | Horizontal | 254 | 1.99 | - |
| 5580MHz | Pass | PK | 16.74056G | 57.43 | 68.20 | -10.77 | 3 | Horizontal | 259 | 2.40 | - |
| 5700MHz | Pass | AV | 5.708G | 94.95 | Inf | -Inf | 3 | Vertical | 63 | 1.78 | - |
| 5700MHz | Pass | PK | 5.708G | 106.43 | Inf | -Inf | 3 | Vertical | 63 | 1.78 | - |
| 5700MHz | Pass | PK | 5.7252G | 63.63 | 68.20 | -4.57 | 3 | Vertical | 63 | 1.78 | - |
| 5700MHz | Pass | AV | 5.6912G | 98.64 | Inf | -Inf | 3 | Horizontal | 48 | 2.07 | - |
| 5700MHz | Pass | PK | 5.6916G | 110.70 | Inf | -Inf | 3 | Horizontal | 48 | 2.07 | - |
| 5700MHz | Pass | PK | 5.7252G | 67.42 | 68.20 | -0.78 | 3 | Horizontal | 48 | 2.07 | - |
| 5700MHz | Pass | AV | 11.40492G | 44.29 | 54.00 | -9.71 | 3 | Vertical | 259 | 2.16 | - |
| 5700MHz | Pass | PK | 11.39956G | 54.84 | 74.00 | -19.16 | 3 | Vertical | 259 | 2.16 | - |
| 5700MHz | Pass | PK | 17.09144G | 58.18 | 68.20 | -10.02 | 3 | Vertical | 21 | 2.07 | - |
| 5700MHz | Pass | AV | 11.40928G | 44.30 | 54.00 | -9.70 | 3 | Horizontal | 265 | 1.68 | - |
| 5700MHz | Pass | PK | 11.40824G | 54.11 | 74.00 | -19.89 | 3 | Horizontal | 265 | 1.68 | - |
| 5700MHz | Pass | PK | 17.09464G | 59.00 | 68.20 | -9.20 | 3 | Horizontal | 72 | 1.16 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4584G | 42.61 | 54.00 | -11.39 | 3 | Vertical | 64 | 1.85 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7152G | 101.03 | Inf | -Inf | 3 | Vertical | 64 | 1.85 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4656G | 54.18 | 68.20 | -14.02 | 3 | Vertical | 64 | 1.85 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7164G | 112.68 | Inf | -Inf | 3 | Vertical | 64 | 1.85 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9096G | 55.77 | 68.20 | -12.43 | 3 | Vertical | 64 | 1.85 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4596G | 42.48 | 54.00 | -11.52 | 3 | Horizontal | 85 | 1.90 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7284G | 105.69 | Inf | -Inf | 3 | Horizontal | 85 | 1.90 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4692G | 54.91 | 68.20 | -13.29 | 3 | Horizontal | 85 | 1.90 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7284G | 115.82 | Inf | -Inf | 3 | Horizontal | 85 | 1.90 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8916G | 55.91 | 68.20 | -12.29 | 3 | Horizontal | 85 | 1.90 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44256G | 44.52 | 54.00 | -9.48 | 3 | Vertical | 342 | 1.88 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43076G | 54.48 | 74.00 | -19.52 | 3 | Vertical | 342 | 1.88 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.15428G | 58.10 | 68.20 | -10.10 | 3 | Vertical | 55 | 1.81 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.43448G | 44.58 | 54.00 | -9.42 | 3 | Horizontal | 311 | 1.06 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.44556G | 54.72 | 74.00 | -19.28 | 3 | Horizontal | 311 | 1.06 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.117G | 58.02 | 68.20 | -10.18 | 3 | Horizontal | 190 | 1.76 | - |
| 5745MHz | Pass | AV | 5.7366G | 100.97 | Inf | -Inf | 3 | Vertical | 52 | 1.77 | - |
| 5745MHz | Pass | PK | 5.5806G | 54.98 | 68.20 | -13.22 | 3 | Vertical | 52 | 1.77 | - |
| 5745MHz | Pass | PK | 5.7366G | 111.35 | Inf | -Inf | 3 | Vertical | 52 | 1.77 | - |
| 5745MHz | Pass | PK | 6.033G | 55.22 | 68.20 | -12.98 | 3 | Vertical | 52 | 1.77 | - |
| 5745MHz | Pass | AV | 5.7366G | 105.92 | Inf | -Inf | 3 | Horizontal | 45 | 1.78 | - |
| 5745MHz | Pass | PK | 5.6226G | 55.96 | 68.20 | -12.24 | 3 | Horizontal | 45 | 1.78 | - |
| 5745MHz | Pass | PK | 5.7354G | 115.29 | Inf | -Inf | 3 | Horizontal | 45 | 1.78 | - |
| 5745MHz | Pass | PK | 5.9394G | 55.96 | 68.20 | -12.24 | 3 | Horizontal | 45 | 1.78 | - |
| 5745MHz | Pass | AV | 11.49592G | 44.54 | 54.00 | -9.46 | 3 | Vertical | 12 | 1.50 | - |
| 5745MHz | Pass | PK | 11.48444G | 54.96 | 74.00 | -19.04 | 3 | Vertical | 12 | 1.50 | - |
| 5745MHz | Pass | PK | 17.2335G | 57.82 | 68.20 | -10.38 | 3 | Vertical | 278 | 1.39 | - |
| 5745MHz | Pass | AV | 11.49316G | 44.58 | 54.00 | -9.42 | 3 | Horizontal | 119 | 2.48 | - |
| 5745MHz | Pass | PK | 11.49904G | 55.21 | 74.00 | -18.79 | 3 | Horizontal | 119 | 2.48 | - |
| 5745MHz | Pass | PK | 17.23836G | 58.06 | 68.20 | -10.14 | 3 | Horizontal | 53 | 1.50 | - |
| 5785MHz | Pass | AV | 5.779G | 102.70 | Inf | -Inf | 3 | Vertical | 290 | 1.40 | - |
| 5785MHz | Pass | PK | 5.5162G | 55.26 | 68.20 | -12.94 | 3 | Vertical | 290 | 1.40 | - |
| 5785MHz | Pass | PK | 5.785G | 110.40 | Inf | -Inf | 3 | Vertical | 290 | 1.40 | - |
| 5785MHz | Pass | PK | 5.9806G | 54.89 | 68.20 | -13.31 | 3 | Vertical | 290 | 1.40 | - |
| 5785MHz | Pass | AV | 5.7826G | 104.77 | Inf | -Inf | 3 | Horizontal | 312 | 1.56 | - |
| 5785MHz | Pass | PK | 5.611G | 55.79 | 68.20 | -12.41 | 3 | Horizontal | 312 | 1.56 | - |
| 5785MHz | Pass | PK | 5.7838G | 112.46 | Inf | -Inf | 3 | Horizontal | 312 | 1.56 | - |
| 5785MHz | Pass | PK | 5.9254G | 55.01 | 68.20 | -13.19 | 3 | Horizontal | 312 | 1.56 | - |
| 5785MHz | Pass | AV | 11.5702G | 44.74 | 54.00 | -9.26 | 3 | Vertical | 92 | 1.69 | - |
| 5785MHz | Pass | PK | 11.57508G | 54.63 | 74.00 | -19.37 | 3 | Vertical | 92 | 1.69 | - |
| 5785MHz | Pass | PK | 17.35816G | 58.79 | 68.20 | -9.41 | 3 | Vertical | 269 | 1.40 | - |
| 5785MHz | Pass | AV | 11.56704G | 44.32 | 54.00 | -9.68 | 3 | Horizontal | 261 | 1.35 | - |
| 5785MHz | Pass | PK | 11.56112G | 55.02 | 74.00 | -18.98 | 3 | Horizontal | 261 | 1.35 | - |
| 5785MHz | Pass | PK | 17.3548G | 58.94 | 68.20 | -9.26 | 3 | Horizontal | 270 | 2.19 | - |
| 5825MHz | Pass | AV | 5.8334G | 101.04 | Inf | -Inf | 3 | Vertical | 55 | 1.96 | - |
| 5825MHz | Pass | PK | 5.6138G | 55.92 | 68.20 | -12.28 | 3 | Vertical | 55 | 1.96 | - |
| 5825MHz | Pass | PK | 5.8298G | 112.17 | Inf | -Inf | 3 | Vertical | 55 | 1.96 | - |
| 5825MHz | Pass | PK | 6.0302G | 56.25 | 68.20 | -11.95 | 3 | Vertical | 55 | 1.96 | - |



RSE TX above 1GHz_Beamforming_WiFi B

Appendix E.6

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5825MHz | Pass | AV | 5.8178G | 106.09 | Inf | -Inf | 3 | Horizontal | 308 | 2.01 | - |
| 5825MHz | Pass | PK | 5.6138G | 56.55 | 68.20 | -11.65 | 3 | Horizontal | 308 | 2.01 | - |
| 5825MHz | Pass | PK | 5.8274G | 116.21 | Inf | -Inf | 3 | Horizontal | 308 | 2.01 | - |
| 5825MHz | Pass | PK | 6.0374G | 55.28 | 68.20 | -12.92 | 3 | Horizontal | 308 | 2.01 | - |
| 5825MHz | Pass | AV | 11.64976G | 42.08 | 54.00 | -11.92 | 3 | Vertical | 360 | 1.79 | - |
| 5825MHz | Pass | PK | 11.65074G | 55.09 | 74.00 | -18.91 | 3 | Vertical | 360 | 1.79 | - |
| 5825MHz | Pass | PK | 17.47434G | 60.47 | 68.20 | -7.73 | 3 | Vertical | 172 | 1.50 | - |
| 5825MHz | Pass | AV | 11.64992G | 42.59 | 54.00 | -11.41 | 3 | Horizontal | 322 | 2.51 | - |
| 5825MHz | Pass | PK | 11.64948G | 54.95 | 74.00 | -19.05 | 3 | Horizontal | 322 | 2.51 | - |
| 5825MHz | Pass | PK | 17.47289G | 60.09 | 68.20 | -8.11 | 3 | Horizontal | 15 | 1.01 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5190MHz | Pass | AV | 5.1496G | 47.35 | 54.00 | -6.65 | 3 | Vertical | 328 | 1.00 | - |
| 5190MHz | Pass | AV | 5.1744G | 92.07 | Inf | -Inf | 3 | Vertical | 328 | 1.00 | - |
| 5190MHz | Pass | PK | 5.15G | 70.38 | 74.00 | -3.62 | 3 | Vertical | 328 | 1.00 | - |
| 5190MHz | Pass | PK | 5.174G | 103.99 | Inf | -Inf | 3 | Vertical | 328 | 1.00 | - |
| 5190MHz | Pass | AV | 5.1444G | 48.20 | 54.00 | -5.80 | 3 | Horizontal | 298 | 2.20 | - |
| 5190MHz | Pass | AV | 5.2052G | 94.60 | Inf | -Inf | 3 | Horizontal | 298 | 2.20 | - |
| 5190MHz | Pass | PK | 5.15G | 73.31 | 74.00 | -0.69 | 3 | Horizontal | 298 | 2.20 | - |
| 5190MHz | Pass | PK | 5.1836G | 108.64 | Inf | -Inf | 3 | Horizontal | 298 | 2.20 | - |
| 5190MHz | Pass | AV | 15.55542G | 41.95 | 54.00 | -12.05 | 3 | Vertical | 138 | 1.31 | - |
| 5190MHz | Pass | PK | 10.37994G | 54.69 | 68.20 | -13.51 | 3 | Vertical | 352 | 1.00 | - |
| 5190MHz | Pass | PK | 15.57528G | 54.75 | 74.00 | -19.25 | 3 | Vertical | 138 | 1.31 | - |
| 5190MHz | Pass | AV | 15.56928G | 41.91 | 54.00 | -12.09 | 3 | Horizontal | 280 | 1.74 | - |
| 5190MHz | Pass | PK | 10.37988G | 55.52 | 68.20 | -12.68 | 3 | Horizontal | 141 | 1.95 | - |
| 5190MHz | Pass | PK | 15.5775G | 54.23 | 74.00 | -19.77 | 3 | Horizontal | 280 | 1.74 | - |
| 5230MHz | Pass | AV | 5.1496G | 49.47 | 54.00 | -4.53 | 3 | Vertical | 322 | 2.44 | - |
| 5230MHz | Pass | AV | 5.2456G | 97.95 | Inf | -Inf | 3 | Vertical | 322 | 2.44 | - |
| 5230MHz | Pass | PK | 5.1324G | 64.05 | 74.00 | -9.95 | 3 | Vertical | 322 | 2.44 | - |
| 5230MHz | Pass | PK | 5.2456G | 110.12 | Inf | -Inf | 3 | Vertical | 322 | 2.44 | - |
| 5230MHz | Pass | AV | 5.1496G | 51.11 | 54.00 | -2.89 | 3 | Horizontal | 305 | 2.04 | - |
| 5230MHz | Pass | AV | 5.2248G | 103.37 | Inf | -Inf | 3 | Horizontal | 305 | 2.04 | - |
| 5230MHz | Pass | PK | 5.1344G | 69.88 | 74.00 | -4.12 | 3 | Horizontal | 305 | 2.04 | - |
| 5230MHz | Pass | PK | 5.2252G | 114.76 | Inf | -Inf | 3 | Horizontal | 305 | 2.04 | - |
| 5230MHz | Pass | AV | 15.7002G | 42.27 | 54.00 | -11.73 | 3 | Vertical | 44 | 2.32 | - |
| 5230MHz | Pass | PK | 10.46324G | 54.71 | 68.20 | -13.49 | 3 | Vertical | 3 | 2.90 | - |
| 5230MHz | Pass | PK | 15.68874G | 55.33 | 74.00 | -18.67 | 3 | Vertical | 44 | 2.32 | - |
| 5230MHz | Pass | AV | 15.69366G | 42.36 | 54.00 | -11.64 | 3 | Horizontal | 157 | 1.46 | - |
| 5230MHz | Pass | PK | 10.45994G | 54.99 | 68.20 | -13.21 | 3 | Horizontal | 226 | 2.17 | - |
| 5230MHz | Pass | PK | 15.68946G | 54.49 | 74.00 | -19.51 | 3 | Horizontal | 157 | 1.46 | - |
| 5270MHz | Pass | AV | 5.2608G | 95.39 | Inf | -Inf | 3 | Vertical | 264.1 | 2.03 | - |
| 5270MHz | Pass | AV | 5.35G | 46.08 | 54.00 | -7.92 | 3 | Vertical | 264.1 | 2.03 | - |
| 5270MHz | Pass | PK | 5.272G | 107.05 | Inf | -Inf | 3 | Vertical | 264.1 | 2.03 | - |
| 5270MHz | Pass | PK | 5.35G | 59.09 | 74.00 | -14.91 | 3 | Vertical | 264.1 | 2.03 | - |
| 5270MHz | Pass | AV | 5.2728G | 101.81 | Inf | -Inf | 3 | Horizontal | 62 | 1.70 | - |
| 5270MHz | Pass | AV | 5.3508G | 51.93 | 54.00 | -2.07 | 3 | Horizontal | 62 | 1.70 | - |
| 5270MHz | Pass | PK | 5.272G | 113.13 | Inf | -Inf | 3 | Horizontal | 62 | 1.70 | - |
| 5270MHz | Pass | PK | 5.35G | 65.96 | 74.00 | -8.04 | 3 | Horizontal | 62 | 1.70 | - |
| 5270MHz | Pass | AV | 15.80652G | 41.71 | 54.00 | -12.29 | 3 | Vertical | 68 | 1.40 | - |
| 5270MHz | Pass | PK | 10.52728G | 54.27 | 68.20 | -13.93 | 3 | Vertical | 14 | 1.02 | - |
| 5270MHz | Pass | PK | 15.80334G | 53.86 | 74.00 | -20.14 | 3 | Vertical | 68 | 1.40 | - |
| 5270MHz | Pass | AV | 15.81948G | 41.78 | 54.00 | -12.22 | 3 | Horizontal | 335 | 1.71 | - |
| 5270MHz | Pass | PK | 10.5478G | 54.13 | 68.20 | -14.07 | 3 | Horizontal | 281 | 1.39 | - |
| 5270MHz | Pass | PK | 15.79704G | 54.42 | 74.00 | -19.58 | 3 | Horizontal | 335 | 1.71 | - |
| 5310MHz | Pass | AV | 5.3G | 90.45 | Inf | -Inf | 3 | Vertical | 338 | 2.97 | - |
| 5310MHz | Pass | AV | 5.3512G | 45.46 | 54.00 | -8.54 | 3 | Vertical | 338 | 2.97 | - |
| 5310MHz | Pass | PK | 5.2928G | 105.82 | Inf | -Inf | 3 | Vertical | 338 | 2.97 | - |
| 5310MHz | Pass | PK | 5.3604G | 67.05 | 74.00 | -6.95 | 3 | Vertical | 338 | 2.97 | - |
| 5310MHz | Pass | AV | 5.3044G | 94.07 | Inf | -Inf | 3 | Horizontal | 301.6 | 1.50 | - |
| 5310MHz | Pass | AV | 5.3512G | 48.77 | 54.00 | -5.23 | 3 | Horizontal | 301.6 | 1.50 | - |
| 5310MHz | Pass | PK | 5.3052G | 107.57 | Inf | -Inf | 3 | Horizontal | 301.6 | 1.50 | - |
| 5310MHz | Pass | PK | 5.3548G | 73.10 | 74.00 | -0.90 | 3 | Horizontal | 301.6 | 1.50 | - |
| 5310MHz | Pass | AV | 10.61976G | 42.49 | 54.00 | -11.51 | 3 | Vertical | 6 | 1.01 | - |



RSE TX above 1GHz_Beamforming_WiFi B

Appendix E.6

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5310MHz | Pass | AV | 15.918G | 41.40 | 54.00 | -12.60 | 3 | Vertical | 239 | 2.11 | - |
| 5310MHz | Pass | PK | 10.62846G | 54.17 | 74.00 | -19.83 | 3 | Vertical | 6 | 1.01 | - |
| 5310MHz | Pass | PK | 15.92724G | 54.58 | 74.00 | -19.42 | 3 | Vertical | 239 | 2.11 | - |
| 5310MHz | Pass | AV | 10.61994G | 42.60 | 54.00 | -11.40 | 3 | Horizontal | 181 | 1.76 | - |
| 5310MHz | Pass | AV | 15.91632G | 41.33 | 54.00 | -12.67 | 3 | Horizontal | 77 | 2.32 | - |
| 5310MHz | Pass | PK | 10.60824G | 53.59 | 74.00 | -20.41 | 3 | Horizontal | 181 | 1.76 | - |
| 5310MHz | Pass | PK | 15.91812G | 54.03 | 74.00 | -19.97 | 3 | Horizontal | 77 | 2.32 | - |
| 5510MHz | Pass | AV | 5.4588G | 42.72 | 54.00 | -11.28 | 3 | Vertical | 248.5 | 1.56 | - |
| 5510MHz | Pass | AV | 5.4988G | 90.31 | Inf | -Inf | 3 | Vertical | 248.5 | 1.56 | - |
| 5510MHz | Pass | PK | 5.468G | 66.93 | 68.20 | -1.27 | 3 | Vertical | 248.5 | 1.56 | - |
| 5510MHz | Pass | PK | 5.4976G | 101.01 | Inf | -Inf | 3 | Vertical | 248.5 | 1.56 | - |
| 5510MHz | Pass | AV | 5.4576G | 43.70 | 54.00 | -10.30 | 3 | Horizontal | 52.3 | 2.40 | - |
| 5510MHz | Pass | AV | 5.492G | 94.52 | Inf | -Inf | 3 | Horizontal | 52.3 | 2.40 | - |
| 5510MHz | Pass | PK | 5.4664G | 67.99 | 68.20 | -0.21 | 3 | Horizontal | 52.3 | 2.40 | - |
| 5510MHz | Pass | PK | 5.4976G | 107.91 | Inf | -Inf | 3 | Horizontal | 52.3 | 2.40 | - |
| 5510MHz | Pass | AV | 11.00668G | 42.22 | 54.00 | -11.78 | 3 | Vertical | 144 | 1.80 | - |
| 5510MHz | Pass | PK | 11.01064G | 55.23 | 74.00 | -18.77 | 3 | Vertical | 144 | 1.80 | - |
| 5510MHz | Pass | PK | 16.5174G | 56.17 | 68.20 | -12.03 | 3 | Vertical | 297 | 1.43 | - |
| 5510MHz | Pass | AV | 11.01556G | 42.01 | 54.00 | -11.99 | 3 | Horizontal | 43 | 1.34 | - |
| 5510MHz | Pass | PK | 11.00932G | 55.09 | 74.00 | -18.91 | 3 | Horizontal | 43 | 1.34 | - |
| 5510MHz | Pass | PK | 16.53702G | 56.51 | 68.20 | -11.69 | 3 | Horizontal | 145 | 1.47 | - |
| 5550MHz | Pass | AV | 5.4584G | 42.45 | 54.00 | -11.55 | 3 | Vertical | 58 | 1.83 | - |
| 5550MHz | Pass | AV | 5.5424G | 94.28 | Inf | -Inf | 3 | Vertical | 58 | 1.83 | - |
| 5550MHz | Pass | PK | 5.4616G | 60.21 | 68.20 | -7.99 | 3 | Vertical | 58 | 1.83 | - |
| 5550MHz | Pass | PK | 5.5484G | 109.31 | Inf | -Inf | 3 | Vertical | 58 | 1.83 | - |
| 5550MHz | Pass | AV | 5.4596G | 46.06 | 54.00 | -7.94 | 3 | Horizontal | 307.6 | 2.01 | - |
| 5550MHz | Pass | AV | 5.5376G | 102.58 | Inf | -Inf | 3 | Horizontal | 307.6 | 2.01 | - |
| 5550MHz | Pass | PK | 5.4668G | 67.97 | 68.20 | -0.23 | 3 | Horizontal | 307.6 | 2.01 | - |
| 5550MHz | Pass | PK | 5.5376G | 113.46 | Inf | -Inf | 3 | Horizontal | 307.6 | 2.01 | - |
| 5550MHz | Pass | AV | 11.09556G | 41.91 | 54.00 | -12.09 | 3 | Vertical | 103 | 1.80 | - |
| 5550MHz | Pass | PK | 11.09256G | 54.92 | 74.00 | -19.08 | 3 | Vertical | 103 | 1.80 | - |
| 5550MHz | Pass | PK | 16.6572G | 57.18 | 68.20 | -11.02 | 3 | Vertical | 90 | 1.04 | - |
| 5550MHz | Pass | AV | 11.0868G | 42.07 | 54.00 | -11.93 | 3 | Horizontal | 354 | 1.36 | - |
| 5550MHz | Pass | PK | 11.09268G | 55.44 | 74.00 | -18.56 | 3 | Horizontal | 354 | 1.36 | - |
| 5550MHz | Pass | PK | 16.64364G | 57.39 | 68.20 | -10.81 | 3 | Horizontal | 272 | 2.32 | - |
| 5670MHz | Pass | AV | 5.6532G | 97.14 | Inf | -Inf | 3 | Vertical | 60 | 1.05 | - |
| 5670MHz | Pass | AV | 5.727G | 47.04 | Inf | -Inf | 3 | Vertical | 60 | 1.05 | - |
| 5670MHz | Pass | PK | 5.6532G | 106.55 | Inf | -Inf | 3 | Vertical | 60 | 1.05 | - |
| 5670MHz | Pass | PK | 5.739G | 62.24 | 68.20 | -5.96 | 3 | Vertical | 60 | 1.05 | - |
| 5670MHz | Pass | AV | 5.685G | 96.02 | Inf | -Inf | 3 | Horizontal | 54 | 2.23 | - |
| 5670MHz | Pass | AV | 5.7252G | 48.60 | Inf | -Inf | 3 | Horizontal | 54 | 2.23 | - |
| 5670MHz | Pass | PK | 5.6856G | 108.94 | Inf | -Inf | 3 | Horizontal | 54 | 2.23 | - |
| 5670MHz | Pass | PK | 5.7432G | 67.14 | 68.20 | -1.06 | 3 | Horizontal | 54 | 2.23 | - |
| 5670MHz | Pass | AV | 11.33764G | 41.32 | 54.00 | -12.68 | 3 | Vertical | 352 | 1.80 | - |
| 5670MHz | Pass | PK | 11.33746G | 54.14 | 74.00 | -19.86 | 3 | Vertical | 352 | 1.80 | - |
| 5670MHz | Pass | PK | 17.00882G | 57.20 | 68.20 | -11.00 | 3 | Vertical | 343 | 1.79 | - |
| 5670MHz | Pass | AV | 11.33536G | 41.21 | 54.00 | -12.79 | 3 | Horizontal | 24 | 2.19 | - |
| 5670MHz | Pass | PK | 11.34072G | 54.47 | 74.00 | -19.53 | 3 | Horizontal | 24 | 2.19 | - |
| 5670MHz | Pass | PK | 17.0078G | 57.10 | 68.20 | -11.10 | 3 | Horizontal | 198 | 1.46 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4556G | 44.40 | 54.00 | -9.60 | 3 | Vertical | 62 | 1.97 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6944G | 98.97 | Inf | -Inf | 3 | Vertical | 62 | 1.97 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.464G | 53.05 | 68.20 | -15.15 | 3 | Vertical | 62 | 1.97 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7256G | 109.36 | Inf | -Inf | 3 | Vertical | 62 | 1.97 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8996G | 55.75 | 68.20 | -12.45 | 3 | Vertical | 62 | 1.97 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4652G | 44.83 | Inf | -Inf | 3 | Horizontal | 90 | 2.10 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6944G | 103.10 | Inf | -Inf | 3 | Horizontal | 90 | 2.10 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.8504G | 47.43 | Inf | -Inf | 3 | Horizontal | 90 | 2.10 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4676G | 55.40 | 68.20 | -12.80 | 3 | Horizontal | 90 | 2.10 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6992G | 113.09 | Inf | -Inf | 3 | Horizontal | 90 | 2.10 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8576G | 62.11 | 68.20 | -6.09 | 3 | Horizontal | 90 | 2.10 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.41804G | 41.71 | 54.00 | -12.29 | 3 | Vertical | 0 | 1.62 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.41956G | 54.94 | 74.00 | -19.06 | 3 | Vertical | 0 | 1.62 | - |



RSE TX above 1GHz_Beamforming_WiFi B

Appendix E.6

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.125G | 57.84 | 68.20 | -10.36 | 3 | Vertical | 2 | 1.29 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42074G | 41.78 | 54.00 | -12.22 | 3 | Horizontal | 180 | 1.62 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.41952G | 54.70 | 74.00 | -19.30 | 3 | Horizontal | 180 | 1.62 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.12518G | 58.37 | 68.20 | -9.83 | 3 | Horizontal | 7 | 1.67 | - |
| 5755MHz | Pass | AV | 5.7406G | 100.41 | Inf | -Inf | 3 | Vertical | 308 | 1.93 | - |
| 5755MHz | Pass | PK | 5.6494G | 57.05 | 68.20 | -11.15 | 3 | Vertical | 308 | 1.93 | - |
| 5755MHz | Pass | PK | 5.7526G | 109.88 | Inf | -Inf | 3 | Vertical | 308 | 1.93 | - |
| 5755MHz | Pass | PK | 6.001G | 54.96 | 68.20 | -13.24 | 3 | Vertical | 308 | 1.93 | - |
| 5755MHz | Pass | AV | 5.7706G | 106.06 | Inf | -Inf | 3 | Horizontal | 57 | 1.78 | - |
| 5755MHz | Pass | PK | 5.6374G | 60.67 | 68.20 | -7.53 | 3 | Horizontal | 57 | 1.78 | - |
| 5755MHz | Pass | PK | 5.7706G | 114.37 | Inf | -Inf | 3 | Horizontal | 57 | 1.78 | - |
| 5755MHz | Pass | PK | 5.977G | 55.20 | 68.20 | -13.00 | 3 | Horizontal | 57 | 1.78 | - |
| 5755MHz | Pass | AV | 11.50806G | 41.90 | 54.00 | -12.10 | 3 | Vertical | 36 | 1.55 | - |
| 5755MHz | Pass | PK | 11.5146G | 54.54 | 74.00 | -19.46 | 3 | Vertical | 36 | 1.55 | - |
| 5755MHz | Pass | PK | 17.26168G | 58.29 | 68.20 | -9.91 | 3 | Vertical | 145 | 1.10 | - |
| 5755MHz | Pass | AV | 11.51216G | 41.82 | 54.00 | -12.18 | 3 | Horizontal | 150 | 1.15 | - |
| 5755MHz | Pass | PK | 11.50992G | 54.21 | 74.00 | -19.79 | 3 | Horizontal | 150 | 1.15 | - |
| 5755MHz | Pass | PK | 17.2628G | 57.69 | 68.20 | -10.51 | 3 | Horizontal | 3 | 1.73 | - |
| 5795MHz | Pass | AV | 5.7794G | 99.30 | Inf | -Inf | 3 | Vertical | 307 | 1.80 | - |
| 5795MHz | Pass | PK | 5.543G | 54.58 | 68.20 | -13.62 | 3 | Vertical | 307 | 1.80 | - |
| 5795MHz | Pass | PK | 5.7782G | 108.08 | Inf | -Inf | 3 | Vertical | 307 | 1.80 | - |
| 5795MHz | Pass | PK | 5.9294G | 55.07 | 68.20 | -13.13 | 3 | Vertical | 307 | 1.80 | - |
| 5795MHz | Pass | AV | 5.7902G | 106.20 | Inf | -Inf | 3 | Horizontal | 88 | 1.80 | - |
| 5795MHz | Pass | PK | 5.5946G | 56.44 | 68.20 | -11.76 | 3 | Horizontal | 88 | 1.80 | - |
| 5795MHz | Pass | PK | 5.8106G | 115.14 | Inf | -Inf | 3 | Horizontal | 88 | 1.80 | - |
| 5795MHz | Pass | PK | 5.9234G | 59.02 | 69.38 | -10.36 | 3 | Horizontal | 88 | 1.80 | - |
| 5795MHz | Pass | AV | 11.58986G | 44.69 | 54.00 | -9.31 | 3 | Vertical | 355 | 1.13 | - |
| 5795MHz | Pass | PK | 11.59104G | 54.40 | 74.00 | -19.60 | 3 | Vertical | 355 | 1.13 | - |
| 5795MHz | Pass | PK | 17.38736G | 58.31 | 68.20 | -9.89 | 3 | Vertical | 153 | 1.31 | - |
| 5795MHz | Pass | AV | 11.5922G | 44.04 | 54.00 | -9.96 | 3 | Horizontal | 330 | 1.78 | - |
| 5795MHz | Pass | PK | 11.59068G | 54.01 | 74.00 | -19.99 | 3 | Horizontal | 330 | 1.78 | - |
| 5795MHz | Pass | PK | 17.38702G | 58.66 | 68.20 | -9.54 | 3 | Horizontal | 205 | 1.75 | - |
| 802.11ax HEW80-BF_Nss1.(MCS0)_4TX | - | - | - | - | - | - | - | - | - | - | - |
| 5210MHz | Pass | AV | 5.15G | 53.34 | 54.00 | -0.66 | 3 | Vertical | 322 | 2.42 | - |
| 5210MHz | Pass | AV | 5.186G | 91.09 | Inf | -Inf | 3 | Vertical | 322 | 2.42 | - |
| 5210MHz | Pass | AV | 5.44G | 41.73 | 54.00 | -12.27 | 3 | Vertical | 322 | 2.42 | - |
| 5210MHz | Pass | PK | 5.139G | 68.54 | 74.00 | -5.46 | 3 | Vertical | 322 | 2.42 | - |
| 5210MHz | Pass | PK | 5.192G | 101.93 | Inf | -Inf | 3 | Vertical | 322 | 2.42 | - |
| 5210MHz | Pass | PK | 5.38G | 53.97 | 74.00 | -20.03 | 3 | Vertical | 322 | 2.42 | - |
| 5210MHz | Pass | AV | 5.15G | 48.24 | 54.00 | -5.76 | 3 | Horizontal | 69 | 1.80 | - |
| 5210MHz | Pass | AV | 5.237G | 92.54 | Inf | -Inf | 3 | Horizontal | 69 | 1.80 | - |
| 5210MHz | Pass | AV | 5.35G | 43.21 | 54.00 | -10.79 | 3 | Horizontal | 69 | 1.80 | - |
| 5210MHz | Pass | PK | 5.124G | 67.90 | 74.00 | -6.10 | 3 | Horizontal | 69 | 1.80 | - |
| 5210MHz | Pass | PK | 5.24G | 103.72 | Inf | -Inf | 3 | Horizontal | 69 | 1.80 | - |
| 5210MHz | Pass | PK | 5.366G | 57.66 | 74.00 | -16.34 | 3 | Horizontal | 69 | 1.80 | - |
| 5210MHz | Pass | AV | 15.62694G | 41.76 | 54.00 | -12.24 | 3 | Vertical | 214 | 1.71 | - |
| 5210MHz | Pass | PK | 10.42004G | 54.65 | 68.20 | -13.55 | 3 | Vertical | 350 | 1.03 | - |
| 5210MHz | Pass | PK | 15.62636G | 54.50 | 74.00 | -19.50 | 3 | Vertical | 214 | 1.71 | - |
| 5210MHz | Pass | AV | 15.63294G | 41.65 | 54.00 | -12.35 | 3 | Horizontal | 337 | 2.45 | - |
| 5210MHz | Pass | PK | 10.41992G | 54.60 | 68.20 | -13.60 | 3 | Horizontal | 172 | 1.55 | - |
| 5210MHz | Pass | PK | 15.63062G | 54.34 | 74.00 | -19.66 | 3 | Horizontal | 337 | 2.45 | - |
| 5290MHz | Pass | AV | 5.146G | 42.87 | 54.00 | -11.13 | 3 | Vertical | 330 | 1.02 | - |
| 5290MHz | Pass | AV | 5.328G | 91.57 | Inf | -Inf | 3 | Vertical | 330 | 1.02 | - |
| 5290MHz | Pass | AV | 5.352G | 50.26 | 54.00 | -3.74 | 3 | Vertical | 330 | 1.02 | - |
| 5290MHz | Pass | PK | 5.147G | 56.38 | 74.00 | -17.62 | 3 | Vertical | 330 | 1.02 | - |
| 5290MHz | Pass | PK | 5.326G | 102.16 | Inf | -Inf | 3 | Vertical | 330 | 1.02 | - |
| 5290MHz | Pass | PK | 5.352G | 66.38 | 74.00 | -7.62 | 3 | Vertical | 330 | 1.02 | - |
| 5290MHz | Pass | AV | 5.149G | 44.15 | 54.00 | -9.85 | 3 | Horizontal | 308 | 1.83 | - |
| 5290MHz | Pass | AV | 5.283G | 94.73 | Inf | -Inf | 3 | Horizontal | 308 | 1.83 | - |
| 5290MHz | Pass | AV | 5.35G | 53.84 | 54.00 | -0.16 | 3 | Horizontal | 308 | 1.83 | - |
| 5290MHz | Pass | PK | 5.133G | 57.00 | 74.00 | -17.00 | 3 | Horizontal | 308 | 1.83 | - |
| 5290MHz | Pass | PK | 5.287G | 106.60 | Inf | -Inf | 3 | Horizontal | 308 | 1.83 | - |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5290MHz | Pass | PK | 5.384G | 71.85 | 74.00 | -2.15 | 3 | Horizontal | 308 | 1.83 | - |
| 5290MHz | Pass | AV | 15.8669G | 41.18 | 54.00 | -12.82 | 3 | Vertical | 281 | 1.46 | - |
| 5290MHz | Pass | PK | 10.57964G | 53.99 | 68.20 | -14.21 | 3 | Vertical | 3 | 1.06 | - |
| 5290MHz | Pass | PK | 15.86618G | 53.60 | 74.00 | -20.40 | 3 | Vertical | 281 | 1.46 | - |
| 5290MHz | Pass | AV | 15.86608G | 41.18 | 54.00 | -12.82 | 3 | Horizontal | 293 | 2.47 | - |
| 5290MHz | Pass | PK | 10.57622G | 54.47 | 68.20 | -13.73 | 3 | Horizontal | 53 | 2.44 | - |
| 5290MHz | Pass | PK | 15.86646G | 54.39 | 74.00 | -19.61 | 3 | Horizontal | 293 | 2.47 | - |
| 5530MHz | Pass | AV | 5.46G | 42.57 | 54.00 | -11.43 | 3 | Vertical | 63 | 1.68 | - |
| 5530MHz | Pass | AV | 5.529G | 86.67 | Inf | -Inf | 3 | Vertical | 63 | 1.68 | - |
| 5530MHz | Pass | PK | 5.462G | 58.45 | 68.20 | -9.75 | 3 | Vertical | 63 | 1.68 | - |
| 5530MHz | Pass | PK | 5.527G | 99.51 | Inf | -Inf | 3 | Vertical | 63 | 1.68 | - |
| 5530MHz | Pass | PK | 5.749G | 54.73 | 68.20 | -13.47 | 3 | Vertical | 63 | 1.68 | - |
| 5530MHz | Pass | AV | 5.45G | 46.98 | 54.00 | -7.02 | 3 | Horizontal | 307 | 2.06 | - |
| 5530MHz | Pass | AV | 5.533G | 96.19 | Inf | -Inf | 3 | Horizontal | 307 | 2.06 | - |
| 5530MHz | Pass | PK | 5.469G | 67.79 | 68.20 | -0.41 | 3 | Horizontal | 307 | 2.06 | - |
| 5530MHz | Pass | PK | 5.531G | 109.07 | Inf | -Inf | 3 | Horizontal | 307 | 2.06 | - |
| 5530MHz | Pass | PK | 5.76G | 55.86 | 68.20 | -12.34 | 3 | Horizontal | 307 | 2.06 | - |
| 5530MHz | Pass | AV | 11.05992G | 41.74 | 54.00 | -12.26 | 3 | Vertical | 0 | 2.77 | - |
| 5530MHz | Pass | PK | 11.05642G | 54.99 | 74.00 | -19.01 | 3 | Vertical | 0 | 2.77 | - |
| 5530MHz | Pass | PK | 16.5923G | 56.49 | 68.20 | -11.71 | 3 | Vertical | 153 | 1.15 | - |
| 5530MHz | Pass | AV | 11.05982G | 41.88 | 54.00 | -12.12 | 3 | Horizontal | 315 | 2.09 | - |
| 5530MHz | Pass | PK | 11.06406G | 55.51 | 74.00 | -18.49 | 3 | Horizontal | 315 | 2.09 | - |
| 5530MHz | Pass | PK | 16.58688G | 56.26 | 68.20 | -11.94 | 3 | Horizontal | 156 | 1.70 | - |
| 5610MHz | Pass | AV | 5.46G | 42.52 | 54.00 | -11.48 | 3 | Vertical | 59 | 1.81 | - |
| 5610MHz | Pass | AV | 5.614G | 92.85 | Inf | -Inf | 3 | Vertical | 59 | 1.81 | - |
| 5610MHz | Pass | PK | 5.468G | 54.26 | 68.20 | -13.94 | 3 | Vertical | 59 | 1.81 | - |
| 5610MHz | Pass | PK | 5.607G | 104.55 | Inf | -Inf | 3 | Vertical | 59 | 1.81 | - |
| 5610MHz | Pass | PK | 5.725G | 62.11 | 68.20 | -6.09 | 3 | Vertical | 59 | 1.81 | - |
| 5610MHz | Pass | AV | 5.46G | 46.06 | 54.00 | -7.94 | 3 | Horizontal | 305 | 2.54 | - |
| 5610MHz | Pass | AV | 5.643G | 98.80 | Inf | -Inf | 3 | Horizontal | 305 | 2.54 | - |
| 5610MHz | Pass | PK | 5.461G | 62.23 | 68.20 | -5.97 | 3 | Horizontal | 305 | 2.54 | - |
| 5610MHz | Pass | PK | 5.647G | 110.93 | Inf | -Inf | 3 | Horizontal | 305 | 2.54 | - |
| 5610MHz | Pass | PK | 5.734G | 68.07 | 68.20 | -0.13 | 3 | Horizontal | 305 | 2.54 | - |
| 5610MHz | Pass | AV | 11.2202G | 41.07 | 54.00 | -12.93 | 3 | Vertical | 30 | 1.15 | - |
| 5610MHz | Pass | PK | 11.22184G | 53.98 | 74.00 | -20.02 | 3 | Vertical | 30 | 1.15 | - |
| 5610MHz | Pass | PK | 16.83182G | 57.34 | 68.20 | -10.86 | 3 | Vertical | 198 | 2.37 | - |
| 5610MHz | Pass | AV | 11.21978G | 41.08 | 54.00 | -12.92 | 3 | Horizontal | 31 | 1.08 | - |
| 5610MHz | Pass | PK | 11.21662G | 53.84 | 74.00 | -20.16 | 3 | Horizontal | 31 | 1.08 | - |
| 5610MHz | Pass | PK | 16.82976G | 56.95 | 68.20 | -11.25 | 3 | Horizontal | 292 | 2.31 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.456G | 42.63 | 54.00 | -11.37 | 3 | Vertical | 57 | 1.79 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7056G | 94.83 | Inf | -Inf | 3 | Vertical | 57 | 1.79 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4656G | 55.06 | 68.20 | -13.14 | 3 | Vertical | 57 | 1.79 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7044G | 106.39 | Inf | -Inf | 3 | Vertical | 57 | 1.79 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.852G | 61.18 | 68.20 | -7.02 | 3 | Vertical | 57 | 1.79 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4596G | 43.15 | 54.00 | -10.85 | 3 | Horizontal | 330 | 1.02 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.6552G | 92.84 | Inf | -Inf | 3 | Horizontal | 330 | 1.02 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4656G | 57.36 | 68.20 | -10.84 | 3 | Horizontal | 330 | 1.02 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.672G | 103.89 | Inf | -Inf | 3 | Horizontal | 330 | 1.02 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8556G | 62.65 | 68.20 | -5.55 | 3 | Horizontal | 330 | 1.02 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.37994G | 41.38 | 54.00 | -12.62 | 3 | Vertical | 355 | 1.80 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.3781G | 54.12 | 74.00 | -19.88 | 3 | Vertical | 355 | 1.80 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.07102G | 57.88 | 68.20 | -10.32 | 3 | Vertical | 83 | 1.58 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.37988G | 41.21 | 54.00 | -12.79 | 3 | Horizontal | 326 | 1.39 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.3798G | 53.89 | 74.00 | -20.11 | 3 | Horizontal | 326 | 1.39 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.06728G | 57.95 | 68.20 | -10.25 | 3 | Horizontal | 352 | 1.47 | - |
| 5775MHz | Pass | AV | 5.1496G | 50.17 | 54.00 | -3.83 | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | AV | 5.1848G | 99.30 | Inf | -Inf | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | PK | 5.1482G | 65.69 | 74.00 | -8.31 | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | PK | 5.1844G | 110.67 | Inf | -Inf | 3 | Vertical | 329 | 2.25 | - |
| 5775MHz | Pass | AV | 5.15G | 53.86 | 54.00 | -0.14 | 3 | Horizontal | 299 | 2.20 | - |
| 5775MHz | Pass | AV | 5.175G | 103.39 | Inf | -Inf | 3 | Horizontal | 299 | 2.20 | - |
| 5775MHz | Pass | PK | 5.1472G | 67.88 | 74.00 | -6.12 | 3 | Horizontal | 299 | 2.20 | - |



| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5775MHz | Pass | PK | 5.1786G | 114.34 | Inf | -Inf | 3 | Horizontal | 299 | 2.20 | - |
| 5775MHz | Pass | AV | 15.54159G | 42.11 | 54.00 | -11.89 | 3 | Vertical | 81 | 1.38 | - |
| 5775MHz | Pass | PK | 10.35976G | 55.36 | 68.20 | -12.84 | 3 | Vertical | 344 | 3.00 | - |
| 5775MHz | Pass | PK | 15.5395G | 54.89 | 74.00 | -19.11 | 3 | Vertical | 81 | 1.38 | - |
| 5775MHz | Pass | AV | 15.54077G | 42.09 | 54.00 | -11.91 | 3 | Horizontal | 124 | 1.50 | - |
| 5775MHz | Pass | PK | 10.36004G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 39 | 2.13 | - |
| 5775MHz | Pass | PK | 15.54186G | 54.54 | 74.00 | -19.46 | 3 | Horizontal | 124 | 1.50 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 50.17 | 54.00 | -3.83 | 2.55 | 3 | Vertical | 329 | 2.25 | - | 47.62 | 32.00 | 5.47 | 34.92 |
| AV | 5.1848G | 99.30 | Inf | -Inf | 2.37 | 3 | Vertical | 329 | 2.25 | - | 96.93 | 31.79 | 5.49 | 34.91 |
| PK | 5.1482G | 65.69 | 74.00 | -8.31 | 2.55 | 3 | Vertical | 329 | 2.25 | - | 63.14 | 32.00 | 5.47 | 34.92 |
| PK | 5.1844G | 110.67 | Inf | -Inf | 2.37 | 3 | Vertical | 329 | 2.25 | - | 108.30 | 31.79 | 5.49 | 34.91 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.86 | 54.00 | -0.14 | 2.55 | 3 | Horizontal | 299 | 2.20 | - | 51.31 | 32.00 | 5.47 | 34.92 |
| AV | 5.175G | 103.39 | Inf | -Inf | 2.43 | 3 | Horizontal | 299 | 2.20 | - | 100.96 | 31.85 | 5.49 | 34.91 |
| PK | 5.1472G | 67.88 | 74.00 | -6.12 | 2.55 | 3 | Horizontal | 299 | 2.20 | - | 65.33 | 32.00 | 5.47 | 34.92 |
| PK | 5.1786G | 114.34 | Inf | -Inf | 2.41 | 3 | Horizontal | 299 | 2.20 | - | 111.93 | 31.83 | 5.49 | 34.91 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.54159G | 42.11 | 54.00 | -11.89 | 13.17 | 3 | Vertical | 81 | 1.38 | - | 28.94 | 38.49 | 9.79 | 35.11 |
| PK | 10.35976G | 55.36 | 68.20 | -12.84 | 12.17 | 3 | Vertical | 344 | 3.00 | - | 43.19 | 39.48 | 7.93 | 35.24 |
| PK | 15.5395G | 54.89 | 74.00 | -19.11 | 13.17 | 3 | Vertical | 81 | 1.38 | - | 41.72 | 38.50 | 9.78 | 35.11 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.54077G | 42.09 | 54.00 | -11.91 | 13.18 | 3 | Horizontal | 124 | 1.50 | - | 28.91 | 38.50 | 9.79 | 35.11 |
| PK | 10.36004G | 54.48 | 68.20 | -13.72 | 12.17 | 3 | Horizontal | 39 | 2.13 | - | 42.31 | 39.48 | 7.93 | 35.24 |
| PK | 15.54186G | 54.54 | 74.00 | -19.46 | 13.17 | 3 | Horizontal | 124 | 1.50 | - | 41.37 | 38.49 | 9.79 | 35.11 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 49.56 | 54.00 | -4.44 | 2.55 | 3 | Vertical | 324 | 2.32 | - | 47.01 | 32.00 | 5.47 | 34.92 |
| AV | 5.192G | 102.78 | Inf | -Inf | 2.34 | 3 | Vertical | 324 | 2.32 | - | 100.44 | 31.75 | 5.50 | 34.91 |
| PK | 5.148G | 66.66 | 74.00 | -7.34 | 2.55 | 3 | Vertical | 324 | 2.32 | - | 64.11 | 32.00 | 5.47 | 34.92 |
| PK | 5.1916G | 113.47 | Inf | -Inf | 2.34 | 3 | Vertical | 324 | 2.32 | - | 111.13 | 31.75 | 5.50 | 34.91 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 48.66 | 54.00 | -5.34 | 2.55 | 3 | Horizontal | 298 | 1.50 | - | 46.11 | 32.00 | 5.47 | 34.92 |
| AV | 5.2084G | 101.60 | Inf | -Inf | 2.25 | 3 | Horizontal | 298 | 1.50 | - | 99.35 | 31.65 | 5.51 | 34.91 |
| PK | 5.1488G | 62.38 | 74.00 | -11.62 | 2.55 | 3 | Horizontal | 298 | 1.50 | - | 59.83 | 32.00 | 5.47 | 34.92 |
| PK | 5.2088G | 112.62 | Inf | -Inf | 2.25 | 3 | Horizontal | 298 | 1.50 | - | 110.37 | 31.65 | 5.51 | 34.91 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.61152G | 42.79 | 54.00 | -11.21 | 12.85 | 3 | Vertical | 67 | 2.19 | - | 29.94 | 38.21 | 9.80 | 35.16 |
| PK | 10.39984G | 54.89 | 68.20 | -13.31 | 12.35 | 3 | Vertical | 356 | 1.02 | - | 42.54 | 39.60 | 7.94 | 35.19 |
| PK | 15.59688G | 55.40 | 74.00 | -18.60 | 12.87 | 3 | Vertical | 67 | 2.19 | - | 42.53 | 38.22 | 9.80 | 35.15 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.60744G | 42.92 | 54.00 | -11.08 | 12.85 | 3 | Horizontal | 85 | 1.93 | - | 30.07 | 38.21 | 9.80 | 35.16 |
| PK | 10.41482G | 54.09 | 68.20 | -14.11 | 12.42 | 3 | Horizontal | 329.1 | 1.50 | - | 41.67 | 39.64 | 7.95 | 35.17 |
| PK | 15.60456G | 55.51 | 74.00 | -18.49 | 12.85 | 3 | Horizontal | 85 | 1.93 | - | 42.66 | 38.20 | 9.80 | 35.15 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 5.1416G | 43.46 | 54.00 | -10.54 | 2.55 | 3 | Vertical | 316 | 2.97 | - | 40.91 | 32.00 | 5.47 | 34.92 |
| AV | 5.231G | 100.47 | Inf | -Inf | 2.14 | 3 | Vertical | 316 | 2.97 | - | 98.33 | 31.51 | 5.53 | 34.90 |
| AV | 5.3582G | 41.85 | 54.00 | -12.15 | 2.13 | 3 | Vertical | 316 | 2.97 | - | 39.72 | 31.35 | 5.66 | 34.88 |
| PK | 5.1326G | 56.01 | 74.00 | -17.99 | 2.55 | 3 | Vertical | 316 | 2.97 | - | 53.46 | 32.00 | 5.47 | 34.92 |
| PK | 5.234G | 110.90 | Inf | -Inf | 2.13 | 3 | Vertical | 316 | 2.97 | - | 108.77 | 31.50 | 5.53 | 34.90 |
| PK | 5.3774G | 53.54 | 74.00 | -20.46 | 2.26 | 3 | Vertical | 316 | 2.97 | - | 51.28 | 31.46 | 5.68 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 43.43 | 54.00 | -10.57 | 2.55 | 3 | Horizontal | 294 | 2.63 | - | 40.88 | 32.00 | 5.47 | 34.92 |
| AV | 5.2478G | 102.35 | Inf | -Inf | 2.06 | 3 | Horizontal | 294 | 2.63 | - | 100.29 | 31.41 | 5.55 | 34.90 |
| AV | 5.369G | 42.19 | 54.00 | -11.81 | 2.20 | 3 | Horizontal | 294 | 2.63 | - | 39.99 | 31.41 | 5.67 | 34.88 |
| PK | 5.1458G | 57.35 | 74.00 | -16.65 | 2.55 | 3 | Horizontal | 294 | 2.63 | - | 54.80 | 32.00 | 5.47 | 34.92 |
| PK | 5.2484G | 113.16 | Inf | -Inf | 2.06 | 3 | Horizontal | 294 | 2.63 | - | 111.10 | 31.41 | 5.55 | 34.90 |
| PK | 5.3558G | 54.58 | 74.00 | -19.42 | 2.11 | 3 | Horizontal | 294 | 2.63 | - | 52.47 | 31.33 | 5.66 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.70644G | 42.47 | 54.00 | -11.53 | 12.88 | 3 | Vertical | 54 | 2.21 | - | 29.59 | 38.27 | 9.83 | 35.22 |
| PK | 10.4791G | 55.11 | 68.20 | -13.09 | 12.71 | 3 | Vertical | 4 | 2.83 | - | 42.40 | 39.84 | 7.97 | 35.10 |
| PK | 15.71724G | 55.06 | 74.00 | -18.94 | 12.81 | 3 | Vertical | 54 | 2.21 | - | 42.25 | 38.21 | 9.83 | 35.23 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.70824G | 42.41 | 54.00 | -11.59 | 12.86 | 3 | Horizontal | 115 | 1.23 | - | 29.55 | 38.26 | 9.83 | 35.23 |
| PK | 10.49488G | 54.15 | 68.20 | -14.05 | 12.77 | 3 | Horizontal | 204 | 1.07 | - | 41.38 | 39.88 | 7.97 | 35.08 |
| PK | 15.72168G | 55.57 | 74.00 | -18.43 | 12.78 | 3 | Horizontal | 115 | 1.23 | - | 42.79 | 38.19 | 9.83 | 35.24 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 43.23 | 54.00 | -10.77 | 2.55 | 3 | Vertical | 327 | 2.28 | - | 40.68 | 32.00 | 5.47 | 34.92 |
| AV | 5.2654G | 101.70 | Inf | -Inf | 2.04 | 3 | Vertical | 327 | 2.28 | - | 99.66 | 31.37 | 5.57 | 34.90 |
| AV | 5.3626G | 42.08 | 54.00 | -11.92 | 2.16 | 3 | Vertical | 327 | 2.28 | - | 39.92 | 31.38 | 5.66 | 34.88 |
| PK | 5.1166G | 56.88 | 74.00 | -17.12 | 2.54 | 3 | Vertical | 327 | 2.28 | - | 54.34 | 32.00 | 5.46 | 34.92 |
| PK | 5.2666G | 113.35 | Inf | -Inf | 2.04 | 3 | Vertical | 327 | 2.28 | - | 111.31 | 31.37 | 5.57 | 34.90 |
| PK | 5.3728G | 54.27 | 74.00 | -19.73 | 2.23 | 3 | Vertical | 327 | 2.28 | - | 52.04 | 31.44 | 5.67 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.143G | 43.95 | 54.00 | -10.05 | 2.55 | 3 | Horizontal | 300 | 2.06 | - | 41.40 | 32.00 | 5.47 | 34.92 |
| AV | 5.2522G | 103.99 | Inf | -Inf | 2.05 | 3 | Horizontal | 300 | 2.06 | - | 101.94 | 31.40 | 5.55 | 34.90 |
| AV | 5.359G | 42.94 | 54.00 | -11.06 | 2.13 | 3 | Horizontal | 300 | 2.06 | - | 40.81 | 31.35 | 5.66 | 34.88 |
| PK | 5.1124G | 56.35 | 74.00 | -17.65 | 2.54 | 3 | Horizontal | 300 | 2.06 | - | 53.81 | 32.00 | 5.46 | 34.92 |
| PK | 5.2516G | 114.77 | Inf | -Inf | 2.05 | 3 | Horizontal | 300 | 2.06 | - | 112.72 | 31.40 | 5.55 | 34.90 |
| PK | 5.35G | 55.37 | 74.00 | -18.63 | 2.07 | 3 | Horizontal | 300 | 2.06 | - | 53.30 | 31.30 | 5.65 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.77624G | 44.99 | 54.00 | -9.01 | 12.49 | 3 | Vertical | 184 | 1.03 | - | 32.50 | 37.92 | 9.84 | 35.27 |
| PK | 10.51942G | 54.29 | 68.20 | -13.91 | 12.81 | 3 | Vertical | 18 | 2.25 | - | 41.48 | 39.90 | 7.98 | 35.07 |
| PK | 15.78272G | 56.05 | 74.00 | -17.95 | 12.46 | 3 | Vertical | 184 | 1.03 | - | 43.59 | 37.89 | 9.85 | 35.28 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.78228G | 44.80 | 54.00 | -9.20 | 12.46 | 3 | Horizontal | 201 | 2.29 | - | 32.34 | 37.89 | 9.85 | 35.28 |
| PK | 10.52398G | 53.99 | 68.20 | -14.21 | 12.81 | 3 | Horizontal | 165 | 1.41 | - | 41.18 | 39.90 | 7.98 | 35.07 |
| PK | 15.78468G | 54.75 | 74.00 | -19.25 | 12.45 | 3 | Horizontal | 201 | 2.29 | - | 42.30 | 37.88 | 9.85 | 35.28 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2948G | 102.72 | Inf | -Inf | 2.01 | 3 | Vertical | 325 | 2.28 | - | 100.71 | 31.31 | 5.59 | 34.89 |
| AV | 5.35G | 45.75 | 54.00 | -8.25 | 2.07 | 3 | Vertical | 325 | 2.28 | - | 43.68 | 31.30 | 5.65 | 34.88 |
| PK | 5.2936G | 114.03 | Inf | -Inf | 2.01 | 3 | Vertical | 325 | 2.28 | - | 112.02 | 31.31 | 5.59 | 34.89 |
| PK | 5.3516G | 61.52 | 74.00 | -12.48 | 2.08 | 3 | Vertical | 325 | 2.28 | - | 59.44 | 31.31 | 5.65 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3048G | 102.42 | Inf | -Inf | 2.01 | 3 | Horizontal | 301 | 2.23 | - | 100.41 | 31.30 | 5.60 | 34.89 |
| AV | 5.35G | 49.07 | 54.00 | -4.93 | 2.07 | 3 | Horizontal | 301 | 2.23 | - | 47.00 | 31.30 | 5.65 | 34.88 |
| PK | 5.2912G | 112.82 | Inf | -Inf | 2.02 | 3 | Horizontal | 301 | 2.23 | - | 110.80 | 31.32 | 5.59 | 34.89 |
| PK | 5.3516G | 63.61 | 74.00 | -10.39 | 2.08 | 3 | Horizontal | 301 | 2.23 | - | 61.53 | 31.31 | 5.65 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.90184G | 44.81 | 54.00 | -9.19 | 12.32 | 3 | Vertical | 155 | 1.17 | - | 32.49 | 37.80 | 9.88 | 35.36 |
| PK | 10.60488G | 54.25 | 74.00 | -19.75 | 12.86 | 3 | Vertical | 232 | 1.67 | - | 41.39 | 39.91 | 8.01 | 35.06 |
| PK | 15.90366G | 54.40 | 74.00 | -19.60 | 12.32 | 3 | Vertical | 155 | 1.17 | - | 42.08 | 37.80 | 9.88 | 35.36 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.90276G | 44.60 | 54.00 | -9.40 | 12.32 | 3 | Horizontal | 100 | 1.53 | - | 32.28 | 37.80 | 9.88 | 35.36 |
| PK | 10.60432G | 53.64 | 74.00 | -20.36 | 12.86 | 3 | Horizontal | 51 | 1.50 | - | 40.78 | 39.91 | 8.01 | 35.06 |
| PK | 15.90328G | 55.02 | 74.00 | -18.98 | 12.32 | 3 | Horizontal | 100 | 1.53 | - | 42.70 | 37.80 | 9.88 | 35.36 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3148G | 98.84 | Inf | -Inf | 2.02 | 3 | Vertical | 21 | 1.00 | - | 96.82 | 31.30 | 5.61 | 34.89 |
| AV | 5.35G | 50.06 | 54.00 | -3.94 | 2.07 | 3 | Vertical | 21 | 1.00 | - | 47.99 | 31.30 | 5.65 | 34.88 |
| PK | 5.3188G | 110.79 | Inf | -Inf | 2.03 | 3 | Vertical | 21 | 1.00 | - | 108.76 | 31.30 | 5.62 | 34.89 |
| PK | 5.351G | 64.90 | 74.00 | -9.10 | 2.08 | 3 | Vertical | 21 | 1.00 | - | 62.82 | 31.31 | 5.65 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.328G | 103.52 | Inf | -Inf | 2.04 | 3 | Horizontal | 301 | 1.81 | - | 101.48 | 31.30 | 5.63 | 34.89 |
| AV | 5.35G | 53.80 | 54.00 | -0.20 | 2.07 | 3 | Horizontal | 301 | 1.81 | - | 51.73 | 31.30 | 5.65 | 34.88 |
| PK | 5.3242G | 114.12 | Inf | -Inf | 2.03 | 3 | Horizontal | 301 | 1.81 | - | 112.09 | 31.30 | 5.62 | 34.89 |
| PK | 5.3528G | 71.89 | 74.00 | -2.11 | 2.09 | 3 | Horizontal | 301 | 1.81 | - | 69.80 | 31.32 | 5.65 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.63988G | 45.16 | 54.00 | -8.84 | 12.95 | 3 | Vertical | 26 | 2.33 | - | 32.21 | 39.98 | 8.02 | 35.05 |
| AV | 15.96222G | 44.56 | 54.00 | -9.44 | 12.29 | 3 | Vertical | 325 | 1.96 | - | 32.27 | 37.80 | 9.89 | 35.40 |
| PK | 10.63978G | 53.97 | 74.00 | -20.03 | 12.95 | 3 | Vertical | 26 | 2.33 | - | 41.02 | 39.98 | 8.02 | 35.05 |
| PK | 15.95742G | 54.58 | 74.00 | -19.42 | 12.29 | 3 | Vertical | 325 | 1.96 | - | 42.29 | 37.80 | 9.89 | 35.40 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.63996G | 43.84 | 54.00 | -10.16 | 12.95 | 3 | Horizontal | 191 | 2.49 | - | 30.89 | 39.98 | 8.02 | 35.05 |
| AV | 15.96192G | 44.53 | 54.00 | -9.47 | 12.29 | 3 | Horizontal | 157 | 1.03 | - | 32.24 | 37.80 | 9.89 | 35.40 |
| PK | 10.64266G | 54.46 | 74.00 | -19.54 | 12.96 | 3 | Horizontal | 191 | 2.49 | - | 41.50 | 39.99 | 8.02 | 35.05 |
| PK | 15.95834G | 55.74 | 74.00 | -18.26 | 12.29 | 3 | Horizontal | 157 | 1.03 | - | 43.45 | 37.80 | 9.89 | 35.40 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 42.66 | 54.00 | -11.34 | 2.68 | 3 | Vertical | 57 | 1.50 | - | 39.98 | 31.82 | 5.73 | 34.87 |
| AV | 5.5078G | 96.32 | Inf | -Inf | 2.79 | 3 | Vertical | 57 | 1.50 | - | 93.53 | 31.90 | 5.75 | 34.86 |
| PK | 5.4658G | 57.08 | 68.20 | -11.12 | 2.69 | 3 | Vertical | 57 | 1.50 | - | 54.39 | 31.83 | 5.73 | 34.87 |
| PK | 5.508G | 107.81 | Inf | -Inf | 2.79 | 3 | Vertical | 57 | 1.50 | - | 105.02 | 31.90 | 5.75 | 34.86 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 46.84 | 54.00 | -7.16 | 2.68 | 3 | Horizontal | 306 | 1.96 | - | 44.16 | 31.82 | 5.73 | 34.87 |
| AV | 5.4918G | 103.83 | Inf | -Inf | 2.77 | 3 | Horizontal | 306 | 1.96 | - | 101.06 | 31.88 | 5.75 | 34.86 |
| PK | 5.47G | 67.94 | 68.20 | -0.26 | 2.72 | 3 | Horizontal | 306 | 1.96 | - | 65.22 | 31.84 | 5.74 | 34.86 |
| PK | 5.4916G | 114.77 | Inf | -Inf | 2.77 | 3 | Horizontal | 306 | 1.96 | - | 112.00 | 31.88 | 5.75 | 34.86 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.00114G | 44.52 | 54.00 | -9.48 | 13.45 | 3 | Vertical | 34 | 1.39 | - | 31.07 | 40.30 | 8.15 | 35.00 |
| PK | 11.00168G | 54.96 | 74.00 | -19.04 | 13.44 | 3 | Vertical | 34 | 1.39 | - | 41.52 | 40.29 | 8.15 | 35.00 |
| PK | 16.50304G | 56.54 | 68.20 | -11.66 | 14.17 | 3 | Vertical | 317 | 1.76 | - | 42.37 | 39.00 | 10.05 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.99928G | 44.49 | 54.00 | -9.51 | 13.45 | 3 | Horizontal | 275 | 1.26 | - | 31.04 | 40.30 | 8.15 | 35.00 |
| PK | 10.99732G | 54.91 | 74.00 | -19.09 | 13.45 | 3 | Horizontal | 275 | 1.26 | - | 41.46 | 40.30 | 8.15 | 35.00 |
| PK | 16.50182G | 56.80 | 68.20 | -11.40 | 14.17 | 3 | Horizontal | 172 | 1.77 | - | 42.63 | 39.00 | 10.05 | 34.88 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4558G | 42.32 | 54.00 | -11.68 | 2.67 | 3 | Vertical | 289 | 1.20 | - | 39.65 | 31.81 | 5.73 | 34.87 |
| AV | 5.5716G | 101.99 | Inf | -Inf | 2.77 | 3 | Vertical | 289 | 1.20 | - | 99.22 | 31.86 | 5.79 | 34.88 |
| PK | 5.4618G | 54.39 | 68.20 | -13.81 | 2.68 | 3 | Vertical | 289 | 1.20 | - | 51.71 | 31.82 | 5.73 | 34.87 |
| PK | 5.5716G | 111.86 | Inf | -Inf | 2.77 | 3 | Vertical | 289 | 1.20 | - | 109.09 | 31.86 | 5.79 | 34.88 |
| PK | 5.7258G | 54.84 | 68.20 | -13.36 | 2.87 | 3 | Vertical | 289 | 1.20 | - | 51.97 | 32.00 | 5.80 | 34.93 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4594G | 43.29 | 54.00 | -10.71 | 2.68 | 3 | Horizontal | 306 | 2.06 | - | 40.61 | 31.82 | 5.73 | 34.87 |
| AV | 5.5872G | 107.02 | Inf | -Inf | 2.73 | 3 | Horizontal | 306 | 2.06 | - | 104.29 | 31.83 | 5.79 | 34.89 |
| PK | 5.4636G | 55.86 | 68.20 | -12.34 | 2.69 | 3 | Horizontal | 306 | 2.06 | - | 53.17 | 31.83 | 5.73 | 34.87 |
| PK | 5.5824G | 117.90 | Inf | -Inf | 2.75 | 3 | Horizontal | 306 | 2.06 | - | 115.15 | 31.84 | 5.79 | 34.88 |
| PK | 5.73G | 54.99 | 68.20 | -13.21 | 2.89 | 3 | Horizontal | 306 | 2.06 | - | 52.10 | 32.02 | 5.80 | 34.93 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.17G | 44.04 | 54.00 | -9.96 | 13.06 | 3 | Vertical | 287 | 2.48 | - | 30.98 | 39.76 | 8.21 | 34.91 |
| PK | 11.16328G | 54.11 | 74.00 | -19.89 | 13.06 | 3 | Vertical | 287 | 2.48 | - | 41.05 | 39.77 | 8.21 | 34.92 |
| PK | 16.74472G | 57.65 | 68.20 | -10.55 | 15.37 | 3 | Vertical | 15 | 1.57 | - | 42.28 | 39.94 | 10.12 | 34.69 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.16424G | 43.86 | 54.00 | -10.14 | 13.07 | 3 | Horizontal | 254 | 1.99 | - | 30.79 | 39.77 | 8.21 | 34.91 |
| PK | 11.15598G | 54.07 | 74.00 | -19.93 | 13.07 | 3 | Horizontal | 254 | 1.99 | - | 41.00 | 39.79 | 8.20 | 34.92 |
| PK | 16.74056G | 57.43 | 68.20 | -10.77 | 15.36 | 3 | Horizontal | 259 | 2.40 | - | 42.07 | 39.94 | 10.12 | 34.70 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.708G | 94.95 | Inf | -Inf | 2.81 | 3 | Vertical | 63 | 1.78 | - | 92.14 | 31.93 | 5.80 | 34.92 |
| PK | 5.708G | 106.43 | Inf | -Inf | 2.81 | 3 | Vertical | 63 | 1.78 | - | 103.62 | 31.93 | 5.80 | 34.92 |
| PK | 5.7252G | 63.63 | 68.20 | -4.57 | 2.87 | 3 | Vertical | 63 | 1.78 | - | 60.76 | 32.00 | 5.80 | 34.93 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6912G | 98.64 | Inf | -Inf | 2.76 | 3 | Horizontal | 48 | 2.07 | - | 95.88 | 31.88 | 5.80 | 34.92 |
| PK | 5.6916G | 110.70 | Inf | -Inf | 2.76 | 3 | Horizontal | 48 | 2.07 | - | 107.94 | 31.88 | 5.80 | 34.92 |
| PK | 5.7252G | 67.42 | 68.20 | -0.78 | 2.87 | 3 | Horizontal | 48 | 2.07 | - | 64.55 | 32.00 | 5.80 | 34.93 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.40492G | 44.29 | 54.00 | -9.71 | 13.50 | 3 | Vertical | 259 | 2.16 | - | 30.79 | 40.00 | 8.29 | 34.79 |
| PK | 11.39956G | 54.84 | 74.00 | -19.16 | 13.50 | 3 | Vertical | 259 | 2.16 | - | 41.34 | 40.00 | 8.29 | 34.79 |
| PK | 17.09144G | 58.18 | 68.20 | -10.02 | 15.72 | 3 | Vertical | 21 | 2.07 | - | 42.46 | 40.03 | 10.23 | 34.54 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.40928G | 44.30 | 54.00 | -9.70 | 13.51 | 3 | Horizontal | 265 | 1.68 | - | 30.79 | 40.01 | 8.29 | 34.79 |
| PK | 11.40824G | 54.11 | 74.00 | -19.89 | 13.51 | 3 | Horizontal | 265 | 1.68 | - | 40.60 | 40.01 | 8.29 | 34.79 |
| PK | 17.09464G | 59.00 | 68.20 | -9.20 | 15.70 | 3 | Horizontal | 72 | 1.16 | - | 43.30 | 40.02 | 10.23 | 34.55 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4584G | 42.61 | 54.00 | -11.39 | 2.68 | 3 | Vertical | 64 | 1.85 | - | 39.93 | 31.82 | 5.73 | 34.87 |
| AV | 5.7152G | 101.03 | Inf | -Inf | 2.84 | 3 | Vertical | 64 | 1.85 | - | 98.19 | 31.96 | 5.80 | 34.92 |
| PK | 5.4656G | 54.18 | 68.20 | -14.02 | 2.69 | 3 | Vertical | 64 | 1.85 | - | 51.49 | 31.83 | 5.73 | 34.87 |
| PK | 5.7164G | 112.68 | Inf | -Inf | 2.85 | 3 | Vertical | 64 | 1.85 | - | 109.83 | 31.97 | 5.80 | 34.92 |
| PK | 5.9096G | 55.77 | 68.20 | -12.43 | 3.39 | 3 | Vertical | 64 | 1.85 | - | 52.38 | 32.52 | 5.85 | 34.98 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4596G | 42.48 | 54.00 | -11.52 | 2.68 | 3 | Horizontal | 85 | 1.90 | - | 39.80 | 31.82 | 5.73 | 34.87 |
| AV | 5.7284G | 105.69 | Inf | -Inf | 2.88 | 3 | Horizontal | 85 | 1.90 | - | 102.81 | 32.01 | 5.80 | 34.93 |
| PK | 5.4692G | 54.91 | 68.20 | -13.29 | 2.71 | 3 | Horizontal | 85 | 1.90 | - | 52.20 | 31.84 | 5.73 | 34.86 |
| PK | 5.7284G | 115.82 | Inf | -Inf | 2.88 | 3 | Horizontal | 85 | 1.90 | - | 112.94 | 32.01 | 5.80 | 34.93 |
| PK | 5.8916G | 55.91 | 68.20 | -12.29 | 3.35 | 3 | Horizontal | 85 | 1.90 | - | 52.56 | 32.48 | 5.85 | 34.98 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44256G | 44.52 | 54.00 | -9.48 | 13.57 | 3 | Vertical | 342 | 1.88 | - | 30.95 | 40.04 | 8.30 | 34.77 |
| PK | 11.43076G | 54.48 | 74.00 | -19.52 | 13.55 | 3 | Vertical | 342 | 1.88 | - | 40.93 | 40.03 | 8.30 | 34.78 |
| PK | 17.15428G | 58.10 | 68.20 | -10.10 | 15.68 | 3 | Vertical | 55 | 1.81 | - | 42.42 | 40.00 | 10.25 | 34.57 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.43448G | 44.58 | 54.00 | -9.42 | 13.56 | 3 | Horizontal | 311 | 1.06 | - | 31.02 | 40.03 | 8.30 | 34.77 |
| PK | 11.44556G | 54.72 | 74.00 | -19.28 | 13.59 | 3 | Horizontal | 311 | 1.06 | - | 41.13 | 40.05 | 8.31 | 34.77 |
| PK | 17.17G | 58.02 | 68.20 | -10.18 | 15.67 | 3 | Horizontal | 190 | 1.76 | - | 42.35 | 40.00 | 10.25 | 34.58 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7366G | 100.97 | Inf | -Inf | 2.92 | 3 | Vertical | 52 | 1.77 | - | 98.05 | 32.05 | 5.80 | 34.93 |
| PK | 5.5806G | 54.98 | 68.20 | -13.22 | 2.75 | 3 | Vertical | 52 | 1.77 | - | 52.23 | 31.84 | 5.79 | 34.88 |
| PK | 5.7366G | 111.35 | Inf | -Inf | 2.92 | 3 | Vertical | 52 | 1.77 | - | 108.43 | 32.05 | 5.80 | 34.93 |
| PK | 6.0333G | 55.22 | 68.20 | -12.98 | 3.41 | 3 | Vertical | 52 | 1.77 | - | 51.81 | 32.50 | 5.92 | 35.01 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7366G | 105.92 | Inf | -Inf | 2.92 | 3 | Horizontal | 45 | 1.78 | - | 103.00 | 32.05 | 5.80 | 34.93 |
| PK | 5.6226G | 55.96 | 68.20 | -12.24 | 2.70 | 3 | Horizontal | 45 | 1.78 | - | 53.26 | 31.80 | 5.80 | 34.90 |
| PK | 5.7354G | 115.29 | Inf | -Inf | 2.91 | 3 | Horizontal | 45 | 1.78 | - | 112.38 | 32.04 | 5.80 | 34.93 |
| PK | 5.9394G | 55.96 | 68.20 | -12.24 | 3.46 | 3 | Horizontal | 45 | 1.78 | - | 52.50 | 32.58 | 5.87 | 34.99 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.49592G | 44.54 | 54.00 | -9.46 | 13.68 | 3 | Vertical | 12 | 1.50 | - | 30.86 | 40.10 | 8.32 | 34.74 |
| PK | 11.48444G | 54.96 | 74.00 | -19.04 | 13.65 | 3 | Vertical | 12 | 1.50 | - | 41.31 | 40.08 | 8.32 | 34.75 |
| PK | 17.2335G | 57.82 | 68.20 | -10.38 | 15.76 | 3 | Vertical | 278 | 1.39 | - | 42.06 | 40.10 | 10.27 | 34.61 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.49316G | 44.58 | 54.00 | -9.42 | 13.67 | 3 | Horizontal | 119 | 2.48 | - | 30.91 | 40.09 | 8.32 | 34.74 |
| PK | 11.49904G | 55.21 | 74.00 | -18.79 | 13.68 | 3 | Horizontal | 119 | 2.48 | - | 41.53 | 40.10 | 8.32 | 34.74 |
| PK | 17.23836G | 58.06 | 68.20 | -10.14 | 15.78 | 3 | Horizontal | 53 | 1.50 | - | 42.28 | 40.12 | 10.27 | 34.61 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.779G | 102.70 | Inf | -Inf | 3.02 | 3 | Vertical | 290 | 1.40 | - | 99.68 | 32.16 | 5.80 | 34.94 |
| PK | 5.5162G | 55.26 | 68.20 | -12.94 | 2.80 | 3 | Vertical | 290 | 1.40 | - | 52.46 | 31.90 | 5.76 | 34.86 |
| PK | 5.785G | 110.40 | Inf | -Inf | 3.02 | 3 | Vertical | 290 | 1.40 | - | 107.38 | 32.17 | 5.80 | 34.95 |
| PK | 5.9806G | 54.89 | 68.20 | -13.31 | 3.43 | 3 | Vertical | 290 | 1.40 | - | 51.46 | 32.54 | 5.89 | 35.00 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7826G | 104.77 | Inf | -Inf | 3.03 | 3 | Horizontal | 312 | 1.56 | - | 101.74 | 32.17 | 5.80 | 34.94 |
| PK | 5.611G | 55.79 | 68.20 | -12.41 | 2.71 | 3 | Horizontal | 312 | 1.56 | - | 53.08 | 31.80 | 5.80 | 34.89 |
| PK | 5.7838G | 112.46 | Inf | -Inf | 3.02 | 3 | Horizontal | 312 | 1.56 | - | 109.44 | 32.17 | 5.80 | 34.95 |
| PK | 5.9254G | 55.01 | 68.20 | -13.19 | 3.42 | 3 | Horizontal | 312 | 1.56 | - | 51.59 | 32.55 | 5.86 | 34.99 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.5702G | 44.74 | 54.00 | -9.26 | 13.48 | 3 | Vertical | 92 | 1.69 | - | 31.26 | 39.89 | 8.35 | 34.76 |
| PK | 11.57508G | 54.63 | 74.00 | -19.37 | 13.46 | 3 | Vertical | 92 | 1.69 | - | 41.17 | 39.87 | 8.35 | 34.76 |
| PK | 17.35816G | 58.79 | 68.20 | -9.41 | 16.41 | 3 | Vertical | 269 | 1.40 | - | 42.38 | 40.77 | 10.31 | 34.67 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.56704G | 44.32 | 54.00 | -9.68 | 13.49 | 3 | Horizontal | 261 | 1.35 | - | 30.83 | 39.90 | 8.35 | 34.76 |
| PK | 11.56112G | 55.02 | 74.00 | -18.98 | 13.52 | 3 | Horizontal | 261 | 1.35 | - | 41.50 | 39.92 | 8.35 | 34.75 |
| PK | 17.3548G | 58.94 | 68.20 | -9.26 | 16.38 | 3 | Horizontal | 270 | 2.19 | - | 42.56 | 40.74 | 10.31 | 34.67 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8334G | 101.04 | Inf | -Inf | 3.19 | 3 | Vertical | 55 | 1.96 | - | 97.85 | 32.33 | 5.82 | 34.96 |
| PK | 5.6138G | 55.92 | 68.20 | -12.28 | 2.71 | 3 | Vertical | 55 | 1.96 | - | 53.21 | 31.80 | 5.80 | 34.89 |
| PK | 5.8298G | 112.17 | Inf | -Inf | 3.17 | 3 | Vertical | 55 | 1.96 | - | 109.00 | 32.32 | 5.81 | 34.96 |
| PK | 6.0302G | 56.25 | 68.20 | -11.95 | 3.41 | 3 | Vertical | 55 | 1.96 | - | 52.84 | 32.50 | 5.92 | 35.01 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8178G | 106.09 | Inf | -Inf | 3.12 | 3 | Horizontal | 308 | 2.01 | - | 102.97 | 32.27 | 5.81 | 34.96 |
| PK | 5.6138G | 56.55 | 68.20 | -11.65 | 2.71 | 3 | Horizontal | 308 | 2.01 | - | 53.84 | 31.80 | 5.80 | 34.89 |
| PK | 5.8274G | 116.21 | Inf | -Inf | 3.16 | 3 | Horizontal | 308 | 2.01 | - | 113.05 | 32.31 | 5.81 | 34.96 |
| PK | 6.0374G | 55.28 | 68.20 | -12.92 | 3.41 | 3 | Horizontal | 308 | 2.01 | - | 51.87 | 32.50 | 5.92 | 35.01 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.64976G | 42.08 | 54.00 | -11.92 | 13.15 | 3 | Vertical | 360 | 1.79 | - | 28.93 | 39.55 | 8.38 | 34.78 |
| PK | 11.65074G | 55.09 | 74.00 | -18.91 | 13.15 | 3 | Vertical | 360 | 1.79 | - | 41.94 | 39.55 | 8.38 | 34.78 |
| PK | 17.47434G | 60.47 | 68.20 | -7.73 | 17.08 | 3 | Vertical | 172 | 1.50 | - | 43.39 | 41.47 | 10.34 | 34.73 |

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.64992G | 42.59 | 54.00 | -11.41 | 13.15 | 3 | Horizontal | 322 | 2.51 | - | 29.44 | 39.55 | 8.38 | 34.78 |
| PK | 11.64948G | 54.95 | 74.00 | -19.05 | 13.15 | 3 | Horizontal | 322 | 2.51 | - | 41.80 | 39.55 | 8.38 | 34.78 |
| PK | 17.47289G | 60.09 | 68.20 | -8.11 | 17.07 | 3 | Horizontal | 15 | 1.01 | - | 43.02 | 41.46 | 10.34 | 34.73 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 47.35 | 54.00 | -6.65 | 2.55 | 3 | Vertical | 328 | 1.00 | - | 44.80 | 32.00 | 5.47 | 34.92 |
| AV | 5.1744G | 92.07 | Inf | -Inf | 2.43 | 3 | Vertical | 328 | 1.00 | - | 89.64 | 31.85 | 5.49 | 34.91 |
| PK | 5.15G | 70.38 | 74.00 | -3.62 | 2.55 | 3 | Vertical | 328 | 1.00 | - | 67.83 | 32.00 | 5.47 | 34.92 |
| PK | 5.174G | 103.99 | Inf | -Inf | 2.44 | 3 | Vertical | 328 | 1.00 | - | 101.55 | 31.86 | 5.49 | 34.91 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1444G | 48.20 | 54.00 | -5.80 | 2.55 | 3 | Horizontal | 298 | 2.20 | - | 45.65 | 32.00 | 5.47 | 34.92 |
| AV | 5.2052G | 94.60 | Inf | -Inf | 2.27 | 3 | Horizontal | 298 | 2.20 | - | 92.33 | 31.67 | 5.51 | 34.91 |
| PK | 5.15G | 73.31 | 74.00 | -0.69 | 2.55 | 3 | Horizontal | 298 | 2.20 | - | 70.76 | 32.00 | 5.47 | 34.92 |
| PK | 5.1836G | 106.64 | Inf | -Inf | 2.38 | 3 | Horizontal | 298 | 2.20 | - | 106.26 | 31.80 | 5.49 | 34.91 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.55542G | 41.95 | 54.00 | -12.05 | 13.09 | 3 | Vertical | 138 | 1.31 | - | 28.86 | 38.42 | 9.79 | 35.12 |
| PK | 10.37994G | 54.69 | 68.20 | -13.51 | 12.26 | 3 | Vertical | 352 | 1.00 | - | 42.43 | 39.54 | 7.93 | 35.21 |
| PK | 15.57528G | 54.75 | 74.00 | -19.25 | 12.98 | 3 | Vertical | 138 | 1.31 | - | 41.77 | 38.32 | 9.79 | 35.13 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.56928G | 41.91 | 54.00 | -12.09 | 13.01 | 3 | Horizontal | 280 | 1.74 | - | 28.90 | 38.35 | 9.79 | 35.13 |
| PK | 10.37988G | 55.52 | 68.20 | -12.68 | 12.26 | 3 | Horizontal | 141 | 1.95 | - | 43.26 | 39.54 | 7.93 | 35.21 |
| PK | 15.5775G | 54.23 | 74.00 | -19.77 | 12.97 | 3 | Horizontal | 280 | 1.74 | - | 41.26 | 38.31 | 9.79 | 35.13 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 49.47 | 54.00 | -4.53 | 2.55 | 3 | Vertical | 322 | 2.44 | - | 46.92 | 32.00 | 5.47 | 34.92 |
| AV | 5.2456G | 97.95 | Inf | -Inf | 2.08 | 3 | Vertical | 322 | 2.44 | - | 95.87 | 31.43 | 5.55 | 34.90 |
| PK | 5.1324G | 64.05 | 74.00 | -9.95 | 2.55 | 3 | Vertical | 322 | 2.44 | - | 61.50 | 32.00 | 5.47 | 34.92 |
| PK | 5.2456G | 110.12 | Inf | -Inf | 2.08 | 3 | Vertical | 322 | 2.44 | - | 108.04 | 31.43 | 5.55 | 34.90 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1496G | 51.11 | 54.00 | -2.89 | 2.55 | 3 | Horizontal | 305 | 2.04 | - | 48.56 | 32.00 | 5.47 | 34.92 |
| AV | 5.2248G | 103.37 | Inf | -Inf | 2.17 | 3 | Horizontal | 305 | 2.04 | - | 101.20 | 31.55 | 5.52 | 34.90 |
| PK | 5.1344G | 69.88 | 74.00 | -4.12 | 2.55 | 3 | Horizontal | 305 | 2.04 | - | 67.33 | 32.00 | 5.47 | 34.92 |
| PK | 5.2252G | 114.76 | Inf | -Inf | 2.18 | 3 | Horizontal | 305 | 2.04 | - | 112.58 | 31.55 | 5.53 | 34.90 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.7002G | 42.27 | 54.00 | -11.73 | 12.91 | 3 | Vertical | 44 | 2.32 | - | 29.36 | 38.30 | 9.83 | 35.22 |
| PK | 10.46324G | 54.71 | 68.20 | -13.49 | 12.64 | 3 | Vertical | 3 | 2.90 | - | 42.07 | 39.79 | 7.96 | 35.11 |
| PK | 15.68874G | 55.33 | 74.00 | -18.67 | 12.90 | 3 | Vertical | 44 | 2.32 | - | 42.43 | 38.29 | 9.82 | 35.21 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.69366G | 42.36 | 54.00 | -11.64 | 12.89 | 3 | Horizontal | 157 | 1.46 | - | 29.47 | 38.29 | 9.82 | 35.22 |
| PK | 10.45994G | 54.99 | 68.20 | -13.21 | 12.62 | 3 | Horizontal | 226 | 2.17 | - | 42.37 | 39.78 | 7.96 | 35.12 |
| PK | 15.68946G | 54.49 | 74.00 | -19.51 | 12.90 | 3 | Horizontal | 157 | 1.46 | - | 41.59 | 38.29 | 9.82 | 35.21 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2608G | 95.39 | Inf | -Inf | 2.04 | 3 | Vertical | 264.1 | 2.03 | - | 93.35 | 31.38 | 5.56 | 34.90 |
| AV | 5.35G | 46.08 | 54.00 | -7.92 | 2.07 | 3 | Vertical | 264.1 | 2.03 | - | 44.01 | 31.30 | 5.65 | 34.88 |
| PK | 5.272G | 107.05 | Inf | -Inf | 2.03 | 3 | Vertical | 264.1 | 2.03 | - | 105.02 | 31.36 | 5.57 | 34.90 |
| PK | 5.35G | 59.09 | 74.00 | -14.91 | 2.07 | 3 | Vertical | 264.1 | 2.03 | - | 57.02 | 31.30 | 5.65 | 34.88 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2728G | 101.81 | Inf | -Inf | 2.02 | 3 | Horizontal | 62 | 1.70 | - | 99.79 | 31.35 | 5.57 | 34.90 |
| AV | 5.3508G | 51.93 | 54.00 | -2.07 | 2.07 | 3 | Horizontal | 62 | 1.70 | - | 49.86 | 31.30 | 5.65 | 34.88 |
| PK | 5.272G | 113.13 | Inf | -Inf | 2.03 | 3 | Horizontal | 62 | 1.70 | - | 111.10 | 31.36 | 5.57 | 34.90 |
| PK | 5.35G | 65.96 | 74.00 | -8.04 | 2.07 | 3 | Horizontal | 62 | 1.70 | - | 63.89 | 31.30 | 5.65 | 34.88 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.80652G | 41.71 | 54.00 | -12.29 | 12.36 | 3 | Vertical | 68 | 1.40 | - | 29.35 | 37.80 | 9.85 | 35.29 |
| PK | 10.52728G | 54.27 | 68.20 | -13.93 | 12.81 | 3 | Vertical | 14 | 1.02 | - | 41.46 | 39.90 | 7.98 | 35.07 |
| PK | 15.80334G | 53.86 | 74.00 | -20.14 | 12.36 | 3 | Vertical | 68 | 1.40 | - | 41.50 | 37.80 | 9.85 | 35.29 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.81948G | 41.78 | 54.00 | -12.22 | 12.35 | 3 | Horizontal | 335 | 1.71 | - | 29.43 | 37.80 | 9.85 | 35.30 |
| PK | 10.5478G | 54.13 | 68.20 | -14.07 | 12.83 | 3 | Horizontal | 281 | 1.39 | - | 41.30 | 39.90 | 7.99 | 35.06 |
| PK | 15.79704G | 54.42 | 74.00 | -19.58 | 12.37 | 3 | Horizontal | 335 | 1.71 | - | 42.05 | 37.81 | 9.85 | 35.29 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3G | 90.45 | Inf | -Inf | 2.01 | 3 | Vertical | 338 | 2.97 | - | 88.44 | 31.30 | 5.60 | 34.89 |
| AV | 5.3512G | 45.46 | 54.00 | -8.54 | 2.08 | 3 | Vertical | 338 | 2.97 | - | 43.38 | 31.31 | 5.65 | 34.88 |
| PK | 5.2928G | 105.82 | Inf | -Inf | 2.01 | 3 | Vertical | 338 | 2.97 | - | 103.81 | 31.31 | 5.59 | 34.89 |
| PK | 5.3604G | 67.05 | 74.00 | -6.95 | 2.14 | 3 | Vertical | 338 | 2.97 | - | 64.91 | 31.36 | 5.66 | 34.88 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3044G | 94.07 | Inf | -Inf | 2.01 | 3 | Horizontal | 301.6 | 1.50 | - | 92.06 | 31.30 | 5.60 | 34.89 |
| AV | 5.3512G | 48.77 | 54.00 | -5.23 | 2.08 | 3 | Horizontal | 301.6 | 1.50 | - | 46.69 | 31.31 | 5.65 | 34.88 |
| PK | 5.3052G | 107.57 | Inf | -Inf | 2.02 | 3 | Horizontal | 301.6 | 1.50 | - | 105.55 | 31.30 | 5.61 | 34.89 |
| PK | 5.3548G | 73.10 | 74.00 | -0.90 | 2.10 | 3 | Horizontal | 301.6 | 1.50 | - | 71.00 | 31.33 | 5.65 | 34.88 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61976G | 42.49 | 54.00 | -11.51 | 12.91 | 3 | Vertical | 6 | 1.01 | - | 29.58 | 39.94 | 8.02 | 35.05 |
| AV | 15.918G | 41.40 | 54.00 | -12.60 | 12.31 | 3 | Vertical | 239 | 2.11 | - | 29.09 | 37.80 | 9.88 | 35.37 |
| PK | 10.62846G | 54.17 | 74.00 | -19.83 | 12.93 | 3 | Vertical | 6 | 1.01 | - | 41.24 | 39.96 | 8.02 | 35.05 |
| PK | 15.92724G | 54.58 | 74.00 | -19.42 | 12.30 | 3 | Vertical | 239 | 2.11 | - | 42.28 | 37.80 | 9.88 | 35.38 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61994G | 42.60 | 54.00 | -11.40 | 12.91 | 3 | Horizontal | 181 | 1.76 | - | 29.69 | 39.94 | 8.02 | 35.05 |
| AV | 15.91632G | 41.33 | 54.00 | -12.67 | 12.31 | 3 | Horizontal | 77 | 2.32 | - | 29.02 | 37.80 | 9.88 | 35.37 |
| PK | 10.60824G | 53.59 | 74.00 | -20.41 | 12.88 | 3 | Horizontal | 181 | 1.76 | - | 40.71 | 39.92 | 8.01 | 35.05 |
| PK | 15.91812G | 54.03 | 74.00 | -19.97 | 12.31 | 3 | Horizontal | 77 | 2.32 | - | 41.72 | 37.80 | 9.88 | 35.37 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4588G | 42.72 | 54.00 | -11.28 | 2.68 | 3 | Vertical | 248.5 | 1.56 | - | 40.04 | 31.82 | 5.73 | 34.87 |
| AV | 5.4988G | 90.31 | Inf | -Inf | 2.79 | 3 | Vertical | 248.5 | 1.56 | - | 87.52 | 31.90 | 5.75 | 34.86 |
| PK | 5.468G | 66.93 | 68.20 | -1.27 | 2.70 | 3 | Vertical | 248.5 | 1.56 | - | 64.23 | 31.84 | 5.73 | 34.87 |
| PK | 5.4976G | 101.01 | Inf | -Inf | 2.79 | 3 | Vertical | 248.5 | 1.56 | - | 98.22 | 31.90 | 5.75 | 34.86 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4576G | 43.70 | 54.00 | -10.30 | 2.68 | 3 | Horizontal | 52.3 | 2.40 | - | 41.02 | 31.82 | 5.73 | 34.87 |
| AV | 5.492G | 94.52 | Inf | -Inf | 2.77 | 3 | Horizontal | 52.3 | 2.40 | - | 91.75 | 31.88 | 5.75 | 34.86 |
| PK | 5.4664G | 67.99 | 68.20 | -0.21 | 2.69 | 3 | Horizontal | 52.3 | 2.40 | - | 65.30 | 31.83 | 5.73 | 34.87 |
| PK | 5.4976G | 107.91 | Inf | -Inf | 2.79 | 3 | Horizontal | 52.3 | 2.40 | - | 105.12 | 31.90 | 5.75 | 34.86 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.00668G | 42.22 | 54.00 | -11.78 | 13.42 | 3 | Vertical | 144 | 1.80 | - | 28.80 | 40.27 | 8.15 | 35.00 |
| PK | 11.01064G | 55.23 | 74.00 | -18.77 | 13.42 | 3 | Vertical | 144 | 1.80 | - | 41.81 | 40.26 | 8.15 | 34.99 |
| PK | 16.5174G | 56.17 | 68.20 | -12.03 | 14.19 | 3 | Vertical | 297 | 1.43 | - | 41.98 | 39.00 | 10.06 | 34.87 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.01556G | 42.01 | 54.00 | -11.99 | 13.41 | 3 | Horizontal | 43 | 1.34 | - | 28.60 | 40.24 | 8.16 | 34.99 |
| PK | 11.00932G | 55.09 | 74.00 | -18.91 | 13.41 | 3 | Horizontal | 43 | 1.34 | - | 41.68 | 40.26 | 8.15 | 35.00 |
| PK | 16.53702G | 56.51 | 68.20 | -11.69 | 14.21 | 3 | Horizontal | 145 | 1.47 | - | 42.30 | 39.00 | 10.06 | 34.85 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4584G | 42.45 | 54.00 | -11.55 | 2.68 | 3 | Vertical | 58 | 1.83 | - | 39.77 | 31.82 | 5.73 | 34.87 |
| AV | 5.5424G | 94.28 | Inf | -Inf | 2.80 | 3 | Vertical | 58 | 1.83 | - | 91.48 | 31.90 | 5.77 | 34.87 |
| PK | 5.4616G | 60.21 | 68.20 | -7.99 | 2.68 | 3 | Vertical | 58 | 1.83 | - | 57.53 | 31.82 | 5.73 | 34.87 |
| PK | 5.5484G | 109.31 | Inf | -Inf | 2.80 | 3 | Vertical | 58 | 1.83 | - | 106.51 | 31.90 | 5.77 | 34.87 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4596G | 46.06 | 54.00 | -7.94 | 2.68 | 3 | Horizontal | 307.6 | 2.01 | - | 43.38 | 31.82 | 5.73 | 34.87 |
| AV | 5.5376G | 102.58 | Inf | -Inf | 2.80 | 3 | Horizontal | 307.6 | 2.01 | - | 99.78 | 31.90 | 5.77 | 34.87 |
| PK | 5.4668G | 67.97 | 68.20 | -0.23 | 2.69 | 3 | Horizontal | 307.6 | 2.01 | - | 65.28 | 31.83 | 5.73 | 34.87 |
| PK | 5.5376G | 113.46 | Inf | -Inf | 2.80 | 3 | Horizontal | 307.6 | 2.01 | - | 110.66 | 31.90 | 5.77 | 34.87 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.09556G | 41.91 | 54.00 | -12.09 | 13.15 | 3 | Vertical | 103 | 1.80 | - | 28.76 | 39.92 | 8.18 | 34.95 |
| PK | 11.09256G | 54.92 | 74.00 | -19.08 | 13.16 | 3 | Vertical | 103 | 1.80 | - | 41.76 | 39.93 | 8.18 | 34.95 |
| PK | 16.6572G | 57.18 | 68.20 | -11.02 | 14.85 | 3 | Vertical | 90 | 1.04 | - | 42.33 | 39.51 | 10.10 | 34.76 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.0868G | 42.07 | 54.00 | -11.93 | 13.18 | 3 | Horizontal | 354 | 1.36 | - | 28.89 | 39.95 | 8.18 | 34.95 |
| PK | 11.09268G | 55.44 | 74.00 | -18.56 | 13.16 | 3 | Horizontal | 354 | 1.36 | - | 42.28 | 39.93 | 8.18 | 34.95 |
| PK | 16.64364G | 57.39 | 68.20 | -10.81 | 14.71 | 3 | Horizontal | 272 | 2.32 | - | 42.68 | 39.39 | 10.09 | 34.77 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6532G | 97.14 | Inf | -Inf | 2.70 | 3 | Vertical | 60 | 1.05 | - | 94.44 | 31.81 | 5.80 | 34.91 |
| AV | 5.727G | 47.04 | Inf | -Inf | 2.88 | 3 | Vertical | 60 | 1.05 | - | 44.16 | 32.01 | 5.80 | 34.93 |
| PK | 5.6532G | 106.55 | Inf | -Inf | 2.70 | 3 | Vertical | 60 | 1.05 | - | 103.85 | 31.81 | 5.80 | 34.91 |
| PK | 5.739G | 62.24 | 68.20 | -5.96 | 2.93 | 3 | Vertical | 60 | 1.05 | - | 59.31 | 32.06 | 5.80 | 34.93 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.685G | 96.02 | Inf | -Inf | 2.75 | 3 | Horizontal | 54 | 2.23 | - | 93.27 | 31.87 | 5.80 | 34.92 |
| AV | 5.7252G | 48.60 | Inf | -Inf | 2.87 | 3 | Horizontal | 54 | 2.23 | - | 45.73 | 32.00 | 5.80 | 34.93 |
| PK | 5.6856G | 108.94 | Inf | -Inf | 2.75 | 3 | Horizontal | 54 | 2.23 | - | 106.19 | 31.87 | 5.80 | 34.92 |
| PK | 5.7432G | 67.14 | 68.20 | -1.06 | 2.94 | 3 | Horizontal | 54 | 2.23 | - | 64.20 | 32.07 | 5.80 | 34.93 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.33764G | 41.32 | 54.00 | -12.68 | 13.26 | 3 | Vertical | 352 | 1.80 | - | 28.06 | 39.81 | 8.27 | 34.82 |
| PK | 11.33746G | 54.14 | 74.00 | -19.86 | 13.26 | 3 | Vertical | 352 | 1.80 | - | 40.88 | 39.81 | 8.27 | 34.82 |
| PK | 17.00882G | 57.20 | 68.20 | -11.00 | 15.97 | 3 | Vertical | 343 | 1.79 | - | 41.23 | 40.27 | 10.20 | 34.50 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.33536G | 41.21 | 54.00 | -12.79 | 13.25 | 3 | Horizontal | 24 | 2.19 | - | 27.96 | 39.81 | 8.27 | 34.83 |
| PK | 11.34072G | 54.47 | 74.00 | -19.53 | 13.27 | 3 | Horizontal | 24 | 2.19 | - | 41.20 | 39.82 | 8.27 | 34.82 |
| PK | 17.0078G | 57.10 | 68.20 | -11.10 | 15.98 | 3 | Horizontal | 198 | 1.46 | - | 41.12 | 40.28 | 10.20 | 34.50 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4556G | 44.40 | 54.00 | -9.60 | 2.67 | 3 | Vertical | 62 | 1.97 | - | 41.73 | 31.81 | 5.73 | 34.87 |
| AV | 5.6944G | 98.97 | Inf | -Inf | 2.77 | 3 | Vertical | 62 | 1.97 | - | 96.20 | 31.89 | 5.80 | 34.92 |
| PK | 5.464G | 53.05 | 68.20 | -15.15 | 2.69 | 3 | Vertical | 62 | 1.97 | - | 50.36 | 31.83 | 5.73 | 34.87 |
| PK | 5.7256G | 109.36 | Inf | -Inf | 2.87 | 3 | Vertical | 62 | 1.97 | - | 106.49 | 32.00 | 5.80 | 34.93 |
| PK | 5.8996G | 55.75 | 68.20 | -12.45 | 3.37 | 3 | Vertical | 62 | 1.97 | - | 52.38 | 32.50 | 5.85 | 34.98 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4652G | 44.83 | Inf | -Inf | 2.69 | 3 | Horizontal | 90 | 2.10 | - | 42.14 | 31.83 | 5.73 | 34.87 |
| AV | 5.6944G | 103.10 | Inf | -Inf | 2.77 | 3 | Horizontal | 90 | 2.10 | - | 100.33 | 31.89 | 5.80 | 34.92 |
| AV | 5.8504G | 47.43 | Inf | -Inf | 3.26 | 3 | Horizontal | 90 | 2.10 | - | 44.17 | 32.40 | 5.83 | 34.97 |
| PK | 5.4676G | 55.40 | 68.20 | -12.80 | 2.70 | 3 | Horizontal | 90 | 2.10 | - | 52.70 | 31.84 | 5.73 | 34.87 |
| PK | 5.6992G | 113.09 | Inf | -Inf | 2.78 | 3 | Horizontal | 90 | 2.10 | - | 110.31 | 31.90 | 5.80 | 34.92 |
| PK | 5.8576G | 62.11 | 68.20 | -6.09 | 3.28 | 3 | Horizontal | 90 | 2.10 | - | 58.83 | 32.42 | 5.83 | 34.97 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.41804G | 41.71 | 54.00 | -12.29 | 13.54 | 3 | Vertical | 0 | 1.62 | - | 28.17 | 40.02 | 8.30 | 34.78 |
| PK | 11.41956G | 54.94 | 74.00 | -19.06 | 13.54 | 3 | Vertical | 0 | 1.62 | - | 41.40 | 40.02 | 8.30 | 34.78 |
| PK | 17.125G | 57.84 | 68.20 | -10.36 | 15.68 | 3 | Vertical | 2 | 1.29 | - | 42.16 | 40.00 | 10.24 | 34.56 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.42074G | 41.78 | 54.00 | -12.22 | 13.54 | 3 | Horizontal | 180 | 1.62 | - | 28.24 | 40.02 | 8.30 | 34.78 |
| PK | 11.41952G | 54.70 | 74.00 | -19.30 | 13.54 | 3 | Horizontal | 180 | 1.62 | - | 41.16 | 40.02 | 8.30 | 34.78 |
| PK | 17.12518G | 58.37 | 68.20 | -9.83 | 15.68 | 3 | Horizontal | 7 | 1.67 | - | 42.69 | 40.00 | 10.24 | 34.56 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7406G | 100.41 | Inf | -Inf | 2.93 | 3 | Vertical | 308 | 1.93 | - | 97.48 | 32.06 | 5.80 | 34.93 |
| PK | 5.6494G | 57.05 | 68.20 | -11.15 | 2.70 | 3 | Vertical | 308 | 1.93 | - | 54.35 | 31.80 | 5.80 | 34.90 |
| PK | 5.7526G | 109.88 | Inf | -Inf | 2.97 | 3 | Vertical | 308 | 1.93 | - | 106.91 | 32.11 | 5.80 | 34.94 |
| PK | 6.001G | 54.96 | 68.20 | -13.24 | 3.39 | 3 | Vertical | 308 | 1.93 | - | 51.57 | 32.50 | 5.90 | 35.01 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7706G | 106.06 | Inf | -Inf | 3.00 | 3 | Horizontal | 57 | 1.78 | - | 103.06 | 32.14 | 5.80 | 34.94 |
| PK | 5.6374G | 60.67 | 68.20 | -7.53 | 2.70 | 3 | Horizontal | 57 | 1.78 | - | 57.97 | 31.80 | 5.80 | 34.90 |
| PK | 5.7706G | 114.37 | Inf | -Inf | 3.00 | 3 | Horizontal | 57 | 1.78 | - | 111.37 | 32.14 | 5.80 | 34.94 |
| PK | 5.977G | 55.20 | 68.20 | -13.00 | 3.44 | 3 | Horizontal | 57 | 1.78 | - | 51.76 | 32.55 | 5.89 | 35.00 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.50806G | 41.90 | 54.00 | -12.10 | 13.67 | 3 | Vertical | 36 | 1.55 | - | 28.23 | 40.08 | 8.33 | 34.74 |
| PK | 11.5146G | 54.54 | 74.00 | -19.46 | 13.65 | 3 | Vertical | 36 | 1.55 | - | 40.89 | 40.06 | 8.33 | 34.74 |
| PK | 17.26168G | 58.29 | 68.20 | -9.91 | 15.84 | 3 | Vertical | 145 | 1.10 | - | 42.45 | 40.19 | 10.28 | 34.63 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.51216G | 41.82 | 54.00 | -12.18 | 13.65 | 3 | Horizontal | 150 | 1.15 | - | 28.17 | 40.06 | 8.33 | 34.74 |
| PK | 11.50992G | 54.21 | 74.00 | -19.79 | 13.66 | 3 | Horizontal | 150 | 1.15 | - | 40.55 | 40.07 | 8.33 | 34.74 |
| PK | 17.2628G | 57.69 | 68.20 | -10.51 | 15.84 | 3 | Horizontal | 3 | 1.73 | - | 41.85 | 40.19 | 10.28 | 34.63 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7794G | 99.30 | Inf | -Inf | 3.02 | 3 | Vertical | 307 | 1.80 | - | 96.28 | 32.16 | 5.80 | 34.94 |
| PK | 5.543G | 54.58 | 68.20 | -13.62 | 2.80 | 3 | Vertical | 307 | 1.80 | - | 51.78 | 31.90 | 5.77 | 34.87 |
| PK | 5.7782G | 108.08 | Inf | -Inf | 3.02 | 3 | Vertical | 307 | 1.80 | - | 105.06 | 32.16 | 5.80 | 34.94 |
| PK | 5.9294G | 55.07 | 68.20 | -13.13 | 3.43 | 3 | Vertical | 307 | 1.80 | - | 51.64 | 32.56 | 5.86 | 34.99 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7902G | 106.20 | Inf | -Inf | 3.03 | 3 | Horizontal | 88 | 1.80 | - | 103.17 | 32.18 | 5.80 | 34.95 |
| PK | 5.5946G | 56.44 | 68.20 | -11.76 | 2.72 | 3 | Horizontal | 88 | 1.80 | - | 53.72 | 31.81 | 5.80 | 34.89 |
| PK | 5.8106G | 115.14 | Inf | -Inf | 3.10 | 3 | Horizontal | 88 | 1.80 | - | 112.04 | 32.24 | 5.81 | 34.95 |
| PK | 5.9234G | 59.02 | 69.38 | -10.36 | 3.42 | 3 | Horizontal | 88 | 1.80 | - | 55.60 | 32.55 | 5.86 | 34.99 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.58986G | 44.69 | 54.00 | -9.31 | 13.43 | 3 | Vertical | 355 | 1.13 | - | 31.26 | 39.83 | 8.36 | 34.76 |
| PK | 11.59104G | 54.40 | 74.00 | -19.60 | 13.43 | 3 | Vertical | 355 | 1.13 | - | 40.97 | 39.83 | 8.36 | 34.76 |
| PK | 17.38736G | 58.31 | 68.20 | -9.89 | 16.63 | 3 | Vertical | 153 | 1.31 | - | 41.68 | 41.00 | 10.32 | 34.69 |

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.5922G | 44.04 | 54.00 | -9.96 | 13.42 | 3 | Horizontal | 330 | 1.78 | - | 30.62 | 39.82 | 8.36 | 34.76 |
| PK | 11.59068G | 54.01 | 74.00 | -19.99 | 13.43 | 3 | Horizontal | 330 | 1.78 | - | 40.58 | 39.83 | 8.36 | 34.76 |
| PK | 17.38702G | 58.66 | 68.20 | -9.54 | 16.63 | 3 | Horizontal | 205 | 1.75 | - | 42.03 | 41.00 | 10.32 | 34.69 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 53.34 | 54.00 | -0.66 | 2.55 | 3 | Vertical | 322 | 2.42 | - | 50.79 | 32.00 | 5.47 | 34.92 |
| AV | 5.186G | 91.09 | Inf | -Inf | 2.36 | 3 | Vertical | 322 | 2.42 | - | 88.73 | 31.78 | 5.49 | 34.91 |
| AV | 5.44G | 41.73 | 54.00 | -12.27 | 2.61 | 3 | Vertical | 322 | 2.42 | - | 39.12 | 31.76 | 5.72 | 34.87 |
| PK | 5.139G | 68.54 | 74.00 | -5.46 | 2.55 | 3 | Vertical | 322 | 2.42 | - | 65.99 | 32.00 | 5.47 | 34.92 |
| PK | 5.192G | 101.93 | Inf | -Inf | 2.34 | 3 | Vertical | 322 | 2.42 | - | 99.59 | 31.75 | 5.50 | 34.91 |
| PK | 5.38G | 53.97 | 74.00 | -20.03 | 2.28 | 3 | Vertical | 322 | 2.42 | - | 51.69 | 31.48 | 5.68 | 34.88 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 48.24 | 54.00 | -5.76 | 2.55 | 3 | Horizontal | 69 | 1.80 | - | 45.69 | 32.00 | 5.47 | 34.92 |
| AV | 5.237G | 92.54 | Inf | -Inf | 2.12 | 3 | Horizontal | 69 | 1.80 | - | 90.42 | 31.48 | 5.54 | 34.90 |
| AV | 5.35G | 43.21 | 54.00 | -10.79 | 2.07 | 3 | Horizontal | 69 | 1.80 | - | 41.14 | 31.30 | 5.65 | 34.88 |
| PK | 5.124G | 67.90 | 74.00 | -6.10 | 2.54 | 3 | Horizontal | 69 | 1.80 | - | 65.36 | 32.00 | 5.46 | 34.92 |
| PK | 5.24G | 103.72 | Inf | -Inf | 2.10 | 3 | Horizontal | 69 | 1.80 | - | 101.62 | 31.46 | 5.54 | 34.90 |
| PK | 5.366G | 57.66 | 74.00 | -16.34 | 2.19 | 3 | Horizontal | 69 | 1.80 | - | 55.47 | 31.40 | 5.67 | 34.88 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.62694G | 41.76 | 54.00 | -12.24 | 12.87 | 3 | Vertical | 214 | 1.71 | - | 28.89 | 38.23 | 9.81 | 35.17 |
| PK | 10.42004G | 54.65 | 68.20 | -13.55 | 12.44 | 3 | Vertical | 350 | 1.03 | - | 42.21 | 39.66 | 7.95 | 35.17 |
| PK | 15.62636G | 54.50 | 74.00 | -19.50 | 12.87 | 3 | Vertical | 214 | 1.71 | - | 41.63 | 38.23 | 9.81 | 35.17 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.63294G | 41.65 | 54.00 | -12.35 | 12.87 | 3 | Horizontal | 337 | 2.45 | - | 28.78 | 38.23 | 9.81 | 35.17 |
| PK | 10.41992G | 54.60 | 68.20 | -13.60 | 12.44 | 3 | Horizontal | 172 | 1.55 | - | 42.16 | 39.66 | 7.95 | 35.17 |
| PK | 15.63062G | 54.34 | 74.00 | -19.66 | 12.87 | 3 | Horizontal | 337 | 2.45 | - | 41.47 | 38.23 | 9.81 | 35.17 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.146G | 42.87 | 54.00 | -11.13 | 2.55 | 3 | Vertical | 330 | 1.02 | - | 40.32 | 32.00 | 5.47 | 34.92 |
| AV | 5.328G | 91.57 | Inf | -Inf | 2.04 | 3 | Vertical | 330 | 1.02 | - | 89.53 | 31.30 | 5.63 | 34.89 |
| AV | 5.352G | 50.26 | 54.00 | -3.74 | 2.08 | 3 | Vertical | 330 | 1.02 | - | 48.18 | 31.31 | 5.65 | 34.88 |
| PK | 5.147G | 56.38 | 74.00 | -17.62 | 2.55 | 3 | Vertical | 330 | 1.02 | - | 53.83 | 32.00 | 5.47 | 34.92 |
| PK | 5.326G | 102.16 | Inf | -Inf | 2.04 | 3 | Vertical | 330 | 1.02 | - | 100.12 | 31.30 | 5.63 | 34.89 |
| PK | 5.352G | 66.38 | 74.00 | -7.62 | 2.08 | 3 | Vertical | 330 | 1.02 | - | 64.30 | 31.31 | 5.65 | 34.88 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.149G | 44.15 | 54.00 | -9.85 | 2.55 | 3 | Horizontal | 308 | 1.83 | - | 41.60 | 32.00 | 5.47 | 34.92 |
| AV | 5.283G | 94.73 | Inf | -Inf | 2.02 | 3 | Horizontal | 308 | 1.83 | - | 92.71 | 31.33 | 5.58 | 34.89 |
| AV | 5.35G | 53.84 | 54.00 | -0.16 | 2.07 | 3 | Horizontal | 308 | 1.83 | - | 51.77 | 31.30 | 5.65 | 34.88 |
| PK | 5.133G | 57.00 | 74.00 | -17.00 | 2.55 | 3 | Horizontal | 308 | 1.83 | - | 54.45 | 32.00 | 5.47 | 34.92 |
| PK | 5.287G | 106.60 | Inf | -Inf | 2.03 | 3 | Horizontal | 308 | 1.83 | - | 104.57 | 31.33 | 5.59 | 34.89 |
| PK | 5.384G | 71.85 | 74.00 | -2.15 | 2.30 | 3 | Horizontal | 308 | 1.83 | - | 69.55 | 31.50 | 5.68 | 34.88 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.8669G | 41.18 | 54.00 | -12.82 | 12.33 | 3 | Vertical | 281 | 1.46 | - | 28.85 | 37.80 | 9.87 | 35.34 |
| PK | 10.57964G | 53.99 | 68.20 | -14.21 | 12.84 | 3 | Vertical | 3 | 1.06 | - | 41.15 | 39.90 | 8.00 | 35.06 |
| PK | 15.86618G | 53.60 | 74.00 | -20.40 | 12.33 | 3 | Vertical | 281 | 1.46 | - | 41.27 | 37.80 | 9.87 | 35.34 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.86608G | 41.18 | 54.00 | -12.82 | 12.33 | 3 | Horizontal | 293 | 2.47 | - | 28.85 | 37.80 | 9.87 | 35.34 |
| PK | 10.57622G | 54.47 | 68.20 | -13.73 | 12.84 | 3 | Horizontal | 53 | 2.44 | - | 41.63 | 39.90 | 8.00 | 35.06 |
| PK | 15.86646G | 54.39 | 74.00 | -19.61 | 12.33 | 3 | Horizontal | 293 | 2.47 | - | 42.06 | 37.80 | 9.87 | 35.34 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 42.57 | 54.00 | -11.43 | 2.68 | 3 | Vertical | 63 | 1.68 | - | 39.89 | 31.82 | 5.73 | 34.87 |
| AV | 5.529G | 86.67 | Inf | -Inf | 2.79 | 3 | Vertical | 63 | 1.68 | - | 83.88 | 31.90 | 5.76 | 34.87 |
| PK | 5.462G | 58.45 | 68.20 | -9.75 | 2.68 | 3 | Vertical | 63 | 1.68 | - | 55.77 | 31.82 | 5.73 | 34.87 |
| PK | 5.527G | 99.51 | Inf | -Inf | 2.79 | 3 | Vertical | 63 | 1.68 | - | 96.72 | 31.90 | 5.76 | 34.87 |
| PK | 5.749G | 54.73 | 68.20 | -13.47 | 2.97 | 3 | Vertical | 63 | 1.68 | - | 51.76 | 32.10 | 5.80 | 34.93 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.45G | 46.98 | 54.00 | -7.02 | 2.65 | 3 | Horizontal | 307 | 2.06 | - | 44.33 | 31.80 | 5.72 | 34.87 |
| AV | 5.533G | 96.19 | Inf | -Inf | 2.80 | 3 | Horizontal | 307 | 2.06 | - | 93.39 | 31.90 | 5.77 | 34.87 |
| PK | 5.469G | 67.79 | 68.20 | -0.41 | 2.71 | 3 | Horizontal | 307 | 2.06 | - | 65.08 | 31.84 | 5.73 | 34.86 |
| PK | 5.531G | 109.07 | Inf | -Inf | 2.80 | 3 | Horizontal | 307 | 2.06 | - | 106.27 | 31.90 | 5.77 | 34.87 |
| PK | 5.76G | 55.86 | 68.20 | -12.34 | 2.98 | 3 | Horizontal | 307 | 2.06 | - | 52.88 | 32.12 | 5.80 | 34.94 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.05992G | 41.74 | 54.00 | -12.26 | 13.26 | 3 | Vertical | 0 | 2.77 | - | 28.48 | 40.06 | 8.17 | 34.97 |
| PK | 11.05642G | 54.99 | 74.00 | -19.01 | 13.27 | 3 | Vertical | 0 | 2.77 | - | 41.72 | 40.07 | 8.17 | 34.97 |
| PK | 16.5923G | 56.49 | 68.20 | -11.71 | 14.27 | 3 | Vertical | 153 | 1.15 | - | 42.22 | 39.00 | 10.08 | 34.81 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.05982G | 41.88 | 54.00 | -12.12 | 13.26 | 3 | Horizontal | 315 | 2.09 | - | 28.62 | 40.06 | 8.17 | 34.97 |
| PK | 11.06406G | 55.51 | 74.00 | -18.49 | 13.24 | 3 | Horizontal | 315 | 2.09 | - | 42.27 | 40.04 | 8.17 | 34.97 |
| PK | 16.58688G | 56.26 | 68.20 | -11.94 | 14.27 | 3 | Horizontal | 156 | 1.70 | - | 41.99 | 39.00 | 10.08 | 34.81 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 42.52 | 54.00 | -11.48 | 2.68 | 3 | Vertical | 59 | 1.81 | - | 39.84 | 31.82 | 5.73 | 34.87 |
| AV | 5.614G | 92.85 | Inf | -Inf | 2.71 | 3 | Vertical | 59 | 1.81 | - | 90.14 | 31.80 | 5.80 | 34.89 |
| PK | 5.468G | 54.26 | 68.20 | -13.94 | 2.70 | 3 | Vertical | 59 | 1.81 | - | 51.56 | 31.84 | 5.73 | 34.87 |
| PK | 5.607G | 104.55 | Inf | -Inf | 2.71 | 3 | Vertical | 59 | 1.81 | - | 101.84 | 31.80 | 5.80 | 34.89 |
| PK | 5.725G | 62.11 | 68.20 | -6.09 | 2.87 | 3 | Vertical | 59 | 1.81 | - | 59.24 | 32.00 | 5.80 | 34.93 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 46.06 | 54.00 | -7.94 | 2.68 | 3 | Horizontal | 305 | 2.54 | - | 43.38 | 31.82 | 5.73 | 34.87 |
| AV | 5.643G | 98.80 | Inf | -Inf | 2.70 | 3 | Horizontal | 305 | 2.54 | - | 96.10 | 31.80 | 5.80 | 34.90 |
| PK | 5.461G | 62.23 | 68.20 | -5.97 | 2.68 | 3 | Horizontal | 305 | 2.54 | - | 59.55 | 31.82 | 5.73 | 34.87 |
| PK | 5.647G | 110.93 | Inf | -Inf | 2.70 | 3 | Horizontal | 305 | 2.54 | - | 108.23 | 31.80 | 5.80 | 34.90 |
| PK | 5.734G | 68.07 | 68.20 | -0.13 | 2.91 | 3 | Horizontal | 305 | 2.54 | - | 65.16 | 32.04 | 5.80 | 34.93 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.2202G | 41.07 | 54.00 | -12.93 | 13.04 | 3 | Vertical | 30 | 1.15 | - | 28.03 | 39.70 | 8.23 | 34.89 |
| PK | 11.22184G | 53.98 | 74.00 | -20.02 | 13.05 | 3 | Vertical | 30 | 1.15 | - | 40.93 | 39.70 | 8.23 | 34.88 |
| PK | 16.83182G | 57.34 | 68.20 | -10.86 | 15.52 | 3 | Vertical | 198 | 2.37 | - | 41.82 | 40.00 | 10.15 | 34.63 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.21978G | 41.08 | 54.00 | -12.92 | 13.04 | 3 | Horizontal | 31 | 1.08 | - | 28.04 | 39.70 | 8.23 | 34.89 |
| PK | 11.21662G | 53.84 | 74.00 | -20.16 | 13.04 | 3 | Horizontal | 31 | 1.08 | - | 40.80 | 39.70 | 8.23 | 34.89 |
| PK | 16.82976G | 56.95 | 68.20 | -11.25 | 15.52 | 3 | Horizontal | 292 | 2.31 | - | 41.43 | 40.00 | 10.15 | 34.63 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.456G | 42.63 | 54.00 | -11.37 | 2.67 | 3 | Vertical | 57 | 1.79 | - | 39.96 | 31.81 | 5.73 | 34.87 |
| AV | 5.7056G | 94.83 | Inf | -Inf | 2.80 | 3 | Vertical | 57 | 1.79 | - | 92.03 | 31.92 | 5.80 | 34.92 |
| PK | 5.4656G | 55.06 | 68.20 | -13.14 | 2.69 | 3 | Vertical | 57 | 1.79 | - | 52.37 | 31.83 | 5.73 | 34.87 |
| PK | 5.7044G | 106.39 | Inf | -Inf | 2.80 | 3 | Vertical | 57 | 1.79 | - | 103.59 | 31.92 | 5.80 | 34.92 |
| PK | 5.852G | 61.18 | 68.20 | -7.02 | 3.26 | 3 | Vertical | 57 | 1.79 | - | 57.92 | 32.40 | 5.83 | 34.97 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4596G | 43.15 | 54.00 | -10.85 | 2.68 | 3 | Horizontal | 330 | 1.02 | - | 40.47 | 31.82 | 5.73 | 34.87 |
| AV | 5.6552G | 92.84 | Inf | -Inf | 2.70 | 3 | Horizontal | 330 | 1.02 | - | 90.14 | 31.81 | 5.80 | 34.91 |
| PK | 5.4656G | 57.36 | 68.20 | -10.84 | 2.69 | 3 | Horizontal | 330 | 1.02 | - | 54.67 | 31.83 | 5.73 | 34.87 |
| PK | 5.672G | 103.89 | Inf | -Inf | 2.73 | 3 | Horizontal | 330 | 1.02 | - | 101.16 | 31.84 | 5.80 | 34.91 |
| PK | 5.8556G | 62.65 | 68.20 | -5.55 | 3.27 | 3 | Horizontal | 330 | 1.02 | - | 59.38 | 32.41 | 5.83 | 34.97 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.37994G | 41.38 | 54.00 | -12.62 | 13.42 | 3 | Vertical | 355 | 1.80 | - | 27.96 | 39.94 | 8.28 | 34.80 |
| PK | 11.3781G | 54.12 | 74.00 | -19.88 | 13.41 | 3 | Vertical | 355 | 1.80 | - | 40.71 | 39.93 | 8.28 | 34.80 |
| PK | 17.07102G | 57.88 | 68.20 | -10.32 | 15.78 | 3 | Vertical | 83 | 1.58 | - | 42.10 | 40.09 | 10.22 | 34.53 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.37988G | 41.21 | 54.00 | -12.79 | 13.42 | 3 | Horizontal | 326 | 1.39 | - | 27.79 | 39.94 | 8.28 | 34.80 |
| PK | 11.3798G | 53.89 | 74.00 | -20.11 | 13.42 | 3 | Horizontal | 326 | 1.39 | - | 40.47 | 39.94 | 8.28 | 34.80 |
| PK | 17.06728G | 57.95 | 68.20 | -10.25 | 15.79 | 3 | Horizontal | 352 | 1.47 | - | 42.16 | 40.10 | 10.22 | 34.53 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.7402G | 93.88 | Inf | -Inf | 2.93 | 3 | Vertical | 304 | 2.37 | - | 90.95 | 32.06 | 5.80 | 34.93 |
| PK | 5.6478G | 62.73 | 68.20 | -5.47 | 2.70 | 3 | Vertical | 304 | 2.37 | - | 60.03 | 31.80 | 5.80 | 34.90 |
| PK | 5.7486G | 104.72 | Inf | -Inf | 2.96 | 3 | Vertical | 304 | 2.37 | - | 101.76 | 32.09 | 5.80 | 34.93 |
| PK | 5.9526G | 58.76 | 68.20 | -9.44 | 3.47 | 3 | Vertical | 304 | 2.37 | - | 55.29 | 32.59 | 5.88 | 35.00 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8002G | 100.40 | Inf | -Inf | 3.05 | 3 | Horizontal | 91 | 2.00 | - | 97.35 | 32.20 | 5.80 | 34.95 |
| PK | 5.6406G | 68.09 | 68.20 | -0.11 | 2.70 | 3 | Horizontal | 91 | 2.00 | - | 65.39 | 31.80 | 5.80 | 34.90 |
| PK | 5.8014G | 110.70 | Inf | -Inf | 3.06 | 3 | Horizontal | 91 | 2.00 | - | 107.64 | 32.21 | 5.80 | 34.95 |
| PK | 5.9286G | 65.95 | 68.20 | -2.25 | 3.43 | 3 | Horizontal | 91 | 2.00 | - | 62.52 | 32.56 | 5.86 | 34.99 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.54516G | 41.28 | 54.00 | -12.72 | 13.55 | 3 | Vertical | 160 | 2.99 | - | 27.73 | 39.96 | 8.34 | 34.75 |
| PK | 11.54922G | 54.41 | 74.00 | -19.59 | 13.54 | 3 | Vertical | 160 | 2.99 | - | 40.87 | 39.95 | 8.34 | 34.75 |
| PK | 17.32644G | 57.89 | 68.20 | -10.31 | 16.15 | 3 | Vertical | 7 | 1.62 | - | 41.74 | 40.51 | 10.30 | 34.66 |

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.5477G | 41.31 | 54.00 | -12.69 | 13.55 | 3 | Horizontal | 275 | 1.51 | - | 27.76 | 39.96 | 8.34 | 34.75 |
| PK | 11.54688G | 54.03 | 74.00 | -19.97 | 13.55 | 3 | Horizontal | 275 | 1.51 | - | 40.48 | 39.96 | 8.34 | 34.75 |
| PK | 17.32206G | 57.44 | 68.20 | -10.76 | 16.13 | 3 | Horizontal | 336 | 2.34 | - | 41.31 | 40.48 | 10.30 | 34.65 |




Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|-----------|
| Mode 1 | Pass | AV | 4.996G | 38.02 | 54.00 | -15.98 | Vertical |

Mode Configure


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass | AV | 1.996G | 27.79 | 54.00 | -26.21 | 3 | Vertical | 340 | 1.50 | - |
| Mode 1 | Pass | AV | 4.996G | 38.02 | 54.00 | -15.98 | 3 | Vertical | 22 | 1.00 | - |
| Mode 1 | Pass | AV | 5.548G | 33.93 | 54.00 | -20.07 | 3 | Vertical | 0 | 1.99 | - |
| Mode 1 | Pass | PK | 1.996G | 44.80 | 74.00 | -29.20 | 3 | Vertical | 340 | 1.50 | - |
| Mode 1 | Pass | PK | 4.996G | 48.10 | 74.00 | -25.90 | 3 | Vertical | 22 | 1.00 | - |
| Mode 1 | Pass | PK | 5.548G | 47.62 | 74.00 | -26.38 | 3 | Vertical | 0 | 1.99 | - |
| Mode 1 | Pass | AV | 1.996G | 28.61 | 54.00 | -25.39 | 3 | Horizontal | 306 | 1.50 | - |
| Mode 1 | Pass | AV | 4.144G | 32.97 | 54.00 | -21.03 | 3 | Horizontal | 109 | 2.50 | - |
| Mode 1 | Pass | AV | 4.708G | 33.98 | 54.00 | -20.02 | 3 | Horizontal | 118 | 1.50 | - |
| Mode 1 | Pass | PK | 1.996G | 40.82 | 74.00 | -33.18 | 3 | Horizontal | 306 | 1.50 | - |
| Mode 1 | Pass | PK | 4.144G | 43.00 | 74.00 | -31.00 | 3 | Horizontal | 109 | 2.50 | - |
| Mode 1 | Pass | PK | 4.708G | 44.59 | 74.00 | -29.41 | 3 | Horizontal | 118 | 1.50 | - |

Radiated Emissions above 1GHz



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 1.996G | 27.79 | 54.00 | -26.21 | -5.29 | 3 | Vertical | 340 | 1.50 | - | 33.08 | 25.98 | 3.40 | 34.67 |
| AV | 4.996G | 38.02 | 54.00 | -15.98 | 1.94 | 3 | Vertical | 22 | 1.00 | - | 36.08 | 31.48 | 5.40 | 34.94 |
| AV | 5.548G | 33.93 | 54.00 | -20.07 | 2.60 | 3 | Vertical | 0 | 1.99 | - | 31.33 | 31.70 | 5.78 | 34.88 |
| PK | 1.996G | 44.80 | 74.00 | -29.20 | -5.29 | 3 | Vertical | 340 | 1.50 | - | 50.09 | 25.98 | 3.40 | 34.67 |
| PK | 4.996G | 48.10 | 74.00 | -25.90 | 1.94 | 3 | Vertical | 22 | 1.00 | - | 46.16 | 31.48 | 5.40 | 34.94 |
| PK | 5.548G | 47.62 | 74.00 | -26.38 | 2.60 | 3 | Vertical | 0 | 1.99 | - | 45.02 | 31.70 | 5.77 | 34.87 |

Radiated Emissions above 1GHz



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 1.996G | 28.61 | 54.00 | -25.39 | -5.29 | 3 | Horizontal | 306 | 1.50 | - | 33.90 | 25.98 | 3.40 | 34.67 |
| AV | 4.144G | 32.97 | 54.00 | -21.03 | -0.05 | 3 | Horizontal | 109 | 2.50 | - | 33.02 | 29.80 | 4.97 | 34.82 |
| AV | 4.708G | 33.98 | 54.00 | -20.02 | 1.60 | 3 | Horizontal | 118 | 1.50 | - | 32.38 | 31.22 | 5.30 | 34.92 |
| PK | 1.996G | 40.82 | 74.00 | -33.18 | -5.29 | 3 | Horizontal | 306 | 1.50 | - | 46.11 | 25.98 | 3.40 | 34.67 |
| PK | 4.144G | 43.00 | 74.00 | -31.00 | -0.05 | 3 | Horizontal | 109 | 2.50 | - | 43.05 | 29.80 | 4.97 | 34.82 |
| PK | 4.708G | 44.59 | 74.00 | -29.41 | 1.60 | 3 | Horizontal | 118 | 1.50 | - | 42.99 | 31.22 | 5.30 | 34.92 |