




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2442MHz	Pass	AV	2.4524G	99.17	Inf	-Inf	3	Vertical	261	1.50	-
2442MHz	Pass	AV	2.4835G	53.70	54.00	-0.30	3	Vertical	261	1.50	-
2442MHz	Pass	PK	2.3808G	56.56	74.00	-17.44	3	Vertical	261	1.50	-
2442MHz	Pass	PK	2.4508G	110.97	Inf	-Inf	3	Vertical	261	1.50	-
2442MHz	Pass	PK	2.4844G	71.09	74.00	-2.91	3	Vertical	261	1.50	-
2442MHz	Pass	AV	2.3588G	44.15	54.00	-9.85	3	Horizontal	0	1.65	-
2442MHz	Pass	AV	2.428G	93.59	Inf	-Inf	3	Horizontal	0	1.65	-
2442MHz	Pass	AV	2.4835G	47.11	54.00	-6.89	3	Horizontal	0	1.65	-
2442MHz	Pass	PK	2.3828G	56.85	74.00	-17.15	3	Horizontal	0	1.65	-
2442MHz	Pass	PK	2.4504G	106.06	Inf	-Inf	3	Horizontal	0	1.65	-
2442MHz	Pass	PK	2.4864G	61.48	74.00	-12.52	3	Horizontal	0	1.65	-
2447MHz	Pass	AV	2.3614G	46.23	54.00	-7.77	3	Vertical	201	1.32	-
2447MHz	Pass	AV	2.4398G	104.60	Inf	-Inf	3	Vertical	201	1.32	-
2447MHz	Pass	AV	2.4835G	50.92	54.00	-3.08	3	Vertical	201	1.32	-
2447MHz	Pass	PK	2.3826G	57.34	74.00	-16.66	3	Vertical	201	1.32	-
2447MHz	Pass	PK	2.4346G	113.56	Inf	-Inf	3	Vertical	201	1.32	-
2447MHz	Pass	PK	2.4854G	73.89	74.00	-0.11	3	Vertical	201	1.32	-
2447MHz	Pass	AV	2.3818G	46.15	54.00	-7.85	3	Horizontal	297	2.80	-
2447MHz	Pass	AV	2.4298G	97.70	Inf	-Inf	3	Horizontal	297	2.80	-
2447MHz	Pass	AV	2.4835G	49.31	54.00	-4.69	3	Horizontal	297	2.80	-
2447MHz	Pass	PK	2.361G	57.26	74.00	-16.74	3	Horizontal	297	2.80	-
2447MHz	Pass	PK	2.4374G	108.33	Inf	-Inf	3	Horizontal	297	2.80	-
2447MHz	Pass	PK	2.4842G	66.28	74.00	-7.72	3	Horizontal	297	2.80	-
2452MHz	Pass	AV	2.3764G	46.22	54.00	-7.78	3	Vertical	196	2.90	-
2452MHz	Pass	AV	2.436G	99.23	Inf	-Inf	3	Vertical	196	2.90	-
2452MHz	Pass	AV	2.4835G	51.66	54.00	-2.34	3	Vertical	196	2.90	-
2452MHz	Pass	PK	2.3872G	57.29	74.00	-16.71	3	Vertical	196	2.90	-
2452MHz	Pass	PK	2.4356G	111.45	Inf	-Inf	3	Vertical	196	2.90	-
2452MHz	Pass	PK	2.4835G	73.11	74.00	-0.89	3	Vertical	196	2.90	-
2452MHz	Pass	AV	2.36G	46.26	54.00	-7.74	3	Horizontal	113	1.00	-
2452MHz	Pass	AV	2.4352G	92.74	Inf	-Inf	3	Horizontal	113	1.00	-
2452MHz	Pass	AV	2.4835G	48.50	54.00	-5.50	3	Horizontal	113	1.00	-
2452MHz	Pass	PK	2.3692G	57.52	74.00	-16.48	3	Horizontal	113	1.00	-
2452MHz	Pass	PK	2.4348G	105.34	Inf	-Inf	3	Horizontal	113	1.00	-
2452MHz	Pass	PK	2.484G	66.48	74.00	-7.52	3	Horizontal	113	1.00	-
2452MHz	Pass	AV	4.90208G	30.11	54.00	-23.89	3	Vertical	10	2.31	-
2452MHz	Pass	PK	4.90425G	43.55	74.00	-30.45	3	Vertical	10	2.31	-
2452MHz	Pass	AV	4.90187G	30.28	54.00	-23.72	3	Horizontal	52	2.90	-
2452MHz	Pass	PK	4.90214G	43.68	74.00	-30.32	3	Horizontal	52	2.90	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.88	54.00	-5.12	31.52	3	Vertical	203	1.50	-	17.36	27.64	3.88	-
AV	2.4196G	100.71	Inf	-Inf	31.53	3	Vertical	203	1.50	-	69.18	27.60	3.93	-
PK	2.3898G	73.44	74.00	-0.56	31.52	3	Vertical	203	1.50	-	41.92	27.64	3.88	-
PK	2.4204G	114.20	Inf	-Inf	31.53	3	Vertical	203	1.50	-	82.67	27.60	3.93	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.57	54.00	-4.43	31.52	3	Horizontal	300	2.60	-	18.05	27.64	3.88	-
AV	2.4082G	102.74	Inf	-Inf	31.51	3	Horizontal	300	2.60	-	71.23	27.60	3.91	-
PK	2.3894G	71.48	74.00	-2.52	31.52	3	Horizontal	300	2.60	-	39.96	27.64	3.88	-
PK	2.4108G	112.57	Inf	-Inf	31.52	3	Horizontal	300	2.60	-	81.05	27.60	3.92	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8218G	29.97	54.00	-24.03	1.57	3	Vertical	199	1.06	-	28.40	31.19	5.31	34.93
PK	4.8224G	42.47	74.00	-31.53	1.57	3	Vertical	199	1.06	-	40.90	31.19	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82168G	29.88	54.00	-24.12	1.57	3	Horizontal	251	2.50	-	28.31	31.19	5.31	34.93
PK	4.82246G	42.26	74.00	-31.74	1.57	3	Horizontal	251	2.50	-	40.69	31.19	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.85	54.00	-6.15	31.52	3	Vertical	200	1.44	-	16.33	27.64	3.88	-
AV	2.4254G	105.11	Inf	-Inf	31.54	3	Vertical	200	1.44	-	73.57	27.60	3.94	-
AV	2.4838G	46.57	54.00	-7.43	31.63	3	Vertical	200	1.44	-	14.94	27.60	4.03	-
PK	2.3898G	67.89	74.00	-6.11	31.52	3	Vertical	200	1.44	-	36.37	27.64	3.88	-
PK	2.4246G	118.02	Inf	-Inf	31.54	3	Vertical	200	1.44	-	86.48	27.60	3.94	-
PK	2.4846G	59.93	74.00	-14.07	31.63	3	Vertical	200	1.44	-	28.30	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	47.23	54.00	-6.77	31.52	3	Horizontal	302	2.92	-	15.71	27.64	3.88	-
AV	2.4202G	104.74	Inf	-Inf	31.53	3	Horizontal	302	2.92	-	73.21	27.60	3.93	-
AV	2.4835G	45.48	54.00	-8.52	31.63	3	Horizontal	302	2.92	-	13.85	27.60	4.03	-
PK	2.3898G	65.27	74.00	-8.73	31.52	3	Horizontal	302	2.92	-	33.75	27.64	3.88	-
PK	2.4158G	113.63	Inf	-Inf	31.52	3	Horizontal	302	2.92	-	82.11	27.60	3.92	-
PK	2.4858G	58.21	74.00	-15.79	31.63	3	Horizontal	302	2.92	-	26.58	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.80	54.00	-9.20	31.52	3	Vertical	178	1.50	-	13.28	27.64	3.88	-
AV	2.4342G	106.52	Inf	-Inf	31.55	3	Vertical	178	1.50	-	74.97	27.60	3.95	-
AV	2.4835G	47.39	54.00	-6.61	31.63	3	Vertical	178	1.50	-	15.76	27.60	4.03	-
PK	2.3894G	60.16	74.00	-13.84	31.52	3	Vertical	178	1.50	-	28.64	27.64	3.88	-
PK	2.431G	115.23	Inf	-Inf	31.55	3	Vertical	178	1.50	-	83.68	27.60	3.95	-
PK	2.4838G	66.24	74.00	-7.76	31.63	3	Vertical	178	1.50	-	34.61	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.14	54.00	-9.86	31.52	3	Horizontal	298	2.86	-	12.62	27.64	3.88	-
AV	2.4354G	105.91	Inf	-Inf	31.55	3	Horizontal	298	2.86	-	74.36	27.60	3.95	-
AV	2.4854G	46.21	54.00	-7.79	31.63	3	Horizontal	298	2.86	-	14.58	27.60	4.03	-
PK	2.3778G	57.75	74.00	-16.25	31.56	3	Horizontal	298	2.86	-	26.19	27.69	3.87	-
PK	2.4294G	114.47	Inf	-Inf	31.54	3	Horizontal	298	2.86	-	82.93	27.60	3.94	-
PK	2.4838G	61.14	74.00	-12.86	31.63	3	Horizontal	298	2.86	-	29.51	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.8737G	42.87	74.00	-31.13	1.66	3	Vertical	129	1.50	-	41.21	31.25	5.34	34.93
AV	4.87194G	29.85	54.00	-24.15	1.67	3	Vertical	129	1.50	-	28.18	31.26	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87183G	29.64	54.00	-24.36	1.67	3	Horizontal	107	2.06	-	27.97	31.26	5.34	34.93
PK	4.87249G	42.51	74.00	-31.49	1.67	3	Horizontal	107	2.06	-	40.84	31.26	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	44.88	54.00	-9.12	31.52	3	Vertical	269	1.59	-	13.36	27.64	3.88	-
AV	2.4436G	108.12	Inf	-Inf	31.48	3	Vertical	269	1.59	-	76.64	27.51	3.97	-
AV	2.484G	53.42	54.00	-0.58	31.53	3	Vertical	269	1.59	-	21.89	27.50	4.03	-
PK	2.3608G	57.31	74.00	-16.69	31.60	3	Vertical	269	1.59	-	25.71	27.76	3.84	-
PK	2.4432G	118.77	Inf	-Inf	31.47	3	Vertical	269	1.59	-	87.30	27.51	3.96	-
PK	2.486G	68.73	74.00	-5.27	31.53	3	Vertical	269	1.59	-	37.20	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3688G	44.38	54.00	-9.62	31.57	3	Horizontal	337	1.38	-	12.81	27.72	3.85	-
AV	2.4484G	103.95	Inf	-Inf	31.47	3	Horizontal	337	1.38	-	72.48	27.50	3.97	-
AV	2.4835G	51.74	54.00	-2.26	31.53	3	Horizontal	337	1.38	-	20.21	27.50	4.03	-
PK	2.36G	56.45	74.00	-17.55	31.60	3	Horizontal	337	1.38	-	24.85	27.76	3.84	-
PK	2.4464G	114.33	Inf	-Inf	31.48	3	Horizontal	337	1.38	-	82.85	27.51	3.97	-
PK	2.484G	64.64	74.00	-9.36	31.53	3	Horizontal	337	1.38	-	33.11	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	44.03	54.00	-9.97	31.52	3	Vertical	199	2.21	-	12.51	27.64	3.88	-
AV	2.465G	105.31	Inf	-Inf	31.60	3	Vertical	199	2.21	-	73.71	27.60	4.00	-
AV	2.4838G	51.94	54.00	-2.06	31.63	3	Vertical	199	2.21	-	20.31	27.60	4.03	-
PK	2.3866G	57.51	74.00	-16.49	31.53	3	Vertical	199	2.21	-	25.98	27.65	3.88	-
PK	2.4654G	117.80	Inf	-Inf	31.60	3	Vertical	199	2.21	-	86.20	27.60	4.00	-
PK	2.4842G	73.63	74.00	-0.37	31.63	3	Vertical	199	2.21	-	42.00	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3674G	44.05	54.00	-9.95	31.58	3	Horizontal	14	1.50	-	12.47	27.73	3.85	-
AV	2.4526G	98.38	Inf	-Inf	31.58	3	Horizontal	14	1.50	-	66.80	27.60	3.98	-
AV	2.4838G	50.82	54.00	-3.18	31.63	3	Horizontal	14	1.50	-	19.19	27.60	4.03	-
PK	2.381G	57.49	74.00	-16.51	31.55	3	Horizontal	14	1.50	-	25.94	27.68	3.87	-
PK	2.4634G	111.43	Inf	-Inf	31.60	3	Horizontal	14	1.50	-	79.83	27.60	4.00	-
PK	2.4842G	71.43	74.00	-2.57	31.63	3	Horizontal	14	1.50	-	39.80	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4674G	102.42	Inf	-Inf	31.60	3	Vertical	200	2.24	-	70.82	27.60	4.00	-
AV	2.4835G	51.19	54.00	-2.81	31.63	3	Vertical	200	2.24	-	19.56	27.60	4.03	-
PK	2.468G	114.74	Inf	-Inf	31.60	3	Vertical	200	2.24	-	83.14	27.60	4.00	-
PK	2.4838G	73.80	74.00	-0.20	31.63	3	Vertical	200	2.24	-	42.17	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	97.82	Inf	-Inf	31.60	3	Horizontal	343	1.81	-	66.22	27.60	4.00	-
AV	2.4835G	48.81	54.00	-5.19	31.63	3	Horizontal	343	1.81	-	17.18	27.60	4.03	-
PK	2.4642G	108.10	Inf	-Inf	31.60	3	Horizontal	343	1.81	-	76.50	27.60	4.00	-
PK	2.4836G	72.37	74.00	-1.63	31.63	3	Horizontal	343	1.81	-	40.74	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92253G	29.67	54.00	-24.33	1.71	3	Vertical	345	1.50	-	27.96	31.29	5.36	34.94
PK	4.92536G	42.60	74.00	-31.40	1.72	3	Vertical	345	1.50	-	40.88	31.30	5.36	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92185G	29.73	54.00	-24.27	1.71	3	Horizontal	270	1.50	-	28.02	31.29	5.36	34.94
PK	4.92219G	42.39	74.00	-31.61	1.71	3	Horizontal	270	1.50	-	40.68	31.29	5.36	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	51.24	54.00	-2.76	31.52	3	Vertical	85	3.00	-	19.72	27.64	3.88	-
AV	2.4128G	103.18	Inf	-Inf	31.52	3	Vertical	85	3.00	-	71.66	27.60	3.92	-
AV	2.4835G	46.69	54.00	-7.31	31.63	3	Vertical	85	3.00	-	15.06	27.60	4.03	-
PK	2.3896G	73.45	74.00	-0.55	31.52	3	Vertical	85	3.00	-	41.93	27.64	3.88	-
PK	2.4108G	115.77	Inf	-Inf	31.52	3	Vertical	85	3.00	-	84.25	27.60	3.92	-
PK	2.4864G	62.67	74.00	-11.33	31.63	3	Vertical	85	3.00	-	31.04	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.40	54.00	-6.60	31.52	3	Horizontal	293	2.90	-	15.88	27.64	3.88	-
AV	2.4292G	96.89	Inf	-Inf	31.54	3	Horizontal	293	2.90	-	65.35	27.60	3.94	-
AV	2.4884G	44.68	54.00	-9.32	31.63	3	Horizontal	293	2.90	-	13.05	27.60	4.03	-
PK	2.39G	73.05	74.00	-0.95	31.52	3	Horizontal	293	2.90	-	41.53	27.64	3.88	-
PK	2.4044G	110.66	Inf	-Inf	31.51	3	Horizontal	293	2.90	-	79.15	27.60	3.91	-
PK	2.484G	58.69	74.00	-15.31	31.63	3	Horizontal	293	2.90	-	27.06	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84318G	30.39	54.00	-23.61	1.66	3	Vertical	243	1.50	-	28.73	31.27	5.32	34.93
PK	4.84211G	43.27	74.00	-30.73	1.66	3	Vertical	243	1.50	-	41.61	31.27	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84191G	30.43	54.00	-23.57	1.66	3	Horizontal	134	2.11	-	28.77	31.27	5.32	34.93
PK	4.84407G	42.66	74.00	-31.34	1.67	3	Horizontal	134	2.11	-	40.99	31.28	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.20	54.00	-1.80	31.52	3	Vertical	189	2.27	-	20.68	27.64	3.88	-
AV	2.4294G	103.67	Inf	-Inf	31.54	3	Vertical	189	2.27	-	72.13	27.60	3.94	-
AV	2.4846G	51.51	54.00	-2.49	31.63	3	Vertical	189	2.27	-	19.88	27.60	4.03	-
PK	2.3894G	73.88	74.00	-0.12	31.52	3	Vertical	189	2.27	-	42.36	27.64	3.88	-
PK	2.4158G	115.67	Inf	-Inf	31.52	3	Vertical	189	2.27	-	84.15	27.60	3.92	-
PK	2.4842G	69.87	74.00	-4.13	31.63	3	Vertical	189	2.27	-	38.24	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.79	54.00	-5.21	31.52	3	Horizontal	204	2.82	-	17.27	27.64	3.88	-
AV	2.4234G	100.28	Inf	-Inf	31.54	3	Horizontal	204	2.82	-	68.74	27.60	3.94	-
AV	2.4842G	50.65	54.00	-3.35	31.63	3	Horizontal	204	2.82	-	19.02	27.60	4.03	-
PK	2.3898G	67.31	74.00	-6.69	31.52	3	Horizontal	204	2.82	-	35.79	27.64	3.88	-
PK	2.421G	111.91	Inf	-Inf	31.53	3	Horizontal	204	2.82	-	80.38	27.60	3.93	-
PK	2.4862G	66.22	74.00	-7.78	31.63	3	Horizontal	204	2.82	-	34.59	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	48.06	54.00	-5.94	31.52	3	Vertical	192	2.51	-	16.54	27.64	3.88	-
AV	2.4286G	102.29	Inf	-Inf	31.54	3	Vertical	192	2.51	-	70.75	27.60	3.94	-
AV	2.4842G	52.68	54.00	-1.32	31.63	3	Vertical	192	2.51	-	21.05	27.60	4.03	-
PK	2.3898G	60.90	74.00	-13.10	31.52	3	Vertical	192	2.51	-	29.38	27.64	3.88	-
PK	2.4354G	112.98	Inf	-Inf	31.55	3	Vertical	192	2.51	-	81.43	27.60	3.95	-
PK	2.4835G	73.46	74.00	-0.54	31.63	3	Vertical	192	2.51	-	41.83	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.45	54.00	-6.55	31.52	3	Horizontal	12	1.80	-	15.93	27.64	3.88	-
AV	2.4234G	97.46	Inf	-Inf	31.54	3	Horizontal	12	1.80	-	65.92	27.60	3.94	-
AV	2.4842G	50.92	54.00	-3.08	31.63	3	Horizontal	12	1.80	-	19.29	27.60	4.03	-
PK	2.3398G	57.56	74.00	-16.44	31.63	3	Horizontal	12	1.80	-	25.93	27.82	3.81	-
PK	2.4222G	110.04	Inf	-Inf	31.53	3	Horizontal	12	1.80	-	78.51	27.60	3.93	-
PK	2.4862G	65.04	74.00	-8.96	31.63	3	Horizontal	12	1.80	-	33.41	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87216G	29.89	54.00	-24.11	1.67	3	Vertical	306	2.54	-	28.92	31.26	5.34	34.93
PK	4.87464G	43.04	74.00	-30.96	1.66	3	Vertical	306	2.54	-	41.58	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87169G	29.87	54.00	-24.13	1.67	3	Horizontal	109	2.33	-	28.90	31.26	5.34	34.93
PK	4.87299G	42.07	74.00	-31.93	1.66	3	Horizontal	109	2.33	-	41.01	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	44.36	54.00	-9.64	31.52	3	Vertical	261	1.50	-	12.84	27.64	3.88	-
AV	2.4524G	99.17	Inf	-Inf	31.48	3	Vertical	261	1.50	-	67.69	27.50	3.98	-
AV	2.4835G	53.70	54.00	-0.30	31.53	3	Vertical	261	1.50	-	22.17	27.50	4.03	-
PK	2.3808G	56.56	74.00	-17.44	31.55	3	Vertical	261	1.50	-	25.01	27.68	3.87	-
PK	2.4508G	110.97	Inf	-Inf	31.48	3	Vertical	261	1.50	-	79.49	27.50	3.98	-
PK	2.4844G	71.09	74.00	-2.91	31.53	3	Vertical	261	1.50	-	39.56	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2442MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3588G	44.15	54.00	-9.85	31.60	3	Horizontal	0	1.65	-	12.55	27.76	3.84	-
AV	2.428G	93.59	Inf	-Inf	31.48	3	Horizontal	0	1.65	-	62.11	27.54	3.94	-
AV	2.4835G	47.11	54.00	-6.89	31.53	3	Horizontal	0	1.65	-	15.58	27.50	4.03	-
PK	2.3828G	56.85	74.00	-17.15	31.54	3	Horizontal	0	1.65	-	25.31	27.67	3.87	-
PK	2.4504G	106.06	Inf	-Inf	31.48	3	Horizontal	0	1.65	-	74.58	27.50	3.98	-
PK	2.4864G	61.48	74.00	-12.52	31.53	3	Horizontal	0	1.65	-	29.95	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3614G	46.23	54.00	-7.77	31.59	3	Vertical	201	1.32	-	14.64	27.75	3.84	-
AV	2.4398G	104.60	Inf	-Inf	31.56	3	Vertical	201	1.32	-	73.04	27.60	3.96	-
AV	2.4835G	50.92	54.00	-3.08	31.63	3	Vertical	201	1.32	-	19.29	27.60	4.03	-
PK	2.3826G	57.34	74.00	-16.66	31.54	3	Vertical	201	1.32	-	25.80	27.67	3.87	-
PK	2.4346G	113.56	Inf	-Inf	31.55	3	Vertical	201	1.32	-	82.01	27.60	3.95	-
PK	2.4854G	73.89	74.00	-0.11	31.63	3	Vertical	201	1.32	-	42.26	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3818G	46.15	54.00	-7.85	31.54	3	Horizontal	297	2.80	-	14.61	27.67	3.87	-
AV	2.4298G	97.70	Inf	-Inf	31.54	3	Horizontal	297	2.80	-	66.16	27.60	3.94	-
AV	2.4835G	49.31	54.00	-4.69	31.63	3	Horizontal	297	2.80	-	17.68	27.60	4.03	-
PK	2.361G	57.26	74.00	-16.74	31.60	3	Horizontal	297	2.80	-	25.66	27.76	3.84	-
PK	2.4374G	108.33	Inf	-Inf	31.56	3	Horizontal	297	2.80	-	76.77	27.60	3.96	-
PK	2.4842G	66.28	74.00	-7.72	31.63	3	Horizontal	297	2.80	-	34.65	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3764G	46.22	54.00	-7.78	31.55	3	Vertical	196	2.90	-	14.67	27.69	3.86	-
AV	2.436G	99.23	Inf	-Inf	31.55	3	Vertical	196	2.90	-	67.68	27.60	3.95	-
AV	2.4835G	51.66	54.00	-2.34	31.63	3	Vertical	196	2.90	-	20.03	27.60	4.03	-
PK	2.3872G	57.29	74.00	-16.71	31.53	3	Vertical	196	2.90	-	25.76	27.65	3.88	-
PK	2.4356G	111.45	Inf	-Inf	31.55	3	Vertical	196	2.90	-	79.90	27.60	3.95	-
PK	2.4835G	73.11	74.00	-0.89	31.63	3	Vertical	196	2.90	-	41.48	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.36G	46.26	54.00	-7.74	31.60	3	Horizontal	113	1.00	-	14.66	27.76	3.84	-
AV	2.4352G	92.74	Inf	-Inf	31.55	3	Horizontal	113	1.00	-	61.19	27.60	3.95	-
AV	2.4835G	48.50	54.00	-5.50	31.63	3	Horizontal	113	1.00	-	16.87	27.60	4.03	-
PK	2.3692G	57.52	74.00	-16.48	31.57	3	Horizontal	113	1.00	-	25.95	27.72	3.85	-
PK	2.4348G	105.34	Inf	-Inf	31.55	3	Horizontal	113	1.00	-	73.79	27.60	3.95	-
PK	2.484G	66.48	74.00	-7.52	31.63	3	Horizontal	113	1.00	-	34.85	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90208G	30.11	54.00	-23.89	1.63	3	Vertical	10	2.31	-	28.48	31.21	5.35	34.93
PK	4.90425G	43.55	74.00	-30.45	1.64	3	Vertical	10	2.31	-	41.91	31.22	5.35	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90187G	30.28	54.00	-23.72	1.63	3	Horizontal	52	2.90	-	28.65	31.21	5.35	34.93
PK	4.90214G	43.68	74.00	-30.32	1.63	3	Horizontal	52	2.90	-	42.05	31.21	5.35	34.93



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	QP	47.38M	39.66	40.00	-0.34	3	Vertical	189	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	210.42M	33.24	43.50	-10.26	3	Vertical	360	1.00	-
2437MHz	Pass	PK	353.98M	34.39	46.00	-11.61	3	Vertical	360	1.00	-
2437MHz	Pass	PK	425.76M	37.09	46.00	-8.91	3	Vertical	360	1.00	-
2437MHz	Pass	PK	563.5M	35.62	46.00	-10.38	3	Vertical	360	1.00	-
2437MHz	Pass	PK	712.88M	36.59	46.00	-9.41	3	Vertical	360	1.00	-
2437MHz	Pass	QP	47.38M	39.66	40.00	-0.34	3	Vertical	189	1.00	-
2437MHz	Pass	PK	208.48M	38.68	43.50	-4.82	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	423.82M	40.44	46.00	-5.56	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	555.74M	39.12	46.00	-6.88	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	681.84M	39.66	46.00	-6.34	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	875.84M	36.69	46.00	-9.31	3	Horizontal	0	1.00	-
2437MHz	Pass	QP	84.32M	39.23	40.00	-0.77	3	Horizontal	1.12	1.00	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	210.42M	33.24	43.50	-10.26	-20.72	3	Vertical	360	1.00	-	53.96	14.22	1.36	36.30
PK	353.98M	34.39	46.00	-11.61	-15.04	3	Vertical	360	1.00	-	49.43	19.71	1.78	36.53
PK	425.76M	37.09	46.00	-8.91	-12.47	3	Vertical	360	1.00	-	49.56	22.12	2.01	36.60
PK	563.5M	35.62	46.00	-10.38	-9.32	3	Vertical	360	1.00	-	44.94	25.37	2.40	37.09
PK	712.88M	36.59	46.00	-9.41	-8.65	3	Vertical	360	1.00	-	45.24	26.01	2.71	37.37
QP	47.38M	39.66	40.00	-0.34	-21.87	3	Vertical	189	1.00	-	61.53	14.41	0.80	37.08

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	208.48M	38.68	43.50	-4.82	-20.60	3	Horizontal	0	1.00	-	59.28	14.27	1.35	36.22
PK	423.82M	40.44	46.00	-5.56	-12.42	3	Horizontal	0	1.00	-	52.86	22.09	2.00	36.51
PK	555.74M	39.12	46.00	-6.88	-9.59	3	Horizontal	0	1.00	-	48.71	25.12	2.39	37.10
PK	681.84M	39.66	46.00	-6.34	-8.88	3	Horizontal	0	1.00	-	48.54	25.63	2.66	37.17
PK	875.84M	36.69	46.00	-9.31	-6.50	3	Horizontal	0	1.00	-	43.19	28.15	2.97	37.62
QP	84.32M	39.23	40.00	-0.77	-22.77	3	Horizontal	1.12	1.00	-	62.00	13.01	0.91	36.69



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Horizontal	63	1.36	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	2.39G	53.88	54.00	-0.12	3	Horizontal	288	2.71	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	47.73	54.00	-6.27	3	Vertical	178	1.50	-
2412MHz	Pass	AV	2.4042G	98.59	Inf	-Inf	3	Vertical	178	1.50	-
2412MHz	Pass	PK	2.39G	67.28	74.00	-6.72	3	Vertical	178	1.50	-
2412MHz	Pass	PK	2.4046G	110.45	Inf	-Inf	3	Vertical	178	1.50	-
2412MHz	Pass	AV	2.3894G	49.82	54.00	-4.18	3	Horizontal	313	1.73	-
2412MHz	Pass	AV	2.4152G	102.43	Inf	-Inf	3	Horizontal	313	1.73	-
2412MHz	Pass	PK	2.39G	73.85	74.00	-0.15	3	Horizontal	313	1.73	-
2412MHz	Pass	PK	2.4052G	112.53	Inf	-Inf	3	Horizontal	313	1.73	-
2412MHz	Pass	AV	4.83032G	30.02	54.00	-23.98	3	Vertical	86	1.50	-
2412MHz	Pass	PK	4.82972G	42.89	74.00	-31.11	3	Vertical	86	1.50	-
2412MHz	Pass	AV	4.83192G	30.11	54.00	-23.89	3	Horizontal	344	1.51	-
2412MHz	Pass	PK	4.82524G	43.06	74.00	-30.94	3	Horizontal	344	1.51	-
2417MHz	Pass	AV	2.3894G	46.06	54.00	-7.94	3	Vertical	191	1.50	-
2417MHz	Pass	AV	2.4154G	101.83	Inf	-Inf	3	Vertical	191	1.50	-
2417MHz	Pass	AV	2.4838G	44.97	54.00	-9.03	3	Vertical	191	1.50	-
2417MHz	Pass	PK	2.3898G	62.62	74.00	-11.38	3	Vertical	191	1.50	-
2417MHz	Pass	PK	2.4158G	113.08	Inf	-Inf	3	Vertical	191	1.50	-
2417MHz	Pass	PK	2.4838G	59.37	74.00	-14.63	3	Vertical	191	1.50	-
2417MHz	Pass	AV	2.3898G	47.95	54.00	-6.05	3	Horizontal	302	2.20	-
2417MHz	Pass	AV	2.4178G	104.33	Inf	-Inf	3	Horizontal	302	2.20	-
2417MHz	Pass	AV	2.4846G	45.84	54.00	-8.16	3	Horizontal	302	2.20	-
2417MHz	Pass	PK	2.3894G	68.82	74.00	-5.18	3	Horizontal	302	2.20	-
2417MHz	Pass	PK	2.409G	116.61	Inf	-Inf	3	Horizontal	302	2.20	-
2417MHz	Pass	PK	2.4858G	58.98	74.00	-15.02	3	Horizontal	302	2.20	-
2437MHz	Pass	AV	2.3894G	44.06	54.00	-9.94	3	Vertical	109	1.52	-
2437MHz	Pass	AV	2.4342G	100.33	Inf	-Inf	3	Vertical	109	1.52	-
2437MHz	Pass	AV	2.4842G	45.51	54.00	-8.49	3	Vertical	109	1.52	-
2437MHz	Pass	PK	2.3534G	57.87	74.00	-16.13	3	Vertical	109	1.52	-
2437MHz	Pass	PK	2.4338G	113.34	Inf	-Inf	3	Vertical	109	1.52	-
2437MHz	Pass	PK	2.4835G	60.58	74.00	-13.42	3	Vertical	109	1.52	-
2437MHz	Pass	AV	2.3898G	44.77	54.00	-9.23	3	Horizontal	64	1.05	-
2437MHz	Pass	AV	2.4326G	105.43	Inf	-Inf	3	Horizontal	64	1.05	-
2437MHz	Pass	AV	2.4842G	47.00	54.00	-7.00	3	Horizontal	64	1.05	-
2437MHz	Pass	PK	2.389G	57.65	74.00	-16.35	3	Horizontal	64	1.05	-
2437MHz	Pass	PK	2.4334G	118.07	Inf	-Inf	3	Horizontal	64	1.05	-
2437MHz	Pass	PK	2.4838G	64.92	74.00	-9.08	3	Horizontal	64	1.05	-
2437MHz	Pass	AV	4.87233G	29.68	54.00	-24.32	3	Vertical	204	1.50	-
2437MHz	Pass	PK	4.87367G	42.29	74.00	-31.71	3	Vertical	204	1.50	-
2437MHz	Pass	AV	4.87205G	29.90	54.00	-24.10	3	Horizontal	291	1.70	-
2437MHz	Pass	PK	4.87381G	43.06	74.00	-30.94	3	Horizontal	291	1.70	-
2452MHz	Pass	AV	2.3804G	44.23	54.00	-9.77	3	Vertical	17	1.34	-
2452MHz	Pass	AV	2.4456G	101.02	Inf	-Inf	3	Vertical	17	1.34	-
2452MHz	Pass	AV	2.4835G	48.96	54.00	-5.04	3	Vertical	17	1.34	-
2452MHz	Pass	PK	2.38G	56.55	74.00	-17.45	3	Vertical	17	1.34	-
2452MHz	Pass	PK	2.448G	112.34	Inf	-Inf	3	Vertical	17	1.34	-
2452MHz	Pass	PK	2.4856G	63.31	74.00	-10.69	3	Vertical	17	1.34	-
2452MHz	Pass	AV	2.39G	44.23	54.00	-9.77	3	Horizontal	63	1.36	-
2452MHz	Pass	AV	2.444G	106.52	Inf	-Inf	3	Horizontal	63	1.36	-
2452MHz	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Horizontal	63	1.36	-
2452MHz	Pass	PK	2.3568G	56.71	74.00	-17.29	3	Horizontal	63	1.36	-
2452MHz	Pass	PK	2.4448G	118.94	Inf	-Inf	3	Horizontal	63	1.36	-
2452MHz	Pass	PK	2.4844G	69.67	74.00	-4.33	3	Horizontal	63	1.36	-
2457MHz	Pass	AV	2.367G	43.72	54.00	-10.28	3	Vertical	88	2.03	-
2457MHz	Pass	AV	2.451G	99.79	Inf	-Inf	3	Vertical	88	2.03	-
2457MHz	Pass	AV	2.4835G	49.88	54.00	-4.12	3	Vertical	88	2.03	-
2457MHz	Pass	PK	2.3774G	57.39	74.00	-16.61	3	Vertical	88	2.03	-
2457MHz	Pass	PK	2.4654G	112.88	Inf	-Inf	3	Vertical	88	2.03	-
2457MHz	Pass	PK	2.4835G	73.61	74.00	-0.39	3	Vertical	88	2.03	-
2457MHz	Pass	AV	2.3834G	43.76	54.00	-10.24	3	Horizontal	300	1.65	-
2457MHz	Pass	AV	2.449G	102.17	Inf	-Inf	3	Horizontal	300	1.65	-



RSE TX above 1GHz_Beamforming_WiFi B

Appendix F.8


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	2.4835G	50.06	54.00	-3.94	3	Horizontal	300	1.65	-
2457MHz	Pass	PK	2.3718G	57.53	74.00	-16.47	3	Horizontal	300	1.65	-
2457MHz	Pass	PK	2.4482G	115.29	Inf	-Inf	3	Horizontal	300	1.65	-
2457MHz	Pass	PK	2.4838G	73.05	74.00	-0.95	3	Horizontal	300	1.65	-
2462MHz	Pass	AV	2.454G	95.65	Inf	-Inf	3	Vertical	90	2.08	-
2462MHz	Pass	AV	2.4835G	46.97	54.00	-7.03	3	Vertical	90	2.08	-
2462MHz	Pass	PK	2.4684G	109.74	Inf	-Inf	3	Vertical	90	2.08	-
2462MHz	Pass	PK	2.4835G	71.26	74.00	-2.74	3	Vertical	90	2.08	-
2462MHz	Pass	AV	2.4648G	97.79	Inf	-Inf	3	Horizontal	307	2.08	-
2462MHz	Pass	AV	2.4835G	47.73	54.00	-6.27	3	Horizontal	307	2.08	-
2462MHz	Pass	PK	2.4596G	111.26	Inf	-Inf	3	Horizontal	307	2.08	-
2462MHz	Pass	PK	2.4835G	73.75	74.00	-0.25	3	Horizontal	307	2.08	-
2462MHz	Pass	AV	4.92171G	30.18	54.00	-23.82	3	Vertical	106	1.50	-
2462MHz	Pass	PK	4.92492G	42.81	74.00	-31.19	3	Vertical	106	1.50	-
2462MHz	Pass	AV	4.92626G	29.92	54.00	-24.08	3	Horizontal	253	1.50	-
2462MHz	Pass	PK	4.92213G	43.02	74.00	-30.98	3	Horizontal	253	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3884G	45.93	54.00	-8.07	3	Vertical	91	1.57	-
2422MHz	Pass	AV	2.4396G	96.72	Inf	-Inf	3	Vertical	91	1.57	-
2422MHz	Pass	AV	2.4844G	45.57	54.00	-8.43	3	Vertical	91	1.57	-
2422MHz	Pass	PK	2.3896G	65.98	74.00	-8.02	3	Vertical	91	1.57	-
2422MHz	Pass	PK	2.4104G	111.06	Inf	-Inf	3	Vertical	91	1.57	-
2422MHz	Pass	PK	2.4835G	65.86	74.00	-8.14	3	Vertical	91	1.57	-
2422MHz	Pass	AV	2.3896G	51.93	54.00	-2.07	3	Horizontal	65	2.30	-
2422MHz	Pass	AV	2.406G	101.50	Inf	-Inf	3	Horizontal	65	2.30	-
2422MHz	Pass	AV	2.4876G	49.09	54.00	-4.91	3	Horizontal	65	2.30	-
2422MHz	Pass	PK	2.3896G	73.70	74.00	-0.30	3	Horizontal	65	2.30	-
2422MHz	Pass	PK	2.4048G	113.06	Inf	-Inf	3	Horizontal	65	2.30	-
2422MHz	Pass	PK	2.4868G	62.50	74.00	-11.50	3	Horizontal	65	2.30	-
2422MHz	Pass	AV	4.84158G	30.77	54.00	-23.23	3	Vertical	340	1.50	-
2422MHz	Pass	PK	4.84218G	43.64	74.00	-30.36	3	Vertical	340	1.50	-
2422MHz	Pass	AV	4.84171G	30.66	54.00	-23.34	3	Horizontal	145	2.57	-
2422MHz	Pass	PK	4.84203G	43.36	74.00	-30.64	3	Horizontal	145	2.57	-
2427MHz	Pass	AV	2.3882G	44.19	54.00	-9.81	3	Vertical	17	1.50	-
2427MHz	Pass	AV	2.4442G	95.93	Inf	-Inf	3	Vertical	17	1.50	-
2427MHz	Pass	AV	2.4842G	46.20	54.00	-7.80	3	Vertical	17	1.50	-
2427MHz	Pass	PK	2.3894G	57.76	74.00	-16.24	3	Vertical	17	1.50	-
2427MHz	Pass	PK	2.443G	108.76	Inf	-Inf	3	Vertical	17	1.50	-
2427MHz	Pass	PK	2.4842G	60.38	74.00	-13.62	3	Vertical	17	1.50	-
2427MHz	Pass	AV	2.3898G	49.72	54.00	-4.28	3	Horizontal	295	3.00	-
2427MHz	Pass	AV	2.4358G	102.60	Inf	-Inf	3	Horizontal	295	3.00	-
2427MHz	Pass	AV	2.4842G	49.38	54.00	-4.62	3	Horizontal	295	3.00	-
2427MHz	Pass	PK	2.3898G	73.84	74.00	-0.16	3	Horizontal	295	3.00	-
2427MHz	Pass	PK	2.4202G	113.38	Inf	-Inf	3	Horizontal	295	3.00	-
2427MHz	Pass	PK	2.4842G	62.47	74.00	-11.53	3	Horizontal	295	3.00	-
2432MHz	Pass	AV	2.39G	46.41	54.00	-7.59	3	Vertical	263	1.48	-
2432MHz	Pass	AV	2.4148G	99.09	Inf	-Inf	3	Vertical	263	1.48	-
2432MHz	Pass	AV	2.4835G	51.18	54.00	-2.82	3	Vertical	263	1.48	-
2432MHz	Pass	PK	2.39G	60.18	74.00	-13.82	3	Vertical	263	1.48	-
2432MHz	Pass	PK	2.4332G	110.02	Inf	-Inf	3	Vertical	263	1.48	-
2432MHz	Pass	PK	2.484G	64.88	74.00	-9.12	3	Vertical	263	1.48	-
2432MHz	Pass	AV	2.39G	53.88	54.00	-0.12	3	Horizontal	288	2.71	-
2432MHz	Pass	AV	2.4284G	100.62	Inf	-Inf	3	Horizontal	288	2.71	-
2432MHz	Pass	AV	2.4844G	49.58	54.00	-4.42	3	Horizontal	288	2.71	-
2432MHz	Pass	PK	2.3896G	69.79	74.00	-4.21	3	Horizontal	288	2.71	-
2432MHz	Pass	PK	2.4184G	112.88	Inf	-Inf	3	Horizontal	288	2.71	-
2432MHz	Pass	PK	2.484G	65.54	74.00	-8.46	3	Horizontal	288	2.71	-
2437MHz	Pass	AV	2.3898G	47.37	54.00	-6.63	3	Vertical	244	2.80	-
2437MHz	Pass	AV	2.4298G	99.39	Inf	-Inf	3	Vertical	244	2.80	-
2437MHz	Pass	AV	2.4842G	51.13	54.00	-2.87	3	Vertical	244	2.80	-
2437MHz	Pass	PK	2.3486G	57.70	74.00	-16.30	3	Vertical	244	2.80	-
2437MHz	Pass	PK	2.4206G	110.31	Inf	-Inf	3	Vertical	244	2.80	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.4838G	71.99	74.00	-2.01	3	Vertical	244	2.80	-
2437MHz	Pass	AV	2.3898G	46.51	54.00	-7.49	3	Horizontal	296	2.44	-
2437MHz	Pass	AV	2.4306G	105.39	Inf	-Inf	3	Horizontal	296	2.44	-
2437MHz	Pass	AV	2.4835G	51.80	54.00	-2.20	3	Horizontal	296	2.44	-
2437MHz	Pass	PK	2.3894G	62.37	74.00	-11.63	3	Horizontal	296	2.44	-
2437MHz	Pass	PK	2.4314G	116.25	Inf	-Inf	3	Horizontal	296	2.44	-
2437MHz	Pass	PK	2.4835G	73.42	74.00	-0.58	3	Horizontal	296	2.44	-
2437MHz	Pass	AV	4.89112G	29.67	54.00	-24.33	3	Vertical	153	2.44	-
2437MHz	Pass	PK	4.87592G	41.90	74.00	-32.10	3	Vertical	153	2.44	-
2437MHz	Pass	AV	4.87186G	29.74	54.00	-24.26	3	Horizontal	85	2.04	-
2437MHz	Pass	PK	4.8731G	42.77	74.00	-31.23	3	Horizontal	85	2.04	-
2447MHz	Pass	AV	2.3514G	44.10	54.00	-9.90	3	Vertical	90	1.56	-
2447MHz	Pass	AV	2.4358G	99.41	Inf	-Inf	3	Vertical	90	1.56	-
2447MHz	Pass	AV	2.485G	46.46	54.00	-7.54	3	Vertical	90	1.56	-
2447MHz	Pass	PK	2.3806G	57.93	74.00	-16.07	3	Vertical	90	1.56	-
2447MHz	Pass	PK	2.4358G	110.93	Inf	-Inf	3	Vertical	90	1.56	-
2447MHz	Pass	PK	2.485G	70.22	74.00	-3.78	3	Vertical	90	1.56	-
2447MHz	Pass	AV	2.3726G	46.24	54.00	-7.76	3	Horizontal	296	2.43	-
2447MHz	Pass	AV	2.441G	101.02	Inf	-Inf	3	Horizontal	296	2.43	-
2447MHz	Pass	AV	2.4846G	49.64	54.00	-4.36	3	Horizontal	296	2.43	-
2447MHz	Pass	PK	2.3602G	58.31	74.00	-15.69	3	Horizontal	296	2.43	-
2447MHz	Pass	PK	2.4406G	113.88	Inf	-Inf	3	Horizontal	296	2.43	-
2447MHz	Pass	PK	2.4842G	70.67	74.00	-3.33	3	Horizontal	296	2.43	-
2452MHz	Pass	AV	2.3548G	45.13	54.00	-8.87	3	Vertical	336	1.53	-
2452MHz	Pass	AV	2.4696G	95.79	Inf	-Inf	3	Vertical	336	1.53	-
2452MHz	Pass	AV	2.4835G	49.35	54.00	-4.65	3	Vertical	336	1.53	-
2452MHz	Pass	PK	2.3608G	57.72	74.00	-16.28	3	Vertical	336	1.53	-
2452MHz	Pass	PK	2.4508G	107.02	Inf	-Inf	3	Vertical	336	1.53	-
2452MHz	Pass	PK	2.4856G	73.70	74.00	-0.30	3	Vertical	336	1.53	-
2452MHz	Pass	AV	2.3576G	44.04	54.00	-9.96	3	Horizontal	295	2.42	-
2452MHz	Pass	AV	2.4372G	98.76	Inf	-Inf	3	Horizontal	295	2.42	-
2452MHz	Pass	AV	2.484G	48.42	54.00	-5.58	3	Horizontal	295	2.42	-
2452MHz	Pass	PK	2.384G	58.14	74.00	-15.86	3	Horizontal	295	2.42	-
2452MHz	Pass	PK	2.4456G	113.01	Inf	-Inf	3	Horizontal	295	2.42	-
2452MHz	Pass	PK	2.484G	70.84	74.00	-3.16	3	Horizontal	295	2.42	-
2452MHz	Pass	AV	4.90376G	30.61	54.00	-23.39	3	Vertical	324	1.50	-
2452MHz	Pass	PK	4.90152G	43.36	74.00	-30.64	3	Vertical	324	1.50	-
2452MHz	Pass	AV	4.90193G	30.46	54.00	-23.54	3	Horizontal	51	1.51	-
2452MHz	Pass	PK	4.90184G	43.33	74.00	-30.67	3	Horizontal	51	1.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.73	54.00	-6.27	31.52	3	Vertical	178	1.50	-	16.21	27.64	3.88	-
AV	2.4042G	98.59	Inf	-Inf	31.51	3	Vertical	178	1.50	-	67.08	27.60	3.91	-
PK	2.39G	67.28	74.00	-6.72	31.52	3	Vertical	178	1.50	-	35.76	27.64	3.88	-
PK	2.4046G	110.45	Inf	-Inf	31.51	3	Vertical	178	1.50	-	78.94	27.60	3.91	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.82	54.00	-4.18	31.52	3	Horizontal	313	1.73	-	18.30	27.64	3.88	-
AV	2.4152G	102.43	Inf	-Inf	31.52	3	Horizontal	313	1.73	-	70.91	27.60	3.92	-
PK	2.39G	73.85	74.00	-0.15	31.52	3	Horizontal	313	1.73	-	42.33	27.64	3.88	-
PK	2.4052G	112.53	Inf	-Inf	31.51	3	Horizontal	313	1.73	-	81.02	27.60	3.91	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83032G	30.02	54.00	-23.98	1.61	3	Vertical	86	1.50	-	28.41	31.22	5.32	34.93
PK	4.82972G	42.89	74.00	-31.11	1.60	3	Vertical	86	1.50	-	41.29	31.22	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83192G	30.11	54.00	-23.89	1.62	3	Horizontal	344	1.51	-	28.49	31.23	5.32	34.93
PK	4.82524G	43.06	74.00	-30.94	1.58	3	Horizontal	344	1.51	-	41.48	31.20	5.31	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.06	54.00	-7.94	31.52	3	Vertical	191	1.50	-	14.54	27.64	3.88	-
AV	2.4154G	101.83	Inf	-Inf	31.52	3	Vertical	191	1.50	-	70.31	27.60	3.92	-
AV	2.4838G	44.97	54.00	-9.03	31.63	3	Vertical	191	1.50	-	13.34	27.60	4.03	-
PK	2.3898G	62.62	74.00	-11.38	31.52	3	Vertical	191	1.50	-	31.10	27.64	3.88	-
PK	2.4158G	113.08	Inf	-Inf	31.52	3	Vertical	191	1.50	-	81.56	27.60	3.92	-
PK	2.4838G	59.37	74.00	-14.63	31.63	3	Vertical	191	1.50	-	27.74	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.95	54.00	-6.05	31.52	3	Horizontal	302	2.20	-	16.43	27.64	3.88	-
AV	2.4178G	104.33	Inf	-Inf	31.53	3	Horizontal	302	2.20	-	72.80	27.60	3.93	-
AV	2.4846G	45.84	54.00	-8.16	31.63	3	Horizontal	302	2.20	-	14.21	27.60	4.03	-
PK	2.3894G	68.82	74.00	-5.18	31.52	3	Horizontal	302	2.20	-	37.30	27.64	3.88	-
PK	2.409G	116.61	Inf	-Inf	31.51	3	Horizontal	302	2.20	-	85.10	27.60	3.91	-
PK	2.4858G	58.98	74.00	-15.02	31.63	3	Horizontal	302	2.20	-	27.35	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	44.06	54.00	-9.94	31.52	3	Vertical	109	1.52	-	12.54	27.64	3.88	-
AV	2.4342G	100.33	Inf	-Inf	31.55	3	Vertical	109	1.52	-	68.78	27.60	3.95	-
AV	2.4842G	45.51	54.00	-8.49	31.63	3	Vertical	109	1.52	-	13.88	27.60	4.03	-
PK	2.3534G	57.87	74.00	-16.13	31.62	3	Vertical	109	1.52	-	26.25	27.79	3.83	-
PK	2.4338G	113.34	Inf	-Inf	31.55	3	Vertical	109	1.52	-	81.79	27.60	3.95	-
PK	2.4835G	60.58	74.00	-13.42	31.63	3	Vertical	109	1.52	-	28.95	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.77	54.00	-9.23	31.52	3	Horizontal	64	1.05	-	13.25	27.64	3.88	-
AV	2.4326G	105.43	Inf	-Inf	31.55	3	Horizontal	64	1.05	-	73.88	27.60	3.95	-
AV	2.4842G	47.00	54.00	-7.00	31.63	3	Horizontal	64	1.05	-	15.37	27.60	4.03	-
PK	2.389G	57.65	74.00	-16.35	31.52	3	Horizontal	64	1.05	-	26.13	27.64	3.88	-
PK	2.4334G	118.07	Inf	-Inf	31.55	3	Horizontal	64	1.05	-	86.52	27.60	3.95	-
PK	2.4838G	64.92	74.00	-9.08	31.63	3	Horizontal	64	1.05	-	33.29	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87233G	29.68	54.00	-24.32	1.67	3	Vertical	204	1.50	-	28.01	31.26	5.34	34.93
PK	4.87367G	42.29	74.00	-31.71	1.66	3	Vertical	204	1.50	-	40.63	31.25	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87205G	29.90	54.00	-24.10	1.67	3	Horizontal	291	1.70	-	28.23	31.26	5.34	34.93
PK	4.87381G	43.06	74.00	-30.94	1.66	3	Horizontal	291	1.70	-	41.40	31.25	5.34	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3804G	44.23	54.00	-9.77	31.55	3	Vertical	17	1.34	-	12.68	27.68	3.87	-
AV	2.4456G	101.02	Inf	-Inf	31.48	3	Vertical	17	1.34	-	69.54	27.51	3.97	-
AV	2.4835G	48.96	54.00	-5.04	31.53	3	Vertical	17	1.34	-	17.43	27.50	4.03	-
PK	2.38G	56.55	74.00	-17.45	31.55	3	Vertical	17	1.34	-	25.00	27.68	3.87	-
PK	2.448G	112.34	Inf	-Inf	31.47	3	Vertical	17	1.34	-	80.87	27.50	3.97	-
PK	2.4856G	63.31	74.00	-10.69	31.53	3	Vertical	17	1.34	-	31.78	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.23	54.00	-9.77	31.52	3	Horizontal	63	1.36	-	12.71	27.64	3.88	-
AV	2.444G	106.52	Inf	-Inf	31.48	3	Horizontal	63	1.36	-	75.04	27.51	3.97	-
AV	2.4835G	53.88	54.00	-0.12	31.53	3	Horizontal	63	1.36	-	22.35	27.50	4.03	-
PK	2.3568G	56.71	74.00	-17.29	31.61	3	Horizontal	63	1.36	-	25.10	27.77	3.84	-
PK	2.4448G	118.94	Inf	-Inf	31.48	3	Horizontal	63	1.36	-	87.46	27.51	3.97	-
PK	2.4844G	69.67	74.00	-4.33	31.53	3	Horizontal	63	1.36	-	38.14	27.50	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.367G	43.72	54.00	-10.28	31.58	3	Vertical	88	2.03	-	12.14	27.73	3.85	-
AV	2.451G	99.79	Inf	-Inf	31.58	3	Vertical	88	2.03	-	68.21	27.60	3.98	-
AV	2.4835G	49.88	54.00	-4.12	31.63	3	Vertical	88	2.03	-	18.25	27.60	4.03	-
PK	2.3774G	57.39	74.00	-16.61	31.56	3	Vertical	88	2.03	-	25.83	27.69	3.87	-
PK	2.4654G	112.88	Inf	-Inf	31.60	3	Vertical	88	2.03	-	81.28	27.60	4.00	-
PK	2.4835G	73.61	74.00	-0.39	31.63	3	Vertical	88	2.03	-	41.98	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

2457MHz_TX




18/02/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3834G	43.76	54.00	-10.24	31.55	3	Horizontal	300	1.65	-	12.21	27.67	3.88	-
AV	2.449G	102.17	Inf	-Inf	31.57	3	Horizontal	300	1.65	-	70.60	27.60	3.97	-
AV	2.4835G	50.06	54.00	-3.94	31.63	3	Horizontal	300	1.65	-	18.43	27.60	4.03	-
PK	2.3718G	57.53	74.00	-16.47	31.57	3	Horizontal	300	1.65	-	25.96	27.71	3.86	-
PK	2.4482G	115.29	Inf	-Inf	31.57	3	Horizontal	300	1.65	-	83.72	27.60	3.97	-
PK	2.4838G	73.05	74.00	-0.95	31.63	3	Horizontal	300	1.65	-	41.42	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	95.65	Inf	-Inf	31.58	3	Vertical	90	2.08	-	64.07	27.60	3.98	-
AV	2.4835G	46.97	54.00	-7.03	31.63	3	Vertical	90	2.08	-	15.34	27.60	4.03	-
PK	2.4684G	109.74	Inf	-Inf	31.60	3	Vertical	90	2.08	-	78.14	27.60	4.00	-
PK	2.4835G	71.26	74.00	-2.74	31.63	3	Vertical	90	2.08	-	39.63	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	97.79	Inf	-Inf	31.60	3	Horizontal	307	2.08	-	66.19	27.60	4.00	-
AV	2.4835G	47.73	54.00	-6.27	31.63	3	Horizontal	307	2.08	-	16.10	27.60	4.03	-
PK	2.4596G	111.26	Inf	-Inf	31.59	3	Horizontal	307	2.08	-	79.67	27.60	3.99	-
PK	2.4835G	73.75	74.00	-0.25	31.63	3	Horizontal	307	2.08	-	42.12	27.60	4.03	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92171G	30.18	54.00	-23.82	1.71	3	Vertical	106	1.50	-	28.47	31.29	5.36	34.94
PK	4.92492G	42.81	74.00	-31.19	1.72	3	Vertical	106	1.50	-	41.09	31.30	5.36	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92626G	29.92	54.00	-24.08	1.73	3	Horizontal	253	1.50	-	28.19	31.31	5.36	34.94
PK	4.92213G	43.02	74.00	-30.98	1.71	3	Horizontal	253	1.50	-	41.31	31.29	5.36	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	45.93	54.00	-8.07	31.53	3	Vertical	91	1.57	-	14.40	27.65	3.88	-
AV	2.4396G	96.72	Inf	-Inf	31.56	3	Vertical	91	1.57	-	65.16	27.60	3.96	-
AV	2.4844G	45.57	54.00	-8.43	31.63	3	Vertical	91	1.57	-	13.94	27.60	4.03	-
PK	2.3896G	65.98	74.00	-8.02	31.52	3	Vertical	91	1.57	-	34.46	27.64	3.88	-
PK	2.4104G	111.06	Inf	-Inf	31.52	3	Vertical	91	1.57	-	79.54	27.60	3.92	-
PK	2.4835G	65.86	74.00	-8.14	31.63	3	Vertical	91	1.57	-	34.23	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	51.93	54.00	-2.07	31.52	3	Horizontal	65	2.30	-	20.41	27.64	3.88	-
AV	2.406G	101.50	Inf	-Inf	31.51	3	Horizontal	65	2.30	-	69.99	27.60	3.91	-
AV	2.4876G	49.09	54.00	-4.91	31.63	3	Horizontal	65	2.30	-	17.46	27.60	4.03	-
PK	2.3896G	73.70	74.00	-0.30	31.52	3	Horizontal	65	2.30	-	42.18	27.64	3.88	-
PK	2.4048G	113.06	Inf	-Inf	31.51	3	Horizontal	65	2.30	-	81.55	27.60	3.91	-
PK	2.4868G	62.50	74.00	-11.50	31.63	3	Horizontal	65	2.30	-	30.87	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84158G	30.77	54.00	-23.23	1.66	3	Vertical	340	1.50	-	29.11	31.27	5.32	34.93
PK	4.84218G	43.64	74.00	-30.36	1.66	3	Vertical	340	1.50	-	41.98	31.27	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84171G	30.66	54.00	-23.34	1.66	3	Horizontal	145	2.57	-	29.00	31.27	5.32	34.93
PK	4.84203G	43.36	74.00	-30.64	1.66	3	Horizontal	145	2.57	-	41.70	31.27	5.32	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	44.19	54.00	-9.81	31.53	3	Vertical	17	1.50	-	12.66	27.65	3.88	-
AV	2.4442G	95.93	Inf	-Inf	31.57	3	Vertical	17	1.50	-	64.36	27.60	3.97	-
AV	2.4842G	46.20	54.00	-7.80	31.63	3	Vertical	17	1.50	-	14.57	27.60	4.03	-
PK	2.3894G	57.76	74.00	-16.24	31.52	3	Vertical	17	1.50	-	26.24	27.64	3.88	-
PK	2.443G	108.76	Inf	-Inf	31.56	3	Vertical	17	1.50	-	77.20	27.60	3.96	-
PK	2.4842G	60.38	74.00	-13.62	31.63	3	Vertical	17	1.50	-	28.75	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.72	54.00	-4.28	31.52	3	Horizontal	295	3.00	-	18.20	27.64	3.88	-
AV	2.4358G	102.60	Inf	-Inf	31.55	3	Horizontal	295	3.00	-	71.05	27.60	3.95	-
AV	2.4842G	49.38	54.00	-4.62	31.63	3	Horizontal	295	3.00	-	17.75	27.60	4.03	-
PK	2.3898G	73.84	74.00	-0.16	31.52	3	Horizontal	295	3.00	-	42.32	27.64	3.88	-
PK	2.4202G	113.38	Inf	-Inf	31.53	3	Horizontal	295	3.00	-	81.85	27.60	3.93	-
PK	2.4842G	62.47	74.00	-11.53	31.63	3	Horizontal	295	3.00	-	30.84	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2432MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	46.41	54.00	-7.59	31.52	3	Vertical	263	1.48	-	14.89	27.64	3.88	-
AV	2.4148G	99.09	Inf	-Inf	31.49	3	Vertical	263	1.48	-	67.60	27.57	3.92	-
AV	2.4835G	51.18	54.00	-2.82	31.53	3	Vertical	263	1.48	-	19.65	27.50	4.03	-
PK	2.39G	60.18	74.00	-13.82	31.52	3	Vertical	263	1.48	-	28.66	27.64	3.88	-
PK	2.4332G	110.02	Inf	-Inf	31.48	3	Vertical	263	1.48	-	78.54	27.53	3.95	-
PK	2.484G	64.88	74.00	-9.12	31.53	3	Vertical	263	1.48	-	33.35	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2432MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.88	54.00	-0.12	31.52	3	Horizontal	288	2.71	-	22.36	27.64	3.88	-
AV	2.4284G	100.62	Inf	-Inf	31.48	3	Horizontal	288	2.71	-	69.14	27.54	3.94	-
AV	2.4844G	49.58	54.00	-4.42	31.53	3	Horizontal	288	2.71	-	18.05	27.50	4.03	-
PK	2.3896G	69.79	74.00	-4.21	31.52	3	Horizontal	288	2.71	-	38.27	27.64	3.88	-
PK	2.4184G	112.88	Inf	-Inf	31.49	3	Horizontal	288	2.71	-	81.39	27.56	3.93	-
PK	2.484G	65.54	74.00	-8.46	31.53	3	Horizontal	288	2.71	-	34.01	27.50	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.37	54.00	-6.63	31.52	3	Vertical	244	2.80	-	15.85	27.64	3.88	-
AV	2.4298G	99.39	Inf	-Inf	31.54	3	Vertical	244	2.80	-	67.85	27.60	3.94	-
AV	2.4842G	51.13	54.00	-2.87	31.63	3	Vertical	244	2.80	-	19.50	27.60	4.03	-
PK	2.3486G	57.70	74.00	-16.30	31.62	3	Vertical	244	2.80	-	26.08	27.80	3.82	-
PK	2.4206G	110.31	Inf	-Inf	31.53	3	Vertical	244	2.80	-	78.78	27.60	3.93	-
PK	2.4838G	71.99	74.00	-2.01	31.63	3	Vertical	244	2.80	-	40.36	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	46.51	54.00	-7.49	31.52	3	Horizontal	296	2.44	-	14.99	27.64	3.88	-
AV	2.4306G	105.39	Inf	-Inf	31.55	3	Horizontal	296	2.44	-	73.84	27.60	3.95	-
AV	2.4835G	51.80	54.00	-2.20	31.63	3	Horizontal	296	2.44	-	20.17	27.60	4.03	-
PK	2.3894G	62.37	74.00	-11.63	31.52	3	Horizontal	296	2.44	-	30.85	27.64	3.88	-
PK	2.4314G	116.25	Inf	-Inf	31.55	3	Horizontal	296	2.44	-	84.70	27.60	3.95	-
PK	2.4835G	73.42	74.00	-0.58	31.63	3	Horizontal	296	2.44	-	41.79	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89112G	29.67	54.00	-24.33	1.64	3	Vertical	153	2.44	-	28.03	31.22	5.35	34.93
PK	4.87592G	41.90	74.00	-32.10	1.66	3	Vertical	153	2.44	-	40.24	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87186G	29.74	54.00	-24.26	1.67	3	Horizontal	85	2.04	-	28.07	31.26	5.34	34.93
PK	4.8731G	42.77	74.00	-31.23	1.66	3	Horizontal	85	2.04	-	41.11	31.25	5.34	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3514G	44.10	54.00	-9.90	31.62	3	Vertical	90	1.56	-	12.48	27.79	3.83	-
AV	2.4358G	99.41	Inf	-Inf	31.55	3	Vertical	90	1.56	-	67.86	27.60	3.95	-
AV	2.485G	46.46	54.00	-7.54	31.63	3	Vertical	90	1.56	-	14.83	27.60	4.03	-
PK	2.3806G	57.93	74.00	-16.07	31.55	3	Vertical	90	1.56	-	26.38	27.68	3.87	-
PK	2.4358G	110.93	Inf	-Inf	31.55	3	Vertical	90	1.56	-	79.38	27.60	3.95	-
PK	2.485G	70.22	74.00	-3.78	31.63	3	Vertical	90	1.56	-	38.59	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3726G	46.24	54.00	-7.76	31.57	3	Horizontal	296	2.43	-	14.67	27.71	3.86	-
AV	2.441G	101.02	Inf	-Inf	31.56	3	Horizontal	296	2.43	-	69.46	27.60	3.96	-
AV	2.4846G	49.64	54.00	-4.36	31.63	3	Horizontal	296	2.43	-	18.01	27.60	4.03	-
PK	2.3602G	58.31	74.00	-15.69	31.60	3	Horizontal	296	2.43	-	26.71	27.76	3.84	-
PK	2.4406G	113.88	Inf	-Inf	31.56	3	Horizontal	296	2.43	-	82.32	27.60	3.96	-
PK	2.4842G	70.67	74.00	-3.33	31.63	3	Horizontal	296	2.43	-	39.04	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3548G	45.13	54.00	-8.87	31.61	3	Vertical	336	1.53	-	13.52	27.78	3.83	-
AV	2.4696G	95.79	Inf	-Inf	31.60	3	Vertical	336	1.53	-	64.19	27.60	4.00	-
AV	2.4835G	49.35	54.00	-4.65	31.63	3	Vertical	336	1.53	-	17.72	27.60	4.03	-
PK	2.3608G	57.72	74.00	-16.28	31.60	3	Vertical	336	1.53	-	26.12	27.76	3.84	-
PK	2.4508G	107.02	Inf	-Inf	31.58	3	Vertical	336	1.53	-	75.44	27.60	3.98	-
PK	2.4856G	73.70	74.00	-0.30	31.63	3	Vertical	336	1.53	-	42.07	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3576G	44.04	54.00	-9.96	31.61	3	Horizontal	295	2.42	-	12.43	27.77	3.84	-
AV	2.4372G	98.76	Inf	-Inf	31.56	3	Horizontal	295	2.42	-	67.20	27.60	3.96	-
AV	2.484G	48.42	54.00	-5.58	31.63	3	Horizontal	295	2.42	-	16.79	27.60	4.03	-
PK	2.384G	58.14	74.00	-15.86	31.54	3	Horizontal	295	2.42	-	26.60	27.66	3.88	-
PK	2.4456G	113.01	Inf	-Inf	31.57	3	Horizontal	295	2.42	-	81.44	27.60	3.97	-
PK	2.484G	70.84	74.00	-3.16	31.63	3	Horizontal	295	2.42	-	39.21	27.60	4.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90376G	30.61	54.00	-23.39	1.64	3	Vertical	324	1.50	-	28.97	31.22	5.35	34.93
PK	4.90152G	43.36	74.00	-30.64	1.63	3	Vertical	324	1.50	-	41.73	31.21	5.35	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90193G	30.46	54.00	-23.54	1.63	3	Horizontal	51	1.51	-	28.83	31.21	5.35	34.93
PK	4.90184G	43.33	74.00	-30.67	1.63	3	Horizontal	51	1.51	-	41.70	31.21	5.35	34.93




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.092G	43.56	54.00	-10.44	Vertical
Mode 2	Pass	AV	4.996G	38.02	54.00	-15.98	Vertical

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.2G	30.25	54.00	-23.75	3	Vertical	129	1.50	-
Mode 1	Pass	AV	5.092G	43.56	54.00	-10.44	3	Vertical	62	2.47	-
Mode 1	Pass	AV	5.32G	36.92	54.00	-17.08	3	Vertical	51	2.14	-
Mode 1	Pass	PK	2.2G	49.11	74.00	-24.89	3	Vertical	129	1.50	-
Mode 1	Pass	PK	5.092G	52.86	74.00	-21.14	3	Vertical	62	2.47	-
Mode 1	Pass	PK	5.32G	47.18	74.00	-26.82	3	Vertical	51	2.14	-
Mode 1	Pass	AV	2.224G	29.32	54.00	-24.68	3	Horizontal	43	1.24	-
Mode 1	Pass	AV	4.804G	34.41	54.00	-19.59	3	Horizontal	9	1.50	-
Mode 1	Pass	AV	5.08004G	39.24	54.00	-14.76	3	Horizontal	65	2.32	-
Mode 1	Pass	PK	2.224G	42.16	74.00	-31.84	3	Horizontal	43	1.24	-
Mode 1	Pass	PK	4.804G	44.87	74.00	-29.13	3	Horizontal	9	1.50	-
Mode 1	Pass	PK	5.08G	48.59	74.00	-25.41	3	Horizontal	65	2.32	-
Mode 2	Pass	AV	1.996G	27.79	54.00	-26.21	3	Vertical	340	1.50	-
Mode 2	Pass	AV	4.996G	38.02	54.00	-15.98	3	Vertical	22	1.00	-
Mode 2	Pass	AV	5.548G	33.93	54.00	-20.07	3	Vertical	0	1.99	-
Mode 2	Pass	PK	1.996G	44.80	74.00	-29.20	3	Vertical	340	1.50	-
Mode 2	Pass	PK	4.996G	48.10	74.00	-25.90	3	Vertical	22	1.00	-
Mode 2	Pass	PK	5.548G	47.62	74.00	-26.38	3	Vertical	0	1.99	-
Mode 2	Pass	AV	1.996G	28.61	54.00	-25.39	3	Horizontal	306	1.50	-
Mode 2	Pass	AV	4.144G	32.97	54.00	-21.03	3	Horizontal	109	2.50	-
Mode 2	Pass	AV	4.708G	33.98	54.00	-20.02	3	Horizontal	118	1.50	-
Mode 2	Pass	PK	1.996G	40.82	74.00	-33.18	3	Horizontal	306	1.50	-
Mode 2	Pass	PK	4.144G	43.00	74.00	-31.00	3	Horizontal	109	2.50	-
Mode 2	Pass	PK	4.708G	44.59	74.00	-29.41	3	Horizontal	118	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.2G	30.25	54.00	-23.75	-3.17	3	Vertical	129	1.50	-	33.42	28.00	3.60	34.77
AV	5.092G	43.56	54.00	-10.44	2.39	3	Vertical	62	2.47	-	41.17	31.87	5.45	34.93
AV	5.32G	36.92	54.00	-17.08	2.05	3	Vertical	51	2.14	-	34.87	31.32	5.62	34.89
PK	2.2G	49.11	74.00	-24.89	-3.17	3	Vertical	129	1.50	-	52.28	28.00	3.60	34.77
PK	5.092G	52.86	74.00	-21.14	2.39	3	Vertical	62	2.47	-	50.47	31.87	5.45	34.93
PK	5.32G	47.18	74.00	-26.82	2.05	3	Vertical	51	2.14	-	45.13	31.32	5.62	34.89

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.224G	29.32	54.00	-24.68	-3.09	3	Horizontal	43	1.24	-	32.41	28.05	3.64	34.78
AV	4.804G	34.41	54.00	-19.59	1.47	3	Horizontal	9	1.50	-	32.94	31.10	5.30	34.93
AV	5.08004G	39.24	54.00	-14.76	2.33	3	Horizontal	65	2.32	-	36.91	31.82	5.44	34.93
PK	2.224G	42.16	74.00	-31.84	-3.09	3	Horizontal	43	1.24	-	45.25	28.05	3.64	34.78
PK	4.804G	44.87	74.00	-29.13	1.47	3	Horizontal	9	1.50	-	43.40	31.10	5.30	34.93
PK	5.08G	48.59	74.00	-25.41	2.33	3	Horizontal	65	2.32	-	46.26	31.82	5.44	34.93

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	27.79	54.00	-26.21	-5.29	3	Vertical	340	1.50	-	33.08	25.98	3.40	34.67
AV	4.996G	38.02	54.00	-15.98	1.94	3	Vertical	22	1.00	-	36.08	31.48	5.40	34.94
AV	5.548G	33.93	54.00	-20.07	2.60	3	Vertical	0	1.99	-	31.33	31.70	5.78	34.88
PK	1.996G	44.80	74.00	-29.20	-5.29	3	Vertical	340	1.50	-	50.09	25.98	3.40	34.67
PK	4.996G	48.10	74.00	-25.90	1.94	3	Vertical	22	1.00	-	46.16	31.48	5.40	34.94
PK	5.548G	47.62	74.00	-26.38	2.60	3	Vertical	0	1.99	-	45.02	31.70	5.77	34.87

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.996G	28.61	54.00	-25.39	-5.29	3	Horizontal	306	1.50	-	33.90	25.98	3.40	34.67
AV	4.144G	32.97	54.00	-21.03	-0.05	3	Horizontal	109	2.50	-	33.02	29.80	4.97	34.82
AV	4.708G	33.98	54.00	-20.02	1.60	3	Horizontal	118	1.50	-	32.38	31.22	5.30	34.92
PK	1.996G	40.82	74.00	-33.18	-5.29	3	Horizontal	306	1.50	-	46.11	25.98	3.40	34.67
PK	4.144G	43.00	74.00	-31.00	-0.05	3	Horizontal	109	2.50	-	43.05	29.80	4.97	34.82
PK	4.708G	44.59	74.00	-29.41	1.60	3	Horizontal	118	1.50	-	42.99	31.22	5.30	34.92

1. Photographs of Conducted Emissions Test Configuration

WiFi A


Front view



Side view



Under table view



WiFi B

Front view



Side view



Under table view




2. Photographs of Radiated Emissions Test Configuration


For radiated emissions 30MHz~1GHz

WiFi A

Front view




Rear view




WiFi B

Front view




Rear view




For radiated emissions above 1GHz
WiFi A

Front view




Rear view




WiFi B

Front view



Rear view



————THE END————