



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	5.2522G	98.52	Inf	-Inf	3	Horizontal	190	1.24	-
5260MHz	Pass	AV	5.356G	41.81	54.00	-12.19	3	Horizontal	190	1.24	-
5260MHz	Pass	PK	5.1442G	55.95	74.00	-18.05	3	Horizontal	190	1.24	-
5260MHz	Pass	PK	5.251G	110.35	Inf	-Inf	3	Horizontal	190	1.24	-
5260MHz	Pass	PK	5.407G	55.97	74.00	-18.03	3	Horizontal	190	1.24	-
5260MHz	Pass	AV	15.77836G	41.66	54.00	-12.34	3	Vertical	69	1.33	-
5260MHz	Pass	PK	10.51898G	54.56	68.20	-13.64	3	Vertical	100	2.21	-
5260MHz	Pass	PK	15.77787G	55.08	74.00	-18.92	3	Vertical	69	1.33	-
5260MHz	Pass	AV	15.77788G	41.68	54.00	-12.32	3	Horizontal	309	2.25	-
5260MHz	Pass	PK	10.51989G	55.05	68.20	-13.15	3	Horizontal	194	1.03	-
5260MHz	Pass	PK	15.78016G	54.76	74.00	-19.24	3	Horizontal	309	2.25	-
5300MHz	Pass	AV	5.2936G	103.42	Inf	-Inf	3	Vertical	87	2.16	-
5300MHz	Pass	AV	5.35G	53.58	54.00	-0.42	3	Vertical	87	2.16	-
5300MHz	Pass	PK	5.2924G	115.18	Inf	-Inf	3	Vertical	87	2.16	-
5300MHz	Pass	PK	5.3504G	68.66	74.00	-5.34	3	Vertical	87	2.16	-
5300MHz	Pass	AV	5.3084G	99.66	Inf	-Inf	3	Horizontal	188	1.28	-
5300MHz	Pass	AV	5.35G	49.14	54.00	-4.86	3	Horizontal	188	1.28	-
5300MHz	Pass	PK	5.302G	110.40	Inf	-Inf	3	Horizontal	188	1.28	-
5300MHz	Pass	PK	5.3516G	63.97	74.00	-10.03	3	Horizontal	188	1.28	-
5300MHz	Pass	AV	15.90102G	41.58	54.00	-12.42	3	Vertical	2	1.49	-
5300MHz	Pass	PK	10.59905G	53.94	68.20	-14.26	3	Vertical	239	1.17	-
5300MHz	Pass	PK	15.89839G	55.66	74.00	-18.34	3	Vertical	2	1.49	-
5300MHz	Pass	AV	15.90015G	41.54	54.00	-12.46	3	Horizontal	103	1.48	-
5300MHz	Pass	PK	10.60217G	54.78	74.00	-19.22	3	Horizontal	350	1.61	-
5300MHz	Pass	PK	15.90106G	54.80	74.00	-19.20	3	Horizontal	103	1.48	-
5320MHz	Pass	AV	5.3268G	100.76	Inf	-Inf	3	Vertical	90	2.25	-
5320MHz	Pass	AV	5.35G	53.49	54.00	-0.51	3	Vertical	90	2.25	-
5320MHz	Pass	PK	5.3276G	113.04	Inf	-Inf	3	Vertical	90	2.25	-
5320MHz	Pass	PK	5.3534G	72.07	74.00	-1.93	3	Vertical	90	2.25	-
5320MHz	Pass	AV	5.3124G	96.34	Inf	-Inf	3	Horizontal	187	1.29	-
5320MHz	Pass	AV	5.35G	49.29	54.00	-4.71	3	Horizontal	187	1.29	-
5320MHz	Pass	PK	5.3268G	107.99	Inf	-Inf	3	Horizontal	187	1.29	-
5320MHz	Pass	PK	5.3508G	64.50	74.00	-9.50	3	Horizontal	187	1.29	-
5320MHz	Pass	AV	10.63825G	40.71	54.00	-13.29	3	Vertical	249	1.94	-
5320MHz	Pass	AV	15.96158G	41.75	54.00	-12.25	3	Vertical	327	2.45	-
5320MHz	Pass	PK	10.64132G	53.81	74.00	-20.19	3	Vertical	249	1.94	-
5320MHz	Pass	PK	15.96056G	55.73	74.00	-18.27	3	Vertical	327	2.45	-
5320MHz	Pass	AV	10.63867G	40.70	54.00	-13.30	3	Horizontal	82	2.45	-
5320MHz	Pass	AV	15.96195G	41.78	54.00	-12.22	3	Horizontal	166	1.81	-
5320MHz	Pass	PK	10.64045G	54.40	74.00	-19.60	3	Horizontal	82	2.45	-
5320MHz	Pass	PK	15.95775G	55.38	74.00	-18.62	3	Horizontal	166	1.81	-
5500MHz	Pass	AV	5.46G	45.73	54.00	-8.27	3	Vertical	87	2.23	-
5500MHz	Pass	AV	5.5072G	100.61	Inf	-Inf	3	Vertical	87	2.23	-
5500MHz	Pass	PK	5.4696G	67.99	68.20	-0.21	3	Vertical	87	2.23	-
5500MHz	Pass	PK	5.505G	113.07	Inf	-Inf	3	Vertical	87	2.23	-
5500MHz	Pass	AV	5.4598G	43.19	54.00	-10.81	3	Horizontal	197	1.49	-
5500MHz	Pass	AV	5.5078G	94.21	Inf	-Inf	3	Horizontal	197	1.49	-
5500MHz	Pass	PK	5.4698G	59.72	68.20	-8.48	3	Horizontal	197	1.49	-
5500MHz	Pass	PK	5.4988G	106.93	Inf	-Inf	3	Horizontal	197	1.49	-
5500MHz	Pass	AV	10.99815G	41.44	54.00	-12.56	3	Vertical	292	1.63	-
5500MHz	Pass	PK	10.99925G	55.53	74.00	-18.47	3	Vertical	292	1.63	-
5500MHz	Pass	PK	16.4977G	56.93	68.20	-11.27	3	Vertical	151	1.50	-
5500MHz	Pass	AV	10.99767G	41.71	54.00	-12.29	3	Horizontal	328	1.50	-
5500MHz	Pass	PK	10.99764G	55.51	74.00	-18.49	3	Horizontal	328	1.50	-
5500MHz	Pass	PK	16.49801G	58.30	68.20	-9.90	3	Horizontal	121	1.50	-
5580MHz	Pass	AV	5.46G	42.77	54.00	-11.23	3	Vertical	3	1.84	-
5580MHz	Pass	AV	5.5728G	106.65	Inf	-Inf	3	Vertical	3	1.84	-
5580MHz	Pass	PK	5.4606G	54.81	68.20	-13.39	3	Vertical	3	1.84	-
5580MHz	Pass	PK	5.5776G	118.50	Inf	-Inf	3	Vertical	3	1.84	-
5580MHz	Pass	PK	5.7282G	55.81	68.20	-12.39	3	Vertical	3	1.84	-
5580MHz	Pass	AV	5.4558G	42.19	54.00	-11.81	3	Horizontal	17	1.30	-
5580MHz	Pass	AV	5.5866G	99.23	Inf	-Inf	3	Horizontal	17	1.30	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.4672G	55.04	68.20	-13.16	3	Horizontal	17	1.30	-
5580MHz	Pass	PK	5.5824G	110.73	Inf	-Inf	3	Horizontal	17	1.30	-
5580MHz	Pass	PK	5.7252G	54.29	68.20	-13.91	3	Horizontal	17	1.30	-
5580MHz	Pass	AV	11.15804G	40.94	54.00	-13.06	3	Vertical	2	1.25	-
5580MHz	Pass	PK	11.16229G	54.35	74.00	-19.65	3	Vertical	2	1.25	-
5580MHz	Pass	PK	16.74132G	58.86	68.20	-9.34	3	Vertical	314	1.27	-
5580MHz	Pass	AV	11.15956G	40.98	54.00	-13.02	3	Horizontal	12	1.50	-
5580MHz	Pass	PK	11.16239G	54.81	74.00	-19.19	3	Horizontal	12	1.50	-
5580MHz	Pass	PK	16.74111G	58.55	68.20	-9.65	3	Horizontal	322	1.50	-
5700MHz	Pass	AV	5.7068G	98.71	Inf	-Inf	3	Vertical	2	1.74	-
5700MHz	Pass	PK	5.7016G	110.48	Inf	-Inf	3	Vertical	2	1.74	-
5700MHz	Pass	PK	5.7272G	67.86	68.20	-0.34	3	Vertical	2	1.74	-
5700MHz	Pass	AV	5.6916G	91.19	Inf	-Inf	3	Horizontal	159	1.71	-
5700MHz	Pass	PK	5.7036G	102.23	Inf	-Inf	3	Horizontal	159	1.71	-
5700MHz	Pass	PK	5.7256G	57.70	68.20	-10.50	3	Horizontal	159	1.71	-
5700MHz	Pass	AV	11.39996G	41.26	54.00	-12.74	3	Vertical	250	1.50	-
5700MHz	Pass	PK	11.40138G	54.67	74.00	-19.33	3	Vertical	250	1.50	-
5700MHz	Pass	PK	17.09807G	58.94	68.20	-9.26	3	Vertical	193	2.63	-
5700MHz	Pass	AV	11.40054G	41.29	54.00	-12.71	3	Horizontal	41	1.50	-
5700MHz	Pass	PK	11.40013G	55.14	74.00	-18.86	3	Horizontal	41	1.50	-
5700MHz	Pass	PK	17.09782G	58.85	68.20	-9.35	3	Horizontal	173	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	41.95	54.00	-12.05	3	Vertical	3	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	106.39	Inf	-Inf	3	Vertical	3	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	53.62	68.20	-14.58	3	Vertical	3	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	117.69	Inf	-Inf	3	Vertical	3	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9204G	55.77	68.20	-12.43	3	Vertical	3	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	41.74	54.00	-12.26	3	Horizontal	16	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	98.50	Inf	-Inf	3	Horizontal	16	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.16	68.20	-14.04	3	Horizontal	16	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	109.22	Inf	-Inf	3	Horizontal	16	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	54.96	68.20	-13.24	3	Horizontal	16	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44014G	41.53	54.00	-12.47	3	Vertical	360	2.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43775G	54.78	74.00	-19.22	3	Vertical	360	2.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16129G	58.84	68.20	-9.36	3	Vertical	360	2.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44046G	41.52	54.00	-12.48	3	Horizontal	260	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43842G	55.24	74.00	-18.76	3	Horizontal	260	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16086G	58.01	68.20	-10.19	3	Horizontal	35	2.01	-
5745MHz	Pass	AV	5.7474G	106.81	Inf	-Inf	3	Vertical	2	1.79	-
5745MHz	Pass	PK	5.6406G	58.68	68.20	-9.52	3	Vertical	2	1.79	-
5745MHz	Pass	PK	5.7474G	117.84	Inf	-Inf	3	Vertical	2	1.79	-
5745MHz	Pass	PK	5.9466G	55.92	68.20	-12.28	3	Vertical	2	1.79	-
5745MHz	Pass	AV	5.7438G	98.22	Inf	-Inf	3	Horizontal	182	2.00	-
5745MHz	Pass	PK	5.601G	55.50	68.20	-12.70	3	Horizontal	182	2.00	-
5745MHz	Pass	PK	5.739G	109.68	Inf	-Inf	3	Horizontal	182	2.00	-
5745MHz	Pass	PK	5.9634G	56.26	68.20	-11.94	3	Horizontal	182	2.00	-
5745MHz	Pass	AV	11.48969G	41.75	54.00	-12.25	3	Vertical	331	1.91	-
5745MHz	Pass	PK	11.49157G	54.92	74.00	-19.08	3	Vertical	331	1.91	-
5745MHz	Pass	PK	17.23383G	58.23	68.20	-9.97	3	Vertical	199	1.50	-
5745MHz	Pass	AV	11.49021G	41.66	54.00	-12.34	3	Horizontal	341	1.79	-
5745MHz	Pass	PK	11.48845G	54.99	74.00	-19.01	3	Horizontal	341	1.79	-
5745MHz	Pass	PK	17.23675G	58.77	68.20	-9.43	3	Horizontal	0	1.50	-
5785MHz	Pass	AV	5.7826G	103.75	Inf	-Inf	3	Vertical	20	1.76	-
5785MHz	Pass	PK	5.6182G	56.60	68.20	-11.60	3	Vertical	20	1.76	-
5785MHz	Pass	PK	5.7922G	114.52	Inf	-Inf	3	Vertical	20	1.76	-
5785MHz	Pass	PK	5.9362G	55.79	68.20	-12.41	3	Vertical	20	1.76	-
5785MHz	Pass	AV	5.7778G	98.90	Inf	-Inf	3	Horizontal	184	1.94	-
5785MHz	Pass	PK	5.6074G	55.06	68.20	-13.14	3	Horizontal	184	1.94	-
5785MHz	Pass	PK	5.7778G	110.63	Inf	-Inf	3	Horizontal	184	1.94	-
5785MHz	Pass	PK	5.9482G	55.03	68.20	-13.17	3	Horizontal	184	1.94	-
5785MHz	Pass	AV	11.56969G	41.42	54.00	-12.58	3	Vertical	67	3.00	-
5785MHz	Pass	PK	11.57057G	54.91	74.00	-19.09	3	Vertical	67	3.00	-
5785MHz	Pass	PK	17.35645G	58.89	68.20	-9.31	3	Vertical	112	2.34	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.56823G	41.37	54.00	-12.63	3	Horizontal	276	1.13	-
5785MHz	Pass	PK	11.56979G	55.43	74.00	-18.57	3	Horizontal	276	1.13	-
5785MHz	Pass	PK	17.35535G	58.73	68.20	-9.47	3	Horizontal	156	2.46	-
5825MHz	Pass	AV	5.8238G	105.81	Inf	-Inf	3	Vertical	57	1.97	-
5825MHz	Pass	PK	5.6342G	55.03	68.20	-13.17	3	Vertical	57	1.97	-
5825MHz	Pass	PK	5.8214G	117.48	Inf	-Inf	3	Vertical	57	1.97	-
5825MHz	Pass	PK	5.9378G	56.62	68.20	-11.58	3	Vertical	57	1.97	-
5825MHz	Pass	AV	5.819G	100.54	Inf	-Inf	3	Horizontal	276	1.80	-
5825MHz	Pass	PK	5.6006G	55.75	68.20	-12.45	3	Horizontal	276	1.80	-
5825MHz	Pass	PK	5.819G	111.93	Inf	-Inf	3	Horizontal	276	1.80	-
5825MHz	Pass	PK	5.9366G	55.32	68.20	-12.88	3	Horizontal	276	1.80	-
5825MHz	Pass	AV	11.64834G	41.31	54.00	-12.69	3	Vertical	151	1.50	-
5825MHz	Pass	PK	11.65248G	55.36	74.00	-18.64	3	Vertical	151	1.50	-
5825MHz	Pass	PK	17.47252G	59.72	68.20	-8.48	3	Vertical	0	1.12	-
5825MHz	Pass	AV	11.64753G	41.22	54.00	-12.78	3	Horizontal	120	2.14	-
5825MHz	Pass	PK	11.64969G	54.69	74.00	-19.31	3	Horizontal	120	2.14	-
5825MHz	Pass	PK	17.47592G	60.19	68.20	-8.01	3	Horizontal	354	2.05	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.92	54.00	-3.08	3	Vertical	254	2.12	-
5190MHz	Pass	AV	5.2052G	97.20	Inf	-Inf	3	Vertical	254	2.12	-
5190MHz	Pass	PK	5.1484G	73.49	74.00	-0.51	3	Vertical	254	2.12	-
5190MHz	Pass	PK	5.1972G	108.39	Inf	-Inf	3	Vertical	254	2.12	-
5190MHz	Pass	AV	5.15G	47.89	54.00	-6.11	3	Horizontal	186	1.50	-
5190MHz	Pass	AV	5.1736G	92.83	Inf	-Inf	3	Horizontal	186	1.50	-
5190MHz	Pass	PK	5.1488G	70.20	74.00	-3.80	3	Horizontal	186	1.50	-
5190MHz	Pass	PK	5.1744G	104.60	Inf	-Inf	3	Horizontal	186	1.50	-
5190MHz	Pass	AV	15.56849G	43.15	54.00	-10.85	3	Vertical	58	1.50	-
5190MHz	Pass	PK	10.38029G	54.58	68.20	-13.62	3	Vertical	323	1.74	-
5190MHz	Pass	PK	15.56798G	55.70	74.00	-18.30	3	Vertical	58	1.50	-
5190MHz	Pass	AV	15.57051G	43.06	54.00	-10.94	3	Horizontal	151	1.50	-
5190MHz	Pass	PK	10.37988G	54.25	68.20	-13.95	3	Horizontal	298	1.79	-
5190MHz	Pass	PK	15.56882G	55.59	74.00	-18.41	3	Horizontal	151	1.50	-
5230MHz	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	253	2.10	-
5230MHz	Pass	AV	5.2452G	102.59	Inf	-Inf	3	Vertical	253	2.10	-
5230MHz	Pass	PK	5.148G	68.46	74.00	-5.54	3	Vertical	253	2.10	-
5230MHz	Pass	PK	5.2308G	113.84	Inf	-Inf	3	Vertical	253	2.10	-
5230MHz	Pass	AV	5.15G	50.57	54.00	-3.43	3	Horizontal	186	1.40	-
5230MHz	Pass	AV	5.2452G	98.06	Inf	-Inf	3	Horizontal	186	1.40	-
5230MHz	Pass	PK	5.1484G	63.09	74.00	-10.91	3	Horizontal	186	1.40	-
5230MHz	Pass	PK	5.2388G	109.32	Inf	-Inf	3	Horizontal	186	1.40	-
5230MHz	Pass	AV	15.69075G	43.58	54.00	-10.42	3	Vertical	222	1.16	-
5230MHz	Pass	PK	10.45981G	55.33	68.20	-12.87	3	Vertical	306	3.00	-
5230MHz	Pass	PK	15.69139G	56.53	74.00	-17.47	3	Vertical	222	1.16	-
5230MHz	Pass	AV	15.69046G	43.68	54.00	-10.32	3	Horizontal	357	2.29	-
5230MHz	Pass	PK	10.46131G	54.59	68.20	-13.61	3	Horizontal	232	1.50	-
5230MHz	Pass	PK	15.6906G	56.59	74.00	-17.41	3	Horizontal	357	2.29	-
5270MHz	Pass	AV	5.2536G	103.50	Inf	-Inf	3	Vertical	253	2.12	-
5270MHz	Pass	AV	5.35G	53.74	54.00	-0.26	3	Vertical	253	2.12	-
5270MHz	Pass	PK	5.26G	114.77	Inf	-Inf	3	Vertical	253	2.12	-
5270MHz	Pass	PK	5.3588G	67.49	74.00	-6.51	3	Vertical	253	2.12	-
5270MHz	Pass	AV	5.2536G	103.60	Inf	-Inf	3	Horizontal	252	2.12	-
5270MHz	Pass	AV	5.3512G	53.85	54.00	-0.15	3	Horizontal	252	2.12	-
5270MHz	Pass	PK	5.2672G	114.71	Inf	-Inf	3	Horizontal	252	2.12	-
5270MHz	Pass	PK	5.35G	66.98	74.00	-7.02	3	Horizontal	252	2.12	-
5270MHz	Pass	AV	15.80762G	43.35	54.00	-10.65	3	Vertical	217	1.00	-
5270MHz	Pass	PK	10.54001G	54.80	68.20	-13.40	3	Vertical	326	1.00	-
5270MHz	Pass	PK	15.81017G	55.93	74.00	-18.07	3	Vertical	217	1.00	-
5270MHz	Pass	AV	15.80833G	42.58	54.00	-11.42	3	Horizontal	290	2.05	-
5270MHz	Pass	PK	10.54123G	54.39	68.20	-13.81	3	Horizontal	256	1.51	-
5270MHz	Pass	PK	15.80958G	56.15	74.00	-17.85	3	Horizontal	290	2.05	-
5310MHz	Pass	AV	5.3268G	96.13	Inf	-Inf	3	Vertical	220	3.00	-
5310MHz	Pass	AV	5.3508G	49.96	54.00	-4.04	3	Vertical	220	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	5.2928G	107.45	Inf	-Inf	3	Vertical	220	3.00	-
5310MHz	Pass	PK	5.3508G	73.64	74.00	-0.36	3	Vertical	220	3.00	-
5310MHz	Pass	AV	5.2948G	93.69	Inf	-Inf	3	Horizontal	185	1.27	-
5310MHz	Pass	AV	5.35G	46.57	54.00	-7.43	3	Horizontal	185	1.27	-
5310MHz	Pass	PK	5.2928G	106.44	Inf	-Inf	3	Horizontal	185	1.27	-
5310MHz	Pass	PK	5.3504G	68.42	74.00	-5.58	3	Horizontal	185	1.27	-
5310MHz	Pass	AV	10.61991G	42.76	54.00	-11.24	3	Vertical	336	1.00	-
5310MHz	Pass	AV	15.9297G	42.52	54.00	-11.48	3	Vertical	286	1.50	-
5310MHz	Pass	PK	10.61798G	54.48	74.00	-19.52	3	Vertical	336	1.00	-
5310MHz	Pass	PK	15.93001G	54.87	74.00	-19.13	3	Vertical	286	1.50	-
5310MHz	Pass	AV	10.62002G	41.82	54.00	-12.18	3	Horizontal	153	1.11	-
5310MHz	Pass	AV	15.93044G	42.40	54.00	-11.60	3	Horizontal	130	1.50	-
5310MHz	Pass	PK	10.61993G	55.03	74.00	-18.97	3	Horizontal	153	1.11	-
5310MHz	Pass	PK	15.9278G	55.67	74.00	-18.33	3	Horizontal	130	1.50	-
5510MHz	Pass	AV	5.4596G	46.62	54.00	-7.38	3	Vertical	86	2.89	-
5510MHz	Pass	AV	5.5264G	97.57	Inf	-Inf	3	Vertical	86	2.89	-
5510MHz	Pass	PK	5.4696G	67.45	68.20	-0.75	3	Vertical	86	2.89	-
5510MHz	Pass	PK	5.5048G	110.20	Inf	-Inf	3	Vertical	86	2.89	-
5510MHz	Pass	AV	5.456G	43.52	54.00	-10.48	3	Horizontal	187	1.32	-
5510MHz	Pass	AV	5.5264G	91.83	Inf	-Inf	3	Horizontal	187	1.32	-
5510MHz	Pass	PK	5.4696G	58.77	68.20	-9.43	3	Horizontal	187	1.32	-
5510MHz	Pass	PK	5.526G	103.30	Inf	-Inf	3	Horizontal	187	1.32	-
5510MHz	Pass	AV	11.01865G	42.40	54.00	-11.60	3	Vertical	345	1.50	-
5510MHz	Pass	PK	11.01849G	55.56	74.00	-18.44	3	Vertical	345	1.50	-
5510MHz	Pass	PK	16.53028G	57.75	68.20	-10.45	3	Vertical	285	1.98	-
5510MHz	Pass	AV	11.01792G	42.40	54.00	-11.60	3	Horizontal	178	2.80	-
5510MHz	Pass	PK	11.01867G	55.20	74.00	-18.80	3	Horizontal	178	2.80	-
5510MHz	Pass	PK	16.53237G	56.25	68.20	-11.95	3	Horizontal	139	3.00	-
5550MHz	Pass	AV	5.4592G	51.48	54.00	-2.52	3	Vertical	220	2.98	-
5550MHz	Pass	AV	5.5344G	103.50	Inf	-Inf	3	Vertical	220	2.98	-
5550MHz	Pass	PK	5.4696G	67.92	68.20	-0.28	3	Vertical	220	2.98	-
5550MHz	Pass	PK	5.536G	114.75	Inf	-Inf	3	Vertical	220	2.98	-
5550MHz	Pass	AV	5.4588G	45.82	54.00	-8.18	3	Horizontal	186	1.19	-
5550MHz	Pass	AV	5.5344G	98.58	Inf	-Inf	3	Horizontal	186	1.19	-
5550MHz	Pass	PK	5.4696G	60.77	68.20	-7.43	3	Horizontal	186	1.19	-
5550MHz	Pass	PK	5.5316G	109.92	Inf	-Inf	3	Horizontal	186	1.19	-
5550MHz	Pass	AV	11.09771G	42.02	54.00	-11.98	3	Vertical	185	1.59	-
5550MHz	Pass	PK	11.09938G	54.51	74.00	-19.49	3	Vertical	185	1.59	-
5550MHz	Pass	PK	16.64785G	59.00	68.20	-9.20	3	Vertical	295	1.00	-
5550MHz	Pass	AV	11.09793G	42.21	54.00	-11.79	3	Horizontal	18	1.50	-
5550MHz	Pass	PK	11.09858G	54.85	74.00	-19.15	3	Horizontal	18	1.50	-
5550MHz	Pass	PK	16.65146G	57.77	68.20	-10.43	3	Horizontal	255	1.34	-
5670MHz	Pass	AV	5.6612G	96.02	Inf	-Inf	3	Vertical	360	1.50	-
5670MHz	Pass	PK	5.6656G	107.64	Inf	-Inf	3	Vertical	360	1.50	-
5670MHz	Pass	PK	5.7312G	68.04	68.20	-0.16	3	Vertical	360	1.50	-
5670MHz	Pass	AV	5.6536G	92.50	Inf	-Inf	3	Horizontal	187	1.15	-
5670MHz	Pass	PK	5.6868G	104.32	Inf	-Inf	3	Horizontal	187	1.15	-
5670MHz	Pass	PK	5.7296G	60.98	68.20	-7.22	3	Horizontal	187	1.15	-
5670MHz	Pass	AV	11.33766G	41.77	54.00	-12.23	3	Vertical	171	1.50	-
5670MHz	Pass	PK	11.33938G	54.73	74.00	-19.27	3	Vertical	171	1.50	-
5670MHz	Pass	PK	17.01198G	57.80	68.20	-10.40	3	Vertical	166	1.50	-
5670MHz	Pass	AV	11.33761G	41.82	54.00	-12.18	3	Horizontal	58	1.50	-
5670MHz	Pass	PK	11.34096G	54.65	74.00	-19.35	3	Horizontal	58	1.50	-
5670MHz	Pass	PK	17.0079G	57.72	68.20	-10.48	3	Horizontal	87	1.20	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	42.65	54.00	-11.35	3	Vertical	16	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	101.10	Inf	-Inf	3	Vertical	16	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	53.62	68.20	-14.58	3	Vertical	16	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	111.99	Inf	-Inf	3	Vertical	16	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	59.31	68.20	-8.89	3	Vertical	16	2.95	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	42.34	54.00	-11.66	3	Horizontal	186	2.22	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	96.68	Inf	-Inf	3	Horizontal	186	2.22	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	53.03	68.20	-15.17	3	Horizontal	186	2.22	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	108.10	Inf	-Inf	3	Horizontal	186	2.22	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	55.15	68.20	-13.05	3	Horizontal	186	2.22	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41758G	42.18	54.00	-11.82	3	Vertical	113	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42136G	55.85	74.00	-18.15	3	Vertical	113	1.84	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13123G	58.46	68.20	-9.74	3	Vertical	1	1.91	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4185G	42.21	54.00	-11.79	3	Horizontal	200	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41875G	54.69	74.00	-19.31	3	Horizontal	200	1.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13022G	59.53	68.20	-8.67	3	Horizontal	66	1.50	-
5755MHz	Pass	AV	5.7706G	101.22	Inf	-Inf	3	Vertical	18	1.83	-
5755MHz	Pass	PK	5.6482G	64.68	68.20	-3.52	3	Vertical	18	1.83	-
5755MHz	Pass	PK	5.7646G	112.46	Inf	-Inf	3	Vertical	18	1.83	-
5755MHz	Pass	PK	5.9458G	57.50	68.20	-10.70	3	Vertical	18	1.83	-
5755MHz	Pass	AV	5.7382G	96.82	Inf	-Inf	3	Horizontal	187	2.06	-
5755MHz	Pass	PK	5.647G	60.04	68.20	-8.16	3	Horizontal	187	2.06	-
5755MHz	Pass	PK	5.7406G	109.02	Inf	-Inf	3	Horizontal	187	2.06	-
5755MHz	Pass	PK	5.9266G	54.39	68.20	-13.81	3	Horizontal	187	2.06	-
5755MHz	Pass	AV	11.50945G	42.41	54.00	-11.59	3	Vertical	179	1.50	-
5755MHz	Pass	PK	11.51035G	55.77	74.00	-18.23	3	Vertical	179	1.50	-
5755MHz	Pass	PK	17.2654G	58.24	68.20	-9.96	3	Vertical	245	2.46	-
5755MHz	Pass	AV	11.50973G	42.43	54.00	-11.57	3	Horizontal	334	1.50	-
5755MHz	Pass	PK	11.50995G	55.34	74.00	-18.66	3	Horizontal	334	1.50	-
5755MHz	Pass	PK	17.26265G	58.38	68.20	-9.82	3	Horizontal	238	1.50	-
5795MHz	Pass	AV	5.7818G	101.35	Inf	-Inf	3	Vertical	20	1.82	-
5795MHz	Pass	PK	5.6498G	58.69	68.20	-9.51	3	Vertical	20	1.82	-
5795MHz	Pass	PK	5.7794G	112.45	Inf	-Inf	3	Vertical	20	1.82	-
5795MHz	Pass	PK	5.9246G	64.62	68.50	-3.88	3	Vertical	20	1.82	-
5795MHz	Pass	AV	5.7866G	96.97	Inf	-Inf	3	Horizontal	185	1.69	-
5795MHz	Pass	PK	5.6522G	57.45	69.83	-12.38	3	Horizontal	185	1.69	-
5795MHz	Pass	PK	5.7854G	108.62	Inf	-Inf	3	Horizontal	185	1.69	-
5795MHz	Pass	PK	5.9474G	56.22	68.20	-11.98	3	Horizontal	185	1.69	-
5795MHz	Pass	AV	11.58805G	42.08	54.00	-11.92	3	Vertical	161	1.50	-
5795MHz	Pass	PK	11.58847G	55.55	74.00	-18.45	3	Vertical	161	1.50	-
5795MHz	Pass	PK	17.38726G	59.35	68.20	-8.85	3	Vertical	194	1.00	-
5795MHz	Pass	AV	11.5896G	42.14	54.00	-11.86	3	Horizontal	119	1.50	-
5795MHz	Pass	PK	11.58828G	54.40	74.00	-19.60	3	Horizontal	119	1.50	-
5795MHz	Pass	PK	17.38285G	59.27	68.20	-8.93	3	Horizontal	273	2.61	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.37	54.00	-0.63	3	Vertical	255	2.00	-
5210MHz	Pass	AV	5.173G	94.70	Inf	-Inf	3	Vertical	255	2.00	-
5210MHz	Pass	AV	5.375G	43.38	54.00	-10.62	3	Vertical	255	2.00	-
5210MHz	Pass	PK	5.139G	69.28	74.00	-4.72	3	Vertical	255	2.00	-
5210MHz	Pass	PK	5.189G	105.34	Inf	-Inf	3	Vertical	255	2.00	-
5210MHz	Pass	PK	5.443G	54.06	74.00	-19.94	3	Vertical	255	2.00	-
5210MHz	Pass	AV	5.15G	48.58	54.00	-5.42	3	Horizontal	187	1.44	-
5210MHz	Pass	AV	5.229G	89.96	Inf	-Inf	3	Horizontal	187	1.44	-
5210MHz	Pass	AV	5.416G	42.33	54.00	-11.67	3	Horizontal	187	1.44	-
5210MHz	Pass	PK	5.148G	64.72	74.00	-9.28	3	Horizontal	187	1.44	-
5210MHz	Pass	PK	5.189G	101.89	Inf	-Inf	3	Horizontal	187	1.44	-
5210MHz	Pass	PK	5.394G	53.87	74.00	-20.13	3	Horizontal	187	1.44	-
5210MHz	Pass	AV	15.63022G	43.28	54.00	-10.72	3	Vertical	236.9	1.50	-
5210MHz	Pass	PK	10.42852G	54.41	68.20	-13.79	3	Vertical	0	2.32	-
5210MHz	Pass	PK	15.63012G	55.86	74.00	-18.14	3	Vertical	236.9	1.50	-
5210MHz	Pass	AV	15.62854G	42.96	54.00	-11.04	3	Horizontal	313	1.62	-
5210MHz	Pass	PK	10.41776G	54.68	68.20	-13.52	3	Horizontal	290	1.50	-
5210MHz	Pass	PK	15.63412G	55.35	74.00	-18.65	3	Horizontal	313	1.62	-
5290MHz	Pass	AV	5.149G	45.78	54.00	-8.22	3	Vertical	254	2.12	-
5290MHz	Pass	AV	5.252G	95.58	Inf	-Inf	3	Vertical	254	2.12	-
5290MHz	Pass	AV	5.352G	53.15	54.00	-0.85	3	Vertical	254	2.12	-
5290MHz	Pass	PK	5.13G	59.90	74.00	-14.10	3	Vertical	254	2.12	-
5290MHz	Pass	PK	5.256G	106.43	Inf	-Inf	3	Vertical	254	2.12	-
5290MHz	Pass	PK	5.358G	72.48	74.00	-1.52	3	Vertical	254	2.12	-
5290MHz	Pass	AV	5.15G	43.88	54.00	-10.12	3	Horizontal	186	1.26	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.289G	91.13	Inf	-Inf	3	Horizontal	186	1.26	-
5290MHz	Pass	AV	5.35G	50.24	54.00	-3.76	3	Horizontal	186	1.26	-
5290MHz	Pass	PK	5.149G	56.68	74.00	-17.32	3	Horizontal	186	1.26	-
5290MHz	Pass	PK	5.304G	102.93	Inf	-Inf	3	Horizontal	186	1.26	-
5290MHz	Pass	PK	5.352G	68.58	74.00	-5.42	3	Horizontal	186	1.26	-
5290MHz	Pass	AV	15.87114G	42.53	54.00	-11.47	3	Vertical	329.6	1.50	-
5290MHz	Pass	PK	10.58003G	54.65	68.20	-13.55	3	Vertical	323	1.89	-
5290MHz	Pass	PK	15.87184G	55.53	74.00	-18.47	3	Vertical	329.6	1.50	-
5290MHz	Pass	AV	15.8687G	42.44	54.00	-11.56	3	Horizontal	119.9	1.50	-
5290MHz	Pass	PK	10.57993G	54.31	68.20	-13.89	3	Horizontal	151	1.24	-
5290MHz	Pass	PK	15.87045G	55.79	74.00	-18.21	3	Horizontal	119.9	1.50	-
5530MHz	Pass	AV	5.46G	50.19	54.00	-3.81	3	Vertical	219	2.93	-
5530MHz	Pass	AV	5.553G	94.55	Inf	-Inf	3	Vertical	219	2.93	-
5530MHz	Pass	PK	5.463G	67.85	68.20	-0.35	3	Vertical	219	2.93	-
5530MHz	Pass	PK	5.551G	105.56	Inf	-Inf	3	Vertical	219	2.93	-
5530MHz	Pass	PK	5.732G	55.81	68.20	-12.39	3	Vertical	219	2.93	-
5530MHz	Pass	AV	5.45G	46.28	54.00	-7.72	3	Horizontal	187	1.01	-
5530MHz	Pass	AV	5.528G	90.01	Inf	-Inf	3	Horizontal	187	1.01	-
5530MHz	Pass	PK	5.461G	60.65	68.20	-7.55	3	Horizontal	187	1.01	-
5530MHz	Pass	PK	5.516G	101.80	Inf	-Inf	3	Horizontal	187	1.01	-
5530MHz	Pass	PK	5.767G	54.77	68.20	-13.43	3	Horizontal	187	1.01	-
5530MHz	Pass	AV	11.05975G	42.49	54.00	-11.51	3	Vertical	316	1.50	-
5530MHz	Pass	PK	11.06215G	54.87	74.00	-19.13	3	Vertical	316	1.50	-
5530MHz	Pass	PK	16.59054G	57.14	68.20	-11.06	3	Vertical	62	1.48	-
5530MHz	Pass	AV	11.05758G	42.26	54.00	-11.74	3	Horizontal	341	1.50	-
5530MHz	Pass	PK	11.05901G	54.59	74.00	-19.41	3	Horizontal	341	1.50	-
5530MHz	Pass	PK	16.59235G	57.67	68.20	-10.53	3	Horizontal	322	1.40	-
5610MHz	Pass	AV	5.459G	50.21	54.00	-3.79	3	Vertical	88	1.04	-
5610MHz	Pass	AV	5.572G	95.80	Inf	-Inf	3	Vertical	88	1.04	-
5610MHz	Pass	PK	5.47G	66.65	68.20	-1.55	3	Vertical	88	1.04	-
5610MHz	Pass	PK	5.609G	108.35	Inf	-Inf	3	Vertical	88	1.04	-
5610MHz	Pass	PK	5.727G	67.71	68.20	-0.49	3	Vertical	88	1.04	-
5610MHz	Pass	AV	5.46G	47.74	54.00	-6.26	3	Horizontal	187	1.31	-
5610MHz	Pass	AV	5.573G	94.38	Inf	-Inf	3	Horizontal	187	1.31	-
5610MHz	Pass	PK	5.467G	61.39	68.20	-6.81	3	Horizontal	187	1.31	-
5610MHz	Pass	PK	5.573G	106.09	Inf	-Inf	3	Horizontal	187	1.31	-
5610MHz	Pass	PK	5.727G	65.19	68.20	-3.01	3	Horizontal	187	1.31	-
5610MHz	Pass	AV	11.21761G	41.50	54.00	-12.50	3	Vertical	219	1.50	-
5610MHz	Pass	PK	11.21832G	54.47	74.00	-19.53	3	Vertical	219	1.50	-
5610MHz	Pass	PK	16.83242G	58.31	68.20	-9.89	3	Vertical	227.7	1.50	-
5610MHz	Pass	AV	11.21732G	41.31	54.00	-12.69	3	Horizontal	124	1.50	-
5610MHz	Pass	PK	11.21678G	54.08	74.00	-19.92	3	Horizontal	124	1.50	-
5610MHz	Pass	PK	16.83236G	59.21	68.20	-8.99	3	Horizontal	262.1	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.25	54.00	-10.75	3	Vertical	79	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	94.00	Inf	-Inf	3	Vertical	79	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.32	68.20	-11.88	3	Vertical	79	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6576G	105.57	Inf	-Inf	3	Vertical	79	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	60.72	68.20	-7.48	3	Vertical	79	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	43.01	54.00	-10.99	3	Horizontal	186	1.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	92.35	Inf	-Inf	3	Horizontal	186	1.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	54.62	68.20	-13.58	3	Horizontal	186	1.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6528G	103.08	Inf	-Inf	3	Horizontal	186	1.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	56.48	68.20	-11.72	3	Horizontal	186	1.24	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3826G	41.69	54.00	-12.31	3	Vertical	328	1.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3758G	53.85	74.00	-20.15	3	Vertical	328	1.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06912G	58.27	68.20	-9.93	3	Vertical	346.7	1.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38056G	41.71	54.00	-12.29	3	Horizontal	265	1.45	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38056G	54.84	74.00	-19.16	3	Horizontal	265	1.45	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07188G	58.04	68.20	-10.16	3	Horizontal	219	1.29	-
5775MHz	Pass	AV	5.1426G	53.13	54.00	-0.87	3	Vertical	319	2.33	-
5775MHz	Pass	AV	5.182G	106.22	Inf	-Inf	3	Vertical	319	2.33	-
5775MHz	Pass	PK	5.1438G	66.71	74.00	-7.29	3	Vertical	319	2.33	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.1824G	115.33	Inf	-Inf	3	Vertical	319	2.33	-
5775MHz	Pass	AV	5.1494G	48.84	54.00	-5.16	3	Horizontal	333	2.45	-
5775MHz	Pass	AV	5.1816G	100.32	Inf	-Inf	3	Horizontal	333	2.45	-
5775MHz	Pass	PK	5.1426G	63.82	74.00	-10.18	3	Horizontal	333	2.45	-
5775MHz	Pass	PK	5.1812G	109.28	Inf	-Inf	3	Horizontal	333	2.45	-
5775MHz	Pass	AV	15.54888G	42.84	54.00	-11.16	3	Vertical	229	1.36	-
5775MHz	Pass	PK	10.3642G	53.64	68.20	-14.56	3	Vertical	316	1.91	-
5775MHz	Pass	PK	15.54456G	54.66	74.00	-19.34	3	Vertical	229	1.36	-
5775MHz	Pass	AV	15.53892G	42.59	54.00	-11.41	3	Horizontal	311	1.83	-
5775MHz	Pass	PK	10.35448G	53.83	68.20	-14.37	3	Horizontal	200	1.50	-
5775MHz	Pass	PK	15.53528G	54.23	74.00	-19.77	3	Horizontal	311	1.83	-

802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1426G	53.13	54.00	-0.87	2.55	3	Vertical	319	2.33	-	50.58	32.00	5.47	34.92
AV	5.182G	106.22	Inf	-Inf	2.39	3	Vertical	319	2.33	-	103.83	31.81	5.49	34.91
PK	5.1438G	66.71	74.00	-7.29	2.55	3	Vertical	319	2.33	-	64.16	32.00	5.47	34.92
PK	5.1824G	115.33	Inf	-Inf	2.39	3	Vertical	319	2.33	-	112.94	31.81	5.49	34.91



802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.84	54.00	-5.16	2.55	3	Horizontal	333	2.45	-	46.29	32.00	5.47	34.92
AV	5.1816G	100.32	Inf	-Inf	2.39	3	Horizontal	333	2.45	-	97.93	31.81	5.49	34.91
PK	5.1426G	63.82	74.00	-10.18	2.55	3	Horizontal	333	2.45	-	61.27	32.00	5.47	34.92
PK	5.1812G	109.28	Inf	-Inf	2.39	3	Horizontal	333	2.45	-	106.89	31.81	5.49	34.91

802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54888G	42.84	54.00	-11.16	13.14	3	Vertical	229	1.36	-	29.70	38.46	9.79	35.11
PK	10.3642G	53.64	68.20	-14.56	12.19	3	Vertical	316	1.91	-	41.45	39.49	7.93	35.23
PK	15.54456G	54.66	74.00	-19.34	13.16	3	Vertical	229	1.36	-	41.50	38.48	9.79	35.11

802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53892G	42.59	54.00	-11.41	13.18	3	Horizontal	311	1.83	-	29.41	38.51	9.78	35.11
PK	10.35448G	53.83	68.20	-14.37	12.14	3	Horizontal	200	1.50	-	41.69	39.46	7.92	35.24
PK	15.53528G	54.23	74.00	-19.77	13.20	3	Horizontal	311	1.83	-	41.03	38.52	9.78	35.10

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	52.81	54.00	-1.19	2.55	3	Vertical	318	2.30	-	50.26	32.00	5.47	34.92
AV	5.202G	109.41	Inf	-Inf	2.28	3	Vertical	318	2.30	-	107.13	31.69	5.50	34.91
PK	5.1412G	68.21	74.00	-5.79	2.55	3	Vertical	318	2.30	-	65.66	32.00	5.47	34.92
PK	5.2028G	117.34	Inf	-Inf	2.27	3	Vertical	318	2.30	-	115.07	31.68	5.50	34.91

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.93	54.00	-6.07	2.55	3	Horizontal	331	2.14	-	45.38	32.00	5.47	34.92
AV	5.2024G	103.74	Inf	-Inf	2.28	3	Horizontal	331	2.14	-	101.46	31.69	5.50	34.91
PK	5.1416G	62.60	74.00	-11.40	2.55	3	Horizontal	331	2.14	-	60.05	32.00	5.47	34.92
PK	5.202G	111.58	Inf	-Inf	2.28	3	Horizontal	331	2.14	-	109.30	31.69	5.50	34.91

802.11a\_Nss1,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59598G	42.56	54.00	-11.44	12.87	3	Vertical	251	2.11	-	29.69	38.22	9.80	35.15
PK	10.39892G	53.50	68.20	-14.70	12.35	3	Vertical	234	2.22	-	41.15	39.60	7.94	35.19
PK	15.60072G	54.42	74.00	-19.58	12.85	3	Vertical	251	2.11	-	41.57	38.20	9.80	35.15

802.11a\_Nss1,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59712G	42.84	54.00	-11.16	12.86	3	Horizontal	101	1.50	-	29.98	38.21	9.80	35.15
PK	10.40352G	54.16	68.20	-14.04	12.36	3	Horizontal	334	1.88	-	41.80	39.61	7.94	35.19
PK	15.61236G	54.09	74.00	-19.91	12.85	3	Horizontal	101	1.50	-	41.24	38.21	9.80	35.16

802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.108G	45.53	54.00	-8.47	2.53	3	Vertical	320	2.40	-	43.00	32.00	5.45	34.92
AV	5.2424G	108.33	Inf	-Inf	2.09	3	Vertical	320	2.40	-	106.24	31.45	5.54	34.90
AV	5.351G	43.62	54.00	-10.38	2.08	3	Vertical	320	2.40	-	41.54	31.31	5.65	34.88
PK	5.1194G	56.62	74.00	-17.38	2.54	3	Vertical	320	2.40	-	54.08	32.00	5.46	34.92
PK	5.2418G	117.01	Inf	-Inf	2.09	3	Vertical	320	2.40	-	114.92	31.45	5.54	34.90
PK	5.372G	54.54	74.00	-19.46	2.22	3	Vertical	320	2.40	-	52.32	31.43	5.67	34.88



802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1296G	44.02	54.00	-9.98	2.54	3	Horizontal	335	2.40	-	41.48	32.00	5.46	34.92
AV	5.2424G	103.04	Inf	-Inf	2.09	3	Horizontal	335	2.40	-	100.95	31.45	5.54	34.90
AV	5.366G	42.57	54.00	-11.43	2.19	3	Horizontal	335	2.40	-	40.38	31.40	5.67	34.88
PK	5.099G	54.99	74.00	-19.01	2.53	3	Horizontal	335	2.40	-	52.46	32.00	5.45	34.92
PK	5.2418G	111.93	Inf	-Inf	2.09	3	Horizontal	335	2.40	-	109.84	31.45	5.54	34.90
PK	5.3834G	53.69	74.00	-20.31	2.30	3	Horizontal	335	2.40	-	51.39	31.50	5.68	34.88

802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7276G	43.07	54.00	-10.93	12.75	3	Vertical	189	2.50	-	30.32	38.16	9.83	35.24
PK	10.47888G	54.24	68.20	-13.96	12.71	3	Vertical	192	2.40	-	41.53	39.84	7.97	35.10
PK	15.71972G	54.82	74.00	-19.18	12.80	3	Vertical	189	2.50	-	42.02	38.20	9.83	35.23

802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72032G	43.36	54.00	-10.64	12.80	3	Horizontal	288	1.57	-	30.56	38.20	9.83	35.23
PK	10.47808G	54.06	68.20	-14.14	12.70	3	Horizontal	256	1.50	-	41.36	39.83	7.97	35.10
PK	15.72404G	55.64	74.00	-18.36	12.77	3	Horizontal	288	1.57	-	42.87	38.18	9.83	35.24

802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	45.19	54.00	-8.81	2.55	3	Vertical	316	2.40	-	42.64	32.00	5.47	34.92
AV	5.2618G	108.51	Inf	-Inf	2.04	3	Vertical	316	2.40	-	106.47	31.38	5.56	34.90
AV	5.3794G	44.12	54.00	-9.88	2.28	3	Vertical	316	2.40	-	41.84	31.48	5.68	34.88
PK	5.1424G	56.65	74.00	-17.35	2.55	3	Vertical	316	2.40	-	54.10	32.00	5.47	34.92
PK	5.263G	116.92	Inf	-Inf	2.03	3	Vertical	316	2.40	-	114.89	31.37	5.56	34.90
PK	5.3506G	55.18	74.00	-18.82	2.07	3	Vertical	316	2.40	-	53.11	31.30	5.65	34.88

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	43.94	54.00	-10.06	2.55	3	Horizontal	74	1.50	-	41.39	32.00	5.47	34.92
AV	5.254G	101.53	Inf	-Inf	2.04	3	Horizontal	74	1.50	-	99.49	31.39	5.55	34.90
AV	5.3572G	42.62	54.00	-11.38	2.12	3	Horizontal	74	1.50	-	40.50	31.34	5.66	34.88
PK	5.1268G	55.36	74.00	-18.64	2.54	3	Horizontal	74	1.50	-	52.82	32.00	5.46	34.92
PK	5.2546G	110.43	Inf	-Inf	2.04	3	Horizontal	74	1.50	-	108.39	31.39	5.55	34.90
PK	5.3842G	54.45	74.00	-19.55	2.31	3	Horizontal	74	1.50	-	52.14	31.51	5.68	34.88

802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78912G	44.01	54.00	-9.99	12.42	3	Vertical	213	1.02	-	31.59	37.85	9.85	35.28
PK	10.5298G	55.26	68.20	-12.94	12.82	3	Vertical	183	1.50	-	42.44	39.90	7.99	35.07
PK	15.77016G	56.06	74.00	-17.94	12.52	3	Vertical	213	1.02	-	43.54	37.95	9.84	35.27

802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78432G	42.72	54.00	-11.28	12.45	3	Horizontal	287	1.50	-	30.27	37.88	9.85	35.28
PK	10.52916G	55.83	68.20	-12.37	12.82	3	Horizontal	76	1.58	-	43.01	39.90	7.99	35.07
PK	15.7808G	54.30	74.00	-19.70	12.47	3	Horizontal	287	1.50	-	41.83	37.90	9.85	35.28

802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	108.67	Inf	-Inf	2.01	3	Vertical	314	2.18	-	106.66	31.30	5.60	34.89
AV	5.35G	47.40	54.00	-6.60	2.07	3	Vertical	314	2.18	-	45.33	31.30	5.65	34.88
PK	5.3016G	117.30	Inf	-Inf	2.01	3	Vertical	314	2.18	-	115.29	31.30	5.60	34.89
PK	5.3592G	61.55	74.00	-12.45	2.14	3	Vertical	314	2.18	-	59.41	31.36	5.66	34.88



802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	101.66	Inf	-Inf	2.01	3	Horizontal	70	1.06	-	99.65	31.31	5.59	34.89
AV	5.3544G	46.05	54.00	-7.95	2.10	3	Horizontal	70	1.06	-	43.95	31.33	5.65	34.88
PK	5.2936G	109.92	Inf	-Inf	2.01	3	Horizontal	70	1.06	-	107.91	31.31	5.59	34.89
PK	5.356G	60.22	74.00	-13.78	2.12	3	Horizontal	70	1.06	-	58.10	31.34	5.66	34.88

802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90558G	42.61	54.00	-11.39	12.32	3	Vertical	109	2.18	-	30.29	37.80	9.88	35.36
PK	10.60486G	54.06	74.00	-19.94	12.86	3	Vertical	129	1.96	-	41.20	39.91	8.01	35.06
PK	15.8862G	54.27	74.00	-19.73	12.32	3	Vertical	109	2.18	-	41.95	37.80	9.87	35.35

802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90618G	42.33	54.00	-11.67	12.32	3	Horizontal	121	2.37	-	30.01	37.80	9.88	35.36
PK	10.60988G	54.59	74.00	-19.41	12.88	3	Horizontal	319	2.47	-	41.71	39.92	8.01	35.05
PK	15.9147G	53.99	74.00	-20.01	12.31	3	Horizontal	121	2.37	-	41.68	37.80	9.88	35.37

802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.326G	105.06	Inf	-Inf	2.04	3	Vertical	95	2.92	-	103.02	31.30	5.63	34.89
AV	5.35G	53.10	54.00	-0.90	2.07	3	Vertical	95	2.92	-	51.03	31.30	5.65	34.88
PK	5.3262G	113.37	Inf	-Inf	2.04	3	Vertical	95	2.92	-	111.33	31.30	5.63	34.89
PK	5.3544G	67.26	74.00	-6.74	2.10	3	Vertical	95	2.92	-	65.16	31.33	5.65	34.88

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3142G	101.64	Inf	-Inf	2.02	3	Horizontal	72	1.64	-	99.62	31.30	5.61	34.89
AV	5.3538G	51.20	54.00	-2.80	2.09	3	Horizontal	72	1.64	-	49.11	31.32	5.65	34.88
PK	5.3148G	110.64	Inf	-Inf	2.02	3	Horizontal	72	1.64	-	108.62	31.30	5.61	34.89
PK	5.3544G	66.40	74.00	-7.60	2.10	3	Horizontal	72	1.64	-	64.30	31.33	5.65	34.88

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64436G	41.86	54.00	-12.14	12.97	3	Vertical	28	2.06	-	28.89	39.99	8.03	35.05
AV	15.96104G	42.01	54.00	-11.99	12.29	3	Vertical	41	2.49	-	29.72	37.80	9.89	35.40
PK	10.64644G	53.88	74.00	-20.12	12.97	3	Vertical	28	2.06	-	40.91	39.99	8.03	35.05
PK	15.95072G	53.53	74.00	-20.47	12.29	3	Vertical	41	2.49	-	41.24	37.80	9.89	35.40

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6304G	42.20	54.00	-11.80	12.93	3	Horizontal	21	1.45	-	29.27	39.96	8.02	35.05
AV	15.9678G	42.03	54.00	-11.97	12.28	3	Horizontal	235	1.84	-	29.75	37.80	9.89	35.41
PK	10.63072G	53.16	74.00	-20.84	12.93	3	Horizontal	21	1.45	-	40.23	39.96	8.02	35.05
PK	15.95252G	53.89	74.00	-20.11	12.29	3	Horizontal	235	1.84	-	41.60	37.80	9.89	35.40

802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	47.36	54.00	-6.64	2.67	3	Vertical	88	1.62	-	44.69	31.81	5.73	34.87
AV	5.493G	105.29	Inf	-Inf	2.78	3	Vertical	88	1.62	-	102.51	31.89	5.75	34.86
PK	5.47G	68.03	68.20	-0.17	2.72	3	Vertical	88	1.62	-	65.31	31.84	5.74	34.86
PK	5.493G	113.84	Inf	-Inf	2.78	3	Vertical	88	1.62	-	111.06	31.89	5.75	34.86



### 802.11a\_Nss1,(6Mbps)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.70	54.00	-7.30	2.68	3	Horizontal	344	1.50	-	44.02	31.82	5.73	34.87
AV	5.5016G	101.08	Inf	-Inf	2.79	3	Horizontal	344	1.50	-	98.29	31.90	5.75	34.86
PK	5.4626G	64.73	68.20	-3.47	2.69	3	Horizontal	344	1.50	-	62.04	31.83	5.73	34.87
PK	5.501G	110.49	Inf	-Inf	2.79	3	Horizontal	344	1.50	-	107.70	31.90	5.75	34.86

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99448G	42.72	54.00	-11.28	13.45	3	Vertical	226	2.24	-	29.27	40.30	8.15	35.00
PK	10.99216G	55.04	74.00	-18.96	13.45	3	Vertical	226	2.24	-	41.59	40.30	8.15	35.00
PK	16.49944G	55.95	68.20	-12.25	14.17	3	Vertical	253	1.28	-	41.78	39.00	10.05	34.88

802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0004G	42.68	54.00	-11.32	13.45	3	Horizontal	93	1.19	-	29.23	40.30	8.15	35.00
PK	10.99356G	54.38	74.00	-19.62	13.45	3	Horizontal	93	1.19	-	40.93	40.30	8.15	35.00
PK	16.49956G	56.27	68.20	-11.93	14.17	3	Horizontal	205	1.05	-	42.10	39.00	10.05	34.88

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	43.68	54.00	-10.32	2.67	3	Vertical	358	1.33	-	41.01	31.81	5.73	34.87
AV	5.5818G	106.54	Inf	-Inf	2.75	3	Vertical	358	1.33	-	103.79	31.84	5.79	34.88
PK	5.4672G	54.65	68.20	-13.55	2.69	3	Vertical	358	1.33	-	51.96	31.83	5.73	34.87
PK	5.5812G	114.56	Inf	-Inf	2.75	3	Vertical	358	1.33	-	111.81	31.84	5.79	34.88
PK	5.7252G	55.60	68.20	-12.60	2.87	3	Vertical	358	1.33	-	52.73	32.00	5.80	34.93

802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	43.82	54.00	-10.18	2.68	3	Horizontal	164	1.50	-	41.14	31.82	5.73	34.87
AV	5.5818G	102.84	Inf	-Inf	2.75	3	Horizontal	164	1.50	-	100.09	31.84	5.79	34.88
PK	5.4642G	55.51	68.20	-12.69	2.69	3	Horizontal	164	1.50	-	52.82	31.83	5.73	34.87
PK	5.5812G	111.21	Inf	-Inf	2.75	3	Horizontal	164	1.50	-	108.46	31.84	5.79	34.88
PK	5.7258G	55.36	68.20	-12.84	2.87	3	Horizontal	164	1.50	-	52.49	32.00	5.80	34.93

802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15991G	43.06	54.00	-10.94	13.07	3	Vertical	214	1.50	-	29.99	39.78	8.21	34.92
PK	11.16175G	54.82	74.00	-19.18	13.07	3	Vertical	214	1.50	-	41.75	39.78	8.21	34.92
PK	16.73754G	58.58	68.20	-9.62	15.36	3	Vertical	312	1.50	-	43.22	39.94	10.12	34.70

802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15853G	43.03	54.00	-10.97	13.07	3	Horizontal	298	2.62	-	29.96	39.78	8.21	34.92
PK	11.15841G	54.75	74.00	-19.25	13.07	3	Horizontal	298	2.62	-	41.68	39.78	8.21	34.92
PK	16.73763G	58.39	68.20	-9.81	15.36	3	Horizontal	308	1.01	-	43.03	39.94	10.12	34.70

802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	102.02	Inf	-Inf	2.78	3	Vertical	3	1.15	-	99.24	31.90	5.80	34.92
PK	5.7008G	110.81	Inf	-Inf	2.78	3	Vertical	3	1.15	-	108.03	31.90	5.80	34.92
PK	5.7276G	67.91	68.20	-0.29	2.88	3	Vertical	3	1.15	-	65.03	32.01	5.80	34.93



802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	96.46	Inf	-Inf	2.78	3	Horizontal	165	1.50	-	93.68	31.90	5.80	34.92
PK	5.7008G	105.03	Inf	-Inf	2.78	3	Horizontal	165	1.50	-	102.25	31.90	5.80	34.92
PK	5.7316G	58.38	68.20	-9.82	2.90	3	Horizontal	165	1.50	-	55.48	32.03	5.80	34.93

802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39847G	43.34	54.00	-10.66	13.50	3	Vertical	94	2.57	-	29.84	40.00	8.29	34.79
PK	11.3988G	55.09	74.00	-18.91	13.50	3	Vertical	94	2.57	-	41.59	40.00	8.29	34.79
PK	17.09957G	58.61	68.20	-9.59	15.68	3	Vertical	59	2.66	-	42.93	40.00	10.23	34.55

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39978G	43.21	54.00	-10.79	13.50	3	Horizontal	356	1.50	-	29.71	40.00	8.29	34.79
PK	11.39815G	55.25	74.00	-18.75	13.49	3	Horizontal	356	1.50	-	41.76	39.99	8.29	34.79
PK	17.10199G	58.34	68.20	-9.86	15.68	3	Horizontal	129	1.50	-	42.66	40.00	10.23	34.55

802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	43.41	54.00	-10.59	2.61	3	Vertical	2	1.50	-	40.80	31.76	5.72	34.87
AV	5.7212G	105.51	Inf	-Inf	2.85	3	Vertical	2	1.50	-	102.66	31.98	5.80	34.93
PK	5.4608G	53.23	68.20	-14.97	2.68	3	Vertical	2	1.50	-	50.55	31.82	5.73	34.87
PK	5.7212G	114.13	Inf	-Inf	2.85	3	Vertical	2	1.50	-	111.28	31.98	5.80	34.93
PK	5.9324G	57.16	68.20	-11.04	3.44	3	Vertical	2	1.50	-	53.72	32.56	5.87	34.99

802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	43.13	54.00	-10.87	2.61	3	Horizontal	11	1.23	-	40.52	31.76	5.72	34.87
AV	5.726G	101.12	Inf	-Inf	2.87	3	Horizontal	11	1.23	-	98.25	32.00	5.80	34.93
PK	5.4668G	53.82	68.20	-14.38	2.69	3	Horizontal	11	1.23	-	51.13	31.83	5.73	34.87
PK	5.7272G	109.81	Inf	-Inf	2.88	3	Horizontal	11	1.23	-	106.93	32.01	5.80	34.93
PK	5.9084G	56.06	68.20	-12.14	3.39	3	Horizontal	11	1.23	-	52.67	32.52	5.85	34.98


802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43897G	43.24	54.00	-10.76	13.57	3	Vertical	84	1.35	-	29.67	40.04	8.30	34.77
PK	11.44026G	55.47	74.00	-18.53	13.57	3	Vertical	84	1.35	-	41.90	40.04	8.30	34.77
PK	17.16093G	58.87	68.20	-9.33	15.67	3	Vertical	89	1.23	-	43.20	40.00	10.25	34.58


**802.11a\_Nss1,(6Mbps)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43817G	43.68	54.00	-10.32	13.57	3	Horizontal	13	1.63	-	30.11	40.04	8.30	34.77
PK	11.44107G	55.52	74.00	-18.48	13.57	3	Horizontal	13	1.63	-	41.95	40.04	8.30	34.77
PK	17.15885G	58.79	68.20	-9.41	15.67	3	Horizontal	168	2.39	-	43.12	40.00	10.25	34.58

802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	105.40	Inf	-Inf	2.95	3	Vertical	3	1.12	-	102.45	32.08	5.80	34.93
PK	5.5146G	55.77	68.20	-12.43	2.80	3	Vertical	3	1.12	-	52.97	31.90	5.76	34.86
PK	5.7462G	113.69	Inf	-Inf	2.95	3	Vertical	3	1.12	-	110.74	32.08	5.80	34.93
PK	5.925G	55.56	68.20	-12.64	3.42	3	Vertical	3	1.12	-	52.14	32.55	5.86	34.99



802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	101.53	Inf	-Inf	2.96	3	Horizontal	12	1.47	-	98.57	32.10	5.80	34.94
PK	5.6502G	55.42	68.35	-12.93	2.69	3	Horizontal	12	1.47	-	52.73	31.80	5.80	34.91
PK	5.751G	110.12	Inf	-Inf	2.96	3	Horizontal	12	1.47	-	107.16	32.10	5.80	34.94
PK	5.9478G	54.89	68.20	-13.31	3.48	3	Horizontal	12	1.47	-	51.41	32.60	5.87	34.99

802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48755G	43.66	54.00	-10.34	13.66	3	Vertical	232	1.02	-	30.00	40.09	8.32	34.75
PK	11.49233G	55.53	74.00	-18.47	13.67	3	Vertical	232	1.02	-	41.86	40.09	8.32	34.74
PK	17.23252G	58.29	68.20	-9.91	15.76	3	Vertical	359	1.50	-	42.53	40.10	10.27	34.61

802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48948G	43.80	54.00	-10.20	13.66	3	Horizontal	108	1.45	-	30.14	40.09	8.32	34.75
PK	11.49021G	55.93	74.00	-18.07	13.66	3	Horizontal	108	1.45	-	42.27	40.09	8.32	34.75
PK	17.23382G	58.58	68.20	-9.62	15.76	3	Horizontal	326	1.50	-	42.82	40.10	10.27	34.61

802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	105.61	Inf	-Inf	3.02	3	Vertical	2	1.49	-	102.59	32.17	5.80	34.95
PK	5.6086G	55.96	68.20	-12.24	2.71	3	Vertical	2	1.49	-	53.25	31.80	5.80	34.89
PK	5.7862G	114.37	Inf	-Inf	3.02	3	Vertical	2	1.49	-	111.35	32.17	5.80	34.95
PK	5.9422G	56.14	68.20	-12.06	3.46	3	Vertical	2	1.49	-	52.68	32.58	5.87	34.99

### 802.11a\_Nss1,(6Mbps)\_4TX


### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	102.44	Inf	-Inf	3.02	3	Horizontal	194	1.18	-	99.42	32.17	5.80	34.95
PK	5.6314G	55.07	68.20	-13.13	2.70	3	Horizontal	194	1.18	-	52.37	31.80	5.80	34.90
PK	5.7862G	111.01	Inf	-Inf	3.02	3	Horizontal	194	1.18	-	107.99	32.17	5.80	34.95
PK	5.9446G	55.37	68.20	-12.83	3.47	3	Horizontal	194	1.18	-	51.90	32.59	5.87	34.99

802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56878G	43.43	54.00	-10.57	13.48	3	Vertical	121	1.46	-	29.95	39.89	8.35	34.76
PK	11.57096G	54.91	74.00	-19.09	13.48	3	Vertical	121	1.46	-	41.43	39.89	8.35	34.76
PK	17.35653G	59.69	68.20	-8.51	16.39	3	Vertical	130	1.50	-	43.30	40.75	10.31	34.67

802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57104G	43.28	54.00	-10.72	13.48	3	Horizontal	245	2.99	-	29.80	39.89	8.35	34.76
PK	11.57175G	55.24	74.00	-18.76	13.47	3	Horizontal	245	2.99	-	41.77	39.88	8.35	34.76
PK	17.35345G	59.00	68.20	-9.20	16.37	3	Horizontal	124	1.50	-	42.63	40.73	10.31	34.67

802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	106.46	Inf	-Inf	3.15	3	Vertical	352	1.68	-	103.31	32.30	5.81	34.96
PK	5.591G	55.03	68.20	-13.17	2.73	3	Vertical	352	1.68	-	52.30	31.82	5.80	34.89
PK	5.8274G	114.86	Inf	-Inf	3.16	3	Vertical	352	1.68	-	111.70	32.31	5.81	34.96
PK	5.9318G	55.91	68.20	-12.29	3.44	3	Vertical	352	1.68	-	52.47	32.56	5.87	34.99



### 802.11a\_Nss1,(6Mbps)\_4TX


### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	101.52	Inf	-Inf	3.19	3	Horizontal	6	1.08	-	98.33	32.33	5.82	34.96
PK	5.5694G	55.74	68.20	-12.46	2.76	3	Horizontal	6	1.08	-	52.98	31.86	5.78	34.88
PK	5.831G	109.08	Inf	-Inf	3.18	3	Horizontal	6	1.08	-	105.90	32.32	5.82	34.96
PK	5.9918G	54.54	68.20	-13.66	3.41	3	Horizontal	6	1.08	-	51.13	32.52	5.90	35.01

802.11a\_Nss1,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65004G	43.31	54.00	-10.69	13.15	3	Vertical	12	1.41	-	30.16	39.55	8.38	34.78
PK	11.65195G	54.69	74.00	-19.31	13.14	3	Vertical	12	1.41	-	41.55	39.54	8.38	34.78
PK	17.47311G	60.56	68.20	-7.64	17.08	3	Vertical	180	1.50	-	43.48	41.47	10.34	34.73

802.11a\_Nss1,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6475G	42.94	54.00	-11.06	13.16	3	Horizontal	327	1.50	-	29.78	39.56	8.38	34.78
PK	11.64883G	54.79	74.00	-19.21	13.16	3	Horizontal	327	1.50	-	41.63	39.56	8.38	34.78
PK	17.47333G	59.79	68.20	-8.41	17.08	3	Horizontal	171	1.67	-	42.71	41.47	10.34	34.73

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.69	54.00	-0.31	2.55	3	Vertical	258	2.17	-	51.14	32.00	5.47	34.92
AV	5.1882G	100.71	Inf	-Inf	2.35	3	Vertical	258	2.17	-	98.36	31.77	5.49	34.91
PK	5.149G	69.62	74.00	-4.38	2.55	3	Vertical	258	2.17	-	67.07	32.00	5.47	34.92
PK	5.1742G	113.42	Inf	-Inf	2.43	3	Vertical	258	2.17	-	110.99	31.85	5.49	34.91

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.80	54.00	-4.20	2.55	3	Horizontal	192	1.19	-	47.25	32.00	5.47	34.92
AV	5.173G	95.94	Inf	-Inf	2.44	3	Horizontal	192	1.19	-	93.50	31.86	5.49	34.91
PK	5.1488G	65.54	74.00	-8.46	2.55	3	Horizontal	192	1.19	-	62.99	32.00	5.47	34.92
PK	5.182G	108.56	Inf	-Inf	2.39	3	Horizontal	192	1.19	-	106.17	31.81	5.49	34.91

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53975G	41.79	54.00	-12.21	13.17	3	Vertical	0	1.02	-	28.62	38.50	9.78	35.11
PK	10.35849G	54.12	68.20	-14.08	12.17	3	Vertical	162	1.22	-	41.95	39.48	7.93	35.24
PK	15.53897G	55.77	74.00	-18.23	13.18	3	Vertical	0	1.02	-	42.59	38.51	9.78	35.11

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54022G	41.78	54.00	-12.22	13.18	3	Horizontal	250	1.50	-	28.60	38.50	9.79	35.11
PK	10.35812G	53.75	68.20	-14.45	12.16	3	Horizontal	313	1.50	-	41.59	39.47	7.93	35.24
PK	15.53891G	55.23	74.00	-18.77	13.18	3	Horizontal	250	1.50	-	42.05	38.51	9.78	35.11

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.14	54.00	-0.86	2.55	3	Vertical	261	1.94	-	50.59	32.00	5.47	34.92
AV	5.1924G	104.19	Inf	-Inf	2.34	3	Vertical	261	1.94	-	101.85	31.75	5.50	34.91
PK	5.1488G	66.92	74.00	-7.08	2.55	3	Vertical	261	1.94	-	64.37	32.00	5.47	34.92
PK	5.1944G	116.63	Inf	-Inf	2.32	3	Vertical	261	1.94	-	114.31	31.73	5.50	34.91



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.37	54.00	-4.63	2.55	3	Horizontal	192	1.28	-	46.82	32.00	5.47	34.92
AV	5.1924G	98.09	Inf	-Inf	2.34	3	Horizontal	192	1.28	-	95.75	31.75	5.50	34.91
PK	5.1488G	65.44	74.00	-8.56	2.55	3	Horizontal	192	1.28	-	62.89	32.00	5.47	34.92
PK	5.1992G	109.76	Inf	-Inf	2.29	3	Horizontal	192	1.28	-	107.47	31.70	5.50	34.91

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60012G	42.15	54.00	-11.85	12.85	3	Vertical	208	2.07	-	29.30	38.20	9.80	35.15
PK	10.40096G	54.91	68.20	-13.29	12.35	3	Vertical	148	1.50	-	42.56	39.60	7.94	35.19
PK	15.60159G	56.40	74.00	-17.60	12.85	3	Vertical	208	2.07	-	43.55	38.20	9.80	35.15

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59895G	42.15	54.00	-11.85	12.86	3	Horizontal	234	1.50	-	29.29	38.21	9.80	35.15
PK	10.39995G	54.79	68.20	-13.41	12.35	3	Horizontal	86	1.50	-	42.44	39.60	7.94	35.19
PK	15.59829G	56.00	74.00	-18.00	12.86	3	Horizontal	234	1.50	-	43.14	38.21	9.80	35.15

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.54	54.00	-8.46	2.55	3	Vertical	50	2.23	-	42.99	32.00	5.47	34.92
AV	5.2472G	105.11	Inf	-Inf	2.07	3	Vertical	50	2.23	-	103.04	31.42	5.55	34.90
AV	5.3504G	42.93	54.00	-11.07	2.07	3	Vertical	50	2.23	-	40.86	31.30	5.65	34.88
PK	5.1398G	60.69	74.00	-13.31	2.55	3	Vertical	50	2.23	-	58.14	32.00	5.47	34.92
PK	5.2346G	116.57	Inf	-Inf	2.12	3	Vertical	50	2.23	-	114.45	31.49	5.53	34.90
PK	5.3618G	55.21	74.00	-18.79	2.15	3	Vertical	50	2.23	-	53.06	31.37	5.66	34.88

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.23	54.00	-10.77	2.55	3	Horizontal	190	1.26	-	40.68	32.00	5.47	34.92
AV	5.2322G	98.60	Inf	-Inf	2.14	3	Horizontal	190	1.26	-	96.46	31.51	5.53	34.90
AV	5.39G	41.57	54.00	-12.43	2.35	3	Horizontal	190	1.26	-	39.22	31.54	5.69	34.88
PK	5.1254G	56.03	74.00	-17.97	2.54	3	Horizontal	190	1.26	-	53.49	32.00	5.46	34.92
PK	5.2382G	111.09	Inf	-Inf	2.11	3	Horizontal	190	1.26	-	108.98	31.47	5.54	34.90
PK	5.3624G	54.46	74.00	-19.54	2.15	3	Horizontal	190	1.26	-	52.31	31.37	5.66	34.88

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71822G	44.72	54.00	-9.28	12.81	3	Vertical	218	1.00	-	31.91	38.21	9.83	35.23
PK	10.48133G	54.52	68.20	-13.68	12.72	3	Vertical	130	2.88	-	41.80	39.84	7.97	35.09
PK	15.71861G	58.56	74.00	-15.44	12.81	3	Vertical	218	1.00	-	45.75	38.21	9.83	35.23

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72137G	42.49	54.00	-11.51	12.79	3	Horizontal	291	1.50	-	29.70	38.19	9.83	35.23
PK	10.48058G	54.78	68.20	-13.42	12.72	3	Horizontal	354	1.50	-	42.06	39.84	7.97	35.09
PK	15.72208G	56.09	74.00	-17.91	12.78	3	Horizontal	291	1.50	-	43.31	38.19	9.83	35.24

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.80	54.00	-10.20	2.55	3	Vertical	257	2.10	-	41.25	32.00	5.47	34.92
AV	5.2522G	103.15	Inf	-Inf	2.05	3	Vertical	257	2.10	-	103.10	31.40	5.55	34.90
AV	5.35G	43.23	54.00	-10.77	2.07	3	Vertical	257	2.10	-	41.16	31.30	5.65	34.88
PK	5.1448G	56.39	74.00	-17.61	2.55	3	Vertical	257	2.10	-	53.84	32.00	5.47	34.92
PK	5.2516G	116.50	Inf	-Inf	2.05	3	Vertical	257	2.10	-	114.45	31.40	5.55	34.90
PK	5.35G	56.84	74.00	-17.16	2.07	3	Vertical	257	2.10	-	54.77	31.30	5.65	34.88



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	42.96	54.00	-11.04	2.55	3	Horizontal	190	1.24	-	40.41	32.00	5.47	34.92
AV	5.2522G	98.52	Inf	-Inf	2.05	3	Horizontal	190	1.24	-	96.47	31.40	5.55	34.90
AV	5.356G	41.81	54.00	-12.19	2.12	3	Horizontal	190	1.24	-	39.69	31.34	5.66	34.88
PK	5.1442G	55.95	74.00	-18.05	2.55	3	Horizontal	190	1.24	-	53.40	32.00	5.47	34.92
PK	5.251G	110.35	Inf	-Inf	2.05	3	Horizontal	190	1.24	-	108.30	31.40	5.55	34.90
PK	5.407G	55.97	74.00	-18.03	2.46	3	Horizontal	190	1.24	-	53.51	31.63	5.70	34.87

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77836G	41.66	54.00	-12.34	12.48	3	Vertical	69	1.33	-	29.18	37.91	9.84	35.27
PK	10.51898G	54.56	68.20	-13.64	12.81	3	Vertical	100	2.21	-	41.75	39.90	7.98	35.07
PK	15.77787G	55.08	74.00	-18.92	12.48	3	Vertical	69	1.33	-	42.60	37.91	9.84	35.27

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77788G	41.68	54.00	-12.32	12.48	3	Horizontal	309	2.25	-	29.20	37.91	9.84	35.27
PK	10.51989G	55.05	68.20	-13.15	12.81	3	Horizontal	194	1.03	-	42.24	39.90	7.98	35.07
PK	15.78016G	54.76	74.00	-19.24	12.47	3	Horizontal	309	2.25	-	42.29	37.90	9.85	35.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	103.42	Inf	-Inf	2.01	3	Vertical	87	2.16	-	101.41	31.31	5.59	34.89
AV	5.35G	53.58	54.00	-0.42	2.07	3	Vertical	87	2.16	-	51.51	31.30	5.65	34.88
PK	5.2924G	115.18	Inf	-Inf	2.02	3	Vertical	87	2.16	-	113.16	31.32	5.59	34.89
PK	5.3504G	68.66	74.00	-5.34	2.07	3	Vertical	87	2.16	-	66.59	31.30	5.65	34.88

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3084G	99.66	Inf	-Inf	2.02	3	Horizontal	188	1.28	-	97.64	31.30	5.61	34.89
AV	5.35G	49.14	54.00	-4.86	2.07	3	Horizontal	188	1.28	-	47.07	31.30	5.65	34.88
PK	5.302G	110.40	Inf	-Inf	2.01	3	Horizontal	188	1.28	-	108.39	31.30	5.60	34.89
PK	5.3516G	63.97	74.00	-10.03	2.08	3	Horizontal	188	1.28	-	61.89	31.31	5.65	34.88

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90102G	41.58	54.00	-12.42	12.32	3	Vertical	2	1.49	-	29.26	37.80	9.88	35.36
PK	10.59905G	53.94	68.20	-14.26	12.85	3	Vertical	239	1.17	-	41.09	39.90	8.01	35.06
PK	15.89839G	55.66	74.00	-18.34	12.31	3	Vertical	2	1.49	-	43.35	37.80	9.87	35.36

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90015G	41.54	54.00	-12.46	12.32	3	Horizontal	103	1.48	-	29.22	37.80	9.88	35.36
PK	10.60217G	54.78	74.00	-19.22	12.85	3	Horizontal	350	1.61	-	41.93	39.90	8.01	35.06
PK	15.90106G	54.80	74.00	-19.20	12.32	3	Horizontal	103	1.48	-	42.48	37.80	9.88	35.36

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3268G	100.76	Inf	-Inf	2.04	3	Vertical	90	2.25	-	98.72	31.30	5.63	34.89
AV	5.35G	53.49	54.00	-0.51	2.07	3	Vertical	90	2.25	-	51.42	31.30	5.65	34.88
PK	5.3276G	113.04	Inf	-Inf	2.04	3	Vertical	90	2.25	-	111.00	31.30	5.63	34.89
PK	5.3534G	72.07	74.00	-1.93	2.09	3	Vertical	90	2.25	-	69.98	31.32	5.65	34.88



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3124G	96.34	Inf	-Inf	2.02	3	Horizontal	187	1.29	-	94.32	31.30	5.61	34.89
AV	5.35G	49.29	54.00	-4.71	2.07	3	Horizontal	187	1.29	-	47.22	31.30	5.65	34.88
PK	5.3268G	107.99	Inf	-Inf	2.04	3	Horizontal	187	1.29	-	105.95	31.30	5.63	34.89
PK	5.3508G	64.50	74.00	-9.50	2.07	3	Horizontal	187	1.29	-	62.43	31.30	5.65	34.88

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63825G	40.71	54.00	-13.29	12.95	3	Vertical	249	1.94	-	27.76	39.98	8.02	35.05
AV	15.96158G	41.75	54.00	-12.25	12.29	3	Vertical	327	2.45	-	29.46	37.80	9.89	35.40
PK	10.64132G	53.81	74.00	-20.19	12.95	3	Vertical	249	1.94	-	40.86	39.98	8.02	35.05
PK	15.96056G	55.73	74.00	-18.27	12.29	3	Vertical	327	2.45	-	43.44	37.80	9.89	35.40

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63867G	40.70	54.00	-13.30	12.95	3	Horizontal	82	2.45	-	27.75	39.98	8.02	35.05
AV	15.96195G	41.78	54.00	-12.22	12.29	3	Horizontal	166	1.81	-	29.49	37.80	9.89	35.40
PK	10.64045G	54.40	74.00	-19.60	12.95	3	Horizontal	82	2.45	-	41.45	39.98	8.02	35.05
PK	15.95775G	55.38	74.00	-18.62	12.29	3	Horizontal	166	1.81	-	43.09	37.80	9.89	35.40

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.73	54.00	-8.27	2.68	3	Vertical	87	2.23	-	43.05	31.82	5.73	34.87
AV	5.5072G	100.61	Inf	-Inf	2.79	3	Vertical	87	2.23	-	97.82	31.90	5.75	34.86
PK	5.4696G	67.99	68.20	-0.21	2.71	3	Vertical	87	2.23	-	65.28	31.84	5.73	34.86
PK	5.505G	113.07	Inf	-Inf	2.79	3	Vertical	87	2.23	-	110.28	31.90	5.75	34.86

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	43.19	54.00	-10.81	2.68	3	Horizontal	197	1.49	-	40.51	31.82	5.73	34.87
AV	5.5078G	94.21	Inf	-Inf	2.79	3	Horizontal	197	1.49	-	91.42	31.90	5.75	34.86
PK	5.4698G	59.72	68.20	-8.48	2.71	3	Horizontal	197	1.49	-	57.01	31.84	5.73	34.86
PK	5.4988G	106.93	Inf	-Inf	2.79	3	Horizontal	197	1.49	-	104.14	31.90	5.75	34.86

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99815G	41.44	54.00	-12.56	13.45	3	Vertical	292	1.63	-	27.99	40.30	8.15	35.00
PK	10.99925G	55.53	74.00	-18.47	13.45	3	Vertical	292	1.63	-	42.08	40.30	8.15	35.00
PK	16.4977G	56.93	68.20	-11.27	14.16	3	Vertical	151	1.50	-	42.77	38.99	10.05	34.88

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99767G	41.71	54.00	-12.29	13.45	3	Horizontal	328	1.50	-	28.26	40.30	8.15	35.00
PK	10.99764G	55.51	74.00	-18.49	13.45	3	Horizontal	328	1.50	-	42.06	40.30	8.15	35.00
PK	16.49801G	58.30	68.20	-9.90	14.16	3	Horizontal	121	1.50	-	44.14	38.99	10.05	34.88

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.77	54.00	-11.23	2.68	3	Vertical	3	1.84	-	40.09	31.82	5.73	34.87
AV	5.5728G	106.65	Inf	-Inf	2.76	3	Vertical	3	1.84	-	103.89	31.85	5.79	34.88
PK	5.4606G	54.81	68.20	-13.39	2.68	3	Vertical	3	1.84	-	52.13	31.82	5.73	34.87
PK	5.5776G	118.50	Inf	-Inf	2.75	3	Vertical	3	1.84	-	115.75	31.84	5.79	34.88
PK	5.7282G	55.81	68.20	-12.39	2.88	3	Vertical	3	1.84	-	52.93	32.01	5.80	34.93



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	42.19	54.00	-11.81	2.67	3	Horizontal	17	1.30	-	39.52	31.81	5.73	34.87
AV	5.5866G	99.23	Inf	-Inf	2.73	3	Horizontal	17	1.30	-	96.50	31.83	5.79	34.89
PK	5.4672G	55.04	68.20	-13.16	2.69	3	Horizontal	17	1.30	-	52.35	31.83	5.73	34.87
PK	5.5824G	110.73	Inf	-Inf	2.75	3	Horizontal	17	1.30	-	107.98	31.84	5.79	34.88
PK	5.7252G	54.29	68.20	-13.91	2.87	3	Horizontal	17	1.30	-	51.42	32.00	5.80	34.93

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15804G	40.94	54.00	-13.06	13.07	3	Vertical	2	1.25	-	27.87	39.78	8.21	34.92
PK	11.16229G	54.35	74.00	-19.65	13.07	3	Vertical	2	1.25	-	41.28	39.78	8.21	34.92
PK	16.74132G	58.86	68.20	-9.34	15.36	3	Vertical	314	1.27	-	43.50	39.94	10.12	34.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15956G	40.98	54.00	-13.02	13.07	3	Horizontal	12	1.50	-	27.91	39.78	8.21	34.92
PK	11.16239G	54.81	74.00	-19.19	13.07	3	Horizontal	12	1.50	-	41.74	39.78	8.21	34.92
PK	16.74111G	58.55	68.20	-9.65	15.36	3	Horizontal	322	1.50	-	43.19	39.94	10.12	34.70

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7068G	98.71	Inf	-Inf	2.81	3	Vertical	2	1.74	-	95.90	31.93	5.80	34.92
PK	5.7016G	110.48	Inf	-Inf	2.79	3	Vertical	2	1.74	-	107.69	31.91	5.80	34.92
PK	5.7272G	67.86	68.20	-0.34	2.88	3	Vertical	2	1.74	-	64.98	32.01	5.80	34.93

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6916G	91.19	Inf	-Inf	2.76	3	Horizontal	159	1.71	-	88.43	31.88	5.80	34.92
PK	5.7036G	102.23	Inf	-Inf	2.79	3	Horizontal	159	1.71	-	99.44	31.91	5.80	34.92
PK	5.7256G	57.70	68.20	-10.50	2.87	3	Horizontal	159	1.71	-	54.83	32.00	5.80	34.93

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39996G	41.26	54.00	-12.74	13.50	3	Vertical	250	1.50	-	27.76	40.00	8.29	34.79
PK	11.40138G	54.67	74.00	-19.33	13.50	3	Vertical	250	1.50	-	41.17	40.00	8.29	34.79
PK	17.09807G	58.94	68.20	-9.26	15.69	3	Vertical	193	2.63	-	43.25	40.01	10.23	34.55


### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40054G	41.29	54.00	-12.71	13.50	3	Horizontal	41	1.50	-	27.79	40.00	8.29	34.79
PK	11.40013G	55.14	74.00	-18.86	13.50	3	Horizontal	41	1.50	-	41.64	40.00	8.29	34.79
PK	17.09782G	58.85	68.20	-9.35	15.69	3	Horizontal	173	1.50	-	43.16	40.01	10.23	34.55


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	41.95	54.00	-12.05	2.67	3	Vertical	3	1.74	-	39.28	31.81	5.73	34.87
AV	5.7272G	106.39	Inf	-Inf	2.88	3	Vertical	3	1.74	-	103.51	32.01	5.80	34.93
PK	5.468G	53.62	68.20	-14.58	2.70	3	Vertical	3	1.74	-	50.92	31.84	5.73	34.87
PK	5.7116G	117.69	Inf	-Inf	2.83	3	Vertical	3	1.74	-	114.86	31.95	5.80	34.92
PK	5.9204G	55.77	68.20	-12.43	3.41	3	Vertical	3	1.74	-	52.36	32.54	5.86	34.99




**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	41.74	54.00	-12.26	2.67	3	Horizontal	16	1.48	-	39.07	31.81	5.73	34.87
AV	5.7272G	98.50	Inf	-Inf	2.88	3	Horizontal	16	1.48	-	95.62	32.01	5.80	34.93
PK	5.4668G	54.16	68.20	-14.04	2.69	3	Horizontal	16	1.48	-	51.47	31.83	5.73	34.87
PK	5.7284G	109.22	Inf	-Inf	2.88	3	Horizontal	16	1.48	-	106.34	32.01	5.80	34.93
PK	5.8652G	54.96	68.20	-13.24	3.29	3	Horizontal	16	1.48	-	51.67	32.43	5.83	34.97

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44014G	41.53	54.00	-12.47	13.57	3	Vertical	360	2.70	-	27.96	40.04	8.30	34.77
PK	11.43775G	54.78	74.00	-19.22	13.57	3	Vertical	360	2.70	-	41.21	40.04	8.30	34.77
PK	17.16129G	58.84	68.20	-9.36	15.67	3	Vertical	360	2.39	-	43.17	40.00	10.25	34.58


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44046G	41.52	54.00	-12.48	13.57	3	Horizontal	260	1.66	-	27.95	40.04	8.30	34.77
PK	11.43842G	55.24	74.00	-18.76	13.57	3	Horizontal	260	1.66	-	41.67	40.04	8.30	34.77
PK	17.16086G	58.01	68.20	-10.19	15.67	3	Horizontal	35	2.01	-	42.34	40.00	10.25	34.58

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	106.81	Inf	-Inf	2.96	3	Vertical	2	1.79	-	103.85	32.09	5.80	34.93
PK	5.6406G	58.68	68.20	-9.52	2.70	3	Vertical	2	1.79	-	55.98	31.80	5.80	34.90
PK	5.7474G	117.84	Inf	-Inf	2.96	3	Vertical	2	1.79	-	114.88	32.09	5.80	34.93
PK	5.9466G	55.92	68.20	-12.28	3.47	3	Vertical	2	1.79	-	52.45	32.59	5.87	34.99

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	98.22	Inf	-Inf	2.95	3	Horizontal	182	2.00	-	95.27	32.08	5.80	34.93
PK	5.601G	55.50	68.20	-12.70	2.71	3	Horizontal	182	2.00	-	52.79	31.80	5.80	34.89
PK	5.739G	109.68	Inf	-Inf	2.93	3	Horizontal	182	2.00	-	106.75	32.06	5.80	34.93
PK	5.9634G	56.26	68.20	-11.94	3.45	3	Horizontal	182	2.00	-	52.81	32.57	5.88	35.00

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48969G	41.75	54.00	-12.25	13.66	3	Vertical	331	1.91	-	28.09	40.09	8.32	34.75
PK	11.49157G	54.92	74.00	-19.08	13.67	3	Vertical	331	1.91	-	41.25	40.09	8.32	34.74
PK	17.23383G	58.23	68.20	-9.97	15.76	3	Vertical	199	1.50	-	42.47	40.10	10.27	34.61

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49021G	41.66	54.00	-12.34	13.66	3	Horizontal	341	1.79	-	28.00	40.09	8.32	34.75
PK	11.48845G	54.99	74.00	-19.01	13.66	3	Horizontal	341	1.79	-	41.33	40.09	8.32	34.75
PK	17.23675G	58.77	68.20	-9.43	15.77	3	Horizontal	0	1.50	-	43.00	40.11	10.27	34.61

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	103.75	Inf	-Inf	3.03	3	Vertical	20	1.76	-	100.72	32.17	5.80	34.94
PK	5.6182G	56.60	68.20	-11.60	2.70	3	Vertical	20	1.76	-	53.90	31.80	5.80	34.90
PK	5.7922G	114.52	Inf	-Inf	3.03	3	Vertical	20	1.76	-	111.49	32.18	5.80	34.95
PK	5.9362G	55.79	68.20	-12.41	3.45	3	Vertical	20	1.76	-	52.34	32.57	5.87	34.99



802.11ax HEW20\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	98.90	Inf	-Inf	3.02	3	Horizontal	184	1.94	-	95.88	32.16	5.80	34.94
PK	5.6074G	55.06	68.20	-13.14	2.71	3	Horizontal	184	1.94	-	52.35	31.80	5.80	34.89
PK	5.7778G	110.63	Inf	-Inf	3.02	3	Horizontal	184	1.94	-	107.61	32.16	5.80	34.94
PK	5.9482G	55.03	68.20	-13.17	3.48	3	Horizontal	184	1.94	-	51.55	32.60	5.87	34.99

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56969G	41.42	54.00	-12.58	13.48	3	Vertical	67	3.00	-	27.94	39.89	8.35	34.76
PK	11.57057G	54.91	74.00	-19.09	13.48	3	Vertical	67	3.00	-	41.43	39.89	8.35	34.76
PK	17.35645G	58.89	68.20	-9.31	16.39	3	Vertical	112	2.34	-	42.50	40.75	10.31	34.67

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56823G	41.37	54.00	-12.63	13.49	3	Horizontal	276	1.13	-	27.88	39.90	8.35	34.76
PK	11.56979G	55.43	74.00	-18.57	13.48	3	Horizontal	276	1.13	-	41.95	39.89	8.35	34.76
PK	17.35535G	58.73	68.20	-9.47	16.38	3	Horizontal	156	2.46	-	42.35	40.74	10.31	34.67

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	105.81	Inf	-Inf	3.15	3	Vertical	57	1.97	-	102.66	32.30	5.81	34.96
PK	5.6342G	55.03	68.20	-13.17	2.70	3	Vertical	57	1.97	-	52.33	31.80	5.80	34.90
PK	5.8214G	117.48	Inf	-Inf	3.14	3	Vertical	57	1.97	-	114.34	32.29	5.81	34.96
PK	5.9378G	56.62	68.20	-11.58	3.46	3	Vertical	57	1.97	-	53.16	32.58	5.87	34.99

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	100.54	Inf	-Inf	3.13	3	Horizontal	276	1.80	-	97.41	32.28	5.81	34.96
PK	5.6006G	55.75	68.20	-12.45	2.71	3	Horizontal	276	1.80	-	53.04	31.80	5.80	34.89
PK	5.819G	111.93	Inf	-Inf	3.13	3	Horizontal	276	1.80	-	108.80	32.28	5.81	34.96
PK	5.9366G	55.32	68.20	-12.88	3.45	3	Horizontal	276	1.80	-	51.87	32.57	5.87	34.99

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64834G	41.31	54.00	-12.69	13.16	3	Vertical	151	1.50	-	28.15	39.56	8.38	34.78
PK	11.65248G	55.36	74.00	-18.64	13.14	3	Vertical	151	1.50	-	42.22	39.54	8.38	34.78
PK	17.47252G	59.72	68.20	-8.48	17.07	3	Vertical	0	1.12	-	42.65	41.46	10.34	34.73

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64753G	41.22	54.00	-12.78	13.16	3	Horizontal	120	2.14	-	28.06	39.56	8.38	34.78
PK	11.64969G	54.69	74.00	-19.31	13.15	3	Horizontal	120	2.14	-	41.54	39.55	8.38	34.78
PK	17.47592G	60.19	68.20	-8.01	17.09	3	Horizontal	354	2.05	-	43.10	41.48	10.34	34.73

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.92	54.00	-3.08	2.55	3	Vertical	254	2.12	-	48.37	32.00	5.47	34.92
AV	5.2052G	97.20	Inf	-Inf	2.27	3	Vertical	254	2.12	-	94.93	31.67	5.51	34.91
PK	5.1484G	73.49	74.00	-0.51	2.55	3	Vertical	254	2.12	-	70.94	32.00	5.47	34.92
PK	5.1972G	108.39	Inf	-Inf	2.31	3	Vertical	254	2.12	-	106.08	31.72	5.50	34.91



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.89	54.00	-6.11	2.55	3	Horizontal	186	1.50	-	45.34	32.00	5.47	34.92
AV	5.1736G	92.83	Inf	-Inf	2.44	3	Horizontal	186	1.50	-	90.39	31.86	5.49	34.91
PK	5.1488G	70.20	74.00	-3.80	2.55	3	Horizontal	186	1.50	-	67.65	32.00	5.47	34.92
PK	5.1744G	104.60	Inf	-Inf	2.43	3	Horizontal	186	1.50	-	102.17	31.85	5.49	34.91

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56849G	43.15	54.00	-10.85	13.02	3	Vertical	58	1.50	-	30.13	38.36	9.79	35.13
PK	10.38029G	54.58	68.20	-13.62	12.26	3	Vertical	323	1.74	-	42.32	39.54	7.93	35.21
PK	15.56798G	55.70	74.00	-18.30	13.02	3	Vertical	58	1.50	-	42.68	38.36	9.79	35.13

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57051G	43.06	54.00	-10.94	13.01	3	Horizontal	151	1.50	-	30.05	38.35	9.79	35.13
PK	10.37988G	54.25	68.20	-13.95	12.26	3	Horizontal	298	1.79	-	41.99	39.54	7.93	35.21
PK	15.56882G	55.59	74.00	-18.41	13.02	3	Horizontal	151	1.50	-	42.57	38.36	9.79	35.13

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.61	54.00	-0.39	2.55	3	Vertical	253	2.10	-	51.06	32.00	5.47	34.92
AV	5.2452G	102.59	Inf	-Inf	2.08	3	Vertical	253	2.10	-	100.51	31.43	5.55	34.90
PK	5.148G	68.46	74.00	-5.54	2.55	3	Vertical	253	2.10	-	65.91	32.00	5.47	34.92
PK	5.2308G	113.84	Inf	-Inf	2.15	3	Vertical	253	2.10	-	111.69	31.52	5.53	34.90

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.57	54.00	-3.43	2.55	3	Horizontal	186	1.40	-	48.02	32.00	5.47	34.92
AV	5.2452G	98.06	Inf	-Inf	2.08	3	Horizontal	186	1.40	-	95.98	31.43	5.55	34.90
PK	5.1484G	63.09	74.00	-10.91	2.55	3	Horizontal	186	1.40	-	60.54	32.00	5.47	34.92
PK	5.2388G	109.32	Inf	-Inf	2.11	3	Horizontal	186	1.40	-	107.21	31.47	5.54	34.90

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69075G	43.58	54.00	-10.42	12.90	3	Vertical	222	1.16	-	30.68	38.29	9.82	35.21
PK	10.45981G	55.33	68.20	-12.87	12.62	3	Vertical	306	3.00	-	42.71	39.78	7.96	35.12
PK	15.69139G	56.53	74.00	-17.47	12.90	3	Vertical	222	1.16	-	43.63	38.29	9.82	35.21

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69046G	43.68	54.00	-10.32	12.90	3	Horizontal	357	2.29	-	30.78	38.29	9.82	35.21
PK	10.46131G	54.59	68.20	-13.61	12.62	3	Horizontal	232	1.50	-	41.97	39.78	7.96	35.12
PK	15.6906G	56.59	74.00	-17.41	12.90	3	Horizontal	357	2.29	-	43.69	38.29	9.82	35.21

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2536G	103.50	Inf	-Inf	2.04	3	Vertical	253	2.12	-	101.46	31.39	5.55	34.90
AV	5.35G	53.74	54.00	-0.26	2.07	3	Vertical	253	2.12	-	51.67	31.30	5.65	34.88
PK	5.26G	114.77	Inf	-Inf	2.04	3	Vertical	253	2.12	-	112.73	31.38	5.56	34.90
PK	5.3588G	67.49	74.00	-6.51	2.13	3	Vertical	253	2.12	-	65.36	31.35	5.66	34.88



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2536G	103.60	Inf	-Inf	2.04	3	Horizontal	252	2.12	-	101.56	31.39	5.55	34.90
AV	5.3512G	53.85	54.00	-0.15	2.08	3	Horizontal	252	2.12	-	51.77	31.31	5.65	34.88
PK	5.2672G	114.71	Inf	-Inf	2.04	3	Horizontal	252	2.12	-	112.67	31.37	5.57	34.90
PK	5.35G	66.98	74.00	-7.02	2.07	3	Horizontal	252	2.12	-	64.91	31.30	5.65	34.88

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80762G	43.35	54.00	-10.65	12.35	3	Vertical	217	1.00	-	31.00	37.80	9.85	35.30
PK	10.54001G	54.80	68.20	-13.40	12.83	3	Vertical	326	1.00	-	41.97	39.90	7.99	35.06
PK	15.81017G	55.93	74.00	-18.07	12.35	3	Vertical	217	1.00	-	43.58	37.80	9.85	35.30

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80833G	42.58	54.00	-11.42	12.35	3	Horizontal	290	2.05	-	30.23	37.80	9.85	35.30
PK	10.54123G	54.39	68.20	-13.81	12.83	3	Horizontal	256	1.51	-	41.56	39.90	7.99	35.06
PK	15.80958G	56.15	74.00	-17.85	12.35	3	Horizontal	290	2.05	-	43.80	37.80	9.85	35.30

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3268G	96.13	Inf	-Inf	2.04	3	Vertical	220	3.00	-	94.09	31.30	5.63	34.89
AV	5.3508G	49.96	54.00	-4.04	2.07	3	Vertical	220	3.00	-	47.89	31.30	5.65	34.88
PK	5.2928G	107.45	Inf	-Inf	2.01	3	Vertical	220	3.00	-	105.44	31.31	5.59	34.89
PK	5.3508G	73.64	74.00	-0.36	2.07	3	Vertical	220	3.00	-	71.57	31.30	5.65	34.88

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2948G	93.69	Inf	-Inf	2.01	3	Horizontal	185	1.27	-	91.68	31.31	5.59	34.89
AV	5.35G	46.57	54.00	-7.43	2.07	3	Horizontal	185	1.27	-	44.50	31.30	5.65	34.88
PK	5.2928G	106.44	Inf	-Inf	2.01	3	Horizontal	185	1.27	-	104.43	31.31	5.59	34.89
PK	5.3504G	68.42	74.00	-5.58	2.07	3	Horizontal	185	1.27	-	66.35	31.30	5.65	34.88

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61991G	42.76	54.00	-11.24	12.91	3	Vertical	336	1.00	-	29.85	39.94	8.02	35.05
AV	15.9297G	42.52	54.00	-11.48	12.30	3	Vertical	286	1.50	-	30.22	37.80	9.88	35.38
PK	10.61798G	54.48	74.00	-19.52	12.91	3	Vertical	336	1.00	-	41.57	39.94	8.02	35.05
PK	15.93001G	54.87	74.00	-19.13	12.30	3	Vertical	286	1.50	-	42.57	37.80	9.88	35.38

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62002G	41.82	54.00	-12.18	12.91	3	Horizontal	153	1.11	-	28.91	39.94	8.02	35.05
AV	15.93044G	42.40	54.00	-11.60	12.30	3	Horizontal	130	1.50	-	30.10	37.80	9.88	35.38
PK	10.61993G	55.03	74.00	-18.97	12.91	3	Horizontal	153	1.11	-	42.12	39.94	8.02	35.05
PK	15.9278G	55.67	74.00	-18.33	12.30	3	Horizontal	130	1.50	-	43.37	37.80	9.88	35.38

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.62	54.00	-7.38	2.68	3	Vertical	86	2.89	-	43.94	31.82	5.73	34.87
AV	5.5264G	97.57	Inf	-Inf	2.79	3	Vertical	86	2.89	-	94.78	31.90	5.76	34.87
PK	5.4696G	67.45	68.20	-0.75	2.71	3	Vertical	86	2.89	-	64.74	31.84	5.73	34.86
PK	5.5048G	110.20	Inf	-Inf	2.79	3	Vertical	86	2.89	-	107.41	31.90	5.75	34.86



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	43.52	54.00	-10.48	2.67	3	Horizontal	187	1.32	-	40.85	31.81	5.73	34.87
AV	5.5264G	91.83	Inf	-Inf	2.79	3	Horizontal	187	1.32	-	89.04	31.90	5.76	34.87
PK	5.4696G	58.77	68.20	-9.43	2.71	3	Horizontal	187	1.32	-	56.06	31.84	5.73	34.86
PK	5.526G	103.30	Inf	-Inf	2.79	3	Horizontal	187	1.32	-	100.51	31.90	5.76	34.87

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01865G	42.40	54.00	-11.60	13.40	3	Vertical	345	1.50	-	29.00	40.23	8.16	34.99
PK	11.01849G	55.56	74.00	-18.44	13.40	3	Vertical	345	1.50	-	42.16	40.23	8.16	34.99
PK	16.53028G	57.75	68.20	-10.45	14.20	3	Vertical	285	1.98	-	43.55	39.00	10.06	34.86

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01792G	42.40	54.00	-11.60	13.40	3	Horizontal	178	2.80	-	29.00	40.23	8.16	34.99
PK	11.01867G	55.20	74.00	-18.80	13.40	3	Horizontal	178	2.80	-	41.80	40.23	8.16	34.99
PK	16.53237G	56.25	68.20	-11.95	14.20	3	Horizontal	139	3.00	-	42.05	39.00	10.06	34.86

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.48	54.00	-2.52	2.68	3	Vertical	220	2.98	-	48.80	31.82	5.73	34.87
AV	5.5344G	103.50	Inf	-Inf	2.80	3	Vertical	220	2.98	-	100.70	31.90	5.77	34.87
PK	5.4696G	67.92	68.20	-0.28	2.71	3	Vertical	220	2.98	-	65.21	31.84	5.73	34.86
PK	5.536G	114.75	Inf	-Inf	2.80	3	Vertical	220	2.98	-	111.95	31.90	5.77	34.87

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.82	54.00	-8.18	2.68	3	Horizontal	186	1.19	-	43.14	31.82	5.73	34.87
AV	5.5344G	98.58	Inf	-Inf	2.80	3	Horizontal	186	1.19	-	95.78	31.90	5.77	34.87
PK	5.4696G	60.77	68.20	-7.43	2.71	3	Horizontal	186	1.19	-	58.06	31.84	5.73	34.86
PK	5.5316G	109.92	Inf	-Inf	2.80	3	Horizontal	186	1.19	-	107.12	31.90	5.77	34.87

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09771G	42.02	54.00	-11.98	13.14	3	Vertical	185	1.59	-	28.88	39.91	8.18	34.95
PK	11.09938G	54.51	74.00	-19.49	13.13	3	Vertical	185	1.59	-	41.38	39.90	8.18	34.95
PK	16.64785G	59.00	68.20	-9.20	14.75	3	Vertical	295	1.00	-	44.25	39.43	10.09	34.77

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09793G	42.21	54.00	-11.79	13.14	3	Horizontal	18	1.50	-	29.07	39.91	8.18	34.95
PK	11.09858G	54.85	74.00	-19.15	13.14	3	Horizontal	18	1.50	-	41.71	39.91	8.18	34.95
PK	16.65146G	57.77	68.20	-10.43	14.80	3	Horizontal	255	1.34	-	42.97	39.46	10.10	34.76

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6612G	96.02	Inf	-Inf	2.71	3	Vertical	360	1.50	-	93.31	31.82	5.80	34.91
PK	5.6656G	107.64	Inf	-Inf	2.72	3	Vertical	360	1.50	-	104.92	31.83	5.80	34.91
PK	5.7312G	68.04	68.20	-0.16	2.89	3	Vertical	360	1.50	-	65.15	32.02	5.80	34.93



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6536G	92.50	Inf	-Inf	2.70	3	Horizontal	187	1.15	-	89.80	31.81	5.80	34.91
PK	5.6868G	104.32	Inf	-Inf	2.75	3	Horizontal	187	1.15	-	101.57	31.87	5.80	34.92
PK	5.7296G	60.98	68.20	-7.22	2.89	3	Horizontal	187	1.15	-	58.09	32.02	5.80	34.93

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33766G	41.77	54.00	-12.23	13.26	3	Vertical	171	1.50	-	28.51	39.81	8.27	34.82
PK	11.33938G	54.73	74.00	-19.27	13.27	3	Vertical	171	1.50	-	41.46	39.82	8.27	34.82
PK	17.01198G	57.80	68.20	-10.40	15.95	3	Vertical	166	1.50	-	41.85	40.26	10.20	34.51


### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33761G	41.82	54.00	-12.18	13.26	3	Horizontal	58	1.50	-	28.56	39.81	8.27	34.82
PK	11.34096G	54.65	74.00	-19.35	13.27	3	Horizontal	58	1.50	-	41.38	39.82	8.27	34.82
PK	17.0079G	57.72	68.20	-10.48	15.98	3	Horizontal	87	1.20	-	41.74	40.28	10.20	34.50

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	42.65	54.00	-11.35	2.67	3	Vertical	16	2.95	-	39.98	31.81	5.73	34.87
AV	5.6956G	101.10	Inf	-Inf	2.77	3	Vertical	16	2.95	-	98.33	31.89	5.80	34.92
PK	5.4652G	53.62	68.20	-14.58	2.69	3	Vertical	16	2.95	-	50.93	31.83	5.73	34.87
PK	5.7076G	111.99	Inf	-Inf	2.81	3	Vertical	16	2.95	-	109.18	31.93	5.80	34.92
PK	5.8504G	59.31	68.20	-8.89	3.26	3	Vertical	16	2.95	-	56.05	32.40	5.83	34.97

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	42.34	54.00	-11.66	2.68	3	Horizontal	186	2.22	-	39.66	31.82	5.73	34.87
AV	5.7052G	96.68	Inf	-Inf	2.80	3	Horizontal	186	2.22	-	93.88	31.92	5.80	34.92
PK	5.4676G	53.03	68.20	-15.17	2.70	3	Horizontal	186	2.22	-	50.33	31.84	5.73	34.87
PK	5.6968G	108.10	Inf	-Inf	2.77	3	Horizontal	186	2.22	-	105.33	31.89	5.80	34.92
PK	5.8516G	55.15	68.20	-13.05	3.26	3	Horizontal	186	2.22	-	51.89	32.40	5.83	34.97

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41758G	42.18	54.00	-11.82	13.54	3	Vertical	113	1.84	-	28.64	40.02	8.30	34.78
PK	11.42136G	55.85	74.00	-18.15	13.54	3	Vertical	113	1.84	-	42.31	40.02	8.30	34.78
PK	17.13123G	58.46	68.20	-9.74	15.68	3	Vertical	1	1.91	-	42.78	40.00	10.24	34.56


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4185G	42.21	54.00	-11.79	13.54	3	Horizontal	200	1.25	-	28.67	40.02	8.30	34.78
PK	11.41875G	54.69	74.00	-19.31	13.54	3	Horizontal	200	1.25	-	41.15	40.02	8.30	34.78
PK	17.13022G	59.53	68.20	-8.67	15.68	3	Horizontal	66	1.50	-	43.85	40.00	10.24	34.56

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	101.22	Inf	-Inf	3.00	3	Vertical	18	1.83	-	98.22	32.14	5.80	34.94
PK	5.6482G	64.68	68.20	-3.52	2.70	3	Vertical	18	1.83	-	61.98	31.80	5.80	34.90
PK	5.7646G	112.46	Inf	-Inf	2.99	3	Vertical	18	1.83	-	109.47	32.13	5.80	34.94
PK	5.9458G	57.50	68.20	-10.70	3.47	3	Vertical	18	1.83	-	54.03	32.59	5.87	34.99



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7382G	96.82	Inf	-Inf	2.92	3	Horizontal	187	2.06	-	93.90	32.05	5.80	34.93
PK	5.647G	60.04	68.20	-8.16	2.70	3	Horizontal	187	2.06	-	57.34	31.80	5.80	34.90
PK	5.7406G	109.02	Inf	-Inf	2.93	3	Horizontal	187	2.06	-	106.09	32.06	5.80	34.93
PK	5.9266G	54.39	68.20	-13.81	3.42	3	Horizontal	187	2.06	-	50.97	32.55	5.86	34.99

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50945G	42.41	54.00	-11.59	13.66	3	Vertical	179	1.50	-	28.75	40.07	8.33	34.74
PK	11.51035G	55.77	74.00	-18.23	13.66	3	Vertical	179	1.50	-	42.11	40.07	8.33	34.74
PK	17.2654G	58.24	68.20	-9.96	15.85	3	Vertical	245	2.46	-	42.39	40.20	10.28	34.63

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50973G	42.43	54.00	-11.57	13.66	3	Horizontal	334	1.50	-	28.77	40.07	8.33	34.74
PK	11.50995G	55.34	74.00	-18.66	13.66	3	Horizontal	334	1.50	-	41.68	40.07	8.33	34.74
PK	17.26265G	58.38	68.20	-9.82	15.84	3	Horizontal	238	1.50	-	42.54	40.19	10.28	34.63

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	101.35	Inf	-Inf	3.02	3	Vertical	20	1.82	-	98.33	32.16	5.80	34.94
PK	5.6498G	58.69	68.20	-9.51	2.70	3	Vertical	20	1.82	-	55.99	31.80	5.80	34.90
PK	5.7794G	112.45	Inf	-Inf	3.02	3	Vertical	20	1.82	-	109.43	32.16	5.80	34.94
PK	5.9246G	64.62	68.50	-3.88	3.42	3	Vertical	20	1.82	-	61.20	32.55	5.86	34.99

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	96.97	Inf	-Inf	3.02	3	Horizontal	185	1.69	-	93.95	32.17	5.80	34.95
PK	5.6522G	57.45	69.83	-12.38	2.69	3	Horizontal	185	1.69	-	54.76	31.80	5.80	34.91
PK	5.7854G	108.62	Inf	-Inf	3.02	3	Horizontal	185	1.69	-	105.60	32.17	5.80	34.95
PK	5.9474G	56.22	68.20	-11.98	3.47	3	Horizontal	185	1.69	-	52.75	32.59	5.87	34.99

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58805G	42.08	54.00	-11.92	13.44	3	Vertical	161	1.50	-	28.64	39.84	8.36	34.76
PK	11.58847G	55.55	74.00	-18.45	13.43	3	Vertical	161	1.50	-	42.12	39.83	8.36	34.76
PK	17.38726G	59.35	68.20	-8.85	16.63	3	Vertical	194	1.00	-	42.72	41.00	10.32	34.69

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5896G	42.14	54.00	-11.86	13.43	3	Horizontal	119	1.50	-	28.71	39.83	8.36	34.76
PK	11.58828G	54.40	74.00	-19.60	13.44	3	Horizontal	119	1.50	-	40.96	39.84	8.36	34.76
PK	17.38285G	59.27	68.20	-8.93	16.59	3	Horizontal	273	2.61	-	42.68	40.96	10.31	34.68

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.37	54.00	-0.63	2.55	3	Vertical	255	2.00	-	50.82	32.00	5.47	34.92
AV	5.173G	94.70	Inf	-Inf	2.44	3	Vertical	255	2.00	-	92.26	31.86	5.49	34.91
AV	5.375G	43.38	54.00	-10.62	2.24	3	Vertical	255	2.00	-	41.14	31.45	5.67	34.88
PK	5.139G	69.28	74.00	-4.72	2.55	3	Vertical	255	2.00	-	66.73	32.00	5.47	34.92
PK	5.189G	105.34	Inf	-Inf	2.35	3	Vertical	255	2.00	-	102.99	31.77	5.49	34.91
PK	5.443G	54.06	74.00	-19.94	2.62	3	Vertical	255	2.00	-	51.44	31.77	5.72	34.87



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.58	54.00	-5.42	2.55	3	Horizontal	187	1.44	-	46.03	32.00	5.47	34.92
AV	5.229G	89.96	Inf	-Inf	2.16	3	Horizontal	187	1.44	-	87.80	31.53	5.53	34.90
AV	5.416G	42.33	54.00	-11.67	2.50	3	Horizontal	187	1.44	-	39.83	31.66	5.71	34.87
PK	5.148G	64.72	74.00	-9.28	2.55	3	Horizontal	187	1.44	-	62.17	32.00	5.47	34.92
PK	5.189G	101.89	Inf	-Inf	2.35	3	Horizontal	187	1.44	-	99.54	31.77	5.49	34.91
PK	5.394G	53.87	74.00	-20.13	2.37	3	Horizontal	187	1.44	-	51.50	31.56	5.69	34.88

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63022G	43.28	54.00	-10.72	12.87	3	Vertical	236.9	1.50	-	30.41	38.23	9.81	35.17
PK	10.42852G	54.41	68.20	-13.79	12.48	3	Vertical	0	2.32	-	41.93	39.69	7.95	35.16
PK	15.63012G	55.86	74.00	-18.14	12.87	3	Vertical	236.9	1.50	-	42.99	38.23	9.81	35.17

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62854G	42.96	54.00	-11.04	12.87	3	Horizontal	313	1.62	-	30.09	38.23	9.81	35.17
PK	10.41776G	54.68	68.20	-13.52	12.43	3	Horizontal	290	1.50	-	42.25	39.65	7.95	35.17
PK	15.63412G	55.35	74.00	-18.65	12.87	3	Horizontal	313	1.62	-	42.48	38.23	9.81	35.17

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	45.78	54.00	-8.22	2.55	3	Vertical	254	2.12	-	43.23	32.00	5.47	34.92
AV	5.252G	95.58	Inf	-Inf	2.05	3	Vertical	254	2.12	-	93.53	31.40	5.55	34.90
AV	5.352G	53.15	54.00	-0.85	2.08	3	Vertical	254	2.12	-	51.07	31.31	5.65	34.88
PK	5.13G	59.90	74.00	-14.10	2.54	3	Vertical	254	2.12	-	57.36	32.00	5.46	34.92
PK	5.256G	106.43	Inf	-Inf	2.05	3	Vertical	254	2.12	-	104.38	31.39	5.56	34.90
PK	5.358G	72.48	74.00	-1.52	2.13	3	Vertical	254	2.12	-	70.35	31.35	5.66	34.88

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.88	54.00	-10.12	2.55	3	Horizontal	186	1.26	-	41.33	32.00	5.47	34.92
AV	5.289G	91.13	Inf	-Inf	2.02	3	Horizontal	186	1.26	-	89.11	31.32	5.59	34.89
AV	5.35G	50.24	54.00	-3.76	2.07	3	Horizontal	186	1.26	-	48.17	31.30	5.65	34.88
PK	5.149G	56.68	74.00	-17.32	2.55	3	Horizontal	186	1.26	-	54.13	32.00	5.47	34.92
PK	5.304G	102.93	Inf	-Inf	2.01	3	Horizontal	186	1.26	-	100.92	31.30	5.60	34.89
PK	5.352G	68.58	74.00	-5.42	2.08	3	Horizontal	186	1.26	-	66.50	31.31	5.65	34.88

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87114G	42.53	54.00	-11.47	12.33	3	Vertical	329.6	1.50	-	30.20	37.80	9.87	35.34
PK	10.58003G	54.65	68.20	-13.55	12.84	3	Vertical	323	1.89	-	41.81	39.90	8.00	35.06
PK	15.87184G	55.53	74.00	-18.47	12.33	3	Vertical	329.6	1.50	-	43.20	37.80	9.87	35.34

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8687G	42.44	54.00	-11.56	12.33	3	Horizontal	119.9	1.50	-	30.11	37.80	9.87	35.34
PK	10.57993G	54.31	68.20	-13.89	12.84	3	Horizontal	151	1.24	-	41.47	39.90	8.00	35.06
PK	15.87045G	55.79	74.00	-18.21	12.33	3	Horizontal	119.9	1.50	-	43.46	37.80	9.87	35.34

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.19	54.00	-3.81	2.68	3	Vertical	219	2.93	-	47.51	31.82	5.73	34.87
AV	5.553G	94.55	Inf	-Inf	2.79	3	Vertical	219	2.93	-	91.76	31.89	5.78	34.88
PK	5.463G	67.85	68.20	-0.35	2.69	3	Vertical	219	2.93	-	65.16	31.83	5.73	34.87
PK	5.551G	105.56	Inf	-Inf	2.80	3	Vertical	219	2.93	-	102.76	31.90	5.78	34.88
PK	5.732G	55.81	68.20	-12.39	2.90	3	Vertical	219	2.93	-	52.91	32.03	5.80	34.93



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	46.28	54.00	-7.72	2.65	3	Horizontal	187	1.01	-	43.63	31.80	5.72	34.87
AV	5.528G	90.01	Inf	-Inf	2.79	3	Horizontal	187	1.01	-	87.22	31.90	5.76	34.87
PK	5.461G	60.65	68.20	-7.55	2.68	3	Horizontal	187	1.01	-	57.97	31.82	5.73	34.87
PK	5.516G	101.80	Inf	-Inf	2.80	3	Horizontal	187	1.01	-	99.00	31.90	5.76	34.86
PK	5.767G	54.77	68.20	-13.43	2.99	3	Horizontal	187	1.01	-	51.78	32.13	5.80	34.94

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05975G	42.49	54.00	-11.51	13.26	3	Vertical	316	1.50	-	29.23	40.06	8.17	34.97
PK	11.06215G	54.87	74.00	-19.13	13.25	3	Vertical	316	1.50	-	41.62	40.05	8.17	34.97
PK	16.59054G	57.14	68.20	-11.06	14.27	3	Vertical	62	1.48	-	42.87	39.00	10.08	34.81

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




20/01/2021

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05758G	42.26	54.00	-11.74	13.27	3	Horizontal	341	1.50	-	28.99	40.07	8.17	34.97
PK	11.05901G	54.59	74.00	-19.41	13.26	3	Horizontal	341	1.50	-	41.33	40.06	8.17	34.97
PK	16.59235G	57.67	68.20	-10.53	14.27	3	Horizontal	322	1.40	-	43.40	39.00	10.08	34.81

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.21	54.00	-3.79	2.68	3	Vertical	88	1.04	-	47.53	31.82	5.73	34.87
AV	5.572G	95.80	Inf	-Inf	2.77	3	Vertical	88	1.04	-	93.03	31.86	5.79	34.88
PK	5.47G	66.65	68.20	-1.55	2.72	3	Vertical	88	1.04	-	63.93	31.84	5.74	34.86
PK	5.609G	108.35	Inf	-Inf	2.71	3	Vertical	88	1.04	-	105.64	31.80	5.80	34.89
PK	5.727G	67.71	68.20	-0.49	2.88	3	Vertical	88	1.04	-	64.83	32.01	5.80	34.93

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.74	54.00	-6.26	2.68	3	Horizontal	187	1.31	-	45.06	31.82	5.73	34.87
AV	5.573G	94.38	Inf	-Inf	2.76	3	Horizontal	187	1.31	-	91.62	31.85	5.79	34.88
PK	5.467G	61.39	68.20	-6.81	2.69	3	Horizontal	187	1.31	-	58.70	31.83	5.73	34.87
PK	5.573G	106.09	Inf	-Inf	2.76	3	Horizontal	187	1.31	-	103.33	31.85	5.79	34.88
PK	5.727G	65.19	68.20	-3.01	2.88	3	Horizontal	187	1.31	-	62.31	32.01	5.80	34.93

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21761G	41.50	54.00	-12.50	13.04	3	Vertical	219	1.50	-	28.46	39.70	8.23	34.89
PK	11.21832G	54.47	74.00	-19.53	13.04	3	Vertical	219	1.50	-	41.43	39.70	8.23	34.89
PK	16.83242G	58.31	68.20	-9.89	15.52	3	Vertical	227.7	1.50	-	42.79	40.00	10.15	34.63


802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21732G	41.31	54.00	-12.69	13.04	3	Horizontal	124	1.50	-	28.27	39.70	8.23	34.89
PK	11.21678G	54.08	74.00	-19.92	13.04	3	Horizontal	124	1.50	-	41.04	39.70	8.23	34.89
PK	16.83236G	59.21	68.20	-8.99	15.52	3	Horizontal	262.1	1.50	-	43.69	40.00	10.15	34.63


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.25	54.00	-10.75	2.68	3	Vertical	79	1.55	-	40.57	31.82	5.73	34.87
AV	5.6528G	94.00	Inf	-Inf	2.70	3	Vertical	79	1.55	-	91.30	31.81	5.80	34.91
PK	5.4692G	56.32	68.20	-11.88	2.71	3	Vertical	79	1.55	-	53.61	31.84	5.73	34.86
PK	5.6576G	105.57	Inf	-Inf	2.71	3	Vertical	79	1.55	-	102.86	31.82	5.80	34.91
PK	5.864G	60.72	68.20	-7.48	3.29	3	Vertical	79	1.55	-	57.43	32.43	5.83	34.97




**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	43.01	54.00	-10.99	2.67	3	Horizontal	186	1.24	-	40.34	31.81	5.73	34.87
AV	5.6528G	92.35	Inf	-Inf	2.70	3	Horizontal	186	1.24	-	89.65	31.81	5.80	34.91
PK	5.46G	54.62	68.20	-13.58	2.68	3	Horizontal	186	1.24	-	51.94	31.82	5.73	34.87
PK	5.6528G	103.08	Inf	-Inf	2.70	3	Horizontal	186	1.24	-	100.38	31.81	5.80	34.91
PK	5.8508G	56.48	68.20	-11.72	3.26	3	Horizontal	186	1.24	-	53.22	32.40	5.83	34.97

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3826G	41.69	54.00	-12.31	13.43	3	Vertical	328	1.46	-	28.26	39.95	8.28	34.80
PK	11.3758G	53.85	74.00	-20.15	13.41	3	Vertical	328	1.46	-	40.44	39.93	8.28	34.80
PK	17.06912G	58.27	68.20	-9.93	15.78	3	Vertical	346.7	1.84	-	42.49	40.09	10.22	34.53


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38056G	41.71	54.00	-12.29	13.42	3	Horizontal	265	1.45	-	28.29	39.94	8.28	34.80
PK	11.38056G	54.84	74.00	-19.16	13.42	3	Horizontal	265	1.45	-	41.42	39.94	8.28	34.80
PK	17.07188G	58.04	68.20	-10.16	15.77	3	Horizontal	219	1.29	-	42.27	40.08	10.22	34.53

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	98.65	Inf	-Inf	3.01	3	Vertical	53	2.00	-	95.64	32.15	5.80	34.94
PK	5.6466G	67.71	68.20	-0.49	2.70	3	Vertical	53	2.00	-	65.01	31.80	5.80	34.90
PK	5.7834G	111.39	Inf	-Inf	3.02	3	Vertical	53	2.00	-	108.37	32.17	5.80	34.95
PK	5.9274G	65.78	68.20	-2.42	3.42	3	Vertical	53	2.00	-	62.36	32.55	5.86	34.99

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	92.61	Inf	-Inf	2.92	3	Horizontal	185	1.50	-	89.69	32.05	5.80	34.93
PK	5.649G	61.50	68.20	-6.70	2.70	3	Horizontal	185	1.50	-	58.80	31.80	5.80	34.90
PK	5.7618G	103.78	Inf	-Inf	2.98	3	Horizontal	185	1.50	-	100.80	32.12	5.80	34.94
PK	5.937G	56.64	68.20	-11.56	3.45	3	Horizontal	185	1.50	-	53.19	32.57	5.87	34.99

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54756G	42.20	54.00	-11.80	13.55	3	Vertical	40	1.50	-	28.65	39.96	8.34	34.75
PK	11.54792G	54.32	74.00	-19.68	13.55	3	Vertical	40	1.50	-	40.77	39.96	8.34	34.75
PK	17.32518G	58.62	68.20	-9.58	16.14	3	Vertical	210	2.04	-	42.48	40.50	10.30	34.66

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54858G	42.20	54.00	-11.80	13.54	3	Horizontal	126	1.50	-	28.66	39.95	8.34	34.75
PK	11.54522G	54.97	74.00	-19.03	13.55	3	Horizontal	126	1.50	-	41.42	39.96	8.34	34.75
PK	17.322G	58.49	68.20	-9.71	16.13	3	Horizontal	177	1.51	-	42.36	40.48	10.30	34.65



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	QP	71.32M	39.74	40.00	-0.26	3	Vertical	84	1.23	-