


802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57116G	41.97	54.00	-12.03	13.00	3	Vertical	210	1.52	-	28.97	38.34	9.79	35.13
PK	10.37989G	54.86	68.20	-13.34	12.26	3	Vertical	354	2.26	-	42.60	39.54	7.93	35.21
PK	15.5704G	54.37	74.00	-19.63	13.01	3	Vertical	210	1.52	-	41.36	38.35	9.79	35.13

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57068G	42.06	54.00	-11.94	13.01	3	Horizontal	163	1.49	-	29.05	38.35	9.79	35.13
PK	10.37944G	54.49	68.20	-13.71	12.26	3	Horizontal	11	1.39	-	42.23	39.54	7.93	35.21
PK	15.5714G	55.16	74.00	-18.84	13.00	3	Horizontal	163	1.49	-	42.16	38.34	9.79	35.13

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.39	54.00	-4.61	2.55	3	Vertical	346	1.00	-	46.84	32.00	5.47	34.92
AV	5.246G	98.20	Inf	-Inf	2.07	3	Vertical	346	1.00	-	96.13	31.42	5.55	34.90
PK	5.1456G	62.61	74.00	-11.39	2.55	3	Vertical	346	1.00	-	60.06	32.00	5.47	34.92
PK	5.2124G	109.10	Inf	-Inf	2.23	3	Vertical	346	1.00	-	106.87	31.63	5.51	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	2.55	3	Horizontal	58	1.16	-	51.31	32.00	5.47	34.92
AV	5.2136G	101.66	Inf	-Inf	2.22	3	Horizontal	58	1.16	-	99.44	31.62	5.51	34.91
PK	5.1432G	67.06	74.00	-6.94	2.55	3	Horizontal	58	1.16	-	64.51	32.00	5.47	34.92
PK	5.2324G	113.62	Inf	-Inf	2.14	3	Horizontal	58	1.16	-	111.48	31.51	5.53	34.90

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68783G	43.13	54.00	-10.87	12.90	3	Vertical	296	1.50	-	30.23	38.29	9.82	35.21
PK	10.45755G	54.72	68.20	-13.48	12.61	3	Vertical	351	1.50	-	42.11	39.77	7.96	35.12
PK	15.6911G	55.45	74.00	-18.55	12.90	3	Vertical	296	1.50	-	42.55	38.29	9.82	35.21

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68857G	43.07	54.00	-10.93	12.90	3	Horizontal	226	1.58	-	30.17	38.29	9.82	35.21
PK	10.46094G	54.55	68.20	-13.65	12.62	3	Horizontal	146	1.50	-	41.93	39.78	7.96	35.12
PK	15.69246G	56.24	74.00	-17.76	12.90	3	Horizontal	226	1.58	-	43.34	38.29	9.82	35.21

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2536G	98.89	Inf	-Inf	2.04	3	Vertical	346	1.00	-	96.85	31.39	5.55	34.90
AV	5.3508G	50.19	54.00	-3.81	2.07	3	Vertical	346	1.00	-	48.12	31.30	5.65	34.88
PK	5.2556G	110.89	Inf	-Inf	2.05	3	Vertical	346	1.00	-	108.84	31.39	5.56	34.90
PK	5.3524G	62.23	74.00	-11.77	2.08	3	Vertical	346	1.00	-	60.15	31.31	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2544G	102.12	Inf	-Inf	2.04	3	Horizontal	60	1.00	-	100.08	31.39	5.55	34.90
AV	5.35G	53.72	54.00	-0.28	2.07	3	Horizontal	60	1.00	-	51.65	31.30	5.65	34.88
PK	5.2792G	113.68	Inf	-Inf	2.02	3	Horizontal	60	1.00	-	111.66	31.34	5.58	34.90
PK	5.35G	66.92	74.00	-7.08	2.07	3	Horizontal	60	1.00	-	64.85	31.30	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81242G	42.30	54.00	-11.70	12.35	3	Vertical	14	1.50	-	29.95	37.80	9.85	35.30
PK	10.54033G	54.40	68.20	-13.80	12.83	3	Vertical	313	1.61	-	41.57	39.90	7.99	35.06
PK	15.8081G	55.73	74.00	-18.27	12.35	3	Vertical	14	1.50	-	43.38	37.80	9.85	35.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80911G	42.37	54.00	-11.63	12.35	3	Horizontal	149	1.50	-	30.02	37.80	9.85	35.30
PK	10.53938G	54.47	68.20	-13.73	12.83	3	Horizontal	163	1.49	-	41.64	39.90	7.99	35.06
PK	15.81115G	54.59	74.00	-19.41	12.35	3	Horizontal	149	1.50	-	42.24	37.80	9.85	35.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	94.89	Inf	-Inf	2.01	3	Vertical	333	2.21	-	92.88	31.31	5.59	34.89
AV	5.3504G	50.70	54.00	-3.30	2.07	3	Vertical	333	2.21	-	48.63	31.30	5.65	34.88
PK	5.3264G	106.75	Inf	-Inf	2.04	3	Vertical	333	2.21	-	104.71	31.30	5.63	34.89
PK	5.3508G	70.11	74.00	-3.89	2.07	3	Vertical	333	2.21	-	68.04	31.30	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	97.43	Inf	-Inf	2.01	3	Horizontal	60	1.15	-	95.42	31.31	5.59	34.89
AV	5.35G	53.61	54.00	-0.39	2.07	3	Horizontal	60	1.15	-	51.54	31.30	5.65	34.88
PK	5.3244G	109.71	Inf	-Inf	2.03	3	Horizontal	60	1.15	-	107.68	31.30	5.62	34.89
PK	5.35G	72.50	74.00	-1.50	2.07	3	Horizontal	60	1.15	-	70.43	31.30	5.65	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61995G	43.08	54.00	-10.92	12.91	3	Vertical	324	2.95	-	30.17	39.94	8.02	35.05
AV	15.93239G	41.94	54.00	-12.06	12.30	3	Vertical	1	1.50	-	29.64	37.80	9.88	35.38
PK	10.61949G	54.85	74.00	-19.15	12.91	3	Vertical	324	2.95	-	41.94	39.94	8.02	35.05
PK	15.93199G	54.65	74.00	-19.35	12.30	3	Vertical	1	1.50	-	42.35	37.80	9.88	35.38

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61995G	42.29	54.00	-11.71	12.91	3	Horizontal	160	1.50	-	29.38	39.94	8.02	35.05
AV	15.93064G	41.81	54.00	-12.19	12.30	3	Horizontal	12	2.42	-	29.51	37.80	9.88	35.38
PK	10.61868G	55.04	74.00	-18.96	12.91	3	Horizontal	160	1.50	-	42.13	39.94	8.02	35.05
PK	15.93077G	54.62	74.00	-19.38	12.30	3	Horizontal	12	2.42	-	42.32	37.80	9.88	35.38

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.04	54.00	-10.96	2.68	3	Vertical	310	1.48	-	40.36	31.82	5.73	34.87
AV	5.5264G	90.45	Inf	-Inf	2.79	3	Vertical	310	1.48	-	87.66	31.90	5.76	34.87
PK	5.4692G	60.74	68.20	-7.46	2.71	3	Vertical	310	1.48	-	58.03	31.84	5.73	34.86
PK	5.524G	102.22	Inf	-Inf	2.79	3	Vertical	310	1.48	-	99.43	31.90	5.76	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.60	54.00	-7.40	2.68	3	Horizontal	64	1.00	-	43.92	31.82	5.73	34.87
AV	5.5264G	97.95	Inf	-Inf	2.79	3	Horizontal	64	1.00	-	95.16	31.90	5.76	34.87
PK	5.4692G	67.95	68.20	-0.25	2.71	3	Horizontal	64	1.00	-	65.24	31.84	5.73	34.86
PK	5.5168G	110.05	Inf	-Inf	2.79	3	Horizontal	64	1.00	-	107.26	31.90	5.76	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0197G	42.45	54.00	-11.55	13.39	3	Vertical	318	1.42	-	29.06	40.22	8.16	34.99
PK	11.01791G	55.54	74.00	-18.46	13.40	3	Vertical	318	1.42	-	42.14	40.23	8.16	34.99
PK	16.53087G	56.79	68.20	-11.41	14.20	3	Vertical	206	1.55	-	42.59	39.00	10.06	34.86

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01874G	42.21	54.00	-11.79	13.40	3	Horizontal	294	2.43	-	28.81	40.23	8.16	34.99
PK	11.01969G	54.76	74.00	-19.24	13.39	3	Horizontal	294	2.43	-	41.37	40.22	8.16	34.99
PK	16.52592G	56.58	68.20	-11.62	14.20	3	Horizontal	360	2.54	-	42.38	39.00	10.06	34.86

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.68	54.00	-8.32	2.68	3	Vertical	328	2.64	-	43.00	31.82	5.73	34.87
AV	5.5656G	99.38	Inf	-Inf	2.77	3	Vertical	328	2.64	-	96.61	31.87	5.78	34.88
PK	5.4696G	61.56	68.20	-6.64	2.71	3	Vertical	328	2.64	-	58.85	31.84	5.73	34.86
PK	5.544G	111.76	Inf	-Inf	2.80	3	Vertical	328	2.64	-	108.96	31.90	5.77	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.96	54.00	-3.04	2.68	3	Horizontal	64	2.66	-	48.28	31.82	5.73	34.87
AV	5.5664G	103.23	Inf	-Inf	2.77	3	Horizontal	64	2.66	-	100.46	31.87	5.78	34.88
PK	5.4692G	68.04	68.20	-0.16	2.71	3	Horizontal	64	2.66	-	65.33	31.84	5.73	34.86
PK	5.56G	112.37	Inf	-Inf	2.78	3	Horizontal	64	2.66	-	112.37	31.88	5.78	34.88

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10054G	42.34	54.00	-11.66	13.14	3	Vertical	253	1.44	-	29.20	39.90	8.19	34.95
PK	11.10756G	54.48	74.00	-19.52	13.13	3	Vertical	253	1.44	-	41.35	39.88	8.19	34.94
PK	16.63974G	56.94	68.20	-11.26	14.68	3	Vertical	278	2.97	-	42.26	39.36	10.09	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0979G	42.10	54.00	-11.90	13.14	3	Horizontal	353	1.50	-	28.96	39.91	8.18	34.95
PK	11.11134G	54.44	74.00	-19.56	13.13	3	Horizontal	353	1.50	-	41.31	39.88	8.19	34.94
PK	16.65234G	57.30	68.20	-10.90	14.81	3	Horizontal	140	1.96	-	42.49	39.47	10.10	34.76

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6862G	94.03	Inf	-Inf	2.75	3	Vertical	323	2.77	-	91.28	31.87	5.80	34.92
PK	5.6778G	105.58	Inf	-Inf	2.75	3	Vertical	323	2.77	-	102.83	31.86	5.80	34.91
PK	5.7414G	64.72	68.20	-3.48	2.94	3	Vertical	323	2.77	-	61.78	32.07	5.80	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6532G	98.86	Inf	-Inf	2.70	3	Horizontal	60	2.72	-	96.16	31.81	5.80	34.91
PK	5.6688G	110.72	Inf	-Inf	2.73	3	Horizontal	60	2.72	-	107.99	31.84	5.80	34.91
PK	5.7264G	68.05	68.20	-0.15	2.88	3	Horizontal	60	2.72	-	65.17	32.01	5.80	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3319G	41.31	54.00	-12.69	13.24	3	Vertical	4	1.27	-	28.07	39.80	8.27	34.83
PK	11.34294G	54.25	74.00	-19.75	13.28	3	Vertical	4	1.27	-	40.97	39.83	8.27	34.82
PK	17.01678G	57.62	68.20	-10.58	15.95	3	Vertical	185	1.50	-	41.67	40.25	10.21	34.51


802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32518G	41.50	54.00	-12.50	13.21	3	Horizontal	43	1.98	-	28.29	39.78	8.26	34.83
PK	11.33592G	53.87	74.00	-20.13	13.25	3	Horizontal	43	1.98	-	40.62	39.81	8.27	34.83
PK	17.01696G	57.36	68.20	-10.84	15.95	3	Horizontal	114	1.50	-	41.41	40.25	10.21	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4448G	42.11	54.00	-11.89	2.63	3	Vertical	310	1.46	-	39.48	31.78	5.72	34.87
AV	5.7172G	97.66	Inf	-Inf	2.84	3	Vertical	310	1.46	-	94.82	31.97	5.80	34.93
PK	5.464G	52.68	68.20	-15.52	2.69	3	Vertical	310	1.46	-	49.99	31.83	5.73	34.87
PK	5.7196G	108.74	Inf	-Inf	2.85	3	Vertical	310	1.46	-	105.89	31.98	5.80	34.93
PK	5.9236G	55.06	68.20	-13.14	3.42	3	Vertical	310	1.46	-	51.64	32.55	5.86	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	42.35	54.00	-11.65	2.67	3	Horizontal	59	2.78	-	39.68	31.81	5.73	34.87
AV	5.7172G	103.77	Inf	-Inf	2.84	3	Horizontal	59	2.78	-	100.93	31.97	5.80	34.93
PK	5.4652G	53.18	68.20	-15.02	2.69	3	Horizontal	59	2.78	-	50.49	31.83	5.73	34.87
PK	5.7016G	114.97	Inf	-Inf	2.79	3	Horizontal	59	2.78	-	112.18	31.91	5.80	34.92
PK	5.8612G	62.40	68.20	-5.80	3.28	3	Horizontal	59	2.78	-	59.12	32.42	5.83	34.97

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42014G	42.00	54.00	-12.00	13.54	3	Vertical	215	1.50	-	28.46	40.02	8.30	34.78
PK	11.42042G	54.66	74.00	-19.34	13.54	3	Vertical	215	1.50	-	41.12	40.02	8.30	34.78
PK	17.12496G	58.37	68.20	-9.83	15.68	3	Vertical	200	2.11	-	42.69	40.00	10.24	34.56


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41172G	41.90	54.00	-12.10	13.51	3	Horizontal	160	1.00	-	28.39	40.01	8.29	34.79
PK	11.4302G	54.45	74.00	-19.55	13.55	3	Horizontal	160	1.00	-	40.90	40.03	8.30	34.78
PK	17.13474G	59.34	68.20	-8.86	15.68	3	Horizontal	25	1.77	-	43.66	40.00	10.24	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7718G	99.19	Inf	-Inf	3.00	3	Vertical	308	1.24	-	96.19	32.14	5.80	34.94
PK	5.6482G	58.98	68.20	-9.22	2.70	3	Vertical	308	1.24	-	56.28	31.80	5.80	34.90
PK	5.749G	110.34	Inf	-Inf	2.97	3	Vertical	308	1.24	-	107.37	32.10	5.80	34.93
PK	5.9326G	55.45	68.20	-12.75	3.45	3	Vertical	308	1.24	-	52.00	32.57	5.87	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	102.70	Inf	-Inf	2.95	3	Horizontal	305	2.46	-	99.75	32.08	5.80	34.93
PK	5.6434G	67.90	68.20	-0.30	2.70	3	Horizontal	305	2.46	-	65.20	31.80	5.80	34.90
PK	5.7658G	114.35	Inf	-Inf	2.99	3	Horizontal	305	2.46	-	111.36	32.13	5.80	34.94
PK	5.9338G	57.54	68.20	-10.66	3.45	3	Horizontal	305	2.46	-	54.09	32.57	5.87	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51061G	42.28	54.00	-11.72	13.66	3	Vertical	16	1.50	-	28.62	40.07	8.33	34.74
PK	11.50968G	54.92	74.00	-19.08	13.66	3	Vertical	16	1.50	-	41.26	40.07	8.33	34.74
PK	17.26479G	58.26	68.20	-9.94	15.84	3	Vertical	37	1.50	-	42.42	40.19	10.28	34.63

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50975G	42.24	54.00	-11.76	13.66	3	Horizontal	226	1.83	-	28.58	40.07	8.33	34.74
PK	11.51043G	54.85	74.00	-19.15	13.66	3	Horizontal	226	1.83	-	41.19	40.07	8.33	34.74
PK	17.26575G	58.39	68.20	-9.81	15.85	3	Horizontal	225	1.50	-	42.54	40.20	10.28	34.63

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	99.67	Inf	-Inf	3.02	3	Vertical	309	1.25	-	96.65	32.16	5.80	34.94
PK	5.6426G	56.46	68.20	-11.74	2.70	3	Vertical	309	1.25	-	53.76	31.80	5.80	34.90
PK	5.7986G	110.27	Inf	-Inf	3.05	3	Vertical	309	1.25	-	107.22	32.20	5.80	34.95
PK	5.9462G	56.80	68.20	-11.40	3.47	3	Vertical	309	1.25	-	53.33	32.59	5.87	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7794G	102.89	Inf	-Inf	3.02	3	Horizontal	312	2.55	-	99.87	32.16	5.80	34.94
PK	5.6438G	61.29	68.20	-6.91	2.70	3	Horizontal	312	2.55	-	58.59	31.80	5.80	34.90
PK	5.7806G	114.06	Inf	-Inf	3.02	3	Horizontal	312	2.55	-	111.04	32.16	5.80	34.94
PK	5.9246G	60.59	68.50	-7.91	3.42	3	Horizontal	312	2.55	-	57.17	32.55	5.86	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58971G	42.11	54.00	-11.89	13.43	3	Vertical	0	1.50	-	28.68	39.83	8.36	34.76
PK	11.58876G	54.49	74.00	-19.51	13.43	3	Vertical	0	1.50	-	41.06	39.83	8.36	34.76
PK	17.38561G	60.52	68.20	-7.68	16.61	3	Vertical	302	1.26	-	43.91	40.98	10.32	34.69

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59019G	42.10	54.00	-11.90	13.43	3	Horizontal	328	1.50	-	28.67	39.83	8.36	34.76
PK	11.59026G	54.74	74.00	-19.26	13.43	3	Horizontal	328	1.50	-	41.31	39.83	8.36	34.76
PK	17.3835G	59.98	68.20	-8.22	16.61	3	Horizontal	290	1.50	-	43.37	40.97	10.32	34.68

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.76	54.00	-2.24	2.55	3	Vertical	331	2.28	-	49.21	32.00	5.47	34.92
AV	5.214G	91.82	Inf	-Inf	2.22	3	Vertical	331	2.28	-	89.60	31.62	5.51	34.91
AV	5.35G	42.60	54.00	-11.40	2.07	3	Vertical	331	2.28	-	40.53	31.30	5.65	34.88
PK	5.137G	66.18	74.00	-7.82	2.55	3	Vertical	331	2.28	-	63.63	32.00	5.47	34.92
PK	5.226G	104.01	Inf	-Inf	2.17	3	Vertical	331	2.28	-	101.84	31.54	5.53	34.90
PK	5.35G	55.89	74.00	-18.11	2.07	3	Vertical	331	2.28	-	53.82	31.30	5.65	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.14	54.00	-0.86	2.55	3	Horizontal	56	1.18	-	50.59	32.00	5.47	34.92
AV	5.229G	93.63	Inf	-Inf	2.16	3	Horizontal	56	1.18	-	91.47	31.53	5.53	34.90
AV	5.354G	43.35	54.00	-10.65	2.09	3	Horizontal	56	1.18	-	41.26	31.32	5.65	34.88
PK	5.148G	68.53	74.00	-5.47	2.55	3	Horizontal	56	1.18	-	65.98	32.00	5.47	34.92
PK	5.246G	105.41	Inf	-Inf	2.07	3	Horizontal	56	1.18	-	103.34	31.42	5.55	34.90
PK	5.35G	57.39	74.00	-16.61	2.07	3	Horizontal	56	1.18	-	55.32	31.30	5.65	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63131G	42.68	54.00	-11.32	12.87	3	Vertical	327	2.06	-	29.81	38.23	9.81	35.17
PK	10.41891G	54.24	68.20	-13.96	12.44	3	Vertical	357	1.14	-	41.80	39.66	7.95	35.17
PK	15.62957G	55.33	74.00	-18.67	12.87	3	Vertical	327	2.06	-	42.46	38.23	9.81	35.17

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63133G	42.65	54.00	-11.35	12.87	3	Horizontal	61	2.46	-	29.78	38.23	9.81	35.17
PK	10.41949G	54.18	68.20	-14.02	12.44	3	Horizontal	131	1.49	-	41.74	39.66	7.95	35.17
PK	15.63077G	55.35	74.00	-18.65	12.87	3	Horizontal	61	2.46	-	42.48	38.23	9.81	35.17

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.57	54.00	-10.43	2.55	3	Vertical	347	1.00	-	41.02	32.00	5.47	34.92
AV	5.253G	90.64	Inf	-Inf	2.04	3	Vertical	347	1.00	-	88.60	31.39	5.55	34.90
AV	5.35G	50.30	54.00	-3.70	2.07	3	Vertical	347	1.00	-	48.23	31.30	5.65	34.88
PK	5.139G	55.55	74.00	-18.45	2.55	3	Vertical	347	1.00	-	53.00	32.00	5.47	34.92
PK	5.266G	101.05	Inf	-Inf	2.04	3	Vertical	347	1.00	-	99.01	31.37	5.57	34.90
PK	5.381G	68.51	74.00	-5.49	2.29	3	Vertical	347	1.00	-	66.22	31.49	5.68	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	44.46	54.00	-9.54	2.55	3	Horizontal	58	1.00	-	41.91	32.00	5.47	34.92
AV	5.253G	94.11	Inf	-Inf	2.04	3	Horizontal	58	1.00	-	92.07	31.39	5.55	34.90
AV	5.35G	53.42	54.00	-0.58	2.07	3	Horizontal	58	1.00	-	51.35	31.30	5.65	34.88
PK	5.141G	56.77	74.00	-17.23	2.55	3	Horizontal	58	1.00	-	54.22	32.00	5.47	34.92
PK	5.289G	105.25	Inf	-Inf	2.02	3	Horizontal	58	1.00	-	103.23	31.32	5.59	34.89
PK	5.361G	73.08	74.00	-0.92	2.15	3	Horizontal	58	1.00	-	70.93	31.37	5.66	34.88

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86863G	42.10	54.00	-11.90	12.33	3	Vertical	41	1.68	-	29.77	37.80	9.87	35.34
PK	10.58032G	53.93	68.20	-14.27	12.84	3	Vertical	200	1.91	-	41.09	39.90	8.00	35.06
PK	15.86996G	54.50	74.00	-19.50	12.33	3	Vertical	41	1.68	-	42.17	37.80	9.87	35.34

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86986G	41.85	54.00	-12.15	12.33	3	Horizontal	26	2.03	-	29.52	37.80	9.87	35.34
PK	10.58106G	53.71	68.20	-14.49	12.84	3	Horizontal	196	2.20	-	40.87	39.90	8.00	35.06
PK	15.86864G	54.86	74.00	-19.14	12.33	3	Horizontal	26	2.03	-	42.53	37.80	9.87	35.34

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.91	54.00	-9.09	2.68	3	Vertical	324	2.42	-	42.23	31.82	5.73	34.87
AV	5.567G	90.68	Inf	-Inf	2.77	3	Vertical	324	2.42	-	87.91	31.87	5.78	34.88
PK	5.47G	62.51	68.20	-5.69	2.72	3	Vertical	324	2.42	-	59.79	31.84	5.74	34.86
PK	5.554G	101.31	Inf	-Inf	2.79	3	Vertical	324	2.42	-	98.52	31.89	5.78	34.88
PK	5.744G	54.77	68.20	-13.43	2.95	3	Vertical	324	2.42	-	51.82	32.08	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.18	54.00	-4.82	2.68	3	Horizontal	62	1.00	-	46.50	31.82	5.73	34.87
AV	5.547G	95.67	Inf	-Inf	2.80	3	Horizontal	62	1.00	-	92.87	31.90	5.77	34.87
PK	5.466G	67.60	68.20	-0.60	2.69	3	Horizontal	62	1.00	-	64.91	31.83	5.73	34.87
PK	5.554G	107.28	Inf	-Inf	2.79	3	Horizontal	62	1.00	-	104.49	31.89	5.78	34.88
PK	5.767G	56.40	68.20	-11.80	2.99	3	Horizontal	62	1.00	-	53.41	32.13	5.80	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05907G	42.20	54.00	-11.80	13.26	3	Vertical	15	2.27	-	28.94	40.06	8.17	34.97
PK	11.06083G	54.95	74.00	-19.05	13.26	3	Vertical	15	2.27	-	41.69	40.06	8.17	34.97
PK	16.58922G	57.10	68.20	-11.10	14.27	3	Vertical	262	1.06	-	42.83	39.00	10.08	34.81

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06063G	42.18	54.00	-11.82	13.26	3	Horizontal	238	2.41	-	28.92	40.06	8.17	34.97
PK	11.0611G	55.05	74.00	-18.95	13.26	3	Horizontal	238	2.41	-	41.79	40.06	8.17	34.97
PK	16.58983G	57.08	68.20	-11.12	14.27	3	Horizontal	30	1.24	-	42.81	39.00	10.08	34.81

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.42	54.00	-7.58	2.68	3	Vertical	322	2.69	-	43.74	31.82	5.73	34.87
AV	5.633G	94.88	Inf	-Inf	2.70	3	Vertical	322	2.69	-	92.18	31.80	5.80	34.90
PK	5.468G	60.28	68.20	-7.92	2.70	3	Vertical	322	2.69	-	57.58	31.84	5.73	34.87
PK	5.614G	106.13	Inf	-Inf	2.71	3	Vertical	322	2.69	-	103.42	31.80	5.80	34.89
PK	5.73G	67.77	68.20	-0.43	2.89	3	Vertical	322	2.69	-	64.88	32.02	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.29	54.00	-3.71	2.68	3	Horizontal	79	1.00	-	47.61	31.82	5.73	34.87
AV	5.612G	99.51	Inf	-Inf	2.71	3	Horizontal	79	1.00	-	96.80	31.80	5.80	34.89
PK	5.461G	63.57	68.20	-4.63	2.68	3	Horizontal	79	1.00	-	60.89	31.82	5.73	34.87
PK	5.614G	111.33	Inf	-Inf	2.71	3	Horizontal	79	1.00	-	108.62	31.80	5.80	34.89
PK	5.731G	67.62	68.20	-0.58	2.89	3	Horizontal	79	1.00	-	64.73	32.02	5.80	34.93

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22019G	41.79	54.00	-12.21	13.04	3	Vertical	360	2.26	-	28.75	39.70	8.23	34.89
PK	11.21996G	54.60	74.00	-19.40	13.04	3	Vertical	360	2.26	-	41.56	39.70	8.23	34.89
PK	16.82933G	57.45	68.20	-10.75	15.52	3	Vertical	28	1.50	-	41.93	40.00	10.15	34.63


802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22038G	41.63	54.00	-12.37	13.04	3	Horizontal	232	1.50	-	28.59	39.70	8.23	34.89
PK	11.21974G	54.47	74.00	-19.53	13.04	3	Horizontal	232	1.50	-	41.43	39.70	8.23	34.89
PK	16.83098G	58.55	68.20	-9.65	15.52	3	Horizontal	26	1.50	-	43.03	40.00	10.15	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.82	54.00	-11.18	2.68	3	Vertical	323	2.41	-	40.14	31.82	5.73	34.87
AV	5.6936G	96.13	Inf	-Inf	2.77	3	Vertical	323	2.41	-	93.36	31.89	5.80	34.92
PK	5.4668G	54.13	68.20	-14.07	2.69	3	Vertical	323	2.41	-	51.44	31.83	5.73	34.87
PK	5.6912G	107.22	Inf	-Inf	2.76	3	Vertical	323	2.41	-	104.46	31.88	5.80	34.92
PK	5.8556G	61.20	68.20	-7.00	3.27	3	Vertical	323	2.41	-	57.93	32.41	5.83	34.97

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	43.67	54.00	-10.33	2.68	3	Horizontal	60	2.92	-	40.99	31.82	5.73	34.87
AV	5.7128G	99.21	Inf	-Inf	2.83	3	Horizontal	60	2.92	-	96.38	31.95	5.80	34.92
PK	5.4668G	55.58	68.20	-12.62	2.69	3	Horizontal	60	2.92	-	52.89	31.83	5.73	34.87
PK	5.7068G	110.92	Inf	-Inf	2.81	3	Horizontal	60	2.92	-	108.11	31.93	5.80	34.92
PK	5.852G	64.33	68.20	-3.87	3.26	3	Horizontal	60	2.92	-	61.07	32.40	5.83	34.97

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37924G	41.62	54.00	-12.38	13.42	3	Vertical	223	1.50	-	28.20	39.94	8.28	34.80
PK	11.37903G	54.22	74.00	-19.78	13.42	3	Vertical	223	1.50	-	40.80	39.94	8.28	34.80
PK	17.07064G	58.22	68.20	-9.98	15.78	3	Vertical	106	1.64	-	42.44	40.09	10.22	34.53


802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38107G	41.67	54.00	-12.33	13.42	3	Horizontal	340	2.50	-	28.25	39.94	8.28	34.80
PK	11.37971G	54.35	74.00	-19.65	13.42	3	Horizontal	340	2.50	-	40.93	39.94	8.28	34.80
PK	17.06996G	58.05	68.20	-10.15	15.78	3	Horizontal	154	1.50	-	42.27	40.09	10.22	34.53

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	93.81	Inf	-Inf	2.97	3	Vertical	313	1.48	-	90.84	32.11	5.80	34.94
PK	5.6466G	59.92	68.20	-8.28	2.70	3	Vertical	313	1.48	-	57.22	31.80	5.80	34.90
PK	5.7582G	105.89	Inf	-Inf	2.98	3	Vertical	313	1.48	-	102.91	32.12	5.80	34.94
PK	5.9274G	59.61	68.20	-8.59	3.42	3	Vertical	313	1.48	-	56.19	32.55	5.86	34.99

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	99.78	Inf	-Inf	2.97	3	Horizontal	60	3.00	-	96.81	32.11	5.80	34.94
PK	5.6442G	67.68	68.20	-0.52	2.70	3	Horizontal	60	3.00	-	64.98	31.80	5.80	34.90
PK	5.7378G	111.60	Inf	-Inf	2.92	3	Horizontal	60	3.00	-	108.68	32.05	5.80	34.93
PK	5.925G	61.44	68.20	-6.76	3.42	3	Horizontal	60	3.00	-	58.02	32.55	5.86	34.99

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54997G	42.69	54.00	-11.31	13.54	3	Vertical	360	2.19	-	29.15	39.95	8.34	34.75
PK	11.54996G	55.14	74.00	-18.86	13.54	3	Vertical	360	2.19	-	41.60	39.95	8.34	34.75
PK	17.32393G	58.31	68.20	-9.89	16.13	3	Vertical	68	1.50	-	42.18	40.49	10.30	34.66

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5506G	42.22	54.00	-11.78	13.54	3	Horizontal	351	1.50	-	28.68	39.95	8.34	34.75
PK	11.54993G	55.26	74.00	-18.74	13.54	3	Horizontal	351	1.50	-	41.72	39.95	8.34	34.75
PK	17.32622G	57.98	68.20	-10.22	16.15	3	Horizontal	4	1.65	-	41.83	40.51	10.30	34.66



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	QP	168.01M	42.61	43.50	-0.89	3	Horizontal	290	1.50	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	239.52M	40.22	46.00	-5.78	3	Vertical	0	1.00	-
5775MHz	Pass	PK	437.4M	34.30	46.00	-11.70	3	Vertical	0	1.00	-
5775MHz	Pass	PK	561.56M	35.96	46.00	-10.04	3	Vertical	0	1.00	-
5775MHz	Pass	PK	712.88M	34.82	46.00	-11.18	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	41.61	46.00	-4.39	3	Vertical	0	1.00	-
5775MHz	Pass	QP	83.19M	38.88	40.00	-1.12	3	Vertical	179	1.00	-
5775MHz	Pass	PK	249.22M	42.33	46.00	-3.67	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	425.76M	37.34	46.00	-8.66	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	553.8M	39.86	46.00	-6.14	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	712.88M	40.17	46.00	-5.83	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	80.44M	36.77	40.00	-3.23	3	Horizontal	196	2.08	-
5775MHz	Pass	QP	168.01M	42.61	43.50	-0.89	3	Horizontal	290	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	239.52M	40.22	46.00	-5.78	-19.60	3	Vertical	0	1.00	-	59.82	16.35	1.46	37.41
PK	437.4M	34.30	46.00	-11.70	-12.75	3	Vertical	0	1.00	-	47.05	22.22	2.05	37.02
PK	561.56M	35.96	46.00	-10.04	-8.99	3	Vertical	0	1.00	-	44.95	25.39	2.40	36.78
PK	712.88M	34.82	46.00	-11.18	-7.76	3	Vertical	0	1.00	-	42.58	26.01	2.71	36.48
PK	875.84M	41.61	46.00	-4.39	-5.04	3	Vertical	0	1.00	-	46.65	28.15	2.97	36.16
QP	83.19M	38.88	40.00	-1.12	-23.96	3	Vertical	179	1.00	-	62.84	12.86	0.90	37.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	249.22M	42.33	46.00	-3.67	-17.33	3	Horizontal	360	1.00	-	59.66	17.56	1.50	36.39
PK	425.76M	37.34	46.00	-8.66	-12.47	3	Horizontal	360	1.00	-	49.81	22.12	2.01	36.60
PK	553.8M	39.86	46.00	-6.14	-9.77	3	Horizontal	360	1.00	-	49.63	24.92	2.39	37.08
PK	712.88M	40.17	46.00	-5.83	-8.65	3	Horizontal	360	1.00	-	48.82	26.01	2.71	37.37
QP	80.44M	36.77	40.00	-3.23	-23.41	3	Horizontal	196	2.08	-	60.18	12.55	0.89	36.85
QP	168.01M	42.61	43.50	-0.89	-20.13	3	Horizontal	290	1.50	-	62.74	15.01	1.25	36.39



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1494G	53.85	54.00	-0.15	3	Vertical	164	1.76	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.1452G	73.82	74.00	-0.18	3	Vertical	82	1.82	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1494G	53.85	54.00	-0.15	3	Vertical	164	1.76	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.58	54.00	-0.42	3	Vertical	86	1.94	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.356G	73.49	74.00	-0.51	3	Vertical	88	1.82	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.35G	73.72	74.00	-0.28	3	Vertical	308	2.22	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	68.02	68.20	-0.18	3	Vertical	85	1.85	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7276G	68.05	68.20	-0.15	3	Vertical	177	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.464G	67.69	68.20	-0.51	3	Vertical	89	1.81	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.47306G	60.42	68.20	-7.78	3	Vertical	0	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.9318G	64.00	68.20	-4.20	3	Vertical	273	1.99	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6478G	68.03	68.20	-0.17	3	Vertical	181	1.43	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	53.85	54.00	-0.15	3	Vertical	164	1.76	-
5180MHz	Pass	AV	5.1748G	101.85	Inf	-Inf	3	Vertical	164	1.76	-
5180MHz	Pass	PK	5.1494G	72.38	74.00	-1.62	3	Vertical	164	1.76	-
5180MHz	Pass	PK	5.1806G	113.74	Inf	-Inf	3	Vertical	164	1.76	-
5180MHz	Pass	AV	5.15G	45.39	54.00	-8.61	3	Horizontal	185	1.31	-
5180MHz	Pass	AV	5.1848G	93.07	Inf	-Inf	3	Horizontal	185	1.31	-
5180MHz	Pass	PK	5.1498G	63.06	74.00	-10.94	3	Horizontal	185	1.31	-
5180MHz	Pass	PK	5.1806G	104.57	Inf	-Inf	3	Horizontal	185	1.31	-
5180MHz	Pass	AV	15.54213G	42.94	54.00	-11.06	3	Vertical	304	1.88	-
5180MHz	Pass	PK	10.35975G	55.03	68.20	-13.17	3	Vertical	348	2.12	-
5180MHz	Pass	PK	15.54167G	55.60	74.00	-18.40	3	Vertical	304	1.88	-
5180MHz	Pass	AV	15.54128G	42.98	54.00	-11.02	3	Horizontal	143	2.38	-
5180MHz	Pass	PK	10.36196G	53.69	68.20	-14.51	3	Horizontal	262	2.26	-
5180MHz	Pass	PK	15.53871G	55.16	74.00	-18.84	3	Horizontal	143	2.38	-
5200MHz	Pass	AV	5.15G	53.68	54.00	-0.32	3	Vertical	92	1.81	-
5200MHz	Pass	AV	5.1924G	105.02	Inf	-Inf	3	Vertical	92	1.81	-
5200MHz	Pass	PK	5.1432G	67.00	74.00	-7.00	3	Vertical	92	1.81	-
5200MHz	Pass	PK	5.2056G	115.86	Inf	-Inf	3	Vertical	92	1.81	-
5200MHz	Pass	AV	5.15G	47.24	54.00	-6.76	3	Horizontal	147	2.31	-
5200MHz	Pass	AV	5.2016G	100.78	Inf	-Inf	3	Horizontal	147	2.31	-
5200MHz	Pass	PK	5.1468G	59.53	74.00	-14.47	3	Horizontal	147	2.31	-
5200MHz	Pass	PK	5.2048G	111.67	Inf	-Inf	3	Horizontal	147	2.31	-
5200MHz	Pass	AV	15.59791G	42.93	54.00	-11.07	3	Vertical	228	2.23	-
5200MHz	Pass	PK	10.40047G	54.60	68.20	-13.60	3	Vertical	350	1.02	-
5200MHz	Pass	PK	15.59915G	55.65	74.00	-18.35	3	Vertical	228	2.23	-
5200MHz	Pass	AV	15.60077G	43.11	54.00	-10.89	3	Horizontal	336	1.45	-
5200MHz	Pass	PK	10.39919G	54.28	68.20	-13.92	3	Horizontal	256	2.37	-
5200MHz	Pass	PK	15.60003G	55.13	74.00	-18.87	3	Horizontal	336	1.45	-
5240MHz	Pass	AV	5.1476G	44.57	54.00	-9.43	3	Vertical	78	1.79	-
5240MHz	Pass	AV	5.2316G	105.10	Inf	-Inf	3	Vertical	78	1.79	-
5240MHz	Pass	AV	5.3558G	42.75	54.00	-11.25	3	Vertical	78	1.79	-
5240MHz	Pass	PK	5.1494G	56.52	74.00	-17.48	3	Vertical	78	1.79	-
5240MHz	Pass	PK	5.2316G	115.30	Inf	-Inf	3	Vertical	78	1.79	-
5240MHz	Pass	PK	5.3774G	54.34	74.00	-19.66	3	Vertical	78	1.79	-
5240MHz	Pass	AV	5.111G	43.80	54.00	-10.20	3	Horizontal	149	2.22	-
5240MHz	Pass	AV	5.234G	99.57	Inf	-Inf	3	Horizontal	149	2.22	-
5240MHz	Pass	AV	5.3696G	42.30	54.00	-11.70	3	Horizontal	149	2.22	-
5240MHz	Pass	PK	5.1488G	56.13	74.00	-17.87	3	Horizontal	149	2.22	-
5240MHz	Pass	PK	5.2346G	110.23	Inf	-Inf	3	Horizontal	149	2.22	-
5240MHz	Pass	PK	5.3594G	54.35	74.00	-19.65	3	Horizontal	149	2.22	-
5240MHz	Pass	AV	15.71907G	45.37	54.00	-8.63	3	Vertical	256	2.80	-
5240MHz	Pass	PK	10.48175G	54.39	68.20	-13.81	3	Vertical	304	1.00	-
5240MHz	Pass	PK	15.71834G	55.10	74.00	-18.90	3	Vertical	256	2.80	-
5240MHz	Pass	AV	15.7086G	43.15	54.00	-10.85	3	Horizontal	117	2.49	-
5240MHz	Pass	PK	10.48238G	55.39	68.20	-12.81	3	Horizontal	321	1.02	-
5240MHz	Pass	PK	15.70986G	55.08	74.00	-18.92	3	Horizontal	117	2.49	-
5260MHz	Pass	AV	5.1244G	44.55	54.00	-9.45	3	Vertical	304	2.07	-
5260MHz	Pass	AV	5.2516G	106.94	Inf	-Inf	3	Vertical	304	2.07	-
5260MHz	Pass	AV	5.3512G	43.54	54.00	-10.46	3	Vertical	304	2.07	-
5260MHz	Pass	PK	5.1226G	55.93	74.00	-18.07	3	Vertical	304	2.07	-
5260MHz	Pass	PK	5.251G	116.68	Inf	-Inf	3	Vertical	304	2.07	-
5260MHz	Pass	PK	5.3632G	55.48	74.00	-18.52	3	Vertical	304	2.07	-
5260MHz	Pass	AV	5.1394G	43.45	54.00	-10.55	3	Horizontal	8	1.58	-
5260MHz	Pass	AV	5.2546G	96.26	Inf	-Inf	3	Horizontal	8	1.58	-
5260MHz	Pass	AV	5.4058G	42.08	54.00	-11.92	3	Horizontal	8	1.58	-
5260MHz	Pass	PK	5.1382G	55.48	74.00	-18.52	3	Horizontal	8	1.58	-
5260MHz	Pass	PK	5.251G	106.89	Inf	-Inf	3	Horizontal	8	1.58	-
5260MHz	Pass	PK	5.377G	54.14	74.00	-19.86	3	Horizontal	8	1.58	-
5260MHz	Pass	AV	15.77802G	42.50	54.00	-11.50	3	Vertical	231	2.88	-
5260MHz	Pass	PK	10.51994G	55.48	68.20	-12.72	3	Vertical	17	2.17	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.78078G	54.57	74.00	-19.43	3	Vertical	231	2.88	-
5260MHz	Pass	AV	15.77628G	42.39	54.00	-11.61	3	Horizontal	49	2.98	-
5260MHz	Pass	PK	10.51917G	55.59	68.20	-12.61	3	Horizontal	83	1.50	-
5260MHz	Pass	PK	15.77802G	54.74	74.00	-19.26	3	Horizontal	49	2.98	-
5300MHz	Pass	AV	5.3076G	105.62	Inf	-Inf	3	Vertical	86	1.77	-
5300MHz	Pass	AV	5.35G	50.29	54.00	-3.71	3	Vertical	86	1.77	-
5300MHz	Pass	PK	5.3076G	116.26	Inf	-Inf	3	Vertical	86	1.77	-
5300MHz	Pass	PK	5.35G	65.51	74.00	-8.49	3	Vertical	86	1.77	-
5300MHz	Pass	AV	5.2912G	99.34	Inf	-Inf	3	Horizontal	8	1.62	-
5300MHz	Pass	AV	5.35G	43.65	54.00	-10.35	3	Horizontal	8	1.62	-
5300MHz	Pass	PK	5.2912G	109.50	Inf	-Inf	3	Horizontal	8	1.62	-
5300MHz	Pass	PK	5.3568G	56.00	74.00	-18.00	3	Horizontal	8	1.62	-
5300MHz	Pass	AV	15.90222G	42.25	54.00	-11.75	3	Vertical	162	1.50	-
5300MHz	Pass	PK	10.59991G	54.62	68.20	-13.58	3	Vertical	240	1.55	-
5300MHz	Pass	PK	15.9033G	54.67	74.00	-19.33	3	Vertical	162	1.50	-
5300MHz	Pass	AV	15.89584G	42.29	54.00	-11.71	3	Horizontal	340	1.50	-
5300MHz	Pass	PK	10.6G	55.21	68.20	-12.99	3	Horizontal	8	3.00	-
5300MHz	Pass	PK	15.90338G	54.69	74.00	-19.31	3	Horizontal	340	1.50	-
5320MHz	Pass	AV	5.326G	103.21	Inf	-Inf	3	Vertical	86	1.94	-
5320MHz	Pass	AV	5.35G	53.58	54.00	-0.42	3	Vertical	86	1.94	-
5320MHz	Pass	PK	5.325G	115.86	Inf	-Inf	3	Vertical	86	1.94	-
5320MHz	Pass	PK	5.3514G	70.11	74.00	-3.89	3	Vertical	86	1.94	-
5320MHz	Pass	AV	5.3178G	93.64	Inf	-Inf	3	Horizontal	159	1.65	-
5320MHz	Pass	AV	5.3516G	43.93	54.00	-10.07	3	Horizontal	159	1.65	-
5320MHz	Pass	PK	5.3206G	106.01	Inf	-Inf	3	Horizontal	159	1.65	-
5320MHz	Pass	PK	5.3578G	58.73	74.00	-15.27	3	Horizontal	159	1.65	-
5320MHz	Pass	AV	10.64G	41.82	54.00	-12.18	3	Vertical	237	1.50	-
5320MHz	Pass	AV	15.96424G	42.45	54.00	-11.55	3	Vertical	316	1.52	-
5320MHz	Pass	PK	10.6433G	54.55	74.00	-19.45	3	Vertical	237	1.50	-
5320MHz	Pass	PK	15.9555G	54.98	74.00	-19.02	3	Vertical	316	1.52	-
5320MHz	Pass	AV	10.64003G	42.54	54.00	-11.46	3	Horizontal	11	2.10	-
5320MHz	Pass	AV	15.962G	42.32	54.00	-11.68	3	Horizontal	169	1.50	-
5320MHz	Pass	PK	10.64114G	55.28	74.00	-18.72	3	Horizontal	11	2.10	-
5320MHz	Pass	PK	15.95602G	54.67	74.00	-19.33	3	Horizontal	169	1.50	-
5500MHz	Pass	AV	5.46G	46.70	54.00	-7.30	3	Vertical	85	1.85	-
5500MHz	Pass	AV	5.505G	103.91	Inf	-Inf	3	Vertical	85	1.85	-
5500MHz	Pass	PK	5.4696G	68.02	68.20	-0.18	3	Vertical	85	1.85	-
5500MHz	Pass	PK	5.505G	116.77	Inf	-Inf	3	Vertical	85	1.85	-
5500MHz	Pass	AV	5.4588G	43.48	54.00	-10.52	3	Horizontal	156.3	1.81	-
5500MHz	Pass	AV	5.4938G	94.97	Inf	-Inf	3	Horizontal	156.3	1.81	-
5500MHz	Pass	PK	5.4686G	60.52	68.20	-7.68	3	Horizontal	156.3	1.81	-
5500MHz	Pass	PK	5.4916G	106.43	Inf	-Inf	3	Horizontal	156.3	1.81	-
5500MHz	Pass	AV	10.99857G	42.54	54.00	-11.46	3	Vertical	171	1.50	-
5500MHz	Pass	PK	11.00066G	56.67	74.00	-17.33	3	Vertical	171	1.50	-
5500MHz	Pass	PK	16.50302G	56.68	68.20	-11.52	3	Vertical	152	1.48	-
5500MHz	Pass	AV	10.99818G	42.59	54.00	-11.41	3	Horizontal	216	1.27	-
5500MHz	Pass	PK	11.00151G	54.78	74.00	-19.22	3	Horizontal	216	1.27	-
5500MHz	Pass	PK	16.50418G	57.00	68.20	-11.20	3	Horizontal	360	1.50	-
5580MHz	Pass	AV	5.46G	43.37	54.00	-10.63	3	Vertical	84	1.79	-
5580MHz	Pass	AV	5.5878G	107.87	Inf	-Inf	3	Vertical	84	1.79	-
5580MHz	Pass	PK	5.469G	56.65	68.20	-11.55	3	Vertical	84	1.79	-
5580MHz	Pass	PK	5.577G	119.25	Inf	-Inf	3	Vertical	84	1.79	-
5580MHz	Pass	PK	5.727G	55.83	68.20	-12.37	3	Vertical	84	1.79	-
5580MHz	Pass	AV	5.4402G	42.97	54.00	-11.03	3	Horizontal	333	1.75	-
5580MHz	Pass	AV	5.5722G	99.62	Inf	-Inf	3	Horizontal	333	1.75	-
5580MHz	Pass	PK	5.4618G	53.93	68.20	-14.27	3	Horizontal	333	1.75	-
5580MHz	Pass	PK	5.5722G	110.14	Inf	-Inf	3	Horizontal	333	1.75	-
5580MHz	Pass	PK	5.7264G	53.80	68.20	-14.40	3	Horizontal	333	1.75	-
5580MHz	Pass	AV	11.15771G	42.04	54.00	-11.96	3	Vertical	267	2.01	-
5580MHz	Pass	PK	11.16151G	54.76	74.00	-19.24	3	Vertical	267	2.01	-
5580MHz	Pass	PK	16.73672G	58.01	68.20	-10.19	3	Vertical	179	2.47	-
5580MHz	Pass	AV	11.15799G	41.89	54.00	-12.11	3	Horizontal	148	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	11.16093G	55.31	74.00	-18.69	3	Horizontal	148	1.50	-
5580MHz	Pass	PK	16.74376G	57.98	68.20	-10.22	3	Horizontal	4	2.07	-
5700MHz	Pass	AV	5.6956G	101.57	Inf	-Inf	3	Vertical	88	1.70	-
5700MHz	Pass	PK	5.7024G	111.47	Inf	-Inf	3	Vertical	88	1.70	-
5700MHz	Pass	PK	5.7256G	67.32	68.20	-0.88	3	Vertical	88	1.70	-
5700MHz	Pass	AV	5.708G	90.71	Inf	-Inf	3	Horizontal	153	1.44	-
5700MHz	Pass	PK	5.708G	102.26	Inf	-Inf	3	Horizontal	153	1.44	-
5700MHz	Pass	PK	5.726G	58.44	68.20	-9.76	3	Horizontal	153	1.44	-
5700MHz	Pass	AV	11.39907G	42.30	54.00	-11.70	3	Vertical	292	3.00	-
5700MHz	Pass	PK	11.40195G	54.71	74.00	-19.29	3	Vertical	292	3.00	-
5700MHz	Pass	PK	17.10482G	59.45	68.20	-8.75	3	Vertical	85	1.54	-
5700MHz	Pass	AV	11.39915G	42.32	54.00	-11.68	3	Horizontal	0	1.50	-
5700MHz	Pass	PK	11.39849G	54.74	74.00	-19.26	3	Horizontal	0	1.50	-
5700MHz	Pass	PK	17.0966G	58.79	68.20	-9.41	3	Horizontal	81	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	42.75	54.00	-11.25	3	Vertical	85	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	106.56	Inf	-Inf	3	Vertical	85	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	53.85	68.20	-14.35	3	Vertical	85	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	117.40	Inf	-Inf	3	Vertical	85	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	57.00	68.20	-11.20	3	Vertical	85	1.81	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	42.34	54.00	-11.66	3	Horizontal	81	2.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	99.15	Inf	-Inf	3	Horizontal	81	2.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	53.73	68.20	-14.47	3	Horizontal	81	2.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	110.30	Inf	-Inf	3	Horizontal	81	2.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9336G	55.25	68.20	-12.95	3	Horizontal	81	2.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44068G	42.51	54.00	-11.49	3	Vertical	255	1.83	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44025G	54.95	74.00	-19.05	3	Vertical	255	1.83	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15839G	58.51	68.20	-9.69	3	Vertical	206	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44153G	42.46	54.00	-11.54	3	Horizontal	360	1.55	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43862G	55.09	74.00	-18.91	3	Horizontal	360	1.55	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15762G	58.83	68.20	-9.37	3	Horizontal	153	2.10	-
5745MHz	Pass	AV	5.7402G	107.26	Inf	-Inf	3	Vertical	85	1.81	-
5745MHz	Pass	PK	5.6382G	57.97	68.20	-10.23	3	Vertical	85	1.81	-
5745MHz	Pass	PK	5.7366G	117.92	Inf	-Inf	3	Vertical	85	1.81	-
5745MHz	Pass	PK	5.9586G	55.04	68.20	-13.16	3	Vertical	85	1.81	-
5745MHz	Pass	AV	5.7366G	98.11	Inf	-Inf	3	Horizontal	154	1.50	-
5745MHz	Pass	PK	5.5974G	54.68	68.20	-13.52	3	Horizontal	154	1.50	-
5745MHz	Pass	PK	5.739G	107.71	Inf	-Inf	3	Horizontal	154	1.50	-
5745MHz	Pass	PK	5.9754G	55.36	68.20	-12.84	3	Horizontal	154	1.50	-
5745MHz	Pass	AV	11.48986G	43.41	54.00	-10.59	3	Vertical	315	1.50	-
5745MHz	Pass	PK	11.48904G	55.45	74.00	-18.55	3	Vertical	315	1.50	-
5745MHz	Pass	PK	17.23695G	58.45	68.20	-9.75	3	Vertical	202	1.49	-
5745MHz	Pass	AV	11.49146G	42.70	54.00	-11.30	3	Horizontal	24	2.32	-
5745MHz	Pass	PK	11.49074G	55.47	74.00	-18.53	3	Horizontal	24	2.32	-
5745MHz	Pass	PK	17.23668G	58.43	68.20	-9.77	3	Horizontal	155	1.70	-
5785MHz	Pass	AV	5.791G	105.75	Inf	-Inf	3	Vertical	268	1.88	-
5785MHz	Pass	PK	5.5498G	55.65	68.20	-12.55	3	Vertical	268	1.88	-
5785MHz	Pass	PK	5.7874G	116.38	Inf	-Inf	3	Vertical	268	1.88	-
5785MHz	Pass	PK	5.9242G	55.67	68.79	-13.12	3	Vertical	268	1.88	-
5785MHz	Pass	AV	5.7766G	99.46	Inf	-Inf	3	Horizontal	1	1.32	-
5785MHz	Pass	PK	5.5834G	54.66	68.20	-13.54	3	Horizontal	1	1.32	-
5785MHz	Pass	PK	5.779G	109.28	Inf	-Inf	3	Horizontal	1	1.32	-
5785MHz	Pass	PK	5.9818G	56.42	68.20	-11.78	3	Horizontal	1	1.32	-
5785MHz	Pass	AV	11.56136G	42.18	54.00	-11.82	3	Vertical	33	1.47	-
5785MHz	Pass	PK	11.56552G	55.73	74.00	-18.27	3	Vertical	33	1.47	-
5785MHz	Pass	PK	17.35652G	59.32	68.20	-8.88	3	Vertical	331	2.23	-
5785MHz	Pass	AV	11.57016G	42.62	54.00	-11.38	3	Horizontal	196	1.50	-
5785MHz	Pass	PK	11.5692G	55.72	74.00	-18.28	3	Horizontal	196	1.50	-
5785MHz	Pass	PK	17.35994G	58.24	68.20	-9.96	3	Horizontal	130	1.51	-
5825MHz	Pass	AV	5.8202G	104.31	Inf	-Inf	3	Vertical	180	1.28	-
5825MHz	Pass	PK	5.6126G	55.74	68.20	-12.46	3	Vertical	180	1.28	-
5825MHz	Pass	PK	5.8178G	115.75	Inf	-Inf	3	Vertical	180	1.28	-
5825MHz	Pass	PK	5.9354G	55.90	68.20	-12.30	3	Vertical	180	1.28	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	AV	5.8214G	96.39	Inf	-Inf	3	Horizontal	328	1.67	-
5825MHz	Pass	PK	5.6126G	55.25	68.20	-12.95	3	Horizontal	328	1.67	-
5825MHz	Pass	PK	5.8166G	107.73	Inf	-Inf	3	Horizontal	328	1.67	-
5825MHz	Pass	PK	6.125G	55.48	68.20	-12.72	3	Horizontal	328	1.67	-
5825MHz	Pass	AV	11.6531G	42.11	54.00	-11.89	3	Vertical	16	3.00	-
5825MHz	Pass	PK	11.64672G	54.20	74.00	-19.80	3	Vertical	16	3.00	-
5825MHz	Pass	PK	17.47306G	60.42	68.20	-7.78	3	Vertical	0	1.50	-
5825MHz	Pass	AV	11.6449G	42.13	54.00	-11.87	3	Horizontal	3	1.50	-
5825MHz	Pass	PK	11.64592G	54.99	74.00	-19.01	3	Horizontal	3	1.50	-
5825MHz	Pass	PK	17.4738G	59.84	68.20	-8.36	3	Horizontal	226	2.22	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	48.50	54.00	-5.50	3	Vertical	82	1.82	-
5190MHz	Pass	AV	5.2052G	95.76	Inf	-Inf	3	Vertical	82	1.82	-
5190MHz	Pass	PK	5.1452G	73.82	74.00	-0.18	3	Vertical	82	1.82	-
5190MHz	Pass	PK	5.2056G	109.87	Inf	-Inf	3	Vertical	82	1.82	-
5190MHz	Pass	AV	5.1496G	45.05	54.00	-8.95	3	Horizontal	18	2.45	-
5190MHz	Pass	AV	5.1916G	91.37	Inf	-Inf	3	Horizontal	18	2.45	-
5190MHz	Pass	PK	5.15G	71.87	74.00	-2.13	3	Horizontal	18	2.45	-
5190MHz	Pass	PK	5.1916G	103.47	Inf	-Inf	3	Horizontal	18	2.45	-
5190MHz	Pass	AV	15.56506G	42.92	54.00	-11.08	3	Vertical	285	2.24	-
5190MHz	Pass	PK	10.37788G	55.02	68.20	-13.18	3	Vertical	177	2.31	-
5190MHz	Pass	PK	15.57116G	55.42	74.00	-18.58	3	Vertical	285	2.24	-
5190MHz	Pass	AV	15.56682G	42.95	54.00	-11.05	3	Horizontal	279	1.30	-
5190MHz	Pass	PK	10.37668G	55.45	68.20	-12.75	3	Horizontal	308	2.31	-
5190MHz	Pass	PK	15.56544G	55.72	74.00	-18.28	3	Horizontal	279	1.30	-
5230MHz	Pass	AV	5.15G	53.22	54.00	-0.78	3	Vertical	90	1.92	-
5230MHz	Pass	AV	5.2136G	101.85	Inf	-Inf	3	Vertical	90	1.92	-
5230MHz	Pass	PK	5.15G	72.21	74.00	-1.79	3	Vertical	90	1.92	-
5230MHz	Pass	PK	5.22G	115.28	Inf	-Inf	3	Vertical	90	1.92	-
5230MHz	Pass	AV	5.15G	47.51	54.00	-6.49	3	Horizontal	152.1	2.12	-
5230MHz	Pass	AV	5.2316G	97.00	Inf	-Inf	3	Horizontal	152.1	2.12	-
5230MHz	Pass	PK	5.148G	63.21	74.00	-10.79	3	Horizontal	152.1	2.12	-
5230MHz	Pass	PK	5.232G	109.21	Inf	-Inf	3	Horizontal	152.1	2.12	-
5230MHz	Pass	AV	15.68816G	43.10	54.00	-10.90	3	Vertical	113	1.12	-
5230MHz	Pass	PK	10.4623G	54.18	68.20	-14.02	3	Vertical	273	1.25	-
5230MHz	Pass	PK	15.69366G	55.47	74.00	-18.53	3	Vertical	113	1.12	-
5230MHz	Pass	AV	15.69442G	43.00	54.00	-11.00	3	Horizontal	38	1.64	-
5230MHz	Pass	PK	10.46366G	54.98	68.20	-13.22	3	Horizontal	233	1.80	-
5230MHz	Pass	PK	15.68532G	55.78	74.00	-18.22	3	Horizontal	38	1.64	-
5270MHz	Pass	AV	5.2532G	102.48	Inf	-Inf	3	Vertical	305	2.21	-
5270MHz	Pass	AV	5.3508G	53.00	54.00	-1.00	3	Vertical	305	2.21	-
5270MHz	Pass	PK	5.2528G	115.90	Inf	-Inf	3	Vertical	305	2.21	-
5270MHz	Pass	PK	5.3508G	71.65	74.00	-2.35	3	Vertical	305	2.21	-
5270MHz	Pass	AV	5.2592G	94.82	Inf	-Inf	3	Horizontal	11	1.58	-
5270MHz	Pass	AV	5.35G	44.51	54.00	-9.49	3	Horizontal	11	1.58	-
5270MHz	Pass	PK	5.258G	106.04	Inf	-Inf	3	Horizontal	11	1.58	-
5270MHz	Pass	PK	5.3508G	62.44	74.00	-11.56	3	Horizontal	11	1.58	-
5270MHz	Pass	AV	15.80572G	42.52	54.00	-11.48	3	Vertical	51	2.01	-
5270MHz	Pass	PK	10.53646G	55.19	68.20	-13.01	3	Vertical	40	1.78	-
5270MHz	Pass	PK	15.8073G	55.09	74.00	-18.91	3	Vertical	51	2.01	-
5270MHz	Pass	AV	15.81244G	42.53	54.00	-11.47	3	Horizontal	180	1.82	-
5270MHz	Pass	PK	10.5379G	54.10	68.20	-14.10	3	Horizontal	216	1.77	-
5270MHz	Pass	PK	15.807G	55.15	74.00	-18.85	3	Horizontal	180	1.82	-
5310MHz	Pass	AV	5.3256G	96.49	Inf	-Inf	3	Vertical	88	1.82	-
5310MHz	Pass	AV	5.366G	45.99	54.00	-8.01	3	Vertical	88	1.82	-
5310MHz	Pass	PK	5.3256G	110.94	Inf	-Inf	3	Vertical	88	1.82	-
5310MHz	Pass	PK	5.356G	73.49	74.00	-0.51	3	Vertical	88	1.82	-
5310MHz	Pass	AV	5.3196G	87.97	Inf	-Inf	3	Horizontal	162	1.72	-
5310MHz	Pass	AV	5.3612G	44.55	54.00	-9.45	3	Horizontal	162	1.72	-
5310MHz	Pass	PK	5.3008G	103.32	Inf	-Inf	3	Horizontal	162	1.72	-
5310MHz	Pass	PK	5.3536G	70.53	74.00	-3.47	3	Horizontal	162	1.72	-
5310MHz	Pass	AV	10.621G	41.55	54.00	-12.45	3	Vertical	221	1.96	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	15.93404G	42.15	54.00	-11.85	3	Vertical	303	1.25	-
5310MHz	Pass	PK	10.62092G	54.67	74.00	-19.33	3	Vertical	221	1.96	-
5310MHz	Pass	PK	15.93232G	54.97	74.00	-19.03	3	Vertical	303	1.25	-
5310MHz	Pass	AV	10.62416G	41.88	54.00	-12.12	3	Horizontal	14	1.73	-
5310MHz	Pass	AV	15.92608G	42.43	54.00	-11.57	3	Horizontal	280	2.14	-
5310MHz	Pass	PK	10.61618G	54.56	74.00	-19.44	3	Horizontal	14	1.73	-
5310MHz	Pass	PK	15.92776G	55.55	74.00	-18.45	3	Horizontal	280	2.14	-
5510MHz	Pass	AV	5.46G	44.95	54.00	-9.05	3	Vertical	90	1.87	-
5510MHz	Pass	AV	5.5252G	97.18	Inf	-Inf	3	Vertical	90	1.87	-
5510MHz	Pass	PK	5.4664G	67.90	68.20	-0.30	3	Vertical	90	1.87	-
5510MHz	Pass	PK	5.5256G	110.00	Inf	-Inf	3	Vertical	90	1.87	-
5510MHz	Pass	AV	5.4564G	42.81	54.00	-11.19	3	Horizontal	5	1.54	-
5510MHz	Pass	AV	5.5188G	88.52	Inf	-Inf	3	Horizontal	5	1.54	-
5510MHz	Pass	PK	5.47G	62.48	68.20	-5.72	3	Horizontal	5	1.54	-
5510MHz	Pass	PK	5.5184G	99.56	Inf	-Inf	3	Horizontal	5	1.54	-
5510MHz	Pass	AV	11.02392G	42.46	54.00	-11.54	3	Vertical	334	1.68	-
5510MHz	Pass	PK	11.02438G	55.68	74.00	-18.32	3	Vertical	334	1.68	-
5510MHz	Pass	PK	16.52722G	57.90	68.20	-10.30	3	Vertical	275	2.22	-
5510MHz	Pass	AV	11.01646G	42.31	54.00	-11.69	3	Horizontal	105	1.58	-
5510MHz	Pass	PK	11.01628G	56.39	74.00	-17.61	3	Horizontal	105	1.58	-
5510MHz	Pass	PK	16.53484G	57.78	68.20	-10.42	3	Horizontal	0	2.27	-
5550MHz	Pass	AV	5.4592G	47.51	54.00	-6.49	3	Vertical	270	1.61	-
5550MHz	Pass	AV	5.5372G	101.83	Inf	-Inf	3	Vertical	270	1.61	-
5550MHz	Pass	PK	5.47G	62.46	68.20	-5.74	3	Vertical	270	1.61	-
5550MHz	Pass	PK	5.5336G	113.11	Inf	-Inf	3	Vertical	270	1.61	-
5550MHz	Pass	AV	5.4588G	46.45	54.00	-7.55	3	Horizontal	348	1.30	-
5550MHz	Pass	AV	5.5476G	98.62	Inf	-Inf	3	Horizontal	348	1.30	-
5550MHz	Pass	PK	5.4696G	62.86	68.20	-5.34	3	Horizontal	348	1.30	-
5550MHz	Pass	PK	5.5476G	110.71	Inf	-Inf	3	Horizontal	348	1.30	-
5550MHz	Pass	AV	11.10096G	42.22	54.00	-11.78	3	Vertical	135	2.20	-
5550MHz	Pass	PK	11.1005G	54.89	74.00	-19.11	3	Vertical	135	2.20	-
5550MHz	Pass	PK	16.65214G	58.73	68.20	-9.47	3	Vertical	213	1.16	-
5550MHz	Pass	AV	11.10136G	42.12	54.00	-11.88	3	Horizontal	270	1.49	-
5550MHz	Pass	PK	11.10316G	55.29	74.00	-18.71	3	Horizontal	270	1.49	-
5550MHz	Pass	PK	16.64894G	58.22	68.20	-9.98	3	Horizontal	315	2.05	-
5670MHz	Pass	AV	5.6526G	98.53	Inf	-Inf	3	Vertical	177	1.50	-
5670MHz	Pass	PK	5.6538G	109.78	Inf	-Inf	3	Vertical	177	1.50	-
5670MHz	Pass	PK	5.7276G	68.05	68.20	-0.15	3	Vertical	177	1.50	-
5670MHz	Pass	AV	5.6526G	92.47	Inf	-Inf	3	Horizontal	158	1.50	-
5670MHz	Pass	PK	5.6538G	105.10	Inf	-Inf	3	Horizontal	158	1.50	-
5670MHz	Pass	PK	5.7258G	65.03	68.20	-3.17	3	Horizontal	158	1.50	-
5670MHz	Pass	AV	11.3358G	41.80	54.00	-12.20	3	Vertical	318	1.35	-
5670MHz	Pass	PK	11.33596G	54.35	74.00	-19.65	3	Vertical	318	1.35	-
5670MHz	Pass	PK	17.01152G	58.30	68.20	-9.90	3	Vertical	251	1.09	-
5670MHz	Pass	AV	11.34296G	41.71	54.00	-12.29	3	Horizontal	52	1.42	-
5670MHz	Pass	PK	11.3442G	55.24	74.00	-18.76	3	Horizontal	52	1.42	-
5670MHz	Pass	PK	17.00562G	58.06	68.20	-10.14	3	Horizontal	273	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4256G	42.72	54.00	-11.28	3	Vertical	86	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	100.86	Inf	-Inf	3	Vertical	86	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	54.52	68.20	-13.68	3	Vertical	86	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6944G	113.09	Inf	-Inf	3	Vertical	86	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8744G	57.65	68.20	-10.55	3	Vertical	86	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	42.51	54.00	-11.49	3	Horizontal	157	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	94.41	Inf	-Inf	3	Horizontal	157	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	54.90	68.20	-13.30	3	Horizontal	157	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	105.21	Inf	-Inf	3	Horizontal	157	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9692G	55.65	68.20	-12.55	3	Horizontal	157	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42298G	42.28	54.00	-11.72	3	Vertical	25	1.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41946G	54.96	74.00	-19.04	3	Vertical	25	1.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1279G	59.25	68.20	-8.95	3	Vertical	261	1.20	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42146G	42.25	54.00	-11.75	3	Horizontal	321	1.73	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41504G	55.52	74.00	-18.48	3	Horizontal	321	1.73	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13266G	59.00	68.20	-9.20	3	Horizontal	42	1.15	-
5755MHz	Pass	AV	5.7466G	101.49	Inf	-Inf	3	Vertical	181	1.49	-
5755MHz	Pass	PK	5.6434G	63.33	68.20	-4.87	3	Vertical	181	1.49	-
5755MHz	Pass	PK	5.7466G	111.55	Inf	-Inf	3	Vertical	181	1.49	-
5755MHz	Pass	PK	6.025G	56.11	68.20	-12.09	3	Vertical	181	1.49	-
5755MHz	Pass	AV	5.7646G	95.39	Inf	-Inf	3	Horizontal	6	1.35	-
5755MHz	Pass	PK	5.6446G	58.30	68.20	-9.90	3	Horizontal	6	1.35	-
5755MHz	Pass	PK	5.7694G	106.30	Inf	-Inf	3	Horizontal	6	1.35	-
5755MHz	Pass	PK	6.049G	55.89	68.20	-12.31	3	Horizontal	6	1.35	-
5755MHz	Pass	AV	11.5061G	42.40	54.00	-11.60	3	Vertical	220	1.79	-
5755MHz	Pass	PK	11.50922G	55.93	74.00	-18.07	3	Vertical	220	1.79	-
5755MHz	Pass	PK	17.26822G	58.62	68.20	-9.58	3	Vertical	162	1.88	-
5755MHz	Pass	AV	11.51136G	42.51	54.00	-11.49	3	Horizontal	6	1.64	-
5755MHz	Pass	PK	11.5053G	55.37	74.00	-18.63	3	Horizontal	6	1.64	-
5755MHz	Pass	PK	17.26844G	58.84	68.20	-9.36	3	Horizontal	242	1.01	-
5795MHz	Pass	AV	5.7926G	101.08	Inf	-Inf	3	Vertical	273	1.99	-
5795MHz	Pass	PK	5.6354G	56.12	68.20	-12.08	3	Vertical	273	1.99	-
5795MHz	Pass	PK	5.7782G	113.07	Inf	-Inf	3	Vertical	273	1.99	-
5795MHz	Pass	PK	5.9318G	64.00	68.20	-4.20	3	Vertical	273	1.99	-
5795MHz	Pass	AV	5.801G	94.28	Inf	-Inf	3	Horizontal	226	1.84	-
5795MHz	Pass	PK	5.6462G	55.60	68.20	-12.60	3	Horizontal	226	1.84	-
5795MHz	Pass	PK	5.8022G	104.32	Inf	-Inf	3	Horizontal	226	1.84	-
5795MHz	Pass	PK	5.9306G	56.30	68.20	-11.90	3	Horizontal	226	1.84	-
5795MHz	Pass	AV	11.59066G	42.03	54.00	-11.97	3	Vertical	360	1.61	-
5795MHz	Pass	PK	11.58762G	55.06	74.00	-18.94	3	Vertical	360	1.61	-
5795MHz	Pass	PK	17.38274G	59.97	68.20	-8.23	3	Vertical	250	2.10	-
5795MHz	Pass	AV	11.58836G	42.06	54.00	-11.94	3	Horizontal	179	1.50	-
5795MHz	Pass	PK	11.585G	54.92	74.00	-19.08	3	Horizontal	179	1.50	-
5795MHz	Pass	PK	17.38634G	59.54	68.20	-8.66	3	Horizontal	27	1.16	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.1494G	53.85	54.00	-0.15	3	Vertical	164	1.76	-
5210MHz	Pass	AV	5.1748G	101.85	Inf	-Inf	3	Vertical	164	1.76	-
5210MHz	Pass	PK	5.1494G	72.38	74.00	-1.62	3	Vertical	164	1.76	-
5210MHz	Pass	PK	5.1806G	113.74	Inf	-Inf	3	Vertical	164	1.76	-
5210MHz	Pass	AV	5.15G	45.39	54.00	-8.61	3	Horizontal	185	1.31	-
5210MHz	Pass	AV	5.1848G	93.07	Inf	-Inf	3	Horizontal	185	1.31	-
5210MHz	Pass	PK	5.1498G	63.06	74.00	-10.94	3	Horizontal	185	1.31	-
5210MHz	Pass	PK	5.1806G	104.57	Inf	-Inf	3	Horizontal	185	1.31	-
5210MHz	Pass	AV	15.54213G	42.94	54.00	-11.06	3	Vertical	304	1.88	-
5210MHz	Pass	PK	10.35975G	55.03	68.20	-13.17	3	Vertical	348	2.12	-
5210MHz	Pass	PK	15.54167G	55.60	74.00	-18.40	3	Vertical	304	1.88	-
5210MHz	Pass	AV	15.54128G	42.98	54.00	-11.02	3	Horizontal	143	2.38	-
5210MHz	Pass	PK	10.36196G	53.69	68.20	-14.51	3	Horizontal	262	2.26	-
5210MHz	Pass	PK	15.53871G	55.16	74.00	-18.84	3	Horizontal	143	2.38	-
5290MHz	Pass	AV	5.148G	44.83	54.00	-9.17	3	Vertical	308	2.22	-
5290MHz	Pass	AV	5.31G	94.74	Inf	-Inf	3	Vertical	308	2.22	-
5290MHz	Pass	AV	5.35G	53.33	54.00	-0.67	3	Vertical	308	2.22	-
5290MHz	Pass	PK	5.15G	59.17	74.00	-14.83	3	Vertical	308	2.22	-
5290MHz	Pass	PK	5.327G	106.74	Inf	-Inf	3	Vertical	308	2.22	-
5290MHz	Pass	PK	5.35G	73.72	74.00	-0.28	3	Vertical	308	2.22	-
5290MHz	Pass	AV	5.136G	43.01	54.00	-10.99	3	Horizontal	8	1.63	-
5290MHz	Pass	AV	5.252G	87.86	Inf	-Inf	3	Horizontal	8	1.63	-
5290MHz	Pass	AV	5.354G	45.24	54.00	-8.76	3	Horizontal	8	1.63	-
5290MHz	Pass	PK	5.122G	55.82	74.00	-18.18	3	Horizontal	8	1.63	-
5290MHz	Pass	PK	5.253G	100.28	Inf	-Inf	3	Horizontal	8	1.63	-
5290MHz	Pass	PK	5.36G	65.73	74.00	-8.27	3	Horizontal	8	1.63	-
5290MHz	Pass	AV	15.85432G	41.99	54.00	-12.01	3	Vertical	245	2.07	-
5290MHz	Pass	PK	10.576G	54.46	68.20	-13.74	3	Vertical	25	1.18	-
5290MHz	Pass	PK	15.86648G	54.74	74.00	-19.26	3	Vertical	245	2.07	-
5290MHz	Pass	AV	15.84584G	41.98	54.00	-12.02	3	Horizontal	143	2.42	-
5290MHz	Pass	PK	10.54224G	54.64	68.20	-13.56	3	Horizontal	33	2.06	-
5290MHz	Pass	PK	15.86184G	54.99	74.00	-19.01	3	Horizontal	143	2.42	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	AV	5.46G	47.74	54.00	-6.26	3	Vertical	89	1.81	-
5530MHz	Pass	AV	5.544G	95.33	Inf	-Inf	3	Vertical	89	1.81	-
5530MHz	Pass	PK	5.464G	67.69	68.20	-0.51	3	Vertical	89	1.81	-
5530MHz	Pass	PK	5.543G	107.92	Inf	-Inf	3	Vertical	89	1.81	-
5530MHz	Pass	PK	5.76G	56.70	68.20	-11.50	3	Vertical	89	1.81	-
5530MHz	Pass	AV	5.46G	43.79	54.00	-10.21	3	Horizontal	336	1.90	-
5530MHz	Pass	AV	5.533G	86.83	Inf	-Inf	3	Horizontal	336	1.90	-
5530MHz	Pass	PK	5.467G	62.15	68.20	-6.05	3	Horizontal	336	1.90	-
5530MHz	Pass	PK	5.517G	98.92	Inf	-Inf	3	Horizontal	336	1.90	-
5530MHz	Pass	PK	5.775G	56.44	68.20	-11.76	3	Horizontal	336	1.90	-
5530MHz	Pass	AV	11.03008G	42.18	54.00	-11.82	3	Vertical	62	1.94	-
5530MHz	Pass	PK	11.05248G	55.45	74.00	-18.55	3	Vertical	62	1.94	-
5530MHz	Pass	PK	16.60936G	57.74	68.20	-10.46	3	Vertical	70	1.34	-
5530MHz	Pass	AV	11.07376G	41.95	54.00	-12.05	3	Horizontal	127	1.91	-
5530MHz	Pass	PK	11.0304G	55.17	74.00	-18.83	3	Horizontal	127	1.91	-
5530MHz	Pass	PK	16.55864G	58.38	68.20	-9.82	3	Horizontal	312	1.14	-
5610MHz	Pass	AV	5.46G	46.45	54.00	-7.55	3	Vertical	88	1.78	-
5610MHz	Pass	AV	5.595G	98.70	Inf	-Inf	3	Vertical	88	1.78	-
5610MHz	Pass	PK	5.47G	62.51	68.20	-5.69	3	Vertical	88	1.78	-
5610MHz	Pass	PK	5.582G	111.48	Inf	-Inf	3	Vertical	88	1.78	-
5610MHz	Pass	PK	5.736G	67.47	68.20	-0.73	3	Vertical	88	1.78	-
5610MHz	Pass	AV	5.46G	42.87	54.00	-11.13	3	Horizontal	156	1.79	-
5610MHz	Pass	AV	5.632G	89.96	Inf	-Inf	3	Horizontal	156	1.79	-
5610MHz	Pass	PK	5.462G	56.01	68.20	-12.19	3	Horizontal	156	1.79	-
5610MHz	Pass	PK	5.623G	102.13	Inf	-Inf	3	Horizontal	156	1.79	-
5610MHz	Pass	PK	5.729G	60.97	68.20	-7.23	3	Horizontal	156	1.79	-
5610MHz	Pass	AV	11.22048G	41.33	54.00	-12.67	3	Vertical	20	2.05	-
5610MHz	Pass	PK	11.21616G	55.14	74.00	-18.86	3	Vertical	20	2.05	-
5610MHz	Pass	PK	16.82672G	58.91	68.20	-9.29	3	Vertical	149	1.37	-
5610MHz	Pass	AV	11.19008G	41.32	54.00	-12.68	3	Horizontal	92	1.99	-
5610MHz	Pass	PK	11.18512G	55.83	74.00	-18.17	3	Horizontal	92	1.99	-
5610MHz	Pass	PK	16.84008G	58.67	68.20	-9.53	3	Horizontal	278	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	44.16	54.00	-9.84	3	Vertical	155.9	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	94.83	Inf	-Inf	3	Vertical	155.9	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	55.78	68.20	-12.42	3	Vertical	155.9	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6528G	107.11	Inf	-Inf	3	Vertical	155.9	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.33	68.20	-1.87	3	Vertical	155.9	1.79	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	43.59	54.00	-10.41	3	Horizontal	158	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6576G	90.45	Inf	-Inf	3	Horizontal	158	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.74	68.20	-11.46	3	Horizontal	158	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6576G	102.70	Inf	-Inf	3	Horizontal	158	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	57.88	68.20	-10.32	3	Horizontal	158	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41792G	41.83	54.00	-12.17	3	Vertical	342	2.44	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39008G	54.87	74.00	-19.13	3	Vertical	342	2.44	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05112G	59.32	68.20	-8.88	3	Vertical	68	2.27	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41568G	41.82	54.00	-12.18	3	Horizontal	281	2.07	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41488G	55.43	74.00	-18.57	3	Horizontal	281	2.07	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06888G	59.87	68.20	-8.33	3	Horizontal	68	1.20	-
5775MHz	Pass	AV	5.751G	96.72	Inf	-Inf	3	Vertical	181	1.43	-
5775MHz	Pass	PK	5.6478G	68.03	68.20	-0.17	3	Vertical	181	1.43	-
5775MHz	Pass	PK	5.7462G	108.51	Inf	-Inf	3	Vertical	181	1.43	-
5775MHz	Pass	PK	5.937G	62.08	68.20	-6.12	3	Vertical	181	1.43	-
5775MHz	Pass	AV	5.7378G	91.18	Inf	-Inf	3	Horizontal	157	1.47	-
5775MHz	Pass	PK	5.643G	65.70	68.20	-2.50	3	Horizontal	157	1.47	-
5775MHz	Pass	PK	5.7378G	103.78	Inf	-Inf	3	Horizontal	157	1.47	-
5775MHz	Pass	PK	5.9262G	56.73	68.20	-11.47	3	Horizontal	157	1.47	-
5775MHz	Pass	AV	11.51384G	42.11	54.00	-11.89	3	Vertical	32	1.78	-
5775MHz	Pass	PK	11.55288G	55.62	74.00	-18.38	3	Vertical	32	1.78	-
5775MHz	Pass	PK	17.36148G	59.92	68.20	-8.28	3	Vertical	123	1.66	-
5775MHz	Pass	AV	11.51576G	42.03	54.00	-11.97	3	Horizontal	318	1.81	-
5775MHz	Pass	PK	11.5772G	55.70	74.00	-18.30	3	Horizontal	318	1.81	-
5775MHz	Pass	PK	17.35988G	59.23	68.20	-8.97	3	Horizontal	27	1.31	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.85	54.00	-0.15	2.55	3	Vertical	164	1.76	-	51.30	32.00	5.47	34.92
AV	5.1748G	101.85	Inf	-Inf	2.43	3	Vertical	164	1.76	-	99.42	31.85	5.49	34.91
PK	5.1494G	72.38	74.00	-1.62	2.55	3	Vertical	164	1.76	-	69.83	32.00	5.47	34.92
PK	5.1806G	113.74	Inf	-Inf	2.40	3	Vertical	164	1.76	-	111.34	31.82	5.49	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.39	54.00	-8.61	2.55	3	Horizontal	185	1.31	-	42.84	32.00	5.47	34.92
AV	5.1848G	93.07	Inf	-Inf	2.37	3	Horizontal	185	1.31	-	90.70	31.79	5.49	34.91
PK	5.1498G	63.06	74.00	-10.94	2.55	3	Horizontal	185	1.31	-	60.51	32.00	5.47	34.92
PK	5.1806G	104.57	Inf	-Inf	2.40	3	Horizontal	185	1.31	-	102.17	31.82	5.49	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54213G	42.94	54.00	-11.06	13.17	3	Vertical	304	1.88	-	29.77	38.49	9.79	35.11
PK	10.35975G	55.03	68.20	-13.17	12.17	3	Vertical	348	2.12	-	42.86	39.48	7.93	35.24
PK	15.54167G	55.60	74.00	-18.40	13.17	3	Vertical	304	1.88	-	42.43	38.49	9.79	35.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54128G	42.98	54.00	-11.02	13.17	3	Horizontal	143	2.38	-	29.81	38.49	9.79	35.11
PK	10.36196G	53.69	68.20	-14.51	12.18	3	Horizontal	262	2.26	-	41.51	39.49	7.93	35.24
PK	15.53871G	55.16	74.00	-18.84	13.18	3	Horizontal	143	2.38	-	41.98	38.51	9.78	35.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.68	54.00	-0.32	2.55	3	Vertical	92	1.81	-	51.13	32.00	5.47	34.92
AV	5.1924G	105.02	Inf	-Inf	2.34	3	Vertical	92	1.81	-	102.68	31.75	5.50	34.91
PK	5.1432G	67.00	74.00	-7.00	2.55	3	Vertical	92	1.81	-	64.45	32.00	5.47	34.92
PK	5.2056G	115.86	Inf	-Inf	2.27	3	Vertical	92	1.81	-	113.59	31.67	5.51	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.24	54.00	-6.76	2.55	3	Horizontal	147	2.31	-	44.69	32.00	5.47	34.92
AV	5.2016G	100.78	Inf	-Inf	2.28	3	Horizontal	147	2.31	-	98.50	31.69	5.50	34.91
PK	5.1468G	59.53	74.00	-14.47	2.55	3	Horizontal	147	2.31	-	56.98	32.00	5.47	34.92
PK	5.2048G	111.67	Inf	-Inf	2.26	3	Horizontal	147	2.31	-	109.41	31.67	5.50	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59791G	42.93	54.00	-11.07	12.86	3	Vertical	228	2.23	-	30.07	38.21	9.80	35.15
PK	10.40047G	54.60	68.20	-13.60	12.35	3	Vertical	350	1.02	-	42.25	39.60	7.94	35.19
PK	15.59915G	55.65	74.00	-18.35	12.85	3	Vertical	228	2.23	-	42.80	38.20	9.80	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60077G	43.11	54.00	-10.89	12.85	3	Horizontal	336	1.45	-	30.26	38.20	9.80	35.15
PK	10.39919G	54.28	68.20	-13.92	12.35	3	Horizontal	256	2.37	-	41.93	39.60	7.94	35.19
PK	15.60003G	55.13	74.00	-18.87	12.85	3	Horizontal	336	1.45	-	42.28	38.20	9.80	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	44.57	54.00	-9.43	2.55	3	Vertical	78	1.79	-	42.02	32.00	5.47	34.92
AV	5.2316G	105.10	Inf	-Inf	2.14	3	Vertical	78	1.79	-	102.96	31.51	5.53	34.90
AV	5.3558G	42.75	54.00	-11.25	2.11	3	Vertical	78	1.79	-	40.64	31.33	5.66	34.88
PK	5.1494G	56.52	74.00	-17.48	2.55	3	Vertical	78	1.79	-	53.97	32.00	5.47	34.92
PK	5.2316G	115.30	Inf	-Inf	2.14	3	Vertical	78	1.79	-	113.16	31.51	5.53	34.90
PK	5.3774G	54.34	74.00	-19.66	2.26	3	Vertical	78	1.79	-	52.08	31.46	5.68	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.111G	43.80	54.00	-10.20	2.54	3	Horizontal	149	2.22	-	41.26	32.00	5.46	34.92
AV	5.234G	99.57	Inf	-Inf	2.13	3	Horizontal	149	2.22	-	97.44	31.50	5.53	34.90
AV	5.3696G	42.30	54.00	-11.70	2.21	3	Horizontal	149	2.22	-	40.09	31.42	5.67	34.88
PK	5.1488G	56.13	74.00	-17.87	2.55	3	Horizontal	149	2.22	-	53.58	32.00	5.47	34.92
PK	5.2346G	110.23	Inf	-Inf	2.12	3	Horizontal	149	2.22	-	108.11	31.49	5.53	34.90
PK	5.3594G	54.35	74.00	-19.65	2.14	3	Horizontal	149	2.22	-	52.21	31.36	5.66	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71907G	45.37	54.00	-8.63	12.80	3	Vertical	256	2.80	-	32.57	38.20	9.83	35.23
PK	10.48175G	54.39	68.20	-13.81	12.73	3	Vertical	304	1.00	-	41.66	39.85	7.97	35.09
PK	15.71834G	55.10	74.00	-18.90	12.81	3	Vertical	256	2.80	-	42.29	38.21	9.83	35.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7086G	43.15	54.00	-10.85	12.86	3	Horizontal	117	2.49	-	30.29	38.26	9.83	35.23
PK	10.48238G	55.39	68.20	-12.81	12.73	3	Horizontal	321	1.02	-	42.66	39.85	7.97	35.09
PK	15.70986G	55.08	74.00	-18.92	12.85	3	Horizontal	117	2.49	-	42.23	38.25	9.83	35.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1244G	44.55	54.00	-9.45	2.54	3	Vertical	304	2.07	-	42.01	32.00	5.46	34.92
AV	5.2516G	106.94	Inf	-Inf	2.05	3	Vertical	304	2.07	-	104.89	31.40	5.55	34.90
AV	5.3512G	43.54	54.00	-10.46	2.08	3	Vertical	304	2.07	-	41.46	31.31	5.65	34.88
PK	5.1226G	55.93	74.00	-18.07	2.54	3	Vertical	304	2.07	-	53.39	32.00	5.46	34.92
PK	5.251G	116.68	Inf	-Inf	2.05	3	Vertical	304	2.07	-	114.63	31.40	5.55	34.90
PK	5.3632G	55.48	74.00	-18.52	2.16	3	Vertical	304	2.07	-	53.32	31.38	5.66	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	43.45	54.00	-10.55	2.55	3	Horizontal	8	1.58	-	40.90	32.00	5.47	34.92
AV	5.2546G	96.26	Inf	-Inf	2.04	3	Horizontal	8	1.58	-	94.22	31.39	5.55	34.90
AV	5.4058G	42.08	54.00	-11.92	2.44	3	Horizontal	8	1.58	-	39.64	31.62	5.70	34.88
PK	5.1382G	55.48	74.00	-18.52	2.55	3	Horizontal	8	1.58	-	52.93	32.00	5.47	34.92
PK	5.251G	106.89	Inf	-Inf	2.05	3	Horizontal	8	1.58	-	104.84	31.40	5.55	34.90
PK	5.377G	54.14	74.00	-19.86	2.26	3	Horizontal	8	1.58	-	51.88	31.46	5.68	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77802G	42.50	54.00	-11.50	12.48	3	Vertical	231	2.88	-	30.02	37.91	9.84	35.27
PK	10.51994G	55.48	68.20	-12.72	12.81	3	Vertical	17	2.17	-	42.67	39.90	7.98	35.07
PK	15.78078G	54.57	74.00	-19.43	12.47	3	Vertical	231	2.88	-	42.10	37.90	9.85	35.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77628G	42.39	54.00	-11.61	12.49	3	Horizontal	49	2.98	-	29.90	37.92	9.84	35.27
PK	10.51917G	55.59	68.20	-12.61	12.81	3	Horizontal	83	1.50	-	42.78	39.90	7.98	35.07
PK	15.77802G	54.74	74.00	-19.26	12.48	3	Horizontal	49	2.98	-	42.26	37.91	9.84	35.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	105.62	Inf	-Inf	2.02	3	Vertical	86	1.77	-	103.60	31.30	5.61	34.89
AV	5.35G	50.29	54.00	-3.71	2.07	3	Vertical	86	1.77	-	48.22	31.30	5.65	34.88
PK	5.3076G	116.26	Inf	-Inf	2.02	3	Vertical	86	1.77	-	114.24	31.30	5.61	34.89
PK	5.35G	65.51	74.00	-8.49	2.07	3	Vertical	86	1.77	-	63.44	31.30	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	99.34	Inf	-Inf	2.02	3	Horizontal	8	1.62	-	97.32	31.32	5.59	34.89
AV	5.35G	43.65	54.00	-10.35	2.07	3	Horizontal	8	1.62	-	41.58	31.30	5.65	34.88
PK	5.2912G	109.50	Inf	-Inf	2.02	3	Horizontal	8	1.62	-	107.48	31.32	5.59	34.89
PK	5.3568G	56.00	74.00	-18.00	2.12	3	Horizontal	8	1.62	-	53.88	31.34	5.66	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90222G	42.25	54.00	-11.75	12.32	3	Vertical	162	1.50	-	29.93	37.80	9.88	35.36
PK	10.59991G	54.62	68.20	-13.58	12.85	3	Vertical	240	1.55	-	41.77	39.90	8.01	35.06
PK	15.9033G	54.67	74.00	-19.33	12.32	3	Vertical	162	1.50	-	42.35	37.80	9.88	35.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89584G	42.29	54.00	-11.71	12.31	3	Horizontal	340	1.50	-	29.98	37.80	9.87	35.36
PK	10.6G	55.21	68.20	-12.99	12.85	3	Horizontal	8	3.00	-	42.36	39.90	8.01	35.06
PK	15.90338G	54.69	74.00	-19.31	12.32	3	Horizontal	340	1.50	-	42.37	37.80	9.88	35.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.326G	103.21	Inf	-Inf	2.04	3	Vertical	86	1.94	-	101.17	31.30	5.63	34.89
AV	5.35G	53.58	54.00	-0.42	2.07	3	Vertical	86	1.94	-	51.51	31.30	5.65	34.88
PK	5.325G	115.86	Inf	-Inf	2.03	3	Vertical	86	1.94	-	113.83	31.30	5.62	34.89
PK	5.3514G	70.11	74.00	-3.89	2.08	3	Vertical	86	1.94	-	68.03	31.31	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	93.64	Inf	-Inf	2.03	3	Horizontal	159	1.65	-	91.61	31.30	5.62	34.89
AV	5.3516G	43.93	54.00	-10.07	2.08	3	Horizontal	159	1.65	-	41.85	31.31	5.65	34.88
PK	5.3206G	106.01	Inf	-Inf	2.03	3	Horizontal	159	1.65	-	103.98	31.30	5.62	34.89
PK	5.3578G	58.73	74.00	-15.27	2.13	3	Horizontal	159	1.65	-	56.60	31.35	5.66	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	41.82	54.00	-12.18	12.95	3	Vertical	237	1.50	-	28.87	39.98	8.02	35.05
AV	15.96424G	42.45	54.00	-11.55	12.29	3	Vertical	316	1.52	-	30.16	37.80	9.89	35.40
PK	10.6433G	54.55	74.00	-19.45	12.97	3	Vertical	237	1.50	-	41.58	39.99	8.03	35.05
PK	15.9555G	54.98	74.00	-19.02	12.29	3	Vertical	316	1.52	-	42.69	37.80	9.89	35.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64003G	42.54	54.00	-11.46	12.95	3	Horizontal	11	2.10	-	29.59	39.98	8.02	35.05
AV	15.962G	42.32	54.00	-11.68	12.29	3	Horizontal	169	1.50	-	30.03	37.80	9.89	35.40
PK	10.64114G	55.28	74.00	-18.72	12.95	3	Horizontal	11	2.10	-	42.33	39.98	8.02	35.05
PK	15.95602G	54.67	74.00	-19.33	12.29	3	Horizontal	169	1.50	-	42.38	37.80	9.89	35.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.70	54.00	-7.30	2.68	3	Vertical	85	1.85	-	44.02	31.82	5.73	34.87
AV	5.505G	103.91	Inf	-Inf	2.79	3	Vertical	85	1.85	-	101.12	31.90	5.75	34.86
PK	5.4696G	68.02	68.20	-0.18	2.71	3	Vertical	85	1.85	-	65.31	31.84	5.73	34.86
PK	5.505G	116.77	Inf	-Inf	2.79	3	Vertical	85	1.85	-	113.98	31.90	5.75	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	43.48	54.00	-10.52	2.68	3	Horizontal	156.3	1.81	-	40.80	31.82	5.73	34.87
AV	5.4938G	94.97	Inf	-Inf	2.78	3	Horizontal	156.3	1.81	-	92.19	31.89	5.75	34.86
PK	5.4686G	60.52	68.20	-7.68	2.70	3	Horizontal	156.3	1.81	-	57.82	31.84	5.73	34.87
PK	5.4916G	106.43	Inf	-Inf	2.77	3	Horizontal	156.3	1.81	-	103.66	31.88	5.75	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99857G	42.54	54.00	-11.46	13.45	3	Vertical	171	1.50	-	29.09	40.30	8.15	35.00
PK	11.00066G	56.67	74.00	-17.33	13.45	3	Vertical	171	1.50	-	43.22	40.30	8.15	35.00
PK	16.50302G	56.68	68.20	-11.52	14.17	3	Vertical	152	1.48	-	42.51	39.00	10.05	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99818G	42.59	54.00	-11.41	13.45	3	Horizontal	216	1.27	-	29.14	40.30	8.15	35.00
PK	11.00151G	54.78	74.00	-19.22	13.44	3	Horizontal	216	1.27	-	41.34	40.29	8.15	35.00
PK	16.50418G	57.00	68.20	-11.20	14.17	3	Horizontal	360	1.50	-	42.83	39.00	10.05	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.37	54.00	-10.63	2.68	3	Vertical	84	1.79	-	40.69	31.82	5.73	34.87
AV	5.5878G	107.87	Inf	-Inf	2.72	3	Vertical	84	1.79	-	105.15	31.82	5.79	34.89
PK	5.469G	56.65	68.20	-11.55	2.71	3	Vertical	84	1.79	-	53.94	31.84	5.73	34.86
PK	5.577G	119.25	Inf	-Inf	2.76	3	Vertical	84	1.79	-	116.49	31.85	5.79	34.88
PK	5.727G	55.83	68.20	-12.37	2.88	3	Vertical	84	1.79	-	52.95	32.01	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4402G	42.97	54.00	-11.03	2.61	3	Horizontal	333	1.75	-	40.36	31.76	5.72	34.87
AV	5.5722G	99.62	Inf	-Inf	2.77	3	Horizontal	333	1.75	-	96.85	31.86	5.79	34.88
PK	5.4618G	53.93	68.20	-14.27	2.68	3	Horizontal	333	1.75	-	51.25	31.82	5.73	34.87
PK	5.5722G	110.14	Inf	-Inf	2.77	3	Horizontal	333	1.75	-	107.37	31.86	5.79	34.88
PK	5.7264G	53.80	68.20	-14.40	2.88	3	Horizontal	333	1.75	-	50.92	32.01	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15771G	42.04	54.00	-11.96	13.07	3	Vertical	267	2.01	-	28.97	39.78	8.21	34.92
PK	11.16151G	54.76	74.00	-19.24	13.07	3	Vertical	267	2.01	-	41.69	39.78	8.21	34.92
PK	16.73672G	58.01	68.20	-10.19	15.36	3	Vertical	179	2.47	-	42.65	39.94	10.12	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15799G	41.89	54.00	-12.11	13.07	3	Horizontal	148	1.50	-	28.82	39.78	8.21	34.92
PK	11.16093G	55.31	74.00	-18.69	13.07	3	Horizontal	148	1.50	-	42.24	39.78	8.21	34.92
PK	16.74376G	57.98	68.20	-10.22	15.37	3	Horizontal	4	2.07	-	42.61	39.94	10.12	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6956G	101.57	Inf	-Inf	2.77	3	Vertical	88	1.70	-	98.80	31.89	5.80	34.92
PK	5.7024G	111.47	Inf	-Inf	2.79	3	Vertical	88	1.70	-	108.68	31.91	5.80	34.92
PK	5.7256G	67.32	68.20	-0.88	2.87	3	Vertical	88	1.70	-	64.45	32.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	90.71	Inf	-Inf	2.81	3	Horizontal	153	1.44	-	87.90	31.93	5.80	34.92
PK	5.708G	102.26	Inf	-Inf	2.81	3	Horizontal	153	1.44	-	99.45	31.93	5.80	34.92
PK	5.726G	58.44	68.20	-9.76	2.87	3	Horizontal	153	1.44	-	55.57	32.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39907G	42.30	54.00	-11.70	13.50	3	Vertical	292	3.00	-	28.80	40.00	8.29	34.79
PK	11.40195G	54.71	74.00	-19.29	13.50	3	Vertical	292	3.00	-	41.21	40.00	8.29	34.79
PK	17.10482G	59.45	68.20	-8.75	15.68	3	Vertical	85	1.54	-	43.77	40.00	10.23	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39915G	42.32	54.00	-11.68	13.50	3	Horizontal	0	1.50	-	28.82	40.00	8.29	34.79
PK	11.39849G	54.74	74.00	-19.26	13.50	3	Horizontal	0	1.50	-	41.24	40.00	8.29	34.79
PK	17.0966G	58.79	68.20	-9.41	15.69	3	Horizontal	81	1.56	-	43.10	40.01	10.23	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	42.75	54.00	-11.25	2.63	3	Vertical	85	1.81	-	40.12	31.78	5.72	34.87
AV	5.7176G	106.56	Inf	-Inf	2.84	3	Vertical	85	1.81	-	103.72	31.97	5.80	34.93
PK	5.46G	53.85	68.20	-14.35	2.68	3	Vertical	85	1.81	-	51.17	31.82	5.73	34.87
PK	5.7236G	117.40	Inf	-Inf	2.86	3	Vertical	85	1.81	-	114.54	31.99	5.80	34.93
PK	5.8736G	57.00	68.20	-11.20	3.32	3	Vertical	85	1.81	-	53.68	32.45	5.84	34.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	42.34	54.00	-11.66	2.66	3	Horizontal	81	2.54	-	39.68	31.80	5.73	34.87
AV	5.7116G	99.15	Inf	-Inf	2.83	3	Horizontal	81	2.54	-	96.32	31.95	5.80	34.92
PK	5.4692G	53.73	68.20	-14.47	2.71	3	Horizontal	81	2.54	-	51.02	31.84	5.73	34.86
PK	5.7116G	110.30	Inf	-Inf	2.83	3	Horizontal	81	2.54	-	107.47	31.95	5.80	34.92
PK	5.9336G	55.25	68.20	-12.95	3.45	3	Horizontal	81	2.54	-	51.80	32.57	5.87	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44068G	42.51	54.00	-11.49	13.57	3	Vertical	255	1.83	-	28.94	40.04	8.30	34.77
PK	11.44025G	54.95	74.00	-19.05	13.57	3	Vertical	255	1.83	-	41.38	40.04	8.30	34.77
PK	17.15839G	58.51	68.20	-9.69	15.67	3	Vertical	206	1.50	-	42.84	40.00	10.25	34.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44153G	42.46	54.00	-11.54	13.57	3	Horizontal	360	1.55	-	28.89	40.04	8.30	34.77
PK	11.43862G	55.09	74.00	-18.91	13.57	3	Horizontal	360	1.55	-	41.52	40.04	8.30	34.77
PK	17.15762G	58.83	68.20	-9.37	15.67	3	Horizontal	153	2.10	-	43.16	40.00	10.25	34.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	107.26	Inf	-Inf	2.93	3	Vertical	85	1.81	-	104.33	32.06	5.80	34.93
PK	5.6382G	57.97	68.20	-10.23	2.70	3	Vertical	85	1.81	-	55.27	31.80	5.80	34.90
PK	5.7366G	117.92	Inf	-Inf	2.92	3	Vertical	85	1.81	-	115.00	32.05	5.80	34.93
PK	5.9586G	55.04	68.20	-13.16	3.46	3	Vertical	85	1.81	-	51.58	32.58	5.88	35.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	98.11	Inf	-Inf	2.92	3	Horizontal	154	1.50	-	95.19	32.05	5.80	34.93
PK	5.5974G	54.68	68.20	-13.52	2.72	3	Horizontal	154	1.50	-	51.96	31.81	5.80	34.89
PK	5.739G	107.71	Inf	-Inf	2.93	3	Horizontal	154	1.50	-	104.78	32.06	5.80	34.93
PK	5.9754G	55.36	68.20	-12.84	3.44	3	Horizontal	154	1.50	-	51.92	32.55	5.89	35.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48986G	43.41	54.00	-10.59	13.66	3	Vertical	315	1.50	-	29.75	40.09	8.32	34.75
PK	11.48904G	55.45	74.00	-18.55	13.66	3	Vertical	315	1.50	-	41.79	40.09	8.32	34.75
PK	17.23695G	58.45	68.20	-9.75	15.77	3	Vertical	202	1.49	-	42.68	40.11	10.27	34.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49146G	42.70	54.00	-11.30	13.67	3	Horizontal	24	2.32	-	29.03	40.09	8.32	34.74
PK	11.49074G	55.47	74.00	-18.53	13.67	3	Horizontal	24	2.32	-	41.80	40.09	8.32	34.74
PK	17.23668G	58.43	68.20	-9.77	15.77	3	Horizontal	155	1.70	-	42.66	40.11	10.27	34.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	105.75	Inf	-Inf	3.03	3	Vertical	268	1.88	-	102.72	32.18	5.80	34.95
PK	5.5498G	55.65	68.20	-12.55	2.80	3	Vertical	268	1.88	-	52.85	31.90	5.77	34.87
PK	5.7874G	116.38	Inf	-Inf	3.02	3	Vertical	268	1.88	-	113.36	32.17	5.80	34.95
PK	5.9242G	55.67	68.79	-13.12	3.42	3	Vertical	268	1.88	-	52.25	32.55	5.86	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	99.46	Inf	-Inf	3.01	3	Horizontal	1	1.32	-	96.45	32.15	5.80	34.94
PK	5.5834G	54.66	68.20	-13.54	2.73	3	Horizontal	1	1.32	-	51.93	31.83	5.79	34.89
PK	5.779G	109.28	Inf	-Inf	3.02	3	Horizontal	1	1.32	-	106.26	32.16	5.80	34.94
PK	5.9818G	56.42	68.20	-11.78	3.43	3	Horizontal	1	1.32	-	52.99	32.54	5.89	35.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56136G	42.18	54.00	-11.82	13.52	3	Vertical	33	1.47	-	28.66	39.92	8.35	34.75
PK	11.56552G	55.73	74.00	-18.27	13.49	3	Vertical	33	1.47	-	42.24	39.90	8.35	34.76
PK	17.35652G	59.32	68.20	-8.88	16.39	3	Vertical	331	2.23	-	42.93	40.75	10.31	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57016G	42.62	54.00	-11.38	13.48	3	Horizontal	196	1.50	-	29.14	39.89	8.35	34.76
PK	11.5692G	55.72	74.00	-18.28	13.48	3	Horizontal	196	1.50	-	42.24	39.89	8.35	34.76
PK	17.35994G	58.24	68.20	-9.96	16.42	3	Horizontal	130	1.51	-	41.82	40.78	10.31	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	104.31	Inf	-Inf	3.13	3	Vertical	180	1.28	-	101.18	32.28	5.81	34.96
PK	5.6126G	55.74	68.20	-12.46	2.71	3	Vertical	180	1.28	-	53.03	31.80	5.80	34.89
PK	5.8178G	115.75	Inf	-Inf	3.12	3	Vertical	180	1.28	-	112.63	32.27	5.81	34.96
PK	5.9354G	55.90	68.20	-12.30	3.45	3	Vertical	180	1.28	-	52.45	32.57	5.87	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	96.39	Inf	-Inf	3.14	3	Horizontal	328	1.67	-	93.25	32.29	5.81	34.96
PK	5.6126G	55.25	68.20	-12.95	2.71	3	Horizontal	328	1.67	-	52.54	31.80	5.80	34.89
PK	5.8166G	107.73	Inf	-Inf	3.13	3	Horizontal	328	1.67	-	104.60	32.27	5.81	34.95
PK	6.125G	55.48	68.20	-12.72	3.61	3	Horizontal	328	1.67	-	51.87	32.65	5.96	35.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6531G	42.11	54.00	-11.89	13.13	3	Vertical	16	3.00	-	28.98	39.53	8.38	34.78
PK	11.64672G	54.20	74.00	-19.80	13.17	3	Vertical	16	3.00	-	41.03	39.57	8.38	34.78
PK	17.47306G	60.42	68.20	-7.78	17.08	3	Vertical	0	1.50	-	43.34	41.47	10.34	34.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6449G	42.13	54.00	-11.87	13.19	3	Horizontal	3	1.50	-	28.94	39.58	8.38	34.77
PK	11.64592G	54.99	74.00	-19.01	13.17	3	Horizontal	3	1.50	-	41.82	39.57	8.38	34.78
PK	17.4738G	59.84	68.20	-8.36	17.08	3	Horizontal	226	2.22	-	42.76	41.47	10.34	34.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.50	54.00	-5.50	2.55	3	Vertical	82	1.82	-	45.95	32.00	5.47	34.92
AV	5.2052G	95.76	Inf	-Inf	2.27	3	Vertical	82	1.82	-	93.49	31.67	5.51	34.91
PK	5.1452G	73.82	74.00	-0.18	2.55	3	Vertical	82	1.82	-	71.27	32.00	5.47	34.92
PK	5.2056G	109.87	Inf	-Inf	2.27	3	Vertical	82	1.82	-	107.60	31.67	5.51	34.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.05	54.00	-8.95	2.55	3	Horizontal	18	2.45	-	42.50	32.00	5.47	34.92
AV	5.1916G	91.37	Inf	-Inf	2.34	3	Horizontal	18	2.45	-	89.03	31.75	5.50	34.91
PK	5.15G	71.87	74.00	-2.13	2.55	3	Horizontal	18	2.45	-	69.32	32.00	5.47	34.92
PK	5.1916G	103.47	Inf	-Inf	2.34	3	Horizontal	18	2.45	-	101.13	31.75	5.50	34.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56506G	42.92	54.00	-11.08	13.03	3	Vertical	285	2.24	-	29.89	38.37	9.79	35.13
PK	10.37788G	55.02	68.20	-13.18	12.24	3	Vertical	177	2.31	-	42.78	39.53	7.93	35.22
PK	15.57116G	55.42	74.00	-18.58	13.00	3	Vertical	285	2.24	-	42.42	38.34	9.79	35.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56682G	42.95	54.00	-11.05	13.03	3	Horizontal	279	1.30	-	29.92	38.37	9.79	35.13
PK	10.37668G	55.45	68.20	-12.75	12.24	3	Horizontal	308	2.31	-	43.21	39.53	7.93	35.22
PK	15.56544G	55.72	74.00	-18.28	13.03	3	Horizontal	279	1.30	-	42.69	38.37	9.79	35.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.22	54.00	-0.78	2.55	3	Vertical	90	1.92	-	50.67	32.00	5.47	34.92
AV	5.2136G	101.85	Inf	-Inf	2.22	3	Vertical	90	1.92	-	99.63	31.62	5.51	34.91
PK	5.15G	72.21	74.00	-1.79	2.55	3	Vertical	90	1.92	-	69.66	32.00	5.47	34.92
PK	5.22G	115.28	Inf	-Inf	2.20	3	Vertical	90	1.92	-	113.08	31.58	5.52	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.51	54.00	-6.49	2.55	3	Horizontal	152.1	2.12	-	44.96	32.00	5.47	34.92
AV	5.2316G	97.00	Inf	-Inf	2.14	3	Horizontal	152.1	2.12	-	94.86	31.51	5.53	34.90
PK	5.148G	63.21	74.00	-10.79	2.55	3	Horizontal	152.1	2.12	-	60.66	32.00	5.47	34.92
PK	5.232G	109.21	Inf	-Inf	2.14	3	Horizontal	152.1	2.12	-	107.07	31.51	5.53	34.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68816G	43.10	54.00	-10.90	12.90	3	Vertical	113	1.12	-	30.20	38.29	9.82	35.21
PK	10.4623G	54.18	68.20	-14.02	12.63	3	Vertical	273	1.25	-	41.55	39.79	7.96	35.12
PK	15.69366G	55.47	74.00	-18.53	12.89	3	Vertical	113	1.12	-	42.58	38.29	9.82	35.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69442G	43.00	54.00	-11.00	12.89	3	Horizontal	38	1.64	-	30.11	38.29	9.82	35.22
PK	10.46366G	54.98	68.20	-13.22	12.64	3	Horizontal	233	1.80	-	42.34	39.79	7.96	35.11
PK	15.68532G	55.78	74.00	-18.22	12.90	3	Horizontal	38	1.64	-	42.88	38.29	9.82	35.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2532G	102.48	Inf	-Inf	2.04	3	Vertical	305	2.21	-	100.44	31.39	5.55	34.90
AV	5.3508G	53.00	54.00	-1.00	2.07	3	Vertical	305	2.21	-	50.93	31.30	5.65	34.88
PK	5.2528G	115.90	Inf	-Inf	2.04	3	Vertical	305	2.21	-	113.86	31.39	5.55	34.90
PK	5.3508G	71.65	74.00	-2.35	2.07	3	Vertical	305	2.21	-	69.58	31.30	5.65	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2592G	94.82	Inf	-Inf	2.04	3	Horizontal	11	1.58	-	92.78	31.38	5.56	34.90
AV	5.35G	44.51	54.00	-9.49	2.07	3	Horizontal	11	1.58	-	42.44	31.30	5.65	34.88
PK	5.258G	106.04	Inf	-Inf	2.04	3	Horizontal	11	1.58	-	104.00	31.38	5.56	34.90
PK	5.3508G	62.44	74.00	-11.56	2.07	3	Horizontal	11	1.58	-	60.37	31.30	5.65	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80572G	42.52	54.00	-11.48	12.36	3	Vertical	51	2.01	-	30.16	37.80	9.85	35.29
PK	10.53646G	55.19	68.20	-13.01	12.83	3	Vertical	40	1.78	-	42.36	39.90	7.99	35.06
PK	15.8073G	55.09	74.00	-18.91	12.35	3	Vertical	51	2.01	-	42.74	37.80	9.85	35.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81244G	42.53	54.00	-11.47	12.35	3	Horizontal	180	1.82	-	30.18	37.80	9.85	35.30
PK	10.5379G	54.10	68.20	-14.10	12.83	3	Horizontal	216	1.77	-	41.27	39.90	7.99	35.06
PK	15.807G	55.15	74.00	-18.85	12.36	3	Horizontal	180	1.82	-	42.79	37.80	9.85	35.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3256G	96.49	Inf	-Inf	2.04	3	Vertical	88	1.82	-	94.45	31.30	5.63	34.89
AV	5.366G	45.99	54.00	-8.01	2.19	3	Vertical	88	1.82	-	43.80	31.40	5.67	34.88
PK	5.3256G	110.94	Inf	-Inf	2.04	3	Vertical	88	1.82	-	108.90	31.30	5.63	34.89
PK	5.356G	73.49	74.00	-0.51	2.12	3	Vertical	88	1.82	-	71.37	31.34	5.66	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3196G	87.97	Inf	-Inf	2.03	3	Horizontal	162	1.72	-	85.94	31.30	5.62	34.89
AV	5.3612G	44.55	54.00	-9.45	2.15	3	Horizontal	162	1.72	-	42.40	31.37	5.66	34.88
PK	5.3008G	103.32	Inf	-Inf	2.01	3	Horizontal	162	1.72	-	101.31	31.30	5.60	34.89
PK	5.3536G	70.53	74.00	-3.47	2.09	3	Horizontal	162	1.72	-	68.44	31.32	5.65	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.621G	41.55	54.00	-12.45	12.91	3	Vertical	221	1.96	-	28.64	39.94	8.02	35.05
AV	15.93404G	42.15	54.00	-11.85	12.30	3	Vertical	303	1.25	-	29.85	37.80	9.88	35.38
PK	10.62092G	54.67	74.00	-19.33	12.91	3	Vertical	221	1.96	-	41.76	39.94	8.02	35.05
PK	15.93232G	54.97	74.00	-19.03	12.30	3	Vertical	303	1.25	-	42.67	37.80	9.88	35.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62416G	41.88	54.00	-12.12	12.92	3	Horizontal	14	1.73	-	28.96	39.95	8.02	35.05
AV	15.92608G	42.43	54.00	-11.57	12.30	3	Horizontal	280	2.14	-	30.13	37.80	9.88	35.38
PK	10.61618G	54.56	74.00	-19.44	12.90	3	Horizontal	14	1.73	-	41.66	39.93	8.02	35.05
PK	15.92776G	55.55	74.00	-18.45	12.30	3	Horizontal	280	2.14	-	43.25	37.80	9.88	35.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.95	54.00	-9.05	2.68	3	Vertical	90	1.87	-	42.27	31.82	5.73	34.87
AV	5.5252G	97.18	Inf	-Inf	2.79	3	Vertical	90	1.87	-	94.39	31.90	5.76	34.87
PK	5.4664G	67.90	68.20	-0.30	2.69	3	Vertical	90	1.87	-	65.21	31.83	5.73	34.87
PK	5.5256G	110.00	Inf	-Inf	2.79	3	Vertical	90	1.87	-	107.21	31.90	5.76	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	42.81	54.00	-11.19	2.67	3	Horizontal	5	1.54	-	40.14	31.81	5.73	34.87
AV	5.5188G	88.52	Inf	-Inf	2.79	3	Horizontal	5	1.54	-	85.73	31.90	5.76	34.87
PK	5.47G	62.48	68.20	-5.72	2.72	3	Horizontal	5	1.54	-	59.76	31.84	5.74	34.86
PK	5.5184G	99.56	Inf	-Inf	2.79	3	Horizontal	5	1.54	-	96.77	31.90	5.76	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02392G	42.46	54.00	-11.54	13.37	3	Vertical	334	1.68	-	29.09	40.20	8.16	34.99
PK	11.02438G	55.68	74.00	-18.32	13.37	3	Vertical	334	1.68	-	42.31	40.20	8.16	34.99
PK	16.52722G	57.90	68.20	-10.30	14.20	3	Vertical	275	2.22	-	43.70	39.00	10.06	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01646G	42.31	54.00	-11.69	13.40	3	Horizontal	105	1.58	-	28.91	40.23	8.16	34.99
PK	11.01628G	56.39	74.00	-17.61	13.40	3	Horizontal	105	1.58	-	42.99	40.23	8.16	34.99
PK	16.53484G	57.78	68.20	-10.42	14.21	3	Horizontal	0	2.27	-	43.57	39.00	10.06	34.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.51	54.00	-6.49	2.68	3	Vertical	270	1.61	-	44.83	31.82	5.73	34.87
AV	5.5372G	101.83	Inf	-Inf	2.80	3	Vertical	270	1.61	-	99.03	31.90	5.77	34.87
PK	5.47G	62.46	68.20	-5.74	2.72	3	Vertical	270	1.61	-	59.74	31.84	5.74	34.86
PK	5.5336G	113.11	Inf	-Inf	2.80	3	Vertical	270	1.61	-	110.31	31.90	5.77	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.45	54.00	-7.55	2.68	3	Horizontal	348	1.30	-	43.77	31.82	5.73	34.87
AV	5.5476G	98.62	Inf	-Inf	2.80	3	Horizontal	348	1.30	-	95.82	31.90	5.77	34.87
PK	5.4696G	62.86	68.20	-5.34	2.71	3	Horizontal	348	1.30	-	60.15	31.84	5.73	34.86
PK	5.5476G	110.71	Inf	-Inf	2.80	3	Horizontal	348	1.30	-	107.91	31.90	5.77	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10096G	42.22	54.00	-11.78	13.14	3	Vertical	135	2.20	-	29.08	39.90	8.19	34.95
PK	11.1005G	54.89	74.00	-19.11	13.14	3	Vertical	135	2.20	-	41.75	39.90	8.19	34.95
PK	16.65214G	58.73	68.20	-9.47	14.81	3	Vertical	213	1.16	-	43.92	39.47	10.10	34.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10136G	42.12	54.00	-11.88	13.14	3	Horizontal	270	1.49	-	28.98	39.90	8.19	34.95
PK	11.10316G	55.29	74.00	-18.71	13.13	3	Horizontal	270	1.49	-	42.16	39.89	8.19	34.95
PK	16.64894G	58.22	68.20	-9.98	14.76	3	Horizontal	315	2.05	-	43.46	39.44	10.09	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6526G	98.53	Inf	-Inf	2.70	3	Vertical	177	1.50	-	95.83	31.81	5.80	34.91
PK	5.6538G	109.78	Inf	-Inf	2.70	3	Vertical	177	1.50	-	107.08	31.81	5.80	34.91
PK	5.7276G	68.05	68.20	-0.15	2.88	3	Vertical	177	1.50	-	65.17	32.01	5.80	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6526G	92.47	Inf	-Inf	2.70	3	Horizontal	158	1.50	-	89.77	31.81	5.80	34.91
PK	5.6538G	105.10	Inf	-Inf	2.70	3	Horizontal	158	1.50	-	102.40	31.81	5.80	34.91
PK	5.7258G	65.03	68.20	-3.17	2.87	3	Horizontal	158	1.50	-	62.16	32.00	5.80	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3358G	41.80	54.00	-12.20	13.25	3	Vertical	318	1.35	-	28.55	39.81	8.27	34.83
PK	11.33596G	54.35	74.00	-19.65	13.25	3	Vertical	318	1.35	-	41.10	39.81	8.27	34.83
PK	17.01152G	58.30	68.20	-9.90	15.96	3	Vertical	251	1.09	-	42.34	40.27	10.20	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34296G	41.71	54.00	-12.29	13.28	3	Horizontal	52	1.42	-	28.43	39.83	8.27	34.82
PK	11.3442G	55.24	74.00	-18.76	13.28	3	Horizontal	52	1.42	-	41.96	39.83	8.27	34.82
PK	17.00562G	58.06	68.20	-10.14	15.98	3	Horizontal	273	1.87	-	42.08	40.28	10.20	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4256G	42.72	54.00	-11.28	2.54	3	Vertical	86	1.50	-	40.18	31.70	5.71	34.87
AV	5.6956G	100.86	Inf	-Inf	2.77	3	Vertical	86	1.50	-	98.09	31.89	5.80	34.92
PK	5.4664G	54.52	68.20	-13.68	2.69	3	Vertical	86	1.50	-	51.83	31.83	5.73	34.87
PK	5.6944G	113.09	Inf	-Inf	2.77	3	Vertical	86	1.50	-	110.32	31.89	5.80	34.92
PK	5.8744G	57.65	68.20	-10.55	3.32	3	Vertical	86	1.50	-	54.33	32.45	5.84	34.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	42.51	54.00	-11.49	2.67	3	Horizontal	157	1.56	-	39.84	31.81	5.73	34.87
AV	5.7148G	94.41	Inf	-Inf	2.84	3	Horizontal	157	1.56	-	91.57	31.96	5.80	34.92
PK	5.4652G	54.90	68.20	-13.30	2.69	3	Horizontal	157	1.56	-	52.21	31.83	5.73	34.87
PK	5.7124G	105.21	Inf	-Inf	2.83	3	Horizontal	157	1.56	-	102.38	31.95	5.80	34.92
PK	5.9692G	55.65	68.20	-12.55	3.44	3	Horizontal	157	1.56	-	52.21	32.56	5.88	35.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42298G	42.28	54.00	-11.72	13.54	3	Vertical	25	1.15	-	28.74	40.02	8.30	34.78
PK	11.41946G	54.96	74.00	-19.04	13.54	3	Vertical	25	1.15	-	41.42	40.02	8.30	34.78
PK	17.1279G	59.25	68.20	-8.95	15.68	3	Vertical	261	1.20	-	43.57	40.00	10.24	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42146G	42.25	54.00	-11.75	13.54	3	Horizontal	321	1.73	-	28.71	40.02	8.30	34.78
PK	11.41504G	55.52	74.00	-18.48	13.54	3	Horizontal	321	1.73	-	41.98	40.02	8.30	34.78
PK	17.13266G	59.00	68.20	-9.20	15.68	3	Horizontal	42	1.15	-	43.32	40.00	10.24	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	101.49	Inf	-Inf	2.96	3	Vertical	181	1.49	-	98.53	32.09	5.80	34.93
PK	5.6434G	63.33	68.20	-4.87	2.70	3	Vertical	181	1.49	-	60.63	31.80	5.80	34.90
PK	5.7466G	111.55	Inf	-Inf	2.96	3	Vertical	181	1.49	-	108.59	32.09	5.80	34.93
PK	6.025G	56.11	68.20	-12.09	3.40	3	Vertical	181	1.49	-	52.71	32.50	5.91	35.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7646G	95.39	Inf	-Inf	2.99	3	Horizontal	6	1.35	-	92.40	32.13	5.80	34.94
PK	5.6446G	58.30	68.20	-9.90	2.70	3	Horizontal	6	1.35	-	55.60	31.80	5.80	34.90
PK	5.7694G	106.30	Inf	-Inf	3.00	3	Horizontal	6	1.35	-	103.30	32.14	5.80	34.94
PK	6.049G	55.89	68.20	-12.31	3.41	3	Horizontal	6	1.35	-	52.48	32.50	5.92	35.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5061G	42.40	54.00	-11.60	13.67	3	Vertical	220	1.79	-	28.73	40.08	8.33	34.74
PK	11.50922G	55.93	74.00	-18.07	13.66	3	Vertical	220	1.79	-	42.27	40.07	8.33	34.74
PK	17.26822G	58.62	68.20	-9.58	15.85	3	Vertical	162	1.88	-	42.77	40.20	10.28	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51136G	42.51	54.00	-11.49	13.66	3	Horizontal	6	1.64	-	28.85	40.07	8.33	34.74
PK	11.5053G	55.37	74.00	-18.63	13.67	3	Horizontal	6	1.64	-	41.70	40.08	8.33	34.74
PK	17.26844G	58.84	68.20	-9.36	15.86	3	Horizontal	242	1.01	-	42.98	40.21	10.28	34.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	101.08	Inf	-Inf	3.04	3	Vertical	273	1.99	-	98.04	32.19	5.80	34.95
PK	5.6354G	56.12	68.20	-12.08	2.70	3	Vertical	273	1.99	-	53.42	31.80	5.80	34.90
PK	5.7782G	113.07	Inf	-Inf	3.02	3	Vertical	273	1.99	-	110.05	32.16	5.80	34.94
PK	5.9318G	64.00	68.20	-4.20	3.44	3	Vertical	273	1.99	-	60.56	32.56	5.87	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	94.28	Inf	-Inf	3.05	3	Horizontal	226	1.84	-	91.23	32.20	5.80	34.95
PK	5.6462G	55.60	68.20	-12.60	2.70	3	Horizontal	226	1.84	-	52.90	31.80	5.80	34.90
PK	5.8022G	104.32	Inf	-Inf	3.06	3	Horizontal	226	1.84	-	101.26	32.21	5.80	34.95
PK	5.9306G	56.30	68.20	-11.90	3.44	3	Horizontal	226	1.84	-	52.86	32.56	5.87	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59066G	42.03	54.00	-11.97	13.43	3	Vertical	360	1.61	-	28.60	39.83	8.36	34.76
PK	11.58762G	55.06	74.00	-18.94	13.44	3	Vertical	360	1.61	-	41.62	39.84	8.36	34.76
PK	17.38274G	59.97	68.20	-8.23	16.59	3	Vertical	250	2.10	-	43.38	40.96	10.31	34.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58836G	42.06	54.00	-11.94	13.43	3	Horizontal	179	1.50	-	28.63	39.83	8.36	34.76
PK	11.585G	54.92	74.00	-19.08	13.43	3	Horizontal	179	1.50	-	41.49	39.84	8.35	34.76
PK	17.38634G	59.54	68.20	-8.66	16.62	3	Horizontal	27	1.16	-	42.92	40.99	10.32	34.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	2.55	3	Vertical	81	1.92	-	51.00	32.00	5.47	34.92
AV	5.214G	93.31	Inf	-Inf	2.22	3	Vertical	81	1.92	-	91.09	31.62	5.51	34.91
AV	5.35G	42.45	54.00	-11.55	2.07	3	Vertical	81	1.92	-	40.38	31.30	5.65	34.88
PK	5.134G	73.38	74.00	-0.62	2.55	3	Vertical	81	1.92	-	70.83	32.00	5.47	34.92
PK	5.212G	105.21	Inf	-Inf	2.23	3	Vertical	81	1.92	-	102.98	31.63	5.51	34.91
PK	5.374G	55.27	74.00	-18.73	2.23	3	Vertical	81	1.92	-	53.04	31.44	5.67	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.58	54.00	-5.42	2.55	3	Horizontal	19	2.28	-	46.03	32.00	5.47	34.92
AV	5.192G	89.44	Inf	-Inf	2.34	3	Horizontal	19	2.28	-	87.10	31.75	5.50	34.91
AV	5.459G	41.96	54.00	-12.04	2.68	3	Horizontal	19	2.28	-	39.28	31.82	5.73	34.87
PK	5.127G	69.67	74.00	-4.33	2.54	3	Horizontal	19	2.28	-	67.13	32.00	5.46	34.92
PK	5.19G	101.92	Inf	-Inf	2.35	3	Horizontal	19	2.28	-	99.57	31.76	5.50	34.91
PK	5.368G	54.80	74.00	-19.20	2.20	3	Horizontal	19	2.28	-	52.60	31.41	5.67	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6516G	42.75	54.00	-11.25	12.87	3	Vertical	330	2.44	-	29.88	38.25	9.81	35.19
PK	10.44848G	54.60	68.20	-13.60	12.58	3	Vertical	11	1.86	-	42.02	39.75	7.96	35.13
PK	15.63608G	56.49	74.00	-17.51	12.87	3	Vertical	330	2.44	-	43.62	38.24	9.81	35.18

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62696G	42.71	54.00	-11.29	12.87	3	Horizontal	2	2.06	-	29.84	38.23	9.81	35.17
PK	10.4104G	54.32	68.20	-13.88	12.39	3	Horizontal	267	1.92	-	41.93	39.63	7.94	35.18
PK	15.63016G	55.74	74.00	-18.26	12.87	3	Horizontal	2	2.06	-	42.87	38.23	9.81	35.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	44.83	54.00	-9.17	2.55	3	Vertical	308	2.22	-	42.28	32.00	5.47	34.92
AV	5.31G	94.74	Inf	-Inf	2.02	3	Vertical	308	2.22	-	92.72	31.30	5.61	34.89
AV	5.35G	53.33	54.00	-0.67	2.07	3	Vertical	308	2.22	-	51.26	31.30	5.65	34.88
PK	5.15G	59.17	74.00	-14.83	2.55	3	Vertical	308	2.22	-	56.62	32.00	5.47	34.92
PK	5.327G	106.74	Inf	-Inf	2.04	3	Vertical	308	2.22	-	104.70	31.30	5.63	34.89
PK	5.35G	73.72	74.00	-0.28	2.07	3	Vertical	308	2.22	-	71.65	31.30	5.65	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	43.01	54.00	-10.99	2.55	3	Horizontal	8	1.63	-	40.46	32.00	5.47	34.92
AV	5.252G	87.86	Inf	-Inf	2.05	3	Horizontal	8	1.63	-	85.81	31.40	5.55	34.90
AV	5.354G	45.24	54.00	-8.76	2.09	3	Horizontal	8	1.63	-	43.15	31.32	5.65	34.88
PK	5.122G	55.82	74.00	-18.18	2.54	3	Horizontal	8	1.63	-	53.28	32.00	5.46	34.92
PK	5.253G	100.28	Inf	-Inf	2.04	3	Horizontal	8	1.63	-	98.24	31.39	5.55	34.90
PK	5.36G	65.73	74.00	-8.27	2.14	3	Horizontal	8	1.63	-	63.59	31.36	5.66	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85432G	41.99	54.00	-12.01	12.33	3	Vertical	245	2.07	-	29.66	37.80	9.86	35.33
PK	10.576G	54.46	68.20	-13.74	12.84	3	Vertical	25	1.18	-	41.62	39.90	8.00	35.06
PK	15.86648G	54.74	74.00	-19.26	12.33	3	Vertical	245	2.07	-	42.41	37.80	9.87	35.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84584G	41.98	54.00	-12.02	12.34	3	Horizontal	143	2.42	-	29.64	37.80	9.86	35.32
PK	10.54224G	54.64	68.20	-13.56	12.83	3	Horizontal	33	2.06	-	41.81	39.90	7.99	35.06
PK	15.86184G	54.99	74.00	-19.01	12.34	3	Horizontal	143	2.42	-	42.65	37.80	9.87	35.33

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.74	54.00	-6.26	2.68	3	Vertical	89	1.81	-	45.06	31.82	5.73	34.87
AV	5.544G	95.33	Inf	-Inf	2.80	3	Vertical	89	1.81	-	92.53	31.90	5.77	34.87
PK	5.464G	67.69	68.20	-0.51	2.69	3	Vertical	89	1.81	-	65.00	31.83	5.73	34.87
PK	5.543G	107.92	Inf	-Inf	2.80	3	Vertical	89	1.81	-	105.12	31.90	5.77	34.87
PK	5.76G	56.70	68.20	-11.50	2.98	3	Vertical	89	1.81	-	53.72	32.12	5.80	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.79	54.00	-10.21	2.68	3	Horizontal	336	1.90	-	41.11	31.82	5.73	34.87
AV	5.533G	86.83	Inf	-Inf	2.80	3	Horizontal	336	1.90	-	84.03	31.90	5.77	34.87
PK	5.467G	62.15	68.20	-6.05	2.69	3	Horizontal	336	1.90	-	59.46	31.83	5.73	34.87
PK	5.517G	98.92	Inf	-Inf	2.79	3	Horizontal	336	1.90	-	96.13	31.90	5.76	34.87
PK	5.775G	56.44	68.20	-11.76	3.01	3	Horizontal	336	1.90	-	53.43	32.15	5.80	34.94