

Single Modular approval Declaration letter

We ,apply Single modular approval for

Product Name: Heart rate module

Model: HRM8700, HRM8700 series

FCC ID: N7P-HRM8700

According to 996369 D01 Module Equip Auth Guide v01r04 and 15.212 requirement:

- 1) The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must beon the module assembly;

Answer : Yes, with shielded

- 2)The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal;

Answer : Yes ; All inputs to the modules are buffered through logic or microprocessor inputs.

- 3)The modular transmitter must have its own power supply regulation.

Answer : Yes ; A low drop out regulator is used for modular power supply regulation.

- 4)The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b);

Answer : Yes ; Device is equipped with Integral antenna.

- (5)The module must demonstrate compliance in a stand-alone configuration;

Answer : Yes, distance between modular and all AEs are longer than 20cm , refer to setup photo.

- (6) The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements);

Answer : Yes , The modular has a permanent fixed label, and below statement was listed in the User Manual;The host device must be labeled to display the FCCID of the module Contains FCC ID: N7P-HRM8700

- (7)The module must comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee;


Answer : Yes , The module comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee, Refer to test report and user manual .

(8)The module must comply with RF exposure requirements

Answer : Yes ; Transmitter meets MPE calculation of 47 CFR 1.1307 . Refer to MPEReports and Refer to modular installation manual

Date 2018-11-16

Signature



Name: Bill Chau

Title: Hardware engineering Manager

Company: Salutron, Inc

Address: 8371 Central Avenue, Unit A, Newark, California, United States