





TUNER




Date : Jan-5- 00'


Date : Feb-12-00'

- R76 : 20K change to 13K
- R124 : 13K change to 20K
- R127 : 5K1 change to 3K
- R128 : 5K1 change to 6K8
- R125 : 13K change to 20K
- R124 : 20K changet to 24K
- R69 : 1K changet to 0 ohm
- R76 : 13K changet to 20K
- R78 : 13K changet to 11K
- R75 : 5K1 changet to 4K7



- R124 : 24K S1 1% change to 20K S1 1%
- R207 : 0 S3 change to 2K7 S3
- PTC2 : 5K S3T
- R128 : 6K8 S1 1% change to 4K3 S1 1%
- R127 : 3K S1 1% change to 3K6 S1 1%
- R69 : 0 S1 change to 47 S1


TURBONET COMMUNICATIONS INC		
Title PCX CABLE MODEM VER 6.1		
Size B	Document Number PCX3-2.SCH	Rev X2
Date: Monday, February 14, 2000	Sheet 3	of 13






128K X 32 STATIC RAM






FLASH ROM



TURBONET COMMUNICATIONS INC			
Title			
PCX CABLE MODEM VER 6.1			
Size	Document Number	Rev	
A	PCX8.SCH	X2	
Date:	Monday, February 14, 2000	Sheet	8 of 13



32K * 8 STATIC RAM

