


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.4504G | 55.82 | 74.00 | -18.18 | 69.22 | 3 | Vertical | 18 | 2.85 | - | 38.85 | 12.80 | 65.05 |
| AV | 11.4474G | 44.62 | 54.00 | -9.38 | 58.04 | 3 | Vertical | 18 | 2.85 | - | 38.84 | 12.80 | 65.06 |
| PK | 17.1463G | 62.60 | 68.20 | -5.60 | 67.15 | 3 | Vertical | 264 | 1.80 | - | 40.34 | 17.39 | 62.28 |

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.4184G | 57.06 | 74.00 | -16.94 | 70.64 | 3 | Horizontal | 336 | 1.77 | - | 38.76 | 12.78 | 65.12 |
| AV | 11.4154G | 44.57 | 54.00 | -9.43 | 58.16 | 3 | Horizontal | 336 | 1.77 | - | 38.75 | 12.78 | 65.12 |
| PK | 17.1656G | 63.18 | 68.20 | -5.02 | 67.67 | 3 | Horizontal | 32 | 1.80 | - | 40.40 | 17.40 | 62.29 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 30
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.65G | 63.77 | 68.20 | -4.43 | 57.22 | 3 | Vertical | 10 | 1.88 | - | 34.40 | 7.12 | 34.97 |
| PK | 5.744G | 122.15 | Inf | -Inf | 115.80 | 3 | Vertical | 10 | 1.88 | - | 34.20 | 7.17 | 35.02 |
| AV | 5.743G | 110.10 | Inf | -Inf | 103.75 | 3 | Vertical | 10 | 1.88 | - | 34.20 | 7.17 | 35.02 |
| PK | 5.994G | 60.71 | 68.20 | -7.49 | 53.86 | 3 | Vertical | 10 | 1.88 | - | 34.69 | 7.30 | 35.14 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 30
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.649G | 64.01 | 68.20 | -4.19 | 59.22 | 3 | Horizontal | 55 | 1.76 | - | 32.60 | 5.62 | 33.43 |
| PK | 5.744G | 123.37 | Inf | -Inf | 117.81 | 3 | Horizontal | 55 | 1.76 | - | 33.35 | 5.67 | 33.46 |
| AV | 5.746G | 112.87 | Inf | -Inf | 107.29 | 3 | Horizontal | 55 | 1.76 | - | 33.37 | 5.67 | 33.46 |
| PK | 5.985G | 60.36 | 68.20 | -7.84 | 54.17 | 3 | Horizontal | 55 | 1.76 | - | 33.93 | 5.79 | 33.53 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.4789G | 56.77 | 74.00 | -17.23 | 70.02 | 3 | Vertical | 40 | 2.07 | - | 38.94 | 12.81 | 65.00 |
| AV | 11.5143G | 45.33 | 54.00 | -8.67 | 58.43 | 3 | Vertical | 40 | 2.07 | - | 39.04 | 12.83 | 64.97 |
| PK | 17.235G | 63.32 | 68.20 | -4.88 | 67.53 | 3 | Vertical | 81 | 2.75 | - | 40.67 | 17.44 | 62.32 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.5008G | 57.06 | 74.00 | -16.94 | 70.19 | 3 | Horizontal | 65 | 2.29 | - | 39.00 | 12.83 | 64.96 |
| AV | 11.5041G | 45.39 | 54.00 | -8.61 | 58.51 | 3 | Horizontal | 65 | 2.29 | - | 39.01 | 12.83 | 64.96 |
| PK | 17.2531G | 64.14 | 68.20 | -4.06 | 68.25 | 3 | Horizontal | 280 | 1.87 | - | 40.77 | 17.45 | 62.33 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
 Setting 30
 03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.565G | 61.20 | 68.20 | -7.00 | 54.53 | 3 | Vertical | 335 | 1.92 | - | 34.54 | 7.06 | 34.93 |
| PK | 5.784G | 121.91 | Inf | -Inf | 115.49 | 3 | Vertical | 335 | 1.92 | - | 34.27 | 7.19 | 35.04 |
| AV | 5.787G | 110.14 | Inf | -Inf | 103.72 | 3 | Vertical | 335 | 1.92 | - | 34.27 | 7.19 | 35.04 |
| PK | 6.002G | 60.77 | 68.20 | -7.43 | 53.91 | 3 | Vertical | 335 | 1.92 | - | 34.70 | 7.30 | 35.14 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 30
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.539G | 60.45 | 68.20 | -7.75 | 55.65 | 3 | Horizontal | 60 | 1.80 | - | 32.60 | 5.60 | 33.40 |
| PK | 5.784G | 122.39 | Inf | -Inf | 116.70 | 3 | Horizontal | 60 | 1.80 | - | 33.47 | 5.69 | 33.47 |
| AV | 5.786G | 111.80 | Inf | -Inf | 106.11 | 3 | Horizontal | 60 | 1.80 | - | 33.47 | 5.69 | 33.47 |
| PK | 5.968G | 61.07 | 68.20 | -7.13 | 54.85 | 3 | Horizontal | 60 | 1.80 | - | 33.96 | 5.78 | 33.52 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.5605G | 57.60 | 74.00 | -16.40 | 70.55 | 3 | Vertical | 32 | 1.93 | - | 39.18 | 12.86 | 64.99 |
| AV | 11.5871G | 45.23 | 54.00 | -8.77 | 58.10 | 3 | Vertical | 32 | 1.93 | - | 39.26 | 12.87 | 65.00 |
| PK | 17.3333G | 64.89 | 68.20 | -3.31 | 68.52 | 3 | Vertical | 129 | 1.78 | - | 41.23 | 17.50 | 62.36 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.5748G | 56.56 | 74.00 | -17.44 | 69.46 | 3 | Horizontal | 111 | 1.90 | - | 39.22 | 12.87 | 64.99 |
| AV | 11.5793G | 45.51 | 54.00 | -8.49 | 58.40 | 3 | Horizontal | 111 | 1.90 | - | 39.24 | 12.87 | 65.00 |
| PK | 17.3726G | 64.57 | 68.20 | -3.63 | 67.92 | 3 | Horizontal | 79 | 2.73 | - | 41.51 | 17.52 | 62.38 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 30
 03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.614G | 60.77 | 68.20 | -7.43 | 54.21 | 3 | Vertical | 337 | 1.90 | - | 34.40 | 7.11 | 34.95 |
| PK | 5.819G | 121.86 | Inf | -Inf | 115.40 | 3 | Vertical | 337 | 1.90 | - | 34.30 | 7.21 | 35.05 |
| AV | 5.827G | 110.25 | Inf | -Inf | 103.80 | 3 | Vertical | 337 | 1.90 | - | 34.30 | 7.21 | 35.06 |
| PK | 5.929G | 62.42 | 68.20 | -5.78 | 55.71 | 3 | Vertical | 337 | 1.90 | - | 34.56 | 7.26 | 35.11 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 30
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.612G | 59.49 | 68.20 | -8.71 | 54.70 | 3 | Horizontal | 55 | 2.03 | - | 32.60 | 5.61 | 33.42 |
| PK | 5.826G | 122.89 | Inf | -Inf | 117.06 | 3 | Horizontal | 55 | 2.03 | - | 33.60 | 5.71 | 33.48 |
| AV | 5.823G | 112.50 | Inf | -Inf | 106.68 | 3 | Horizontal | 55 | 2.03 | - | 33.59 | 5.71 | 33.48 |
| PK | 5.932G | 62.38 | 68.20 | -5.82 | 56.12 | 3 | Horizontal | 55 | 2.03 | - | 34.00 | 5.77 | 33.51 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.6267G | 57.05 | 74.00 | -16.95 | 69.85 | 3 | Vertical | 68 | 1.76 | - | 39.33 | 12.89 | 65.02 |
| AV | 11.668G | 45.56 | 54.00 | -8.44 | 58.31 | 3 | Vertical | 68 | 1.76 | - | 39.37 | 12.92 | 65.04 |
| PK | 17.4869G | 66.65 | 68.20 | -1.55 | 69.17 | 3 | Vertical | 242 | 1.41 | - | 42.31 | 17.59 | 62.42 |

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 30
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.6257G | 56.99 | 74.00 | -17.01 | 69.79 | 3 | Horizontal | 119 | 2.26 | - | 39.33 | 12.89 | 65.02 |
| AV | 11.6711G | 45.44 | 54.00 | -8.56 | 58.19 | 3 | Horizontal | 119 | 2.26 | - | 39.37 | 12.92 | 65.04 |
| PK | 17.4747G | 65.86 | 68.20 | -2.34 | 68.48 | 3 | Horizontal | 304 | 1.80 | - | 42.22 | 17.58 | 62.42 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 18
 04-H-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.108G | 60.53 | 74.00 | -13.47 | 54.33 | 3 | Vertical | 3 | 1.80 | - | 32.78 | 5.88 | 32.46 |
| AV | 5.1084G | 48.82 | 54.00 | -5.18 | 42.63 | 3 | Vertical | 3 | 1.80 | - | 32.78 | 5.88 | 32.47 |
| PK | 5.1988G | 112.02 | Inf | -Inf | 105.98 | 3 | Vertical | 3 | 1.80 | - | 32.80 | 5.92 | 32.68 |
| AV | 5.199G | 103.24 | Inf | -Inf | 97.20 | 3 | Vertical | 3 | 1.80 | - | 32.80 | 5.92 | 32.68 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 18
 04-H-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.138G | 67.29 | 74.00 | -6.71 | 61.22 | 3 | Horizontal | 360 | 2.17 | - | 32.72 | 5.89 | 32.54 |
| AV | 5.1072G | 48.64 | 54.00 | -5.36 | 42.43 | 3 | Horizontal | 360 | 2.17 | - | 32.79 | 5.88 | 32.46 |
| PK | 5.1974G | 109.54 | Inf | -Inf | 103.51 | 3 | Horizontal | 360 | 2.17 | - | 32.79 | 5.92 | 32.68 |
| AV | 5.1978G | 99.97 | Inf | -Inf | 93.93 | 3 | Horizontal | 360 | 2.17 | - | 32.80 | 5.92 | 32.68 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 22
04-H-5-8

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 10.37466G | 55.49 | 68.20 | -12.71 | 42.63 | 3 | Vertical | 182 | 1.80 | - | 38.50 | 8.11 | 33.75 |
| PK | 15.55668G | 56.66 | 74.00 | -17.34 | 43.61 | 3 | Vertical | 188 | 1.80 | - | 37.97 | 10.14 | 35.06 |
| AV | 15.55749G | 44.67 | 54.00 | -9.33 | 31.61 | 3 | Vertical | 188 | 1.80 | - | 37.97 | 10.15 | 35.06 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 22
04-H-5-8

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 10.36959G | 54.74 | 68.20 | -13.46 | 41.88 | 3 | Horizontal | 105 | 2.62 | - | 38.50 | 8.11 | 33.75 |
| PK | 15.55722G | 56.38 | 74.00 | -17.62 | 43.32 | 3 | Horizontal | 192 | 2.46 | - | 37.97 | 10.15 | 35.06 |
| AV | 15.57057G | 44.47 | 54.00 | -9.53 | 31.46 | 3 | Horizontal | 192 | 2.46 | - | 37.92 | 10.15 | 35.06 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.1472G | 64.11 | 74.00 | -9.89 | 58.12 | 3 | Vertical | 360 | 1.00 | - | 34.09 | 6.75 | 34.85 |
| AV | 5.15G | 50.22 | 54.00 | -3.78 | 44.22 | 3 | Vertical | 360 | 1.00 | - | 34.10 | 6.75 | 34.85 |
| PK | 5.2408G | 117.47 | Inf | -Inf | 111.51 | 3 | Vertical | 360 | 1.00 | - | 34.00 | 6.82 | 34.86 |
| AV | 5.2378G | 106.85 | Inf | -Inf | 100.89 | 3 | Vertical | 360 | 1.00 | - | 34.00 | 6.82 | 34.86 |
| PK | 5.359G | 60.48 | 74.00 | -13.52 | 54.00 | 3 | Vertical | 360 | 1.00 | - | 34.48 | 6.88 | 34.88 |
| AV | 5.35G | 48.18 | 54.00 | -5.82 | 41.68 | 3 | Vertical | 360 | 1.00 | - | 34.50 | 6.88 | 34.88 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1106G | 63.42 | 74.00 | -10.58 | 57.70 | 3 | Horizontal | 3 | 2.24 | - | 32.78 | 5.41 | 32.47 |
| AV | 5.1388G | 52.29 | 54.00 | -1.71 | 46.67 | 3 | Horizontal | 3 | 2.24 | - | 32.72 | 5.44 | 32.54 |
| PK | 5.2294G | 115.00 | Inf | -Inf | 109.44 | 3 | Horizontal | 3 | 2.24 | - | 32.80 | 5.51 | 32.75 |
| AV | 5.2288G | 104.50 | Inf | -Inf | 98.94 | 3 | Horizontal | 3 | 2.24 | - | 32.80 | 5.51 | 32.75 |
| PK | 5.3524G | 58.19 | 74.00 | -15.81 | 53.05 | 3 | Horizontal | 3 | 2.24 | - | 32.60 | 5.58 | 33.04 |
| AV | 5.3728G | 46.64 | 54.00 | -7.36 | 41.49 | 3 | Horizontal | 3 | 2.24 | - | 32.65 | 5.59 | 33.09 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.4372G | 55.38 | 68.20 | -12.82 | 70.76 | 3 | Vertical | 109 | 1.44 | - | 37.94 | 12.24 | 65.56 |
| PK | 15.6882G | 59.70 | 74.00 | -14.30 | 67.37 | 3 | Vertical | 120 | 2.74 | - | 38.09 | 16.39 | 62.15 |
| AV | 15.6946G | 47.93 | 54.00 | -6.07 | 55.61 | 3 | Vertical | 120 | 2.74 | - | 38.09 | 16.39 | 62.16 |

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.4418G | 55.21 | 68.20 | -12.99 | 70.58 | 3 | Horizontal | 323 | 2.17 | - | 37.94 | 12.24 | 65.55 |
| PK | 15.7042G | 59.29 | 74.00 | -14.71 | 66.98 | 3 | Horizontal | 264 | 2.07 | - | 38.07 | 16.40 | 62.16 |
| AV | 15.7101G | 47.88 | 54.00 | -6.12 | 55.59 | 3 | Horizontal | 264 | 2.07 | - | 38.04 | 16.41 | 62.16 |

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 23
03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.1308G | 62.52 | 74.00 | -11.48 | 56.58 | 3 | Vertical | 10 | 1.92 | - | 34.06 | 6.73 | 34.85 |
| AV | 5.1488G | 48.24 | 54.00 | -5.76 | 42.24 | 3 | Vertical | 10 | 1.92 | - | 34.10 | 6.75 | 34.85 |
| PK | 5.258G | 120.97 | Inf | -Inf | 114.96 | 3 | Vertical | 10 | 1.92 | - | 34.05 | 6.83 | 34.87 |
| AV | 5.2532G | 106.80 | Inf | -Inf | 100.82 | 3 | Vertical | 10 | 1.92 | - | 34.02 | 6.83 | 34.87 |
| PK | 5.351G | 65.95 | 74.00 | -8.05 | 59.45 | 3 | Vertical | 10 | 1.92 | - | 34.50 | 6.88 | 34.88 |
| AV | 5.35G | 51.82 | 54.00 | -2.18 | 45.32 | 3 | Vertical | 10 | 1.92 | - | 34.50 | 6.88 | 34.88 |

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 23
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.258G | 117.26 | Inf | -Inf | 111.77 | 3 | Horizontal | 4 | 2.03 | - | 32.78 | 5.53 | 32.82 |
| AV | 5.2636G | 106.10 | Inf | -Inf | 100.63 | 3 | Horizontal | 4 | 2.03 | - | 32.77 | 5.53 | 32.83 |
| PK | 5.3504G | 60.74 | 74.00 | -13.26 | 55.60 | 3 | Horizontal | 4 | 2.03 | - | 32.60 | 5.58 | 33.04 |
| AV | 5.3516G | 48.54 | 54.00 | -5.46 | 43.40 | 3 | Horizontal | 4 | 2.03 | - | 32.60 | 5.58 | 33.04 |

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 23
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.562G | 55.29 | 68.20 | -12.91 | 70.37 | 3 | Vertical | 205 | 1.25 | - | 38.06 | 12.31 | 65.45 |
| PK | 15.8141G | 59.52 | 74.00 | -14.48 | 67.72 | 3 | Vertical | 263 | 1.60 | - | 37.51 | 16.51 | 62.22 |
| AV | 15.8171G | 47.34 | 54.00 | -6.66 | 55.52 | 3 | Vertical | 263 | 1.60 | - | 37.52 | 16.52 | 62.22 |

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 23
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.5224G | 55.91 | 68.20 | -12.29 | 71.01 | 3 | Horizontal | 176 | 1.35 | - | 38.02 | 12.29 | 65.41 |
| PK | 15.8076G | 59.59 | 74.00 | -14.41 | 67.79 | 3 | Horizontal | 213 | 1.70 | - | 37.51 | 16.51 | 62.22 |
| AV | 15.8348G | 47.32 | 54.00 | -6.68 | 55.49 | 3 | Horizontal | 213 | 1.70 | - | 37.53 | 16.53 | 62.23 |

5.25-5.35GHz 802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 21
03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3116G | 114.04 | Inf | -Inf | 107.70 | 3 | Vertical | 6 | 1.80 | - | 34.35 | 6.86 | 34.87 |
| AV | 5.3068G | 102.63 | Inf | -Inf | 96.32 | 3 | Vertical | 6 | 1.80 | - | 34.33 | 6.85 | 34.87 |
| PK | 5.3636G | 70.11 | 74.00 | -3.89 | 63.64 | 3 | Vertical | 6 | 1.80 | - | 34.47 | 6.88 | 34.88 |
| AV | 5.36G | 52.61 | 54.00 | -1.39 | 46.13 | 3 | Vertical | 6 | 1.80 | - | 34.48 | 6.88 | 34.88 |

5.25-5.35GHz 802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




01/09/2023

EUT_Y_2TX
Setting 21
03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.302G | 115.49 | Inf | -Inf | 109.20 | 3 | Horizontal | 65 | 2.02 | - | 34.31 | 6.85 | 34.87 |
| AV | 5.302G | 104.22 | Inf | -Inf | 97.93 | 3 | Horizontal | 65 | 2.02 | - | 34.31 | 6.85 | 34.87 |
| PK | 5.3636G | 69.11 | 74.00 | -4.89 | 62.64 | 3 | Horizontal | 65 | 2.02 | - | 34.47 | 6.88 | 34.88 |
| AV | 5.36G | 52.37 | 54.00 | -1.63 | 45.89 | 3 | Horizontal | 65 | 2.02 | - | 34.48 | 6.88 | 34.88 |

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 21
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.6264G | 55.96 | 74.00 | -18.04 | 71.04 | 3 | Vertical | 76 | 2.27 | - | 38.10 | 12.34 | 65.52 |
| AV | 10.6332G | 43.93 | 54.00 | -10.07 | 59.01 | 3 | Vertical | 76 | 2.27 | - | 38.10 | 12.35 | 65.53 |
| PK | 15.9331G | 59.01 | 74.00 | -14.99 | 67.09 | 3 | Vertical | 193 | 2.12 | - | 37.57 | 16.63 | 62.28 |
| AV | 15.9111G | 47.61 | 54.00 | -6.39 | 55.68 | 3 | Vertical | 193 | 2.12 | - | 37.59 | 16.61 | 62.27 |

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 21
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.6251G | 56.31 | 74.00 | -17.69 | 71.39 | 3 | Horizontal | 282 | 1.05 | - | 38.10 | 12.34 | 65.52 |
| AV | 10.6255G | 43.86 | 54.00 | -10.14 | 58.94 | 3 | Horizontal | 282 | 1.05 | - | 38.10 | 12.34 | 65.52 |
| PK | 15.9339G | 58.95 | 74.00 | -15.05 | 67.03 | 3 | Horizontal | 37 | 1.56 | - | 37.57 | 16.63 | 62.28 |
| AV | 15.9052G | 47.64 | 54.00 | -6.36 | 55.71 | 3 | Horizontal | 37 | 1.56 | - | 37.59 | 16.61 | 62.27 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 21
03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4332G | 64.81 | 74.00 | -9.19 | 58.24 | 3 | Vertical | 325 | 1.99 | - | 34.53 | 6.93 | 34.89 |
| PK | 5.4672G | 66.81 | 68.20 | -1.39 | 60.14 | 3 | Vertical | 325 | 1.99 | - | 34.60 | 6.97 | 34.90 |
| AV | 5.46G | 51.04 | 54.00 | -2.96 | 44.37 | 3 | Vertical | 325 | 1.99 | - | 34.60 | 6.96 | 34.89 |
| PK | 5.5176G | 114.23 | Inf | -Inf | 107.52 | 3 | Vertical | 325 | 1.99 | - | 34.60 | 7.02 | 34.91 |
| AV | 5.5232G | 102.95 | Inf | -Inf | 96.24 | 3 | Vertical | 325 | 1.99 | - | 34.60 | 7.02 | 34.91 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 21
03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4412G | 65.12 | 74.00 | -8.88 | 58.51 | 3 | Horizontal | 62 | 2.00 | - | 34.56 | 6.94 | 34.89 |
| AV | 5.4492G | 51.32 | 54.00 | -2.68 | 44.66 | 3 | Horizontal | 62 | 2.00 | - | 34.60 | 6.95 | 34.89 |
| PK | 5.47G | 66.60 | 68.20 | -1.60 | 59.93 | 3 | Horizontal | 62 | 2.00 | - | 34.60 | 6.97 | 34.90 |
| PK | 5.5212G | 115.70 | Inf | -Inf | 108.99 | 3 | Horizontal | 62 | 2.00 | - | 34.60 | 7.02 | 34.91 |
| AV | 5.5216G | 105.54 | Inf | -Inf | 98.83 | 3 | Horizontal | 62 | 2.00 | - | 34.60 | 7.02 | 34.91 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 21
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.0079G | 55.12 | 74.00 | -18.88 | 70.15 | 3 | Vertical | 24 | 2.93 | - | 38.31 | 12.55 | 65.89 |
| AV | 11.0341G | 43.83 | 54.00 | -10.17 | 58.78 | 3 | Vertical | 24 | 2.93 | - | 38.33 | 12.57 | 65.85 |
| PK | 16.5501G | 60.12 | 68.20 | -8.08 | 67.02 | 3 | Vertical | 311 | 2.10 | - | 38.15 | 17.03 | 62.08 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 21
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.038G | 55.96 | 74.00 | -18.04 | 70.89 | 3 | Horizontal | 50 | 1.38 | - | 38.34 | 12.57 | 65.84 |
| AV | 11.0387G | 43.82 | 54.00 | -10.18 | 58.75 | 3 | Horizontal | 50 | 1.38 | - | 38.34 | 12.57 | 65.84 |
| PK | 16.5322G | 59.84 | 68.20 | -8.36 | 66.83 | 3 | Horizontal | 68 | 2.73 | - | 38.06 | 17.02 | 62.07 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4573G | 64.84 | 74.00 | -9.16 | 59.93 | 3 | Vertical | 52 | 2.21 | - | 32.60 | 5.60 | 33.29 |
| AV | 5.4591G | 49.85 | 54.00 | -4.15 | 44.94 | 3 | Vertical | 52 | 2.21 | - | 32.60 | 5.60 | 33.29 |
| PK | 5.4645G | 65.90 | 68.20 | -2.30 | 61.01 | 3 | Vertical | 52 | 2.21 | - | 32.60 | 5.60 | 33.31 |
| PK | 5.5491G | 116.11 | Inf | -Inf | 111.31 | 3 | Vertical | 52 | 2.21 | - | 32.60 | 5.60 | 33.40 |
| AV | 5.538G | 107.28 | Inf | -Inf | 102.48 | 3 | Vertical | 52 | 2.21 | - | 32.60 | 5.60 | 33.40 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 Setting 24
 04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4534G | 68.72 | 74.00 | -5.28 | 63.80 | 3 | Horizontal | 52 | 1.82 | - | 32.60 | 5.60 | 33.28 |
| AV | 5.4588G | 50.19 | 54.00 | -3.81 | 45.28 | 3 | Horizontal | 52 | 1.82 | - | 32.60 | 5.60 | 33.29 |
| PK | 5.4693G | 65.02 | 68.20 | -3.18 | 60.14 | 3 | Horizontal | 52 | 1.82 | - | 32.60 | 5.60 | 33.32 |
| PK | 5.5455G | 117.24 | Inf | -Inf | 112.44 | 3 | Horizontal | 52 | 1.82 | - | 32.60 | 5.60 | 33.40 |
| AV | 5.5362G | 108.39 | Inf | -Inf | 103.59 | 3 | Horizontal | 52 | 1.82 | - | 32.60 | 5.60 | 33.40 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.09544G | 53.97 | 74.00 | -20.03 | 41.40 | 3 | Vertical | 296 | 1.05 | - | 38.60 | 8.33 | 34.36 |
| AV | 11.1054G | 42.37 | 54.00 | -11.63 | 29.79 | 3 | Vertical | 296 | 1.05 | - | 38.62 | 8.33 | 34.37 |
| PK | 16.64259G | 56.81 | 68.20 | -11.39 | 42.85 | 3 | Vertical | 211 | 1.88 | - | 38.19 | 10.72 | 34.95 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.09361G | 55.25 | 74.00 | -18.75 | 42.68 | 3 | Horizontal | 179 | 2.86 | - | 38.60 | 8.33 | 34.36 |
| AV | 11.08866G | 42.43 | 54.00 | -11.57 | 29.86 | 3 | Horizontal | 179 | 2.86 | - | 38.60 | 8.33 | 34.36 |
| PK | 16.6542G | 57.03 | 68.20 | -11.17 | 43.07 | 3 | Horizontal | 292 | 1.80 | - | 38.18 | 10.73 | 34.95 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 19
04-H-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6584G | 111.27 | Inf | -Inf | 105.82 | 3 | Vertical | 0 | 2.10 | - | 32.67 | 6.21 | 33.43 |
| AV | 5.6584G | 102.69 | Inf | -Inf | 97.24 | 3 | Vertical | 0 | 2.10 | - | 32.67 | 6.21 | 33.43 |
| PK | 5.761G | 60.06 | 68.20 | -8.14 | 53.90 | 3 | Vertical | 0 | 2.10 | - | 33.42 | 6.20 | 33.46 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 19
04-H-A-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.6568G | 110.07 | Inf | -Inf | 104.64 | 3 | Horizontal | 57 | 1.80 | - | 32.65 | 6.21 | 33.43 |
| AV | 5.6606G | 102.33 | Inf | -Inf | 96.87 | 3 | Horizontal | 57 | 1.80 | - | 32.68 | 6.21 | 33.43 |
| PK | 5.7522G | 60.73 | 68.20 | -7.47 | 54.59 | 3 | Horizontal | 57 | 1.80 | - | 33.40 | 6.20 | 33.46 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
04-H-5-8

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.35452G | 54.70 | 74.00 | -19.30 | 41.88 | 3 | Vertical | 347 | 2.96 | - | 38.99 | 8.41 | 34.58 |
| AV | 11.33205G | 42.70 | 54.00 | -11.30 | 29.87 | 3 | Vertical | 347 | 2.96 | - | 39.00 | 8.40 | 34.57 |
| PK | 16.99701G | 58.38 | 68.20 | -9.82 | 44.49 | 3 | Vertical | 197 | 1.32 | - | 37.99 | 10.95 | 35.05 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
04-H-5-8

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.34327G | 54.61 | 74.00 | -19.39 | 41.79 | 3 | Horizontal | 0 | 2.93 | - | 39.00 | 8.40 | 34.58 |
| AV | 11.34582G | 42.66 | 54.00 | -11.34 | 29.84 | 3 | Horizontal | 0 | 2.93 | - | 39.00 | 8.40 | 34.58 |
| PK | 17.00781G | 57.72 | 68.20 | -10.48 | 43.78 | 3 | Horizontal | 216 | 2.63 | - | 38.03 | 10.96 | 35.05 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 28
 03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7132G | 119.83 | Inf | -Inf | 113.47 | 3 | Vertical | 15 | 1.99 | - | 34.20 | 7.16 | 35.00 |
| AV | 5.6988G | 111.38 | Inf | -Inf | 105.03 | 3 | Vertical | 15 | 1.99 | - | 34.20 | 7.15 | 35.00 |
| PK | 5.8524G | 66.93 | 68.20 | -1.27 | 60.46 | 3 | Vertical | 15 | 1.99 | - | 34.31 | 7.23 | 35.07 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 28
 04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6964G | 120.11 | Inf | -Inf | 114.93 | 3 | Horizontal | 66 | 1.80 | - | 32.97 | 5.65 | 33.44 |
| AV | 5.706G | 109.94 | Inf | -Inf | 104.69 | 3 | Horizontal | 66 | 1.80 | - | 33.05 | 5.65 | 33.45 |
| PK | 5.854G | 66.36 | 68.20 | -1.84 | 60.40 | 3 | Horizontal | 66 | 1.80 | - | 33.72 | 5.73 | 33.49 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 28
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.4143G | 57.06 | 74.00 | -16.94 | 70.66 | 3 | Vertical | 250 | 1.76 | - | 38.74 | 12.78 | 65.12 |
| AV | 11.3954G | 45.12 | 54.00 | -8.88 | 58.82 | 3 | Vertical | 250 | 1.76 | - | 38.69 | 12.77 | 65.16 |
| PK | 17.1333G | 64.13 | 68.20 | -4.07 | 68.73 | 3 | Vertical | 4 | 2.67 | - | 40.30 | 17.38 | 62.28 |

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 28
03-L-M-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.4054G | 57.51 | 74.00 | -16.49 | 71.16 | 3 | Horizontal | 360 | 1.80 | - | 38.72 | 12.77 | 65.14 |
| AV | 11.3958G | 45.09 | 54.00 | -8.91 | 58.79 | 3 | Horizontal | 360 | 1.80 | - | 38.69 | 12.77 | 65.16 |
| PK | 17.1308G | 62.87 | 68.20 | -5.33 | 67.47 | 3 | Horizontal | 339 | 1.80 | - | 40.29 | 17.38 | 62.27 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.644G | 62.18 | 68.20 | -6.02 | 55.63 | 3 | Vertical | 339 | 1.90 | - | 34.40 | 7.12 | 34.97 |
| PK | 5.744G | 116.83 | Inf | -Inf | 110.48 | 3 | Vertical | 339 | 1.90 | - | 34.20 | 7.17 | 35.02 |
| AV | 5.754G | 103.86 | Inf | -Inf | 97.49 | 3 | Vertical | 339 | 1.90 | - | 34.21 | 7.18 | 35.02 |
| PK | 5.976G | 60.67 | 68.20 | -7.53 | 53.86 | 3 | Vertical | 339 | 1.90 | - | 34.65 | 7.29 | 35.13 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




09/09/2023

EUT_Y_2TX
Setting 23
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.654G | 64.66 | 71.16 | -6.50 | 59.83 | 3 | Horizontal | 59 | 1.87 | - | 32.63 | 5.63 | 33.43 |
| PK | 5.759G | 116.15 | Inf | -Inf | 110.51 | 3 | Horizontal | 59 | 1.87 | - | 33.42 | 5.68 | 33.46 |
| AV | 5.756G | 105.41 | Inf | -Inf | 99.78 | 3 | Horizontal | 59 | 1.87 | - | 33.41 | 5.68 | 33.46 |
| PK | 5.98G | 59.58 | 68.20 | -8.62 | 53.37 | 3 | Horizontal | 59 | 1.87 | - | 33.94 | 5.79 | 33.52 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
03-E-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.754G | 56.02 | 74.00 | -17.98 | 68.69 | 3 | Vertical | 34 | 1.58 | - | 39.45 | 12.96 | 65.08 |
| AV | 11.686G | 44.86 | 54.00 | -9.14 | 57.59 | 3 | Vertical | 34 | 1.58 | - | 39.39 | 12.93 | 65.05 |
| PK | 17.493G | 64.80 | 68.20 | -3.40 | 67.28 | 3 | Vertical | 14 | 2.36 | - | 42.35 | 17.60 | 62.43 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
03-E-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.729G | 55.79 | 74.00 | -18.21 | 68.48 | 3 | Horizontal | 242 | 1.94 | - | 39.43 | 12.95 | 65.07 |
| AV | 11.692G | 44.81 | 54.00 | -9.19 | 57.54 | 3 | Horizontal | 242 | 1.94 | - | 39.39 | 12.93 | 65.05 |
| PK | 17.514G | 65.01 | 68.20 | -3.19 | 67.32 | 3 | Horizontal | 160 | 2.07 | - | 42.53 | 17.61 | 62.45 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
 Setting 25
 03-E-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.646G | 61.49 | 68.20 | -6.71 | 54.94 | 3 | Vertical | 333 | 1.95 | - | 34.40 | 7.12 | 34.97 |
| PK | 5.788G | 119.63 | Inf | -Inf | 113.20 | 3 | Vertical | 333 | 1.95 | - | 34.28 | 7.19 | 35.04 |
| AV | 5.794G | 106.59 | Inf | -Inf | 100.14 | 3 | Vertical | 333 | 1.95 | - | 34.29 | 7.20 | 35.04 |
| PK | 5.933G | 66.80 | 68.20 | -1.40 | 60.07 | 3 | Vertical | 333 | 1.95 | - | 34.57 | 7.27 | 35.11 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
 Setting 25
 04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.65G | 59.54 | 68.20 | -8.66 | 54.75 | 3 | Horizontal | 57 | 2.01 | - | 32.60 | 5.62 | 33.43 |
| PK | 5.796G | 118.37 | Inf | -Inf | 112.65 | 3 | Horizontal | 57 | 2.01 | - | 33.49 | 5.70 | 33.47 |
| AV | 5.796G | 107.32 | Inf | -Inf | 101.60 | 3 | Horizontal | 57 | 2.01 | - | 33.49 | 5.70 | 33.47 |
| PK | 5.935G | 64.78 | 68.20 | -3.42 | 58.52 | 3 | Horizontal | 57 | 2.01 | - | 34.00 | 5.77 | 33.51 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 25
03-E-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.60464G | 55.83 | 74.00 | -18.17 | 68.66 | 3 | Vertical | 240 | 2.05 | - | 39.30 | 12.88 | 65.01 |
| AV | 11.60968G | 44.23 | 54.00 | -9.77 | 57.04 | 3 | Vertical | 240 | 2.05 | - | 39.31 | 12.89 | 65.01 |
| PK | 17.38676G | 65.16 | 68.20 | -3.04 | 68.40 | 3 | Vertical | 97 | 1.31 | - | 41.61 | 17.53 | 62.38 |

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
03-E-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.60032G | 55.92 | 74.00 | -18.08 | 68.75 | 3 | Horizontal | 177 | 2.95 | - | 39.30 | 12.88 | 65.01 |
| AV | 11.6008G | 44.23 | 54.00 | -9.77 | 57.06 | 3 | Horizontal | 177 | 2.95 | - | 39.30 | 12.88 | 65.01 |
| PK | 17.39116G | 65.11 | 68.20 | -3.09 | 68.32 | 3 | Horizontal | 261 | 1.46 | - | 41.64 | 17.53 | 62.38 |

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.106G | 63.69 | 74.00 | -10.31 | 57.81 | 3 | Vertical | 1.6 | 1.80 | - | 34.01 | 6.71 | 34.84 |
| AV | 5.15G | 51.11 | 54.00 | -2.89 | 45.11 | 3 | Vertical | 1.6 | 1.80 | - | 34.10 | 6.75 | 34.85 |
| PK | 5.242G | 116.83 | Inf | -Inf | 110.87 | 3 | Vertical | 1.6 | 1.80 | - | 34.00 | 6.82 | 34.86 |
| AV | 5.211G | 100.57 | Inf | -Inf | 94.62 | 3 | Vertical | 1.6 | 1.80 | - | 34.00 | 6.81 | 34.86 |
| PK | 5.355G | 60.30 | 74.00 | -13.70 | 53.81 | 3 | Vertical | 1.6 | 1.80 | - | 34.49 | 6.88 | 34.88 |
| AV | 5.422G | 47.53 | 54.00 | -6.47 | 41.01 | 3 | Vertical | 1.6 | 1.80 | - | 34.49 | 6.92 | 34.89 |

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.144G | 61.54 | 74.00 | -12.46 | 55.56 | 3 | Horizontal | 300 | 2.00 | - | 34.09 | 6.74 | 34.85 |
| AV | 5.15G | 49.21 | 54.00 | -4.79 | 43.21 | 3 | Horizontal | 300 | 2.00 | - | 34.10 | 6.75 | 34.85 |
| PK | 5.235G | 113.63 | Inf | -Inf | 107.67 | 3 | Horizontal | 300 | 2.00 | - | 34.00 | 6.82 | 34.86 |
| AV | 5.244G | 100.17 | Inf | -Inf | 94.21 | 3 | Horizontal | 300 | 2.00 | - | 34.00 | 6.82 | 34.86 |
| PK | 5.454G | 59.83 | 74.00 | -14.17 | 53.17 | 3 | Horizontal | 300 | 2.00 | - | 34.60 | 6.95 | 34.89 |
| AV | 5.371G | 48.32 | 54.00 | -5.68 | 41.85 | 3 | Horizontal | 300 | 2.00 | - | 34.46 | 6.89 | 34.88 |

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.43272G | 54.23 | 68.20 | -13.97 | 69.63 | 3 | Vertical | 159 | 1.29 | - | 37.93 | 12.24 | 65.57 |
| PK | 15.63872G | 59.97 | 74.00 | -14.03 | 67.71 | 3 | Vertical | 320 | 1.05 | - | 38.04 | 16.34 | 62.12 |
| AV | 15.64568G | 48.34 | 54.00 | -5.66 | 56.07 | 3 | Vertical | 320 | 1.05 | - | 38.05 | 16.35 | 62.13 |

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.43944G | 54.67 | 68.20 | -13.53 | 70.05 | 3 | Horizontal | 10 | 1.50 | - | 37.94 | 12.24 | 65.56 |
| PK | 15.65G | 60.03 | 74.00 | -13.97 | 67.76 | 3 | Horizontal | 181 | 1.78 | - | 38.05 | 16.35 | 62.13 |
| AV | 15.6472G | 48.36 | 54.00 | -5.64 | 56.09 | 3 | Horizontal | 181 | 1.78 | - | 38.05 | 16.35 | 62.13 |

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.133G | 60.21 | 74.00 | -13.79 | 54.26 | 3 | Vertical | 13 | 2.00 | - | 34.07 | 6.73 | 34.85 |
| AV | 5.14G | 47.64 | 54.00 | -6.36 | 41.67 | 3 | Vertical | 13 | 2.00 | - | 34.08 | 6.74 | 34.85 |
| PK | 5.254G | 115.21 | Inf | -Inf | 109.23 | 3 | Vertical | 13 | 2.00 | - | 34.02 | 6.83 | 34.87 |
| AV | 5.265G | 102.65 | Inf | -Inf | 96.60 | 3 | Vertical | 13 | 2.00 | - | 34.09 | 6.83 | 34.87 |
| PK | 5.379G | 71.53 | 74.00 | -2.47 | 65.08 | 3 | Vertical | 13 | 2.00 | - | 34.44 | 6.89 | 34.88 |
| AV | 5.35G | 51.50 | 54.00 | -2.50 | 45.00 | 3 | Vertical | 13 | 2.00 | - | 34.50 | 6.88 | 34.88 |
| PK | 5.471G | 62.71 | 68.20 | -5.49 | 56.04 | 3 | Vertical | 13 | 2.00 | - | 34.60 | 6.97 | 34.90 |

5.25-5.35GHz 802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.137G | 59.43 | 74.00 | -14.57 | 53.47 | 3 | Horizontal | 290 | 2.00 | - | 34.07 | 6.74 | 34.85 |
| AV | 5.105G | 47.23 | 54.00 | -6.77 | 41.36 | 3 | Horizontal | 290 | 2.00 | - | 34.01 | 6.70 | 34.84 |
| PK | 5.282G | 111.37 | Inf | -Inf | 105.21 | 3 | Horizontal | 290 | 2.00 | - | 34.19 | 6.84 | 34.87 |
| AV | 5.26G | 104.79 | Inf | -Inf | 98.77 | 3 | Horizontal | 290 | 2.00 | - | 34.06 | 6.83 | 34.87 |
| PK | 5.356G | 64.34 | 74.00 | -9.66 | 57.85 | 3 | Horizontal | 290 | 2.00 | - | 34.49 | 6.88 | 34.88 |
| AV | 5.351G | 50.47 | 54.00 | -3.53 | 43.97 | 3 | Horizontal | 290 | 2.00 | - | 34.50 | 6.88 | 34.88 |
| PK | 5.518G | 59.97 | 68.20 | -8.23 | 53.26 | 3 | Horizontal | 290 | 2.00 | - | 34.60 | 7.02 | 34.91 |

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.58824G | 54.64 | 68.20 | -13.56 | 69.71 | 3 | Vertical | 302 | 2.00 | - | 38.09 | 12.32 | 65.48 |
| PK | 15.88256G | 59.38 | 74.00 | -14.62 | 67.48 | 3 | Vertical | 293 | 1.63 | - | 37.58 | 16.58 | 62.26 |
| AV | 15.86232G | 47.88 | 54.00 | -6.12 | 56.01 | 3 | Vertical | 293 | 1.63 | - | 37.56 | 16.56 | 62.25 |

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.57264G | 54.47 | 68.20 | -13.73 | 69.56 | 3 | Horizontal | 349 | 1.29 | - | 38.07 | 12.31 | 65.47 |
| PK | 15.88864G | 59.39 | 74.00 | -14.61 | 67.47 | 3 | Horizontal | 196 | 2.56 | - | 37.59 | 16.59 | 62.26 |
| AV | 15.85696G | 47.98 | 54.00 | -6.02 | 56.10 | 3 | Horizontal | 196 | 2.56 | - | 37.56 | 16.56 | 62.24 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
Setting 22
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.28G | 61.72 | 68.20 | -6.48 | 55.57 | 3 | Vertical | 340 | 1.86 | - | 34.18 | 6.84 | 34.87 |
| AV | 5.35G | 47.30 | 54.00 | -6.70 | 40.81 | 3 | Vertical | 340 | 1.86 | - | 34.50 | 6.87 | 34.88 |
| PK | 5.456G | 65.52 | 74.00 | -8.48 | 58.85 | 3 | Vertical | 340 | 1.86 | - | 34.60 | 6.96 | 34.89 |
| AV | 5.46G | 52.27 | 54.00 | -1.73 | 45.60 | 3 | Vertical | 340 | 1.86 | - | 34.60 | 6.96 | 34.89 |
| PK | 5.467G | 65.56 | 68.20 | -2.64 | 58.89 | 3 | Vertical | 340 | 1.86 | - | 34.60 | 6.97 | 34.90 |
| PK | 5.559G | 115.65 | Inf | -Inf | 108.96 | 3 | Vertical | 340 | 1.86 | - | 34.56 | 7.06 | 34.93 |
| AV | 5.528G | 98.99 | Inf | -Inf | 92.27 | 3 | Vertical | 340 | 1.86 | - | 34.60 | 7.03 | 34.91 |
| PK | 5.766G | 60.97 | 68.20 | -7.23 | 54.59 | 3 | Vertical | 340 | 1.86 | - | 34.23 | 7.18 | 35.03 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
Setting 22
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.28G | 61.41 | 68.20 | -6.79 | 55.26 | 3 | Horizontal | 295 | 2.00 | - | 34.18 | 6.84 | 34.87 |
| AV | 5.35G | 47.30 | 54.00 | -6.70 | 40.81 | 3 | Horizontal | 295 | 2.00 | - | 34.50 | 6.87 | 34.88 |
| PK | 5.421G | 66.94 | 74.00 | -7.06 | 60.43 | 3 | Horizontal | 295 | 2.00 | - | 34.48 | 6.92 | 34.89 |
| PK | 5.469G | 66.89 | 68.20 | -1.31 | 60.22 | 3 | Horizontal | 295 | 2.00 | - | 34.60 | 6.97 | 34.90 |
| AV | 5.458G | 52.87 | 54.00 | -1.13 | 46.20 | 3 | Horizontal | 295 | 2.00 | - | 34.60 | 6.96 | 34.89 |
| PK | 5.532G | 112.40 | Inf | -Inf | 105.69 | 3 | Horizontal | 295 | 2.00 | - | 34.60 | 7.03 | 34.92 |
| AV | 5.532G | 99.57 | Inf | -Inf | 92.86 | 3 | Horizontal | 295 | 2.00 | - | 34.60 | 7.03 | 34.92 |
| PK | 5.773G | 60.51 | 68.20 | -7.69 | 54.10 | 3 | Horizontal | 295 | 2.00 | - | 34.25 | 7.19 | 35.03 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 22
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.088G | 55.22 | 74.00 | -18.78 | 70.01 | 3 | Vertical | 322 | 1.21 | - | 38.38 | 12.59 | 65.76 |
| AV | 11.0788G | 42.95 | 54.00 | -11.05 | 57.74 | 3 | Vertical | 322 | 1.21 | - | 38.38 | 12.59 | 65.76 |
| PK | 16.60704G | 61.00 | 68.20 | -7.20 | 67.60 | 3 | Vertical | 173 | 1.68 | - | 38.43 | 17.06 | 62.09 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 22
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.07752G | 54.71 | 74.00 | -19.29 | 69.50 | 3 | Horizontal | 70 | 2.86 | - | 38.38 | 12.59 | 65.76 |
| AV | 11.05464G | 43.10 | 54.00 | -10.90 | 57.98 | 3 | Horizontal | 70 | 2.86 | - | 38.35 | 12.58 | 65.81 |
| PK | 16.5824G | 61.15 | 68.20 | -7.05 | 67.88 | 3 | Horizontal | 328 | 1.06 | - | 38.31 | 17.05 | 62.09 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 5.44G | 62.03 | 74.00 | -11.97 | 55.42 | 3 | Vertical | 11 | 1.83 | - | 34.56 | 6.94 | 34.89 |
| PK | 5.465G | 62.12 | 68.20 | -6.08 | 55.46 | 3 | Vertical | 11 | 1.83 | - | 34.60 | 6.96 | 34.90 |
| AV | 5.454G | 48.63 | 54.00 | -5.37 | 41.97 | 3 | Vertical | 11 | 1.83 | - | 34.60 | 6.95 | 34.89 |
| PK | 5.609G | 112.93 | Inf | -Inf | 106.38 | 3 | Vertical | 11 | 1.83 | - | 34.40 | 7.10 | 34.95 |
| AV | 5.603G | 104.98 | Inf | -Inf | 98.43 | 3 | Vertical | 11 | 1.83 | - | 34.40 | 7.10 | 34.95 |
| PK | 5.725G | 64.92 | 68.20 | -3.28 | 58.57 | 3 | Vertical | 11 | 1.83 | - | 34.20 | 7.16 | 35.01 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.456G | 61.24 | 74.00 | -12.76 | 54.57 | 3 | Horizontal | 297 | 2.10 | - | 34.60 | 6.96 | 34.89 |
| AV | 5.458G | 49.04 | 54.00 | -4.96 | 42.37 | 3 | Horizontal | 297 | 2.10 | - | 34.60 | 6.96 | 34.89 |
| PK | 5.467G | 61.58 | 68.20 | -6.62 | 54.91 | 3 | Horizontal | 297 | 2.10 | - | 34.60 | 6.97 | 34.90 |
| PK | 5.608G | 112.53 | Inf | -Inf | 105.98 | 3 | Horizontal | 297 | 2.10 | - | 34.40 | 7.10 | 34.95 |
| AV | 5.598G | 103.92 | Inf | -Inf | 97.36 | 3 | Horizontal | 297 | 2.10 | - | 34.41 | 7.10 | 34.95 |
| PK | 5.726G | 64.92 | 68.20 | -3.28 | 58.57 | 3 | Horizontal | 297 | 2.10 | - | 34.20 | 7.16 | 35.01 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 24
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.23832G | 55.95 | 74.00 | -18.05 | 70.17 | 3 | Vertical | 343 | 2.89 | - | 38.56 | 12.68 | 65.46 |
| AV | 11.21872G | 44.16 | 54.00 | -9.84 | 58.40 | 3 | Vertical | 343 | 2.89 | - | 38.58 | 12.67 | 65.49 |
| PK | 16.82688G | 62.26 | 68.20 | -5.94 | 68.04 | 3 | Vertical | 347 | 2.86 | - | 39.18 | 17.20 | 62.16 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.20112G | 56.44 | 74.00 | -17.56 | 70.71 | 3 | Horizontal | 215 | 2.51 | - | 38.60 | 12.66 | 65.53 |
| AV | 11.2216G | 43.92 | 54.00 | -10.08 | 58.16 | 3 | Horizontal | 215 | 2.51 | - | 38.58 | 12.67 | 65.49 |
| PK | 16.84448G | 61.88 | 68.20 | -6.32 | 67.61 | 3 | Horizontal | 73 | 1.44 | - | 39.23 | 17.21 | 62.17 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 25
 03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.441G | 60.34 | 74.00 | -13.66 | 53.73 | 3 | Vertical | 5 | 1.83 | - | 34.56 | 6.94 | 34.89 |
| AV | 5.451G | 47.86 | 54.00 | -6.14 | 41.20 | 3 | Vertical | 5 | 1.83 | - | 34.60 | 6.95 | 34.89 |
| PK | 5.469G | 59.71 | 68.20 | -8.49 | 53.04 | 3 | Vertical | 5 | 1.83 | - | 34.60 | 6.97 | 34.90 |
| PK | 5.683G | 117.84 | Inf | -Inf | 111.42 | 3 | Vertical | 5 | 1.83 | - | 34.27 | 7.14 | 34.99 |
| AV | 5.692G | 102.85 | Inf | -Inf | 96.46 | 3 | Vertical | 5 | 1.83 | - | 34.23 | 7.15 | 34.99 |
| PK | 5.852G | 63.16 | 68.20 | -5.04 | 56.69 | 3 | Vertical | 5 | 1.83 | - | 34.31 | 7.23 | 35.07 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 25
 04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.454G | 58.08 | 74.00 | -15.92 | 53.16 | 3 | Horizontal | 61 | 1.71 | - | 32.60 | 5.60 | 33.28 |
| AV | 5.446G | 46.21 | 54.00 | -7.79 | 41.26 | 3 | Horizontal | 61 | 1.71 | - | 32.61 | 5.60 | 33.26 |
| PK | 5.464G | 57.04 | 68.20 | -11.16 | 52.15 | 3 | Horizontal | 61 | 1.71 | - | 32.60 | 5.60 | 33.31 |
| PK | 5.684G | 114.00 | Inf | -Inf | 108.93 | 3 | Horizontal | 61 | 1.71 | - | 32.87 | 5.64 | 33.44 |
| AV | 5.66G | 106.91 | Inf | -Inf | 102.03 | 3 | Horizontal | 61 | 1.71 | - | 32.68 | 5.63 | 33.43 |
| PK | 5.854G | 62.82 | 68.20 | -5.38 | 56.86 | 3 | Horizontal | 61 | 1.71 | - | 33.72 | 5.73 | 33.49 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.3976G | 55.81 | 74.00 | -18.19 | 69.49 | 3 | Vertical | 133 | 1.79 | - | 38.70 | 12.77 | 65.15 |
| AV | 11.39944G | 44.28 | 54.00 | -9.72 | 57.96 | 3 | Vertical | 133 | 1.79 | - | 38.70 | 12.77 | 65.15 |
| PK | 17.0616G | 62.01 | 68.20 | -6.19 | 66.80 | 3 | Vertical | 291 | 2.36 | - | 40.12 | 17.34 | 62.25 |

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.39288G | 56.17 | 74.00 | -17.83 | 69.87 | 3 | Horizontal | 228 | 1.33 | - | 38.69 | 12.77 | 65.16 |
| AV | 11.38544G | 44.35 | 54.00 | -9.65 | 58.10 | 3 | Horizontal | 228 | 1.33 | - | 38.67 | 12.76 | 65.18 |
| PK | 17.0648G | 62.32 | 68.20 | -5.88 | 67.10 | 3 | Horizontal | 105 | 1.97 | - | 40.13 | 17.34 | 62.25 |

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
 Setting 24
 03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.647G | 64.92 | 68.20 | -3.28 | 58.37 | 3 | Vertical | 330 | 1.93 | - | 34.40 | 7.12 | 34.97 |
| PK | 5.768G | 113.47 | Inf | -Inf | 107.08 | 3 | Vertical | 330 | 1.93 | - | 34.24 | 7.18 | 35.03 |
| AV | 5.749G | 106.32 | Inf | -Inf | 99.97 | 3 | Vertical | 330 | 1.93 | - | 34.20 | 7.17 | 35.02 |
| PK | 5.929G | 64.11 | 68.20 | -4.09 | 57.40 | 3 | Vertical | 330 | 1.93 | - | 34.56 | 7.26 | 35.11 |

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 24
04-H-J-8-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.65G | 64.76 | 68.20 | -3.44 | 59.97 | 3 | Horizontal | 64 | 2.04 | - | 32.60 | 5.62 | 33.43 |
| PK | 5.746G | 118.10 | Inf | -Inf | 112.52 | 3 | Horizontal | 64 | 2.04 | - | 33.37 | 5.67 | 33.46 |
| AV | 5.774G | 102.61 | Inf | -Inf | 96.94 | 3 | Horizontal | 64 | 2.04 | - | 33.45 | 5.69 | 33.47 |
| PK | 5.932G | 63.35 | 68.20 | -4.85 | 57.09 | 3 | Horizontal | 64 | 2.04 | - | 34.00 | 5.77 | 33.51 |

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 24
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.5628G | 57.08 | 74.00 | -16.92 | 70.02 | 3 | Vertical | 279 | 1.22 | - | 39.19 | 12.86 | 64.99 |
| AV | 11.56856G | 44.26 | 54.00 | -9.74 | 57.18 | 3 | Vertical | 279 | 1.22 | - | 39.21 | 12.86 | 64.99 |
| PK | 17.345G | 63.65 | 68.20 | -4.55 | 67.19 | 3 | Vertical | 331 | 1.57 | - | 41.31 | 17.51 | 62.36 |

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
 Setting 24
 03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.55464G | 55.92 | 74.00 | -18.08 | 68.89 | 3 | Horizontal | 111 | 1.89 | - | 39.16 | 12.86 | 64.99 |
| AV | 11.53128G | 44.50 | 54.00 | -9.50 | 57.54 | 3 | Horizontal | 111 | 1.89 | - | 39.09 | 12.84 | 64.97 |
| PK | 17.33996G | 63.44 | 68.20 | -4.76 | 67.02 | 3 | Horizontal | 280 | 2.05 | - | 41.28 | 17.50 | 62.36 |

5.15-5.25GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1428G | 64.79 | 74.00 | -9.21 | 58.81 | 3 | Vertical | 360 | 1.97 | - | 34.09 | 6.74 | 34.85 |
| AV | 5.1492G | 51.02 | 54.00 | -2.98 | 45.02 | 3 | Vertical | 360 | 1.97 | - | 34.10 | 6.75 | 34.85 |
| PK | 5.2516G | 107.99 | Inf | -Inf | 102.02 | 3 | Vertical | 360 | 1.97 | - | 34.01 | 6.83 | 34.87 |
| AV | 5.2468G | 96.67 | Inf | -Inf | 90.71 | 3 | Vertical | 360 | 1.97 | - | 34.00 | 6.82 | 34.86 |
| PK | 5.354G | 62.82 | 74.00 | -11.18 | 56.33 | 3 | Vertical | 360 | 1.97 | - | 34.49 | 6.88 | 34.88 |
| AV | 5.3652G | 50.50 | 54.00 | -3.50 | 44.03 | 3 | Vertical | 360 | 1.97 | - | 34.47 | 6.88 | 34.88 |
| PK | 5.522G | 59.99 | 68.20 | -8.21 | 53.28 | 3 | Vertical | 360 | 1.97 | - | 34.60 | 7.02 | 34.91 |

5.15-5.25GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1172G | 61.16 | 74.00 | -12.84 | 55.26 | 3 | Horizontal | 300 | 1.90 | - | 34.03 | 6.72 | 34.85 |
| AV | 5.1492G | 49.40 | 54.00 | -4.60 | 43.40 | 3 | Horizontal | 300 | 1.90 | - | 34.10 | 6.75 | 34.85 |
| PK | 5.2612G | 105.90 | Inf | -Inf | 99.87 | 3 | Horizontal | 300 | 1.90 | - | 34.07 | 6.83 | 34.87 |
| AV | 5.2404G | 104.42 | Inf | -Inf | 98.46 | 3 | Horizontal | 300 | 1.90 | - | 34.00 | 6.82 | 34.86 |
| PK | 5.3652G | 63.39 | 74.00 | -10.61 | 56.92 | 3 | Horizontal | 300 | 1.90 | - | 34.47 | 6.88 | 34.88 |
| AV | 5.3716G | 50.23 | 54.00 | -3.77 | 43.76 | 3 | Horizontal | 300 | 1.90 | - | 34.46 | 6.89 | 34.88 |
| PK | 5.4996G | 60.31 | 68.20 | -7.89 | 53.61 | 3 | Horizontal | 300 | 1.90 | - | 34.60 | 7.00 | 34.90 |

5.15-5.25GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.50112G | 54.31 | 68.20 | -13.89 | 69.42 | 3 | Vertical | 125 | 2.53 | - | 38.00 | 12.28 | 65.39 |
| PK | 15.7396G | 59.69 | 74.00 | -14.31 | 67.57 | 3 | Vertical | 223 | 2.27 | - | 37.86 | 16.44 | 62.18 |
| AV | 15.7508G | 48.23 | 54.00 | -5.77 | 56.17 | 3 | Vertical | 223 | 2.27 | - | 37.80 | 16.45 | 62.19 |

5.15-5.25GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.50736G | 54.45 | 68.20 | -13.75 | 69.56 | 3 | Horizontal | 324 | 1.06 | - | 38.01 | 12.28 | 65.40 |
| PK | 15.73928G | 60.32 | 74.00 | -13.68 | 68.20 | 3 | Horizontal | 131 | 2.31 | - | 37.86 | 16.44 | 62.18 |
| AV | 15.75888G | 48.30 | 54.00 | -5.70 | 56.28 | 3 | Horizontal | 131 | 2.31 | - | 37.75 | 16.46 | 62.19 |

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2788G | 61.08 | 68.20 | -7.12 | 54.94 | 3 | Vertical | 337 | 1.80 | - | 34.17 | 6.84 | 34.87 |
| PK | 5.4548G | 66.79 | 74.00 | -7.21 | 60.13 | 3 | Vertical | 337 | 1.80 | - | 34.60 | 6.95 | 34.89 |
| AV | 5.4452G | 52.22 | 54.00 | -1.78 | 45.58 | 3 | Vertical | 337 | 1.80 | - | 34.58 | 6.95 | 34.89 |
| PK | 5.4676G | 65.61 | 68.20 | -2.59 | 58.94 | 3 | Vertical | 337 | 1.80 | - | 34.60 | 6.97 | 34.90 |
| PK | 5.5636G | 112.48 | Inf | -Inf | 105.80 | 3 | Vertical | 337 | 1.80 | - | 34.55 | 7.06 | 34.93 |
| AV | 5.5588G | 105.02 | Inf | -Inf | 98.33 | 3 | Vertical | 337 | 1.80 | - | 34.56 | 7.06 | 34.93 |
| PK | 5.7636G | 63.50 | 68.20 | -4.70 | 57.12 | 3 | Vertical | 337 | 1.80 | - | 34.23 | 7.18 | 35.03 |

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 21
03-C-W-4-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2788G | 61.07 | 68.20 | -7.13 | 54.93 | 3 | Horizontal | 300 | 1.97 | - | 34.17 | 6.84 | 34.87 |
| PK | 5.4548G | 65.64 | 74.00 | -8.36 | 58.98 | 3 | Horizontal | 300 | 1.97 | - | 34.60 | 6.95 | 34.89 |
| AV | 5.4548G | 52.22 | 54.00 | -1.78 | 45.56 | 3 | Horizontal | 300 | 1.97 | - | 34.60 | 6.95 | 34.89 |
| PK | 5.4644G | 65.31 | 68.20 | -2.89 | 58.65 | 3 | Horizontal | 300 | 1.97 | - | 34.60 | 6.96 | 34.90 |
| PK | 5.554G | 110.35 | Inf | -Inf | 103.65 | 3 | Horizontal | 300 | 1.97 | - | 34.58 | 7.05 | 34.93 |
| AV | 5.5636G | 100.37 | Inf | -Inf | 93.69 | 3 | Horizontal | 300 | 1.97 | - | 34.55 | 7.06 | 34.93 |
| PK | 5.7748G | 64.09 | 68.20 | -4.11 | 57.68 | 3 | Horizontal | 300 | 1.97 | - | 34.25 | 7.19 | 35.03 |

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 21
03-C-W-4

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.13096G | 55.22 | 74.00 | -18.78 | 69.80 | 3 | Vertical | 101 | 2.93 | - | 38.46 | 12.62 | 65.66 |
| AV | 11.13152G | 43.33 | 54.00 | -10.67 | 57.91 | 3 | Vertical | 101 | 2.93 | - | 38.46 | 12.62 | 65.66 |
| PK | 16.69432G | 62.62 | 68.20 | -5.58 | 68.84 | 3 | Vertical | 353 | 1.82 | - | 38.78 | 17.12 | 62.12 |

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 21
03-C-W-4


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.13152G | 54.96 | 74.00 | -19.04 | 69.54 | 3 | Horizontal | 110 | 2.79 | - | 38.46 | 12.62 | 65.66 |
| AV | 11.14696G | 43.41 | 54.00 | -10.59 | 57.92 | 3 | Horizontal | 110 | 2.79 | - | 38.49 | 12.63 | 65.63 |
| PK | 16.71048G | 62.09 | 68.20 | -6.11 | 68.26 | 3 | Horizontal | 32 | 2.25 | - | 38.83 | 17.13 | 62.13 |



Summary


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1 | Pass | AV | 1.12477G | 33.36 | 54.00 | -20.64 | Horizontal |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) | | |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|--|--|
| PK | 1.12497G | 39.64 | 74.00 | -34.36 | -7.51 | 3 | Vertical | 193 | 2.67 | - | 47.15 | 25.70 | 3.65 | 36.86 | | |
| AV | 1.1248G | 32.17 | 54.00 | -21.83 | -7.51 | 3 | Vertical | 193 | 2.67 | "Worst" | 39.68 | 25.70 | 3.65 | 36.86 | | |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| PK | 1.12509G | 40.26 | 74.00 | -33.74 | -7.50 | 3 | Horizontal | 224 | 1.29 | - | 47.76 | 25.70 | 3.66 | 36.86 |
| AV | 1.12477G | 33.36 | 54.00 | -20.64 | -7.51 | 3 | Horizontal | 224 | 1.29 | "Worst" | 40.87 | 25.70 | 3.65 | 36.86 |