


5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4182G	56.87	74.00	-17.13	43.28	3	Vertical	134	1.16	-	38.80	9.43	34.64
AV	11.4543G	43.37	54.00	-10.63	29.79	3	Vertical	134	1.16	-	38.80	9.45	34.67
PK	17.17445G	63.20	68.20	-5.00	44.73	3	Vertical	190	2.65	-	41.15	12.40	35.08

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44405G	55.99	74.00	-18.01	42.40	3	Horizontal	341	1.95	-	38.80	9.45	34.66
AV	11.4488G	43.12	54.00	-10.88	29.54	3	Horizontal	341	1.95	-	38.80	9.45	34.67
PK	17.1743G	65.01	68.20	-3.19	46.54	3	Horizontal	219	2.91	-	41.15	12.40	35.08

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 30  
01-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6555G	70.45	72.27	-1.82	63.15	3	Vertical	28	1.80	-	32.64	7.54	32.88
PK	5.7445G	122.70	Inf	-Inf	114.69	3	Vertical	28	1.80	-	33.36	7.56	32.91
AV	5.746G	112.32	Inf	-Inf	104.30	3	Vertical	28	1.80	-	33.37	7.56	32.91
PK	5.931G	63.08	68.20	-5.12	54.41	3	Vertical	28	1.80	-	34.00	7.65	32.98

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 30  
01-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	61.50	68.20	-6.70	54.25	3	Horizontal	163	1.80	-	32.60	7.53	32.88
PK	5.746G	115.91	Inf	-Inf	107.89	3	Horizontal	163	1.80	-	33.37	7.56	32.91
AV	5.741G	106.25	Inf	-Inf	98.27	3	Horizontal	163	1.80	-	33.33	7.56	32.91
PK	5.9775G	62.82	68.20	-5.38	54.19	3	Horizontal	163	1.80	-	33.95	7.67	32.99

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47G	57.15	74.00	-16.85	43.57	3	Vertical	24	2.64	-	38.80	9.46	34.68
AV	11.4797G	44.64	54.00	-9.36	31.07	3	Vertical	24	2.64	-	38.80	9.46	34.69
PK	17.22G	63.90	68.20	-4.30	45.32	3	Vertical	43	2.92	-	41.24	12.43	35.09

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.481G	56.89	74.00	-17.11	43.31	3	Horizontal	325	2.04	-	38.80	9.47	34.69
AV	11.47755G	44.49	54.00	-9.51	30.92	3	Horizontal	325	2.04	-	38.80	9.46	34.69
PK	17.2173G	63.97	68.20	-4.23	45.39	3	Horizontal	350	2.87	-	41.23	12.43	35.08

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


09/11/2023

EUT\_Y\_2TX  
Setting 30  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	63.27	68.20	-4.93	56.54	3	Vertical	29	1.49	-	34.60	7.05	34.92
PK	5.784G	123.77	Inf	-Inf	117.42	3	Vertical	29	1.49	-	34.27	7.12	35.04
AV	5.786G	114.68	Inf	-Inf	108.33	3	Vertical	29	1.49	-	34.27	7.12	35.04
PK	5.959G	62.68	68.20	-5.52	55.97	3	Vertical	29	1.49	-	34.62	7.21	35.12

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV

09/11/2023


EUT\_Y\_2TX  
Setting 30  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	63.27	68.20	-4.93	56.54	3	Horizontal	159	2.10	-	34.60	7.05	34.92
PK	5.784G	117.75	Inf	-Inf	111.40	3	Horizontal	159	2.10	-	34.27	7.12	35.04
AV	5.784G	108.29	Inf	-Inf	101.94	3	Horizontal	159	2.10	-	34.27	7.12	35.04
PK	5.949G	62.99	68.20	-5.21	56.31	3	Horizontal	159	2.10	-	34.60	7.20	35.12



5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5565G	56.95	74.00	-17.05	43.34	3	Vertical	105	1.07	-	38.80	9.50	34.69
AV	11.5492G	44.23	54.00	-9.77	30.62	3	Vertical	105	1.07	-	38.80	9.50	34.69
PK	17.3307G	64.12	68.20	-4.08	45.04	3	Vertical	191	1.00	-	41.66	12.52	35.10

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5874G	56.97	74.00	-17.03	43.33	3	Horizontal	88	2.85	-	38.80	9.52	34.68
AV	11.5903G	44.03	54.00	-9.97	30.39	3	Horizontal	88	2.85	-	38.80	9.52	34.68
PK	17.3316G	64.17	68.20	-4.03	45.09	3	Horizontal	193	2.49	-	41.66	12.52	35.10

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 30  
01-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	61.12	68.20	-7.08	53.87	3	Vertical	239	1.80	-	32.60	7.52	32.87
PK	5.8265G	120.88	Inf	-Inf	112.62	3	Vertical	239	1.80	-	33.61	7.59	32.94
AV	5.826G	110.78	Inf	-Inf	102.53	3	Vertical	239	1.80	-	33.60	7.59	32.94
PK	5.927G	64.31	68.20	-3.89	55.65	3	Vertical	239	1.80	-	34.00	7.64	32.98

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


06/11/2023

EUT\_Y\_2TX  
Setting 30  
01-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	61.47	68.20	-6.73	54.22	3	Horizontal	154	2.23	-	32.60	7.53	32.88
PK	5.826G	116.16	Inf	-Inf	107.91	3	Horizontal	154	2.23	-	33.60	7.59	32.94
AV	5.824G	106.87	Inf	-Inf	98.62	3	Horizontal	154	2.23	-	33.60	7.59	32.94
PK	5.9395G	63.28	68.20	-4.92	54.61	3	Horizontal	154	2.23	-	34.00	7.65	32.98

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6429G	57.30	74.00	-16.70	43.61	3	Vertical	158	2.29	-	38.80	9.55	34.66
AV	11.6536G	43.86	54.00	-10.14	30.18	3	Vertical	158	2.29	-	38.79	9.55	34.66
PK	17.4737G	63.81	68.20	-4.39	44.35	3	Vertical	260	1.45	-	41.95	12.64	35.13

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63115G	57.28	74.00	-16.72	43.61	3	Horizontal	234	1.58	-	38.80	9.54	34.67
AV	11.6705G	44.29	54.00	-9.71	30.62	3	Horizontal	234	1.58	-	38.76	9.56	34.65
PK	17.4656G	63.84	68.20	-4.36	44.36	3	Horizontal	293	1.99	-	41.97	12.63	35.12

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
Setting 22  
01-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.99	74.00	-10.01	56.95	3	Vertical	14	1.80	-	32.70	7.24	32.90
AV	5.1492G	52.73	54.00	-1.27	45.69	3	Vertical	14	1.80	-	32.70	7.24	32.90
PK	5.2024G	116.36	Inf	-Inf	109.17	3	Vertical	14	1.80	-	32.80	7.28	32.89
AV	5.2018G	107.31	Inf	-Inf	100.12	3	Vertical	14	1.80	-	32.80	7.28	32.89

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
 Setting 22  
 01-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1296G	60.95	74.00	-13.05	53.89	3	Horizontal	45	1.74	-	32.74	7.22	32.90
AV	5.15G	49.59	54.00	-4.41	42.55	3	Horizontal	45	1.74	-	32.70	7.24	32.90
PK	5.1918G	106.14	Inf	-Inf	98.98	3	Horizontal	45	1.74	-	32.78	7.27	32.89
AV	5.1996G	96.79	Inf	-Inf	89.60	3	Horizontal	45	1.74	-	32.80	7.28	32.89



5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37109G	56.08	68.20	-12.12	42.33	3	Vertical	62	1.98	-	38.60	8.90	33.75
PK	15.57597G	60.33	74.00	-13.67	45.79	3	Vertical	54	2.18	-	38.35	11.25	35.06
AV	15.56931G	47.68	54.00	-6.32	33.15	3	Vertical	54	2.18	-	38.34	11.25	35.06

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37898G	55.96	68.20	-12.24	42.22	3	Horizontal	269	1.77	-	38.60	8.90	33.76
PK	15.57285G	60.36	74.00	-13.64	45.82	3	Horizontal	44	1.15	-	38.35	11.25	35.06
AV	15.57183G	47.70	54.00	-6.30	33.17	3	Horizontal	44	1.15	-	38.34	11.25	35.06

5.15-5.25GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1457G	63.85	74.00	-10.15	58.62	3	Vertical	38.5	1.80	-	32.59	5.90	33.26
AV	5.1499G	50.28	54.00	-3.72	45.04	3	Vertical	38.5	1.80	-	32.60	5.90	33.26
PK	5.2201G	115.15	Inf	-Inf	109.80	3	Vertical	38.5	1.80	-	32.70	5.94	33.29
AV	5.2261G	104.69	Inf	-Inf	99.33	3	Vertical	38.5	1.80	-	32.70	5.95	33.29
PK	5.3587G	57.76	74.00	-16.24	52.09	3	Vertical	38.5	1.80	-	32.93	6.08	33.34
AV	5.3674G	45.92	54.00	-8.08	40.20	3	Vertical	38.5	1.80	-	32.97	6.09	33.34

5.15-5.25GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX








EUTY\_2TX  
Setting 25  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	59.20	74.00	-14.80	53.96	3	Horizontal	308.2	2.17	-	32.60	5.90	33.26
AV	5.1487G	46.73	54.00	-7.27	41.49	3	Horizontal	308.2	2.17	-	32.60	5.90	33.26
PK	5.2309G	107.40	Inf	-Inf	102.04	3	Horizontal	308.2	2.17	-	32.70	5.95	33.29
AV	5.2171G	96.06	Inf	-Inf	90.71	3	Horizontal	308.2	2.17	-	32.70	5.94	33.29
PK	5.3677G	57.94	74.00	-16.06	52.22	3	Horizontal	308.2	2.17	-	32.97	6.09	33.34
AV	5.3758G	45.46	54.00	-8.54	39.71	3	Horizontal	308.2	2.17	-	33.00	6.10	33.35

5.15-5.25GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


18/11/2023

EUT\_Y\_2TX  
 Setting 25  
 04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47119G	56.13	68.20	-12.07	42.36	3	Vertical	338	1.48	-	38.64	8.95	33.82
PK	15.70278G	59.05	74.00	-14.95	44.97	3	Vertical	246	1.70	-	37.82	11.31	35.05
AV	15.67527G	46.33	54.00	-7.67	32.18	3	Vertical	246	1.70	-	37.90	11.30	35.05

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46144G	56.00	68.20	-12.20	42.24	3	Horizontal	115	1.85	-	38.62	8.95	33.81
PK	15.68025G	58.44	74.00	-15.56	44.31	3	Horizontal	166	1.61	-	37.88	11.30	35.05
AV	15.67587G	46.00	54.00	-8.00	31.85	3	Horizontal	166	1.61	-	37.90	11.30	35.05

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Y\_2TX  
 Setting 23  
 03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	62.40	74.00	-11.60	56.47	3	Vertical	13	1.49	-	34.07	6.71	34.85
AV	5.1356G	51.57	54.00	-2.43	45.64	3	Vertical	13	1.49	-	34.07	6.71	34.85
PK	5.2676G	116.86	Inf	-Inf	110.80	3	Vertical	13	1.49	-	34.11	6.82	34.87
AV	5.2532G	109.07	Inf	-Inf	103.13	3	Vertical	13	1.49	-	34.02	6.79	34.87
PK	5.3786G	64.04	74.00	-9.96	57.44	3	Vertical	13	1.49	-	34.44	7.04	34.88
AV	5.357G	52.63	54.00	-1.37	46.02	3	Vertical	13	1.49	-	34.49	7.00	34.88

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Y\_2TX  
 Setting 23  
 03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	62.47	74.00	-11.53	56.53	3	Horizontal	206	1.00	-	34.08	6.71	34.85
AV	5.1464G	51.09	54.00	-2.91	45.14	3	Horizontal	206	1.00	-	34.09	6.71	34.85
PK	5.258G	110.25	Inf	-Inf	104.27	3	Horizontal	206	1.00	-	34.05	6.80	34.87
AV	5.2682G	99.19	Inf	-Inf	93.13	3	Horizontal	206	1.00	-	34.11	6.82	34.87
PK	5.3642G	63.20	74.00	-10.80	56.60	3	Horizontal	206	1.00	-	34.47	7.01	34.88
AV	5.3648G	51.62	54.00	-2.38	45.02	3	Horizontal	206	1.00	-	34.47	7.01	34.88



5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5358G	56.69	68.20	-11.51	42.81	3	Vertical	301	1.42	-	38.77	8.98	33.87
PK	15.807G	59.31	74.00	-14.69	44.79	3	Vertical	217	2.95	-	38.19	11.36	35.03
AV	15.81204G	46.58	54.00	-7.42	32.07	3	Vertical	217	2.95	-	38.18	11.36	35.03

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53154G	56.39	68.20	-11.81	42.52	3	Horizontal	66	2.22	-	38.76	8.98	33.87
PK	15.80454G	59.81	74.00	-14.19	45.29	3	Horizontal	71	1.97	-	38.19	11.36	35.03
AV	15.8058G	46.78	54.00	-7.22	32.26	3	Horizontal	71	1.97	-	38.19	11.36	35.03

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3074G	105.07	Inf	-Inf	99.55	3	Vertical	208.8	2.37	-	32.81	6.03	33.32
AV	5.2994G	96.61	Inf	-Inf	91.11	3	Vertical	208.8	2.37	-	32.80	6.02	33.32
PK	5.3532G	64.59	74.00	-9.41	58.95	3	Vertical	208.8	2.37	-	32.91	6.07	33.34
AV	5.35G	51.53	54.00	-2.47	45.90	3	Vertical	208.8	2.37	-	32.90	6.07	33.34

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUTY\_2TX  
Setting 22  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	106.25	Inf	-Inf	100.74	3	Horizontal	198.7	2.25	-	32.81	6.02	33.32
AV	5.2948G	94.63	Inf	-Inf	89.15	3	Horizontal	198.7	2.25	-	32.79	6.01	33.32
PK	5.35G	64.12	74.00	-9.88	58.49	3	Horizontal	198.7	2.25	-	32.90	6.07	33.34
AV	5.3502G	52.16	54.00	-1.84	46.53	3	Horizontal	198.7	2.25	-	32.90	6.07	33.34

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62981G	55.50	74.00	-18.50	41.52	3	Vertical	65	2.21	-	38.90	9.03	33.95
AV	10.63377G	42.66	54.00	-11.34	28.69	3	Vertical	65	2.21	-	38.90	9.03	33.96
PK	15.93909G	59.10	74.00	-14.90	44.34	3	Vertical	99	2.86	-	38.36	11.42	35.02
AV	15.9435G	46.39	54.00	-7.61	31.62	3	Vertical	99	2.86	-	38.37	11.42	35.02

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60716G	55.94	74.00	-18.06	41.95	3	Horizontal	183	2.96	-	38.90	9.02	33.93
AV	10.62174G	42.70	54.00	-11.30	28.72	3	Horizontal	183	2.96	-	38.90	9.03	33.95
PK	15.92286G	59.40	74.00	-14.60	44.72	3	Horizontal	199	2.94	-	38.29	11.41	35.02
AV	15.93957G	46.43	54.00	-7.57	31.67	3	Horizontal	199	2.94	-	38.36	11.42	35.02

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Y\_2TX  
Setting 22  
01-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.75	74.00	-11.25	54.63	3	Vertical	31.8	1.80	-	33.55	7.41	32.84
AV	5.4598G	50.37	54.00	-3.63	42.24	3	Vertical	31.8	1.80	-	33.56	7.41	32.84
PK	5.47G	66.19	68.20	-2.01	57.99	3	Vertical	31.8	1.80	-	33.62	7.42	32.84
PK	5.512G	115.15	Inf	-Inf	106.68	3	Vertical	31.8	1.80	-	33.85	7.45	32.83
AV	5.4974G	105.57	Inf	-Inf	97.18	3	Vertical	31.8	1.80	-	33.78	7.44	32.83

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT Y\_2TX  
Setting 22  
01-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	60.54	74.00	-13.46	52.54	3	Horizontal	163	1.80	-	33.44	7.40	32.84
PK	5.4626G	61.28	68.20	-6.92	53.12	3	Horizontal	163	1.80	-	33.58	7.42	32.84
AV	5.4566G	48.46	54.00	-5.54	40.35	3	Horizontal	163	1.80	-	33.54	7.41	32.84
PK	5.5096G	107.19	Inf	-Inf	98.73	3	Horizontal	163	1.80	-	33.84	7.45	32.83
AV	5.5128G	95.08	Inf	-Inf	86.61	3	Horizontal	163	1.80	-	33.85	7.45	32.83



5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0335G	56.37	74.00	-17.63	42.61	3	Vertical	186	1.27	-	38.83	9.24	34.31
AV	11.0353G	43.80	54.00	-10.20	30.04	3	Vertical	186	1.27	-	38.83	9.24	34.31
PK	16.51968G	61.60	68.20	-6.60	45.31	3	Vertical	5	1.29	-	39.34	11.87	34.92

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00698G	56.86	74.00	-17.14	43.04	3	Horizontal	76	1.26	-	38.89	9.22	34.29
AV	11.00569G	43.91	54.00	-10.09	30.08	3	Horizontal	76	1.26	-	38.89	9.22	34.28
PK	16.51551G	61.40	68.20	-6.80	45.12	3	Horizontal	310	2.73	-	39.33	11.86	34.91

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4549G	64.33	74.00	-9.67	58.22	3	Vertical	37	1.45	-	33.33	6.15	33.37
AV	5.4588G	49.35	54.00	-4.65	43.23	3	Vertical	37	1.45	-	33.35	6.15	33.38
PK	5.469G	64.91	68.20	-3.29	58.73	3	Vertical	37	1.45	-	33.41	6.15	33.38
PK	5.5413G	118.55	Inf	-Inf	112.08	3	Vertical	37	1.45	-	33.68	6.19	33.40
AV	5.5368G	106.15	Inf	-Inf	99.69	3	Vertical	37	1.45	-	33.67	6.19	33.40

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5550MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


09/11/2023

EUT\_Y\_2TX  
Setting 25  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4573G	59.36	74.00	-14.64	53.24	3	Horizontal	158	2.34	-	33.34	6.15	33.37
AV	5.4537G	47.84	54.00	-6.16	41.74	3	Horizontal	158	2.34	-	33.32	6.15	33.37
PK	5.4657G	61.53	68.20	-6.67	55.37	3	Horizontal	158	2.34	-	33.39	6.15	33.38
PK	5.5407G	110.71	Inf	-Inf	104.24	3	Horizontal	158	2.34	-	33.68	6.19	33.40
AV	5.5404G	101.35	Inf	-Inf	94.88	3	Horizontal	158	2.34	-	33.68	6.19	33.40

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10639G	55.88	74.00	-18.12	42.21	3	Vertical	131	2.33	-	38.77	9.27	34.37
AV	11.10975G	43.43	54.00	-10.57	29.76	3	Vertical	131	2.33	-	38.76	9.28	34.37
PK	16.64184G	61.31	68.20	-6.89	44.82	3	Vertical	211	2.54	-	39.47	11.97	34.95

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08743G	55.82	74.00	-18.18	42.12	3	Horizontal	328	2.10	-	38.80	9.26	34.36
AV	11.0994G	43.09	54.00	-10.91	29.39	3	Horizontal	328	2.10	-	38.80	9.27	34.37
PK	16.6452G	60.88	68.20	-7.32	44.38	3	Horizontal	353	2.22	-	39.48	11.97	34.95

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Y\_2TX  
Setting 23  
01-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6708G	115.03	Inf	-Inf	107.61	3	Vertical	31	1.60	-	32.77	7.54	32.89
AV	5.6708G	105.10	Inf	-Inf	97.68	3	Vertical	31	1.60	-	32.77	7.54	32.89
PK	5.7284G	64.16	68.20	-4.04	56.28	3	Vertical	31	1.60	-	33.23	7.56	32.91

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Y\_2TX  
Setting 23  
01-H-Y-1-10





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.668G	109.67	Inf	-Inf	102.28	3	Horizontal	158	1.80	-	32.74	7.54	32.89
AV	5.6714G	98.05	Inf	-Inf	90.63	3	Horizontal	158	1.80	-	32.77	7.54	32.89
PK	5.7258G	63.54	68.20	-4.66	55.68	3	Horizontal	158	1.80	-	33.21	7.56	32.91



5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5670MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


18/11/2023

EUT\_Y\_2TX  
Setting 23  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33184G	57.03	74.00	-16.97	43.41	3	Vertical	0	1.39	-	38.80	9.39	34.57
AV	11.33766G	43.90	54.00	-10.10	30.28	3	Vertical	0	1.39	-	38.80	9.39	34.57
PK	17.00496G	63.39	68.20	-4.81	45.66	3	Vertical	252	2.37	-	40.52	12.26	35.05

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34897G	57.98	74.00	-16.02	44.36	3	Horizontal	106	1.01	-	38.80	9.40	34.58
AV	11.33295G	44.44	54.00	-9.56	30.82	3	Horizontal	106	1.01	-	38.80	9.39	34.57
PK	17.00124G	62.64	68.20	-5.56	44.93	3	Horizontal	294	2.37	-	40.50	12.26	35.05

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4202G	58.84	74.00	-15.16	52.89	3	Vertical	337	1.80	-	33.18	6.13	33.36
PK	5.4629G	58.27	68.20	-9.93	52.12	3	Vertical	337	1.80	-	33.38	6.15	33.38
AV	5.4594G	47.14	54.00	-6.86	41.01	3	Vertical	337	1.80	-	33.36	6.15	33.38
PK	5.7037G	116.83	Inf	-Inf	110.26	3	Vertical	337	1.80	-	33.81	6.21	33.45
AV	5.7086G	105.36	Inf	-Inf	98.77	3	Vertical	337	1.80	-	33.83	6.21	33.45
PK	5.8521G	68.12	68.20	-0.08	60.95	3	Vertical	337	1.80	-	34.41	6.25	33.49

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4559G	58.63	74.00	-15.37	52.51	3	Horizontal	162	1.89	-	33.34	6.15	33.37
AV	5.4573G	46.51	54.00	-7.49	40.39	3	Horizontal	162	1.89	-	33.34	6.15	33.37
PK	5.4685G	58.15	68.20	-10.05	51.97	3	Horizontal	162	1.89	-	33.41	6.15	33.38
PK	5.7079G	111.12	Inf	-Inf	104.53	3	Horizontal	162	1.89	-	33.83	6.21	33.45
AV	5.7114G	100.35	Inf	-Inf	93.74	3	Horizontal	162	1.89	-	33.85	6.21	33.45
PK	5.8563G	64.29	68.20	-3.91	57.09	3	Horizontal	162	1.89	-	34.44	6.25	33.49

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40566G	56.72	74.00	-17.28	43.12	3	Vertical	349	1.69	-	38.80	9.43	34.63
AV	11.40977G	44.16	54.00	-9.84	30.56	3	Vertical	349	1.69	-	38.80	9.43	34.63
PK	17.11797G	64.05	68.20	-4.15	45.73	3	Vertical	232	1.80	-	41.04	12.35	35.07

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 30  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40635G	56.75	74.00	-17.25	43.15	3	Horizontal	98	2.72	-	38.80	9.43	34.63
AV	11.41013G	44.13	54.00	-9.87	30.53	3	Horizontal	98	2.72	-	38.80	9.43	34.63
PK	17.13627G	64.05	68.20	-4.15	45.69	3	Horizontal	278	2.59	-	41.07	12.36	35.07

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Y\_2TX  
Setting 25  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	66.25	68.94	-2.69	59.76	3	Vertical	17	1.80	-	34.40	7.06	34.97
PK	5.758G	119.50	Inf	-Inf	113.19	3	Vertical	17	1.80	-	34.22	7.11	35.02
AV	5.769G	109.54	Inf	-Inf	103.21	3	Vertical	17	1.80	-	34.24	7.12	35.03
PK	5.935G	63.40	68.20	-4.80	56.74	3	Vertical	17	1.80	-	34.57	7.20	35.11

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV

09/11/2023


EUT Y\_2TX  
Setting 25  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	63.59	68.20	-4.61	57.09	3	Horizontal	154	2.15	-	34.40	7.06	34.96
PK	5.752G	113.57	Inf	-Inf	107.28	3	Horizontal	154	2.15	-	34.20	7.11	35.02
AV	5.77G	105.90	Inf	-Inf	99.57	3	Horizontal	154	2.15	-	34.24	7.12	35.03
PK	5.987G	63.19	68.20	-5.01	56.43	3	Horizontal	154	2.15	-	34.67	7.22	35.13



5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50208G	57.15	74.00	-16.85	43.58	3	Vertical	196	2.71	-	38.80	9.48	34.71
AV	11.49764G	43.96	54.00	-10.04	30.40	3	Vertical	196	2.71	-	38.80	9.47	34.71
PK	17.25414G	64.43	68.20	-3.77	45.74	3	Vertical	87	1.25	-	41.32	12.46	35.09

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51822G	56.55	74.00	-17.45	42.97	3	Horizontal	159	2.78	-	38.80	9.48	34.70
AV	11.50046G	43.93	54.00	-10.07	30.36	3	Horizontal	159	2.78	-	38.80	9.48	34.71
PK	17.27814G	63.73	68.20	-4.47	44.87	3	Horizontal	300	1.46	-	41.47	12.48	35.09

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Y\_2TX  
Setting 26  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	65.30	68.20	-2.90	58.81	3	Vertical	29	1.42	-	34.40	7.06	34.97
PK	5.786G	123.39	Inf	-Inf	117.04	3	Vertical	29	1.42	-	34.27	7.12	35.04
AV	5.796G	111.13	Inf	-Inf	104.75	3	Vertical	29	1.42	-	34.29	7.13	35.04
PK	5.931G	66.76	68.20	-1.44	60.11	3	Vertical	29	1.42	-	34.56	7.20	35.11

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


09/11/2023





EUT\_Y\_2TX  
Setting 26  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	63.72	68.20	-4.48	57.23	3	Horizontal	163	2.17	-	34.40	7.06	34.97
PK	5.797G	114.27	Inf	-Inf	107.89	3	Horizontal	163	2.17	-	34.29	7.13	35.04
AV	5.79G	105.77	Inf	-Inf	99.40	3	Horizontal	163	2.17	-	34.28	7.13	35.04
PK	5.938G	64.14	68.20	-4.06	57.47	3	Horizontal	163	2.17	-	34.58	7.20	35.11

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


18/11/2023

EUT\_Y\_2TX  
Setting 26  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58298G	56.09	74.00	-17.91	42.45	3	Vertical	358	2.27	-	38.80	9.52	34.68
AV	11.57902G	43.41	54.00	-10.59	29.77	3	Vertical	358	2.27	-	38.80	9.52	34.68
PK	17.38932G	63.21	68.20	-4.99	43.89	3	Vertical	304	1.14	-	41.86	12.57	35.11

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX








EUT\_Y\_2TX  
Setting 26  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58034G	56.20	74.00	-17.80	42.56	3	Horizontal	159	1.54	-	38.80	9.52	34.68
AV	11.57992G	43.31	54.00	-10.69	29.67	3	Horizontal	159	1.54	-	38.80	9.52	34.68
PK	17.38266G	63.26	68.20	-4.94	43.98	3	Horizontal	165	1.39	-	41.83	12.56	35.11

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


09/11/2023

EUT\_Y\_2TX  
 Setting 23  
 04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.79	74.00	-7.21	61.55	3	Vertical	14	1.80	-	32.60	5.90	33.26
AV	5.148G	52.99	54.00	-1.01	47.75	3	Vertical	14	1.80	-	32.60	5.90	33.26
PK	5.198G	114.98	Inf	-Inf	109.64	3	Vertical	14	1.80	-	32.70	5.92	33.28
AV	5.212G	98.93	Inf	-Inf	93.59	3	Vertical	14	1.80	-	32.70	5.93	33.29
PK	5.397G	58.62	74.00	-15.38	52.76	3	Vertical	14	1.80	-	33.09	6.12	33.35
AV	5.392G	46.68	54.00	-7.32	40.85	3	Vertical	14	1.80	-	33.07	6.11	33.35

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	70.58	74.00	-3.42	65.35	3	Horizontal	162.3	1.75	-	32.59	5.90	33.26
AV	5.15G	51.59	54.00	-2.41	46.35	3	Horizontal	162.3	1.75	-	32.60	5.90	33.26
PK	5.195G	105.54	Inf	-Inf	100.21	3	Horizontal	162.3	1.75	-	32.69	5.92	33.28
AV	5.206G	94.51	Inf	-Inf	89.16	3	Horizontal	162.3	1.75	-	32.70	5.93	33.28
PK	5.452G	57.97	74.00	-16.03	51.88	3	Horizontal	162.3	1.75	-	33.31	6.15	33.37
AV	5.458G	45.99	54.00	-8.01	39.86	3	Horizontal	162.3	1.75	-	33.35	6.15	33.37



5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4024G	55.85	68.20	-12.35	42.10	3	Vertical	146	2.24	-	38.60	8.92	33.77
PK	15.6233G	60.73	74.00	-13.27	46.31	3	Vertical	111	1.11	-	38.21	11.27	35.06
AV	15.6113G	47.24	54.00	-6.76	32.72	3	Vertical	111	1.11	-	38.31	11.27	35.06

5.15-5.25GHz\_802.11ax\_HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX








EUT\_Y\_2TX  
Setting 23  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4062G	55.82	68.20	-12.38	42.07	3	Horizontal	353	2.84	-	38.60	8.92	33.77
PK	15.6306G	60.21	74.00	-13.79	45.83	3	Horizontal	233	1.61	-	38.16	11.27	35.05
AV	15.6099G	47.34	54.00	-6.66	32.82	3	Horizontal	233	1.61	-	38.32	11.26	35.06

5.25-5.35GHz\_802.11ax\_HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


09/11/2023

EUT\_Y\_2TX  
Setting 22  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	57.57	74.00	-16.43	52.40	3	Vertical	334.1	1.33	-	32.54	5.88	33.25
AV	5.07G	46.34	54.00	-7.66	41.16	3	Vertical	334.1	1.33	-	32.56	5.86	33.24
PK	5.288G	109.17	Inf	-Inf	103.69	3	Vertical	334.1	1.33	-	32.78	6.01	33.31
AV	5.258G	102.49	Inf	-Inf	97.09	3	Vertical	334.1	1.33	-	32.72	5.98	33.30
PK	5.35G	65.44	74.00	-8.56	59.81	3	Vertical	334.1	1.33	-	32.90	6.07	33.34
AV	5.35G	51.88	54.00	-2.12	46.25	3	Vertical	334.1	1.33	-	32.90	6.07	33.34
PK	5.5G	58.79	68.20	-9.41	52.41	3	Vertical	334.1	1.33	-	33.60	6.17	33.39

5.25-5.35GHz\_802.11ax\_HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.059G	56.98	74.00	-17.02	51.77	3	Horizontal	165.4	1.80	-	32.58	5.86	33.23
AV	5.046G	45.08	54.00	-8.92	39.85	3	Horizontal	165.4	1.80	-	32.61	5.85	33.23
PK	5.265G	103.54	Inf	-Inf	98.14	3	Horizontal	165.4	1.80	-	32.73	5.98	33.31
AV	5.265G	93.39	Inf	-Inf	87.99	3	Horizontal	165.4	1.80	-	32.73	5.98	33.31
PK	5.351G	60.56	74.00	-13.44	54.93	3	Horizontal	165.4	1.80	-	32.90	6.07	33.34
AV	5.351G	47.45	54.00	-6.55	41.82	3	Horizontal	165.4	1.80	-	32.90	6.07	33.34
PK	5.522G	59.33	68.20	-8.87	52.91	3	Horizontal	165.4	1.80	-	33.64	6.18	33.40

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5893G	56.06	68.20	-12.14	42.09	3	Vertical	76	1.79	-	38.88	9.01	33.92
PK	15.8667G	59.29	74.00	-14.71	44.80	3	Vertical	326	2.93	-	38.13	11.39	35.03
AV	15.8852G	46.60	54.00	-7.40	32.05	3	Vertical	326	2.93	-	38.17	11.40	35.02

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5652G	55.93	68.20	-12.27	42.00	3	Horizontal	79	1.39	-	38.83	9.00	33.90
PK	15.886G	60.59	74.00	-13.41	46.04	3	Horizontal	34	1.40	-	38.17	11.40	35.02
AV	15.8599G	46.63	54.00	-7.37	32.16	3	Horizontal	34	1.40	-	38.12	11.38	35.03

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	58.74	68.20	-9.46	53.20	3	Vertical	256.5	1.81	-	32.83	6.03	33.32
PK	5.458G	64.75	74.00	-9.25	58.62	3	Vertical	256.5	1.81	-	33.35	6.15	33.37
AV	5.459G	52.21	54.00	-1.79	46.09	3	Vertical	256.5	1.81	-	33.35	6.15	33.38
PK	5.462G	66.88	68.20	-1.32	60.74	3	Vertical	256.5	1.81	-	33.37	6.15	33.38
PK	5.501G	117.19	Inf	-Inf	110.81	3	Vertical	256.5	1.81	-	33.60	6.17	33.39
AV	5.497G	103.08	Inf	-Inf	96.72	3	Vertical	256.5	1.81	-	33.58	6.17	33.39
PK	5.761G	59.38	68.20	-8.82	52.60	3	Vertical	256.5	1.81	-	34.04	6.20	33.46

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-R-7-10





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.38	68.20	-10.62	51.95	3	Horizontal	164	1.80	-	32.90	6.07	33.34
PK	5.46G	61.00	74.00	-13.00	54.87	3	Horizontal	164	1.80	-	33.36	6.15	33.38
AV	5.458G	48.74	54.00	-5.26	42.61	3	Horizontal	164	1.80	-	33.35	6.15	33.37
PK	5.469G	62.80	68.20	-5.40	56.62	3	Horizontal	164	1.80	-	33.41	6.15	33.38
PK	5.505G	107.52	Inf	-Inf	101.13	3	Horizontal	164	1.80	-	33.61	6.17	33.39
AV	5.501G	100.36	Inf	-Inf	93.98	3	Horizontal	164	1.80	-	33.60	6.17	33.39
PK	5.749G	59.12	68.20	-9.08	52.37	3	Horizontal	164	1.80	-	34.00	6.21	33.46



5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


18/11/2023

EUT\_Y\_2TX  
 Setting 23  
 04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0557G	56.51	74.00	-17.49	42.79	3	Vertical	44	1.23	-	38.80	9.25	34.33
AV	11.0371G	43.41	54.00	-10.59	29.65	3	Vertical	44	1.23	-	38.83	9.24	34.31
PK	16.5805G	61.53	68.20	-6.67	45.20	3	Vertical	331	2.31	-	39.34	11.92	34.93

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Y\_2TX  
Setting 23  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0501G	55.91	74.00	-18.09	42.18	3	Horizontal	13	2.79	-	38.80	9.25	34.32
AV	11.0368G	43.18	54.00	-10.82	29.42	3	Horizontal	13	2.79	-	38.83	9.24	34.31
PK	16.5734G	61.58	68.20	-6.62	45.25	3	Horizontal	343	2.17	-	39.35	11.91	34.93

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.412G	60.10	74.00	-13.90	54.18	3	Vertical	256	1.80	-	33.15	6.13	33.36
PK	5.464G	60.96	68.20	-7.24	54.81	3	Vertical	256	1.80	-	33.38	6.15	33.38
AV	5.46G	47.98	54.00	-6.02	41.85	3	Vertical	256	1.80	-	33.36	6.15	33.38
PK	5.581G	119.24	Inf	-Inf	112.74	3	Vertical	256	1.80	-	33.70	6.21	33.41
AV	5.576G	106.16	Inf	-Inf	99.66	3	Vertical	256	1.80	-	33.70	6.21	33.41
PK	5.727G	66.27	68.20	-1.93	59.60	3	Vertical	256	1.80	-	33.91	6.21	33.45

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUTY\_2TX  
Setting 25  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	59.22	74.00	-14.78	53.15	3	Horizontal	202.5	1.80	-	33.30	6.14	33.37
AV	5.413G	46.74	54.00	-7.26	40.82	3	Horizontal	202.5	1.80	-	33.15	6.13	33.36
PK	5.469G	58.43	68.20	-9.77	52.25	3	Horizontal	202.5	1.80	-	33.41	6.15	33.38
PK	5.586G	106.30	Inf	-Inf	99.80	3	Horizontal	202.5	1.80	-	33.70	6.21	33.41
AV	5.611G	93.56	Inf	-Inf	87.06	3	Horizontal	202.5	1.80	-	33.70	6.22	33.42
PK	5.727G	64.02	68.20	-4.18	57.35	3	Horizontal	202.5	1.80	-	33.91	6.21	33.45

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2439G	55.72	74.00	-18.28	42.18	3	Vertical	175	2.25	-	38.69	9.34	34.49
AV	11.1989G	42.85	54.00	-11.15	29.38	3	Vertical	175	2.25	-	38.60	9.32	34.45
PK	16.8063G	62.96	68.20	-5.24	45.83	3	Vertical	267	2.29	-	40.03	12.10	35.00

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Y\_2TX  
Setting 25  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2378G	55.32	74.00	-18.68	41.78	3	Horizontal	326	2.56	-	38.68	9.34	34.48
AV	11.1998G	43.09	54.00	-10.91	29.62	3	Horizontal	326	2.56	-	38.60	9.32	34.45
PK	16.824G	61.72	68.20	-6.48	44.51	3	Horizontal	130	1.82	-	40.10	12.11	35.00

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 26.5  
04-F-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3498G	56.76	68.20	-11.44	51.13	3	Vertical	14	1.80	-	32.90	6.07	33.34
PK	5.3974G	58.70	74.00	-15.30	52.84	3	Vertical	14	1.80	-	33.09	6.12	33.35
PK	5.47G	58.40	68.20	-9.80	52.21	3	Vertical	14	1.80	-	33.42	6.15	33.38
AV	5.46G	47.52	54.00	-6.48	41.39	3	Vertical	14	1.80	-	33.36	6.15	33.38
PK	5.6522G	115.10	Inf	-Inf	108.62	3	Vertical	14	1.80	-	33.70	6.21	33.43
AV	5.6592G	106.09	Inf	-Inf	99.59	3	Vertical	14	1.80	-	33.72	6.21	33.43
PK	5.8538G	65.46	68.20	-2.74	58.28	3	Vertical	14	1.80	-	34.42	6.25	33.49

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 26.5  
04-F-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	57.13	68.20	-11.07	51.50	3	Horizontal	162	1.80	-	32.89	6.07	33.33
PK	5.4058G	58.45	74.00	-15.55	52.57	3	Horizontal	162	1.80	-	33.12	6.12	33.36
PK	5.4674G	57.52	68.20	-10.68	51.35	3	Horizontal	162	1.80	-	33.40	6.15	33.38
AV	5.459G	46.47	54.00	-7.53	40.35	3	Horizontal	162	1.80	-	33.35	6.15	33.38
PK	5.6858G	107.08	Inf	-Inf	100.54	3	Horizontal	162	1.80	-	33.77	6.21	33.44
AV	5.6606G	100.79	Inf	-Inf	94.29	3	Horizontal	162	1.80	-	33.72	6.21	33.43
PK	5.865G	61.06	68.20	-7.14	53.80	3	Horizontal	162	1.80	-	34.49	6.26	33.49



5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 26.5  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3972G	57.20	74.00	-16.80	43.60	3	Vertical	327	1.16	-	38.80	9.42	34.62
AV	11.359G	43.98	54.00	-10.02	30.37	3	Vertical	327	1.16	-	38.80	9.40	34.59
PK	17.0833G	63.78	68.20	-4.42	45.62	3	Vertical	97	1.90	-	40.90	12.32	35.06

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 26.5  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3893G	56.47	74.00	-17.53	42.86	3	Horizontal	219	1.22	-	38.80	9.42	34.61
AV	11.3655G	44.07	54.00	-9.93	30.45	3	Horizontal	219	1.22	-	38.80	9.41	34.59
PK	17.0702G	63.03	68.20	-5.17	44.96	3	Horizontal	266	2.00	-	40.82	12.31	35.06

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


09/11/2023

EUT\_Y\_2TX  
Setting 24  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.99	68.20	-1.21	60.50	3	Vertical	252	1.80	-	34.40	7.06	34.97
PK	5.752G	116.47	Inf	-Inf	110.18	3	Vertical	252	1.80	-	34.20	7.11	35.02
AV	5.75G	105.81	Inf	-Inf	99.52	3	Vertical	252	1.80	-	34.20	7.11	35.02
PK	6.023G	64.03	68.20	-4.17	57.15	3	Vertical	252	1.80	-	34.75	7.26	35.13

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Lim.PK  
PK  
Lim.AV  
AV


09/11/2023

EUT\_Y\_2TX  
Setting 24  
03-G-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.547G	63.63	68.20	-4.57	56.90	3	Horizontal	192	1.32	-	34.60	7.05	34.92
PK	5.748G	109.88	Inf	-Inf	103.59	3	Horizontal	192	1.32	-	34.20	7.11	35.02
AV	5.739G	101.85	Inf	-Inf	95.56	3	Horizontal	192	1.32	-	34.20	7.10	35.01
PK	5.977G	62.78	68.20	-5.42	56.04	3	Horizontal	192	1.32	-	34.65	7.22	35.13

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Y\_2TX  
Setting 24  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53G	55.86	74.00	-18.14	42.27	3	Vertical	151	1.38	-	38.80	9.49	34.70
AV	11.5305G	43.50	54.00	-10.50	29.91	3	Vertical	151	1.38	-	38.80	9.49	34.70
PK	17.3281G	63.75	68.20	-4.45	44.67	3	Vertical	154	2.05	-	41.66	12.52	35.10

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Y\_2TX  
Setting 24  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5421G	56.22	74.00	-17.78	42.62	3	Horizontal	287	1.90	-	38.80	9.50	34.70
AV	11.537G	43.48	54.00	-10.52	29.89	3	Horizontal	287	1.90	-	38.80	9.49	34.70
PK	17.3126G	64.24	68.20	-3.96	45.20	3	Horizontal	55	1.12	-	41.63	12.51	35.10

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_2TX  
Setting Z1  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	62.87	74.00	-11.13	57.32	3	Vertical	328.7	1.80	-	32.92	5.89	33.26
AV	5.1252G	49.98	54.00	-4.02	44.40	3	Vertical	328.7	1.80	-	32.95	5.89	33.26
PK	5.2452G	105.84	Inf	-Inf	100.18	3	Vertical	328.7	1.80	-	32.99	5.97	33.30
AV	5.242G	103.70	Inf	-Inf	98.06	3	Vertical	328.7	1.80	-	32.98	5.96	33.30
PK	5.362G	62.34	74.00	-11.66	56.35	3	Vertical	328.7	1.80	-	33.25	6.08	33.34
AV	5.3524G	49.93	54.00	-4.07	43.99	3	Vertical	328.7	1.80	-	33.21	6.07	33.34
PK	5.5444G	59.79	68.20	-8.41	53.11	3	Vertical	328.7	1.80	-	33.89	6.19	33.40

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_2TX  
Setting Z1  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0484G	57.93	74.00	-16.07	52.31	3	Horizontal	253.1	2.36	-	33.00	5.85	33.23
AV	5.1348G	47.00	54.00	-7.00	41.44	3	Horizontal	253.1	2.36	-	32.93	5.89	33.26
PK	5.2548G	96.80	Inf	-Inf	91.11	3	Horizontal	253.1	2.36	-	33.02	5.97	33.30
AV	5.242G	89.60	Inf	-Inf	83.96	3	Horizontal	253.1	2.36	-	32.98	5.96	33.30
PK	5.4212G	59.16	74.00	-14.84	52.86	3	Horizontal	253.1	2.36	-	33.53	6.13	33.36
AV	5.4468G	46.97	54.00	-7.03	40.52	3	Horizontal	253.1	2.36	-	33.68	6.14	33.37
PK	5.562G	60.10	68.20	-8.10	53.36	3	Horizontal	253.1	2.36	-	33.95	6.20	33.41



5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_2TX  
Setting 21  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4878G	56.51	68.20	-11.69	42.70	3	Vertical	23	2.30	-	38.68	8.96	33.83
PK	15.7563G	59.53	74.00	-14.47	45.13	3	Vertical	304	1.88	-	38.11	11.33	35.04
AV	15.7637G	47.08	54.00	-6.92	32.65	3	Vertical	304	1.88	-	38.13	11.34	35.04

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_2TX  
Setting 21  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4775G	56.25	68.20	-11.95	42.46	3	Horizontal	192	1.60	-	38.66	8.95	33.82
PK	15.7262G	59.99	74.00	-14.01	45.75	3	Horizontal	185	1.48	-	37.96	11.32	35.04
AV	15.7681G	47.02	54.00	-6.98	32.58	3	Horizontal	185	1.48	-	38.14	11.34	35.04

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	58.42	68.20	-9.78	52.85	3	Vertical	240	1.80	-	32.85	6.05	33.33
PK	5.4548G	65.79	74.00	-8.21	59.68	3	Vertical	240	1.80	-	33.33	6.15	33.37
AV	5.4596G	52.01	54.00	-1.99	45.88	3	Vertical	240	1.80	-	33.36	6.15	33.38
PK	5.4644G	65.53	68.20	-2.67	59.37	3	Vertical	240	1.80	-	33.39	6.15	33.38
AV	5.4964G	103.54	Inf	-Inf	97.18	3	Vertical	240	1.80	-	33.58	6.17	33.39
PK	5.5764G	106.95	Inf	-Inf	100.45	3	Vertical	240	1.80	-	33.70	6.21	33.41
PK	5.7332G	64.14	68.20	-4.06	57.46	3	Vertical	240	1.80	-	33.93	6.21	33.46

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	58.01	68.20	-10.19	52.51	3	Horizontal	171.1	2.24	-	32.80	6.02	33.32
PK	5.4548G	61.22	74.00	-12.78	55.11	3	Horizontal	171.1	2.24	-	33.33	6.15	33.37
AV	5.4564G	49.78	54.00	-4.22	43.66	3	Horizontal	171.1	2.24	-	33.34	6.15	33.37
PK	5.466G	62.45	68.20	-5.75	56.28	3	Horizontal	171.1	2.24	-	33.40	6.15	33.38
PK	5.506G	106.97	Inf	-Inf	100.58	3	Horizontal	171.1	2.24	-	33.61	6.17	33.39
AV	5.5076G	93.32	Inf	-Inf	86.92	3	Horizontal	171.1	2.24	-	33.62	6.17	33.39
PK	5.7252G	61.21	68.20	-6.99	54.55	3	Horizontal	171.1	2.24	-	33.90	6.21	33.45

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUT\_Y\_2TX  
Setting 22  
04-F-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1282G	55.88	74.00	-18.12	42.29	3	Vertical	232	1.30	-	38.69	9.29	34.39
AV	11.1155G	43.68	54.00	-10.32	30.04	3	Vertical	232	1.30	-	38.74	9.28	34.38
PK	16.734G	61.08	68.20	-7.12	44.28	3	Vertical	20	1.46	-	39.74	12.04	34.98

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TX



EUT\_Y\_2TX  
Setting 22  
04-F-M-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1292G	56.32	74.00	-17.68	42.74	3	Horizontal	303	1.69	-	38.68	9.29	34.39
AV	11.115G	43.64	54.00	-10.36	30.00	3	Horizontal	303	1.69	-	38.74	9.28	34.38
PK	16.7011G	61.00	68.20	-7.20	44.36	3	Horizontal	340	2.51	-	39.60	12.01	34.97



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.705G	25.09	54.00	-28.91	Vertical


Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.71372G	32.44	74.00	-41.56	-3.17	3	Vertical	112	1.80	-	35.61	26.57	3.11	32.85
AV	1.705G	25.09	54.00	-28.91	-3.36	3	Vertical	112	1.80	"Worst"	28.45	26.40	3.10	32.86



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72046G	30.85	74.00	-43.15	-3.03	3	Horizontal	157	1.82	-	33.88	26.70	3.11	32.84
AV	1.71114G	24.40	54.00	-29.60	-3.23	3	Horizontal	157	1.82	"Worst"	27.63	26.52	3.11	32.86