


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 49
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	114.56	Inf	-Inf	108.49	3	Horizontal	199	1.80	-	34.20	6.87	35.00
AV	5.7152G	102.04	Inf	-Inf	95.97	3	Horizontal	199	1.80	-	34.20	6.87	35.00
PK	5.8616G	61.98	68.20	-6.22	55.84	3	Horizontal	199	1.80	-	34.35	6.86	35.07

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 49
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4412G	60.66	74.00	-13.34	54.71	3	Vertical	49	1.97	-	38.78	10.45	43.28
AV	11.44012G	48.97	54.00	-5.03	43.02	3	Vertical	49	1.97	-	38.78	10.45	43.28
PK	17.17026G	62.59	68.20	-5.61	49.70	3	Vertical	10	2.83	-	40.44	14.50	42.05

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 49
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44237G	57.02	74.00	-16.98	51.07	3	Horizontal	258	2.63	-	38.78	10.45	43.28
AV	11.44114G	45.00	54.00	-9.00	39.05	3	Horizontal	258	2.63	-	38.78	10.45	43.28
PK	17.15496G	64.06	68.20	-4.14	51.21	3	Horizontal	254	1.98	-	40.41	14.49	42.05

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_V_2TX
 Setting 48
 03-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	65.19	68.20	-3.01	58.70	3	Vertical	29	1.57	-	34.40	7.06	34.97
PK	5.747G	125.36	Inf	-Inf	119.07	3	Vertical	29	1.57	-	34.20	7.11	35.02
AV	5.746G	113.42	Inf	-Inf	107.13	3	Vertical	29	1.57	-	34.20	7.11	35.02
PK	5.99G	59.67	68.20	-8.53	52.90	3	Vertical	29	1.57	-	34.68	7.23	35.14

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 48
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.54	68.20	-6.66	55.22	3	Horizontal	212	1.80	-	34.40	6.89	34.97
PK	5.747G	114.18	Inf	-Inf	108.14	3	Horizontal	212	1.80	-	34.20	6.86	35.02
AV	5.745G	103.63	Inf	-Inf	97.59	3	Horizontal	212	1.80	-	34.20	6.86	35.02
PK	5.993G	60.81	68.20	-7.39	54.35	3	Horizontal	212	1.80	-	34.69	6.91	35.14

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 48
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48946G	59.21	74.00	-14.79	53.08	3	Vertical	0	2.07	-	38.96	10.47	43.30
AV	11.48991G	46.60	54.00	-7.40	40.47	3	Vertical	0	2.07	-	38.96	10.47	43.30
PK	17.23089G	60.74	68.20	-7.46	47.61	3	Vertical	225	2.13	-	40.62	14.54	42.03

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 48
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49282G	56.34	74.00	-17.66	50.20	3	Horizontal	252	2.56	-	38.97	10.47	43.30
AV	11.49024G	43.39	54.00	-10.61	37.26	3	Horizontal	252	2.56	-	38.96	10.47	43.30
PK	17.23308G	61.34	68.20	-6.86	48.20	3	Horizontal	343	1.80	-	40.63	14.54	42.03

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
 Setting 49
 03-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	67.12	69.68	-2.56	60.64	3	Vertical	26	2.17	-	34.39	7.06	34.97
PK	5.78G	125.27	Inf	-Inf	118.92	3	Vertical	26	2.17	-	34.26	7.12	35.03
AV	5.782G	113.30	Inf	-Inf	106.96	3	Vertical	26	2.17	-	34.26	7.12	35.04
PK	5.928G	64.88	68.20	-3.32	58.24	3	Vertical	26	2.17	-	34.56	7.19	35.11

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
 Setting 49
 03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	60.62	68.20	-7.58	54.26	3	Horizontal	192.5	1.80	-	34.40	6.91	34.95
PK	5.786G	113.82	Inf	-Inf	107.75	3	Horizontal	192.5	1.80	-	34.27	6.84	35.04
AV	5.786G	102.65	Inf	-Inf	96.58	3	Horizontal	192.5	1.80	-	34.27	6.84	35.04
PK	5.928G	63.87	68.20	-4.33	57.54	3	Horizontal	192.5	1.80	-	34.56	6.88	35.11

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 49
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57339G	60.52	74.00	-13.48	54.06	3	Vertical	0	1.80	-	39.25	10.50	43.29
AV	11.57G	48.53	54.00	-5.47	42.08	3	Vertical	0	1.80	-	39.24	10.50	43.29
PK	17.35218G	61.20	68.20	-7.00	47.19	3	Vertical	334	1.80	-	41.41	14.61	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 49
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56682G	57.31	74.00	-16.69	50.87	3	Horizontal	250	2.36	-	39.23	10.50	43.29
AV	11.56649G	45.19	54.00	-8.81	38.75	3	Horizontal	250	2.36	-	39.23	10.50	43.29
PK	17.35383G	62.44	68.20	-5.76	48.42	3	Horizontal	259	2.02	-	41.42	14.61	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 48
03-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	59.59	68.20	-8.61	53.10	3	Vertical	30	1.80	-	34.40	7.06	34.97
PK	5.826G	123.88	Inf	-Inf	117.50	3	Vertical	30	1.80	-	34.30	7.14	35.06
AV	5.818G	110.79	Inf	-Inf	104.40	3	Vertical	30	1.80	-	34.30	7.14	35.05
PK	5.93G	62.26	68.20	-5.94	55.61	3	Vertical	30	1.80	-	34.56	7.20	35.11

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 48
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	60.99	68.20	-7.21	54.63	3	Horizontal	192.7	1.80	-	34.40	6.91	34.95
PK	5.818G	112.71	Inf	-Inf	106.61	3	Horizontal	192.7	1.80	-	34.30	6.85	35.05
AV	5.819G	102.00	Inf	-Inf	95.90	3	Horizontal	192.7	1.80	-	34.30	6.85	35.05
PK	6.06G	61.61	68.20	-6.59	54.90	3	Horizontal	192.7	1.80	-	34.84	6.99	35.12

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 48
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64694G	57.37	74.00	-16.63	50.81	3	Vertical	72	1.80	-	39.30	10.54	43.28
AV	11.64985G	45.13	54.00	-8.87	38.57	3	Vertical	72	1.80	-	39.30	10.54	43.28
PK	17.46144G	62.07	68.20	-6.13	47.28	3	Vertical	360	1.80	-	42.09	14.68	41.98

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 48
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6548G	55.82	74.00	-18.18	49.25	3	Horizontal	112	2.57	-	39.31	10.54	43.28
AV	11.65513G	43.39	54.00	-10.61	36.82	3	Horizontal	112	2.57	-	39.31	10.54	43.28
PK	17.46198G	62.52	68.20	-5.68	47.72	3	Horizontal	14	1.80	-	42.10	14.68	41.98

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
 Setting 34
 03-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.98	74.00	-9.02	59.02	3	Vertical	104	1.49	-	34.10	6.71	34.85
AV	5.15G	52.91	54.00	-1.09	46.95	3	Vertical	104	1.49	-	34.10	6.71	34.85
PK	5.1944G	114.80	Inf	-Inf	108.96	3	Vertical	104	1.49	-	34.01	6.69	34.86
AV	5.1912G	103.74	Inf	-Inf	97.89	3	Vertical	104	1.49	-	34.02	6.69	34.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
 Setting 34
 03-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	60.01	74.00	-13.99	54.08	3	Horizontal	44	2.24	-	34.07	6.71	34.85
AV	5.1496G	48.86	54.00	-5.14	42.90	3	Horizontal	44	2.24	-	34.10	6.71	34.85
PK	5.1916G	108.13	Inf	-Inf	102.28	3	Horizontal	44	2.24	-	34.02	6.69	34.86
AV	5.1916G	95.97	Inf	-Inf	90.12	3	Horizontal	44	2.24	-	34.02	6.69	34.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 34
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37832G	55.19	68.20	-13.01	50.30	3	Vertical	354	1.80	-	37.94	9.98	43.03
PK	15.56508G	57.98	74.00	-16.02	48.87	3	Vertical	58	2.90	-	38.14	13.50	42.53
AV	15.5646G	45.15	54.00	-8.85	36.05	3	Vertical	58	2.90	-	38.14	13.50	42.54

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 34
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39173G	53.63	68.20	-14.57	48.75	3	Horizontal	239	1.80	-	37.92	9.99	43.03
PK	15.57309G	58.13	74.00	-15.87	49.04	3	Horizontal	152	1.80	-	38.11	13.51	42.53
AV	15.57618G	45.13	54.00	-8.87	36.04	3	Horizontal	152	1.80	-	38.10	13.51	42.52

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 40
03-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.13	74.00	-5.87	62.17	3	Vertical	24	1.53	-	34.10	6.71	34.85
AV	5.1496G	52.20	54.00	-1.80	46.24	3	Vertical	24	1.53	-	34.10	6.71	34.85
PK	5.2316G	117.65	Inf	-Inf	111.76	3	Vertical	24	1.53	-	34.00	6.75	34.86
AV	5.2312G	105.41	Inf	-Inf	99.52	3	Vertical	24	1.53	-	34.00	6.75	34.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 40
03-H-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.61	74.00	-7.39	60.69	3	Horizontal	50	2.19	-	34.10	6.67	34.85
AV	5.15G	52.08	54.00	-1.92	46.16	3	Horizontal	50	2.19	-	34.10	6.67	34.85
PK	5.2132G	113.50	Inf	-Inf	107.57	3	Horizontal	50	2.19	-	34.00	6.79	34.86
AV	5.2132G	100.83	Inf	-Inf	94.90	3	Horizontal	50	2.19	-	34.00	6.79	34.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 40
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47464G	63.26	68.20	-4.94	58.32	3	Vertical	9	2.24	-	37.95	10.03	43.04
PK	15.68784G	64.61	74.00	-9.39	55.27	3	Vertical	59	2.69	-	38.15	13.58	42.39
AV	15.69462G	50.99	54.00	-3.01	41.66	3	Vertical	59	2.69	-	38.12	13.59	42.38

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 40
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44308G	58.90	68.20	-9.30	54.02	3	Horizontal	239	1.76	-	37.90	10.01	43.03
PK	15.68526G	63.14	74.00	-10.86	53.80	3	Horizontal	156	1.80	-	38.16	13.58	42.40
AV	15.6822G	49.49	54.00	-4.51	40.14	3	Horizontal	156	1.80	-	38.17	13.58	42.40

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 40
03-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	61.05	74.00	-12.95	55.09	3	Vertical	177	1.95	-	34.10	6.71	34.85
AV	5.15G	47.86	54.00	-6.14	41.90	3	Vertical	177	1.95	-	34.10	6.71	34.85
PK	5.2688G	117.92	Inf	-Inf	111.86	3	Vertical	177	1.95	-	34.11	6.82	34.87
AV	5.2688G	106.14	Inf	-Inf	100.08	3	Vertical	177	1.95	-	34.11	6.82	34.87
PK	5.3546G	67.84	74.00	-6.16	61.24	3	Vertical	177	1.95	-	34.49	6.99	34.88
AV	5.35G	52.47	54.00	-1.53	45.87	3	Vertical	177	1.95	-	34.50	6.98	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 40
03-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	60.45	74.00	-13.55	54.51	3	Horizontal	52	2.27	-	34.08	6.71	34.85
AV	5.1494G	47.06	54.00	-6.94	41.10	3	Horizontal	52	2.27	-	34.10	6.71	34.85
PK	5.2664G	110.67	Inf	-Inf	104.62	3	Horizontal	52	2.27	-	34.10	6.82	34.87
AV	5.279G	98.88	Inf	-Inf	92.74	3	Horizontal	52	2.27	-	34.17	6.84	34.87
PK	5.351G	63.44	74.00	-10.56	56.84	3	Horizontal	52	2.27	-	34.50	6.98	34.88
AV	5.3504G	49.74	54.00	-4.26	43.14	3	Horizontal	52	2.27	-	34.50	6.98	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 40
06-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53877G	62.83	68.20	-5.37	55.65	3	Vertical	64	1.96	-	40.10	10.12	43.04
PK	15.80748G	65.31	74.00	-8.69	56.71	3	Vertical	76	2.96	-	38.27	12.58	42.25
AV	15.80949G	50.48	54.00	-3.52	41.89	3	Vertical	76	2.96	-	38.26	12.58	42.25

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 40
06-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54297G	59.43	68.20	-8.77	52.26	3	Horizontal	244	1.75	-	40.10	10.12	43.05
PK	15.82065G	65.01	74.00	-8.99	56.45	3	Horizontal	160	1.80	-	38.22	12.58	42.24
AV	15.82416G	50.55	54.00	-3.45	41.99	3	Horizontal	160	1.80	-	38.20	12.59	42.23

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
 Setting 36
 03-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	115.20	Inf	-Inf	108.84	3	Vertical	167	2.58	-	34.33	6.90	34.87
AV	5.3064G	103.12	Inf	-Inf	96.76	3	Vertical	167	2.58	-	34.33	6.90	34.87
PK	5.352G	66.36	74.00	-7.64	59.75	3	Vertical	167	2.58	-	34.50	6.99	34.88
AV	5.3508G	52.38	54.00	-1.62	45.78	3	Vertical	167	2.58	-	34.50	6.98	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 36
03-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	108.12	Inf	-Inf	101.74	3	Horizontal	47	1.65	-	34.34	6.91	34.87
AV	5.3112G	96.71	Inf	-Inf	90.33	3	Horizontal	47	1.65	-	34.34	6.91	34.87
PK	5.3508G	61.61	74.00	-12.39	55.01	3	Horizontal	47	1.65	-	34.50	6.98	34.88
AV	5.35G	49.61	54.00	-4.39	43.01	3	Horizontal	47	1.65	-	34.50	6.98	34.88

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 36
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6206G	58.21	74.00	-15.79	53.03	3	Vertical	50	1.80	-	38.14	10.09	43.05
AV	10.61901G	42.54	54.00	-11.46	37.36	3	Vertical	50	1.80	-	38.14	10.09	43.05
PK	15.93018G	58.92	74.00	-15.08	49.75	3	Vertical	10	1.98	-	37.54	13.74	42.11
AV	15.92769G	45.94	54.00	-8.06	36.78	3	Vertical	10	1.98	-	37.54	13.73	42.11

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 36
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62744G	55.73	74.00	-18.27	50.55	3	Horizontal	243	1.70	-	38.15	10.09	43.06
AV	10.62492G	42.90	54.00	-11.10	37.71	3	Horizontal	243	1.70	-	38.15	10.09	43.05
PK	15.94152G	59.79	74.00	-14.21	50.63	3	Horizontal	157	1.80	-	37.52	13.74	42.10
AV	15.93492G	46.22	54.00	-7.78	37.06	3	Horizontal	157	1.80	-	37.53	13.74	42.11

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 37
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	61.61	74.00	-12.39	54.83	3	Vertical	87	2.12	-	34.60	7.07	34.89
AV	5.4584G	48.45	54.00	-5.55	41.67	3	Vertical	87	2.12	-	34.60	7.07	34.89
PK	5.4696G	67.02	68.20	-1.18	60.25	3	Vertical	87	2.12	-	34.60	7.07	34.90
PK	5.516G	116.57	Inf	-Inf	109.82	3	Vertical	87	2.12	-	34.60	7.06	34.91
AV	5.514G	103.67	Inf	-Inf	96.92	3	Vertical	87	2.12	-	34.60	7.06	34.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




17/11/2023

EUT_Y_2TX
Setting 37
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.77	74.00	-11.23	55.99	3	Horizontal	46	2.64	-	34.60	7.07	34.89
AV	5.46G	48.06	54.00	-5.94	41.28	3	Horizontal	46	2.64	-	34.60	7.07	34.89
PK	5.4668G	66.06	68.20	-2.14	59.29	3	Horizontal	46	2.64	-	34.60	7.07	34.90
PK	5.508G	110.84	Inf	-Inf	104.08	3	Horizontal	46	2.64	-	34.60	7.06	34.90
AV	5.5168G	97.54	Inf	-Inf	90.79	3	Horizontal	46	2.64	-	34.60	7.06	34.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 37
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02096G	56.90	74.00	-17.10	51.45	3	Vertical	57	1.80	-	38.30	10.26	43.11
AV	11.00827G	44.09	54.00	-9.91	38.63	3	Vertical	57	1.80	-	38.30	10.26	43.10
PK	16.5312G	57.83	68.20	-10.37	47.45	3	Vertical	14	2.25	-	37.90	14.11	41.63

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 37
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02162G	55.31	74.00	-18.69	49.86	3	Horizontal	252	2.55	-	38.30	10.26	43.11
AV	11.01985G	43.11	54.00	-10.89	37.66	3	Horizontal	252	2.55	-	38.30	10.26	43.11
PK	16.5273G	58.40	68.20	-9.80	48.03	3	Horizontal	254	1.77	-	37.90	14.10	41.63

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
 Setting 39
 03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.07	74.00	-7.93	59.29	3	Vertical	94	2.07	-	34.60	7.07	34.89
AV	5.4588G	49.27	54.00	-4.73	42.49	3	Vertical	94	2.07	-	34.60	7.07	34.89
PK	5.4666G	67.19	68.20	-1.01	60.42	3	Vertical	94	2.07	-	34.60	7.07	34.90
PK	5.5506G	116.25	Inf	-Inf	109.52	3	Vertical	94	2.07	-	34.60	7.05	34.92
AV	5.5536G	103.34	Inf	-Inf	96.63	3	Vertical	94	2.07	-	34.59	7.05	34.93

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 39
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	61.54	74.00	-12.46	54.76	3	Horizontal	45	3.00	-	34.60	7.07	34.89
AV	5.4588G	46.82	54.00	-7.18	40.04	3	Horizontal	45	3.00	-	34.60	7.07	34.89
PK	5.4696G	62.02	68.20	-6.18	55.25	3	Horizontal	45	3.00	-	34.60	7.07	34.90
PK	5.5548G	112.04	Inf	-Inf	105.34	3	Horizontal	45	3.00	-	34.58	7.05	34.93
AV	5.5548G	99.21	Inf	-Inf	92.51	3	Horizontal	45	3.00	-	34.58	7.05	34.93

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 39
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10432G	59.04	74.00	-14.96	53.47	3	Vertical	41	1.80	-	38.41	10.30	43.14
AV	11.10345G	45.88	54.00	-8.12	40.31	3	Vertical	41	1.80	-	38.41	10.30	43.14
PK	16.65993G	58.43	68.20	-9.77	47.36	3	Vertical	343	2.82	-	38.64	14.19	41.76

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 39
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0904G	55.95	74.00	-18.05	50.42	3	Horizontal	304	1.16	-	38.38	10.29	43.14
AV	11.09298G	43.36	54.00	-10.64	37.81	3	Horizontal	304	1.16	-	38.39	10.30	43.14
PK	16.66008G	58.61	68.20	-9.59	47.54	3	Horizontal	157	2.00	-	38.64	14.19	41.76

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 39
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.664G	116.85	Inf	-Inf	110.42	3	Vertical	13	1.67	-	34.34	7.07	34.98
AV	5.667G	104.54	Inf	-Inf	98.12	3	Vertical	13	1.67	-	34.33	7.07	34.98
PK	5.727G	66.21	68.20	-1.99	59.92	3	Vertical	13	1.67	-	34.20	7.10	35.01

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
 Setting 39
 03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6718G	108.60	Inf	-Inf	102.20	3	Horizontal	37	2.71	-	34.31	7.07	34.98
AV	5.6682G	96.48	Inf	-Inf	90.06	3	Horizontal	37	2.71	-	34.33	7.07	34.98
PK	5.7282G	63.08	68.20	-5.12	56.79	3	Horizontal	37	2.71	-	34.20	7.10	35.01

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 39
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35347G	56.17	74.00	-17.83	50.39	3	Vertical	48	1.98	-	38.61	10.41	43.24
AV	11.34207G	43.81	54.00	-10.19	38.07	3	Vertical	48	1.98	-	38.58	10.40	43.24
PK	17.01282G	59.20	68.20	-9.00	46.86	3	Vertical	46	1.80	-	40.03	14.40	42.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 39
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33127G	53.56	74.00	-20.44	47.83	3	Horizontal	3	1.80	-	38.56	10.40	43.23
AV	11.33883G	41.31	54.00	-12.69	35.57	3	Horizontal	3	1.80	-	38.58	10.40	43.24
PK	16.99869G	60.11	68.20	-8.09	47.82	3	Horizontal	221	1.80	-	39.99	14.39	42.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 46
 03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7276G	118.88	Inf	-Inf	112.59	3	Vertical	15	1.96	-	34.20	7.10	35.01
AV	5.7276G	106.03	Inf	-Inf	99.74	3	Vertical	15	1.96	-	34.20	7.10	35.01
PK	5.854G	66.54	68.20	-1.66	60.13	3	Vertical	15	1.96	-	34.32	7.16	35.07

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 46
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7236G	109.58	Inf	-Inf	103.29	3	Horizontal	211	1.80	-	34.20	7.10	35.01
AV	5.7276G	96.76	Inf	-Inf	90.47	3	Horizontal	211	1.80	-	34.20	7.10	35.01
PK	5.8508G	62.53	68.20	-5.67	56.14	3	Horizontal	211	1.80	-	34.30	7.16	35.07

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 46
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41922G	57.61	74.00	-16.39	51.70	3	Vertical	48	1.98	-	38.74	10.44	43.27
AV	11.40917G	44.72	54.00	-9.28	38.83	3	Vertical	48	1.98	-	38.72	10.43	43.26
PK	17.1396G	59.74	68.20	-8.46	46.96	3	Vertical	120	2.19	-	40.36	14.48	42.06

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 46
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40764G	54.36	74.00	-19.64	48.47	3	Horizontal	258	2.57	-	38.72	10.43	43.26
AV	11.43125G	42.06	54.00	-11.94	36.13	3	Horizontal	258	2.57	-	38.76	10.44	43.27
PK	17.14269G	60.77	68.20	-7.43	47.98	3	Horizontal	260	2.04	-	40.37	14.48	42.06

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 45
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.65	68.20	-1.55	60.16	3	Vertical	93	1.80	-	34.40	7.06	34.97
PK	5.756G	119.43	Inf	-Inf	113.13	3	Vertical	93	1.80	-	34.21	7.11	35.02
AV	5.754G	106.66	Inf	-Inf	100.36	3	Vertical	93	1.80	-	34.21	7.11	35.02
PK	5.935G	60.89	68.20	-7.31	54.23	3	Vertical	93	1.80	-	34.57	7.20	35.11

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
 Setting 45
 03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.76	68.20	-5.44	56.27	3	Horizontal	197	1.21	-	34.40	7.06	34.97
PK	5.753G	112.87	Inf	-Inf	106.57	3	Horizontal	197	1.21	-	34.21	7.11	35.02
AV	5.757G	99.89	Inf	-Inf	93.59	3	Horizontal	197	1.21	-	34.21	7.11	35.02
PK	6.001G	59.17	68.20	-9.03	52.38	3	Horizontal	197	1.21	-	34.70	7.23	35.14

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 45
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51882G	57.46	74.00	-16.54	51.20	3	Vertical	6	1.80	-	39.08	10.48	43.30
AV	11.51507G	44.31	54.00	-9.69	38.07	3	Vertical	6	1.80	-	39.06	10.48	43.30
PK	17.27412G	59.97	68.20	-8.23	46.59	3	Vertical	51	1.80	-	40.84	14.56	42.02

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 45
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50934G	55.09	74.00	-18.91	48.87	3	Horizontal	256	2.62	-	39.04	10.48	43.30
AV	11.52032G	42.48	54.00	-11.52	36.22	3	Horizontal	256	2.62	-	39.08	10.48	43.30
PK	17.27934G	61.14	68.20	-7.06	47.71	3	Horizontal	254	2.42	-	40.88	14.57	42.02

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 43
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.15	68.20	-8.05	53.66	3	Vertical	251	1.80	-	34.40	7.06	34.97
PK	5.806G	117.84	Inf	-Inf	111.46	3	Vertical	251	1.80	-	34.30	7.13	35.05
AV	5.797G	105.22	Inf	-Inf	98.84	3	Vertical	251	1.80	-	34.29	7.13	35.04
PK	5.932G	64.21	68.20	-3.99	57.56	3	Vertical	251	1.80	-	34.56	7.20	35.11

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 43
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.31	68.20	-9.89	51.82	3	Horizontal	196	1.80	-	34.40	7.06	34.97
PK	5.793G	109.67	Inf	-Inf	103.29	3	Horizontal	196	1.80	-	34.29	7.13	35.04
AV	5.793G	96.72	Inf	-Inf	90.34	3	Horizontal	196	1.80	-	34.29	7.13	35.04
PK	5.924G	60.67	68.94	-8.27	54.03	3	Horizontal	196	1.80	-	34.55	7.19	35.10

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 43
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57809G	56.67	74.00	-17.33	50.19	3	Vertical	5	1.80	-	39.26	10.51	43.29
AV	11.5822G	43.37	54.00	-10.63	36.89	3	Vertical	5	1.80	-	39.26	10.51	43.29
PK	17.39982G	61.34	68.20	-6.86	46.99	3	Vertical	294	1.80	-	41.70	14.64	41.99

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 43
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59108G	54.56	74.00	-19.44	48.06	3	Horizontal	109	2.53	-	39.28	10.51	43.29
AV	11.58112G	41.98	54.00	-12.02	35.50	3	Horizontal	109	2.53	-	39.26	10.51	43.29
PK	17.3958G	61.20	68.20	-7.00	46.89	3	Horizontal	198	1.80	-	41.67	14.64	42.00

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 30
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.71	74.00	-9.29	58.76	3	Vertical	106	1.46	-	34.09	6.71	34.85
AV	5.15G	52.99	54.00	-1.01	47.03	3	Vertical	106	1.46	-	34.10	6.71	34.85
PK	5.205G	107.89	Inf	-Inf	102.05	3	Vertical	106	1.46	-	34.00	6.70	34.86
AV	5.209G	95.96	Inf	-Inf	90.11	3	Vertical	106	1.46	-	34.00	6.71	34.86
PK	5.37G	59.14	74.00	-14.86	52.54	3	Vertical	106	1.46	-	34.46	7.02	34.88
AV	5.37G	47.05	54.00	-6.95	40.45	3	Vertical	106	1.46	-	34.46	7.02	34.88

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 30
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.08	74.00	-13.92	54.12	3	Horizontal	53	1.80	-	34.10	6.71	34.85
AV	5.15G	48.31	54.00	-5.69	42.35	3	Horizontal	53	1.80	-	34.10	6.71	34.85
PK	5.206G	101.12	Inf	-Inf	95.28	3	Horizontal	53	1.80	-	34.00	6.70	34.86
AV	5.206G	88.67	Inf	-Inf	82.83	3	Horizontal	53	1.80	-	34.00	6.70	34.86
PK	5.41G	58.76	74.00	-15.24	52.13	3	Horizontal	53	1.80	-	34.44	7.08	34.89
AV	5.402G	46.40	54.00	-7.60	39.80	3	Horizontal	53	1.80	-	34.41	7.08	34.89

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 30
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42216G	53.78	68.20	-14.42	48.91	3	Vertical	259	1.91	-	37.90	10.00	43.03
PK	15.62919G	55.34	74.00	-18.66	46.08	3	Vertical	21	1.80	-	38.18	13.54	42.46
AV	15.61722G	43.29	54.00	-10.71	34.12	3	Vertical	21	1.80	-	38.10	13.54	42.47

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 30
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41772G	52.26	68.20	-15.94	47.39	3	Horizontal	62	1.80	-	37.90	10.00	43.03
PK	15.61509G	56.12	74.00	-17.88	46.97	3	Horizontal	154	1.01	-	38.09	13.54	42.48
AV	15.62109G	43.53	54.00	-10.47	34.33	3	Horizontal	154	1.01	-	38.13	13.54	42.47

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 34
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	58.84	74.00	-15.16	52.93	3	Vertical	164	2.59	-	34.04	6.72	34.85
AV	5.13G	47.09	54.00	-6.91	41.17	3	Vertical	164	2.59	-	34.06	6.71	34.85
PK	5.306G	109.08	Inf	-Inf	102.73	3	Vertical	164	2.59	-	34.32	6.90	34.87
AV	5.307G	97.28	Inf	-Inf	90.92	3	Vertical	164	2.59	-	34.33	6.90	34.87
PK	5.35G	64.34	74.00	-9.66	57.74	3	Vertical	164	2.59	-	34.50	6.98	34.88
AV	5.351G	52.91	54.00	-1.09	46.31	3	Vertical	164	2.59	-	34.50	6.98	34.88
PK	5.521G	58.48	68.20	-9.72	51.73	3	Vertical	164	2.59	-	34.60	7.06	34.91

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
Setting 34
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.077G	58.05	74.00	-15.95	52.30	3	Horizontal	304	1.80	-	33.86	6.73	34.84
AV	5.105G	45.51	54.00	-8.49	39.62	3	Horizontal	304	1.80	-	34.01	6.72	34.84
PK	5.294G	100.07	Inf	-Inf	93.81	3	Horizontal	304	1.80	-	34.26	6.87	34.87
PK	5.357G	60.44	74.00	-13.56	53.83	3	Horizontal	304	1.80	-	34.49	7.00	34.88
AV	5.328G	89.31	Inf	-Inf	82.84	3	Horizontal	304	1.80	-	34.41	6.94	34.88
AV	5.35G	48.05	54.00	-5.95	41.45	3	Horizontal	304	1.80	-	34.50	6.98	34.88
PK	5.506G	58.33	68.20	-9.87	51.57	3	Horizontal	304	1.80	-	34.60	7.06	34.90

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 34
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58198G	58.81	68.20	-9.39	53.69	3	Vertical	308	2.47	-	38.10	10.07	43.05
PK	15.8652G	57.05	74.00	-16.95	47.95	3	Vertical	11	2.97	-	37.60	13.69	42.19
AV	15.88269G	45.10	54.00	-8.90	35.96	3	Vertical	11	2.97	-	37.60	13.71	42.17

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 34
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59425G	52.88	68.20	-15.32	47.75	3	Horizontal	310	1.05	-	38.10	10.08	43.05
PK	15.85965G	57.33	74.00	-16.67	48.23	3	Horizontal	154	1.80	-	37.60	13.69	42.19
AV	15.88479G	45.24	54.00	-8.76	36.09	3	Horizontal	154	1.80	-	37.60	13.71	42.16

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 34
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.315G	58.55	68.20	-9.65	52.15	3	Vertical	256	2.03	-	34.36	6.91	34.87
PK	5.458G	64.33	74.00	-9.67	57.55	3	Vertical	256	2.03	-	34.60	7.07	34.89
AV	5.458G	52.80	54.00	-1.20	46.02	3	Vertical	256	2.03	-	34.60	7.07	34.89
PK	5.47G	66.45	68.20	-1.75	59.68	3	Vertical	256	2.03	-	34.60	7.07	34.90
PK	5.544G	111.60	Inf	-Inf	104.87	3	Vertical	256	2.03	-	34.60	7.05	34.92
AV	5.539G	99.24	Inf	-Inf	92.51	3	Vertical	256	2.03	-	34.60	7.05	34.92
PK	5.74G	58.45	68.20	-9.75	52.17	3	Vertical	256	2.03	-	34.20	7.10	35.02

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 34
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	57.94	68.20	-10.26	51.34	3	Horizontal	48	3.00	-	34.50	6.98	34.88
PK	5.458G	61.09	74.00	-12.91	54.31	3	Horizontal	48	3.00	-	34.60	7.07	34.89
AV	5.454G	49.00	54.00	-5.00	42.22	3	Horizontal	48	3.00	-	34.60	7.07	34.89
PK	5.469G	61.61	68.20	-6.59	54.84	3	Horizontal	48	3.00	-	34.60	7.07	34.90
PK	5.521G	106.53	Inf	-Inf	99.78	3	Horizontal	48	3.00	-	34.60	7.06	34.91
AV	5.531G	94.50	Inf	-Inf	87.76	3	Horizontal	48	3.00	-	34.60	7.05	34.91
PK	5.725G	57.75	68.20	-10.45	51.46	3	Horizontal	48	3.00	-	34.20	7.10	35.01

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 34
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05748G	54.49	74.00	-19.51	49.02	3	Vertical	46	1.80	-	38.31	10.28	43.12
AV	11.05889G	41.77	54.00	-12.23	36.29	3	Vertical	46	1.80	-	38.32	10.28	43.12
PK	16.57704G	56.12	68.20	-12.08	45.50	3	Vertical	12	2.82	-	38.17	14.13	41.68

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 34
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05814G	52.93	74.00	-21.07	47.45	3	Horizontal	307	1.80	-	38.32	10.28	43.12
AV	11.045G	41.29	54.00	-12.71	35.84	3	Horizontal	307	1.80	-	38.30	10.27	43.12
PK	16.59831G	56.06	68.20	-12.14	45.23	3	Horizontal	157	1.79	-	38.38	14.15	41.70

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 36
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	59.83	74.00	-14.17	53.05	3	Vertical	90	1.80	-	34.60	7.07	34.89
AV	5.45G	48.63	54.00	-5.37	41.85	3	Vertical	90	1.80	-	34.60	7.07	34.89
PK	5.461G	61.68	68.20	-6.52	54.90	3	Vertical	90	1.80	-	34.60	7.07	34.89
PK	5.617G	111.48	Inf	-Inf	104.99	3	Vertical	90	1.80	-	34.40	7.05	34.96
AV	5.607G	99.95	Inf	-Inf	93.46	3	Vertical	90	1.80	-	34.40	7.04	34.95
PK	5.73G	65.87	68.20	-2.33	59.58	3	Vertical	90	1.80	-	34.20	7.10	35.01

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
 Setting 36
 03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	58.54	74.00	-15.46	51.86	3	Horizontal	48	2.97	-	34.50	7.07	34.89
PK	5.468G	58.18	68.20	-10.02	51.41	3	Horizontal	48	2.97	-	34.60	7.07	34.90
AV	5.452G	46.64	54.00	-7.36	39.86	3	Horizontal	48	2.97	-	34.60	7.07	34.89
PK	5.607G	109.22	Inf	-Inf	102.73	3	Horizontal	48	2.97	-	34.40	7.04	34.95
AV	5.604G	96.46	Inf	-Inf	89.97	3	Horizontal	48	2.97	-	34.40	7.04	34.95
PK	5.727G	61.51	68.20	-6.69	55.22	3	Horizontal	48	2.97	-	34.20	7.10	35.01

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 36
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21424G	54.82	74.00	-19.18	49.06	3	Vertical	0	2.45	-	38.60	10.35	43.19
AV	11.22597G	42.60	54.00	-11.40	36.84	3	Vertical	0	2.45	-	38.60	10.35	43.19
PK	16.82817G	59.54	68.20	-8.66	48.07	3	Vertical	360	1.80	-	39.10	14.29	41.92

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
 Setting 36
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20686G	53.61	74.00	-20.39	47.85	3	Horizontal	53	1.42	-	38.60	10.34	43.18
AV	11.22909G	41.60	54.00	-12.40	35.84	3	Horizontal	53	1.42	-	38.60	10.35	43.19
PK	16.84365G	59.10	68.20	-9.10	47.64	3	Horizontal	349	1.47	-	39.10	14.30	41.94

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 38
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.25	74.00	-15.75	51.47	3	Vertical	85	1.29	-	34.60	7.07	34.89
AV	5.442G	46.54	54.00	-7.46	39.79	3	Vertical	85	1.29	-	34.57	7.07	34.89
PK	5.464G	58.02	68.20	-10.18	51.24	3	Vertical	85	1.29	-	34.60	7.07	34.89
PK	5.726G	114.11	Inf	-Inf	107.82	3	Vertical	85	1.29	-	34.20	7.10	35.01
AV	5.728G	101.23	Inf	-Inf	94.94	3	Vertical	85	1.29	-	34.20	7.10	35.01
PK	5.851G	66.44	68.20	-1.76	60.05	3	Vertical	85	1.29	-	34.30	7.16	35.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 38
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	57.89	74.00	-16.11	51.13	3	Horizontal	198	1.58	-	34.58	7.07	34.89
AV	5.453G	45.93	54.00	-8.07	39.15	3	Horizontal	198	1.58	-	34.60	7.07	34.89
PK	5.467G	57.93	68.20	-10.27	51.16	3	Horizontal	198	1.58	-	34.60	7.07	34.90
PK	5.677G	105.28	Inf	-Inf	98.90	3	Horizontal	198	1.58	-	34.29	7.07	34.98
AV	5.692G	93.81	Inf	-Inf	87.49	3	Horizontal	198	1.58	-	34.23	7.08	34.99
PK	5.85G	59.47	68.20	-8.73	53.08	3	Horizontal	198	1.58	-	34.30	7.16	35.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 38
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39257G	54.57	74.00	-19.43	48.71	3	Vertical	0	2.13	-	38.69	10.43	43.26
AV	11.38615G	42.83	54.00	-11.17	36.99	3	Vertical	0	2.13	-	38.67	10.42	43.25
PK	17.07591G	59.81	68.20	-8.39	47.29	3	Vertical	126	1.80	-	40.15	14.44	42.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 38
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39383G	52.94	74.00	-21.06	47.08	3	Horizontal	341	3.00	-	38.69	10.43	43.26
AV	11.3947G	41.11	54.00	-12.89	35.25	3	Horizontal	341	3.00	-	38.69	10.43	43.26
PK	17.08296G	59.66	68.20	-8.54	47.11	3	Horizontal	260	2.41	-	40.17	14.45	42.07

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 40
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.13	68.20	-1.07	60.64	3	Vertical	20	1.80	-	34.40	7.06	34.97
PK	5.789G	113.01	Inf	-Inf	106.64	3	Vertical	20	1.80	-	34.28	7.13	35.04
AV	5.776G	101.00	Inf	-Inf	94.66	3	Vertical	20	1.80	-	34.25	7.12	35.03
PK	5.939G	65.62	68.20	-2.58	58.95	3	Vertical	20	1.80	-	34.58	7.20	35.11

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 40
 03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.37	68.20	-6.83	54.88	3	Horizontal	198	1.00	-	34.40	7.06	34.97
PK	5.764G	107.66	Inf	-Inf	101.35	3	Horizontal	198	1.00	-	34.23	7.11	35.03
AV	5.768G	95.15	Inf	-Inf	88.82	3	Horizontal	198	1.00	-	34.24	7.12	35.03
PK	5.927G	62.18	68.20	-6.02	55.54	3	Horizontal	198	1.00	-	34.55	7.19	35.10

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 40
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56444G	55.19	74.00	-18.81	48.75	3	Vertical	133	1.63	-	39.23	10.50	43.29
AV	11.53707G	43.37	54.00	-10.63	37.02	3	Vertical	133	1.63	-	39.15	10.49	43.29
PK	17.33676G	59.76	68.20	-8.44	45.88	3	Vertical	148	1.03	-	41.29	14.60	42.01

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 40
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53917G	53.97	74.00	-20.03	47.61	3	Horizontal	276	1.35	-	39.16	10.49	43.29
AV	11.55612G	42.55	54.00	-11.45	36.13	3	Horizontal	276	1.35	-	39.21	10.50	43.29
PK	17.33868G	59.92	68.20	-8.28	46.02	3	Horizontal	295	2.69	-	41.31	14.60	42.01

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 31
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.04	74.00	-8.96	59.09	3	Vertical	104	1.52	-	34.09	6.71	34.85
AV	5.1284G	52.89	54.00	-1.11	46.96	3	Vertical	104	1.52	-	34.06	6.72	34.85
PK	5.2532G	105.00	Inf	-Inf	99.06	3	Vertical	104	1.52	-	34.02	6.79	34.87
AV	5.2548G	93.52	Inf	-Inf	87.56	3	Vertical	104	1.52	-	34.03	6.80	34.87
PK	5.35G	63.77	74.00	-10.23	57.17	3	Vertical	104	1.52	-	34.50	6.98	34.88
AV	5.35G	52.97	54.00	-1.03	46.37	3	Vertical	104	1.52	-	34.50	6.98	34.88
PK	5.4916G	58.39	68.20	-9.81	51.63	3	Vertical	104	1.52	-	34.60	7.06	34.90

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 31
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.034G	59.64	74.00	-14.36	54.02	3	Horizontal	144	1.80	-	33.70	6.75	34.83
AV	5.0532G	48.44	54.00	-5.56	42.82	3	Horizontal	144	1.80	-	33.72	6.74	34.84
PK	5.178G	95.77	Inf	-Inf	89.88	3	Horizontal	144	1.80	-	34.04	6.70	34.85
AV	5.1892G	85.41	Inf	-Inf	79.56	3	Horizontal	144	1.80	-	34.02	6.69	34.86
PK	5.4436G	58.27	74.00	-15.73	51.52	3	Horizontal	144	1.80	-	34.57	7.07	34.89
AV	5.35G	47.43	54.00	-6.57	40.83	3	Horizontal	144	1.80	-	34.50	6.98	34.88
PK	5.5908G	58.38	68.20	-9.82	51.84	3	Horizontal	144	1.80	-	34.44	7.04	34.94

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 31
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50933G	53.76	68.20	-14.44	48.74	3	Vertical	20	2.26	-	38.02	10.04	43.04
PK	15.74229G	56.79	74.00	-17.21	47.74	3	Vertical	28	1.79	-	37.76	13.62	42.33
AV	15.75834G	45.42	54.00	-8.58	36.43	3	Vertical	28	1.79	-	37.67	13.63	42.31

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 31
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50549G	53.59	68.20	-14.61	48.58	3	Horizontal	240	1.80	-	38.01	10.04	43.04
PK	15.73647G	56.67	74.00	-17.33	47.59	3	Horizontal	254	1.80	-	37.81	13.61	42.34
AV	15.7641G	45.28	54.00	-8.72	36.31	3	Horizontal	254	1.80	-	37.64	13.63	42.30

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 33
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	59.28	68.20	-8.92	52.72	3	Vertical	22	1.80	-	34.47	6.97	34.88
PK	5.4468G	64.93	74.00	-9.07	58.16	3	Vertical	22	1.80	-	34.59	7.07	34.89
AV	5.45G	52.05	54.00	-1.95	45.27	3	Vertical	22	1.80	-	34.60	7.07	34.89
PK	5.4644G	62.19	68.20	-6.01	55.42	3	Vertical	22	1.80	-	34.60	7.07	34.90
PK	5.6292G	106.14	Inf	-Inf	99.65	3	Vertical	22	1.80	-	34.40	7.05	34.96
AV	5.5652G	94.97	Inf	-Inf	88.31	3	Vertical	22	1.80	-	34.54	7.05	34.93
PK	5.7268G	66.90	68.20	-1.30	60.61	3	Vertical	22	1.80	-	34.20	7.10	35.01

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 33
03-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	59.20	68.20	-9.00	52.76	3	Horizontal	49	2.96	-	34.39	6.93	34.88
PK	5.4324G	60.52	74.00	-13.48	53.81	3	Horizontal	49	2.96	-	34.53	7.07	34.89
PK	5.4612G	60.45	68.20	-7.75	53.67	3	Horizontal	49	2.96	-	34.60	7.07	34.89
AV	5.45G	49.89	54.00	-4.11	43.11	3	Horizontal	49	2.96	-	34.60	7.07	34.89
PK	5.5556G	103.74	Inf	-Inf	97.04	3	Horizontal	49	2.96	-	34.58	7.05	34.93
AV	5.586G	92.00	Inf	-Inf	85.44	3	Horizontal	49	2.96	-	34.46	7.04	34.94
PK	5.73G	61.04	68.20	-7.16	54.75	3	Horizontal	49	2.96	-	34.20	7.10	35.01

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 33
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15098G	55.11	74.00	-18.89	49.45	3	Vertical	56	2.19	-	38.50	10.32	43.16
AV	11.15149G	43.29	54.00	-10.71	37.63	3	Vertical	56	2.19	-	38.50	10.32	43.16
PK	16.69524G	58.34	68.20	-9.86	47.14	3	Vertical	330	1.80	-	38.78	14.21	41.79

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 33
03-H-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15233G	54.72	74.00	-19.28	49.06	3	Horizontal	360	1.68	-	38.50	10.32	43.16
AV	11.15257G	43.30	54.00	-10.70	37.63	3	Horizontal	360	1.68	-	38.51	10.32	43.16
PK	16.70214G	57.65	68.20	-10.55	46.43	3	Horizontal	0	2.27	-	38.81	14.21	41.80



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.71123G	33.68	54.00	-20.32	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.70988G	45.19	74.00	-28.81	-7.46	3	Vertical	165	1.00	-	52.65	24.80	4.46	36.72
AV	1.71123G	33.68	54.00	-20.32	-7.44	3	Vertical	165	1.00	"Worst"	41.12	24.82	4.46	36.72

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.70992G	42.63	74.00	-31.37	-7.46	3	Horizontal	35	1.00	-	50.09	24.80	4.46	36.72
AV	1.71036G	31.71	54.00	-22.29	-7.45	3	Horizontal	35	1.00	"Worst"	39.16	24.81	4.46	36.72