


40

REF -20.0 dBm

AT 10 dB

PEAK
LOG
10
dB/



Duty Cycle
= (4.238 x 18) / 100
= 76.284 / 100
= 0.763
Average Factor = -2.4 dB

VA SB
SC VC
CORR

CENTER 316.054 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz


#SWP 100 msec

REF -5.0 dBm

AT 10 dB

MKR 4.2380 msec
.24 dB

PEAK
LOG
10
dB/



WA SB
SC VC
CORR

CENTER 318.054 MHz
#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz
#SWP 15.0 msec

hp

MKR 113.75 msec

REF -20.0 dBm

AT 10 dB


.04 dB

PEAK

LOG

10

dB/



CENTER 318.054 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 250 msec

70


MKR 245.00 msec

REF -20.0 dBm

AT 10 dB

-94.93 dBm

PEAK
LOG
10
dB/



CENTER 316.046 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 1.00 sec