
 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		





Novatel Wireless Technologies Ltd.  
Suite 200, 6715 - 8th St NE  
Calgary, AB Canada T2E 7H7  
Phone: 403 295 4800

TITLE: QSG MC990D NVTL

P/N: 90025258      ECO: 08293

Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE

Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages

NOTES:


1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY.
2. MATERIAL:  
COVERS: 80# COVER MATTE  
PAGES: 70# TEXT MATTE


COLOURS:


CMYK


Black: Process Rich Black (60/40/40/100)

Pantone 376C



 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE  Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		



 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		



### System Requirements

Windows® 2000, XP, Vista; Mac® OS X (10.4.7+); Linux® (2.4, 2.6)  
 100 MB Hard Drive Space  
 128 MB of RAM

### Contents

- MiFi 2352/2372  
 A 2-in-1 Intelligent Mobile Hotspot with removable memory.
- USB cable
- Rechargeable lithium ion battery
- Wall charger with international adapters
- Car charger
- Carry pouch

\*Visit [www.nvtl.com/support](http://www.nvtl.com/support) for configuration details

1


### MiFi 2352/2372



- LED Power Button  
 Powers on and off the device. The LED provides connections status. See page 8 for a detailed list of the colours and their defined states.
- SIM Card Slot  
 The SIM card is inserted here.
- microSD Slot  
 Removable memory storage slot (microSD card not included).
- microUSB port  
 The USB cable, Wall Charger, and Car Charger connect here.
- Battery and SIM Door  
 The battery and SIM card are stored here.

**NOTE:** For more information on the details of your device and accessories, consult the User Guide at [www.novatelwireless.com](http://www.novatelwireless.com)

2

 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		

1

Getting Started
Insert SIM Card and Battery

Before connecting MiFi to your computer for the first time, you must insert the (U)SIM card supplied by your service provider and insert and charge the battery.

- 1 Open the door at the bottom of the device.



- 2 Insert the SIM card into the SIM slot as shown.

FPO

- 3 Now, insert the battery, lining up the contact points as shown and replace the door back on the device.



FPO

You must have an account with a service provider. Your service provider may have provided activation instructions in this packaging. Otherwise, contact your service provider for complete instructions.

3

1

Getting Started
Charge the Battery

**IMPORTANT:** When installing or replacing a battery, ensure that the MiFi modem is not connected to your computer with the USB cable or a USB power supply. Review the Battery Tips and Safety disposal instructions at the back of this guide.

- 1 Connect the microUSB end of the Wall Charger to the microUSB port of the device.

FPO

- 2 Plug the other end of the Wall Charger into the appropriate electrical outlet. Charge for at least two hours.

FPO

- 3 You are now ready to install MobiLink software and drivers. In order to install MobiLink you must use the USB cable (included).


FPO

4

133.3

126.6

126.6

 <b>NOVATEL WIRELESS</b>	Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800	<b>NOTES:</b> 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  <b>COLOURS:</b> CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
	TITLE: QSG MC990D NVTL	
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		

2

Installation
Windows®  
Mac®

» Turn on your computer and close all open applications.  
 » Insert the USB cable into the microUSB port on MiFi and the other end into a USB port on your computer.

**Windows - MobiLink**

- 1 MobiLink software and drivers for Windows automatically installs.
- 2 Activate your device with a service provider and create a profile (page 6).
- 3 Launch MobiLink and Connect!

**Mac - Internet Connect**

- 1 Two files appear on the Mac desktop, Instructions.pdf and Driver\_Installer.app.
- 2 Follow the instructions outlined in the Instructions.pdf file for the full installation procedure.


Linux users: Go to [www.novatelwireless.com/support](http://www.novatelwireless.com/support) for installation and configuration instructions.

5

2

Installation
Set Up Profile  
(Windows)

- 1 Start the newly installed MobiLink software.
- 2 Click the **Menu** Icon and select **Profile Manager**.
- 3 Click **New**, enter a Profile Name and APN\*, then click **Next**.
- 4 Enter your Username\* and Password\*, if required, and click **Finish**.




\*Available from your service provider

6

133.3

126.6

126.6

 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		

3

Connect
USB Cable  
Wi-Fi

There are two methods to connect MiFi to your computer: USB Cable or Wi-Fi.

**Connect MiFi with the the USB Cable**

- 1 Insert the microUSB end of the USB cable to the microUSB port of MiFi and the other end into a USB port on your computer.
- 2 The Power LED and 3G status indicator on the device both illuminate.
- 3 Press the Power LED button and launch MobiLink.

**Connect MiFi via Wi-Fi**

- 1 Press the Power button on MiFi. The Power LED and the 3G status indicator on the device both illuminate.
- 2 Press the Power LED button and launch MobiLink.
- 3 Use your normal Wi-Fi application on your computer to establish a connection to the MiFi modem.
- 3 Look for the network, named TBD, in your list of available networks and click Connect.

3

The Basics/2372
LED States

RED	<span style="color: red;">■</span>	SIM Error	Flashing:	SIM card may be missing or inserted incorrectly
		No Service	Solid:	GPRS/EDGE/UMTS/HSDPA cellular service is currently not available
GREEN	<span style="color: green;">■</span>	GPRS	Flashing:	GPRS service is available
			Solid:	Connected to a network using GPRS
VIOLET	<span style="color: purple;">■</span>	EDGE	Flashing:	EDGE service is available
			Solid:	Connected to a network using EDGE
BLUE	<span style="color: blue;">■</span>	UMTS	Flashing:	UMTS service is available
			Solid*:	Connected to a network using UMTS
YELLOW	<span style="color: yellow;">■</span>	HSDPA	Solid*:	HSDPA service is available and is being used during the download
CYAN	<span style="color: cyan;">■</span>	HSUPA	Solid*:	HSUPA service is available and is being used during the upload

\*The LED may appear to flash blue and then yellow or cyan as the service transitions between UMTS and HSDPA/HSUPA.


133.3


7

126.6


8


126.6


 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		







 <p>Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800</p>		<p>NOTES:</p> <p>1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY.</p> <p>2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE</p> <p>COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C</p>
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
<p>Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE</p> <p>Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages</p>		



 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		



 Novatel Wireless Technologies Ltd. Suite 200, 6715 - 8th St NE Calgary, AB Canada T2E 7H7 Phone: 403 295 4800		NOTES: 1. MAGENTA OUTLINE DOES NOT PRINT. FOR DIE CUT REFERENCE ONLY. 2. MATERIAL: COVERS: 80# COVER MATTE PAGES: 70# TEXT MATTE  COLOURS: CMYK Black: Process Rich Black (60/40/40/100) Pantone 376C
TITLE: QSG MC990D NVTL		
P/N: 90025258	ECO: 08293	
Rev.1 05/14/08 - Lawrence Zalasky - INITIAL RELEASE Rev.2. 07/01/08 - A.Farrell - Added SD Assoc Logo and Reg. Pages		

