



Excellence in Compliance Testing

Certification Exhibit

FCC ID: NCG-MS180D

FCC Rule Part: 15.245

ACS Project Number: 11-0249

Manufacturer: Cooper Lighting, LLC

Label Information



Figure 1: Label Location






Figure 2: Sample Label for Model: MS-180DW



NOTES:

1. MATERIAL: 0.004 (0.10) THICK TRANSPARENT PVC PRESSURE-SENSITIVE, TEMPERATURE RATED TO 80 °C, AND WEATHER RESISTENT.
2. MUST COMPLY WITH UL 969
3. TOP BODY FONT: 8 PT. ARIAL
4. FCC CLAUSE FONT: 6 PT. ARIAL NARROW
5. TEXT COLOR: BLACK

Figure 3: Sample Label for Model: MS-185D



NOTES:

1. MATERIAL: 0.004 (0.10) THICK TRANSPARENT PVC PRESSURE-SENSITIVE, TEMPERATURE RATED TO 80°C, AND WEATHER RESISTENT.
2. MUST COMPLY WITH UL 969
3. TOP BODY FONT: 8 PT. ARIAL
4. FCC CLAUSE FONT: 6 PT. ARIAL NARROW
5. TEXT COLOR: BLACK


Figure 4: Sample Label for Model: MS-185DW



NOTES:

1. MATERIAL: 0.004 (0.10) THICK TRANSPARENT PVC PRESSURE-SENSITIVE, TEMPERATURE RATED TO 80 °C, AND WEATHER RESISTENT.
2. MUST COMPLY WITH UL 969
3. TOP BODY FONT: 8 PT. ARIAL
4. FCC CLAUSE FONT: 6 PT. ARIAL NARROW
5. TEXT COLOR: BLACK


Figure 5: Sample Label for Model: MS-187D



NOTES:

1. MATERIAL: 0.004 (0.10) THICK TRANSPARENT PVC PRESSURE-SENSITIVE, TEMPERATURE RATED TO 80 °C, AND WEATHER RESISTENT.
2. MUST COMPLY WITH UL 969
3. TOP BODY FONT: 8 PT. ARIAL
4. FCC CLAUSE FONT: 6 PT. ARIAL NARROW
5. TEXT COLOR: BLACK

Figure 6: Sample Label for Model: MS-187DW



NOTES:

1. MATERIAL: 0.004 (0.10) THICK TRANSPARENT PVC PRESSURE-SENSITIVE, TEMPERATURE RATED TO 80°C, AND WEATHER RESISTENT.
2. MUST COMPLY WITH UL 969
3. TOP BODY FONT: 8 PT. ARIAL
4. FCC CLAUSE FONT: 6 PT. ARIAL NARROW
5. TEXT COLOR: BLACK

Figure 7: Sample Label for Model: MS-180D