



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 36.814MHz, Pmax: -62.98dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 36.814MHz, Pmax: -63.88dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 834.870MHz, Pmax: -52.44dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 991.984MHz, Pmax: -53.74dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -26.95dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.933GHz, Pmax: -27.64dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.407GHz, Pmax: -25.86dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.407GHz, Pmax: -22.78dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.251GHz, Pmax: -26.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.251GHz, Pmax: -28.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.411GHz, Pmax: -27.59dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.892GHz, Pmax: -27.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.006GHz, Pmax: -35.61dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 512
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.989GHz, Pmax: -35.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 34.770MHz, Pmax: -63.17dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 36.814MHz, Pmax: -63.79dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 858.918MHz, Pmax: -52.09dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 974.349MHz, Pmax: -53.47dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.992GHz, Pmax: -27.85dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.967GHz, Pmax: -28.16dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.519GHz, Pmax: -29.36dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.527GHz, Pmax: -29.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.395GHz, Pmax: -34.12dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.279GHz, Pmax: -33.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.808GHz, Pmax: -27.85dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.808GHz, Pmax: -28.12dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.456GHz, Pmax: -35.10dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 661
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.023GHz, Pmax: -34.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 36.814MHz, Pmax: -62.42dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 36.814MHz, Pmax: -63.78dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 866.934MHz, Pmax: -52.08dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 987.174MHz, Pmax: -53.94dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -20.31dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.929GHz, Pmax: -28.06dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -29.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -29.09dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.463GHz, Pmax: -32.52dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.463GHz, Pmax: -31.16dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.868GHz, Pmax: -28.05dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.892GHz, Pmax: -28.01dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.950GHz, Pmax: -35.01dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 810
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.057GHz, Pmax: -35.11dBm, RBW: 1MHz




Appendix H

Block edge compliance

FCC Part 22 H
Lower band edge

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Schlaps
Test Specification	FCC Part 22 Subpart H - Cellular Radiotelephone Service
Comment 1	Channel: 128



Date: 18.DEC.2006 14:21:52

Measurement diagram


ETS Product Service AG

Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H
Higher band edge**

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Schlaps
Test Specification	FCC Part 22 Subpart H - Cellular Radiotelephone Service
Comment 1	Channel: 251




Date: 18.DEC.2006 14:23:30

Measurement diagram

**FCC Part 24 E
Lower Block edge**

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Schlaps
Test Specification	FCC Part 24 Subpart E - Broadband PCS
Comment 1	Channel: 512





Date: 18.DEC.2006 09:53:30

Measurement diagram

**FCC Part 24 E
Higher Block edge**

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Schlaps
Test Specification	FCC Part 24 Subpart E - Broadband PCS
Comment 1	Channel: 810

	Marker 1 [T1]	RBW	3 kHz	RF Att	50 dB
	Ref Lvl	29.27 dBm	VBW	3 kHz	
	36 dBm	1.90978958 GHz	SWT	560 ms	Unit dBm



Date: 18.DEC.2006 09:51:44


Measurement diagram

Appendix I

AC power line conducted emissions


EMI voltage test in the ac-mains according to FCC part 15

EUT: Option N.V.
 Manufacturer: Fuji EX
 Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C
 Test Site: ETS
 Operator: Mr. Mees
 Test Specification: V-Network: ESH2-Z5 (L1)
 model: Fuji Ex mode: GSM 900 PCM: 5
 Laptop: Compaq nc6320 Netzteil: HP6604722501



EMI voltage test in the ac-mains according to FCC part 15

EUT: Option N.V.
Manufacturer: Fuji EX
Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C
Test Site: ETS
Operator: Mr. Mees
Test Specification: V-Network: ESH2-Z5 (N)
model: Fuji Ex mode: GSM 900 PCM: 5
Laptop: Compaq nc5320 Netzteil: HP6604722501



Appendix J

Receiver radiated emission