


Appendix G

Spurious emission radiated


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK116
Comment 2: Freq: 190.802MHz, Pmax: -67.30dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK116
Comment 2: Freq: 163.547MHz, Pmax: -66.76dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 825.729MHz, Pmax: -20.47dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 984.092MHz, Pmax: -36.36dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.976GHz, Pmax: -45.46dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.886GHz, Pmax: -46.51dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.952GHz, Pmax: -43.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.551GHz, Pmax: -42.74dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.495GHz, Pmax: -37.54dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4133 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.976GHz, Pmax: -38.27dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK116
Comment 2: Freq: 195.230MHz, Pmax: -67.60dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK116
Comment 2: Freq: 191.483MHz, Pmax: -65.56dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 857.124MHz, Pmax: -34.87dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 982.619MHz, Pmax: -36.53dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.982GHz, Pmax: -46.48dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.922GHz, Pmax: -46.12dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.615GHz, Pmax: -42.65dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.615GHz, Pmax: -43.16dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.878GHz, Pmax: -37.65dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4175 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.928GHz, Pmax: -38.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK116
Comment 2: Freq: 54.870MHz, Pmax: -67.64dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK116
Comment 2: Freq: 38.176MHz, Pmax: -66.04dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.000MHz, Pmax: -23.41dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 984.092MHz, Pmax: -35.92dBm, RBW: 100kHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 3.687GHz, Pmax: -46.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 2.136GHz, Pmax: -44.37dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.519GHz, Pmax: -43.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.952GHz, Pmax: -42.84dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.984GHz, Pmax: -38.13dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 4232 / UMTS Operating Band V
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.230GHz, Pmax: -38.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 59.639MHz, Pmax: -67.85dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9236 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 36.473MHz, Pmax: -65.26dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 9236 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 860.521MHz, Pmax: -52.11dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 983.968MHz, Pmax: -53.86dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.850GHz, Pmax: -13.14dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.852GHz, Pmax: -13.01dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.527GHz, Pmax: -42.34dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.471GHz, Pmax: -43.18dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.669GHz, Pmax: -38.48dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.960GHz, Pmax: -38.68dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 16.970GHz, Pmax: -29.95dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 16.810GHz, Pmax: -31.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.176GHz, Pmax: -24.79dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9263 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.100GHz, Pmax: -24.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 9400 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 56.573MHz, Pmax: -68.22dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 35.451MHz, Pmax: -66.71dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 865.331MHz, Pmax: -52.52dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 990.381MHz, Pmax: -53.60dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.983GHz, Pmax: -16.25dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.925GHz, Pmax: -17.21dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.519GHz, Pmax: -42.33dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.936GHz, Pmax: -43.38dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.766GHz, Pmax: -37.80dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS '7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.126GHz, Pmax: -38.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 16.920GHz, Pmax: -30.04dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9400/ UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 16.930GHz, Pmax: -31.10dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY` E
Model / Channel: GE0201 / 9400 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 24.996GHz, Pmax: -24.97dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9400 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 25.986GHz, Pmax: -25.04dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.275MHz, Pmax: -67.97dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 133.567MHz, Pmax: -66.43dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 858.918MHz, Pmax: -52.95dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 988.778MHz, Pmax: -54.51dBm, RBW: 100kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.910GHz, Pmax: -13.66dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.908GHz, Pmax: -13.65dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.984GHz, Pmax: -42.41dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.639GHz, Pmax: -42.27dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.140GHz, Pmax: -38.76dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.196GHz, Pmax: -38.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 16.790GHz, Pmax: -30.58dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 16.860GHz, Pmax: -30.28dBm, RBW: 1MHz




Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.100GHz, Pmax: -24.93dBm, RBW: 1MHz



Radiated Emissions Tx
FCC Rules PART 24 SUBPART E

Approval Holder: OPTION N.V.
EUT: GLOBE TROTTER EXPRESS `7.2 READY' E
Model / Channel: GE0201 / 9537 / UMTS Operating Band II
Test Site / Operator: ETS / Mr. Schlaps
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT
Test Specification: mode: Tx
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.100GHz, Pmax: -24.97dBm, RBW: 1MHz



Appendix H


Block edge compliance

**FCC Part 22 H
Lower band edge**

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201 / Mode: UMTS OpB V
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Meng
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 4133
Comment 2	UMTS
Comment 3	



	Marker 1 [T1]	RBW	50 kHz	RF Att	50 dB
Ref Lvl	24.16 dBm	VBW	50 kHz		
36 dBm	827.03607214 MHz	SWT	10 ms	Unit	dBm




Date: 23.JAN.2007 13:24:26

Measurement diagram

**FCC Part 22 H
Higher band edge**

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201 / Mode: UMTS OpB V
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Meng
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 4232
Comment 2	UMTS
Comment 3	

	Marker 1 [T1]	RBW	50 kHz	RF Att	50 dB
	Ref Lvl	24.35 dBm	VBW	50 kHz	
	36 dBm	846.70541082 MHz	SWT	10 ms	Unit dBm




Date: 23.JAN.2007 13:33:09

Measurement diagram

ETS Product Service AG
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

**FCC Part 24 E
Lower Block edge**

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201 / Mode: UMTS OpB II
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Meng
Test Specification	FCC Part 24 Subpart E - Broadband PCS
Comment 1	Channel: 9263
Comment 2	UMTS
Comment 3	



Date: 23.JAN.2007 13:06:54

Measurement diagram

ETS Product Service AG


Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

FCC Part 24 E
Higher Block edge

EUT	GLOBE TROTTER EXPRESS '7.2 READY' E
Model	GE0201 / Mode: UMTS OpB II
Approval Holder	OPTION N.V.
Temperature / Voltage	23°C / Unom.: PC EXPRESS SLOT
Test Site / Operator	ETS / Mr. Meng
Test Specification	FCC Part 24 Subpart E - Broadband PCS
Comment 1	Channel: 9537
Comment 2	UMTS
Comment 3	



	Marker 1 [T1]	RBW	50 kHz	RF Att	50 dB
Ref Lvl	24.23 dBm	VBW	50 kHz		
36 dBm	1.90706413 GHz	SWT	10 ms	Unit	dBm



Date: 23.JAN.2007 13:20:03

Measurement diagram

ETS Product Service AG


Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Appendix I

AC power line conducted emissions


EMI voltage test in the ac-mains according to FCC part 15

EUT: Option N.V.
Manufacturer: Fuji EX
Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C
Test Site: ETS
Operator: Mr. Mees
Test Specification: V-Network: ESH2-Z5 (L1)
model: Fuji Ex mode: GSM 900 PCM: 5
Laptop: Compaq nc6320 Netzteil: HP6604722501



EMI voltage test in the ac-mains according to FCC part 15

EUT: Option N.V.
Manufacturer: Fuji EX
Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C
Test Site: ETS
Operator: Mr. Mees
Test Specification: V-Network: ESH2-Z5 (N)
model: Fuji Ex mode: GSM 900 PCM: 5
Laptop: Compaq nc6320 Netzteil: HP6604722501



Appendix J

Receiver radiated emission