


## **Appendix B**

RF power output conducted

**FCC Part 22 H**  
**Output power conducted**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 128                                            |



Date: 18.DEC.2006 14:25:48


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Output power conducted**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 188                                            |



Date: 18.DEC.2006 14:25:12


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H****Output power conducted**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 251                                            |



Date: 18.DEC.2006 14:24:14


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Output power conducted**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 512                          |



Date: 18.DEC.2006 14:11:34


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Output power conducted**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 661                          |



Date: 18.DEC.2006 14:10:06

Measurement diagram


ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

## FCC Part 24 E

## Output power conducted

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 810                          |



Date: 18.DEC.2006 14:10:55

Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1


## Appendix C

RF power output radiated




**Effective Radiated Power**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.913  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 824.275MHz, Pmax: 28.00dBm, RBW: 3MHz




**Effective Radiated Power**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.913  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 824.224MHz, Pmax: 17.14dBm, RBW: 3MHz




**Effective Radiated Power**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.913  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 836.313MHz, Pmax: 28.72dBm, RBW: 3MHz




**Effective Radiated Power**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.913  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 836.120MHz, Pmax: 17.20dBm, RBW: 3MHz




**Effective Radiated Power**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.913  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 848.976MHz, Pmax: 28.96dBm, RBW: 3MHz




**Effective Radiated Power**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.913  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 848.928MHz, Pmax: 16.68dBm, REW: 3MHz




**Equivalent Isotropically Radiated Power**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.232  
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0  
Comment 2: Freq: 1.850GHz, Pmax: 23.28dBm, RBW: 3MHz



**Equivalent Isotropically Radiated Power**  
**FCC RULES PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.232  
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0  
Comment 2: Freq: 1.850GHz, Pmax: 21.50dBm, RBW: 3MHz






**Equivalent Isotropically Radiated Power**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.232  
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0  
Comment 2: Freq: 1.880GHz, Pmax: 23.43dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.232  
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0  
Comment 2: Freq: 1.880GHz, Pmax: 19.17dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.232  
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0  
Comment 2: Freq: 1.910GHz, Pmax: 24.33dBm, RBW: 3MHz



**Equivalent Isotropically Radiated Power**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.232  
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0  
Comment 2: Freq: 1.910GHz, Pmax: 18.37dBm, RBW: 3MHz



## **Appendix D**


Occupied bandwidth, emission bandwidth

**FCC Part 22 H**  
**Occupied Bandwidth**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 128                                            |



|               |                  |       |        |          |
|---------------|------------------|-------|--------|----------|
| Marker 1 [T1] | RBW              | 3 kHz | RF Att | 50 dB    |
| Ref Lvl       | 25.95 dBm        | VBW   | 3 kHz  |          |
| 36 dBm        | 824.26913828 MHz | SWT   | 280 ms | Unit dBm |



Date: 18.DEC.2006 14:26:34


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Occupied Bandwidth**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 188                                            |



Date: 18.DEC.2006 14:27:19


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Occupied Bandwidth**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 251                                            |



Date: 18.DEC.2006 14:29:21

Measurement diagram


 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1



**FCC Part 24 E**  
**Occupied Bandwidth**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 512                          |



Date: 18.DEC.2006 14:12:43


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Occupied Bandwidth**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 661                          |



Date: 18.DEC.2006 14:14:40


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Occupied Bandwidth**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 810                          |



Date: 18.DEC.2006 14:15:59


Measurement diagram

ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Emission Bandwidth**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 128                                            |
| Comment 2             | -26 dB Emission Bandwidth                               |



Date: 18.DEC.2006 14:33:10


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Emission Bandwidth**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 188                                            |
| Comment 2             | -26 dB Emission Bandwidth                               |



Date: 18.DEC.2006 14:31:27


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Emission Bandwidth**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 251                                            |
| Comment 2             | -26 dB Emission Bandwidth                               |



Date: 18.DEC.2006 14:30:37


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Emission Bandwidth**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 512                          |
| Comment 2             | -26 dB Emission Bandwidth             |



Date: 18.DEC.2006 14:18:56


Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Emission Bandwidth**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 661                          |
| Comment 2             | -26 dB Emission Bandwidth             |



Date: 18.DEC.2006 14:18:12

Measurement diagram


 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1



**FCC Part 24 E**  
**Emission Bandwidth**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 810                          |
| Comment 2             | -26 dB Emission Bandwidth             |



Date: 18.DEC.2006 14:17:28

Measurement diagram

 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

## **Appendix E**

Frequency stability

## **Appendix F**


Spurious emission conducted (antenna terminal)

## Appendix G

Spurious emission radiated


**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 199.319MHz, Pmax: -49.44dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 163.888MHz, Pmax: -67.22dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL 223+notch  
Comment 2: Freq: 823.980MHz, Pmax: -21.80dBm, RBW: 100kHz



**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL 223+notch  
Comment 2: Freq: 823.980MHz, Pmax: -32.80dBm, RBW: 100kHz






**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.297GHz, Pmax: -38.52dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.297GHz, Pmax: -32.89dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.423GHz, Pmax: -31.50dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.423GHz, Pmax: -26.88dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 9.066GHz, Pmax: -29.29dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 128  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 8.240GHz, Pmax: -26.35dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 187.735MHz, Pmax: -49.92dBm, RBW: 100kHz



**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 190.802MHz, Pmax: -67.02dBm, RBW: 100kHz






**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL 223+notch  
Comment 2: Freq: 865.411MHz, Pmax: -33.54dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL 223+notch  
Comment 2: Freq: 875.944MHz, Pmax: -44.13dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 1.673GHz, Pmax: -38.85dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.345GHz, Pmax: -33.96dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.527GHz, Pmax: -29.23dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.527GHz, Pmax: -25.60dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.036GHz, Pmax: -28.61dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 188  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.036GHz, Pmax: -26.10dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 192.164MHz, Pmax: -49.63dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 189.780MHz, Pmax: -66.96dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL 223+notch  
Comment 2: Freq: 849.020MHz, Pmax: -17.51dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL 223+notch  
Comment 2: Freq: 849.020MHz, Pmax: -30.57dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 1.697GHz, Pmax: -37.19dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 1.697GHz, Pmax: -37.19dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.639GHz, Pmax: -29.81dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.639GHz, Pmax: -27.18dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 8.481GHz, Pmax: -26.50dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 251  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S22.917  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.188GHz, Pmax: -24.56dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 36.814MHz, Pmax: -62.98dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 36.814MHz, Pmax: -63.88dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 834.870MHz, Pmax: -52.44dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 991.984MHz, Pmax: -53.74dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 1.850GHz, Pmax: -26.95dBm, RBW: 1MHz/3kHz



**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 3.933GHz, Pmax: -27.64dBm, RBW: 1MHz/3kHz






**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.407GHz, Pmax: -25.86dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.407GHz, Pmax: -22.78dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 9.251GHz, Pmax: -26.41dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 9.251GHz, Pmax: -28.26dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 17.411GHz, Pmax: -27.59dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 17.892GHz, Pmax: -27.98dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 26.006GHz, Pmax: -35.61dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 512  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 25.989GHz, Pmax: -35.08dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 34.770MHz, Pmax: -63.17dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 36.814MHz, Pmax: -63.79dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 858.918MHz, Pmax: -52.09dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 974.349MHz, Pmax: -53.47dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 3.992GHz, Pmax: -27.85dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 3.967GHz, Pmax: -28.16dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.519GHz, Pmax: -29.36dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.527GHz, Pmax: -29.39dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 9.395GHz, Pmax: -34.12dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.279GHz, Pmax: -33.39dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 17.808GHz, Pmax: -27.85dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 17.808GHz, Pmax: -28.12dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 24.456GHz, Pmax: -35.10dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS `7.2 READY' W  
Model / Channel: GE0202 / 661  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 26.023GHz, Pmax: -34.98dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 36.814MHz, Pmax: -62.42dBm, RBW: 100kHz



**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 36.814MHz, Pmax: -63.78dBm, RBW: 100kHz






**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 866.934MHz, Pmax: -52.08dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 987.174MHz, Pmax: -53.94dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 1.910GHz, Pmax: -20.31dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 3.929GHz, Pmax: -28.06dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.639GHz, Pmax: -29.89dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.639GHz, Pmax: -29.09dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to S24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.463GHz, Pmax: -32.52dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.463GHz, Pmax: -31.16dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 17.868GHz, Pmax: -28.05dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 17.892GHz, Pmax: -28.01dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 24.950GHz, Pmax: -35.01dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC RULES PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 810  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: according to §24.238  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 26.057GHz, Pmax: -35.11dBm, RBW: 1MHz




## **Appendix H**

Block edge compliance

**FCC Part 22 H**  
**Lower band edge**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 128                                            |



Date: 18.DEC.2006 14:21:52


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Higher band edge**

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W                     |
| Model                 | GE0202                                                  |
| Approval Holder       | OPTION N.V.                                             |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT                           |
| Test Site / Operator  | ETS / Mr. Schlaps                                       |
| Test Specification    | FCC Part 22 Subpart H - Cellular Radiotelephone Service |
| Comment 1             | Channel: 251                                            |



Date: 18.DEC.2006 14:23:30


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Lower Block edge**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 512                          |



Date: 18.DEC.2006 09:53:30

Measurement diagram


 ETS Product Service AG  
 Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1



**FCC Part 24 E**  
**Higher Block edge**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202                                |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Schlaps                     |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 810                          |



Date: 18.DEC.2006 09:51:44

Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

## **Appendix I**

AC power line conducted emissions


# EMI voltage test in the ac-mains according to FCC part 15

EUT: Option N.V.  
Manufacturer: Fuji EX  
Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C  
Test Site: ETS  
Operator: Mr. Mees  
Test Specification: V-Network: ESH2-Z5 (L1)  
model: Fuji Ex mode: GSM 900 PCM: 5  
Laptop: Compaq nc6320 Netzteil: HP6604722501



# EMI voltage test in the ac-mains according to FCC part 15

EUT: Option N.V.  
Manufacturer: Fuji EX  
Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C  
Test Site: ETS  
Operator: Mr. Mees  
Test Specification: V-Network: ESH2-Z5 (N)  
model: Fuji Ex mode: GSM 900 PCM: 5  
Laptop: Compaq nc6320 Netzteil: HP6604722501



## **Appendix J**

Receiver radiated emission