


## **Appendix G**

Spurious emission radiated


**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK116  
Comment 2: Freq: 190.802MHz, Pmax: -67.30dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK116  
Comment 2: Freq: 163.547MHz, Pmax: -66.76dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 825.729MHz, Pmax: -20.47dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 984.092MHz, Pmax: -36.36dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.976GHz, Pmax: -45.46dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.886GHz, Pmax: -46.51dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.952GHz, Pmax: -43.26dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.551GHz, Pmax: -42.74dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS `7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.495GHz, Pmax: -37.54dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4133 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.976GHz, Pmax: -38.27dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK116  
Comment 2: Freq: 195.230MHz, Pmax: -67.60dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK116  
Comment 2: Freq: 191.483MHz, Pmax: -65.56dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 857.124MHz, Pmax: -34.87dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 982.619MHz, Pmax: -36.53dBm, RBW: 100kHz



**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.982GHz, Pmax: -46.48dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.922GHz, Pmax: -46.12dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.615GHz, Pmax: -42.65dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.615GHz, Pmax: -43.16dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.878GHz, Pmax: -37.65dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4175 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.928GHz, Pmax: -38.47dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK116  
Comment 2: Freq: 54.870MHz, Pmax: -67.64dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK116  
Comment 2: Freq: 38.176MHz, Pmax: -66.04dBm, RBW: 100kHz



**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 848.000MHz, Pmax: -23.41dBm, RBW: 100kHz






**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL223  
Comment 2: Freq: 984.092MHz, Pmax: -35.92dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 3.687GHz, Pmax: -46.11dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 2.136GHz, Pmax: -44.37dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.519GHz, Pmax: -43.11dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.952GHz, Pmax: -42.84dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.984GHz, Pmax: -38.13dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC RULES PART 22 SUBPART H**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 4232 / UMTS Operating Band V  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.230GHz, Pmax: -38.39dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 59.639MHz, Pmax: -67.85dBm, RBW: 100kHz






**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS `7.2 READY' W  
Model / Channel: GE0202 / 9236 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 36.473MHz, Pmax: -65.26dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9236 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 860.521MHz, Pmax: -52.11dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 983.968MHz, Pmax: -53.86dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 1.850GHz, Pmax: -13.14dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 1.852GHz, Pmax: -13.01dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.527GHz, Pmax: -42.34dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.471GHz, Pmax: -43.18dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.669GHz, Pmax: -38.48dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.960GHz, Pmax: -38.68dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 16.970GHz, Pmax: -29.95dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 16.810GHz, Pmax: -31.64dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 26.176GHz, Pmax: -24.79dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9263 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 26.100GHz, Pmax: -24.64dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 56.573MHz, Pmax: -68.22dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 35.451MHz, Pmax: -66.71dBm, RBW: 100kHz



**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS `7.2 READY` W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 865.331MHz, Pmax: -52.52dBm, RBW: 100kHz






**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 990.381MHz, Pmax: -53.60dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 3.983GHz, Pmax: -16.25dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 3.925GHz, Pmax: -17.21dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.519GHz, Pmax: -42.33dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.936GHz, Pmax: -43.38dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.766GHz, Pmax: -37.80dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 11.126GHz, Pmax: -38.66dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS `7.2 READY` W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 16.920GHz, Pmax: -30.04dBm, RBW: 1MHz






**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400/ UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 16.930GHz, Pmax: -31.10dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 24.996GHz, Pmax: -24.97dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9400 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 25.986GHz, Pmax: -25.04dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 197.275MHz, Pmax: -67.97dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HK 116  
Comment 2: Freq: 133.567MHz, Pmax: -66.43dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 858.918MHz, Pmax: -52.95dBm, RBW: 100kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL 223  
Comment 2: Freq: 988.778MHz, Pmax: -54.51dBm, RBW: 100kHz



**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 1.910GHz, Pmax: -13.66dBm, RBW: 1MHz/3kHz






**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025  
Comment 2: Freq: 1.908GHz, Pmax: -13.65dBm, RBW: 1MHz/3kHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.984GHz, Pmax: -42.41dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 7.639GHz, Pmax: -42.27dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.140GHz, Pmax: -38.76dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 10.196GHz, Pmax: -38.87dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 16.790GHz, Pmax: -30.58dBm, RBW: 1MHz




**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.  
Comment 2: Freq: 16.860GHz, Pmax: -30.28dBm, RBW: 1MHz



**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**


Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 26.100GHz, Pmax: -24.93dBm, RBW: 1MHz





**Radiated Emissions Tx**  
**FCC Rules PART 24 SUBPART E**

Approval Holder: OPTION N.V.  
EUT: GLOBE TROTTER EXPRESS '7.2 READY' W  
Model / Channel: GE0202 / 9537 / UMTS Operating Band II  
Test Site / Operator: ETS / Mr. Schlaps  
Operating Conditions: 23°C / Unom.: PC EXPRESS SLOT  
Test Specification: mode: Tx  
Comment 1: Dist.: 3m, Ant.: HL025, amplif.  
Comment 2: Freq: 26.100GHz, Pmax: -24.97dBm, RBW: 1MHz




## **Appendix H**

Block edge compliance

**FCC Part 22 H**  
**Lower band edge**

|                       |                                     |
|-----------------------|-------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W |
| Model                 | GE0202 / Mode: UMTS OpB V           |
| Approval Holder       | OPTION N.V.                         |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT       |
| Test Site / Operator  | ETS / Mr. Meng                      |
| Test Specification    | FCC Part 22 Subpart H               |
| Comment 1             | Channel: 4133                       |
| Comment 2             | UMTS                                |
| Comment 3             |                                     |



Date: 23.JAN.2007 13:24:26


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 22 H**  
**Higher band edge**

|                       |                                     |
|-----------------------|-------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W |
| Model                 | GE0202 / Mode: UMTS OpB V           |
| Approval Holder       | OPTION N.V.                         |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT       |
| Test Site / Operator  | ETS / Mr. Meng                      |
| Test Specification    | FCC Part 22 Subpart H               |
| Comment 1             | Channel: 4232                       |
| Comment 2             | UMTS                                |
| Comment 3             |                                     |



Date: 23.JAN.2007 13:33:09


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E  
Lower Block edge**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202 / Mode: UMTS OpB II            |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Meng                        |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 9263                         |
| Comment 2             | UMTS                                  |
| Comment 3             |                                       |



Date: 23.JAN.2007 13:06:54


Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN

Page 1 of 1

**FCC Part 24 E**  
**Higher Block edge**

|                       |                                       |
|-----------------------|---------------------------------------|
| EUT                   | GLOBE TROTTER EXPRESS '7.2 READY' W   |
| Model                 | GE0202 / Mode: UMTS OpB II            |
| Approval Holder       | OPTION N.V.                           |
| Temperature / Voltage | 23°C / Unom.: PC EXPRESS SLOT         |
| Test Site / Operator  | ETS / Mr. Meng                        |
| Test Specification    | FCC Part 24 Subpart E - Broadband PCS |
| Comment 1             | Channel: 9537                         |
| Comment 2             | UMTS                                  |
| Comment 3             |                                       |



Date: 23.JAN.2007 13:20:03

Measurement diagram

ETS Product Service AG  
Storkower Str. 38C, D-15526 REICHENWALDE B. BERLIN


Page 1 of 1

## **Appendix I**

AC power line conducted emissions

# EMI voltage test in the ac-mains according to FCC part 15


EUT: Option N.V.  
Manufacturer: Fuji EX  
Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C  
Test Site: ETS  
Operator: Mr. Mees  
Test Specification: V-Network: ESH2-Z5 (L1)  
model: Fuji Ex mode: GSM 900 PCM: 5  
Laptop: Compaq nc6320 Netzteil: HP6604722501





# EMI voltage test in the ac-mains according to FCC part 15

EUT: Option N.V.  
Manufacturer: Fuji EX  
Reference: Unom: 120 V AC (AC/DC-ADAPTOR Laptop), Tnom: 23°C  
Test Site: ETS  
Operator: Mr. Mees  
Test Specification: V-Network: ESH2-Z5 (N)  
model: Fuji Ex mode: GSM 900 PCM: 5  
Laptop: Compaq nc6320 Netzteil: HP6604722501



## **Appendix J**

Receiver radiated emission