



GlobeTrotter 3G EDGE is the ultimate PC Data Card solution bringing phenomenal broadband wireless capability to laptops and notebooks by combining UMTS, E-GPRS and GPRS technologies in a single PC Card package.

On a UMTS network, GlobeTrotter 3G EDGE enables connection to the Internet at data speeds of up to 384 kbs. In areas where UMTS service is not available the GlobeTrotter 3G EDGE still enables reliable and secure data connections over EDGE at up to 247 kbs and GPRS at up to 85.6 kbs.

GlobeTrotter 3G EDGE is the ideal companion for the mobile professional enabling the Internet, Email, Video Conferencing, and office applications with real-time secure VPN access to corporate applications whilst on the move.

Connect anytime, anywhere!







GLOBETROTTER 3G EDGE

3G UMTS E-GPRS GPRS GSM PC DATA CARD

FEATURES

- > Multimode UMTS/E-GPRS/GPRS/GSM card
- > Provides UMTS High-speed data (up to 384 kbps) connectivity for mobile users
- > Provides E-GPRS/GPRS/GSM data (up to 247 kbps) connectivity
- > Transparent handover between UMTS and GSM/E-GPRS networks
- > Compatible with nearly all popular notebook PCs equipped with Type II PC card slot and Microsoft Windows operating system
- > Securely access corporate resources with its transparent support for IPSec and VPN technology.
- > PCSC-driver for EAP-SIM and other 3-party applications in need of a Smart Card Interface.
- > Supports third party applications that provide Video Telephony (3GPP 3G-324M, H.324, H264 Baseline Video), SIP, SMS, IM, MMS, Internet and Email.
- > Comprehensively tested on infrastructures and networks worldwide.
- > GlobeTrotter Mobility Manager application (Connections manager and SMS centre).
- > Future proofing through Flash Memory technology
- > Available as two hardware variants:
 - . North America (850/1900 MHz UMTS)
 - . EMEA (2100 MHz UMTS)

SPECIFICATIONS

- > UMTS Air Interface:
 - North American hardware variant: NAR: US-PCS 1900 MHz; US-Cellular 850 MHz
- or . EMEA hardware variant: 2100 MHz
 - > 3GPP FDD compliant 3GPP Release 5, June 2004-06
 - > UE Category 12, QPSK, 120Kbps+ n*120Kbps up to 384kbps Peak Rate
 - > UE Power Class 3 (+24 dBm)
 - > High Speed packet-switched data:
 - . Support for UMTS QoS traffic classes
 - Support for PPP, IP transparent and non-transparent modes
 - > Circuit-switched data Single-RAB streaming: 64, 57.6, 28.8 and 14.4 kbps
- > EGPRS/GSM Air Interface:
 - EMEA: 850/900/1800/1900 MHz (US-Cellular, EGSM, DCS and US-PCS bands)
 - 3GPP Release 99, September 2003 + Change Requests.
 compliant
 - 3GPP Release 4: GERAN Feature Package 1 (NACC, Extended UL TBF, Delayed TBF)

- EDGE Power Class E2, GSM Power Class 1 at 1800/1900 MHz and Power Class 4 at 850/900 MHz; coding schemes UL & DL - CS 1-4, MCS 1-9
- . Packet-switched data:
- > Multislot (E)GPRS Class 10, (E)GPRS Class B Type 1 MT
- > Streaming, Background & Interactive QoS Classes Supported
- Circuit-switched data: 14.4, 12.2 and 9.6 kbps
- Terminal Equipment Interfaces:
- Drivers: Windows™ 2000 Pro, Personal and XP Pro and Home, MAC OS X. NDIS 5.1 interface on request
- A PCSC compatible driver, compliant with ISO 7816 and 3GPP TS11.11
- SIM-ME interface as specified in 3GPP Rel '99 GSM TS11.11 and GSM 11.12 and with compliance to ISO 7816.
- SIM Application toolkit capable SIM to 3GPP Rel'99 GSM TS11.14.
- Standard modem emulation for compatibility with terminal programs/diallers and for use with proprietary operating systems. AT Interface 3GPP TS27.005, ATD*99# and ATD*99***<CID># support
- Multiple USB serial ports for simultaneous data call and network coverage reports

HARDWARE SPECIFICATIONS

- > Card Type: Extended Type II PCMCIA compliant; 3.3V card. (32 bit Cardbus Interface)
- > Miniature External Antenna Connection
- > Red LED for GSM/GPRS/EGPRS and Blue LED for UMTS
- > SIM card interface compliant with 3GPP 31.101 and 31.102 supporting 1.8 and 3V UICCs
- > Environmental Operating temperature: o to +55°C

APPROVALS/CERTIFICATIONS

- > R&TTE directive 1999/5/EC (health, safety, SAR, EMC, spectrum), CE, FCC
- > GCF compliance and PTCRB as applicable, Operator and Infrastructure IOT
- > Microsoft WHQL certified drivers

As part of continual product improvement process Option reserves the right to alter the specifications for the products detailed here. ""GlobeTrotter 3G EGDE" and "GlobeTrotter Mobility Manager" are registered trademarks of Option.