



Summary

Mode	Result	Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	10.3544G	67.88	68.20	-0.32	3	Horizontal	300	1.74	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.78	54.00	-0.22	3	Horizontal	56	2.82	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.37	54.00	-1.63	3	Horizontal	326	2.31	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.66	54.00	-0.34	3	Vertical	340	1.50	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	10.60008G	53.89	54.00	-0.11	3	Horizontal	302	1.75	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	10.63994G	53.81	54.00	-0.19	3	Horizontal	304	1.90	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.79	54.00	-1.21	3	Horizontal	326	2.00	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.351G	53.36	54.00	-0.64	3	Horizontal	329	2.19	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.20	54.00	-0.80	3	Horizontal	330	2.63	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.4402G	53.80	54.00	-0.20	3	Horizontal	300	2.37	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.16168G	53.74	54.00	-0.26	3	Horizontal	52	1.99	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.73G	66.28	68.20	-1.92	3	Horizontal	74	1.90	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.741G	66.89	68.20	-1.31	3	Vertical	346	2.55	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.4596G	52.11	54.00	-1.89	3	Horizontal	320	1.71	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.488G	53.55	54.00	-0.45	3	Horizontal	295	1.63	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.49348G	53.13	54.00	-0.87	3	Horizontal	304	1.61	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	11.5124G	50.57	54.00	-3.43	3	Horizontal	313	1.59	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	10.3544G	67.88	68.20	-0.32	3	Horizontal	300	1.74	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1486G	50.06	54.00	-3.94	3	Vertical	343	1.76	-
5180MHz	Pass	AV	5.1788G	110.73	Inf	-Inf	3	Vertical	343	1.76	-
5180MHz	Pass	PK	5.1478G	62.28	74.00	-11.72	3	Vertical	343	1.76	-
5180MHz	Pass	PK	5.1782G	118.60	Inf	-Inf	3	Vertical	343	1.76	-
5180MHz	Pass	AV	5.149G	50.22	54.00	-3.78	3	Horizontal	332	1.80	-
5180MHz	Pass	AV	5.179G	111.00	Inf	-Inf	3	Horizontal	332	1.80	-
5180MHz	Pass	PK	5.1486G	62.35	74.00	-11.65	3	Horizontal	332	1.80	-
5180MHz	Pass	PK	5.1792G	118.78	Inf	-Inf	3	Horizontal	332	1.80	-
5180MHz	Pass	PK	10.35448G	64.00	68.20	-4.20	3	Vertical	316	1.80	-
5180MHz	Pass	PK	10.3544G	67.88	68.20	-0.32	3	Horizontal	300	1.74	-
5200MHz	Pass	AV	5.15G	47.25	54.00	-6.75	3	Vertical	333	1.50	-
5200MHz	Pass	AV	5.1988G	109.73	Inf	-Inf	3	Vertical	333	1.50	-
5200MHz	Pass	PK	5.1412G	58.25	74.00	-15.75	3	Vertical	333	1.50	-
5200MHz	Pass	PK	5.1988G	117.67	Inf	-Inf	3	Vertical	333	1.50	-
5200MHz	Pass	AV	5.1472G	47.29	54.00	-6.71	3	Horizontal	326	2.60	-
5200MHz	Pass	AV	5.2008G	111.31	Inf	-Inf	3	Horizontal	326	2.60	-
5200MHz	Pass	PK	5.11G	58.54	74.00	-15.46	3	Horizontal	326	2.60	-
5200MHz	Pass	PK	5.2008G	118.75	Inf	-Inf	3	Horizontal	326	2.60	-
5200MHz	Pass	PK	10.40276G	63.98	68.20	-4.22	3	Vertical	337	2.93	-
5200MHz	Pass	PK	10.40068G	67.80	68.20	-0.40	3	Horizontal	302	1.92	-
5240MHz	Pass	AV	5.1404G	47.20	54.00	-6.80	3	Vertical	339	1.61	-
5240MHz	Pass	AV	5.2388G	112.10	Inf	-Inf	3	Vertical	339	1.61	-
5240MHz	Pass	AV	5.3762G	45.81	54.00	-8.19	3	Vertical	339	1.61	-
5240MHz	Pass	PK	5.1404G	58.05	74.00	-15.95	3	Vertical	339	1.61	-
5240MHz	Pass	PK	5.2388G	119.45	Inf	-Inf	3	Vertical	339	1.61	-
5240MHz	Pass	PK	5.3756G	57.10	74.00	-16.90	3	Vertical	339	1.61	-
5240MHz	Pass	AV	5.1428G	47.23	54.00	-6.77	3	Horizontal	327	2.30	-
5240MHz	Pass	AV	5.2406G	114.53	Inf	-Inf	3	Horizontal	327	2.30	-
5240MHz	Pass	AV	5.3762G	46.09	54.00	-7.91	3	Horizontal	327	2.30	-
5240MHz	Pass	PK	5.1152G	58.11	74.00	-15.89	3	Horizontal	327	2.30	-
5240MHz	Pass	PK	5.2406G	122.22	Inf	-Inf	3	Horizontal	327	2.30	-
5240MHz	Pass	PK	5.3528G	57.54	74.00	-16.46	3	Horizontal	327	2.30	-
5240MHz	Pass	PK	10.47844G	62.90	68.20	-5.30	3	Vertical	336	3.00	-
5240MHz	Pass	PK	10.47736G	67.62	68.20	-0.58	3	Horizontal	309	1.48	-
5260MHz	Pass	AV	5.1136G	46.98	54.00	-7.02	3	Vertical	340	1.50	-
5260MHz	Pass	AV	5.2582G	111.35	Inf	-Inf	3	Vertical	340	1.50	-
5260MHz	Pass	AV	5.3554G	46.03	54.00	-7.97	3	Vertical	340	1.50	-
5260MHz	Pass	PK	5.1244G	58.99	74.00	-15.01	3	Vertical	340	1.50	-
5260MHz	Pass	PK	5.2582G	119.58	Inf	-Inf	3	Vertical	340	1.50	-
5260MHz	Pass	PK	5.389G	57.09	74.00	-16.91	3	Vertical	340	1.50	-
5260MHz	Pass	AV	5.1154G	47.04	54.00	-6.96	3	Horizontal	326	2.38	-
5260MHz	Pass	AV	5.2606G	114.71	Inf	-Inf	3	Horizontal	326	2.38	-
5260MHz	Pass	AV	5.3572G	46.93	54.00	-7.07	3	Horizontal	326	2.38	-
5260MHz	Pass	PK	5.1124G	57.96	74.00	-16.04	3	Horizontal	326	2.38	-
5260MHz	Pass	PK	5.2606G	122.12	Inf	-Inf	3	Horizontal	326	2.38	-
5260MHz	Pass	PK	5.3818G	57.83	74.00	-16.17	3	Horizontal	326	2.38	-
5260MHz	Pass	PK	10.517G	64.53	68.20	-3.67	3	Vertical	19	1.00	-
5260MHz	Pass	PK	10.5196G	67.59	68.20	-0.61	3	Horizontal	300	1.71	-
5300MHz	Pass	AV	5.2992G	107.75	Inf	-Inf	3	Vertical	337	1.69	-
5300MHz	Pass	AV	5.396G	46.10	54.00	-7.90	3	Vertical	337	1.69	-
5300MHz	Pass	PK	5.2992G	115.53	Inf	-Inf	3	Vertical	337	1.69	-
5300MHz	Pass	PK	5.366G	57.36	74.00	-16.64	3	Vertical	337	1.69	-
5300MHz	Pass	AV	5.3008G	111.73	Inf	-Inf	3	Horizontal	325	2.14	-
5300MHz	Pass	AV	5.3964G	46.74	54.00	-7.26	3	Horizontal	325	2.14	-
5300MHz	Pass	PK	5.3008G	119.15	Inf	-Inf	3	Horizontal	325	2.14	-
5300MHz	Pass	PK	5.4G	57.04	74.00	-16.96	3	Horizontal	325	2.14	-
5300MHz	Pass	AV	10.60192G	50.71	54.00	-3.29	3	Vertical	19	1.00	-
5300MHz	Pass	PK	10.59636G	62.87	68.20	-5.33	3	Vertical	19	1.00	-
5300MHz	Pass	AV	10.60008G	53.89	54.00	-0.11	3	Horizontal	302	1.75	-
5300MHz	Pass	PK	10.60096G	64.75	74.00	-9.25	3	Horizontal	302	1.75	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	5.3188G	106.73	Inf	-Inf	3	Vertical	339	1.76	-
5320MHz	Pass	AV	5.35G	45.97	54.00	-8.03	3	Vertical	339	1.76	-
5320MHz	Pass	PK	5.3184G	114.32	Inf	-Inf	3	Vertical	339	1.76	-
5320MHz	Pass	PK	5.3698G	58.06	74.00	-15.94	3	Vertical	339	1.76	-
5320MHz	Pass	AV	5.3208G	110.54	Inf	-Inf	3	Horizontal	326	2.23	-
5320MHz	Pass	AV	5.35G	46.89	54.00	-7.11	3	Horizontal	326	2.23	-
5320MHz	Pass	PK	5.3208G	118.41	Inf	-Inf	3	Horizontal	326	2.23	-
5320MHz	Pass	PK	5.3574G	58.88	74.00	-15.12	3	Horizontal	326	2.23	-
5320MHz	Pass	AV	10.6414G	49.79	54.00	-4.21	3	Vertical	20	1.00	-
5320MHz	Pass	PK	10.6364G	62.09	74.00	-11.91	3	Vertical	20	1.00	-
5320MHz	Pass	AV	10.64016G	53.48	54.00	-0.52	3	Horizontal	306	1.89	-
5320MHz	Pass	PK	10.64476G	64.34	74.00	-9.66	3	Horizontal	306	1.89	-
5500MHz	Pass	AV	5.46G	46.94	54.00	-7.06	3	Vertical	348	1.05	-
5500MHz	Pass	AV	5.501G	111.57	Inf	-Inf	3	Vertical	348	1.05	-
5500MHz	Pass	PK	5.47G	61.71	68.20	-6.49	3	Vertical	348	1.05	-
5500MHz	Pass	PK	5.5008G	119.12	Inf	-Inf	3	Vertical	348	1.05	-
5500MHz	Pass	AV	5.46G	49.70	54.00	-4.30	3	Horizontal	322	1.99	-
5500MHz	Pass	AV	5.5008G	113.10	Inf	-Inf	3	Horizontal	322	1.99	-
5500MHz	Pass	PK	5.47G	67.09	68.20	-1.11	3	Horizontal	322	1.99	-
5500MHz	Pass	PK	5.5008G	120.91	Inf	-Inf	3	Horizontal	322	1.99	-
5500MHz	Pass	AV	11.0002G	52.08	54.00	-1.92	3	Vertical	22	1.02	-
5500MHz	Pass	PK	11.00068G	63.16	74.00	-10.84	3	Vertical	22	1.02	-
5500MHz	Pass	AV	11.0022G	51.88	54.00	-2.12	3	Horizontal	287	1.56	-
5500MHz	Pass	PK	11.00256G	63.40	74.00	-10.60	3	Horizontal	287	1.56	-
5580MHz	Pass	AV	5.4372G	45.78	54.00	-8.22	3	Vertical	342	2.56	-
5580MHz	Pass	AV	5.5806G	112.77	Inf	-Inf	3	Vertical	342	2.56	-
5580MHz	Pass	PK	5.4642G	56.44	68.20	-11.76	3	Vertical	342	2.56	-
5580MHz	Pass	PK	5.5806G	120.53	Inf	-Inf	3	Vertical	342	2.56	-
5580MHz	Pass	PK	5.7288G	58.00	68.20	-10.20	3	Vertical	342	2.56	-
5580MHz	Pass	AV	5.4378G	46.00	54.00	-8.00	3	Horizontal	296	2.57	-
5580MHz	Pass	AV	5.5806G	114.16	Inf	-Inf	3	Horizontal	296	2.57	-
5580MHz	Pass	PK	5.4624G	56.46	68.20	-11.74	3	Horizontal	296	2.57	-
5580MHz	Pass	PK	5.5806G	122.05	Inf	-Inf	3	Horizontal	296	2.57	-
5580MHz	Pass	PK	5.727G	56.98	68.20	-11.22	3	Horizontal	296	2.57	-
5580MHz	Pass	AV	11.16212G	49.26	54.00	-4.74	3	Vertical	355	1.44	-
5580MHz	Pass	PK	11.16076G	60.33	74.00	-13.67	3	Vertical	355	1.44	-
5580MHz	Pass	AV	11.16028G	53.68	54.00	-0.32	3	Horizontal	52	2.00	-
5580MHz	Pass	PK	11.16312G	65.56	74.00	-8.44	3	Horizontal	52	2.00	-
5700MHz	Pass	AV	5.7008G	112.43	Inf	-Inf	3	Vertical	347	2.49	-
5700MHz	Pass	PK	5.7008G	120.20	Inf	-Inf	3	Vertical	347	2.49	-
5700MHz	Pass	PK	5.726G	65.92	68.20	-2.28	3	Vertical	347	2.49	-
5700MHz	Pass	AV	5.7008G	113.17	Inf	-Inf	3	Horizontal	296	2.49	-
5700MHz	Pass	PK	5.7008G	120.77	Inf	-Inf	3	Horizontal	296	2.49	-
5700MHz	Pass	PK	5.7256G	66.21	68.20	-1.99	3	Horizontal	296	2.49	-
5700MHz	Pass	AV	11.40208G	47.88	54.00	-6.12	3	Vertical	354	1.32	-
5700MHz	Pass	PK	11.40164G	59.71	74.00	-14.29	3	Vertical	354	1.32	-
5700MHz	Pass	AV	11.4002G	52.85	54.00	-1.15	3	Horizontal	300	2.41	-
5700MHz	Pass	PK	11.40068G	64.67	74.00	-9.33	3	Horizontal	300	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	45.65	54.00	-8.35	3	Vertical	347	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	113.06	Inf	-Inf	3	Vertical	347	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.06	68.20	-11.14	3	Vertical	347	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	120.41	Inf	-Inf	3	Vertical	347	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8722G	58.84	68.20	-9.36	3	Vertical	347	2.43	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	45.79	54.00	-8.21	3	Horizontal	298	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	113.96	Inf	-Inf	3	Horizontal	298	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	55.71	68.20	-12.49	3	Horizontal	298	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	121.37	Inf	-Inf	3	Horizontal	298	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8928G	60.11	68.20	-8.09	3	Horizontal	298	2.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44244G	48.20	54.00	-5.80	3	Vertical	282	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.443G	60.57	74.00	-13.43	3	Vertical	282	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4402G	53.80	54.00	-0.20	3	Horizontal	300	2.37	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44072G	65.07	74.00	-8.93	3	Horizontal	300	2.37	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	AV	5.7462G	112.82	Inf	-Inf	3	Vertical	348	2.56	-
5745MHz	Pass	PK	5.6298G	57.85	68.20	-10.35	3	Vertical	348	2.56	-
5745MHz	Pass	PK	5.7462G	120.58	Inf	-Inf	3	Vertical	348	2.56	-
5745MHz	Pass	PK	5.9574G	58.76	68.20	-9.44	3	Vertical	348	2.56	-
5745MHz	Pass	AV	5.7462G	112.12	Inf	-Inf	3	Horizontal	71	2.13	-
5745MHz	Pass	PK	5.6478G	58.44	68.20	-9.76	3	Horizontal	71	2.13	-
5745MHz	Pass	PK	5.7462G	119.75	Inf	-Inf	3	Horizontal	71	2.13	-
5745MHz	Pass	PK	5.9778G	58.64	68.20	-9.56	3	Horizontal	71	2.13	-
5745MHz	Pass	AV	11.49898G	49.21	54.00	-4.79	3	Vertical	12	1.36	-
5745MHz	Pass	PK	11.49068G	60.90	74.00	-13.10	3	Vertical	12	1.36	-
5745MHz	Pass	AV	11.488G	53.55	54.00	-0.45	3	Horizontal	295	1.63	-
5745MHz	Pass	PK	11.4928G	66.01	74.00	-7.99	3	Horizontal	295	1.63	-
5785MHz	Pass	AV	5.7862G	113.14	Inf	-Inf	3	Vertical	347	2.44	-
5785MHz	Pass	PK	5.599G	57.63	68.20	-10.57	3	Vertical	347	2.44	-
5785MHz	Pass	PK	5.7862G	120.60	Inf	-Inf	3	Vertical	347	2.44	-
5785MHz	Pass	PK	5.9938G	58.92	68.20	-9.28	3	Vertical	347	2.44	-
5785MHz	Pass	AV	5.7862G	112.33	Inf	-Inf	3	Horizontal	72	2.00	-
5785MHz	Pass	PK	5.5594G	58.05	68.20	-10.15	3	Horizontal	72	2.00	-
5785MHz	Pass	PK	5.785G	119.09	Inf	-Inf	3	Horizontal	72	2.00	-
5785MHz	Pass	PK	5.9854G	58.98	68.20	-9.22	3	Horizontal	72	2.00	-
5785MHz	Pass	AV	11.57G	48.99	54.00	-5.01	3	Vertical	12	1.50	-
5785MHz	Pass	PK	11.57076G	59.97	74.00	-14.03	3	Vertical	12	1.50	-
5785MHz	Pass	AV	11.56984G	53.17	54.00	-0.83	3	Horizontal	310	1.59	-
5785MHz	Pass	PK	11.57084G	64.88	74.00	-9.12	3	Horizontal	310	1.59	-
5825MHz	Pass	AV	5.8262G	113.27	Inf	-Inf	3	Vertical	348	2.44	-
5825MHz	Pass	PK	5.5886G	57.78	68.20	-10.42	3	Vertical	348	2.44	-
5825MHz	Pass	PK	5.8262G	121.00	Inf	-Inf	3	Vertical	348	2.44	-
5825MHz	Pass	PK	5.9294G	59.09	68.20	-9.11	3	Vertical	348	2.44	-
5825MHz	Pass	AV	5.8262G	112.29	Inf	-Inf	3	Horizontal	71	2.06	-
5825MHz	Pass	PK	5.5442G	57.74	68.20	-10.46	3	Horizontal	71	2.06	-
5825MHz	Pass	PK	5.8262G	120.01	Inf	-Inf	3	Horizontal	71	2.06	-
5825MHz	Pass	PK	5.9714G	58.89	68.20	-9.31	3	Horizontal	71	2.06	-
5825MHz	Pass	AV	11.64796G	48.73	54.00	-5.27	3	Vertical	16	1.33	-
5825MHz	Pass	PK	11.64384G	60.40	74.00	-13.60	3	Vertical	16	1.33	-
5825MHz	Pass	AV	11.65012G	52.67	54.00	-1.33	3	Horizontal	311	1.56	-
5825MHz	Pass	PK	11.64444G	64.08	74.00	-9.92	3	Horizontal	311	1.56	-
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	51.11	54.00	-2.89	3	Vertical	335	1.76	-
5180MHz	Pass	AV	5.1782G	109.94	Inf	-Inf	3	Vertical	335	1.76	-
5180MHz	Pass	PK	5.1476G	62.75	74.00	-11.25	3	Vertical	335	1.76	-
5180MHz	Pass	PK	5.178G	120.30	Inf	-Inf	3	Vertical	335	1.76	-
5180MHz	Pass	AV	5.1496G	53.78	54.00	-0.22	3	Horizontal	56	2.82	-
5180MHz	Pass	AV	5.1792G	113.29	Inf	-Inf	3	Horizontal	56	2.82	-
5180MHz	Pass	PK	5.149G	65.67	74.00	-8.33	3	Horizontal	56	2.82	-
5180MHz	Pass	PK	5.1776G	123.68	Inf	-Inf	3	Horizontal	56	2.82	-
5180MHz	Pass	PK	10.36492G	62.41	68.20	-5.79	3	Vertical	336	3.00	-
5180MHz	Pass	PK	10.35982G	67.88	68.20	-0.32	3	Horizontal	301	1.91	-
5200MHz	Pass	AV	5.1496G	47.26	54.00	-6.74	3	Vertical	329	1.63	-
5200MHz	Pass	AV	5.1988G	108.79	Inf	-Inf	3	Vertical	329	1.63	-
5200MHz	Pass	PK	5.142G	59.65	74.00	-14.35	3	Vertical	329	1.63	-
5200MHz	Pass	PK	5.1992G	119.25	Inf	-Inf	3	Vertical	329	1.63	-
5200MHz	Pass	AV	5.1492G	47.31	54.00	-6.69	3	Horizontal	324	2.60	-
5200MHz	Pass	AV	5.2012G	110.81	Inf	-Inf	3	Horizontal	324	2.60	-
5200MHz	Pass	PK	5.15G	59.21	74.00	-14.79	3	Horizontal	324	2.60	-
5200MHz	Pass	PK	5.2012G	120.66	Inf	-Inf	3	Horizontal	324	2.60	-
5200MHz	Pass	PK	10.39496G	62.41	68.20	-5.79	3	Vertical	334	3.00	-
5200MHz	Pass	PK	10.4006G	67.71	68.20	-0.49	3	Horizontal	301	1.91	-
5240MHz	Pass	AV	5.1476G	47.03	54.00	-6.97	3	Vertical	330	1.62	-
5240MHz	Pass	AV	5.2382G	110.53	Inf	-Inf	3	Vertical	330	1.62	-
5240MHz	Pass	AV	5.3828G	45.68	54.00	-8.32	3	Vertical	330	1.62	-
5240MHz	Pass	PK	5.138G	58.75	74.00	-15.25	3	Vertical	330	1.62	-
5240MHz	Pass	PK	5.237G	121.03	Inf	-Inf	3	Vertical	330	1.62	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.39G	56.27	74.00	-17.73	3	Vertical	330	1.62	-
5240MHz	Pass	AV	5.1434G	47.10	54.00	-6.90	3	Horizontal	326	2.30	-
5240MHz	Pass	AV	5.2406G	113.29	Inf	-Inf	3	Horizontal	326	2.30	-
5240MHz	Pass	AV	5.3846G	45.89	54.00	-8.11	3	Horizontal	326	2.30	-
5240MHz	Pass	PK	5.096G	58.28	74.00	-15.72	3	Horizontal	326	2.30	-
5240MHz	Pass	PK	5.2406G	122.89	Inf	-Inf	3	Horizontal	326	2.30	-
5240MHz	Pass	PK	5.3594G	56.50	74.00	-17.50	3	Horizontal	326	2.30	-
5240MHz	Pass	PK	10.4818G	63.06	68.20	-5.14	3	Vertical	25	2.45	-
5240MHz	Pass	PK	10.48066G	67.98	68.20	-0.22	3	Horizontal	301	1.95	-
5260MHz	Pass	AV	5.1172G	46.89	54.00	-7.11	3	Vertical	332	1.50	-
5260MHz	Pass	AV	5.2582G	109.88	Inf	-Inf	3	Vertical	332	1.50	-
5260MHz	Pass	AV	5.3542G	45.93	54.00	-8.07	3	Vertical	332	1.50	-
5260MHz	Pass	PK	5.1418G	57.89	74.00	-16.11	3	Vertical	332	1.50	-
5260MHz	Pass	PK	5.2576G	119.83	Inf	-Inf	3	Vertical	332	1.50	-
5260MHz	Pass	PK	5.3998G	56.57	74.00	-17.43	3	Vertical	332	1.50	-
5260MHz	Pass	AV	5.1424G	46.92	54.00	-7.08	3	Horizontal	322	2.27	-
5260MHz	Pass	AV	5.2606G	113.91	Inf	-Inf	3	Horizontal	322	2.27	-
5260MHz	Pass	AV	5.3566G	46.76	54.00	-7.24	3	Horizontal	322	2.27	-
5260MHz	Pass	PK	5.1208G	57.96	74.00	-16.04	3	Horizontal	322	2.27	-
5260MHz	Pass	PK	5.2606G	123.93	Inf	-Inf	3	Horizontal	322	2.27	-
5260MHz	Pass	PK	5.359G	57.86	74.00	-16.14	3	Horizontal	322	2.27	-
5260MHz	Pass	PK	10.5251G	61.38	68.20	-6.82	3	Vertical	60	2.22	-
5260MHz	Pass	PK	10.51988G	67.01	68.20	-1.19	3	Horizontal	299	1.94	-
5300MHz	Pass	AV	5.3004G	108.62	Inf	-Inf	3	Vertical	355	1.02	-
5300MHz	Pass	AV	5.3964G	46.07	54.00	-7.93	3	Vertical	355	1.02	-
5300MHz	Pass	PK	5.2992G	118.58	Inf	-Inf	3	Vertical	355	1.02	-
5300MHz	Pass	PK	5.3948G	57.19	74.00	-16.81	3	Vertical	355	1.02	-
5300MHz	Pass	AV	5.3008G	111.21	Inf	-Inf	3	Horizontal	325	2.15	-
5300MHz	Pass	AV	5.3964G	46.60	54.00	-7.40	3	Horizontal	325	2.15	-
5300MHz	Pass	PK	5.2992G	122.04	Inf	-Inf	3	Horizontal	325	2.15	-
5300MHz	Pass	PK	5.382G	57.21	74.00	-16.79	3	Horizontal	325	2.15	-
5300MHz	Pass	AV	10.60198G	49.77	54.00	-4.23	3	Vertical	20	1.00	-
5300MHz	Pass	PK	10.60024G	62.28	74.00	-11.72	3	Vertical	20	1.00	-
5300MHz	Pass	AV	10.60144G	53.56	54.00	-0.44	3	Horizontal	302	1.94	-
5300MHz	Pass	PK	10.60144G	65.75	74.00	-8.25	3	Horizontal	302	1.94	-
5320MHz	Pass	AV	5.3184G	106.48	Inf	-Inf	3	Vertical	334	1.55	-
5320MHz	Pass	AV	5.35G	47.47	54.00	-6.53	3	Vertical	334	1.55	-
5320MHz	Pass	PK	5.3176G	117.87	Inf	-Inf	3	Vertical	334	1.55	-
5320MHz	Pass	PK	5.351G	58.39	74.00	-15.61	3	Vertical	334	1.55	-
5320MHz	Pass	AV	5.3206G	111.17	Inf	-Inf	3	Horizontal	324	2.11	-
5320MHz	Pass	AV	5.3506G	49.63	54.00	-4.37	3	Horizontal	324	2.11	-
5320MHz	Pass	PK	5.3206G	121.38	Inf	-Inf	3	Horizontal	324	2.11	-
5320MHz	Pass	PK	5.351G	61.89	74.00	-12.11	3	Horizontal	324	2.11	-
5320MHz	Pass	AV	10.64198G	50.02	54.00	-3.98	3	Vertical	19	1.00	-
5320MHz	Pass	PK	10.6415G	61.88	74.00	-12.12	3	Vertical	19	1.00	-
5320MHz	Pass	AV	10.63994G	53.81	54.00	-0.19	3	Horizontal	304	1.90	-
5320MHz	Pass	PK	10.63964G	64.82	74.00	-9.18	3	Horizontal	304	1.90	-
5500MHz	Pass	AV	5.46G	47.81	54.00	-6.19	3	Vertical	355	1.06	-
5500MHz	Pass	AV	5.5008G	110.31	Inf	-Inf	3	Vertical	355	1.06	-
5500MHz	Pass	PK	5.47G	63.12	68.20	-5.08	3	Vertical	355	1.06	-
5500MHz	Pass	PK	5.501G	121.59	Inf	-Inf	3	Vertical	355	1.06	-
5500MHz	Pass	AV	5.4598G	49.97	54.00	-4.03	3	Horizontal	328	1.81	-
5500MHz	Pass	AV	5.5008G	111.80	Inf	-Inf	3	Horizontal	328	1.81	-
5500MHz	Pass	PK	5.4698G	65.91	68.20	-2.29	3	Horizontal	328	1.81	-
5500MHz	Pass	PK	5.4992G	122.64	Inf	-Inf	3	Horizontal	328	1.81	-
5500MHz	Pass	AV	11.00288G	48.43	54.00	-5.57	3	Vertical	13	1.60	-
5500MHz	Pass	PK	11.0034G	59.57	74.00	-14.43	3	Vertical	13	1.60	-
5500MHz	Pass	AV	10.99668G	53.28	54.00	-0.72	3	Horizontal	53	1.96	-
5500MHz	Pass	PK	10.9956G	64.84	74.00	-9.16	3	Horizontal	53	1.96	-
5580MHz	Pass	AV	5.4582G	45.99	54.00	-8.01	3	Vertical	353	1.06	-
5580MHz	Pass	AV	5.5812G	112.82	Inf	-Inf	3	Vertical	353	1.06	-
5580MHz	Pass	PK	5.4696G	58.10	68.20	-10.10	3	Vertical	353	1.06	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.5806G	123.54	Inf	-Inf	3	Vertical	353	1.06	-
5580MHz	Pass	PK	5.7282G	56.94	68.20	-11.26	3	Vertical	353	1.06	-
5580MHz	Pass	AV	5.4426G	46.20	54.00	-7.80	3	Horizontal	321	1.59	-
5580MHz	Pass	AV	5.5818G	111.77	Inf	-Inf	3	Horizontal	321	1.59	-
5580MHz	Pass	PK	5.4636G	56.81	68.20	-11.39	3	Horizontal	321	1.59	-
5580MHz	Pass	PK	5.5812G	122.03	Inf	-Inf	3	Horizontal	321	1.59	-
5580MHz	Pass	PK	5.727G	57.81	68.20	-10.39	3	Horizontal	321	1.59	-
5580MHz	Pass	AV	11.16184G	48.25	54.00	-5.75	3	Vertical	358	1.57	-
5580MHz	Pass	PK	11.16172G	59.62	74.00	-14.38	3	Vertical	358	1.57	-
5580MHz	Pass	AV	11.16168G	53.74	54.00	-0.26	3	Horizontal	52	1.99	-
5580MHz	Pass	PK	11.16464G	65.60	74.00	-8.40	3	Horizontal	52	1.99	-
5700MHz	Pass	AV	5.7012G	112.68	Inf	-Inf	3	Vertical	350	2.50	-
5700MHz	Pass	PK	5.7008G	124.01	Inf	-Inf	3	Vertical	350	2.50	-
5700MHz	Pass	PK	5.7308G	66.87	68.20	-1.33	3	Vertical	350	2.50	-
5700MHz	Pass	AV	5.7008G	111.11	Inf	-Inf	3	Horizontal	318	1.08	-
5700MHz	Pass	PK	5.7008G	122.50	Inf	-Inf	3	Horizontal	318	1.08	-
5700MHz	Pass	PK	5.7304G	63.95	68.20	-4.25	3	Horizontal	318	1.08	-
5700MHz	Pass	AV	11.39424G	47.28	54.00	-6.72	3	Vertical	355	1.33	-
5700MHz	Pass	PK	11.39456G	59.08	74.00	-14.92	3	Vertical	355	1.33	-
5700MHz	Pass	AV	11.40224G	53.10	54.00	-0.90	3	Horizontal	315	2.40	-
5700MHz	Pass	PK	11.4008G	66.16	74.00	-7.84	3	Horizontal	315	2.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	45.91	54.00	-8.09	3	Vertical	349	2.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	113.04	Inf	-Inf	3	Vertical	349	2.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.21	68.20	-11.99	3	Vertical	349	2.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	124.02	Inf	-Inf	3	Vertical	349	2.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9792G	60.33	68.20	-7.87	3	Vertical	349	2.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	45.93	54.00	-8.07	3	Horizontal	75	1.92	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	112.22	Inf	-Inf	3	Horizontal	75	1.92	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	55.64	68.20	-12.56	3	Horizontal	75	1.92	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	122.87	Inf	-Inf	3	Horizontal	75	1.92	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9264G	59.22	68.20	-8.98	3	Horizontal	75	1.92	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4436G	47.27	54.00	-6.73	3	Vertical	356	1.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4438G	59.69	74.00	-14.31	3	Vertical	356	1.36	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4422G	51.77	54.00	-2.23	3	Horizontal	308	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44316G	63.74	74.00	-10.26	3	Horizontal	308	1.50	-
5745MHz	Pass	AV	5.7438G	113.04	Inf	-Inf	3	Vertical	0	2.50	-
5745MHz	Pass	PK	5.6154G	58.16	68.20	-10.04	3	Vertical	0	2.50	-
5745MHz	Pass	PK	5.7426G	123.63	Inf	-Inf	3	Vertical	0	2.50	-
5745MHz	Pass	PK	5.9466G	59.84	68.20	-8.36	3	Vertical	0	2.50	-
5745MHz	Pass	AV	5.7462G	112.59	Inf	-Inf	3	Horizontal	74	2.06	-
5745MHz	Pass	PK	5.5398G	57.96	68.20	-10.24	3	Horizontal	74	2.06	-
5745MHz	Pass	PK	5.7462G	122.17	Inf	-Inf	3	Horizontal	74	2.06	-
5745MHz	Pass	PK	6.0258G	59.55	68.20	-8.65	3	Horizontal	74	2.06	-
5745MHz	Pass	AV	11.48604G	48.43	54.00	-5.57	3	Vertical	284	1.50	-
5745MHz	Pass	PK	11.49576G	59.90	74.00	-14.10	3	Vertical	284	1.50	-
5745MHz	Pass	AV	11.49348G	53.13	54.00	-0.87	3	Horizontal	304	1.61	-
5745MHz	Pass	PK	11.49364G	65.12	74.00	-8.88	3	Horizontal	304	1.61	-
5785MHz	Pass	AV	5.7862G	111.25	Inf	-Inf	3	Vertical	44	2.05	-
5785MHz	Pass	PK	5.6422G	57.94	68.20	-10.26	3	Vertical	44	2.05	-
5785MHz	Pass	PK	5.7862G	121.17	Inf	-Inf	3	Vertical	44	2.05	-
5785MHz	Pass	PK	5.9782G	58.99	68.20	-9.21	3	Vertical	44	2.05	-
5785MHz	Pass	AV	5.7862G	112.10	Inf	-Inf	3	Horizontal	68	1.97	-
5785MHz	Pass	PK	5.6338G	57.53	68.20	-10.67	3	Horizontal	68	1.97	-
5785MHz	Pass	PK	5.7862G	120.98	Inf	-Inf	3	Horizontal	68	1.97	-
5785MHz	Pass	PK	6.007G	58.93	68.20	-9.27	3	Horizontal	68	1.97	-
5785MHz	Pass	AV	11.56712G	48.05	54.00	-5.95	3	Vertical	291	1.93	-
5785MHz	Pass	PK	11.56584G	59.88	74.00	-14.12	3	Vertical	291	1.93	-
5785MHz	Pass	AV	11.5718G	51.71	54.00	-2.29	3	Horizontal	307	1.50	-
5785MHz	Pass	PK	11.57096G	64.15	74.00	-9.85	3	Horizontal	307	1.50	-
5825MHz	Pass	AV	5.8238G	111.10	Inf	-Inf	3	Vertical	53	1.81	-
5825MHz	Pass	PK	5.6198G	58.00	68.20	-10.20	3	Vertical	53	1.81	-
5825MHz	Pass	PK	5.8262G	121.24	Inf	-Inf	3	Vertical	53	1.81	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.9462G	60.15	68.20	-8.05	3	Vertical	53	1.81	-
5825MHz	Pass	AV	5.8262G	111.89	Inf	-Inf	3	Horizontal	69	1.96	-
5825MHz	Pass	PK	5.5574G	57.61	68.20	-10.59	3	Horizontal	69	1.96	-
5825MHz	Pass	PK	5.8262G	121.10	Inf	-Inf	3	Horizontal	69	1.96	-
5825MHz	Pass	PK	5.9882G	58.98	68.20	-9.22	3	Horizontal	69	1.96	-
5825MHz	Pass	AV	11.64768G	48.81	54.00	-5.19	3	Vertical	14	1.36	-
5825MHz	Pass	PK	11.64844G	61.10	74.00	-12.90	3	Vertical	14	1.36	-
5825MHz	Pass	AV	11.65156G	50.99	54.00	-3.01	3	Horizontal	312	1.50	-
5825MHz	Pass	PK	11.6498G	63.50	74.00	-10.50	3	Horizontal	312	1.50	-
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	51.31	54.00	-2.69	3	Vertical	336	1.49	-
5190MHz	Pass	AV	5.1872G	106.29	Inf	-Inf	3	Vertical	336	1.49	-
5190MHz	Pass	PK	5.1468G	62.05	74.00	-11.95	3	Vertical	336	1.49	-
5190MHz	Pass	PK	5.1884G	115.52	Inf	-Inf	3	Vertical	336	1.49	-
5190MHz	Pass	AV	5.15G	51.24	54.00	-2.76	3	Horizontal	327	2.29	-
5190MHz	Pass	AV	5.1908G	108.26	Inf	-Inf	3	Horizontal	327	2.29	-
5190MHz	Pass	PK	5.1496G	62.77	74.00	-11.23	3	Horizontal	327	2.29	-
5190MHz	Pass	PK	5.192G	118.08	Inf	-Inf	3	Horizontal	327	2.29	-
5190MHz	Pass	PK	10.38336G	61.71	68.20	-6.49	3	Vertical	36	2.13	-
5190MHz	Pass	PK	10.38728G	62.79	68.20	-5.41	3	Horizontal	302	1.61	-
5230MHz	Pass	AV	5.1468G	51.04	54.00	-2.96	3	Vertical	337	1.50	-
5230MHz	Pass	AV	5.2272G	109.05	Inf	-Inf	3	Vertical	337	1.50	-
5230MHz	Pass	PK	5.1468G	62.04	74.00	-11.96	3	Vertical	337	1.50	-
5230MHz	Pass	PK	5.2276G	119.00	Inf	-Inf	3	Vertical	337	1.50	-
5230MHz	Pass	AV	5.15G	52.37	54.00	-1.63	3	Horizontal	326	2.31	-
5230MHz	Pass	AV	5.2308G	111.68	Inf	-Inf	3	Horizontal	326	2.31	-
5230MHz	Pass	PK	5.1488G	62.02	74.00	-11.98	3	Horizontal	326	2.31	-
5230MHz	Pass	PK	5.2312G	123.34	Inf	-Inf	3	Horizontal	326	2.31	-
5230MHz	Pass	PK	10.45816G	60.73	68.20	-7.47	3	Vertical	29	2.96	-
5230MHz	Pass	PK	10.45448G	64.08	68.20	-4.12	3	Horizontal	308	1.68	-
5270MHz	Pass	AV	5.2668G	108.24	Inf	-Inf	3	Vertical	340	1.48	-
5270MHz	Pass	AV	5.356G	47.56	54.00	-6.44	3	Vertical	340	1.48	-
5270MHz	Pass	PK	5.2672G	118.72	Inf	-Inf	3	Vertical	340	1.48	-
5270MHz	Pass	PK	5.3528G	58.99	74.00	-15.01	3	Vertical	340	1.48	-
5270MHz	Pass	AV	5.2708G	111.92	Inf	-Inf	3	Horizontal	326	2.28	-
5270MHz	Pass	AV	5.35G	51.35	54.00	-2.65	3	Horizontal	326	2.28	-
5270MHz	Pass	PK	5.2712G	122.76	Inf	-Inf	3	Horizontal	326	2.28	-
5270MHz	Pass	PK	5.352G	62.11	74.00	-11.89	3	Horizontal	326	2.28	-
5270MHz	Pass	PK	10.54144G	59.90	68.20	-8.30	3	Vertical	23	1.25	-
5270MHz	Pass	PK	10.54696G	63.54	68.20	-4.66	3	Horizontal	310	1.62	-
5310MHz	Pass	AV	5.3068G	105.01	Inf	-Inf	3	Vertical	343	1.76	-
5310MHz	Pass	AV	5.3564G	48.63	54.00	-5.37	3	Vertical	343	1.76	-
5310MHz	Pass	PK	5.3076G	115.15	Inf	-Inf	3	Vertical	343	1.76	-
5310MHz	Pass	PK	5.356G	59.75	74.00	-14.25	3	Vertical	343	1.76	-
5310MHz	Pass	AV	5.3108G	109.02	Inf	-Inf	3	Horizontal	326	2.00	-
5310MHz	Pass	AV	5.35G	52.79	54.00	-1.21	3	Horizontal	326	2.00	-
5310MHz	Pass	PK	5.3112G	119.28	Inf	-Inf	3	Horizontal	326	2.00	-
5310MHz	Pass	PK	5.3504G	62.87	74.00	-11.13	3	Horizontal	326	2.00	-
5310MHz	Pass	AV	10.62432G	47.41	54.00	-6.59	3	Vertical	78	2.23	-
5310MHz	Pass	PK	10.6352G	56.27	74.00	-17.73	3	Vertical	78	2.23	-
5310MHz	Pass	AV	10.62208G	50.25	54.00	-3.75	3	Horizontal	301	1.80	-
5310MHz	Pass	PK	10.62192G	61.36	74.00	-12.64	3	Horizontal	301	1.80	-
5510MHz	Pass	AV	5.46G	47.66	54.00	-6.34	3	Vertical	351	1.00	-
5510MHz	Pass	AV	5.5112G	106.79	Inf	-Inf	3	Vertical	351	1.00	-
5510MHz	Pass	PK	5.47G	63.09	68.20	-5.11	3	Vertical	351	1.00	-
5510MHz	Pass	PK	5.5124G	116.63	Inf	-Inf	3	Vertical	351	1.00	-
5510MHz	Pass	AV	5.46G	49.38	54.00	-4.62	3	Horizontal	321	2.08	-
5510MHz	Pass	AV	5.5112G	107.92	Inf	-Inf	3	Horizontal	321	2.08	-
5510MHz	Pass	PK	5.47G	65.42	68.20	-2.78	3	Horizontal	321	2.08	-
5510MHz	Pass	PK	5.512G	119.03	Inf	-Inf	3	Horizontal	321	2.08	-
5510MHz	Pass	AV	11.01856G	45.88	54.00	-8.12	3	Vertical	0	1.23	-
5510MHz	Pass	PK	11.01872G	56.14	74.00	-17.86	3	Vertical	0	1.23	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	11.02032G	49.49	54.00	-4.51	3	Horizontal	58	2.02	-
5510MHz	Pass	PK	11.03008G	61.30	74.00	-12.70	3	Horizontal	58	2.02	-
5550MHz	Pass	AV	5.46G	47.30	54.00	-6.70	3	Vertical	351	1.00	-
5550MHz	Pass	AV	5.5512G	110.36	Inf	-Inf	3	Vertical	351	1.00	-
5550MHz	Pass	PK	5.47G	59.56	68.20	-8.64	3	Vertical	351	1.00	-
5550MHz	Pass	PK	5.5516G	120.50	Inf	-Inf	3	Vertical	351	1.00	-
5550MHz	Pass	AV	5.46G	49.17	54.00	-4.83	3	Horizontal	321	1.82	-
5550MHz	Pass	AV	5.5512G	110.23	Inf	-Inf	3	Horizontal	321	1.82	-
5550MHz	Pass	PK	5.4696G	61.40	68.20	-6.80	3	Horizontal	321	1.82	-
5550MHz	Pass	PK	5.552G	120.65	Inf	-Inf	3	Horizontal	321	1.82	-
5550MHz	Pass	AV	11.0928G	46.24	54.00	-7.76	3	Vertical	0	1.56	-
5550MHz	Pass	PK	11.1184G	57.12	74.00	-16.88	3	Vertical	0	1.56	-
5550MHz	Pass	AV	11.09136G	50.06	54.00	-3.94	3	Horizontal	57	2.12	-
5550MHz	Pass	PK	11.0912G	61.05	74.00	-12.95	3	Horizontal	57	2.12	-
5670MHz	Pass	AV	5.6718G	109.76	Inf	-Inf	3	Vertical	350	1.00	-
5670MHz	Pass	PK	5.673G	118.93	Inf	-Inf	3	Vertical	350	1.00	-
5670MHz	Pass	PK	5.733G	65.23	68.20	-2.97	3	Vertical	350	1.00	-
5670MHz	Pass	AV	5.6694G	108.66	Inf	-Inf	3	Horizontal	74	1.90	-
5670MHz	Pass	PK	5.6682G	117.76	Inf	-Inf	3	Horizontal	74	1.90	-
5670MHz	Pass	PK	5.73G	66.28	68.20	-1.92	3	Horizontal	74	1.90	-
5670MHz	Pass	AV	11.33456G	46.34	54.00	-7.66	3	Vertical	360	1.49	-
5670MHz	Pass	PK	11.3352G	57.78	74.00	-16.22	3	Vertical	360	1.49	-
5670MHz	Pass	AV	11.34464G	49.44	54.00	-4.56	3	Horizontal	300	1.62	-
5670MHz	Pass	PK	11.34368G	60.54	74.00	-13.46	3	Horizontal	300	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4376G	45.95	54.00	-8.05	3	Vertical	355	2.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	110.22	Inf	-Inf	3	Vertical	355	2.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	56.87	68.20	-11.33	3	Vertical	355	2.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	119.33	Inf	-Inf	3	Vertical	355	2.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.884G	59.11	68.20	-9.09	3	Vertical	355	2.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4196G	46.04	54.00	-7.96	3	Horizontal	298	2.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	110.92	Inf	-Inf	3	Horizontal	298	2.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	57.45	68.20	-10.75	3	Horizontal	298	2.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	121.21	Inf	-Inf	3	Horizontal	298	2.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9224G	59.65	68.20	-8.55	3	Horizontal	298	2.49	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41472G	46.53	54.00	-7.47	3	Vertical	360	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41456G	58.27	74.00	-15.73	3	Vertical	360	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41616G	49.82	54.00	-4.18	3	Horizontal	300	1.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4324G	61.20	74.00	-12.80	3	Horizontal	300	1.65	-
5755MHz	Pass	AV	5.7538G	110.68	Inf	-Inf	3	Vertical	360	2.47	-
5755MHz	Pass	PK	5.6482G	59.61	68.20	-8.59	3	Vertical	360	2.47	-
5755MHz	Pass	PK	5.755G	119.56	Inf	-Inf	3	Vertical	360	2.47	-
5755MHz	Pass	PK	5.9722G	59.55	68.20	-8.65	3	Vertical	360	2.47	-
5755MHz	Pass	AV	5.7562G	110.37	Inf	-Inf	3	Horizontal	80	2.09	-
5755MHz	Pass	PK	5.605G	58.06	68.20	-10.14	3	Horizontal	80	2.09	-
5755MHz	Pass	PK	5.7562G	120.54	Inf	-Inf	3	Horizontal	80	2.09	-
5755MHz	Pass	PK	5.9614G	59.66	68.20	-8.54	3	Horizontal	80	2.09	-
5755MHz	Pass	AV	11.50488G	46.69	54.00	-7.31	3	Vertical	360	1.46	-
5755MHz	Pass	PK	11.51496G	57.64	74.00	-16.36	3	Vertical	360	1.46	-
5755MHz	Pass	AV	11.5124G	50.57	54.00	-3.43	3	Horizontal	313	1.59	-
5755MHz	Pass	PK	11.51848G	61.62	74.00	-12.38	3	Horizontal	313	1.59	-
5795MHz	Pass	AV	5.7938G	110.09	Inf	-Inf	3	Vertical	0	2.31	-
5795MHz	Pass	PK	5.6306G	58.11	68.20	-10.09	3	Vertical	0	2.31	-
5795MHz	Pass	PK	5.7938G	119.31	Inf	-Inf	3	Vertical	0	2.31	-
5795MHz	Pass	PK	6.0278G	59.56	68.20	-8.64	3	Vertical	0	2.31	-
5795MHz	Pass	AV	5.7962G	109.22	Inf	-Inf	3	Horizontal	325	1.20	-
5795MHz	Pass	PK	5.5094G	58.53	68.20	-9.67	3	Horizontal	325	1.20	-
5795MHz	Pass	PK	5.7962G	118.39	Inf	-Inf	3	Horizontal	325	1.20	-
5795MHz	Pass	PK	5.945G	59.85	68.20	-8.35	3	Horizontal	325	1.20	-
5795MHz	Pass	AV	11.5884G	46.68	54.00	-7.32	3	Vertical	19	1.37	-
5795MHz	Pass	PK	11.59704G	57.96	74.00	-16.04	3	Vertical	19	1.37	-
5795MHz	Pass	AV	11.59192G	49.64	54.00	-4.36	3	Horizontal	313	1.41	-
5795MHz	Pass	PK	11.59448G	60.96	74.00	-13.04	3	Horizontal	313	1.41	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.66	54.00	-0.34	3	Vertical	340	1.50	-
5210MHz	Pass	AV	5.207G	104.46	Inf	-Inf	3	Vertical	340	1.50	-
5210MHz	Pass	AV	5.389G	46.09	54.00	-7.91	3	Vertical	340	1.50	-
5210MHz	Pass	PK	5.147G	64.68	74.00	-9.32	3	Vertical	340	1.50	-
5210MHz	Pass	PK	5.207G	114.26	Inf	-Inf	3	Vertical	340	1.50	-
5210MHz	Pass	PK	5.442G	57.21	74.00	-16.79	3	Vertical	340	1.50	-
5210MHz	Pass	AV	5.149G	53.66	54.00	-0.34	3	Horizontal	332	1.94	-
5210MHz	Pass	AV	5.209G	106.58	Inf	-Inf	3	Horizontal	332	1.94	-
5210MHz	Pass	AV	5.35G	46.84	54.00	-7.16	3	Horizontal	332	1.94	-
5210MHz	Pass	PK	5.149G	67.61	74.00	-6.39	3	Horizontal	332	1.94	-
5210MHz	Pass	PK	5.208G	115.18	Inf	-Inf	3	Horizontal	332	1.94	-
5210MHz	Pass	PK	5.458G	57.26	74.00	-16.74	3	Horizontal	332	1.94	-
5210MHz	Pass	PK	10.38544G	58.86	68.20	-9.34	3	Vertical	28	2.49	-
5210MHz	Pass	PK	10.39216G	60.50	68.20	-7.70	3	Horizontal	313	1.47	-
5290MHz	Pass	AV	5.144G	47.49	54.00	-6.51	3	Vertical	352	1.00	-
5290MHz	Pass	AV	5.291G	105.05	Inf	-Inf	3	Vertical	352	1.00	-
5290MHz	Pass	AV	5.353G	50.43	54.00	-3.57	3	Vertical	352	1.00	-
5290MHz	Pass	PK	5.088G	58.22	74.00	-15.78	3	Vertical	352	1.00	-
5290MHz	Pass	PK	5.293G	113.96	Inf	-Inf	3	Vertical	352	1.00	-
5290MHz	Pass	PK	5.492G	57.79	68.20	-10.41	3	Vertical	352	1.00	-
5290MHz	Pass	AV	5.15G	48.14	54.00	-5.86	3	Horizontal	329	2.19	-
5290MHz	Pass	AV	5.291G	106.95	Inf	-Inf	3	Horizontal	329	2.19	-
5290MHz	Pass	AV	5.351G	53.36	54.00	-0.64	3	Horizontal	329	2.19	-
5290MHz	Pass	PK	5.123G	58.44	74.00	-15.56	3	Horizontal	329	2.19	-
5290MHz	Pass	PK	5.289G	116.88	Inf	-Inf	3	Horizontal	329	2.19	-
5290MHz	Pass	PK	5.35G	63.98	74.00	-10.02	3	Horizontal	329	2.19	-
5290MHz	Pass	PK	10.57872G	57.90	68.20	-10.30	3	Vertical	29	2.33	-
5290MHz	Pass	PK	10.58608G	61.06	68.20	-7.14	3	Horizontal	312	1.64	-
5530MHz	Pass	AV	5.4596G	48.17	54.00	-5.83	3	Vertical	355	1.03	-
5530MHz	Pass	AV	5.5311G	104.38	Inf	-Inf	3	Vertical	355	1.03	-
5530MHz	Pass	PK	5.2803G	61.23	68.20	-6.97	3	Vertical	355	1.03	-
5530MHz	Pass	PK	5.5311G	113.83	Inf	-Inf	3	Vertical	355	1.03	-
5530MHz	Pass	PK	5.7599G	60.11	68.20	-8.09	3	Vertical	355	1.03	-
5530MHz	Pass	AV	5.4596G	51.25	54.00	-2.75	3	Horizontal	324	2.14	-
5530MHz	Pass	AV	5.5311G	105.10	Inf	-Inf	3	Horizontal	324	2.14	-
5530MHz	Pass	PK	5.4684G	64.44	68.20	-3.76	3	Horizontal	324	2.14	-
5530MHz	Pass	PK	5.5311G	114.49	Inf	-Inf	3	Horizontal	324	2.14	-
5530MHz	Pass	PK	5.7599G	58.62	68.20	-9.58	3	Horizontal	324	2.14	-
5530MHz	Pass	AV	11.06042G	44.26	54.00	-9.74	3	Vertical	106	2.65	-
5530MHz	Pass	PK	11.06024G	55.92	74.00	-18.08	3	Vertical	106	2.65	-
5530MHz	Pass	AV	11.06606G	47.30	54.00	-6.70	3	Horizontal	58	1.96	-
5530MHz	Pass	PK	11.0648G	59.42	74.00	-14.58	3	Horizontal	58	1.96	-
5610MHz	Pass	AV	5.46G	46.57	54.00	-7.43	3	Vertical	346	2.55	-
5610MHz	Pass	AV	5.611G	107.61	Inf	-Inf	3	Vertical	346	2.55	-
5610MHz	Pass	PK	5.47G	58.51	68.20	-9.69	3	Vertical	346	2.55	-
5610MHz	Pass	PK	5.612G	119.15	Inf	-Inf	3	Vertical	346	2.55	-
5610MHz	Pass	PK	5.741G	66.89	68.20	-1.31	3	Vertical	346	2.55	-
5610MHz	Pass	AV	5.46G	47.63	54.00	-6.37	3	Horizontal	300	2.55	-
5610MHz	Pass	AV	5.611G	108.35	Inf	-Inf	3	Horizontal	300	2.55	-
5610MHz	Pass	PK	5.469G	60.67	68.20	-7.53	3	Horizontal	300	2.55	-
5610MHz	Pass	PK	5.611G	120.75	Inf	-Inf	3	Horizontal	300	2.55	-
5610MHz	Pass	PK	5.731G	66.64	68.20	-1.56	3	Horizontal	300	2.55	-
5610MHz	Pass	AV	11.2234G	44.62	54.00	-9.38	3	Vertical	358	1.50	-
5610MHz	Pass	PK	11.2124G	56.76	74.00	-17.24	3	Vertical	358	1.50	-
5610MHz	Pass	AV	11.2201G	46.69	54.00	-7.31	3	Horizontal	297	2.14	-
5610MHz	Pass	PK	11.2208G	57.55	74.00	-16.45	3	Horizontal	297	2.14	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6912G	107.83	Inf	-Inf	3	Vertical	347	2.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.17	68.20	-12.03	3	Vertical	347	2.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6912G	117.61	Inf	-Inf	3	Vertical	347	2.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	59.75	68.20	-8.45	3	Vertical	347	2.46	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	108.42	Inf	-Inf	3	Horizontal	301	2.61	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.72	68.20	-11.48	3	Horizontal	301	2.61	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	117.43	Inf	-Inf	3	Horizontal	301	2.61	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9264G	59.85	68.20	-8.35	3	Horizontal	301	2.61	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3749G	44.69	54.00	-9.31	3	Vertical	358	1.53	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3954G	55.78	74.00	-18.22	3	Vertical	358	1.53	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3844G	47.77	54.00	-6.23	3	Horizontal	300	1.58	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.385G	59.57	74.00	-14.43	3	Horizontal	300	1.58	-
5775MHz	Pass	AV	5.1486G	50.06	54.00	-3.94	3	Vertical	343	1.76	-
5775MHz	Pass	AV	5.1788G	110.73	Inf	-Inf	3	Vertical	343	1.76	-
5775MHz	Pass	PK	5.1478G	62.28	74.00	-11.72	3	Vertical	343	1.76	-
5775MHz	Pass	PK	5.1782G	118.60	Inf	-Inf	3	Vertical	343	1.76	-
5775MHz	Pass	AV	5.149G	50.22	54.00	-3.78	3	Horizontal	332	1.80	-
5775MHz	Pass	AV	5.179G	111.00	Inf	-Inf	3	Horizontal	332	1.80	-
5775MHz	Pass	PK	5.1486G	62.35	74.00	-11.65	3	Horizontal	332	1.80	-
5775MHz	Pass	PK	5.1792G	118.78	Inf	-Inf	3	Horizontal	332	1.80	-
5775MHz	Pass	PK	10.35448G	64.00	68.20	-4.20	3	Vertical	316	1.80	-
5775MHz	Pass	PK	10.3544G	67.88	68.20	-0.32	3	Horizontal	300	1.74	-
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	51.83	54.00	-2.17	3	Vertical	345	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2452G	101.08	Inf	-Inf	3	Vertical	345	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3868G	50.03	54.00	-3.97	3	Vertical	345	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	62.30	74.00	-11.70	3	Vertical	345	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2548G	110.96	Inf	-Inf	3	Vertical	345	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4876G	57.87	68.20	-10.33	3	Vertical	345	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.20	54.00	-0.80	3	Horizontal	330	2.63	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2512G	103.60	Inf	-Inf	3	Horizontal	330	2.63	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3724G	52.03	54.00	-1.97	3	Horizontal	330	2.63	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.13G	63.67	74.00	-10.33	3	Horizontal	330	2.63	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2524G	114.16	Inf	-Inf	3	Horizontal	330	2.63	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4948G	57.61	68.20	-10.59	3	Horizontal	330	2.63	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5248G	58.95	68.20	-9.25	3	Vertical	18	1.05	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4838G	58.24	68.20	-9.96	3	Horizontal	311	1.65	-
5570MHz	Pass	AV	5.4596G	50.27	54.00	-3.73	3	Vertical	353	1.03	-
5570MHz	Pass	AV	5.5712G	103.38	Inf	-Inf	3	Vertical	353	1.03	-
5570MHz	Pass	PK	5.462G	61.31	68.20	-6.89	3	Vertical	353	1.03	-
5570MHz	Pass	PK	5.5724G	113.85	Inf	-Inf	3	Vertical	353	1.03	-
5570MHz	Pass	PK	5.7332G	65.10	68.20	-3.10	3	Vertical	353	1.03	-
5570MHz	Pass	AV	5.4596G	52.11	54.00	-1.89	3	Horizontal	320	1.71	-
5570MHz	Pass	AV	5.5724G	102.78	Inf	-Inf	3	Horizontal	320	1.71	-
5570MHz	Pass	PK	5.462G	63.42	68.20	-4.78	3	Horizontal	320	1.71	-
5570MHz	Pass	PK	5.5724G	112.69	Inf	-Inf	3	Horizontal	320	1.71	-
5570MHz	Pass	PK	5.7344G	62.59	68.20	-5.61	3	Horizontal	320	1.71	-
5570MHz	Pass	AV	11.1401G	44.38	54.00	-9.62	3	Vertical	338	1.30	-
5570MHz	Pass	PK	11.1402G	52.81	74.00	-21.19	3	Vertical	338	1.30	-
5570MHz	Pass	AV	11.1326G	45.31	54.00	-8.69	3	Horizontal	52	1.01	-
5570MHz	Pass	PK	11.1422G	54.76	74.00	-19.24	3	Horizontal	52	1.01	-

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	50.06	54.00	-3.94	5.21	3	Vertical	343	1.76	-	44.85	33.10	6.87	34.76
AV	5.1788G	110.73	Inf	-Inf	5.28	3	Vertical	343	1.76	-	105.45	33.16	6.88	34.76
PK	5.1478G	62.28	74.00	-11.72	5.21	3	Vertical	343	1.76	-	57.07	33.10	6.87	34.76
PK	5.1782G	118.60	Inf	-Inf	5.28	3	Vertical	343	1.76	-	113.32	33.16	6.88	34.76

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.22	54.00	-3.78	5.21	3	Horizontal	332	1.80	-	45.01	33.10	6.87	34.76
AV	5.179G	111.00	Inf	-Inf	5.28	3	Horizontal	332	1.80	-	105.72	33.16	6.88	34.76
PK	5.1486G	62.35	74.00	-11.65	5.21	3	Horizontal	332	1.80	-	57.14	33.10	6.87	34.76
PK	5.1792G	118.78	Inf	-Inf	5.28	3	Horizontal	332	1.80	-	113.50	33.16	6.88	34.76

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35448G	64.00	68.20	-4.20	12.55	3	Vertical	316	1.80	-	51.45	38.59	8.99	35.03

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3544G	67.88	68.20	-0.32	12.55	3	Horizontal	300	1.74	-	55.33	38.59	8.99	35.03

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.25	54.00	-6.75	5.21	3	Vertical	333	1.50	-	42.04	33.10	6.87	34.76
AV	5.1988G	109.73	Inf	-Inf	5.33	3	Vertical	333	1.50	-	104.40	33.20	6.89	34.76
PK	5.1412G	58.25	74.00	-15.75	5.19	3	Vertical	333	1.50	-	53.06	33.08	6.87	34.76
PK	5.1988G	117.67	Inf	-Inf	5.33	3	Vertical	333	1.50	-	112.34	33.20	6.89	34.76

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	47.29	54.00	-6.71	5.20	3	Horizontal	326	2.60	-	42.09	33.09	6.87	34.76
AV	5.2008G	111.31	Inf	-Inf	5.33	3	Horizontal	326	2.60	-	105.98	33.20	6.89	34.76
PK	5.11G	58.54	74.00	-15.46	5.11	3	Horizontal	326	2.60	-	53.43	33.02	6.85	34.76
PK	5.2008G	118.75	Inf	-Inf	5.33	3	Horizontal	326	2.60	-	113.42	33.20	6.89	34.76

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40276G	63.98	68.20	-4.22	12.51	3	Vertical	337	2.93	-	51.47	38.50	9.00	34.99

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40068G	67.80	68.20	-0.40	12.51	3	Horizontal	302	1.92	-	55.29	38.50	9.00	34.99

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1404G	47.20	54.00	-6.80	5.19	3	Vertical	339	1.61	-	42.01	33.08	6.87	34.76
AV	5.2388G	112.10	Inf	-Inf	5.29	3	Vertical	339	1.61	-	106.81	33.12	6.93	34.76
AV	5.3762G	45.81	54.00	-8.19	5.18	3	Vertical	339	1.61	-	40.63	32.86	7.09	34.77
PK	5.1404G	58.05	74.00	-15.95	5.19	3	Vertical	339	1.61	-	52.86	33.08	6.87	34.76
PK	5.2388G	119.45	Inf	-Inf	5.29	3	Vertical	339	1.61	-	114.16	33.12	6.93	34.76
PK	5.3756G	57.10	74.00	-16.90	5.17	3	Vertical	339	1.61	-	51.93	32.85	7.09	34.77

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	47.23	54.00	-6.77	5.20	3	Horizontal	327	2.30	-	42.03	33.09	6.87	34.76
AV	5.2406G	114.53	Inf	-Inf	5.30	3	Horizontal	327	2.30	-	109.23	33.12	6.94	34.76
AV	5.3762G	46.09	54.00	-7.91	5.18	3	Horizontal	327	2.30	-	40.91	32.86	7.09	34.77
PK	5.1152G	58.11	74.00	-15.89	5.13	3	Horizontal	327	2.30	-	52.98	33.03	6.86	34.76
PK	5.2406G	122.22	Inf	-Inf	5.30	3	Horizontal	327	2.30	-	116.92	33.12	6.94	34.76
PK	5.3528G	57.54	74.00	-16.46	5.02	3	Horizontal	327	2.30	-	52.52	32.72	7.07	34.77

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47844G	62.90	68.20	-5.30	12.69	3	Vertical	336	3.00	-	50.21	38.58	9.03	34.92

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47736G	67.62	68.20	-0.58	12.69	3	Horizontal	309	1.48	-	54.93	38.58	9.03	34.92

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1136G	46.98	54.00	-7.02	5.13	3	Vertical	340	1.50	-	41.85	33.03	6.86	34.76
AV	5.2582G	111.35	Inf	-Inf	5.26	3	Vertical	340	1.50	-	106.09	33.07	6.96	34.77
AV	5.3554G	46.03	54.00	-7.97	5.03	3	Vertical	340	1.50	-	41.00	32.73	7.07	34.77
PK	5.1244G	58.99	74.00	-15.01	5.15	3	Vertical	340	1.50	-	53.84	33.05	6.86	34.76
PK	5.2582G	119.58	Inf	-Inf	5.26	3	Vertical	340	1.50	-	114.32	33.07	6.96	34.77
PK	5.389G	57.09	74.00	-16.91	5.27	3	Vertical	340	1.50	-	51.82	32.93	7.11	34.77

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1154G	47.04	54.00	-6.96	5.13	3	Horizontal	326	2.38	-	41.91	33.03	6.86	34.76
AV	5.2606G	114.71	Inf	-Inf	5.25	3	Horizontal	326	2.38	-	109.46	33.06	6.96	34.77
AV	5.3572G	46.93	54.00	-7.07	5.04	3	Horizontal	326	2.38	-	41.89	32.74	7.07	34.77
PK	5.1124G	57.96	74.00	-16.04	5.11	3	Horizontal	326	2.38	-	52.85	33.02	6.85	34.76
PK	5.2606G	122.12	Inf	-Inf	5.25	3	Horizontal	326	2.38	-	116.87	33.06	6.96	34.77
PK	5.3818G	57.83	74.00	-16.17	5.22	3	Horizontal	326	2.38	-	52.61	32.89	7.10	34.77

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.517G	64.53	68.20	-3.67	12.80	3	Vertical	19	1.00	-	51.73	38.65	9.04	34.89

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5196G	67.59	68.20	-0.61	12.81	3	Horizontal	300	1.71	-	54.78	38.66	9.04	34.89

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	107.75	Inf	-Inf	5.13	3	Vertical	337	1.69	-	102.62	32.90	7.00	34.77
AV	5.396G	46.10	54.00	-7.90	5.33	3	Vertical	337	1.69	-	40.77	32.98	7.12	34.77
PK	5.2992G	115.53	Inf	-Inf	5.13	3	Vertical	337	1.69	-	110.40	32.90	7.00	34.77
PK	5.366G	57.36	74.00	-16.64	5.11	3	Vertical	337	1.69	-	52.25	32.80	7.08	34.77


802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	111.73	Inf	-Inf	5.14	3	Horizontal	325	2.14	-	106.59	32.90	7.01	34.77
AV	5.3964G	46.74	54.00	-7.26	5.33	3	Horizontal	325	2.14	-	41.41	32.98	7.12	34.77
PK	5.3008G	119.15	Inf	-Inf	5.14	3	Horizontal	325	2.14	-	114.01	32.90	7.01	34.77
PK	5.4G	57.04	74.00	-16.96	5.35	3	Horizontal	325	2.14	-	51.69	33.00	7.12	34.77

802.11a_Nss1,(6Mbps)_2TX
5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60192G	50.71	54.00	-3.29	13.10	3	Vertical	19	1.00	-	37.61	38.90	9.07	34.87
PK	10.59636G	62.87	68.20	-5.33	13.09	3	Vertical	19	1.00	-	49.78	38.89	9.07	34.87


802.11a_Nss1,(6Mbps)_2TX
5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60008G	53.89	54.00	-0.11	13.10	3	Horizontal	302	1.75	-	40.79	38.90	9.07	34.87
PK	10.60096G	64.75	74.00	-9.25	13.10	3	Horizontal	302	1.75	-	51.65	38.90	9.07	34.87

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	106.73	Inf	-Inf	5.08	3	Vertical	339	1.76	-	101.65	32.82	7.03	34.77
AV	5.35G	45.97	54.00	-8.03	4.99	3	Vertical	339	1.76	-	40.98	32.70	7.06	34.77
PK	5.3184G	114.32	Inf	-Inf	5.09	3	Vertical	339	1.76	-	109.23	32.83	7.03	34.77
PK	5.3698G	58.06	74.00	-15.94	5.14	3	Vertical	339	1.76	-	52.92	32.82	7.09	34.77


802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	110.54	Inf	-Inf	5.08	3	Horizontal	326	2.23	-	105.46	32.82	7.03	34.77
AV	5.35G	46.89	54.00	-7.11	4.99	3	Horizontal	326	2.23	-	41.90	32.70	7.06	34.77
PK	5.3208G	118.41	Inf	-Inf	5.08	3	Horizontal	326	2.23	-	113.33	32.82	7.03	34.77
PK	5.3574G	58.88	74.00	-15.12	5.04	3	Horizontal	326	2.23	-	53.84	32.74	7.07	34.77

802.11a_Nss1,(6Mbps)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6414G	49.79	54.00	-4.21	13.21	3	Vertical	20	1.00	-	36.58	38.98	9.08	34.85
PK	10.6364G	62.09	74.00	-11.91	13.19	3	Vertical	20	1.00	-	48.90	38.97	9.08	34.86


802.11a_Nss1,(6Mbps)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64016G	53.48	54.00	-0.52	13.20	3	Horizontal	306	1.89	-	40.28	38.98	9.08	34.86
PK	10.64476G	64.34	74.00	-9.66	13.22	3	Horizontal	306	1.89	-	51.12	38.99	9.08	34.85

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.94	54.00	-7.06	5.13	3	Vertical	348	1.05	-	41.81	32.82	7.08	34.77
AV	5.501G	111.57	Inf	-Inf	5.18	3	Vertical	348	1.05	-	106.39	32.90	7.05	34.77
PK	5.47G	61.71	68.20	-6.49	5.14	3	Vertical	348	1.05	-	56.57	32.84	7.07	34.77
PK	5.5008G	119.12	Inf	-Inf	5.18	3	Vertical	348	1.05	-	113.94	32.90	7.05	34.77


802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.70	54.00	-4.30	5.13	3	Horizontal	322	1.99	-	44.57	32.82	7.08	34.77
AV	5.5008G	113.10	Inf	-Inf	5.18	3	Horizontal	322	1.99	-	107.92	32.90	7.05	34.77
PK	5.47G	67.09	68.20	-1.11	5.14	3	Horizontal	322	1.99	-	61.95	32.84	7.07	34.77
PK	5.5008G	120.91	Inf	-Inf	5.18	3	Horizontal	322	1.99	-	115.73	32.90	7.05	34.77

802.11a_Nss1,(6Mbps)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0002G	52.08	54.00	-1.92	13.16	3	Vertical	22	1.02	-	38.92	38.70	9.20	34.74
PK	11.0068G	63.16	74.00	-10.84	13.16	3	Vertical	22	1.02	-	50.00	38.70	9.20	34.74


802.11a_Nss1,(6Mbps)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0022G	51.88	54.00	-2.12	13.16	3	Horizontal	287	1.56	-	38.72	38.70	9.20	34.74
PK	11.0025G	63.40	74.00	-10.60	13.16	3	Horizontal	287	1.56	-	50.24	38.70	9.20	34.74

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4372G	45.78	54.00	-8.22	5.18	3	Vertical	342	2.56	-	40.60	32.85	7.10	34.77
AV	5.5806G	112.77	Inf	-Inf	5.23	3	Vertical	342	2.56	-	107.54	33.00	7.00	34.77
PK	5.4642G	56.44	68.20	-11.76	5.14	3	Vertical	342	2.56	-	51.30	32.83	7.08	34.77
PK	5.5806G	120.53	Inf	-Inf	5.23	3	Vertical	342	2.56	-	115.30	33.00	7.00	34.77
PK	5.7288G	58.00	68.20	-10.20	5.69	3	Vertical	342	2.56	-	52.31	33.52	6.94	34.77


802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4378G	46.00	54.00	-8.00	5.18	3	Horizontal	296	2.57	-	40.82	32.85	7.10	34.77
AV	5.5806G	114.16	Inf	-Inf	5.23	3	Horizontal	296	2.57	-	108.93	33.00	7.00	34.77
PK	5.4624G	56.46	68.20	-11.74	5.13	3	Horizontal	296	2.57	-	51.33	32.82	7.08	34.77
PK	5.5806G	122.05	Inf	-Inf	5.23	3	Horizontal	296	2.57	-	116.82	33.00	7.00	34.77
PK	5.727G	56.98	68.20	-11.22	5.68	3	Horizontal	296	2.57	-	51.30	33.51	6.94	34.77

802.11a_Nss1,(6Mbps)_2TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16212G	49.26	54.00	-4.74	13.21	3	Vertical	355	1.44	-	36.05	38.66	9.25	34.70
PK	11.16076G	60.33	74.00	-13.67	13.21	3	Vertical	355	1.44	-	47.12	38.66	9.25	34.70

802.11a_Nss1,(6Mbps)_2TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16028G	53.68	54.00	-0.32	13.21	3	Horizontal	52	2.00	-	40.47	38.66	9.25	34.70
PK	11.16312G	65.56	74.00	-8.44	13.21	3	Horizontal	52	2.00	-	52.35	38.66	9.25	34.70

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	112.43	Inf	-Inf	5.58	3	Vertical	347	2.49	-	106.85	33.40	6.95	34.77
PK	5.7008G	120.20	Inf	-Inf	5.58	3	Vertical	347	2.49	-	114.62	33.40	6.95	34.77
PK	5.726G	65.92	68.20	-2.28	5.67	3	Vertical	347	2.49	-	60.25	33.50	6.94	34.77

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	113.17	Inf	-Inf	5.58	3	Horizontal	296	2.49	-	107.59	33.40	6.95	34.77
PK	5.7008G	120.77	Inf	-Inf	5.58	3	Horizontal	296	2.49	-	115.19	33.40	6.95	34.77
PK	5.7256G	66.21	68.20	-1.99	5.67	3	Horizontal	296	2.49	-	60.54	33.50	6.94	34.77

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40208G	47.88	54.00	-6.12	13.59	3	Vertical	354	1.32	-	34.29	38.90	9.33	34.64
PK	11.40164G	59.71	74.00	-14.29	13.59	3	Vertical	354	1.32	-	46.12	38.90	9.33	34.64


802.11a_Nss1,(6Mbps)_2TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4002G	52.85	54.00	-1.15	13.59	3	Horizontal	300	2.41	-	39.26	38.90	9.33	34.64
PK	11.40068G	64.67	74.00	-9.33	13.59	3	Horizontal	300	2.41	-	51.08	38.90	9.33	34.64

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	45.65	54.00	-8.35	5.19	3	Vertical	347	2.43	-	40.46	32.86	7.10	34.77
AV	5.7212G	113.06	Inf	-Inf	5.65	3	Vertical	347	2.43	-	107.41	33.48	6.94	34.77
PK	5.4656G	57.06	68.20	-11.14	5.14	3	Vertical	347	2.43	-	51.92	32.83	7.08	34.77
PK	5.7212G	120.41	Inf	-Inf	5.65	3	Vertical	347	2.43	-	114.76	33.48	6.94	34.77
PK	5.8772G	58.84	68.20	-9.36	6.69	3	Vertical	347	2.43	-	52.15	34.21	7.25	34.77


802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	45.79	54.00	-8.21	5.19	3	Horizontal	298	2.47	-	40.60	32.86	7.10	34.77
AV	5.7212G	113.96	Inf	-Inf	5.65	3	Horizontal	298	2.47	-	108.31	33.48	6.94	34.77
PK	5.4644G	55.71	68.20	-12.49	5.14	3	Horizontal	298	2.47	-	50.57	32.83	7.08	34.77
PK	5.7212G	121.37	Inf	-Inf	5.65	3	Horizontal	298	2.47	-	115.72	33.48	6.94	34.77
PK	5.8928G	60.11	68.20	-8.09	6.82	3	Horizontal	298	2.47	-	53.29	34.27	7.32	34.77

802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44244G	48.20	54.00	-5.80	13.55	3	Vertical	282	1.50	-	34.65	38.82	9.35	34.62
PK	11.443G	60.57	74.00	-13.43	13.54	3	Vertical	282	1.50	-	47.03	38.81	9.35	34.62


802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4402G	53.80	54.00	-0.20	13.54	3	Horizontal	300	2.37	-	40.26	38.82	9.35	34.63
PK	11.44072G	65.07	74.00	-8.93	13.54	3	Horizontal	300	2.37	-	51.53	38.82	9.35	34.63

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	112.82	Inf	-Inf	5.74	3	Vertical	348	2.56	-	107.08	33.58	6.93	34.77
PK	5.6298G	57.85	68.20	-10.35	5.21	3	Vertical	348	2.56	-	52.64	33.00	6.98	34.77
PK	5.7462G	120.58	Inf	-Inf	5.74	3	Vertical	348	2.56	-	114.84	33.58	6.93	34.77
PK	5.9574G	58.76	68.20	-9.44	7.12	3	Vertical	348	2.56	-	51.64	34.29	7.60	34.77


802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	112.12	Inf	-Inf	5.74	3	Horizontal	71	2.13	-	106.38	33.58	6.93	34.77
PK	5.6478G	58.44	68.20	-9.76	5.20	3	Horizontal	71	2.13	-	53.24	33.00	6.97	34.77
PK	5.7462G	119.75	Inf	-Inf	5.74	3	Horizontal	71	2.13	-	114.01	33.58	6.93	34.77
PK	5.9778G	58.64	68.20	-9.56	7.16	3	Horizontal	71	2.13	-	51.48	34.24	7.69	34.77

802.11a_Nss1,(6Mbps)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48988G	49.21	54.00	-4.79	13.47	3	Vertical	12	1.36	-	35.74	38.72	9.36	34.61
PK	11.49068G	60.90	74.00	-13.10	13.47	3	Vertical	12	1.36	-	47.43	38.72	9.36	34.61


802.11a_Nss1,(6Mbps)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.488G	53.55	54.00	-0.45	13.47	3	Horizontal	295	1.63	-	40.08	38.72	9.36	34.61
PK	11.4928G	66.01	74.00	-7.99	13.46	3	Horizontal	295	1.63	-	52.55	38.71	9.36	34.61

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	113.14	Inf	-Inf	5.97	3	Vertical	347	2.44	-	107.17	33.82	6.92	34.77
PK	5.599G	57.63	68.20	-10.57	5.22	3	Vertical	347	2.44	-	52.41	33.00	6.99	34.77
PK	5.7862G	120.60	Inf	-Inf	5.97	3	Vertical	347	2.44	-	114.63	33.82	6.92	34.77
PK	5.9938G	58.92	68.20	-9.28	7.20	3	Vertical	347	2.44	-	51.72	34.21	7.76	34.77


802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	112.33	Inf	-Inf	5.97	3	Horizontal	72	2.00	-	106.36	33.82	6.92	34.77
PK	5.5594G	58.05	68.20	-10.15	5.25	3	Horizontal	72	2.00	-	52.80	33.00	7.02	34.77
PK	5.785G	119.09	Inf	-Inf	5.96	3	Horizontal	72	2.00	-	113.13	33.81	6.92	34.77
PK	5.9854G	58.98	68.20	-9.22	7.19	3	Horizontal	72	2.00	-	51.79	34.23	7.73	34.77

802.11a_Nss1,(6Mbps)_2TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	48.99	54.00	-5.01	13.32	3	Vertical	12	1.50	-	35.67	38.56	9.39	34.63
PK	11.57076G	59.97	74.00	-14.03	13.32	3	Vertical	12	1.50	-	46.65	38.56	9.39	34.63


802.11a_Nss1,(6Mbps)_2TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	53.17	54.00	-0.83	13.32	3	Horizontal	310	1.59	-	39.85	38.56	9.39	34.63
PK	11.57084G	64.88	74.00	-9.12	13.32	3	Horizontal	310	1.59	-	51.56	38.56	9.39	34.63

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	113.27	Inf	-Inf	6.26	3	Vertical	348	2.44	-	107.01	34.00	7.03	34.77
PK	5.5886G	57.78	68.20	-10.42	5.23	3	Vertical	348	2.44	-	52.55	33.00	7.00	34.77
PK	5.8262G	121.00	Inf	-Inf	6.26	3	Vertical	348	2.44	-	114.74	34.00	7.03	34.77
PK	5.9294G	59.09	68.20	-9.11	7.01	3	Vertical	348	2.44	-	52.08	34.30	7.48	34.77


802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	112.29	Inf	-Inf	6.26	3	Horizontal	71	2.06	-	106.03	34.00	7.03	34.77
PK	5.5442G	57.74	68.20	-10.46	5.25	3	Horizontal	71	2.06	-	52.49	32.99	7.03	34.77
PK	5.8262G	120.01	Inf	-Inf	6.26	3	Horizontal	71	2.06	-	113.75	34.00	7.03	34.77
PK	5.9714G	58.89	68.20	-9.31	7.15	3	Horizontal	71	2.06	-	51.74	34.26	7.66	34.77

802.11a_Nss1,(6Mbps)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64796G	48.73	54.00	-5.27	13.21	3	Vertical	16	1.33	-	35.52	38.45	9.41	34.65
PK	11.64384G	60.40	74.00	-13.60	13.22	3	Vertical	16	1.33	-	47.18	38.46	9.41	34.65


802.11a_Nss1,(6Mbps)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65012G	52.67	54.00	-1.33	13.21	3	Horizontal	311	1.56	-	39.46	38.45	9.41	34.65
PK	11.64444G	64.08	74.00	-9.92	13.22	3	Horizontal	311	1.56	-	50.86	38.46	9.41	34.65

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.11	54.00	-2.89	5.21	3	Vertical	335	1.76	-	45.90	33.10	6.87	34.76
AV	5.1782G	109.94	Inf	-Inf	5.28	3	Vertical	335	1.76	-	104.66	33.16	6.88	34.76
PK	5.1476G	62.75	74.00	-11.25	5.21	3	Vertical	335	1.76	-	57.54	33.10	6.87	34.76
PK	5.178G	120.30	Inf	-Inf	5.28	3	Vertical	335	1.76	-	115.02	33.16	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.78	54.00	-0.22	5.21	3	Horizontal	56	2.82	-	48.57	33.10	6.87	34.76
AV	5.1792G	113.29	Inf	-Inf	5.28	3	Horizontal	56	2.82	-	108.01	33.16	6.88	34.76
PK	5.149G	65.67	74.00	-8.33	5.21	3	Horizontal	56	2.82	-	60.46	33.10	6.87	34.76
PK	5.1776G	123.68	Inf	-Inf	5.28	3	Horizontal	56	2.82	-	118.40	33.16	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36492G	62.41	68.20	-5.79	12.54	3	Vertical	336	3.00	-	49.87	38.57	8.99	35.02

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35982G	67.88	68.20	-0.32	12.54	3	Horizontal	301	1.91	-	55.34	38.58	8.99	35.03

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.26	54.00	-6.74	5.21	3	Vertical	329	1.63	-	42.05	33.10	6.87	34.76
AV	5.1988G	108.79	Inf	-Inf	5.33	3	Vertical	329	1.63	-	103.46	33.20	6.89	34.76
PK	5.142G	59.65	74.00	-14.35	5.19	3	Vertical	329	1.63	-	54.46	33.08	6.87	34.76
PK	5.1992G	119.25	Inf	-Inf	5.33	3	Vertical	329	1.63	-	113.92	33.20	6.89	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.31	54.00	-6.69	5.21	3	Horizontal	324	2.60	-	42.10	33.10	6.87	34.76
AV	5.2012G	110.81	Inf	-Inf	5.33	3	Horizontal	324	2.60	-	105.48	33.20	6.89	34.76
PK	5.15G	59.21	74.00	-14.79	5.21	3	Horizontal	324	2.60	-	54.00	33.10	6.87	34.76
PK	5.2012G	120.66	Inf	-Inf	5.33	3	Horizontal	324	2.60	-	115.33	33.20	6.89	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39496G	62.41	68.20	-5.79	12.51	3	Vertical	334	3.00	-	49.90	38.51	9.00	35.00

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4006G	67.71	68.20	-0.49	12.51	3	Horizontal	301	1.91	-	55.20	38.50	9.00	34.99

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	47.03	54.00	-6.97	5.21	3	Vertical	330	1.62	-	41.82	33.10	6.87	34.76
AV	5.2382G	110.53	Inf	-Inf	5.29	3	Vertical	330	1.62	-	105.24	33.12	6.93	34.76
AV	5.3828G	45.68	54.00	-8.32	5.23	3	Vertical	330	1.62	-	40.45	32.90	7.10	34.77
PK	5.138G	58.75	74.00	-15.25	5.19	3	Vertical	330	1.62	-	53.56	33.08	6.87	34.76
PK	5.237G	121.03	Inf	-Inf	5.30	3	Vertical	330	1.62	-	115.73	33.13	6.93	34.76
PK	5.39G	56.27	74.00	-17.73	5.28	3	Vertical	330	1.62	-	50.99	32.94	7.11	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	47.10	54.00	-6.90	5.20	3	Horizontal	326	2.30	-	41.90	33.09	6.87	34.76
AV	5.2406G	113.29	Inf	-Inf	5.30	3	Horizontal	326	2.30	-	107.99	33.12	6.94	34.76
AV	5.3846G	45.89	54.00	-8.11	5.24	3	Horizontal	326	2.30	-	40.65	32.91	7.10	34.77
PK	5.096G	58.28	74.00	-15.72	5.10	3	Horizontal	326	2.30	-	53.18	33.01	6.85	34.76
PK	5.2406G	122.89	Inf	-Inf	5.30	3	Horizontal	326	2.30	-	117.59	33.12	6.94	34.76
PK	5.3594G	56.50	74.00	-17.50	5.06	3	Horizontal	326	2.30	-	51.44	32.76	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4818G	63.06	68.20	-5.14	12.69	3	Vertical	25	2.45	-	50.37	38.58	9.03	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48066G	67.98	68.20	-0.22	12.69	3	Horizontal	301	1.95	-	55.29	38.58	9.03	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1172G	46.89	54.00	-7.11	5.13	3	Vertical	332	1.50	-	41.76	33.03	6.86	34.76
AV	5.2582G	109.88	Inf	-Inf	5.26	3	Vertical	332	1.50	-	104.62	33.07	6.96	34.77
AV	5.3542G	45.93	54.00	-8.07	5.03	3	Vertical	332	1.50	-	40.90	32.73	7.07	34.77
PK	5.1418G	57.89	74.00	-16.11	5.19	3	Vertical	332	1.50	-	52.70	33.08	6.87	34.76
PK	5.2576G	119.83	Inf	-Inf	5.26	3	Vertical	332	1.50	-	114.57	33.07	6.96	34.77
PK	5.3998G	56.57	74.00	-17.43	5.35	3	Vertical	332	1.50	-	51.22	33.00	7.12	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	46.92	54.00	-7.08	5.19	3	Horizontal	322	2.27	-	41.73	33.08	6.87	34.76
AV	5.2606G	113.91	Inf	-Inf	5.25	3	Horizontal	322	2.27	-	108.66	33.06	6.96	34.77
AV	5.3566G	46.76	54.00	-7.24	5.04	3	Horizontal	322	2.27	-	41.72	32.74	7.07	34.77
PK	5.1208G	57.96	74.00	-16.04	5.14	3	Horizontal	322	2.27	-	52.82	33.04	6.86	34.76
PK	5.2606G	123.93	Inf	-Inf	5.25	3	Horizontal	322	2.27	-	118.68	33.06	6.96	34.77
PK	5.359G	57.86	74.00	-16.14	5.05	3	Horizontal	322	2.27	-	52.81	32.75	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5251G	61.38	68.20	-6.82	12.83	3	Vertical	60	2.22	-	48.55	38.68	9.04	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51988G	67.01	68.20	-1.19	12.81	3	Horizontal	299	1.94	-	54.20	38.66	9.04	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3004G	108.62	Inf	-Inf	5.14	3	Vertical	355	1.02	-	103.48	32.90	7.01	34.77
AV	5.3964G	46.07	54.00	-7.93	5.33	3	Vertical	355	1.02	-	40.74	32.98	7.12	34.77
PK	5.2992G	118.58	Inf	-Inf	5.13	3	Vertical	355	1.02	-	113.45	32.90	7.00	34.77
PK	5.3948G	57.19	74.00	-16.81	5.31	3	Vertical	355	1.02	-	51.88	32.97	7.11	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	111.21	Inf	-Inf	5.14	3	Horizontal	325	2.15	-	106.07	32.90	7.01	34.77
AV	5.3964G	46.60	54.00	-7.40	5.33	3	Horizontal	325	2.15	-	41.27	32.98	7.12	34.77
PK	5.2992G	122.04	Inf	-Inf	5.13	3	Horizontal	325	2.15	-	116.91	32.90	7.00	34.77
PK	5.382G	57.21	74.00	-16.79	5.22	3	Horizontal	325	2.15	-	51.99	32.89	7.10	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60198G	49.77	54.00	-4.23	13.10	3	Vertical	20	1.00	-	36.67	38.90	9.07	34.87
PK	10.60024G	62.28	74.00	-11.72	13.10	3	Vertical	20	1.00	-	49.18	38.90	9.07	34.87


802.11ax HEW20_Nss1,(MCS0)_2TX
5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60144G	53.56	54.00	-0.44	13.10	3	Horizontal	302	1.94	-	40.46	38.90	9.07	34.87
PK	10.60144G	65.75	74.00	-8.25	13.10	3	Horizontal	302	1.94	-	52.65	38.90	9.07	34.87

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	106.48	Inf	-Inf	5.09	3	Vertical	334	1.55	-	101.39	32.83	7.03	34.77
AV	5.35G	47.47	54.00	-6.53	4.99	3	Vertical	334	1.55	-	42.48	32.70	7.06	34.77
PK	5.3176G	117.87	Inf	-Inf	5.09	3	Vertical	334	1.55	-	112.78	32.83	7.03	34.77
PK	5.351G	58.39	74.00	-15.61	5.00	3	Vertical	334	1.55	-	53.39	32.71	7.06	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3206G	111.17	Inf	-Inf	5.08	3	Horizontal	324	2.11	-	106.09	32.82	7.03	34.77
AV	5.3506G	49.63	54.00	-4.37	4.99	3	Horizontal	324	2.11	-	44.64	32.70	7.06	34.77
PK	5.3206G	121.38	Inf	-Inf	5.08	3	Horizontal	324	2.11	-	116.30	32.82	7.03	34.77
PK	5.351G	61.89	74.00	-12.11	5.00	3	Horizontal	324	2.11	-	56.89	32.71	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64198G	50.02	54.00	-3.98	13.21	3	Vertical	19	1.00	-	36.81	38.98	9.08	34.85
PK	10.6415G	61.88	74.00	-12.12	13.21	3	Vertical	19	1.00	-	48.67	38.98	9.08	34.85


802.11ax HEW20_Nss1,(MCS0)_2TX
5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	53.81	54.00	-0.19	13.20	3	Horizontal	304	1.90	-	40.61	38.98	9.08	34.86
PK	10.63964G	64.82	74.00	-9.18	13.20	3	Horizontal	304	1.90	-	51.62	38.98	9.08	34.86

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.81	54.00	-6.19	5.13	3	Vertical	355	1.06	-	42.68	32.82	7.08	34.77
AV	5.5008G	110.31	Inf	-Inf	5.18	3	Vertical	355	1.06	-	105.13	32.90	7.05	34.77
PK	5.47G	63.12	68.20	-5.08	5.14	3	Vertical	355	1.06	-	57.98	32.84	7.07	34.77
PK	5.501G	121.59	Inf	-Inf	5.18	3	Vertical	355	1.06	-	116.41	32.90	7.05	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	49.97	54.00	-4.03	5.13	3	Horizontal	328	1.81	-	44.84	32.82	7.08	34.77
AV	5.5008G	111.80	Inf	-Inf	5.18	3	Horizontal	328	1.81	-	106.62	32.90	7.05	34.77
PK	5.4698G	65.91	68.20	-2.29	5.14	3	Horizontal	328	1.81	-	60.77	32.84	7.07	34.77
PK	5.4992G	122.64	Inf	-Inf	5.19	3	Horizontal	328	1.81	-	117.45	32.90	7.06	34.77

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00288G	48.43	54.00	-5.57	13.16	3	Vertical	13	1.60	-	35.27	38.70	9.20	34.74
PK	11.0034G	59.57	74.00	-14.43	13.16	3	Vertical	13	1.60	-	46.41	38.70	9.20	34.74


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99668G	53.28	54.00	-0.72	13.17	3	Horizontal	53	1.96	-	40.11	38.71	9.20	34.74
PK	10.9956G	64.84	74.00	-9.16	13.17	3	Horizontal	53	1.96	-	51.67	38.71	9.20	34.74

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	45.99	54.00	-8.01	5.13	3	Vertical	353	1.06	-	40.86	32.82	7.08	34.77
AV	5.5812G	112.82	Inf	-Inf	5.23	3	Vertical	353	1.06	-	107.59	33.00	7.00	34.77
PK	5.4696G	58.10	68.20	-10.10	5.14	3	Vertical	353	1.06	-	52.96	32.84	7.07	34.77
PK	5.5806G	123.54	Inf	-Inf	5.23	3	Vertical	353	1.06	-	118.31	33.00	7.00	34.77
PK	5.7282G	56.94	68.20	-11.26	5.68	3	Vertical	353	1.06	-	51.26	33.51	6.94	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	46.20	54.00	-7.80	5.15	3	Horizontal	321	1.59	-	41.05	32.83	7.09	34.77
AV	5.5818G	111.77	Inf	-Inf	5.23	3	Horizontal	321	1.59	-	106.54	33.00	7.00	34.77
PK	5.4636G	56.81	68.20	-11.39	5.14	3	Horizontal	321	1.59	-	51.67	32.83	7.08	34.77
PK	5.5812G	122.03	Inf	-Inf	5.23	3	Horizontal	321	1.59	-	116.80	33.00	7.00	34.77
PK	5.727G	57.81	68.20	-10.39	5.68	3	Horizontal	321	1.59	-	52.13	33.51	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16184G	48.25	54.00	-5.75	13.21	3	Vertical	358	1.57	-	35.04	38.66	9.25	34.70
PK	11.16172G	59.62	74.00	-14.38	13.21	3	Vertical	358	1.57	-	46.41	38.66	9.25	34.70

802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16168G	53.74	54.00	-0.26	13.21	3	Horizontal	52	1.99	-	40.53	38.66	9.25	34.70
PK	11.16464G	65.60	74.00	-8.40	13.21	3	Horizontal	52	1.99	-	52.39	38.66	9.25	34.70

802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	112.68	Inf	-Inf	5.58	3	Vertical	350	2.50	-	107.10	33.40	6.95	34.77
PK	5.7008G	124.01	Inf	-Inf	5.58	3	Vertical	350	2.50	-	118.43	33.40	6.95	34.77
PK	5.7308G	66.87	68.20	-1.33	5.69	3	Vertical	350	2.50	-	61.18	33.52	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	111.11	Inf	-Inf	5.58	3	Horizontal	318	1.08	-	105.53	33.40	6.95	34.77
PK	5.7008G	122.50	Inf	-Inf	5.58	3	Horizontal	318	1.08	-	116.92	33.40	6.95	34.77
PK	5.7304G	63.95	68.20	-4.25	5.69	3	Horizontal	318	1.08	-	58.26	33.52	6.94	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39424G	47.28	54.00	-6.72	13.59	3	Vertical	355	1.33	-	33.69	38.90	9.33	34.64
PK	11.39456G	59.08	74.00	-14.92	13.59	3	Vertical	355	1.33	-	45.49	38.90	9.33	34.64


802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40224G	53.10	54.00	-0.90	13.59	3	Horizontal	315	2.40	-	39.51	38.90	9.33	34.64
PK	11.4008G	66.16	74.00	-7.84	13.59	3	Horizontal	315	2.40	-	52.57	38.90	9.33	34.64

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	45.91	54.00	-8.09	5.18	3	Vertical	349	2.36	-	40.73	32.85	7.10	34.77
AV	5.7212G	113.04	Inf	-Inf	5.65	3	Vertical	349	2.36	-	107.39	33.48	6.94	34.77
PK	5.4644G	56.21	68.20	-11.99	5.14	3	Vertical	349	2.36	-	51.07	32.83	7.08	34.77
PK	5.7212G	124.02	Inf	-Inf	5.65	3	Vertical	349	2.36	-	118.37	33.48	6.94	34.77
PK	5.9792G	60.33	68.20	-7.87	7.17	3	Vertical	349	2.36	-	53.16	34.24	7.70	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	45.93	54.00	-8.07	5.21	3	Horizontal	75	1.92	-	40.72	32.88	7.10	34.77
AV	5.7212G	112.22	Inf	-Inf	5.65	3	Horizontal	75	1.92	-	106.57	33.48	6.94	34.77
PK	5.4608G	55.64	68.20	-12.56	5.13	3	Horizontal	75	1.92	-	50.51	32.82	7.08	34.77
PK	5.7212G	122.87	Inf	-Inf	5.65	3	Horizontal	75	1.92	-	117.22	33.48	6.94	34.77
PK	5.9264G	59.22	68.20	-8.98	7.00	3	Horizontal	75	1.92	-	52.22	34.30	7.47	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4436G	47.27	54.00	-6.73	13.54	3	Vertical	356	1.36	-	33.73	38.81	9.35	34.62
PK	11.4438G	59.69	74.00	-14.31	13.54	3	Vertical	356	1.36	-	46.15	38.81	9.35	34.62


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4422G	51.77	54.00	-2.23	13.54	3	Horizontal	308	1.50	-	38.23	38.82	9.35	34.63
PK	11.44316G	63.74	74.00	-10.26	13.54	3	Horizontal	308	1.50	-	50.20	38.81	9.35	34.62

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	113.04	Inf	-Inf	5.74	3	Vertical	0	2.50	-	107.30	33.58	6.93	34.77
PK	5.6154G	58.16	68.20	-10.04	5.21	3	Vertical	0	2.50	-	52.95	33.00	6.98	34.77
PK	5.7426G	123.63	Inf	-Inf	5.73	3	Vertical	0	2.50	-	117.90	33.57	6.93	34.77
PK	5.9466G	59.84	68.20	-8.36	7.09	3	Vertical	0	2.50	-	52.75	34.30	7.56	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	112.59	Inf	-Inf	5.74	3	Horizontal	74	2.06	-	106.85	33.58	6.93	34.77
PK	5.5398G	57.96	68.20	-10.24	5.24	3	Horizontal	74	2.06	-	52.72	32.98	7.03	34.77
PK	5.7462G	122.17	Inf	-Inf	5.74	3	Horizontal	74	2.06	-	116.43	33.58	6.93	34.77
PK	6.0258G	59.55	68.20	-8.65	7.05	3	Horizontal	74	2.06	-	52.50	34.10	7.72	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48604G	48.43	54.00	-5.57	13.48	3	Vertical	284	1.50	-	34.95	38.73	9.36	34.61
PK	11.49576G	59.90	74.00	-14.10	13.46	3	Vertical	284	1.50	-	46.44	38.71	9.36	34.61


802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49348G	53.13	54.00	-0.87	13.46	3	Horizontal	304	1.61	-	39.67	38.71	9.36	34.61
PK	11.49364G	65.12	74.00	-8.88	13.46	3	Horizontal	304	1.61	-	51.66	38.71	9.36	34.61

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	111.25	Inf	-Inf	5.97	3	Vertical	44	2.05	-	105.28	33.82	6.92	34.77
PK	5.6422G	57.94	68.20	-10.26	5.20	3	Vertical	44	2.05	-	52.74	33.00	6.97	34.77
PK	5.7862G	121.17	Inf	-Inf	5.97	3	Vertical	44	2.05	-	115.20	33.82	6.92	34.77
PK	5.9782G	58.99	68.20	-9.21	7.16	3	Vertical	44	2.05	-	51.83	34.24	7.69	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	112.10	Inf	-Inf	5.97	3	Horizontal	68	1.97	-	106.13	33.82	6.92	34.77
PK	5.6338G	57.53	68.20	-10.67	5.21	3	Horizontal	68	1.97	-	52.32	33.00	6.98	34.77
PK	5.7862G	120.98	Inf	-Inf	5.97	3	Horizontal	68	1.97	-	115.01	33.82	6.92	34.77
PK	6.007G	58.93	68.20	-9.27	7.17	3	Horizontal	68	1.97	-	51.76	34.17	7.77	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56712G	48.05	54.00	-5.95	13.33	3	Vertical	291	1.93	-	34.72	38.57	9.39	34.63
PK	11.56584G	59.88	74.00	-14.12	13.33	3	Vertical	291	1.93	-	46.55	38.57	9.39	34.63


802.11ax HEW20_Nss1,(MCS0)_2TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5718G	51.71	54.00	-2.29	13.32	3	Horizontal	307	1.50	-	38.39	38.56	9.39	34.63
PK	11.57096G	64.15	74.00	-9.85	13.32	3	Horizontal	307	1.50	-	50.83	38.56	9.39	34.63

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	111.10	Inf	-Inf	6.24	3	Vertical	53	1.81	-	104.86	34.00	7.01	34.77
PK	5.6198G	58.00	68.20	-10.20	5.21	3	Vertical	53	1.81	-	52.79	33.00	6.98	34.77
PK	5.8262G	121.24	Inf	-Inf	6.26	3	Vertical	53	1.81	-	114.98	34.00	7.03	34.77
PK	5.9462G	60.15	68.20	-8.05	7.08	3	Vertical	53	1.81	-	53.07	34.30	7.55	34.77


802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.89	Inf	-Inf	6.26	3	Horizontal	69	1.96	-	105.63	34.00	7.03	34.77
PK	5.5574G	57.61	68.20	-10.59	5.25	3	Horizontal	69	1.96	-	52.36	33.00	7.02	34.77
PK	5.8262G	121.10	Inf	-Inf	6.26	3	Horizontal	69	1.96	-	114.84	34.00	7.03	34.77
PK	5.9882G	58.98	68.20	-9.22	7.19	3	Horizontal	69	1.96	-	51.79	34.22	7.74	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64768G	48.81	54.00	-5.19	13.21	3	Vertical	14	1.36	-	35.60	38.45	9.41	34.65
PK	11.64844G	61.10	74.00	-12.90	13.21	3	Vertical	14	1.36	-	47.89	38.45	9.41	34.65


802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65156G	50.99	54.00	-3.01	13.22	3	Horizontal	312	1.50	-	37.77	38.45	9.42	34.65
PK	11.6498G	63.50	74.00	-10.50	13.21	3	Horizontal	312	1.50	-	50.29	38.45	9.41	34.65

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	51.31	54.00	-2.69	5.20	3	Vertical	336	1.49	-	46.11	33.09	6.87	34.76
AV	5.1872G	106.29	Inf	-Inf	5.29	3	Vertical	336	1.49	-	101.00	33.17	6.88	34.76
PK	5.1468G	62.05	74.00	-11.95	5.20	3	Vertical	336	1.49	-	56.85	33.09	6.87	34.76
PK	5.1884G	115.52	Inf	-Inf	5.31	3	Vertical	336	1.49	-	110.21	33.18	6.89	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.24	54.00	-2.76	5.21	3	Horizontal	327	2.29	-	46.03	33.10	6.87	34.76
AV	5.1908G	108.26	Inf	-Inf	5.31	3	Horizontal	327	2.29	-	102.95	33.18	6.89	34.76
PK	5.1496G	62.77	74.00	-11.23	5.21	3	Horizontal	327	2.29	-	57.56	33.10	6.87	34.76
PK	5.192G	118.08	Inf	-Inf	5.31	3	Horizontal	327	2.29	-	112.77	33.18	6.89	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38336G	61.71	68.20	-6.49	12.52	3	Vertical	36	2.13	-	49.19	38.53	9.00	35.01

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38728G	62.79	68.20	-5.41	12.53	3	Horizontal	302	1.61	-	50.26	38.53	9.00	35.00

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	51.04	54.00	-2.96	5.20	3	Vertical	337	1.50	-	45.84	33.09	6.87	34.76
AV	5.2272G	109.05	Inf	-Inf	5.31	3	Vertical	337	1.50	-	103.74	33.15	6.92	34.76
PK	5.1468G	62.04	74.00	-11.96	5.20	3	Vertical	337	1.50	-	56.84	33.09	6.87	34.76
PK	5.2276G	119.00	Inf	-Inf	5.30	3	Vertical	337	1.50	-	113.70	33.14	6.92	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.37	54.00	-1.63	5.21	3	Horizontal	326	2.31	-	47.16	33.10	6.87	34.76
AV	5.2308G	111.68	Inf	-Inf	5.31	3	Horizontal	326	2.31	-	106.37	33.14	6.93	34.76
PK	5.1488G	62.02	74.00	-11.98	5.21	3	Horizontal	326	2.31	-	56.81	33.10	6.87	34.76
PK	5.2312G	123.34	Inf	-Inf	5.31	3	Horizontal	326	2.31	-	118.03	33.14	6.93	34.76

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45816G	60.73	68.20	-7.47	12.64	3	Vertical	29	2.96	-	48.09	38.56	9.02	34.94

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45448G	64.08	68.20	-4.12	12.63	3	Horizontal	308	1.68	-	51.45	38.55	9.02	34.94

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2668G	108.24	Inf	-Inf	5.23	3	Vertical	340	1.48	-	103.01	33.03	6.97	34.77
AV	5.356G	47.56	54.00	-6.44	5.04	3	Vertical	340	1.48	-	42.52	32.74	7.07	34.77
PK	5.2672G	118.72	Inf	-Inf	5.23	3	Vertical	340	1.48	-	113.49	33.03	6.97	34.77
PK	5.3528G	58.99	74.00	-15.01	5.02	3	Vertical	340	1.48	-	53.97	32.72	7.07	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2708G	111.92	Inf	-Inf	5.22	3	Horizontal	326	2.28	-	106.70	33.02	6.97	34.77
AV	5.35G	51.35	54.00	-2.65	4.99	3	Horizontal	326	2.28	-	46.36	32.70	7.06	34.77
PK	5.2712G	122.76	Inf	-Inf	5.22	3	Horizontal	326	2.28	-	117.54	33.02	6.97	34.77
PK	5.352G	62.11	74.00	-11.89	5.00	3	Horizontal	326	2.28	-	57.11	32.71	7.06	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54144G	59.90	68.20	-8.30	12.88	3	Vertical	23	1.25	-	47.02	38.72	9.05	34.89

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54696G	63.54	68.20	-4.66	12.91	3	Horizontal	310	1.62	-	50.63	38.74	9.05	34.88

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3068G	105.01	Inf	-Inf	5.11	3	Vertical	343	1.76	-	99.90	32.87	7.01	34.77
AV	5.3564G	48.63	54.00	-5.37	5.04	3	Vertical	343	1.76	-	43.59	32.74	7.07	34.77
PK	5.3076G	115.15	Inf	-Inf	5.11	3	Vertical	343	1.76	-	110.04	32.87	7.01	34.77
PK	5.356G	59.75	74.00	-14.25	5.04	3	Vertical	343	1.76	-	54.71	32.74	7.07	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3108G	109.02	Inf	-Inf	5.11	3	Horizontal	326	2.00	-	103.91	32.86	7.02	34.77
AV	5.35G	52.79	54.00	-1.21	4.99	3	Horizontal	326	2.00	-	47.80	32.70	7.06	34.77
PK	5.3112G	119.28	Inf	-Inf	5.11	3	Horizontal	326	2.00	-	114.17	32.86	7.02	34.77
PK	5.3504G	62.87	74.00	-11.13	4.99	3	Horizontal	326	2.00	-	57.88	32.70	7.06	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62432G	47.41	54.00	-6.59	13.17	3	Vertical	78	2.23	-	34.24	38.95	9.08	34.86
PK	10.6352G	56.27	74.00	-17.73	13.19	3	Vertical	78	2.23	-	43.08	38.97	9.08	34.86


802.11ax HEW40_Nss1,(MCS0)_2TX
5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62208G	50.25	54.00	-3.75	13.16	3	Horizontal	301	1.80	-	37.09	38.94	9.08	34.86
PK	10.62192G	61.36	74.00	-12.64	13.16	3	Horizontal	301	1.80	-	48.20	38.94	9.08	34.86

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.66	54.00	-6.34	5.13	3	Vertical	351	1.00	-	42.53	32.82	7.08	34.77
AV	5.5112G	106.79	Inf	-Inf	5.20	3	Vertical	351	1.00	-	101.59	32.92	7.05	34.77
PK	5.47G	63.09	68.20	-5.11	5.14	3	Vertical	351	1.00	-	57.95	32.84	7.07	34.77
PK	5.5124G	116.63	Inf	-Inf	5.20	3	Vertical	351	1.00	-	111.43	32.92	7.05	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.38	54.00	-4.62	5.13	3	Horizontal	321	2.08	-	44.25	32.82	7.08	34.77
AV	5.5112G	107.92	Inf	-Inf	5.20	3	Horizontal	321	2.08	-	102.72	32.92	7.05	34.77
PK	5.47G	65.42	68.20	-2.78	5.14	3	Horizontal	321	2.08	-	60.28	32.84	7.07	34.77
PK	5.512G	119.03	Inf	-Inf	5.20	3	Horizontal	321	2.08	-	113.83	32.92	7.05	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01856G	45.88	54.00	-8.12	13.15	3	Vertical	0	1.23	-	32.73	38.68	9.21	34.74
PK	11.01872G	56.14	74.00	-17.86	13.15	3	Vertical	0	1.23	-	42.99	38.68	9.21	34.74


802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02032G	49.49	54.00	-4.51	13.16	3	Horizontal	58	2.02	-	36.33	38.68	9.21	34.73
PK	11.03008G	61.30	74.00	-12.70	13.15	3	Horizontal	58	2.02	-	48.15	38.67	9.21	34.73

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.30	54.00	-6.70	5.13	3	Vertical	351	1.00	-	42.17	32.82	7.08	34.77
AV	5.5512G	110.36	Inf	-Inf	5.25	3	Vertical	351	1.00	-	105.11	33.00	7.02	34.77
PK	5.47G	59.56	68.20	-8.64	5.14	3	Vertical	351	1.00	-	54.42	32.84	7.07	34.77
PK	5.5516G	120.50	Inf	-Inf	5.25	3	Vertical	351	1.00	-	115.25	33.00	7.02	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.17	54.00	-4.83	5.13	3	Horizontal	321	1.82	-	44.04	32.82	7.08	34.77
AV	5.5512G	110.23	Inf	-Inf	5.25	3	Horizontal	321	1.82	-	104.98	33.00	7.02	34.77
PK	5.4696G	61.40	68.20	-6.80	5.14	3	Horizontal	321	1.82	-	56.26	32.84	7.07	34.77
PK	5.552G	120.65	Inf	-Inf	5.25	3	Horizontal	321	1.82	-	115.40	33.00	7.02	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0928G	46.24	54.00	-7.76	13.12	3	Vertical	0	1.56	-	33.12	38.61	9.23	34.72
PK	11.11184G	57.12	74.00	-16.88	13.14	3	Vertical	0	1.56	-	43.98	38.61	9.24	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09136G	50.06	54.00	-3.94	13.12	3	Horizontal	57	2.12	-	36.94	38.61	9.23	34.72
PK	11.09126G	61.05	74.00	-12.95	13.12	3	Horizontal	57	2.12	-	47.93	38.61	9.23	34.72

802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6718G	109.76	Inf	-Inf	5.36	3	Vertical	350	1.00	-	104.40	33.17	6.96	34.77
PK	5.673G	118.93	Inf	-Inf	5.37	3	Vertical	350	1.00	-	113.56	33.18	6.96	34.77
PK	5.733G	65.23	68.20	-2.97	5.70	3	Vertical	350	1.00	-	59.53	33.53	6.94	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6694G	108.66	Inf	-Inf	5.35	3	Horizontal	74	1.90	-	103.31	33.16	6.96	34.77
PK	5.6682G	117.76	Inf	-Inf	5.34	3	Horizontal	74	1.90	-	112.42	33.15	6.96	34.77
PK	5.73G	66.28	68.20	-1.92	5.69	3	Horizontal	74	1.90	-	60.59	33.52	6.94	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33456G	46.34	54.00	-7.66	13.56	3	Vertical	360	1.49	-	32.78	38.90	9.31	34.65
PK	11.3352G	57.78	74.00	-16.22	13.56	3	Vertical	360	1.49	-	44.22	38.90	9.31	34.65


802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34464G	49.44	54.00	-4.56	13.56	3	Horizontal	300	1.62	-	35.88	38.90	9.31	34.65
PK	11.34368G	60.54	74.00	-13.46	13.56	3	Horizontal	300	1.62	-	46.98	38.90	9.31	34.65

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4376G	45.95	54.00	-8.05	5.18	3	Vertical	355	2.44	-	40.77	32.85	7.10	34.77
AV	5.7088G	110.22	Inf	-Inf	5.62	3	Vertical	355	2.44	-	104.60	33.44	6.95	34.77
PK	5.4616G	56.87	68.20	-11.33	5.13	3	Vertical	355	2.44	-	51.74	32.82	7.08	34.77
PK	5.7076G	119.33	Inf	-Inf	5.61	3	Vertical	355	2.44	-	113.72	33.43	6.95	34.77
PK	5.884G	59.11	68.20	-9.09	6.75	3	Vertical	355	2.44	-	52.36	34.24	7.28	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4196G	46.04	54.00	-7.96	5.26	3	Horizontal	298	2.49	-	40.78	32.92	7.11	34.77
AV	5.7124G	110.92	Inf	-Inf	5.63	3	Horizontal	298	2.49	-	105.29	33.45	6.95	34.77
PK	5.47G	57.45	68.20	-10.75	5.14	3	Horizontal	298	2.49	-	52.31	32.84	7.07	34.77
PK	5.7112G	121.21	Inf	-Inf	5.62	3	Horizontal	298	2.49	-	115.59	33.44	6.95	34.77
PK	5.9224G	59.65	68.20	-8.55	6.98	3	Horizontal	298	2.49	-	52.67	34.30	7.45	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41472G	46.53	54.00	-7.47	13.58	3	Vertical	360	1.50	-	32.95	38.87	9.34	34.63
PK	11.41456G	58.27	74.00	-15.73	13.58	3	Vertical	360	1.50	-	44.69	38.87	9.34	34.63


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41616G	49.82	54.00	-4.18	13.58	3	Horizontal	300	1.65	-	36.24	38.87	9.34	34.63
PK	11.43424G	61.20	74.00	-12.80	13.54	3	Horizontal	300	1.65	-	47.66	38.83	9.34	34.63

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	110.68	Inf	-Inf	5.78	3	Vertical	360	2.47	-	104.90	33.62	6.93	34.77
PK	5.6482G	59.61	68.20	-8.59	5.20	3	Vertical	360	2.47	-	54.41	33.00	6.97	34.77
PK	5.755G	119.56	Inf	-Inf	5.79	3	Vertical	360	2.47	-	113.77	33.63	6.93	34.77
PK	5.9722G	59.55	68.20	-8.65	7.16	3	Vertical	360	2.47	-	52.39	34.26	7.67	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	110.37	Inf	-Inf	5.80	3	Horizontal	80	2.09	-	104.57	33.64	6.93	34.77
PK	5.605G	58.06	68.20	-10.14	5.22	3	Horizontal	80	2.09	-	52.84	33.00	6.99	34.77
PK	5.7562G	120.54	Inf	-Inf	5.80	3	Horizontal	80	2.09	-	114.74	33.64	6.93	34.77
PK	5.9614G	59.66	68.20	-8.54	7.13	3	Horizontal	80	2.09	-	52.53	34.28	7.62	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50488G	46.69	54.00	-7.31	13.45	3	Vertical	360	1.46	-	33.24	38.69	9.37	34.61
PK	11.51496G	57.64	74.00	-16.36	13.43	3	Vertical	360	1.46	-	44.21	38.67	9.37	34.61


802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5124G	50.57	54.00	-3.43	13.44	3	Horizontal	313	1.59	-	37.13	38.68	9.37	34.61
PK	11.51848G	61.62	74.00	-12.38	13.41	3	Horizontal	313	1.59	-	48.21	38.66	9.37	34.62

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	110.09	Inf	-Inf	6.00	3	Vertical	0	2.31	-	104.09	33.86	6.91	34.77
PK	5.6306G	58.11	68.20	-10.09	5.21	3	Vertical	0	2.31	-	52.90	33.00	6.98	34.77
PK	5.7938G	119.31	Inf	-Inf	6.00	3	Vertical	0	2.31	-	113.31	33.86	6.91	34.77
PK	6.0278G	59.56	68.20	-8.64	7.03	3	Vertical	0	2.31	-	52.53	34.09	7.71	34.77


802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	109.22	Inf	-Inf	6.02	3	Horizontal	325	1.20	-	103.20	33.88	6.91	34.77
PK	5.5094G	58.53	68.20	-9.67	5.20	3	Horizontal	325	1.20	-	53.33	32.92	7.05	34.77
PK	5.7962G	118.39	Inf	-Inf	6.02	3	Horizontal	325	1.20	-	112.37	33.88	6.91	34.77
PK	5.9455G	59.85	68.20	-8.35	7.08	3	Horizontal	325	1.20	-	52.77	34.30	7.55	34.77

802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5884G	46.68	54.00	-7.32	13.28	3	Vertical	19	1.37	-	33.40	38.52	9.39	34.63
PK	11.59704G	57.96	74.00	-16.04	13.27	3	Vertical	19	1.37	-	44.69	38.51	9.40	34.64


802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59192G	49.64	54.00	-4.36	13.28	3	Horizontal	313	1.41	-	36.36	38.52	9.40	34.64
PK	11.59448G	60.96	74.00	-13.04	13.27	3	Horizontal	313	1.41	-	47.69	38.51	9.40	34.64

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.66	54.00	-0.34	5.21	3	Vertical	340	1.50	-	48.45	33.10	6.87	34.76
AV	5.207G	104.46	Inf	-Inf	5.33	3	Vertical	340	1.50	-	99.13	33.19	6.90	34.76
AV	5.389G	46.09	54.00	-7.91	5.27	3	Vertical	340	1.50	-	40.82	32.93	7.11	34.77
PK	5.147G	64.68	74.00	-9.32	5.20	3	Vertical	340	1.50	-	59.48	33.09	6.87	34.76
PK	5.207G	114.26	Inf	-Inf	5.33	3	Vertical	340	1.50	-	108.93	33.19	6.90	34.76
PK	5.442G	57.21	74.00	-16.79	5.15	3	Vertical	340	1.50	-	52.06	32.83	7.09	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.66	54.00	-0.34	5.21	3	Horizontal	332	1.94	-	48.45	33.10	6.87	34.76
AV	5.209G	106.58	Inf	-Inf	5.32	3	Horizontal	332	1.94	-	101.26	33.18	6.90	34.76
AV	5.35G	46.84	54.00	-7.16	4.99	3	Horizontal	332	1.94	-	41.85	32.70	7.06	34.77
PK	5.149G	67.61	74.00	-6.39	5.21	3	Horizontal	332	1.94	-	62.40	33.10	6.87	34.76
PK	5.208G	115.18	Inf	-Inf	5.32	3	Horizontal	332	1.94	-	109.86	33.18	6.90	34.76
PK	5.458G	57.26	74.00	-16.74	5.13	3	Horizontal	332	1.94	-	52.13	32.82	7.08	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38544G	58.86	68.20	-9.34	12.52	3	Vertical	28	2.49	-	46.34	38.53	9.00	35.01

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39216G	60.50	68.20	-7.70	12.52	3	Horizontal	313	1.47	-	47.98	38.52	9.00	35.00

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.49	54.00	-6.51	5.20	3	Vertical	352	1.00	-	42.29	33.09	6.87	34.76
AV	5.291G	105.05	Inf	-Inf	5.16	3	Vertical	352	1.00	-	99.89	32.94	6.99	34.77
AV	5.353G	50.43	54.00	-3.57	5.02	3	Vertical	352	1.00	-	45.41	32.72	7.07	34.77
PK	5.088G	58.22	74.00	-15.78	5.11	3	Vertical	352	1.00	-	53.11	33.02	6.85	34.76
PK	5.293G	113.96	Inf	-Inf	5.16	3	Vertical	352	1.00	-	108.80	32.93	7.00	34.77
PK	5.492G	57.79	68.20	-10.41	5.17	3	Vertical	352	1.00	-	52.62	32.88	7.06	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.14	54.00	-5.86	5.21	3	Horizontal	329	2.19	-	42.93	33.10	6.87	34.76
AV	5.291G	106.95	Inf	-Inf	5.16	3	Horizontal	329	2.19	-	101.79	32.94	6.99	34.77
AV	5.351G	53.36	54.00	-0.64	5.00	3	Horizontal	329	2.19	-	48.36	32.71	7.06	34.77
PK	5.123G	58.44	74.00	-15.56	5.15	3	Horizontal	329	2.19	-	53.29	33.05	6.86	34.76
PK	5.289G	116.88	Inf	-Inf	5.16	3	Horizontal	329	2.19	-	111.72	32.94	6.99	34.77
PK	5.35G	63.98	74.00	-10.02	4.99	3	Horizontal	329	2.19	-	58.99	32.70	7.06	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57872G	57.90	68.20	-10.30	13.03	3	Vertical	29	2.33	-	44.87	38.84	9.06	34.87

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58608G	61.06	68.20	-7.14	13.05	3	Horizontal	312	1.64	-	48.01	38.86	9.06	34.87

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.17	54.00	-5.83	5.13	3	Vertical	355	1.03	-	43.04	32.82	7.08	34.77
AV	5.5311G	104.38	Inf	-Inf	5.22	3	Vertical	355	1.03	-	99.16	32.96	7.03	34.77
PK	5.2803G	61.23	68.20	-6.97	5.19	3	Vertical	355	1.03	-	56.04	32.98	6.98	34.77
PK	5.5311G	113.83	Inf	-Inf	5.22	3	Vertical	355	1.03	-	108.61	32.96	7.03	34.77
PK	5.7599G	60.11	68.20	-8.09	5.82	3	Vertical	355	1.03	-	54.29	33.66	6.93	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.25	54.00	-2.75	5.13	3	Horizontal	324	2.14	-	46.12	32.82	7.08	34.77
AV	5.5311G	105.10	Inf	-Inf	5.22	3	Horizontal	324	2.14	-	99.88	32.96	7.03	34.77
PK	5.4684G	64.44	68.20	-3.76	5.15	3	Horizontal	324	2.14	-	59.29	32.84	7.08	34.77
PK	5.5311G	114.49	Inf	-Inf	5.22	3	Horizontal	324	2.14	-	109.27	32.96	7.03	34.77
PK	5.7599G	58.62	68.20	-9.58	5.82	3	Horizontal	324	2.14	-	52.80	33.66	6.93	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06042G	44.26	54.00	-9.74	13.14	3	Vertical	106	2.65	-	31.12	38.64	9.22	34.72
PK	11.06024G	55.92	74.00	-18.08	13.14	3	Vertical	106	2.65	-	42.78	38.64	9.22	34.72


802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06060G	47.30	54.00	-6.70	13.13	3	Horizontal	58	1.96	-	34.17	38.63	9.22	34.72
PK	11.0648G	59.42	74.00	-14.58	13.14	3	Horizontal	58	1.96	-	46.28	38.64	9.22	34.72

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.57	54.00	-7.43	5.13	3	Vertical	346	2.55	-	41.44	32.82	7.08	34.77
AV	5.611G	107.61	Inf	-Inf	5.22	3	Vertical	346	2.55	-	102.39	33.00	6.99	34.77
PK	5.47G	58.51	68.20	-9.69	5.14	3	Vertical	346	2.55	-	53.37	32.84	7.07	34.77
PK	5.612G	119.15	Inf	-Inf	5.22	3	Vertical	346	2.55	-	113.93	33.00	6.99	34.77
PK	5.741G	66.89	68.20	-1.31	5.72	3	Vertical	346	2.55	-	61.17	33.56	6.93	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.63	54.00	-6.37	5.13	3	Horizontal	300	2.55	-	42.50	32.82	7.08	34.77
AV	5.611G	108.35	Inf	-Inf	5.22	3	Horizontal	300	2.55	-	103.13	33.00	6.99	34.77
PK	5.469G	60.67	68.20	-7.53	5.15	3	Horizontal	300	2.55	-	55.52	32.84	7.08	34.77
PK	5.611G	120.75	Inf	-Inf	5.22	3	Horizontal	300	2.55	-	115.53	33.00	6.99	34.77
PK	5.731G	66.64	68.20	-1.56	5.69	3	Horizontal	300	2.55	-	60.95	33.52	6.94	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2234G	44.62	54.00	-9.38	13.34	3	Vertical	358	1.50	-	31.28	38.75	9.27	34.68
PK	11.2124G	56.76	74.00	-17.24	13.31	3	Vertical	358	1.50	-	43.45	38.72	9.27	34.68


802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2201G	46.69	54.00	-7.31	13.33	3	Horizontal	297	2.14	-	33.36	38.74	9.27	34.68
PK	11.2208G	57.55	74.00	-16.45	13.33	3	Horizontal	297	2.14	-	44.22	38.74	9.27	34.68

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	107.83	Inf	-Inf	5.51	3	Vertical	347	2.46	-	102.32	33.33	6.95	34.77
PK	5.4656G	56.17	68.20	-12.03	5.14	3	Vertical	347	2.46	-	51.03	32.83	7.08	34.77
PK	5.6912G	117.61	Inf	-Inf	5.51	3	Vertical	347	2.46	-	112.10	33.33	6.95	34.77
PK	5.8628G	59.75	68.20	-8.45	6.57	3	Vertical	347	2.46	-	53.18	34.15	7.19	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6924G	108.42	Inf	-Inf	5.52	3	Horizontal	301	2.61	-	102.90	33.34	6.95	34.77
PK	5.4608G	56.72	68.20	-11.48	5.13	3	Horizontal	301	2.61	-	51.59	32.82	7.08	34.77
PK	5.6924G	117.43	Inf	-Inf	5.52	3	Horizontal	301	2.61	-	111.91	33.34	6.95	34.77
PK	5.9264G	59.85	68.20	-8.35	7.00	3	Horizontal	301	2.61	-	52.85	34.30	7.47	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3749G	44.69	54.00	-9.31	13.58	3	Vertical	358	1.53	-	31.11	38.90	9.32	34.64
PK	11.3954G	55.78	74.00	-18.22	13.59	3	Vertical	358	1.53	-	42.19	38.90	9.33	34.64


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3844G	47.77	54.00	-6.23	13.59	3	Horizontal	300	1.58	-	34.18	38.90	9.33	34.64
PK	11.385G	59.57	74.00	-14.43	13.59	3	Horizontal	300	1.58	-	45.98	38.90	9.33	34.64

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	108.01	Inf	-Inf	5.91	3	Vertical	350	2.45	-	102.10	33.76	6.92	34.77
PK	5.6466G	62.76	68.20	-5.44	5.20	3	Vertical	350	2.45	-	57.56	33.00	6.97	34.77
PK	5.787G	118.04	Inf	-Inf	5.97	3	Vertical	350	2.45	-	112.07	33.82	6.92	34.77
PK	6.003G	59.49	68.20	-8.71	7.20	3	Vertical	350	2.45	-	52.29	34.19	7.78	34.77


802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	106.74	Inf	-Inf	5.91	3	Horizontal	322	1.16	-	100.83	33.76	6.92	34.77
PK	5.6466G	61.46	68.20	-6.74	5.20	3	Horizontal	322	1.16	-	56.26	33.00	6.97	34.77
PK	5.7762G	114.96	Inf	-Inf	5.91	3	Horizontal	322	1.16	-	109.05	33.76	6.92	34.77
PK	6.0138G	59.18	68.20	-9.02	7.12	3	Horizontal	322	1.16	-	52.06	34.14	7.75	34.77

802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5455G	44.83	54.00	-9.17	13.37	3	Vertical	286	1.52	-	31.46	38.61	9.38	34.62
PK	11.5565G	55.82	74.00	-18.18	13.34	3	Vertical	286	1.52	-	42.48	38.59	9.38	34.63

802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5538G	48.40	54.00	-5.60	13.34	3	Horizontal	309	1.60	-	35.06	38.59	9.38	34.63
PK	11.5443G	60.49	74.00	-13.51	13.37	3	Horizontal	309	1.60	-	47.12	38.61	9.38	34.62

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	51.83	54.00	-2.17	5.20	3	Vertical	345	1.50	-	46.63	33.09	6.87	34.76
AV	5.2452G	101.08	Inf	-Inf	5.29	3	Vertical	345	1.50	-	95.79	33.11	6.94	34.76
AV	5.3868G	50.03	54.00	-3.97	5.25	3	Vertical	345	1.50	-	44.78	32.92	7.10	34.77
PK	5.1444G	62.30	74.00	-11.70	5.20	3	Vertical	345	1.50	-	57.10	33.09	6.87	34.76
PK	5.2548G	110.96	Inf	-Inf	5.26	3	Vertical	345	1.50	-	105.70	33.08	6.95	34.77
PK	5.4876G	57.87	68.20	-10.33	5.17	3	Vertical	345	1.50	-	52.70	32.88	7.06	34.77

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.20	54.00	-0.80	5.21	3	Horizontal	330	2.63	-	47.99	33.10	6.87	34.76
AV	5.2512G	103.60	Inf	-Inf	5.28	3	Horizontal	330	2.63	-	98.32	33.10	6.95	34.77
AV	5.3724G	52.03	54.00	-1.97	5.15	3	Horizontal	330	2.63	-	46.88	32.83	7.09	34.77
PK	5.13G	63.67	74.00	-10.33	5.16	3	Horizontal	330	2.63	-	58.51	33.06	6.86	34.76
PK	5.2524G	114.16	Inf	-Inf	5.27	3	Horizontal	330	2.63	-	108.89	33.09	6.95	34.77
PK	5.4948G	57.61	68.20	-10.59	5.18	3	Horizontal	330	2.63	-	52.43	32.89	7.06	34.77

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5248G	58.95	68.20	-9.25	12.82	3	Vertical	18	1.05	-	46.13	38.67	9.04	34.89


802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4838G	58.24	68.20	-9.96	12.70	3	Horizontal	311	1.65	-	45.54	38.58	9.03	34.91

802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.27	54.00	-3.73	5.13	3	Vertical	353	1.03	-	45.14	32.82	7.08	34.77
AV	5.5712G	103.38	Inf	-Inf	5.24	3	Vertical	353	1.03	-	98.14	33.00	7.01	34.77
PK	5.462G	61.31	68.20	-6.89	5.13	3	Vertical	353	1.03	-	56.18	32.82	7.08	34.77
PK	5.5724G	113.85	Inf	-Inf	5.24	3	Vertical	353	1.03	-	108.61	33.00	7.01	34.77
PK	5.7332G	65.10	68.20	-3.10	5.70	3	Vertical	353	1.03	-	59.40	33.53	6.94	34.77


802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.11	54.00	-1.89	5.13	3	Horizontal	320	1.71	-	46.98	32.82	7.08	34.77
AV	5.5724G	102.78	Inf	-Inf	5.24	3	Horizontal	320	1.71	-	97.54	33.00	7.01	34.77
PK	5.462G	63.42	68.20	-4.78	5.13	3	Horizontal	320	1.71	-	58.29	32.82	7.08	34.77
PK	5.5724G	112.69	Inf	-Inf	5.24	3	Horizontal	320	1.71	-	107.45	33.00	7.01	34.77
PK	5.7344G	62.59	68.20	-5.61	5.71	3	Horizontal	320	1.71	-	56.88	33.54	6.94	34.77

802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1401G	44.38	54.00	-9.62	13.19	3	Vertical	338	1.30	-	31.19	38.64	9.25	34.70
PK	11.1402G	52.81	74.00	-21.19	13.19	3	Vertical	338	1.30	-	39.62	38.64	9.25	34.70

802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1326G	45.31	54.00	-8.69	13.16	3	Horizontal	52	1.01	-	32.15	38.63	9.24	34.71
PK	11.1422G	54.76	74.00	-19.24	13.19	3	Horizontal	52	1.01	-	41.57	38.64	9.25	34.70



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	PK	10.5398G	60.50	68.20	-7.70	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.2481G	36.08	68.20	-32.12	3	Vertical	230	1.53	-
Mode 1	Pass	AV	3.054G	40.60	68.20	-27.60	3	Vertical	346	2.38	-
Mode 1	Pass	AV	10.5406G	53.05	68.20	-15.15	3	Vertical	83	2.02	-
Mode 1	Pass	PK	1.24817G	51.11	68.20	-17.09	3	Vertical	230	1.53	-
Mode 1	Pass	PK	3.061G	49.95	68.20	-18.25	3	Vertical	346	2.38	-
Mode 1	Pass	PK	10.5398G	60.50	68.20	-7.70	3	Vertical	83	2.02	-
Mode 1	Pass	AV	1.12851G	33.45	54.00	-20.55	3	Horizontal	217	2.45	-
Mode 1	Pass	AV	2.0586G	31.75	68.20	-36.45	3	Horizontal	109	1.78	-
Mode 1	Pass	AV	10.5507G	49.47	68.20	-18.73	3	Horizontal	335	1.31	-
Mode 1	Pass	PK	1.1253G	49.42	74.00	-24.58	3	Horizontal	217	2.45	-
Mode 1	Pass	PK	2.0601G	44.19	68.20	-24.01	3	Horizontal	109	1.78	-
Mode 1	Pass	PK	10.54943G	59.90	68.20	-8.30	3	Horizontal	335	1.31	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.2481G	36.08	68.20	-32.12	-6.56	3	Vertical	230	1.53	-	42.64	25.80	2.94	35.30
AV	3.054G	40.60	68.20	-27.60	-0.50	3	Vertical	346	2.38	-	41.10	29.62	4.63	34.75
AV	10.5406G	53.05	68.20	-15.15	12.37	3	Vertical	83	2.02	-	40.68	38.98	8.10	34.71
PK	1.24817G	51.11	68.20	-17.09	-6.56	3	Vertical	230	1.53	-	57.67	25.80	2.94	35.30
PK	3.061G	49.95	68.20	-18.25	-0.47	3	Vertical	346	2.38	-	50.42	29.64	4.64	34.75
PK	10.5398G	60.50	68.20	-7.70	12.37	3	Vertical	83	2.02	-	48.13	38.98	8.10	34.71

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.12851G	33.45	54.00	-20.55	-6.90	3	Horizontal	217	2.45	-	40.35	25.84	2.78	35.52
AV	2.0586G	31.75	68.20	-36.45	-3.90	3	Horizontal	109	1.78	-	35.65	26.87	3.85	34.62
AV	10.5507G	49.47	68.20	-18.73	12.39	3	Horizontal	335	1.31	-	37.08	39.00	8.10	34.71
PK	1.1253G	49.42	74.00	-24.58	-6.95	3	Horizontal	217	2.45	-	56.37	25.80	2.77	35.52
PK	2.0601G	44.19	68.20	-24.01	-3.89	3	Horizontal	109	1.78	-	48.08	26.88	3.85	34.62
PK	10.54943G	59.90	68.20	-8.30	12.39	3	Horizontal	335	1.31	-	47.51	39.00	8.10	34.71