



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.76	54.00	-0.24	3	Vertical	184	1.33	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.31	54.00	-1.69	3	Vertical	185	1.10	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Vertical	182	1.39	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.00	54.00	-2.00	3	Vertical	186	1.29	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	10.60008G	53.72	54.00	-0.28	3	Vertical	30	1.54	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	10.60603G	53.72	54.00	-0.28	3	Vertical	243	1.69	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.69	54.00	-0.31	3	Vertical	182	1.25	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	53.51	54.00	-0.49	3	Vertical	185	1.16	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.75	54.00	-0.25	3	Vertical	185	1.28	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.00126G	53.14	54.00	-0.86	3	Vertical	148	1.50	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.44138G	53.78	54.00	-0.22	3	Horizontal	339	2.27	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.20	68.20	-1.00	3	Vertical	185	1.15	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.71	54.00	-0.29	3	Vertical	190	1.50	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.4572G	53.41	54.00	-0.59	3	Vertical	155	1.07	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.49114G	53.90	54.00	-0.10	3	Horizontal	338	2.33	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.65208G	52.85	54.00	-1.15	3	Vertical	324	2.74	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.647G	67.26	68.20	-0.94	3	Vertical	149	1.05	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6454G	65.87	68.20	-2.33	3	Vertical	152	1.00	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.25	54.00	-0.75	3	Vertical	185	1.42	-
5180MHz	Pass	AV	5.1807G	112.97	Inf	-Inf	3	Vertical	185	1.42	-
5180MHz	Pass	PK	5.1499G	62.49	74.00	-11.51	3	Vertical	185	1.42	-
5180MHz	Pass	PK	5.1808G	120.52	Inf	-Inf	3	Vertical	185	1.42	-
5180MHz	Pass	AV	5.1491G	48.26	54.00	-5.74	3	Horizontal	142	1.62	-
5180MHz	Pass	AV	5.1791G	104.00	Inf	-Inf	3	Horizontal	142	1.62	-
5180MHz	Pass	PK	5.1487G	58.45	74.00	-15.55	3	Horizontal	142	1.62	-
5180MHz	Pass	PK	5.1793G	112.04	Inf	-Inf	3	Horizontal	142	1.62	-
5180MHz	Pass	AV	15.54235G	45.85	54.00	-8.15	3	Vertical	330.1	1.50	-
5180MHz	Pass	PK	10.35941G	62.84	68.20	-5.36	3	Vertical	177	1.06	-
5180MHz	Pass	PK	15.53686G	58.12	74.00	-15.88	3	Vertical	330.1	1.50	-
5180MHz	Pass	AV	15.54321G	45.70	54.00	-8.30	3	Horizontal	120	1.50	-
5180MHz	Pass	PK	10.36054G	62.13	68.20	-6.07	3	Horizontal	23	1.52	-
5180MHz	Pass	PK	15.54206G	58.02	74.00	-15.98	3	Horizontal	120	1.50	-
5200MHz	Pass	AV	5.15G	53.76	54.00	-0.24	3	Vertical	184	1.33	-
5200MHz	Pass	AV	5.2008G	116.66	Inf	-Inf	3	Vertical	184	1.33	-
5200MHz	Pass	PK	5.15G	65.05	74.00	-8.95	3	Vertical	184	1.33	-
5200MHz	Pass	PK	5.2006G	124.10	Inf	-Inf	3	Vertical	184	1.33	-
5200MHz	Pass	AV	5.1492G	48.97	54.00	-5.03	3	Horizontal	143	1.76	-
5200MHz	Pass	AV	5.1992G	107.19	Inf	-Inf	3	Horizontal	143	1.76	-
5200MHz	Pass	PK	5.1478G	59.79	74.00	-14.21	3	Horizontal	143	1.76	-
5200MHz	Pass	PK	5.1992G	114.95	Inf	-Inf	3	Horizontal	143	1.76	-
5200MHz	Pass	AV	15.59908G	48.79	54.00	-5.21	3	Vertical	14	1.50	-
5200MHz	Pass	PK	10.39994G	65.75	68.20	-2.45	3	Vertical	321	1.41	-
5200MHz	Pass	PK	15.59956G	60.78	74.00	-13.22	3	Vertical	14	1.50	-
5200MHz	Pass	AV	15.59788G	51.38	54.00	-2.62	3	Horizontal	43	1.50	-
5200MHz	Pass	PK	10.40065G	66.06	68.20	-2.14	3	Horizontal	24	1.50	-
5200MHz	Pass	PK	15.59795G	64.27	74.00	-9.73	3	Horizontal	43	1.50	-
5240MHz	Pass	AV	5.1428G	48.52	54.00	-5.48	3	Vertical	186	1.25	-
5240MHz	Pass	AV	5.2406G	117.19	Inf	-Inf	3	Vertical	186	1.25	-
5240MHz	Pass	AV	5.3849G	46.82	54.00	-7.18	3	Vertical	186	1.25	-
5240MHz	Pass	PK	5.1479G	59.00	74.00	-15.00	3	Vertical	186	1.25	-
5240MHz	Pass	PK	5.2406G	125.05	Inf	-Inf	3	Vertical	186	1.25	-
5240MHz	Pass	PK	5.3723G	57.51	74.00	-16.49	3	Vertical	186	1.25	-
5240MHz	Pass	AV	5.1416G	47.02	54.00	-6.98	3	Horizontal	143	1.67	-
5240MHz	Pass	AV	5.2391G	107.57	Inf	-Inf	3	Horizontal	143	1.67	-
5240MHz	Pass	AV	5.3834G	45.75	54.00	-8.25	3	Horizontal	143	1.67	-
5240MHz	Pass	PK	5.1443G	58.66	74.00	-15.34	3	Horizontal	143	1.67	-
5240MHz	Pass	PK	5.2391G	114.80	Inf	-Inf	3	Horizontal	143	1.67	-
5240MHz	Pass	PK	5.3864G	57.36	74.00	-16.64	3	Horizontal	143	1.67	-
5240MHz	Pass	AV	15.71916G	53.57	54.00	-0.43	3	Vertical	340	1.00	-
5240MHz	Pass	PK	10.48072G	64.67	68.20	-3.53	3	Vertical	320	1.41	-
5240MHz	Pass	PK	15.71499G	66.19	74.00	-7.81	3	Vertical	340	1.00	-
5240MHz	Pass	AV	15.71553G	52.04	54.00	-1.96	3	Horizontal	313	1.50	-
5240MHz	Pass	PK	10.48066G	64.05	68.20	-4.15	3	Horizontal	21	1.50	-
5240MHz	Pass	PK	15.71502G	65.00	74.00	-9.00	3	Horizontal	313	1.50	-
5260MHz	Pass	AV	5.1478G	47.69	54.00	-6.31	3	Vertical	185	1.49	-
5260MHz	Pass	AV	5.2609G	117.61	Inf	-Inf	3	Vertical	185	1.49	-
5260MHz	Pass	AV	5.3569G	48.54	54.00	-5.46	3	Vertical	185	1.49	-
5260MHz	Pass	PK	5.116G	58.27	74.00	-15.73	3	Vertical	185	1.49	-
5260MHz	Pass	PK	5.2609G	125.41	Inf	-Inf	3	Vertical	185	1.49	-
5260MHz	Pass	PK	5.3515G	58.86	74.00	-15.14	3	Vertical	185	1.49	-
5260MHz	Pass	AV	5.1211G	46.85	54.00	-7.15	3	Horizontal	143	1.80	-
5260MHz	Pass	AV	5.2594G	107.32	Inf	-Inf	3	Horizontal	143	1.80	-
5260MHz	Pass	AV	5.3968G	45.87	54.00	-8.13	3	Horizontal	143	1.80	-
5260MHz	Pass	PK	5.1118G	57.76	74.00	-16.24	3	Horizontal	143	1.80	-
5260MHz	Pass	PK	5.2591G	114.51	Inf	-Inf	3	Horizontal	143	1.80	-
5260MHz	Pass	PK	5.3719G	57.07	74.00	-16.93	3	Horizontal	143	1.80	-
5260MHz	Pass	AV	15.7793G	53.09	54.00	-0.91	3	Vertical	341	1.38	-
5260MHz	Pass	PK	10.52316G	63.40	68.20	-4.80	3	Vertical	300	1.59	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.7748G	66.02	74.00	-7.98	3	Vertical	341	1.38	-
5260MHz	Pass	AV	15.77638G	53.24	54.00	-0.76	3	Horizontal	309	1.47	-
5260MHz	Pass	PK	10.52074G	63.96	68.20	-4.24	3	Horizontal	22	1.53	-
5260MHz	Pass	PK	15.77512G	65.29	74.00	-8.71	3	Horizontal	309	1.47	-
5300MHz	Pass	AV	5.3008G	113.26	Inf	-Inf	3	Vertical	185	1.47	-
5300MHz	Pass	AV	5.3972G	47.42	54.00	-6.58	3	Vertical	185	1.47	-
5300MHz	Pass	PK	5.3006G	120.83	Inf	-Inf	3	Vertical	185	1.47	-
5300MHz	Pass	PK	5.397G	58.12	74.00	-15.88	3	Vertical	185	1.47	-
5300MHz	Pass	AV	5.299G	101.73	Inf	-Inf	3	Horizontal	143	1.87	-
5300MHz	Pass	AV	5.3966G	45.81	54.00	-8.19	3	Horizontal	143	1.87	-
5300MHz	Pass	PK	5.2992G	109.75	Inf	-Inf	3	Horizontal	143	1.87	-
5300MHz	Pass	PK	5.3872G	59.01	74.00	-14.99	3	Horizontal	143	1.87	-
5300MHz	Pass	AV	10.60008G	53.72	54.00	-0.28	3	Vertical	30	1.54	-
5300MHz	Pass	AV	15.90163G	45.62	54.00	-8.38	3	Vertical	331	1.40	-
5300MHz	Pass	PK	10.59979G	65.38	68.20	-2.82	3	Vertical	30	1.54	-
5300MHz	Pass	PK	15.90025G	57.43	74.00	-16.57	3	Vertical	331	1.40	-
5300MHz	Pass	AV	10.60012G	49.46	54.00	-4.54	3	Horizontal	31	1.50	-
5300MHz	Pass	AV	15.90245G	45.56	54.00	-8.44	3	Horizontal	144	1.50	-
5300MHz	Pass	PK	10.60081G	60.40	74.00	-13.60	3	Horizontal	31	1.50	-
5300MHz	Pass	PK	15.90032G	57.09	74.00	-16.91	3	Horizontal	144	1.50	-
5320MHz	Pass	AV	5.3193G	112.55	Inf	-Inf	3	Vertical	191	1.34	-
5320MHz	Pass	AV	5.35G	47.38	54.00	-6.62	3	Vertical	191	1.34	-
5320MHz	Pass	PK	5.3191G	120.14	Inf	-Inf	3	Vertical	191	1.34	-
5320MHz	Pass	PK	5.3624G	58.78	74.00	-15.22	3	Vertical	191	1.34	-
5320MHz	Pass	AV	5.3193G	100.37	Inf	-Inf	3	Horizontal	142	1.58	-
5320MHz	Pass	AV	5.36G	45.65	54.00	-8.35	3	Horizontal	142	1.58	-
5320MHz	Pass	PK	5.3194G	107.91	Inf	-Inf	3	Horizontal	142	1.58	-
5320MHz	Pass	PK	5.3609G	57.60	74.00	-16.40	3	Horizontal	142	1.58	-
5320MHz	Pass	AV	10.64009G	53.22	54.00	-0.78	3	Vertical	30	1.50	-
5320MHz	Pass	AV	15.965G	45.44	54.00	-8.56	3	Vertical	142	1.50	-
5320MHz	Pass	PK	10.64036G	65.35	74.00	-8.65	3	Vertical	30	1.50	-
5320MHz	Pass	PK	15.95663G	57.02	74.00	-16.98	3	Vertical	142	1.50	-
5320MHz	Pass	AV	10.64011G	48.82	54.00	-5.18	3	Horizontal	33	1.47	-
5320MHz	Pass	AV	15.965G	45.43	54.00	-8.57	3	Horizontal	288	1.50	-
5320MHz	Pass	PK	10.64061G	60.07	74.00	-13.93	3	Horizontal	33	1.47	-
5320MHz	Pass	PK	15.95938G	57.43	74.00	-16.57	3	Horizontal	288	1.50	-
5500MHz	Pass	AV	5.46G	49.83	54.00	-4.17	3	Vertical	186	1.46	-
5500MHz	Pass	AV	5.5009G	115.58	Inf	-Inf	3	Vertical	186	1.46	-
5500MHz	Pass	PK	5.4658G	65.28	68.20	-2.92	3	Vertical	186	1.46	-
5500MHz	Pass	PK	5.5013G	123.63	Inf	-Inf	3	Vertical	186	1.46	-
5500MHz	Pass	AV	5.4577G	45.94	54.00	-8.06	3	Horizontal	222	1.76	-
5500MHz	Pass	AV	5.4988G	101.19	Inf	-Inf	3	Horizontal	222	1.76	-
5500MHz	Pass	PK	5.4696G	58.13	68.20	-10.07	3	Horizontal	222	1.76	-
5500MHz	Pass	PK	5.4983G	109.04	Inf	-Inf	3	Horizontal	222	1.76	-
5500MHz	Pass	AV	11.00126G	53.14	54.00	-0.86	3	Vertical	148	1.50	-
5500MHz	Pass	PK	11.00073G	65.79	74.00	-8.21	3	Vertical	148	1.50	-
5500MHz	Pass	PK	16.49992G	59.56	68.20	-8.64	3	Vertical	337	1.49	-
5500MHz	Pass	AV	11.00243G	49.30	54.00	-4.70	3	Horizontal	338	2.89	-
5500MHz	Pass	PK	11.00285G	61.11	74.00	-12.89	3	Horizontal	338	2.89	-
5500MHz	Pass	PK	16.49911G	59.34	68.20	-8.86	3	Horizontal	212	2.77	-
5580MHz	Pass	AV	5.4351G	46.73	54.00	-7.27	3	Vertical	186	1.50	-
5580MHz	Pass	AV	5.5809G	117.44	Inf	-Inf	3	Vertical	186	1.50	-
5580MHz	Pass	PK	5.4642G	58.24	68.20	-9.96	3	Vertical	186	1.50	-
5580MHz	Pass	PK	5.5812G	125.77	Inf	-Inf	3	Vertical	186	1.50	-
5580MHz	Pass	PK	5.7294G	56.90	68.20	-11.30	3	Vertical	186	1.50	-
5580MHz	Pass	AV	5.43G	45.88	54.00	-8.12	3	Horizontal	220	1.74	-
5580MHz	Pass	AV	5.5791G	103.69	Inf	-Inf	3	Horizontal	220	1.74	-
5580MHz	Pass	PK	5.4624G	56.56	68.20	-11.64	3	Horizontal	220	1.74	-
5580MHz	Pass	PK	5.5791G	111.79	Inf	-Inf	3	Horizontal	220	1.74	-
5580MHz	Pass	PK	5.7261G	57.05	68.20	-11.15	3	Horizontal	220	1.74	-
5580MHz	Pass	AV	11.16281G	49.83	54.00	-4.17	3	Vertical	355	1.56	-
5580MHz	Pass	PK	11.16293G	61.64	74.00	-12.36	3	Vertical	355	1.56	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.73712G	64.61	68.20	-3.59	3	Vertical	322	1.50	-
5580MHz	Pass	AV	11.16003G	47.82	54.00	-6.18	3	Horizontal	328	1.86	-
5580MHz	Pass	PK	11.1603G	59.44	74.00	-14.56	3	Horizontal	328	1.86	-
5580MHz	Pass	PK	16.74138G	64.35	68.20	-3.85	3	Horizontal	314	1.40	-
5700MHz	Pass	AV	5.7008G	114.95	Inf	-Inf	3	Vertical	189	1.14	-
5700MHz	Pass	PK	5.7006G	122.36	Inf	-Inf	3	Vertical	189	1.14	-
5700MHz	Pass	PK	5.7256G	66.95	68.20	-1.25	3	Vertical	189	1.14	-
5700MHz	Pass	AV	5.6992G	99.60	Inf	-Inf	3	Horizontal	221	1.74	-
5700MHz	Pass	PK	5.6992G	107.36	Inf	-Inf	3	Horizontal	221	1.74	-
5700MHz	Pass	PK	5.761G	58.29	68.20	-9.91	3	Horizontal	221	1.74	-
5700MHz	Pass	AV	11.40096G	49.55	54.00	-4.45	3	Vertical	330	2.53	-
5700MHz	Pass	PK	11.40069G	61.97	74.00	-12.03	3	Vertical	330	2.53	-
5700MHz	Pass	PK	17.09532G	59.38	68.20	-8.82	3	Vertical	360	2.06	-
5700MHz	Pass	AV	11.4002G	47.90	54.00	-6.10	3	Horizontal	17	1.63	-
5700MHz	Pass	PK	11.40078G	60.43	74.00	-13.57	3	Horizontal	17	1.63	-
5700MHz	Pass	PK	17.10279G	59.84	68.20	-8.36	3	Horizontal	162	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	46.50	54.00	-7.50	3	Vertical	188	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7206G	118.51	Inf	-Inf	3	Vertical	188	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.84	68.20	-11.36	3	Vertical	188	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7206G	126.39	Inf	-Inf	3	Vertical	188	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9504G	60.12	68.20	-8.08	3	Vertical	188	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	45.94	54.00	-8.06	3	Horizontal	219	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7194G	104.73	Inf	-Inf	3	Horizontal	219	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.34	68.20	-11.86	3	Horizontal	219	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7194G	112.08	Inf	-Inf	3	Horizontal	219	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8886G	59.15	68.20	-9.05	3	Horizontal	219	1.74	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44016G	51.49	54.00	-2.51	3	Vertical	338	2.29	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44074G	62.95	74.00	-11.05	3	Vertical	338	2.29	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16294G	64.61	68.20	-3.59	3	Vertical	339	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44111G	51.78	54.00	-2.22	3	Horizontal	13	2.21	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44079G	63.57	74.00	-10.43	3	Horizontal	13	2.21	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15519G	63.59	68.20	-4.61	3	Horizontal	330	2.81	-
5745MHz	Pass	AV	5.7456G	118.16	Inf	-Inf	3	Vertical	149	1.13	-
5745MHz	Pass	PK	5.547G	59.03	68.20	-9.17	3	Vertical	149	1.13	-
5745MHz	Pass	PK	5.7456G	125.58	Inf	-Inf	3	Vertical	149	1.13	-
5745MHz	Pass	PK	5.9352G	59.46	68.20	-8.74	3	Vertical	149	1.13	-
5745MHz	Pass	AV	5.7438G	104.12	Inf	-Inf	3	Horizontal	221	1.55	-
5745MHz	Pass	PK	5.6298G	58.68	68.20	-9.52	3	Horizontal	221	1.55	-
5745MHz	Pass	PK	5.7438G	112.40	Inf	-Inf	3	Horizontal	221	1.55	-
5745MHz	Pass	PK	5.9742G	59.20	68.20	-9.00	3	Horizontal	221	1.55	-
5745MHz	Pass	AV	11.49208G	51.69	54.00	-2.31	3	Vertical	148	2.09	-
5745MHz	Pass	PK	11.49206G	63.05	74.00	-10.95	3	Vertical	148	2.09	-
5745MHz	Pass	PK	17.2285G	61.41	68.20	-6.79	3	Vertical	337	1.50	-
5745MHz	Pass	AV	11.49114G	53.90	54.00	-0.10	3	Horizontal	338	2.33	-
5745MHz	Pass	PK	11.49074G	66.30	74.00	-7.70	3	Horizontal	338	2.33	-
5745MHz	Pass	PK	17.23708G	61.03	68.20	-7.17	3	Horizontal	7	1.50	-
5785MHz	Pass	AV	5.7856G	118.42	Inf	-Inf	3	Vertical	151	1.00	-
5785MHz	Pass	PK	5.5312G	58.46	68.20	-9.74	3	Vertical	151	1.00	-
5785MHz	Pass	PK	5.7862G	125.95	Inf	-Inf	3	Vertical	151	1.00	-
5785MHz	Pass	PK	6.0004G	58.73	68.20	-9.47	3	Vertical	151	1.00	-
5785MHz	Pass	AV	5.7856G	104.09	Inf	-Inf	3	Horizontal	213	1.50	-
5785MHz	Pass	PK	5.5978G	57.69	68.20	-10.51	3	Horizontal	213	1.50	-
5785MHz	Pass	PK	5.7856G	110.99	Inf	-Inf	3	Horizontal	213	1.50	-
5785MHz	Pass	PK	5.9482G	58.99	68.20	-9.21	3	Horizontal	213	1.50	-
5785MHz	Pass	AV	11.57106G	53.46	54.00	-0.54	3	Vertical	322	2.91	-
5785MHz	Pass	PK	11.57068G	64.92	74.00	-9.08	3	Vertical	322	2.91	-
5785MHz	Pass	PK	17.35414G	61.21	68.20	-6.99	3	Vertical	322	1.50	-
5785MHz	Pass	AV	11.57012G	50.11	54.00	-3.89	3	Horizontal	17	1.53	-
5785MHz	Pass	PK	11.57032G	61.75	74.00	-12.25	3	Horizontal	17	1.53	-
5785MHz	Pass	PK	17.35452G	63.87	68.20	-4.33	3	Horizontal	301	1.87	-
5825MHz	Pass	AV	5.8262G	118.43	Inf	-Inf	3	Vertical	152	1.07	-
5825MHz	Pass	PK	5.5646G	58.33	68.20	-9.87	3	Vertical	152	1.07	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8262G	125.89	Inf	-Inf	3	Vertical	152	1.07	-
5825MHz	Pass	PK	5.9636G	59.34	68.20	-8.86	3	Vertical	152	1.07	-
5825MHz	Pass	AV	5.8256G	104.13	Inf	-Inf	3	Horizontal	56	1.03	-
5825MHz	Pass	PK	5.5844G	57.44	68.20	-10.76	3	Horizontal	56	1.03	-
5825MHz	Pass	PK	5.8256G	111.02	Inf	-Inf	3	Horizontal	56	1.03	-
5825MHz	Pass	PK	5.9942G	58.75	68.20	-9.45	3	Horizontal	56	1.03	-
5825MHz	Pass	AV	11.65094G	53.01	54.00	-0.99	3	Vertical	322	2.88	-
5825MHz	Pass	PK	11.65098G	65.02	74.00	-8.98	3	Vertical	322	2.88	-
5825MHz	Pass	PK	17.4703G	62.24	68.20	-5.96	3	Vertical	4	1.50	-
5825MHz	Pass	AV	11.65168G	50.65	54.00	-3.35	3	Horizontal	353	1.46	-
5825MHz	Pass	PK	11.65186G	61.81	74.00	-12.19	3	Horizontal	353	1.46	-
5825MHz	Pass	PK	17.46988G	66.00	68.20	-2.20	3	Horizontal	302	1.87	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.31	54.00	-1.69	3	Vertical	185	1.10	-
5180MHz	Pass	AV	5.1807G	113.47	Inf	-Inf	3	Vertical	185	1.10	-
5180MHz	Pass	PK	5.1498G	63.53	74.00	-10.47	3	Vertical	185	1.10	-
5180MHz	Pass	PK	5.1809G	123.71	Inf	-Inf	3	Vertical	185	1.10	-
5180MHz	Pass	AV	5.15G	48.43	54.00	-5.57	3	Horizontal	136	1.96	-
5180MHz	Pass	AV	5.1811G	103.52	Inf	-Inf	3	Horizontal	136	1.96	-
5180MHz	Pass	PK	5.1495G	62.59	74.00	-11.41	3	Horizontal	136	1.96	-
5180MHz	Pass	PK	5.1811G	114.37	Inf	-Inf	3	Horizontal	136	1.96	-
5180MHz	Pass	AV	15.54428G	46.22	54.00	-7.78	3	Vertical	357	1.50	-
5180MHz	Pass	PK	10.36268G	65.16	68.20	-3.04	3	Vertical	186	1.05	-
5180MHz	Pass	PK	15.53104G	58.99	74.00	-15.01	3	Vertical	357	1.50	-
5180MHz	Pass	AV	15.54484G	47.44	54.00	-6.56	3	Horizontal	45	1.50	-
5180MHz	Pass	PK	10.36082G	61.54	68.20	-6.66	3	Horizontal	27	1.50	-
5180MHz	Pass	PK	15.54444G	63.80	74.00	-10.20	3	Horizontal	45	1.50	-
5200MHz	Pass	AV	5.15G	52.12	54.00	-1.88	3	Vertical	187	1.50	-
5200MHz	Pass	AV	5.2008G	114.79	Inf	-Inf	3	Vertical	187	1.50	-
5200MHz	Pass	PK	5.1498G	64.22	74.00	-9.78	3	Vertical	187	1.50	-
5200MHz	Pass	PK	5.201G	125.69	Inf	-Inf	3	Vertical	187	1.50	-
5200MHz	Pass	AV	5.15G	47.85	54.00	-6.15	3	Horizontal	137	1.93	-
5200MHz	Pass	AV	5.2014G	105.65	Inf	-Inf	3	Horizontal	137	1.93	-
5200MHz	Pass	PK	5.1476G	58.47	74.00	-15.53	3	Horizontal	137	1.93	-
5200MHz	Pass	PK	5.2004G	116.22	Inf	-Inf	3	Horizontal	137	1.93	-
5200MHz	Pass	AV	15.60372G	46.33	54.00	-7.67	3	Vertical	306	2.04	-
5200MHz	Pass	PK	10.39886G	64.40	68.20	-3.80	3	Vertical	319	1.41	-
5200MHz	Pass	PK	15.6042G	58.74	74.00	-15.26	3	Vertical	306	2.04	-
5200MHz	Pass	AV	15.59768G	49.88	54.00	-4.12	3	Horizontal	46	1.50	-
5200MHz	Pass	PK	10.40124G	64.91	68.20	-3.29	3	Horizontal	23	1.50	-
5200MHz	Pass	PK	15.59914G	65.83	74.00	-8.17	3	Horizontal	46	1.50	-
5240MHz	Pass	AV	5.15G	49.92	54.00	-4.08	3	Vertical	186	1.26	-
5240MHz	Pass	AV	5.2409G	117.32	Inf	-Inf	3	Vertical	186	1.26	-
5240MHz	Pass	AV	5.3852G	46.75	54.00	-7.25	3	Vertical	186	1.26	-
5240MHz	Pass	PK	5.1482G	60.78	74.00	-13.22	3	Vertical	186	1.26	-
5240MHz	Pass	PK	5.2406G	126.21	Inf	-Inf	3	Vertical	186	1.26	-
5240MHz	Pass	PK	5.3822G	57.54	74.00	-16.46	3	Vertical	186	1.26	-
5240MHz	Pass	AV	5.144G	47.07	54.00	-6.93	3	Horizontal	135	1.91	-
5240MHz	Pass	AV	5.2415G	107.13	Inf	-Inf	3	Horizontal	135	1.91	-
5240MHz	Pass	AV	5.3843G	45.83	54.00	-8.17	3	Horizontal	135	1.91	-
5240MHz	Pass	PK	5.1293G	59.03	74.00	-14.97	3	Horizontal	135	1.91	-
5240MHz	Pass	PK	5.2421G	115.62	Inf	-Inf	3	Horizontal	135	1.91	-
5240MHz	Pass	PK	5.3687G	57.09	74.00	-16.91	3	Horizontal	135	1.91	-
5240MHz	Pass	AV	15.72306G	51.42	54.00	-2.58	3	Vertical	314	1.50	-
5240MHz	Pass	PK	10.48225G	63.56	68.20	-4.64	3	Vertical	323	1.40	-
5240MHz	Pass	PK	15.72219G	63.23	74.00	-10.77	3	Vertical	314	1.50	-
5240MHz	Pass	AV	15.72192G	52.03	54.00	-1.97	3	Horizontal	311	1.50	-
5240MHz	Pass	PK	10.48207G	63.17	68.20	-5.03	3	Horizontal	24	1.50	-
5240MHz	Pass	PK	15.72135G	64.04	74.00	-9.96	3	Horizontal	311	1.50	-
5260MHz	Pass	AV	5.1499G	47.89	54.00	-6.11	3	Vertical	186	1.38	-
5260MHz	Pass	AV	5.2609G	117.24	Inf	-Inf	3	Vertical	186	1.38	-
5260MHz	Pass	AV	5.35G	48.59	54.00	-5.41	3	Vertical	186	1.38	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.1493G	58.57	74.00	-15.43	3	Vertical	186	1.38	-
5260MHz	Pass	PK	5.2597G	125.99	Inf	-Inf	3	Vertical	186	1.38	-
5260MHz	Pass	PK	5.3521G	59.45	74.00	-14.55	3	Vertical	186	1.38	-
5260MHz	Pass	AV	5.1394G	46.86	54.00	-7.14	3	Horizontal	105	1.00	-
5260MHz	Pass	AV	5.2609G	105.81	Inf	-Inf	3	Horizontal	105	1.00	-
5260MHz	Pass	AV	5.4043G	45.94	54.00	-8.06	3	Horizontal	105	1.00	-
5260MHz	Pass	PK	5.1352G	57.69	74.00	-16.31	3	Horizontal	105	1.00	-
5260MHz	Pass	PK	5.2594G	115.38	Inf	-Inf	3	Horizontal	105	1.00	-
5260MHz	Pass	PK	5.3896G	56.94	74.00	-17.06	3	Horizontal	105	1.00	-
5260MHz	Pass	AV	15.77746G	52.70	54.00	-1.30	3	Vertical	343	1.00	-
5260MHz	Pass	PK	10.51896G	62.59	68.20	-5.61	3	Vertical	300	1.49	-
5260MHz	Pass	PK	15.77588G	66.29	74.00	-7.71	3	Vertical	343	1.00	-
5260MHz	Pass	AV	15.78188G	50.43	54.00	-3.57	3	Horizontal	309	1.43	-
5260MHz	Pass	PK	10.52188G	63.93	68.20	-4.27	3	Horizontal	23	1.50	-
5260MHz	Pass	PK	15.78052G	63.13	74.00	-10.87	3	Horizontal	309	1.43	-
5300MHz	Pass	AV	5.3008G	113.61	Inf	-Inf	3	Vertical	187	1.16	-
5300MHz	Pass	AV	5.3976G	47.57	54.00	-6.43	3	Vertical	187	1.16	-
5300MHz	Pass	PK	5.2992G	123.89	Inf	-Inf	3	Vertical	187	1.16	-
5300MHz	Pass	PK	5.3956G	58.61	74.00	-15.39	3	Vertical	187	1.16	-
5300MHz	Pass	AV	5.3008G	102.61	Inf	-Inf	3	Horizontal	141	1.88	-
5300MHz	Pass	AV	5.3904G	45.94	54.00	-8.06	3	Horizontal	141	1.88	-
5300MHz	Pass	PK	5.3008G	112.52	Inf	-Inf	3	Horizontal	141	1.88	-
5300MHz	Pass	PK	5.3742G	56.40	74.00	-17.60	3	Horizontal	141	1.88	-
5300MHz	Pass	AV	10.60603G	53.72	54.00	-0.28	3	Vertical	243	1.69	-
5300MHz	Pass	AV	15.89763G	45.55	54.00	-8.45	3	Vertical	164	2.54	-
5300MHz	Pass	PK	10.5964G	65.33	68.20	-2.87	3	Vertical	243	1.69	-
5300MHz	Pass	PK	15.90471G	57.19	74.00	-16.81	3	Vertical	164	2.54	-
5300MHz	Pass	AV	10.60024G	50.47	54.00	-3.53	3	Horizontal	34	1.52	-
5300MHz	Pass	AV	15.90909G	45.50	54.00	-8.50	3	Horizontal	26	1.50	-
5300MHz	Pass	PK	10.60021G	62.42	74.00	-11.58	3	Horizontal	34	1.52	-
5300MHz	Pass	PK	15.90153G	57.52	74.00	-16.48	3	Horizontal	26	1.50	-
5320MHz	Pass	AV	5.3208G	111.79	Inf	-Inf	3	Vertical	167	1.48	-
5320MHz	Pass	AV	5.3509G	47.58	54.00	-6.42	3	Vertical	167	1.48	-
5320MHz	Pass	PK	5.3207G	122.74	Inf	-Inf	3	Vertical	167	1.48	-
5320MHz	Pass	PK	5.3511G	57.75	74.00	-16.25	3	Vertical	167	1.48	-
5320MHz	Pass	AV	5.3208G	98.93	Inf	-Inf	3	Horizontal	107	1.02	-
5320MHz	Pass	AV	5.3588G	45.71	54.00	-8.29	3	Horizontal	107	1.02	-
5320MHz	Pass	PK	5.3207G	110.31	Inf	-Inf	3	Horizontal	107	1.02	-
5320MHz	Pass	PK	5.3676G	56.70	74.00	-17.30	3	Horizontal	107	1.02	-
5320MHz	Pass	AV	10.63979G	53.47	54.00	-0.53	3	Vertical	271	1.84	-
5320MHz	Pass	AV	15.96651G	45.54	54.00	-8.46	3	Vertical	244	1.31	-
5320MHz	Pass	PK	10.64114G	65.20	74.00	-8.80	3	Vertical	271	1.84	-
5320MHz	Pass	PK	15.94542G	58.12	74.00	-15.88	3	Vertical	244	1.31	-
5320MHz	Pass	AV	10.63979G	48.93	54.00	-5.07	3	Horizontal	33	1.50	-
5320MHz	Pass	AV	15.96747G	45.50	54.00	-8.50	3	Horizontal	86	1.45	-
5320MHz	Pass	PK	10.64024G	61.00	74.00	-13.00	3	Horizontal	33	1.50	-
5320MHz	Pass	PK	15.96384G	56.94	74.00	-17.06	3	Horizontal	86	1.45	-
5500MHz	Pass	AV	5.4599G	50.04	54.00	-3.96	3	Vertical	152	1.06	-
5500MHz	Pass	AV	5.4989G	114.91	Inf	-Inf	3	Vertical	152	1.06	-
5500MHz	Pass	PK	5.4692G	67.54	68.20	-0.66	3	Vertical	152	1.06	-
5500MHz	Pass	PK	5.499G	125.32	Inf	-Inf	3	Vertical	152	1.06	-
5500MHz	Pass	AV	5.4591G	46.10	54.00	-7.90	3	Horizontal	218	1.66	-
5500MHz	Pass	AV	5.4992G	100.69	Inf	-Inf	3	Horizontal	218	1.66	-
5500MHz	Pass	PK	5.4692G	58.09	68.20	-10.11	3	Horizontal	218	1.66	-
5500MHz	Pass	PK	5.4992G	111.65	Inf	-Inf	3	Horizontal	218	1.66	-
5500MHz	Pass	AV	11.00414G	52.16	54.00	-1.84	3	Vertical	113	1.50	-
5500MHz	Pass	PK	10.99535G	63.90	74.00	-10.10	3	Vertical	113	1.50	-
5500MHz	Pass	PK	16.49661G	59.35	68.20	-8.85	3	Vertical	233	1.50	-
5500MHz	Pass	AV	11.00021G	46.36	54.00	-7.64	3	Horizontal	356	1.50	-
5500MHz	Pass	PK	11.00213G	58.26	74.00	-15.74	3	Horizontal	356	1.50	-
5500MHz	Pass	PK	16.49802G	58.86	68.20	-9.34	3	Horizontal	35	2.16	-
5580MHz	Pass	AV	5.4594G	46.90	54.00	-7.10	3	Vertical	150	1.00	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	5.5806G	117.44	Inf	-Inf	3	Vertical	150	1.00	-
5580MHz	Pass	PK	5.4666G	57.27	68.20	-10.93	3	Vertical	150	1.00	-
5580MHz	Pass	PK	5.5806G	125.54	Inf	-Inf	3	Vertical	150	1.00	-
5580MHz	Pass	PK	5.7288G	58.86	68.20	-9.34	3	Vertical	150	1.00	-
5580MHz	Pass	AV	5.4318G	46.02	54.00	-7.98	3	Horizontal	217	1.73	-
5580MHz	Pass	AV	5.5794G	103.20	Inf	-Inf	3	Horizontal	217	1.73	-
5580MHz	Pass	PK	5.4618G	55.84	68.20	-12.36	3	Horizontal	217	1.73	-
5580MHz	Pass	PK	5.5788G	113.60	Inf	-Inf	3	Horizontal	217	1.73	-
5580MHz	Pass	PK	5.7264G	57.32	68.20	-10.88	3	Horizontal	217	1.73	-
5580MHz	Pass	AV	11.16183G	49.46	54.00	-4.54	3	Vertical	0	1.68	-
5580MHz	Pass	PK	11.16153G	59.85	74.00	-14.15	3	Vertical	0	1.68	-
5580MHz	Pass	PK	16.74525G	63.92	68.20	-4.28	3	Vertical	323	1.50	-
5580MHz	Pass	AV	11.15997G	49.17	54.00	-4.83	3	Horizontal	337	2.56	-
5580MHz	Pass	PK	11.15982G	60.13	74.00	-13.87	3	Horizontal	337	2.56	-
5580MHz	Pass	PK	16.7412G	64.27	68.20	-3.93	3	Horizontal	305	1.54	-
5700MHz	Pass	AV	5.7006G	115.06	Inf	-Inf	3	Vertical	151	1.14	-
5700MHz	Pass	PK	5.7014G	123.49	Inf	-Inf	3	Vertical	151	1.14	-
5700MHz	Pass	PK	5.7304G	67.49	68.20	-0.71	3	Vertical	151	1.14	-
5700MHz	Pass	AV	5.7008G	99.40	Inf	-Inf	3	Horizontal	214	1.50	-
5700MHz	Pass	PK	5.7012G	109.19	Inf	-Inf	3	Horizontal	214	1.50	-
5700MHz	Pass	PK	5.7834G	59.33	68.20	-8.87	3	Horizontal	214	1.50	-
5700MHz	Pass	AV	11.4033G	49.43	54.00	-4.57	3	Vertical	333	1.46	-
5700MHz	Pass	PK	11.40318G	61.32	74.00	-12.68	3	Vertical	333	1.46	-
5700MHz	Pass	PK	17.10921G	59.64	68.20	-8.56	3	Vertical	23	2.84	-
5700MHz	Pass	AV	11.40099G	47.31	54.00	-6.69	3	Horizontal	18	1.58	-
5700MHz	Pass	PK	11.40015G	59.76	74.00	-14.24	3	Horizontal	18	1.58	-
5700MHz	Pass	PK	17.10594G	58.84	68.20	-9.36	3	Horizontal	162	2.86	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	46.61	54.00	-7.39	3	Vertical	150	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	118.61	Inf	-Inf	3	Vertical	150	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.33	68.20	-11.87	3	Vertical	150	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	126.57	Inf	-Inf	3	Vertical	150	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8964G	59.39	68.20	-8.81	3	Vertical	150	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	45.97	54.00	-8.03	3	Horizontal	215	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7206G	103.81	Inf	-Inf	3	Horizontal	215	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4602G	56.32	68.20	-11.88	3	Horizontal	215	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.72G	111.61	Inf	-Inf	3	Horizontal	215	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8736G	59.07	68.20	-9.13	3	Horizontal	215	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4436G	51.44	54.00	-2.56	3	Vertical	333	2.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44522G	62.58	74.00	-11.42	3	Vertical	333	2.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16339G	60.34	68.20	-7.86	3	Vertical	168	1.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44138G	53.78	54.00	-0.22	3	Horizontal	339	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44093G	65.50	74.00	-8.50	3	Horizontal	339	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17248G	60.20	68.20	-8.00	3	Horizontal	153	1.02	-
5745MHz	Pass	AV	5.7462G	118.75	Inf	-Inf	3	Vertical	152	1.12	-
5745MHz	Pass	PK	5.6454G	60.93	68.20	-7.27	3	Vertical	152	1.12	-
5745MHz	Pass	PK	5.7462G	126.15	Inf	-Inf	3	Vertical	152	1.12	-
5745MHz	Pass	PK	5.9454G	59.49	68.20	-8.71	3	Vertical	152	1.12	-
5745MHz	Pass	AV	5.7462G	104.15	Inf	-Inf	3	Horizontal	212	1.78	-
5745MHz	Pass	PK	5.5842G	57.95	68.20	-10.25	3	Horizontal	212	1.78	-
5745MHz	Pass	PK	5.7462G	112.98	Inf	-Inf	3	Horizontal	212	1.78	-
5745MHz	Pass	PK	5.955G	59.20	68.20	-9.00	3	Horizontal	212	1.78	-
5745MHz	Pass	AV	11.49496G	51.62	54.00	-2.38	3	Vertical	118	2.05	-
5745MHz	Pass	PK	11.49568G	60.10	74.00	-13.90	3	Vertical	118	2.05	-
5745MHz	Pass	PK	17.23236G	58.65	68.20	-9.55	3	Vertical	335	1.50	-
5745MHz	Pass	AV	11.49152G	52.64	54.00	-1.36	3	Horizontal	326	1.63	-
5745MHz	Pass	PK	11.49048G	60.16	74.00	-13.84	3	Horizontal	326	1.63	-
5745MHz	Pass	PK	17.23716G	59.42	68.20	-8.78	3	Horizontal	308	1.35	-
5785MHz	Pass	AV	5.7862G	118.49	Inf	-Inf	3	Vertical	151	1.00	-
5785MHz	Pass	PK	5.5918G	59.50	68.20	-8.70	3	Vertical	151	1.00	-
5785MHz	Pass	PK	5.785G	126.88	Inf	-Inf	3	Vertical	151	1.00	-
5785MHz	Pass	PK	5.9434G	58.62	68.20	-9.58	3	Vertical	151	1.00	-
5785MHz	Pass	AV	5.7862G	104.15	Inf	-Inf	3	Horizontal	209	1.50	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.5726G	57.69	68.20	-10.51	3	Horizontal	209	1.50	-
5785MHz	Pass	PK	5.785G	112.98	Inf	-Inf	3	Horizontal	209	1.50	-
5785MHz	Pass	PK	6.013G	58.83	68.20	-9.37	3	Horizontal	209	1.50	-
5785MHz	Pass	AV	11.57312G	52.78	54.00	-1.22	3	Vertical	319	2.45	-
5785MHz	Pass	PK	11.57176G	61.43	74.00	-12.57	3	Vertical	319	2.45	-
5785MHz	Pass	PK	17.35348G	57.67	68.20	-10.53	3	Vertical	336	1.50	-
5785MHz	Pass	AV	11.57048G	49.81	54.00	-4.19	3	Horizontal	15	1.55	-
5785MHz	Pass	PK	11.57224G	59.86	74.00	-14.14	3	Horizontal	15	1.55	-
5785MHz	Pass	PK	17.36388G	58.26	68.20	-9.94	3	Horizontal	349	2.92	-
5825MHz	Pass	AV	5.8262G	117.46	Inf	-Inf	3	Vertical	190	1.03	-
5825MHz	Pass	PK	5.5286G	58.82	68.20	-9.38	3	Vertical	190	1.03	-
5825MHz	Pass	PK	5.8262G	125.63	Inf	-Inf	3	Vertical	190	1.03	-
5825MHz	Pass	PK	5.9354G	58.85	68.20	-9.35	3	Vertical	190	1.03	-
5825MHz	Pass	AV	5.8262G	105.26	Inf	-Inf	3	Horizontal	54	1.05	-
5825MHz	Pass	PK	5.5874G	57.46	68.20	-10.74	3	Horizontal	54	1.05	-
5825MHz	Pass	PK	5.8262G	114.69	Inf	-Inf	3	Horizontal	54	1.05	-
5825MHz	Pass	PK	6.0014G	59.25	68.20	-8.95	3	Horizontal	54	1.05	-
5825MHz	Pass	AV	11.65208G	52.85	54.00	-1.15	3	Vertical	324	2.74	-
5825MHz	Pass	PK	11.65184G	64.02	74.00	-9.98	3	Vertical	324	2.74	-
5825MHz	Pass	PK	17.4738G	60.26	68.20	-7.94	3	Vertical	0	1.42	-
5825MHz	Pass	AV	11.65216G	50.63	54.00	-3.37	3	Horizontal	350	1.48	-
5825MHz	Pass	PK	11.6516G	60.01	74.00	-13.99	3	Horizontal	350	1.48	-
5825MHz	Pass	PK	17.47372G	60.51	68.20	-7.69	3	Horizontal	300	1.87	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.81	54.00	-1.19	3	Vertical	181	1.50	-
5190MHz	Pass	AV	5.1912G	109.39	Inf	-Inf	3	Vertical	181	1.50	-
5190MHz	Pass	PK	5.15G	62.32	74.00	-11.68	3	Vertical	181	1.50	-
5190MHz	Pass	PK	5.1912G	118.84	Inf	-Inf	3	Vertical	181	1.50	-
5190MHz	Pass	AV	5.15G	48.37	54.00	-5.63	3	Horizontal	130	1.96	-
5190MHz	Pass	AV	5.1916G	99.47	Inf	-Inf	3	Horizontal	130	1.96	-
5190MHz	Pass	PK	5.1404G	60.06	74.00	-13.94	3	Horizontal	130	1.96	-
5190MHz	Pass	PK	5.1924G	110.13	Inf	-Inf	3	Horizontal	130	1.96	-
5190MHz	Pass	AV	15.56112G	45.95	54.00	-8.05	3	Vertical	184	1.00	-
5190MHz	Pass	PK	10.38136G	60.31	68.20	-7.89	3	Vertical	166	1.07	-
5190MHz	Pass	PK	15.55032G	57.81	74.00	-16.19	3	Vertical	184	1.00	-
5190MHz	Pass	AV	15.5756G	45.88	54.00	-8.12	3	Horizontal	253	1.48	-
5190MHz	Pass	PK	10.38152G	59.60	68.20	-8.60	3	Horizontal	23	1.50	-
5190MHz	Pass	PK	15.5592G	57.77	74.00	-16.23	3	Horizontal	253	1.48	-
5230MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Vertical	182	1.39	-
5230MHz	Pass	AV	5.2312G	112.76	Inf	-Inf	3	Vertical	182	1.39	-
5230MHz	Pass	PK	5.1488G	65.21	74.00	-8.79	3	Vertical	182	1.39	-
5230MHz	Pass	PK	5.2304G	121.51	Inf	-Inf	3	Vertical	182	1.39	-
5230MHz	Pass	AV	5.15G	48.35	54.00	-5.65	3	Horizontal	132	1.88	-
5230MHz	Pass	AV	5.232G	102.43	Inf	-Inf	3	Horizontal	132	1.88	-
5230MHz	Pass	PK	5.15G	59.72	74.00	-14.28	3	Horizontal	132	1.88	-
5230MHz	Pass	PK	5.2316G	113.00	Inf	-Inf	3	Horizontal	132	1.88	-
5230MHz	Pass	AV	15.68392G	46.00	54.00	-8.00	3	Vertical	228	1.88	-
5230MHz	Pass	PK	10.45872G	61.73	68.20	-6.47	3	Vertical	168	1.00	-
5230MHz	Pass	PK	15.7052G	57.67	74.00	-16.33	3	Vertical	228	1.88	-
5230MHz	Pass	AV	15.69888G	46.01	54.00	-7.99	3	Horizontal	280	1.41	-
5230MHz	Pass	PK	10.452G	63.91	68.20	-4.29	3	Horizontal	23	1.50	-
5230MHz	Pass	PK	15.69392G	57.61	74.00	-16.39	3	Horizontal	280	1.41	-
5270MHz	Pass	AV	5.2712G	113.29	Inf	-Inf	3	Vertical	182	1.25	-
5270MHz	Pass	AV	5.3504G	53.69	54.00	-0.31	3	Vertical	182	1.25	-
5270MHz	Pass	PK	5.3508G	65.82	74.00	-8.18	3	Vertical	182	1.25	-
5270MHz	Pass	PK	5.2708G	123.04	Inf	-Inf	3	Vertical	182	1.25	-
5270MHz	Pass	AV	5.2712G	102.38	Inf	-Inf	3	Horizontal	136	1.89	-
5270MHz	Pass	AV	5.35G	46.82	54.00	-7.18	3	Horizontal	136	1.89	-
5270MHz	Pass	PK	5.2708G	113.79	Inf	-Inf	3	Horizontal	136	1.89	-
5270MHz	Pass	PK	5.3512G	58.56	74.00	-15.44	3	Horizontal	136	1.89	-
5270MHz	Pass	AV	15.79656G	45.96	54.00	-8.04	3	Vertical	109	1.41	-
5270MHz	Pass	PK	10.53976G	62.59	68.20	-5.61	3	Vertical	320	1.41	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	15.8096G	57.65	74.00	-16.35	3	Vertical	109	1.41	-
5270MHz	Pass	AV	15.80808G	46.13	54.00	-7.87	3	Horizontal	354	1.19	-
5270MHz	Pass	PK	10.53224G	61.13	68.20	-7.07	3	Horizontal	24	1.50	-
5270MHz	Pass	PK	15.79496G	57.66	74.00	-16.34	3	Horizontal	354	1.19	-
5310MHz	Pass	AV	5.3076G	110.07	Inf	-Inf	3	Vertical	191	1.50	-
5310MHz	Pass	AV	5.35G	52.63	54.00	-1.37	3	Vertical	191	1.50	-
5310MHz	Pass	PK	5.3064G	120.82	Inf	-Inf	3	Vertical	191	1.50	-
5310MHz	Pass	PK	5.3512G	64.79	74.00	-9.21	3	Vertical	191	1.50	-
5310MHz	Pass	AV	5.312G	98.84	Inf	-Inf	3	Horizontal	133	1.83	-
5310MHz	Pass	AV	5.352G	47.09	54.00	-6.91	3	Horizontal	133	1.83	-
5310MHz	Pass	PK	5.312G	109.52	Inf	-Inf	3	Horizontal	133	1.83	-
5310MHz	Pass	PK	5.3544G	59.03	74.00	-14.97	3	Horizontal	133	1.83	-
5310MHz	Pass	AV	10.62048G	50.93	54.00	-3.07	3	Vertical	167	1.67	-
5310MHz	Pass	AV	15.91024G	45.38	54.00	-8.62	3	Vertical	182	2.28	-
5310MHz	Pass	PK	10.6256G	62.78	74.00	-11.22	3	Vertical	167	1.67	-
5310MHz	Pass	PK	15.9348G	57.17	74.00	-16.83	3	Vertical	182	2.28	-
5310MHz	Pass	AV	10.62G	47.63	54.00	-6.37	3	Horizontal	34	1.50	-
5310MHz	Pass	AV	15.91G	45.55	54.00	-8.45	3	Horizontal	355	2.92	-
5310MHz	Pass	PK	10.6196G	59.40	74.00	-14.60	3	Horizontal	34	1.50	-
5310MHz	Pass	PK	15.94936G	57.53	74.00	-16.47	3	Horizontal	355	2.92	-
5510MHz	Pass	AV	5.4592G	49.24	54.00	-4.76	3	Vertical	149	1.03	-
5510MHz	Pass	AV	5.5092G	110.74	Inf	-Inf	3	Vertical	149	1.03	-
5510MHz	Pass	PK	5.4684G	66.90	68.20	-1.30	3	Vertical	149	1.03	-
5510MHz	Pass	PK	5.508G	122.01	Inf	-Inf	3	Vertical	149	1.03	-
5510MHz	Pass	AV	5.4124G	45.94	54.00	-8.06	3	Horizontal	216	1.75	-
5510MHz	Pass	AV	5.5092G	96.08	Inf	-Inf	3	Horizontal	216	1.75	-
5510MHz	Pass	PK	5.4628G	57.24	68.20	-10.96	3	Horizontal	216	1.75	-
5510MHz	Pass	PK	5.5096G	107.03	Inf	-Inf	3	Horizontal	216	1.75	-
5510MHz	Pass	AV	11.01384G	48.53	54.00	-5.47	3	Vertical	115	1.55	-
5510MHz	Pass	PK	11.02488G	61.75	74.00	-12.25	3	Vertical	115	1.55	-
5510MHz	Pass	PK	16.52616G	60.00	68.20	-8.20	3	Vertical	103	2.60	-
5510MHz	Pass	AV	11.02136G	45.92	54.00	-8.08	3	Horizontal	62	1.00	-
5510MHz	Pass	PK	11.0212G	57.39	74.00	-16.61	3	Horizontal	62	1.00	-
5510MHz	Pass	PK	16.5104G	59.02	68.20	-9.18	3	Horizontal	177	1.97	-
5550MHz	Pass	AV	5.46G	51.11	54.00	-2.89	3	Vertical	185	1.15	-
5550MHz	Pass	AV	5.5512G	113.30	Inf	-Inf	3	Vertical	185	1.15	-
5550MHz	Pass	PK	5.47G	67.20	68.20	-1.00	3	Vertical	185	1.15	-
5550MHz	Pass	PK	5.5512G	124.47	Inf	-Inf	3	Vertical	185	1.15	-
5550MHz	Pass	AV	5.4588G	46.17	54.00	-7.83	3	Horizontal	216	1.62	-
5550MHz	Pass	AV	5.5492G	98.31	Inf	-Inf	3	Horizontal	216	1.62	-
5550MHz	Pass	PK	5.4652G	58.25	68.20	-9.95	3	Horizontal	216	1.62	-
5550MHz	Pass	PK	5.5488G	108.32	Inf	-Inf	3	Horizontal	216	1.62	-
5550MHz	Pass	AV	11.09768G	48.42	54.00	-5.58	3	Vertical	214	1.35	-
5550MHz	Pass	PK	11.09656G	59.79	74.00	-14.21	3	Vertical	214	1.35	-
5550MHz	Pass	PK	16.65624G	59.76	68.20	-8.44	3	Vertical	318	1.50	-
5550MHz	Pass	AV	11.09992G	46.49	54.00	-7.51	3	Horizontal	337	2.60	-
5550MHz	Pass	PK	11.09064G	58.32	74.00	-15.68	3	Horizontal	337	2.60	-
5550MHz	Pass	PK	16.63128G	59.69	68.20	-8.51	3	Horizontal	292	1.50	-
5670MHz	Pass	AV	5.6712G	111.92	Inf	-Inf	3	Vertical	147	1.00	-
5670MHz	Pass	PK	5.6712G	122.99	Inf	-Inf	3	Vertical	147	1.00	-
5670MHz	Pass	PK	5.7294G	67.18	68.20	-1.02	3	Vertical	147	1.00	-
5670MHz	Pass	AV	5.6664G	95.74	Inf	-Inf	3	Horizontal	75	1.50	-
5670MHz	Pass	PK	5.6652G	107.61	Inf	-Inf	3	Horizontal	75	1.50	-
5670MHz	Pass	PK	5.7996G	59.29	68.20	-8.91	3	Horizontal	75	1.50	-
5670MHz	Pass	AV	11.336G	46.96	54.00	-7.04	3	Vertical	336	1.51	-
5670MHz	Pass	PK	11.33728G	59.67	74.00	-14.33	3	Vertical	336	1.51	-
5670MHz	Pass	PK	17.01544G	58.78	68.20	-9.42	3	Vertical	116	2.55	-
5670MHz	Pass	AV	11.34384G	46.94	54.00	-7.06	3	Horizontal	331	2.71	-
5670MHz	Pass	PK	11.3436G	59.23	74.00	-14.77	3	Horizontal	331	2.71	-
5670MHz	Pass	PK	17.02856G	58.90	68.20	-9.30	3	Horizontal	190	2.25	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	117.13	Inf	-Inf	3	Vertical	148	1.12	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4136G	58.51	74.00	-15.49	3	Vertical	148	1.12	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	58.07	68.20	-10.13	3	Vertical	148	1.12	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	126.74	Inf	-Inf	3	Vertical	148	1.12	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	64.72	68.20	-3.48	3	Vertical	148	1.12	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	101.88	Inf	-Inf	3	Horizontal	212	1.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.458G	56.25	74.00	-17.75	3	Horizontal	212	1.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	56.01	68.20	-12.19	3	Horizontal	212	1.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.71G	110.58	Inf	-Inf	3	Horizontal	212	1.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8756G	60.17	68.20	-8.03	3	Horizontal	212	1.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42032G	49.21	54.00	-4.79	3	Vertical	350	1.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41944G	61.05	74.00	-12.95	3	Vertical	350	1.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12824G	60.20	68.20	-8.00	3	Vertical	340	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42008G	46.77	54.00	-7.23	3	Horizontal	20	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43016G	58.44	74.00	-15.56	3	Horizontal	20	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14128G	60.48	68.20	-7.72	3	Horizontal	8	1.48	-
5755MHz	Pass	AV	5.7562G	115.79	Inf	-Inf	3	Vertical	149	1.05	-
5755MHz	Pass	PK	5.647G	67.26	68.20	-0.94	3	Vertical	149	1.05	-
5755MHz	Pass	PK	5.7562G	125.54	Inf	-Inf	3	Vertical	149	1.05	-
5755MHz	Pass	PK	5.941G	59.98	68.20	-8.22	3	Vertical	149	1.05	-
5755MHz	Pass	AV	5.7562G	100.28	Inf	-Inf	3	Horizontal	213	1.54	-
5755MHz	Pass	PK	5.6062G	57.68	68.20	-10.52	3	Horizontal	213	1.54	-
5755MHz	Pass	PK	5.7538G	108.82	Inf	-Inf	3	Horizontal	213	1.54	-
5755MHz	Pass	PK	5.9926G	59.39	68.20	-8.81	3	Horizontal	213	1.54	-
5755MHz	Pass	AV	11.51144G	50.21	54.00	-3.79	3	Vertical	321	1.87	-
5755MHz	Pass	PK	11.50056G	62.26	74.00	-11.74	3	Vertical	321	1.87	-
5755MHz	Pass	PK	17.26572G	59.72	68.20	-8.48	3	Vertical	338	1.50	-
5755MHz	Pass	AV	11.502G	48.35	54.00	-5.65	3	Horizontal	331	1.65	-
5755MHz	Pass	PK	11.51192G	60.17	74.00	-13.83	3	Horizontal	331	1.65	-
5755MHz	Pass	PK	17.2686G	59.66	68.20	-8.54	3	Horizontal	335	1.50	-
5795MHz	Pass	AV	5.7962G	116.26	Inf	-Inf	3	Vertical	152	1.00	-
5795MHz	Pass	PK	5.6474G	64.23	68.20	-3.97	3	Vertical	152	1.00	-
5795MHz	Pass	PK	5.7962G	127.21	Inf	-Inf	3	Vertical	152	1.00	-
5795MHz	Pass	PK	5.993G	60.04	68.20	-8.16	3	Vertical	152	1.00	-
5795MHz	Pass	AV	5.7962G	101.46	Inf	-Inf	3	Horizontal	208	1.48	-
5795MHz	Pass	PK	5.5358G	58.48	68.20	-9.72	3	Horizontal	208	1.48	-
5795MHz	Pass	PK	5.7974G	111.38	Inf	-Inf	3	Horizontal	208	1.48	-
5795MHz	Pass	PK	5.9294G	60.32	68.20	-7.88	3	Horizontal	208	1.48	-
5795MHz	Pass	AV	11.58384G	50.19	54.00	-3.81	3	Vertical	321	2.43	-
5795MHz	Pass	PK	11.5948G	63.20	74.00	-10.80	3	Vertical	321	2.43	-
5795MHz	Pass	PK	17.39052G	60.87	68.20	-7.33	3	Vertical	339	1.49	-
5795MHz	Pass	AV	11.58856G	47.81	54.00	-6.19	3	Horizontal	245	1.66	-
5795MHz	Pass	PK	11.58872G	59.42	74.00	-14.58	3	Horizontal	245	1.66	-
5795MHz	Pass	PK	17.39716G	61.91	68.20	-6.29	3	Horizontal	309	2.61	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.00	54.00	-2.00	3	Vertical	186	1.29	-
5210MHz	Pass	AV	5.211G	106.01	Inf	-Inf	3	Vertical	186	1.29	-
5210MHz	Pass	AV	5.391G	46.33	54.00	-7.67	3	Vertical	186	1.29	-
5210MHz	Pass	PK	5.149G	64.39	74.00	-9.61	3	Vertical	186	1.29	-
5210MHz	Pass	PK	5.211G	113.70	Inf	-Inf	3	Vertical	186	1.29	-
5210MHz	Pass	PK	5.429G	57.64	74.00	-16.36	3	Vertical	186	1.29	-
5210MHz	Pass	AV	5.15G	47.68	54.00	-6.32	3	Horizontal	101	1.04	-
5210MHz	Pass	AV	5.211G	95.34	Inf	-Inf	3	Horizontal	101	1.04	-
5210MHz	Pass	AV	5.411G	45.88	54.00	-8.12	3	Horizontal	101	1.04	-
5210MHz	Pass	PK	5.008G	58.41	74.00	-15.59	3	Horizontal	101	1.04	-
5210MHz	Pass	PK	5.211G	104.15	Inf	-Inf	3	Horizontal	101	1.04	-
5210MHz	Pass	PK	5.433G	57.04	74.00	-16.96	3	Horizontal	101	1.04	-
5210MHz	Pass	AV	15.63082G	45.91	54.00	-8.09	3	Vertical	311	1.19	-
5210MHz	Pass	PK	10.43152G	57.26	68.20	-10.94	3	Vertical	357	1.58	-
5210MHz	Pass	PK	15.62752G	57.85	74.00	-16.15	3	Vertical	311	1.19	-
5210MHz	Pass	AV	15.6318G	45.92	54.00	-8.08	3	Horizontal	7	1.38	-
5210MHz	Pass	PK	10.4306G	57.54	68.20	-10.66	3	Horizontal	24	1.54	-
5210MHz	Pass	PK	15.63292G	57.81	74.00	-16.19	3	Horizontal	7	1.38	-
5290MHz	Pass	AV	5.15G	49.53	54.00	-4.47	3	Vertical	185	1.16	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.291G	108.86	Inf	-Inf	3	Vertical	185	1.16	-
5290MHz	Pass	AV	5.353G	53.51	54.00	-0.49	3	Vertical	185	1.16	-
5290MHz	Pass	PK	5.15G	59.57	74.00	-14.43	3	Vertical	185	1.16	-
5290MHz	Pass	PK	5.282G	118.35	Inf	-Inf	3	Vertical	185	1.16	-
5290MHz	Pass	PK	5.351G	67.06	74.00	-6.94	3	Vertical	185	1.16	-
5290MHz	Pass	AV	5.142G	47.02	54.00	-6.98	3	Horizontal	102	1.02	-
5290MHz	Pass	AV	5.292G	96.68	Inf	-Inf	3	Horizontal	102	1.02	-
5290MHz	Pass	AV	5.352G	46.46	54.00	-7.54	3	Horizontal	102	1.02	-
5290MHz	Pass	PK	5.126G	57.74	74.00	-16.26	3	Horizontal	102	1.02	-
5290MHz	Pass	PK	5.293G	105.58	Inf	-Inf	3	Horizontal	102	1.02	-
5290MHz	Pass	PK	5.476G	56.94	68.20	-11.26	3	Horizontal	102	1.02	-
5290MHz	Pass	AV	15.86806G	45.59	54.00	-8.41	3	Vertical	251	1.78	-
5290MHz	Pass	PK	10.5884G	60.80	68.20	-7.40	3	Vertical	304	1.82	-
5290MHz	Pass	PK	15.87438G	56.98	74.00	-17.02	3	Vertical	251	1.78	-
5290MHz	Pass	AV	15.86546G	45.54	54.00	-8.46	3	Horizontal	329	2.79	-
5290MHz	Pass	PK	10.56328G	57.39	68.20	-10.81	3	Horizontal	31	1.30	-
5290MHz	Pass	PK	15.86506G	57.77	74.00	-16.23	3	Horizontal	329	2.79	-
5530MHz	Pass	AV	5.46G	53.71	54.00	-0.29	3	Vertical	190	1.50	-
5530MHz	Pass	AV	5.5312G	108.42	Inf	-Inf	3	Vertical	190	1.50	-
5530MHz	Pass	PK	5.47G	67.83	68.20	-0.37	3	Vertical	190	1.50	-
5530MHz	Pass	PK	5.5288G	118.01	Inf	-Inf	3	Vertical	190	1.50	-
5530MHz	Pass	PK	5.7604G	61.15	68.20	-7.05	3	Vertical	190	1.50	-
5530MHz	Pass	AV	5.4568G	46.55	54.00	-7.45	3	Horizontal	24	1.53	-
5530MHz	Pass	AV	5.5264G	93.31	Inf	-Inf	3	Horizontal	24	1.53	-
5530MHz	Pass	PK	5.2576G	57.65	68.20	-10.55	3	Horizontal	24	1.53	-
5530MHz	Pass	PK	5.5252G	102.49	Inf	-Inf	3	Horizontal	24	1.53	-
5530MHz	Pass	PK	5.7904G	58.18	68.20	-10.02	3	Horizontal	24	1.53	-
5530MHz	Pass	AV	11.0532G	47.10	54.00	-6.90	3	Vertical	354	1.61	-
5530MHz	Pass	PK	11.05248G	58.67	74.00	-15.33	3	Vertical	354	1.61	-
5530MHz	Pass	PK	16.59412G	58.47	68.20	-9.73	3	Vertical	316	1.96	-
5530MHz	Pass	AV	11.05256G	44.56	54.00	-9.44	3	Horizontal	67	1.02	-
5530MHz	Pass	PK	11.05632G	56.53	74.00	-17.47	3	Horizontal	67	1.02	-
5530MHz	Pass	PK	16.5903G	59.30	68.20	-8.90	3	Horizontal	106	1.58	-
5610MHz	Pass	AV	5.46G	48.42	54.00	-5.58	3	Vertical	172	1.04	-
5610MHz	Pass	AV	5.611G	109.52	Inf	-Inf	3	Vertical	172	1.04	-
5610MHz	Pass	PK	5.469G	59.77	68.20	-8.43	3	Vertical	172	1.04	-
5610MHz	Pass	PK	5.612G	118.68	Inf	-Inf	3	Vertical	172	1.04	-
5610MHz	Pass	PK	5.731G	66.99	68.20	-1.21	3	Vertical	172	1.04	-
5610MHz	Pass	AV	5.4G	45.95	54.00	-8.05	3	Horizontal	82	1.46	-
5610MHz	Pass	AV	5.615G	93.37	Inf	-Inf	3	Horizontal	82	1.46	-
5610MHz	Pass	PK	5.461G	56.36	68.20	-11.84	3	Horizontal	82	1.46	-
5610MHz	Pass	PK	5.616G	103.44	Inf	-Inf	3	Horizontal	82	1.46	-
5610MHz	Pass	PK	5.846G	58.60	68.20	-9.60	3	Horizontal	82	1.46	-
5610MHz	Pass	AV	11.21792G	45.48	54.00	-8.52	3	Vertical	358	1.50	-
5610MHz	Pass	PK	11.21648G	57.37	74.00	-16.63	3	Vertical	358	1.50	-
5610MHz	Pass	PK	16.82558G	59.04	68.20	-9.16	3	Vertical	43	2.31	-
5610MHz	Pass	AV	11.22G	45.14	54.00	-8.86	3	Horizontal	328	2.87	-
5610MHz	Pass	PK	11.22448G	55.58	74.00	-18.42	3	Horizontal	328	2.87	-
5610MHz	Pass	PK	16.8254G	58.43	68.20	-9.77	3	Horizontal	245	1.35	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	47.83	54.00	-6.17	3	Vertical	156	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6888G	112.30	Inf	-Inf	3	Vertical	156	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.10	68.20	-10.10	3	Vertical	156	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	121.71	Inf	-Inf	3	Vertical	156	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	65.04	68.20	-3.16	3	Vertical	156	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.396G	45.99	54.00	-8.01	3	Horizontal	108	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	97.06	Inf	-Inf	3	Horizontal	108	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.56	68.20	-11.64	3	Horizontal	108	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6948G	106.72	Inf	-Inf	3	Horizontal	108	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	59.36	68.20	-8.84	3	Horizontal	108	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37312G	47.27	54.00	-6.73	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37432G	58.84	74.00	-15.16	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06874G	59.37	68.20	-8.83	3	Vertical	82	1.96	-




RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38176G	45.90	54.00	-8.10	3	Horizontal	14	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37344G	57.40	74.00	-16.60	3	Horizontal	14	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07468G	59.29	68.20	-8.91	3	Horizontal	245	1.56	-
5775MHz	Pass	AV	5.7762G	110.57	Inf	-Inf	3	Vertical	152	1.00	-
5775MHz	Pass	PK	5.6454G	65.87	68.20	-2.33	3	Vertical	152	1.00	-
5775MHz	Pass	PK	5.7762G	119.65	Inf	-Inf	3	Vertical	152	1.00	-
5775MHz	Pass	PK	5.9406G	59.12	68.20	-9.08	3	Vertical	152	1.00	-
5775MHz	Pass	AV	5.7762G	95.36	Inf	-Inf	3	Horizontal	212	1.50	-
5775MHz	Pass	PK	5.487G	58.02	68.20	-10.18	3	Horizontal	212	1.50	-
5775MHz	Pass	PK	5.7774G	104.55	Inf	-Inf	3	Horizontal	212	1.50	-
5775MHz	Pass	PK	6.0126G	59.28	68.20	-8.92	3	Horizontal	212	1.50	-
5775MHz	Pass	AV	11.552G	46.44	54.00	-7.56	3	Vertical	0	1.56	-
5775MHz	Pass	PK	11.56408G	57.83	74.00	-16.17	3	Vertical	0	1.56	-
5775MHz	Pass	PK	17.32934G	58.84	68.20	-9.36	3	Vertical	31	2.20	-
5775MHz	Pass	AV	11.5428G	45.24	54.00	-8.76	3	Horizontal	20	1.61	-
5775MHz	Pass	PK	11.53184G	56.84	74.00	-17.16	3	Horizontal	20	1.61	-
5775MHz	Pass	PK	17.32974G	58.85	68.20	-9.35	3	Horizontal	108	2.23	-
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.75	54.00	-0.25	3	Vertical	185	1.28	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2524G	104.39	Inf	-Inf	3	Vertical	185	1.28	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.382G	52.14	54.00	-1.86	3	Vertical	185	1.28	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	64.48	74.00	-9.52	3	Vertical	185	1.28	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2308G	113.29	Inf	-Inf	3	Vertical	185	1.28	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	58.11	68.20	-10.09	3	Vertical	185	1.28	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1336G	48.34	54.00	-5.66	3	Horizontal	129	1.91	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.244G	93.74	Inf	-Inf	3	Horizontal	129	1.91	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3748G	46.58	54.00	-7.42	3	Horizontal	129	1.91	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1216G	58.35	74.00	-15.65	3	Horizontal	129	1.91	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2536G	104.12	Inf	-Inf	3	Horizontal	129	1.91	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5356G	57.16	68.20	-11.04	3	Horizontal	129	1.91	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7446G	46.55	54.00	-7.45	3	Vertical	60	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45936G	55.88	68.20	-12.32	3	Vertical	304	1.36	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75702G	58.55	74.00	-15.45	3	Vertical	60	1.50	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75468G	46.40	54.00	-7.60	3	Horizontal	0	1.58	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45648G	56.44	68.20	-11.76	3	Horizontal	23	1.60	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74032G	58.42	74.00	-15.58	3	Horizontal	0	1.58	-
5570MHz	Pass	AV	5.4572G	53.41	54.00	-0.59	3	Vertical	155	1.07	-
5570MHz	Pass	AV	5.5688G	105.55	Inf	-Inf	3	Vertical	155	1.07	-
5570MHz	Pass	PK	5.468G	65.15	68.20	-3.05	3	Vertical	155	1.07	-
5570MHz	Pass	PK	5.5784G	115.77	Inf	-Inf	3	Vertical	155	1.07	-
5570MHz	Pass	PK	5.7284G	64.03	68.20	-4.17	3	Vertical	155	1.07	-
5570MHz	Pass	AV	5.4212G	46.31	54.00	-7.69	3	Horizontal	110	1.50	-
5570MHz	Pass	AV	5.564G	88.73	Inf	-Inf	3	Horizontal	110	1.50	-
5570MHz	Pass	PK	5.2772G	57.53	68.20	-10.67	3	Horizontal	110	1.50	-
5570MHz	Pass	PK	5.5628G	98.73	Inf	-Inf	3	Horizontal	110	1.50	-
5570MHz	Pass	PK	5.858G	59.51	68.20	-8.69	3	Horizontal	110	1.50	-
5570MHz	Pass	AV	11.07536G	43.88	54.00	-10.12	3	Vertical	194	1.50	-
5570MHz	Pass	PK	11.14384G	54.33	74.00	-19.67	3	Vertical	194	1.50	-
5570MHz	Pass	PK	16.70406G	57.01	68.20	-11.19	3	Vertical	276	1.50	-
5570MHz	Pass	AV	11.0792G	43.69	54.00	-10.31	3	Horizontal	149	1.50	-
5570MHz	Pass	PK	10.98G	52.77	74.00	-21.23	3	Horizontal	149	1.50	-
5570MHz	Pass	PK	16.60504G	57.98	68.20	-10.22	3	Horizontal	274	1.35	-

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.25	54.00	-0.75	5.35	3	Vertical	185	1.42	-	47.90	33.10	6.87	34.62
AV	5.1807G	112.97	Inf	-Inf	5.43	3	Vertical	185	1.42	-	107.54	33.16	6.88	34.61
PK	5.1499G	62.49	74.00	-11.51	5.35	3	Vertical	185	1.42	-	57.14	33.10	6.87	34.62
PK	5.1808G	120.52	Inf	-Inf	5.43	3	Vertical	185	1.42	-	115.09	33.16	6.88	34.61


802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1491G	48.26	54.00	-5.74	5.35	3	Horizontal	142	1.62	-	42.91	33.10	6.87	34.62
AV	5.1791G	104.00	Inf	-Inf	5.43	3	Horizontal	142	1.62	-	98.57	33.16	6.88	34.61
PK	5.1487G	58.45	74.00	-15.55	5.35	3	Horizontal	142	1.62	-	53.10	33.10	6.87	34.62
PK	5.1793G	112.04	Inf	-Inf	5.43	3	Horizontal	142	1.62	-	106.61	33.16	6.88	34.61

802.11a_Nss1,(6Mbps)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54235G	45.85	54.00	-8.15	15.54	3	Vertical	330.1	1.50	-	30.31	38.35	12.10	34.91
PK	10.35941G	62.84	68.20	-5.36	12.71	3	Vertical	177	1.06	-	50.13	38.58	8.99	34.86
PK	15.53686G	58.12	74.00	-15.88	15.57	3	Vertical	330.1	1.50	-	42.55	38.38	12.10	34.91


802.11a_Nss1,(6Mbps)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54321G	45.70	54.00	-8.30	15.54	3	Horizontal	120	1.50	-	30.16	38.34	12.11	34.91
PK	10.36054G	62.13	68.20	-6.07	12.71	3	Horizontal	23	1.52	-	49.42	38.58	8.99	34.86
PK	15.54206G	58.02	74.00	-15.98	15.54	3	Horizontal	120	1.50	-	42.48	38.35	12.10	34.91

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.76	54.00	-0.24	5.35	3	Vertical	184	1.33	-	48.41	33.10	6.87	34.62
AV	5.2008G	116.66	Inf	-Inf	5.48	3	Vertical	184	1.33	-	111.18	33.20	6.89	34.61
PK	5.15G	65.05	74.00	-8.95	5.35	3	Vertical	184	1.33	-	59.70	33.10	6.87	34.62
PK	5.2006G	124.10	Inf	-Inf	5.48	3	Vertical	184	1.33	-	118.62	33.20	6.89	34.61


802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	48.97	54.00	-5.03	5.35	3	Horizontal	143	1.76	-	43.62	33.10	6.87	34.62
AV	5.1992G	107.19	Inf	-Inf	5.48	3	Horizontal	143	1.76	-	101.71	33.20	6.89	34.61
PK	5.1478G	59.79	74.00	-14.21	5.35	3	Horizontal	143	1.76	-	54.44	33.10	6.87	34.62
PK	5.1992G	114.95	Inf	-Inf	5.48	3	Horizontal	143	1.76	-	109.47	33.20	6.89	34.61

802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59908G	48.79	54.00	-5.21	15.22	3	Vertical	14	1.50	-	33.57	38.01	12.16	34.95
PK	10.39994G	65.75	68.20	-2.45	12.68	3	Vertical	321	1.41	-	53.07	38.50	9.00	34.82
PK	15.59956G	60.78	74.00	-13.22	15.21	3	Vertical	14	1.50	-	45.57	38.00	12.16	34.95


802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59788G	51.38	54.00	-2.62	15.22	3	Horizontal	43	1.50	-	36.16	38.01	12.16	34.95
PK	10.40065G	66.06	68.20	-2.14	12.68	3	Horizontal	24	1.50	-	53.38	38.50	9.00	34.82
PK	15.59795G	64.27	74.00	-9.73	15.22	3	Horizontal	43	1.50	-	49.05	38.01	12.16	34.95

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	48.52	54.00	-5.48	5.34	3	Vertical	186	1.25	-	43.18	33.09	6.87	34.62
AV	5.2406G	117.19	Inf	-Inf	5.46	3	Vertical	186	1.25	-	111.73	33.12	6.94	34.60
AV	5.3849G	46.82	54.00	-7.18	5.43	3	Vertical	186	1.25	-	41.39	32.91	7.10	34.58
PK	5.1479G	59.00	74.00	-15.00	5.35	3	Vertical	186	1.25	-	53.65	33.10	6.87	34.62
PK	5.2406G	125.05	Inf	-Inf	5.46	3	Vertical	186	1.25	-	119.59	33.12	6.94	34.60
PK	5.3723G	57.51	74.00	-16.49	5.34	3	Vertical	186	1.25	-	52.17	32.83	7.09	34.58


802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.02	54.00	-6.98	5.33	3	Horizontal	143	1.67	-	41.69	33.08	6.87	34.62
AV	5.2391G	107.57	Inf	-Inf	5.45	3	Horizontal	143	1.67	-	102.12	33.12	6.93	34.60
AV	5.3834G	45.75	54.00	-8.25	5.42	3	Horizontal	143	1.67	-	40.33	32.90	7.10	34.58
PK	5.1443G	58.66	74.00	-15.34	5.34	3	Horizontal	143	1.67	-	53.32	33.09	6.87	34.62
PK	5.2391G	114.80	Inf	-Inf	5.45	3	Horizontal	143	1.67	-	109.35	33.12	6.93	34.60
PK	5.3864G	57.36	74.00	-16.64	5.44	3	Horizontal	143	1.67	-	51.92	32.92	7.10	34.58

802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71916G	53.57	54.00	-0.43	15.32	3	Vertical	340	1.00	-	38.25	38.08	12.28	35.04
PK	10.48072G	64.67	68.20	-3.53	12.87	3	Vertical	320	1.41	-	51.80	38.58	9.03	34.74
PK	15.71499G	66.19	74.00	-7.81	15.33	3	Vertical	340	1.00	-	50.86	38.09	12.28	35.04


802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71553G	52.04	54.00	-1.96	15.32	3	Horizontal	313	1.50	-	36.72	38.08	12.28	35.04
PK	10.48066G	64.05	68.20	-4.15	12.87	3	Horizontal	21	1.50	-	51.18	38.58	9.03	34.74
PK	15.71502G	65.00	74.00	-9.00	15.32	3	Horizontal	313	1.50	-	49.68	38.08	12.28	35.04

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	47.69	54.00	-6.31	5.35	3	Vertical	185	1.49	-	42.34	33.10	6.87	34.62
AV	5.2609G	117.61	Inf	-Inf	5.42	3	Vertical	185	1.49	-	112.19	33.06	6.96	34.60
AV	5.3569G	48.54	54.00	-5.46	5.23	3	Vertical	185	1.49	-	43.31	32.74	7.07	34.58
PK	5.116G	58.27	74.00	-15.73	5.27	3	Vertical	185	1.49	-	53.00	33.03	6.86	34.62
PK	5.2609G	125.41	Inf	-Inf	5.42	3	Vertical	185	1.49	-	119.99	33.06	6.96	34.60
PK	5.3515G	58.86	74.00	-15.14	5.19	3	Vertical	185	1.49	-	53.67	32.71	7.06	34.58


802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1211G	46.85	54.00	-7.15	5.28	3	Horizontal	143	1.80	-	41.57	33.04	6.86	34.62
AV	5.2594G	107.32	Inf	-Inf	5.42	3	Horizontal	143	1.80	-	101.90	33.06	6.96	34.60
AV	5.3968G	45.87	54.00	-8.13	5.52	3	Horizontal	143	1.80	-	40.35	32.98	7.12	34.58
PK	5.1118G	57.76	74.00	-16.24	5.25	3	Horizontal	143	1.80	-	52.51	33.02	6.85	34.62
PK	5.2591G	114.51	Inf	-Inf	5.42	3	Horizontal	143	1.80	-	109.09	33.06	6.96	34.60
PK	5.3719G	57.07	74.00	-16.93	5.34	3	Horizontal	143	1.80	-	51.73	32.83	7.09	34.58

802.11a_Nss1,(6Mbps)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7793G	53.09	54.00	-0.91	15.27	3	Vertical	341	1.38	-	37.82	38.02	12.34	35.09
PK	10.52316G	63.40	68.20	-4.80	13.00	3	Vertical	300	1.59	-	50.40	38.67	9.04	34.71
PK	15.7748G	66.02	74.00	-7.98	15.29	3	Vertical	341	1.38	-	50.73	38.03	12.34	35.08


802.11a_Nss1,(6Mbps)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77638G	53.24	54.00	-0.76	15.28	3	Horizontal	309	1.47	-	37.96	38.02	12.34	35.08
PK	10.52074G	63.96	68.20	-4.24	12.99	3	Horizontal	22	1.53	-	50.97	38.66	9.04	34.71
PK	15.77512G	65.29	74.00	-8.71	15.28	3	Horizontal	309	1.47	-	50.01	38.02	12.34	35.08

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	113.26	Inf	-Inf	5.32	3	Vertical	185	1.47	-	107.94	32.90	7.01	34.59
AV	5.3972G	47.42	54.00	-6.58	5.52	3	Vertical	185	1.47	-	41.90	32.98	7.12	34.58
PK	5.3006G	120.83	Inf	-Inf	5.32	3	Vertical	185	1.47	-	115.51	32.90	7.01	34.59
PK	5.397G	58.12	74.00	-15.88	5.52	3	Vertical	185	1.47	-	52.60	32.98	7.12	34.58

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.299G	101.73	Inf	-Inf	5.31	3	Horizontal	143	1.87	-	96.42	32.90	7.00	34.59
AV	5.3966G	45.81	54.00	-8.19	5.52	3	Horizontal	143	1.87	-	40.29	32.98	7.12	34.58
PK	5.2992G	109.75	Inf	-Inf	5.31	3	Horizontal	143	1.87	-	104.44	32.90	7.00	34.59
PK	5.3872G	59.01	74.00	-14.99	5.45	3	Horizontal	143	1.87	-	53.56	32.92	7.11	34.58

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60008G	53.72	54.00	-0.28	13.28	3	Vertical	30	1.54	-	40.44	38.90	9.07	34.69
AV	15.90163G	45.62	54.00	-8.38	14.88	3	Vertical	331	1.40	-	30.74	37.60	12.46	35.18
PK	10.59979G	65.38	68.20	-2.82	13.28	3	Vertical	30	1.54	-	52.10	38.90	9.07	34.69
PK	15.90025G	57.43	74.00	-16.57	14.88	3	Vertical	331	1.40	-	42.55	37.60	12.46	35.18

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60012G	49.46	54.00	-4.54	13.28	3	Horizontal	31	1.50	-	36.18	38.90	9.07	34.69
AV	15.90245G	45.56	54.00	-8.44	14.88	3	Horizontal	144	1.50	-	30.68	37.60	12.46	35.18
PK	10.60081G	60.40	74.00	-13.60	13.28	3	Horizontal	31	1.50	-	47.12	38.90	9.07	34.69
PK	15.90032G	57.09	74.00	-16.91	14.88	3	Horizontal	144	1.50	-	42.21	37.60	12.46	35.18

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3193G	112.55	Inf	-Inf	5.26	3	Vertical	191	1.34	-	107.29	32.82	7.03	34.59
AV	5.35G	47.38	54.00	-6.62	5.18	3	Vertical	191	1.34	-	42.20	32.70	7.06	34.58
PK	5.3191G	120.14	Inf	-Inf	5.26	3	Vertical	191	1.34	-	114.88	32.82	7.03	34.59
PK	5.3624G	58.78	74.00	-15.22	5.27	3	Vertical	191	1.34	-	53.51	32.77	7.08	34.58

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3193G	100.37	Inf	-Inf	5.26	3	Horizontal	142	1.58	-	95.11	32.82	7.03	34.59
AV	5.36G	45.65	54.00	-8.35	5.25	3	Horizontal	142	1.58	-	40.40	32.76	7.07	34.58
PK	5.3194G	107.91	Inf	-Inf	5.26	3	Horizontal	142	1.58	-	102.65	32.82	7.03	34.59
PK	5.3609G	57.60	74.00	-16.40	5.27	3	Horizontal	142	1.58	-	52.33	32.77	7.08	34.58

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64009G	53.22	54.00	-0.78	13.38	3	Vertical	30	1.50	-	39.84	38.98	9.08	34.68
AV	15.965G	45.44	54.00	-8.56	14.91	3	Vertical	142	1.50	-	30.53	37.60	12.53	35.22
PK	10.64036G	65.35	74.00	-8.65	13.38	3	Vertical	30	1.50	-	51.97	38.98	9.08	34.68
PK	15.95663G	57.02	74.00	-16.98	14.90	3	Vertical	142	1.50	-	42.12	37.60	12.52	35.22

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64011G	48.82	54.00	-5.18	13.38	3	Horizontal	33	1.47	-	35.44	38.98	9.08	34.68
AV	15.965G	45.43	54.00	-8.57	14.91	3	Horizontal	288	1.50	-	30.52	37.60	12.53	35.22
PK	10.64061G	60.07	74.00	-13.93	13.38	3	Horizontal	33	1.47	-	46.69	38.98	9.08	34.68
PK	15.95938G	57.43	74.00	-16.57	14.90	3	Horizontal	288	1.50	-	42.53	37.60	12.52	35.22

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.83	54.00	-4.17	5.33	3	Vertical	186	1.46	-	44.50	32.82	7.08	34.57
AV	5.5009G	115.58	Inf	-Inf	5.39	3	Vertical	186	1.46	-	110.19	32.90	7.05	34.56
PK	5.4658G	65.28	68.20	-2.92	5.34	3	Vertical	186	1.46	-	59.94	32.83	7.08	34.57
PK	5.5013G	123.63	Inf	-Inf	5.39	3	Vertical	186	1.46	-	118.24	32.90	7.05	34.56

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4577G	45.94	54.00	-8.06	5.33	3	Horizontal	222	1.76	-	40.61	32.82	7.08	34.57
AV	5.4988G	101.19	Inf	-Inf	5.40	3	Horizontal	222	1.76	-	95.79	32.90	7.06	34.56
PK	5.4696G	58.13	68.20	-10.07	5.35	3	Horizontal	222	1.76	-	52.78	32.84	7.07	34.56
PK	5.4983G	109.04	Inf	-Inf	5.40	3	Horizontal	222	1.76	-	103.64	32.90	7.06	34.56

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00126G	53.14	54.00	-0.86	13.32	3	Vertical	148	1.50	-	39.82	38.70	9.20	34.58
PK	11.00073G	65.79	74.00	-8.21	13.32	3	Vertical	148	1.50	-	52.47	38.70	9.20	34.58
PK	16.49992G	59.56	68.20	-8.64	16.64	3	Vertical	337	1.49	-	42.92	38.70	12.70	34.76

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00243G	49.30	54.00	-4.70	13.32	3	Horizontal	338	2.89	-	35.98	38.70	9.20	34.58
PK	11.00285G	61.11	74.00	-12.89	13.32	3	Horizontal	338	2.89	-	47.79	38.70	9.20	34.58
PK	16.49911G	59.34	68.20	-8.86	16.63	3	Horizontal	212	2.77	-	42.71	38.69	12.70	34.76

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4351G	46.73	54.00	-7.27	5.39	3	Vertical	186	1.50	-	41.34	32.86	7.10	34.57
AV	5.5809G	117.44	Inf	-Inf	5.45	3	Vertical	186	1.50	-	111.99	33.00	7.00	34.55
PK	5.4642G	58.24	68.20	-9.96	5.34	3	Vertical	186	1.50	-	52.90	32.83	7.08	34.57
PK	5.5812G	125.77	Inf	-Inf	5.45	3	Vertical	186	1.50	-	120.32	33.00	7.00	34.55
PK	5.7294G	56.90	68.20	-11.30	5.92	3	Vertical	186	1.50	-	50.98	33.52	6.94	34.54


802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.43G	45.88	54.00	-8.12	5.41	3	Horizontal	220	1.74	-	40.47	32.88	7.10	34.57
AV	5.5791G	103.69	Inf	-Inf	5.45	3	Horizontal	220	1.74	-	98.24	33.00	7.00	34.55
PK	5.4624G	56.56	68.20	-11.64	5.33	3	Horizontal	220	1.74	-	51.23	32.82	7.08	34.57
PK	5.5791G	111.79	Inf	-Inf	5.45	3	Horizontal	220	1.74	-	106.34	33.00	7.00	34.55
PK	5.7261G	57.05	68.20	-11.15	5.90	3	Horizontal	220	1.74	-	51.15	33.50	6.94	34.54

802.11a_Nss1,(6Mbps)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16281G	49.83	54.00	-4.17	13.33	3	Vertical	355	1.56	-	36.50	38.66	9.25	34.58
PK	11.16293G	61.64	74.00	-12.36	13.33	3	Vertical	355	1.56	-	48.31	38.66	9.25	34.58
PK	16.73712G	64.61	68.20	-3.59	16.48	3	Vertical	322	1.50	-	48.13	38.17	12.77	34.46

802.11a_Nss1,(6Mbps)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16003G	47.82	54.00	-6.18	13.33	3	Horizontal	328	1.86	-	34.49	38.66	9.25	34.58
PK	11.1603G	59.44	74.00	-14.56	13.33	3	Horizontal	328	1.86	-	46.11	38.66	9.25	34.58
PK	16.74138G	64.35	68.20	-3.85	16.51	3	Horizontal	314	1.40	-	47.84	38.18	12.78	34.45

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	114.95	Inf	-Inf	5.81	3	Vertical	189	1.14	-	109.14	33.40	6.95	34.54
PK	5.7006G	122.36	Inf	-Inf	5.81	3	Vertical	189	1.14	-	116.55	33.40	6.95	34.54
PK	5.7256G	66.95	68.20	-1.25	5.90	3	Vertical	189	1.14	-	61.05	33.50	6.94	34.54

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	99.60	Inf	-Inf	5.80	3	Horizontal	221	1.74	-	93.80	33.39	6.95	34.54
PK	5.6992G	107.36	Inf	-Inf	5.80	3	Horizontal	221	1.74	-	101.56	33.39	6.95	34.54
PK	5.761G	58.29	68.20	-9.91	6.06	3	Horizontal	221	1.74	-	52.23	33.67	6.93	34.54

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40096G	49.55	54.00	-4.45	13.66	3	Vertical	330	2.53	-	35.89	38.90	9.33	34.57
PK	11.40069G	61.97	74.00	-12.03	13.66	3	Vertical	330	2.53	-	48.31	38.90	9.33	34.57
PK	17.09532G	59.38	68.20	-8.82	16.70	3	Vertical	360	2.06	-	42.68	38.00	12.88	34.18


802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4002G	47.90	54.00	-6.10	13.66	3	Horizontal	17	1.63	-	34.24	38.90	9.33	34.57
PK	11.40078G	60.43	74.00	-13.57	13.66	3	Horizontal	17	1.63	-	46.77	38.90	9.33	34.57
PK	17.10279G	59.84	68.20	-8.36	16.71	3	Horizontal	162	1.50	-	43.13	38.01	12.88	34.18

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	46.50	54.00	-7.50	5.41	3	Vertical	188	1.04	-	41.09	32.88	7.10	34.57
AV	5.7206G	118.51	Inf	-Inf	5.88	3	Vertical	188	1.04	-	112.63	33.48	6.94	34.54
PK	5.4668G	56.84	68.20	-11.36	5.34	3	Vertical	188	1.04	-	51.50	32.83	7.08	34.57
PK	5.7206G	126.39	Inf	-Inf	5.88	3	Vertical	188	1.04	-	120.51	33.48	6.94	34.54
PK	5.9504G	60.12	68.20	-8.08	7.35	3	Vertical	188	1.04	-	52.77	34.30	7.57	34.52


802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	45.94	54.00	-8.06	5.39	3	Horizontal	219	1.74	-	40.55	32.86	7.10	34.57
AV	5.7194G	104.73	Inf	-Inf	5.88	3	Horizontal	219	1.74	-	98.85	33.48	6.94	34.54
PK	5.462G	56.34	68.20	-11.86	5.33	3	Horizontal	219	1.74	-	51.01	32.82	7.08	34.57
PK	5.7194G	112.08	Inf	-Inf	5.88	3	Horizontal	219	1.74	-	106.20	33.48	6.94	34.54
PK	5.8886G	59.15	68.20	-9.05	7.02	3	Horizontal	219	1.74	-	52.13	34.25	7.30	34.53

802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44016G	51.49	54.00	-2.51	13.60	3	Vertical	338	2.29	-	37.89	38.82	9.35	34.57
PK	11.44074G	62.95	74.00	-11.05	13.60	3	Vertical	338	2.29	-	49.35	38.82	9.35	34.57
PK	17.16294G	64.61	68.20	-3.59	16.87	3	Vertical	339	1.50	-	47.74	38.19	12.90	34.22


802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44111G	51.78	54.00	-2.22	13.60	3	Horizontal	13	2.21	-	38.18	38.82	9.35	34.57
PK	11.44079G	63.57	74.00	-10.43	13.60	3	Horizontal	13	2.21	-	49.97	38.82	9.35	34.57
PK	17.15519G	63.59	68.20	-4.61	16.86	3	Horizontal	330	2.81	-	46.73	38.17	12.90	34.21

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7456G	118.16	Inf	-Inf	5.97	3	Vertical	149	1.13	-	112.19	33.58	6.93	34.54
PK	5.547G	59.03	68.20	-9.17	5.45	3	Vertical	149	1.13	-	53.58	32.99	7.02	34.56
PK	5.7456G	125.58	Inf	-Inf	5.97	3	Vertical	149	1.13	-	119.61	33.58	6.93	34.54
PK	5.9352G	59.46	68.20	-8.74	7.27	3	Vertical	149	1.13	-	52.19	34.30	7.50	34.53


802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	104.12	Inf	-Inf	5.97	3	Horizontal	221	1.55	-	98.15	33.58	6.93	34.54
PK	5.6298G	58.68	68.20	-9.52	5.43	3	Horizontal	221	1.55	-	53.25	33.00	6.98	34.55
PK	5.7438G	112.40	Inf	-Inf	5.97	3	Horizontal	221	1.55	-	106.43	33.58	6.93	34.54
PK	5.9742G	59.20	68.20	-9.00	7.41	3	Horizontal	221	1.55	-	51.79	34.25	7.68	34.52

802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49208G	51.69	54.00	-2.31	13.51	3	Vertical	148	2.09	-	38.18	38.72	9.36	34.57
PK	11.49206G	63.05	74.00	-10.95	13.51	3	Vertical	148	2.09	-	49.54	38.72	9.36	34.57
PK	17.2285G	61.41	68.20	-6.79	16.93	3	Vertical	337	1.50	-	44.48	38.27	12.92	34.26


802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49114G	53.90	54.00	-0.10	13.51	3	Horizontal	338	2.33	-	40.39	38.72	9.36	34.57
PK	11.49074G	66.30	74.00	-7.70	13.51	3	Horizontal	338	2.33	-	52.79	38.72	9.36	34.57
PK	17.23708G	61.03	68.20	-7.17	16.92	3	Horizontal	7	1.50	-	44.11	38.26	12.92	34.26

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7856G	118.42	Inf	-Inf	6.19	3	Vertical	151	1.00	-	112.23	33.81	6.92	34.54
PK	5.5312G	58.46	68.20	-9.74	5.43	3	Vertical	151	1.00	-	53.03	32.96	7.03	34.56
PK	5.7862G	125.95	Inf	-Inf	6.20	3	Vertical	151	1.00	-	119.75	33.82	6.92	34.54
PK	6.0004G	58.73	68.20	-9.47	7.47	3	Vertical	151	1.00	-	51.26	34.20	7.79	34.52


802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7856G	104.09	Inf	-Inf	6.19	3	Horizontal	213	1.50	-	97.90	33.81	6.92	34.54
PK	5.5978G	57.69	68.20	-10.51	5.44	3	Horizontal	213	1.50	-	52.25	33.00	6.99	34.55
PK	5.7856G	110.99	Inf	-Inf	6.19	3	Horizontal	213	1.50	-	104.80	33.81	6.92	34.54
PK	5.9482G	58.99	68.20	-9.21	7.34	3	Horizontal	213	1.50	-	51.65	34.30	7.56	34.52

802.11a_Nss1,(6Mbps)_2TX
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57106G	53.46	54.00	-0.54	13.36	3	Vertical	322	2.91	-	40.10	38.56	9.39	34.59
PK	11.57068G	64.92	74.00	-9.08	13.36	3	Vertical	322	2.91	-	51.56	38.56	9.39	34.59
PK	17.35414G	61.21	68.20	-6.99	16.93	3	Vertical	322	1.50	-	44.28	38.31	12.95	34.33


802.11a_Nss1,(6Mbps)_2TX
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57012G	50.11	54.00	-3.89	13.36	3	Horizontal	17	1.53	-	36.75	38.56	9.39	34.59
PK	11.57032G	61.75	74.00	-12.25	13.36	3	Horizontal	17	1.53	-	48.39	38.56	9.39	34.59
PK	17.35452G	63.87	68.20	-4.33	16.93	3	Horizontal	301	1.87	-	46.94	38.31	12.95	34.33

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	118.43	Inf	-Inf	6.50	3	Vertical	152	1.07	-	111.93	34.00	7.03	34.53
PK	5.5646G	58.33	68.20	-9.87	5.46	3	Vertical	152	1.07	-	52.87	33.00	7.01	34.55
PK	5.8262G	125.89	Inf	-Inf	6.50	3	Vertical	152	1.07	-	119.39	34.00	7.03	34.53
PK	5.9636G	59.34	68.20	-8.86	7.38	3	Vertical	152	1.07	-	51.96	34.27	7.63	34.52


802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8256G	104.13	Inf	-Inf	6.49	3	Horizontal	56	1.03	-	97.64	34.00	7.02	34.53
PK	5.5844G	57.44	68.20	-10.76	5.45	3	Horizontal	56	1.03	-	51.99	33.00	7.00	34.55
PK	5.8256G	111.02	Inf	-Inf	6.49	3	Horizontal	56	1.03	-	104.53	34.00	7.02	34.53
PK	5.9942G	58.75	68.20	-9.45	7.45	3	Horizontal	56	1.03	-	51.30	34.21	7.76	34.52

802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65094G	53.01	54.00	-0.99	13.24	3	Vertical	322	2.88	-	39.77	38.45	9.41	34.62
PK	11.65098G	65.02	74.00	-8.98	13.24	3	Vertical	322	2.88	-	51.78	38.45	9.41	34.62
PK	17.4703G	62.24	68.20	-5.96	16.78	3	Vertical	4	1.50	-	45.46	38.19	12.99	34.40


802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65168G	50.65	54.00	-3.35	13.25	3	Horizontal	353	1.46	-	37.40	38.45	9.42	34.62
PK	11.65186G	61.81	74.00	-12.19	13.25	3	Horizontal	353	1.46	-	48.56	38.45	9.42	34.62
PK	17.46988G	66.00	68.20	-2.20	16.78	3	Horizontal	302	1.87	-	49.22	38.19	12.99	34.40

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.31	54.00	-1.69	5.35	3	Vertical	185	1.10	-	46.96	33.10	6.87	34.62
AV	5.1807G	113.47	Inf	-Inf	5.43	3	Vertical	185	1.10	-	108.04	33.16	6.88	34.61
PK	5.1498G	63.53	74.00	-10.47	5.35	3	Vertical	185	1.10	-	58.18	33.10	6.87	34.62
PK	5.1809G	123.71	Inf	-Inf	5.43	3	Vertical	185	1.10	-	118.28	33.16	6.88	34.61


802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.43	54.00	-5.57	5.35	3	Horizontal	136	1.96	-	43.08	33.10	6.87	34.62
AV	5.1811G	103.52	Inf	-Inf	5.43	3	Horizontal	136	1.96	-	98.09	33.16	6.88	34.61
PK	5.1495G	62.59	74.00	-11.41	5.35	3	Horizontal	136	1.96	-	57.24	33.10	6.87	34.62
PK	5.1811G	114.37	Inf	-Inf	5.43	3	Horizontal	136	1.96	-	108.94	33.16	6.88	34.61

802.11ax HEW20_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54428G	46.22	54.00	-7.78	15.53	3	Vertical	357	1.50	-	30.69	38.33	12.11	34.91
PK	10.36268G	65.16	68.20	-3.04	12.70	3	Vertical	186	1.05	-	52.46	38.57	8.99	34.86
PK	15.53104G	58.99	74.00	-15.01	15.60	3	Vertical	357	1.50	-	43.39	38.41	12.09	34.90


802.11ax HEW20_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54484G	47.44	54.00	-6.56	15.53	3	Horizontal	45	1.50	-	31.91	38.33	12.11	34.91
PK	10.36082G	61.54	68.20	-6.66	12.71	3	Horizontal	27	1.50	-	48.83	38.58	8.99	34.86
PK	15.54444G	63.80	74.00	-10.20	15.53	3	Horizontal	45	1.50	-	48.27	38.33	12.11	34.91

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.12	54.00	-1.88	5.35	3	Vertical	187	1.50	-	46.77	33.10	6.87	34.62
AV	5.2008G	114.79	Inf	-Inf	5.48	3	Vertical	187	1.50	-	109.31	33.20	6.89	34.61
PK	5.1498G	64.22	74.00	-9.78	5.35	3	Vertical	187	1.50	-	58.87	33.10	6.87	34.62
PK	5.201G	125.69	Inf	-Inf	5.48	3	Vertical	187	1.50	-	120.21	33.20	6.89	34.61


802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.85	54.00	-6.15	5.35	3	Horizontal	137	1.93	-	42.50	33.10	6.87	34.62
AV	5.2014G	105.65	Inf	-Inf	5.48	3	Horizontal	137	1.93	-	100.17	33.20	6.89	34.61
PK	5.1476G	58.47	74.00	-15.53	5.35	3	Horizontal	137	1.93	-	53.12	33.10	6.87	34.62
PK	5.2004G	116.22	Inf	-Inf	5.48	3	Horizontal	137	1.93	-	110.74	33.20	6.89	34.61

**802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60372G	46.33	54.00	-7.67	15.21	3	Vertical	306	2.04	-	31.12	38.00	12.17	34.96
PK	10.39886G	64.40	68.20	-3.80	12.68	3	Vertical	319	1.41	-	51.72	38.50	9.00	34.82
PK	15.6042G	58.74	74.00	-15.26	15.21	3	Vertical	306	2.04	-	43.53	38.00	12.17	34.96


**802.11ax HEW20_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59768G	49.88	54.00	-4.12	15.22	3	Horizontal	46	1.50	-	34.66	38.01	12.16	34.95
PK	10.40124G	64.91	68.20	-3.29	12.68	3	Horizontal	23	1.50	-	52.23	38.50	9.00	34.82
PK	15.59914G	65.83	74.00	-8.17	15.22	3	Horizontal	46	1.50	-	50.61	38.01	12.16	34.95

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.92	54.00	-4.08	5.35	3	Vertical	186	1.26	-	44.57	33.10	6.87	34.62
AV	5.2409G	117.32	Inf	-Inf	5.46	3	Vertical	186	1.26	-	111.86	33.12	6.94	34.60
AV	5.3852G	46.75	54.00	-7.25	5.43	3	Vertical	186	1.26	-	41.32	32.91	7.10	34.58
PK	5.1482G	60.78	74.00	-13.22	5.35	3	Vertical	186	1.26	-	55.43	33.10	6.87	34.62
PK	5.2406G	126.21	Inf	-Inf	5.46	3	Vertical	186	1.26	-	120.75	33.12	6.94	34.60
PK	5.3822G	57.54	74.00	-16.46	5.41	3	Vertical	186	1.26	-	52.13	32.89	7.10	34.58


802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.07	54.00	-6.93	5.34	3	Horizontal	135	1.91	-	41.73	33.09	6.87	34.62
AV	5.2415G	107.13	Inf	-Inf	5.46	3	Horizontal	135	1.91	-	101.67	33.12	6.94	34.60
AV	5.3843G	45.83	54.00	-8.17	5.43	3	Horizontal	135	1.91	-	40.40	32.91	7.10	34.58
PK	5.1293G	59.03	74.00	-14.97	5.30	3	Horizontal	135	1.91	-	53.73	33.06	6.86	34.62
PK	5.2421G	115.62	Inf	-Inf	5.46	3	Horizontal	135	1.91	-	110.16	33.12	6.94	34.60
PK	5.3687G	57.09	74.00	-16.91	5.31	3	Horizontal	135	1.91	-	51.78	32.81	7.08	34.58

**802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72306G	51.42	54.00	-2.58	15.31	3	Vertical	314	1.50	-	36.11	38.08	12.28	35.05
PK	10.48225G	63.56	68.20	-4.64	12.87	3	Vertical	323	1.40	-	50.69	38.58	9.03	34.74
PK	15.72219G	63.23	74.00	-10.77	15.32	3	Vertical	314	1.50	-	47.91	38.08	12.28	35.04


**802.11ax HEW20_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72192G	52.03	54.00	-1.97	15.32	3	Horizontal	311	1.50	-	36.71	38.08	12.28	35.04
PK	10.48207G	63.17	68.20	-5.03	12.87	3	Horizontal	24	1.50	-	50.30	38.58	9.03	34.74
PK	15.72135G	64.04	74.00	-9.96	15.32	3	Horizontal	311	1.50	-	48.72	38.08	12.28	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1499G	47.89	54.00	-6.11	5.35	3	Vertical	186	1.38	-	42.54	33.10	6.87	34.62
AV	5.2609G	117.24	Inf	-Inf	5.42	3	Vertical	186	1.38	-	111.82	33.06	6.96	34.60
AV	5.35G	48.59	54.00	-5.41	5.18	3	Vertical	186	1.38	-	43.41	32.70	7.06	34.58
PK	5.1493G	58.57	74.00	-15.43	5.35	3	Vertical	186	1.38	-	53.22	33.10	6.87	34.62
PK	5.2597G	125.99	Inf	-Inf	5.42	3	Vertical	186	1.38	-	120.57	33.06	6.96	34.60
PK	5.3521G	59.45	74.00	-14.55	5.19	3	Vertical	186	1.38	-	54.26	32.71	7.06	34.58


802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	46.86	54.00	-7.14	5.33	3	Horizontal	105	1.00	-	41.53	33.08	6.87	34.62
AV	5.2609G	105.81	Inf	-Inf	5.42	3	Horizontal	105	1.00	-	100.39	33.06	6.96	34.60
AV	5.4043G	45.94	54.00	-8.06	5.52	3	Horizontal	105	1.00	-	40.42	32.98	7.12	34.58
PK	5.1352G	57.69	74.00	-16.31	5.31	3	Horizontal	105	1.00	-	52.38	33.07	6.86	34.62
PK	5.2594G	115.38	Inf	-Inf	5.42	3	Horizontal	105	1.00	-	109.96	33.06	6.96	34.60
PK	5.3896G	56.94	74.00	-17.06	5.47	3	Horizontal	105	1.00	-	51.47	32.94	7.11	34.58

**802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77746G	52.70	54.00	-1.30	15.27	3	Vertical	343	1.00	-	37.43	38.02	12.34	35.09
PK	10.51896G	62.59	68.20	-5.61	12.99	3	Vertical	300	1.49	-	49.60	38.66	9.04	34.71
PK	15.77588G	66.29	74.00	-7.71	15.28	3	Vertical	343	1.00	-	51.01	38.02	12.34	35.08


**802.11ax HEW20_Nss1,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78188G	50.43	54.00	-3.57	15.27	3	Horizontal	309	1.43	-	35.16	38.02	12.34	35.09
PK	10.52188G	63.93	68.20	-4.27	13.00	3	Horizontal	23	1.50	-	50.93	38.67	9.04	34.71
PK	15.78052G	63.13	74.00	-10.87	15.27	3	Horizontal	309	1.43	-	47.86	38.02	12.34	35.09

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	113.61	Inf	-Inf	5.32	3	Vertical	187	1.16	-	108.29	32.90	7.01	34.59
AV	5.3976G	47.57	54.00	-6.43	5.53	3	Vertical	187	1.16	-	42.04	32.99	7.12	34.58
PK	5.2992G	123.89	Inf	-Inf	5.31	3	Vertical	187	1.16	-	118.58	32.90	7.00	34.59
PK	5.3956G	58.61	74.00	-15.39	5.50	3	Vertical	187	1.16	-	53.11	32.97	7.11	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	102.61	Inf	-Inf	5.32	3	Horizontal	141	1.88	-	97.29	32.90	7.01	34.59
AV	5.3904G	45.94	54.00	-8.06	5.47	3	Horizontal	141	1.88	-	40.47	32.94	7.11	34.58
PK	5.3008G	112.52	Inf	-Inf	5.32	3	Horizontal	141	1.88	-	107.20	32.90	7.01	34.59
PK	5.3742G	56.40	74.00	-17.60	5.36	3	Horizontal	141	1.88	-	51.04	32.85	7.09	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60603G	53.72	54.00	-0.28	13.29	3	Vertical	243	1.69	-	40.43	38.91	9.07	34.69
AV	15.89763G	45.55	54.00	-8.45	14.90	3	Vertical	164	2.54	-	30.65	37.61	12.46	35.17
PK	10.5964G	65.33	68.20	-2.87	13.27	3	Vertical	243	1.69	-	52.06	38.89	9.07	34.69
PK	15.90471G	57.19	74.00	-16.81	14.89	3	Vertical	164	2.54	-	42.30	37.60	12.47	35.18

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60024G	50.47	54.00	-3.53	13.28	3	Horizontal	34	1.52	-	37.19	38.90	9.07	34.69
AV	15.90909G	45.50	54.00	-8.50	14.89	3	Horizontal	26	1.50	-	30.61	37.60	12.47	35.18
PK	10.60021G	62.42	74.00	-11.58	13.28	3	Horizontal	34	1.52	-	49.14	38.90	9.07	34.69
PK	15.90153G	57.52	74.00	-16.48	14.88	3	Horizontal	26	1.50	-	42.64	37.60	12.46	35.18

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	111.79	Inf	-Inf	5.26	3	Vertical	167	1.48	-	106.53	32.82	7.03	34.59
AV	5.3509G	47.58	54.00	-6.42	5.19	3	Vertical	167	1.48	-	42.39	32.71	7.06	34.58
PK	5.3207G	122.74	Inf	-Inf	5.26	3	Vertical	167	1.48	-	117.48	32.82	7.03	34.59
PK	5.3511G	57.75	74.00	-16.25	5.19	3	Vertical	167	1.48	-	52.56	32.71	7.06	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	98.93	Inf	-Inf	5.26	3	Horizontal	107	1.02	-	93.67	32.82	7.03	34.59
AV	5.3588G	45.71	54.00	-8.29	5.24	3	Horizontal	107	1.02	-	40.47	32.75	7.07	34.58
PK	5.3207G	110.31	Inf	-Inf	5.26	3	Horizontal	107	1.02	-	105.05	32.82	7.03	34.59
PK	5.3676G	56.70	74.00	-17.30	5.31	3	Horizontal	107	1.02	-	51.39	32.81	7.08	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63979G	53.47	54.00	-0.53	13.38	3	Vertical	271	1.84	-	40.09	38.98	9.08	34.68
AV	15.96651G	45.54	54.00	-8.46	14.90	3	Vertical	244	1.31	-	30.64	37.60	12.53	35.23
PK	10.64114G	65.20	74.00	-8.80	13.38	3	Vertical	271	1.84	-	51.82	38.98	9.08	34.68
PK	15.94542G	58.12	74.00	-15.88	14.90	3	Vertical	244	1.31	-	43.22	37.60	12.51	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63979G	48.93	54.00	-5.07	13.38	3	Horizontal	33	1.50	-	35.55	38.98	9.08	34.68
AV	15.96747G	45.50	54.00	-8.50	14.90	3	Horizontal	86	1.45	-	30.60	37.60	12.53	35.23
PK	10.64024G	61.00	74.00	-13.00	13.38	3	Horizontal	33	1.50	-	47.62	38.98	9.08	34.68
PK	15.96384G	56.94	74.00	-17.06	14.90	3	Horizontal	86	1.45	-	42.04	37.60	12.52	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4599G	50.04	54.00	-3.96	5.33	3	Vertical	152	1.06	-	44.71	32.82	7.08	34.57
AV	5.4989G	114.91	Inf	-Inf	5.40	3	Vertical	152	1.06	-	109.51	32.90	7.06	34.56
PK	5.4692G	67.54	68.20	-0.66	5.36	3	Vertical	152	1.06	-	62.18	32.84	7.08	34.56
PK	5.499G	125.32	Inf	-Inf	5.40	3	Vertical	152	1.06	-	119.92	32.90	7.06	34.56


802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4591G	46.10	54.00	-7.90	5.33	3	Horizontal	218	1.66	-	40.77	32.82	7.08	34.57
AV	5.4992G	100.69	Inf	-Inf	5.40	3	Horizontal	218	1.66	-	95.29	32.90	7.06	34.56
PK	5.4692G	58.09	68.20	-10.11	5.36	3	Horizontal	218	1.66	-	52.73	32.84	7.08	34.56
PK	5.4992G	111.65	Inf	-Inf	5.40	3	Horizontal	218	1.66	-	106.25	32.90	7.06	34.56

**802.11ax HEW20_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00414G	52.16	54.00	-1.84	13.32	3	Vertical	113	1.50	-	38.84	38.70	9.20	34.58
PK	10.99535G	63.90	74.00	-10.10	13.33	3	Vertical	113	1.50	-	50.57	38.71	9.20	34.58
PK	16.49661G	59.35	68.20	-8.85	16.62	3	Vertical	233	1.50	-	42.73	38.68	12.70	34.76


**802.11ax HEW20_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00021G	46.36	54.00	-7.64	13.32	3	Horizontal	356	1.50	-	33.04	38.70	9.20	34.58
PK	11.00213G	58.26	74.00	-15.74	13.32	3	Horizontal	356	1.50	-	44.94	38.70	9.20	34.58
PK	16.49802G	58.86	68.20	-9.34	16.63	3	Horizontal	35	2.16	-	42.23	38.69	12.70	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.90	54.00	-7.10	5.33	3	Vertical	150	1.00	-	41.57	32.82	7.08	34.57
AV	5.5806G	117.44	Inf	-Inf	5.45	3	Vertical	150	1.00	-	111.99	33.00	7.00	34.55
PK	5.4666G	57.27	68.20	-10.93	5.34	3	Vertical	150	1.00	-	51.93	32.83	7.08	34.57
PK	5.5806G	125.54	Inf	-Inf	5.45	3	Vertical	150	1.00	-	120.09	33.00	7.00	34.55
PK	5.7288G	58.86	68.20	-9.34	5.92	3	Vertical	150	1.00	-	52.94	33.52	6.94	34.54


802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4318G	46.02	54.00	-7.98	5.40	3	Horizontal	217	1.73	-	40.62	32.87	7.10	34.57
AV	5.5794G	103.20	Inf	-Inf	5.45	3	Horizontal	217	1.73	-	97.75	33.00	7.00	34.55
PK	5.4618G	55.84	68.20	-12.36	5.33	3	Horizontal	217	1.73	-	50.51	32.82	7.08	34.57
PK	5.5788G	113.60	Inf	-Inf	5.45	3	Horizontal	217	1.73	-	108.15	33.00	7.00	34.55
PK	5.7264G	57.32	68.20	-10.88	5.91	3	Horizontal	217	1.73	-	51.41	33.51	6.94	34.54

802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16183G	49.46	54.00	-4.54	13.33	3	Vertical	0	1.68	-	36.13	38.66	9.25	34.58
PK	11.16153G	59.85	74.00	-14.15	13.33	3	Vertical	0	1.68	-	46.52	38.66	9.25	34.58
PK	16.74525G	63.92	68.20	-4.28	16.52	3	Vertical	323	1.50	-	47.40	38.19	12.78	34.45

802.11ax HEW20_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15997G	49.17	54.00	-4.83	13.33	3	Horizontal	337	2.56	-	35.84	38.66	9.25	34.58
PK	11.15982G	60.13	74.00	-13.87	13.33	3	Horizontal	337	2.56	-	46.80	38.66	9.25	34.58
PK	16.7412G	64.27	68.20	-3.93	16.50	3	Horizontal	305	1.54	-	47.77	38.18	12.77	34.45

**802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7006G	115.06	Inf	-Inf	5.81	3	Vertical	151	1.14	-	109.25	33.40	6.95	34.54
PK	5.7014G	123.49	Inf	-Inf	5.82	3	Vertical	151	1.14	-	117.67	33.41	6.95	34.54
PK	5.7304G	67.49	68.20	-0.71	5.92	3	Vertical	151	1.14	-	61.57	33.52	6.94	34.54

**802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	99.40	Inf	-Inf	5.81	3	Horizontal	214	1.50	-	93.59	33.40	6.95	34.54
PK	5.7012G	109.19	Inf	-Inf	5.81	3	Horizontal	214	1.50	-	103.38	33.40	6.95	34.54
PK	5.7834G	59.33	68.20	-8.87	6.18	3	Horizontal	214	1.50	-	53.15	33.80	6.92	34.54

**802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4033G	49.43	54.00	-4.57	13.65	3	Vertical	333	1.46	-	35.78	38.89	9.33	34.57
PK	11.40318G	61.32	74.00	-12.68	13.65	3	Vertical	333	1.46	-	47.67	38.89	9.33	34.57
PK	17.10921G	59.64	68.20	-8.56	16.72	3	Vertical	23	2.84	-	42.92	38.03	12.88	34.19

**802.11ax HEW20_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40099G	47.31	54.00	-6.69	13.66	3	Horizontal	18	1.58	-	33.65	38.90	9.33	34.57
PK	11.40015G	59.76	74.00	-14.24	13.66	3	Horizontal	18	1.58	-	46.10	38.90	9.33	34.57
PK	17.10594G	58.84	68.20	-9.36	16.72	3	Horizontal	162	2.86	-	42.12	38.02	12.88	34.18

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	46.61	54.00	-7.39	5.41	3	Vertical	150	1.00	-	41.20	32.88	7.10	34.57
AV	5.7212G	118.61	Inf	-Inf	5.88	3	Vertical	150	1.00	-	112.73	33.48	6.94	34.54
PK	5.468G	56.33	68.20	-11.87	5.35	3	Vertical	150	1.00	-	50.98	32.84	7.08	34.57
PK	5.7212G	126.57	Inf	-Inf	5.88	3	Vertical	150	1.00	-	120.69	33.48	6.94	34.54
PK	5.8964G	59.39	68.20	-8.81	7.09	3	Vertical	150	1.00	-	52.30	34.29	7.33	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4284G	45.97	54.00	-8.03	5.42	3	Horizontal	215	1.66	-	40.55	32.89	7.10	34.57
AV	5.7206G	103.81	Inf	-Inf	5.88	3	Horizontal	215	1.66	-	97.93	33.48	6.94	34.54
PK	5.4602G	56.32	68.20	-11.88	5.33	3	Horizontal	215	1.66	-	50.99	32.82	7.08	34.57
PK	5.72G	111.61	Inf	-Inf	5.88	3	Horizontal	215	1.66	-	105.73	33.48	6.94	34.54
PK	5.8736G	59.07	68.20	-9.13	6.89	3	Horizontal	215	1.66	-	52.18	34.19	7.23	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4436G	51.44	54.00	-2.56	13.59	3	Vertical	333	2.45	-	37.85	38.81	9.35	34.57
PK	11.44522G	62.58	74.00	-11.42	13.59	3	Vertical	333	2.45	-	48.99	38.81	9.35	34.57
PK	17.16339G	60.34	68.20	-7.86	16.87	3	Vertical	168	1.95	-	43.47	38.19	12.90	34.22


802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44138G	53.78	54.00	-0.22	13.60	3	Horizontal	339	2.27	-	40.18	38.82	9.35	34.57
PK	11.44093G	65.50	74.00	-8.50	13.60	3	Horizontal	339	2.27	-	51.90	38.82	9.35	34.57
PK	17.17248G	60.20	68.20	-8.00	16.90	3	Horizontal	153	1.02	-	43.30	38.22	12.90	34.22

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	118.75	Inf	-Inf	5.97	3	Vertical	152	1.12	-	112.78	33.58	6.93	34.54
PK	5.6454G	60.93	68.20	-7.27	5.42	3	Vertical	152	1.12	-	55.51	33.00	6.97	34.55
PK	5.7462G	126.15	Inf	-Inf	5.97	3	Vertical	152	1.12	-	120.18	33.58	6.93	34.54
PK	5.9454G	59.49	68.20	-8.71	7.33	3	Vertical	152	1.12	-	52.16	34.30	7.55	34.52


802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.15	Inf	-Inf	5.97	3	Horizontal	212	1.78	-	98.18	33.58	6.93	34.54
PK	5.5842G	57.95	68.20	-10.25	5.45	3	Horizontal	212	1.78	-	52.50	33.00	7.00	34.55
PK	5.7462G	112.98	Inf	-Inf	5.97	3	Horizontal	212	1.78	-	107.01	33.58	6.93	34.54
PK	5.955G	59.20	68.20	-9.00	7.36	3	Horizontal	212	1.78	-	51.84	34.29	7.59	34.52

**802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49496G	51.62	54.00	-2.38	13.50	3	Vertical	118	2.05	-	38.12	38.71	9.36	34.57
PK	11.49568G	60.10	74.00	-13.90	13.50	3	Vertical	118	2.05	-	46.60	38.71	9.36	34.57
PK	17.23236G	58.65	68.20	-9.55	16.93	3	Vertical	335	1.50	-	41.72	38.27	12.92	34.26


**802.11ax HEW20_Nss1,(MCS0)_2TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49152G	52.64	54.00	-1.36	13.51	3	Horizontal	326	1.63	-	39.13	38.72	9.36	34.57
PK	11.49048G	60.16	74.00	-13.84	13.51	3	Horizontal	326	1.63	-	46.65	38.72	9.36	34.57
PK	17.23716G	59.42	68.20	-8.78	16.92	3	Horizontal	308	1.35	-	42.50	38.26	12.92	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	118.49	Inf	-Inf	6.20	3	Vertical	151	1.00	-	112.29	33.82	6.92	34.54
PK	5.5918G	59.50	68.20	-8.70	5.45	3	Vertical	151	1.00	-	54.05	33.00	7.00	34.55
PK	5.785G	126.88	Inf	-Inf	6.19	3	Vertical	151	1.00	-	120.69	33.81	6.92	34.54
PK	5.9434G	58.62	68.20	-9.58	7.32	3	Vertical	151	1.00	-	51.30	34.30	7.54	34.52


802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	104.15	Inf	-Inf	6.20	3	Horizontal	209	1.50	-	97.95	33.82	6.92	34.54
PK	5.5726G	57.69	68.20	-10.51	5.46	3	Horizontal	209	1.50	-	52.23	33.00	7.01	34.55
PK	5.785G	112.98	Inf	-Inf	6.19	3	Horizontal	209	1.50	-	106.79	33.81	6.92	34.54
PK	6.013G	58.83	68.20	-9.37	7.38	3	Horizontal	209	1.50	-	51.45	34.15	7.75	34.52

**802.11ax HEW20_Nss1,(MCS0)_2TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57312G	52.78	54.00	-1.22	13.35	3	Vertical	319	2.45	-	39.43	38.55	9.39	34.59
PK	11.57176G	61.43	74.00	-12.57	13.36	3	Vertical	319	2.45	-	48.07	38.56	9.39	34.59
PK	17.35348G	57.67	68.20	-10.53	16.93	3	Vertical	336	1.50	-	40.74	38.31	12.95	34.33


**802.11ax HEW20_Nss1,(MCS0)_2TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57048G	49.81	54.00	-4.19	13.36	3	Horizontal	15	1.55	-	36.45	38.56	9.39	34.59
PK	11.57224G	59.86	74.00	-14.14	13.36	3	Horizontal	15	1.55	-	46.50	38.56	9.39	34.59
PK	17.36388G	58.26	68.20	-9.94	16.95	3	Horizontal	349	2.92	-	41.31	38.33	12.96	34.34

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	117.46	Inf	-Inf	6.50	3	Vertical	190	1.03	-	110.96	34.00	7.03	34.53
PK	5.5286G	58.82	68.20	-9.38	5.44	3	Vertical	190	1.03	-	53.38	32.96	7.04	34.56
PK	5.8262G	125.63	Inf	-Inf	6.50	3	Vertical	190	1.03	-	119.13	34.00	7.03	34.53
PK	5.9354G	58.85	68.20	-9.35	7.28	3	Vertical	190	1.03	-	51.57	34.30	7.51	34.53


802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	105.26	Inf	-Inf	6.50	3	Horizontal	54	1.05	-	98.76	34.00	7.03	34.53
PK	5.5874G	57.46	68.20	-10.74	5.45	3	Horizontal	54	1.05	-	52.01	33.00	7.00	34.55
PK	5.8262G	114.69	Inf	-Inf	6.50	3	Horizontal	54	1.05	-	108.19	34.00	7.03	34.53
PK	6.0014G	59.25	68.20	-8.95	7.46	3	Horizontal	54	1.05	-	51.79	34.19	7.79	34.52

**802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65208G	52.85	54.00	-1.15	13.25	3	Vertical	324	2.74	-	39.60	38.45	9.42	34.62
PK	11.65184G	64.02	74.00	-9.98	13.25	3	Vertical	324	2.74	-	50.77	38.45	9.42	34.62
PK	17.4738G	60.26	68.20	-7.94	16.77	3	Vertical	0	1.42	-	43.49	38.18	12.99	34.40


**802.11ax HEW20_Nss1,(MCS0)_2TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65216G	50.63	54.00	-3.37	13.25	3	Horizontal	350	1.48	-	37.38	38.45	9.42	34.62
PK	11.6516G	60.01	74.00	-13.99	13.25	3	Horizontal	350	1.48	-	46.76	38.45	9.42	34.62
PK	17.47372G	60.51	68.20	-7.69	16.77	3	Horizontal	300	1.87	-	43.74	38.18	12.99	34.40

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.81	54.00	-1.19	5.35	3	Vertical	181	1.50	-	47.46	33.10	6.87	34.62
AV	5.1912G	109.39	Inf	-Inf	5.46	3	Vertical	181	1.50	-	103.93	33.18	6.89	34.61
PK	5.15G	62.32	74.00	-11.68	5.35	3	Vertical	181	1.50	-	56.97	33.10	6.87	34.62
PK	5.1912G	118.84	Inf	-Inf	5.46	3	Vertical	181	1.50	-	113.38	33.18	6.89	34.61


802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.37	54.00	-5.63	5.35	3	Horizontal	130	1.96	-	43.02	33.10	6.87	34.62
AV	5.1916G	99.47	Inf	-Inf	5.46	3	Horizontal	130	1.96	-	94.01	33.18	6.89	34.61
PK	5.1404G	60.06	74.00	-13.94	5.33	3	Horizontal	130	1.96	-	54.73	33.08	6.87	34.62
PK	5.1924G	110.13	Inf	-Inf	5.46	3	Horizontal	130	1.96	-	104.67	33.18	6.89	34.61

**802.11ax HEW40_Nss1,(MCS0)_2TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56112G	45.95	54.00	-8.05	15.42	3	Vertical	184	1.00	-	30.53	38.23	12.12	34.93
PK	10.38136G	60.31	68.20	-7.89	12.70	3	Vertical	166	1.07	-	47.61	38.54	9.00	34.84
PK	15.55032G	57.81	74.00	-16.19	15.49	3	Vertical	184	1.00	-	42.32	38.30	12.11	34.92


**802.11ax HEW40_Nss1,(MCS0)_2TX
5190MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5756G	45.88	54.00	-8.12	15.35	3	Horizontal	253	1.48	-	30.53	38.15	12.14	34.94
PK	10.38152G	59.60	68.20	-8.60	12.70	3	Horizontal	23	1.50	-	46.90	38.54	9.00	34.84
PK	15.5592G	57.77	74.00	-16.23	15.44	3	Horizontal	253	1.48	-	42.33	38.24	12.12	34.92

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.36	54.00	-0.64	5.35	3	Vertical	182	1.39	-	48.01	33.10	6.87	34.62
AV	5.2312G	112.76	Inf	-Inf	5.47	3	Vertical	182	1.39	-	107.29	33.14	6.93	34.60
PK	5.1488G	65.21	74.00	-8.79	5.35	3	Vertical	182	1.39	-	59.86	33.10	6.87	34.62
PK	5.2304G	121.51	Inf	-Inf	5.46	3	Vertical	182	1.39	-	116.05	33.14	6.92	34.60


802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.35	54.00	-5.65	5.35	3	Horizontal	132	1.88	-	43.00	33.10	6.87	34.62
AV	5.232G	102.43	Inf	-Inf	5.47	3	Horizontal	132	1.88	-	96.96	33.14	6.93	34.60
PK	5.15G	59.72	74.00	-14.28	5.35	3	Horizontal	132	1.88	-	54.37	33.10	6.87	34.62
PK	5.2316G	113.00	Inf	-Inf	5.47	3	Horizontal	132	1.88	-	107.53	33.14	6.93	34.60

**802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68392G	46.00	54.00	-8.00	15.31	3	Vertical	228	1.88	-	30.69	38.08	12.25	35.02
PK	10.45872G	61.73	68.20	-6.47	12.82	3	Vertical	168	1.00	-	48.91	38.56	9.02	34.76
PK	15.7052G	57.67	74.00	-16.33	15.33	3	Vertical	228	1.88	-	42.34	38.09	12.27	35.03


**802.11ax HEW40_Nss1,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69888G	46.01	54.00	-7.99	15.33	3	Horizontal	280	1.41	-	30.68	38.10	12.26	35.03
PK	10.452G	63.91	68.20	-4.29	12.80	3	Horizontal	23	1.50	-	51.11	38.55	9.02	34.77
PK	15.69392G	57.61	74.00	-16.39	15.33	3	Horizontal	280	1.41	-	42.28	38.09	12.26	35.02

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	113.29	Inf	-Inf	5.39	3	Vertical	182	1.25	-	107.90	33.02	6.97	34.60
AV	5.3504G	53.69	54.00	-0.31	5.18	3	Vertical	182	1.25	-	48.51	32.70	7.06	34.58
PK	5.3508G	65.82	74.00	-8.18	5.18	3	Vertical	182	1.25	-	60.64	32.70	7.06	34.58
PK	5.2708G	123.04	Inf	-Inf	5.39	3	Vertical	182	1.25	-	117.65	33.02	6.97	34.60


802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	102.38	Inf	-Inf	5.39	3	Horizontal	136	1.89	-	96.99	33.02	6.97	34.60
AV	5.35G	46.82	54.00	-7.18	5.18	3	Horizontal	136	1.89	-	41.64	32.70	7.06	34.58
PK	5.2708G	113.79	Inf	-Inf	5.39	3	Horizontal	136	1.89	-	108.40	33.02	6.97	34.60
PK	5.3512G	58.56	74.00	-15.44	5.19	3	Horizontal	136	1.89	-	53.37	32.71	7.06	34.58

**802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79656G	45.96	54.00	-8.04	15.26	3	Vertical	109	1.41	-	30.70	38.00	12.36	35.10
PK	10.53976G	62.59	68.20	-5.61	13.06	3	Vertical	320	1.41	-	49.53	38.72	9.05	34.71
PK	15.8096G	57.65	74.00	-16.35	15.22	3	Vertical	109	1.41	-	42.43	37.96	12.37	35.11


**802.11ax HEW40_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80808G	46.13	54.00	-7.87	15.23	3	Horizontal	354	1.19	-	30.90	37.97	12.37	35.11
PK	10.53224G	61.13	68.20	-7.07	13.04	3	Horizontal	24	1.50	-	48.09	38.70	9.05	34.71
PK	15.79496G	57.66	74.00	-16.34	15.27	3	Horizontal	354	1.19	-	42.39	38.01	12.36	35.10

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	110.07	Inf	-Inf	5.29	3	Vertical	191	1.50	-	104.78	32.87	7.01	34.59
AV	5.35G	52.63	54.00	-1.37	5.18	3	Vertical	191	1.50	-	47.45	32.70	7.06	34.58
PK	5.3064G	120.82	Inf	-Inf	5.29	3	Vertical	191	1.50	-	115.53	32.87	7.01	34.59
PK	5.3512G	64.79	74.00	-9.21	5.19	3	Vertical	191	1.50	-	59.60	32.71	7.06	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	98.84	Inf	-Inf	5.28	3	Horizontal	133	1.83	-	93.56	32.85	7.02	34.59
AV	5.352G	47.09	54.00	-6.91	5.19	3	Horizontal	133	1.83	-	41.90	32.71	7.06	34.58
PK	5.312G	109.52	Inf	-Inf	5.28	3	Horizontal	133	1.83	-	104.24	32.85	7.02	34.59
PK	5.3544G	59.03	74.00	-14.97	5.22	3	Horizontal	133	1.83	-	53.81	32.73	7.07	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62048G	50.93	54.00	-3.07	13.32	3	Vertical	167	1.67	-	37.61	38.94	9.07	34.69
AV	15.91024G	45.38	54.00	-8.62	14.89	3	Vertical	182	2.28	-	30.49	37.60	12.47	35.18
PK	10.6256G	62.78	74.00	-11.22	13.35	3	Vertical	167	1.67	-	49.43	38.95	9.08	34.68
PK	15.9348G	57.17	74.00	-16.83	14.90	3	Vertical	182	2.28	-	42.27	37.60	12.50	35.20

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	47.63	54.00	-6.37	13.32	3	Horizontal	34	1.50	-	34.31	38.94	9.07	34.69
AV	15.91G	45.55	54.00	-8.45	14.89	3	Horizontal	355	2.92	-	30.66	37.60	12.47	35.18
PK	10.6196G	59.40	74.00	-14.60	13.32	3	Horizontal	34	1.50	-	46.08	38.94	9.07	34.69
PK	15.94936G	57.53	74.00	-16.47	14.90	3	Horizontal	355	2.92	-	42.63	37.60	12.51	35.21

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.24	54.00	-4.76	5.33	3	Vertical	149	1.03	-	43.91	32.82	7.08	34.57
AV	5.5092G	110.74	Inf	-Inf	5.41	3	Vertical	149	1.03	-	105.33	32.92	7.05	34.56
PK	5.4684G	66.90	68.20	-1.30	5.35	3	Vertical	149	1.03	-	61.55	32.84	7.08	34.57
PK	5.508G	122.01	Inf	-Inf	5.41	3	Vertical	149	1.03	-	116.60	32.92	7.05	34.56


802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4124G	45.94	54.00	-8.06	5.49	3	Horizontal	216	1.75	-	40.45	32.95	7.11	34.57
AV	5.5092G	96.08	Inf	-Inf	5.41	3	Horizontal	216	1.75	-	90.67	32.92	7.05	34.56
PK	5.4628G	57.24	68.20	-10.96	5.34	3	Horizontal	216	1.75	-	51.90	32.83	7.08	34.57
PK	5.5096G	107.03	Inf	-Inf	5.41	3	Horizontal	216	1.75	-	101.62	32.92	7.05	34.56

**802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01384G	48.53	54.00	-5.47	13.31	3	Vertical	115	1.55	-	35.22	38.69	9.20	34.58
PK	11.02488G	61.75	74.00	-12.25	13.31	3	Vertical	115	1.55	-	48.44	38.68	9.21	34.58
PK	16.52616G	60.00	68.20	-8.20	16.58	3	Vertical	103	2.60	-	43.42	38.60	12.71	34.73


**802.11ax HEW40_Nss1,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02136G	45.92	54.00	-8.08	13.31	3	Horizontal	62	1.00	-	32.61	38.68	9.21	34.58
PK	11.0212G	57.39	74.00	-16.61	13.31	3	Horizontal	62	1.00	-	44.08	38.68	9.21	34.58
PK	16.5104G	59.02	68.20	-9.18	16.62	3	Horizontal	177	1.97	-	42.40	38.66	12.71	34.75

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.11	54.00	-2.89	5.33	3	Vertical	185	1.15	-	45.78	32.82	7.08	34.57
AV	5.5512G	113.30	Inf	-Inf	5.46	3	Vertical	185	1.15	-	107.84	33.00	7.02	34.56
PK	5.47G	67.20	68.20	-1.00	5.35	3	Vertical	185	1.15	-	61.85	32.84	7.07	34.56
PK	5.5512G	124.47	Inf	-Inf	5.46	3	Vertical	185	1.15	-	119.01	33.00	7.02	34.56


802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.17	54.00	-7.83	5.33	3	Horizontal	216	1.62	-	40.84	32.82	7.08	34.57
AV	5.5492G	98.31	Inf	-Inf	5.46	3	Horizontal	216	1.62	-	92.85	33.00	7.02	34.56
PK	5.4652G	58.25	68.20	-9.95	5.34	3	Horizontal	216	1.62	-	52.91	32.83	7.08	34.57
PK	5.5488G	108.32	Inf	-Inf	5.46	3	Horizontal	216	1.62	-	102.86	33.00	7.02	34.56

**802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09768G	48.42	54.00	-5.58	13.25	3	Vertical	214	1.35	-	35.17	38.60	9.23	34.58
PK	11.09656G	59.79	74.00	-14.21	13.25	3	Vertical	214	1.35	-	46.54	38.60	9.23	34.58
PK	16.65624G	59.76	68.20	-8.44	16.38	3	Vertical	318	1.50	-	43.38	38.19	12.75	34.56

**802.11ax HEW40_Nss1,(MCS0)_2TX
5550MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09992G	46.49	54.00	-7.51	13.25	3	Horizontal	337	2.60	-	33.24	38.60	9.23	34.58
PK	11.09064G	58.32	74.00	-15.68	13.26	3	Horizontal	337	2.60	-	45.06	38.61	9.23	34.58
PK	16.63128G	59.69	68.20	-8.51	16.39	3	Horizontal	292	1.50	-	43.30	38.24	12.74	34.59

802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	111.92	Inf	-Inf	5.58	3	Vertical	147	1.00	-	106.34	33.17	6.96	34.55
PK	5.6712G	122.99	Inf	-Inf	5.58	3	Vertical	147	1.00	-	117.41	33.17	6.96	34.55
PK	5.7294G	67.18	68.20	-1.02	5.92	3	Vertical	147	1.00	-	61.26	33.52	6.94	34.54

802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	95.74	Inf	-Inf	5.54	3	Horizontal	75	1.50	-	90.20	33.13	6.96	34.55
PK	5.6652G	107.61	Inf	-Inf	5.53	3	Horizontal	75	1.50	-	102.08	33.12	6.96	34.55
PK	5.7996G	59.29	68.20	-8.91	6.27	3	Horizontal	75	1.50	-	53.02	33.90	6.91	34.54

**802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.336G	46.96	54.00	-7.04	13.64	3	Vertical	336	1.51	-	33.32	38.90	9.31	34.57
PK	11.33728G	59.67	74.00	-14.33	13.64	3	Vertical	336	1.51	-	46.03	38.90	9.31	34.57
PK	17.01544G	58.78	68.20	-9.42	16.72	3	Vertical	116	2.55	-	42.06	38.00	12.85	34.13

**802.11ax HEW40_Nss1,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34384G	46.94	54.00	-7.06	13.64	3	Horizontal	331	2.71	-	33.30	38.90	9.31	34.57
PK	11.3436G	59.23	74.00	-14.77	13.64	3	Horizontal	331	2.71	-	45.59	38.90	9.31	34.57
PK	17.02856G	58.90	68.20	-9.30	16.72	3	Horizontal	190	2.25	-	42.18	38.00	12.86	34.14

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7112G	117.13	Inf	-Inf	5.85	3	Vertical	148	1.12	-	111.28	33.44	6.95	34.54
PK	5.4136G	58.51	74.00	-15.49	5.49	3	Vertical	148	1.12	-	53.02	32.95	7.11	34.57
PK	5.4652G	58.07	68.20	-10.13	5.34	3	Vertical	148	1.12	-	52.73	32.83	7.08	34.57
PK	5.7124G	126.74	Inf	-Inf	5.86	3	Vertical	148	1.12	-	120.88	33.45	6.95	34.54
PK	5.8504G	64.72	68.20	-3.48	6.70	3	Vertical	148	1.12	-	58.02	34.10	7.13	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7088G	101.88	Inf	-Inf	5.85	3	Horizontal	212	1.37	-	96.03	33.44	6.95	34.54
PK	5.458G	56.25	74.00	-17.75	5.33	3	Horizontal	212	1.37	-	50.92	32.82	7.08	34.57
PK	5.4616G	56.01	68.20	-12.19	5.33	3	Horizontal	212	1.37	-	50.68	32.82	7.08	34.57
PK	5.71G	110.58	Inf	-Inf	5.85	3	Horizontal	212	1.37	-	104.73	33.44	6.95	34.54
PK	5.8756G	60.17	68.20	-8.03	6.91	3	Horizontal	212	1.37	-	53.26	34.20	7.24	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42032G	49.21	54.00	-4.79	13.63	3	Vertical	350	1.64	-	35.58	38.86	9.34	34.57
PK	11.41944G	61.05	74.00	-12.95	13.63	3	Vertical	350	1.64	-	47.42	38.86	9.34	34.57
PK	17.12824G	60.20	68.20	-8.00	16.77	3	Vertical	340	1.50	-	43.43	38.08	12.89	34.20


802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42008G	46.77	54.00	-7.23	13.63	3	Horizontal	20	1.50	-	33.14	38.86	9.34	34.57
PK	11.43016G	58.44	74.00	-15.56	13.61	3	Horizontal	20	1.50	-	44.83	38.84	9.34	34.57
PK	17.14128G	60.48	68.20	-7.72	16.81	3	Horizontal	8	1.48	-	43.67	38.12	12.89	34.20

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	115.79	Inf	-Inf	6.03	3	Vertical	149	1.05	-	109.76	33.64	6.93	34.54
PK	5.647G	67.26	68.20	-0.94	5.42	3	Vertical	149	1.05	-	61.84	33.00	6.97	34.55
PK	5.7562G	125.54	Inf	-Inf	6.03	3	Vertical	149	1.05	-	119.51	33.64	6.93	34.54
PK	5.941G	59.98	68.20	-8.22	7.31	3	Vertical	149	1.05	-	52.67	34.30	7.53	34.52


802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	100.28	Inf	-Inf	6.03	3	Horizontal	213	1.54	-	94.25	33.64	6.93	34.54
PK	5.6062G	57.68	68.20	-10.52	5.44	3	Horizontal	213	1.54	-	52.24	33.00	6.99	34.55
PK	5.7538G	108.82	Inf	-Inf	6.01	3	Horizontal	213	1.54	-	102.81	33.62	6.93	34.54
PK	5.9926G	59.39	68.20	-8.81	7.45	3	Horizontal	213	1.54	-	51.94	34.21	7.76	34.52

**802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51144G	50.21	54.00	-3.79	13.48	3	Vertical	321	1.87	-	36.73	38.68	9.37	34.57
PK	11.50056G	62.26	74.00	-11.74	13.50	3	Vertical	321	1.87	-	48.76	38.70	9.37	34.57
PK	17.26572G	59.72	68.20	-8.48	16.88	3	Vertical	338	1.50	-	42.84	38.23	12.93	34.28


**802.11ax HEW40_Nss1,(MCS0)_2TX
5755MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.502G	48.35	54.00	-5.65	13.50	3	Horizontal	331	1.65	-	34.85	38.70	9.37	34.57
PK	11.51192G	60.17	74.00	-13.83	13.48	3	Horizontal	331	1.65	-	46.69	38.68	9.37	34.57
PK	17.2686G	59.66	68.20	-8.54	16.88	3	Horizontal	335	1.50	-	42.78	38.23	12.93	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	116.26	Inf	-Inf	6.25	3	Vertical	152	1.00	-	110.01	33.88	6.91	34.54
PK	5.6474G	64.23	68.20	-3.97	5.42	3	Vertical	152	1.00	-	58.81	33.00	6.97	34.55
PK	5.7962G	127.21	Inf	-Inf	6.25	3	Vertical	152	1.00	-	120.96	33.88	6.91	34.54
PK	5.993G	60.04	68.20	-8.16	7.45	3	Vertical	152	1.00	-	52.59	34.21	7.76	34.52


802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	101.46	Inf	-Inf	6.25	3	Horizontal	208	1.48	-	95.21	33.88	6.91	34.54
PK	5.5358G	58.48	68.20	-9.72	5.44	3	Horizontal	208	1.48	-	53.04	32.97	7.03	34.56
PK	5.7974G	111.38	Inf	-Inf	6.25	3	Horizontal	208	1.48	-	105.13	33.88	6.91	34.54
PK	5.9294G	60.32	68.20	-7.88	7.25	3	Horizontal	208	1.48	-	53.07	34.30	7.48	34.53

**802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58384G	50.19	54.00	-3.81	13.32	3	Vertical	321	2.43	-	36.87	38.53	9.39	34.60
PK	11.5948G	63.20	74.00	-10.80	13.31	3	Vertical	321	2.43	-	49.89	38.51	9.40	34.60
PK	17.39052G	60.87	68.20	-7.33	16.99	3	Vertical	339	1.49	-	43.88	38.38	12.96	34.35


**802.11ax HEW40_Nss1,(MCS0)_2TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58856G	47.81	54.00	-6.19	13.31	3	Horizontal	245	1.66	-	34.50	38.52	9.39	34.60
PK	11.58872G	59.42	74.00	-14.58	13.31	3	Horizontal	245	1.66	-	46.11	38.52	9.39	34.60
PK	17.39716G	61.91	68.20	-6.29	17.00	3	Horizontal	309	2.61	-	44.91	38.39	12.97	34.36

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.00	54.00	-2.00	5.35	3	Vertical	186	1.29	-	46.65	33.10	6.87	34.62
AV	5.211G	106.01	Inf	-Inf	5.47	3	Vertical	186	1.29	-	100.54	33.18	6.90	34.61
AV	5.391G	46.33	54.00	-7.67	5.48	3	Vertical	186	1.29	-	40.85	32.95	7.11	34.58
PK	5.149G	64.39	74.00	-9.61	5.35	3	Vertical	186	1.29	-	59.04	33.10	6.87	34.62
PK	5.211G	113.70	Inf	-Inf	5.47	3	Vertical	186	1.29	-	108.23	33.18	6.90	34.61
PK	5.429G	57.64	74.00	-16.36	5.41	3	Vertical	186	1.29	-	52.23	32.88	7.10	34.57


802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.68	54.00	-6.32	5.35	3	Horizontal	101	1.04	-	42.33	33.10	6.87	34.62
AV	5.211G	95.34	Inf	-Inf	5.47	3	Horizontal	101	1.04	-	89.87	33.18	6.90	34.61
AV	5.411G	45.88	54.00	-8.12	5.50	3	Horizontal	101	1.04	-	40.38	32.96	7.11	34.57
PK	5.008G	58.41	74.00	-15.59	5.27	3	Horizontal	101	1.04	-	53.14	33.10	6.81	34.64
PK	5.211G	104.15	Inf	-Inf	5.47	3	Horizontal	101	1.04	-	98.68	33.18	6.90	34.61
PK	5.433G	57.04	74.00	-16.96	5.40	3	Horizontal	101	1.04	-	51.64	32.87	7.10	34.57

**802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63082G	45.91	54.00	-8.09	15.24	3	Vertical	311	1.19	-	30.67	38.03	12.19	34.98
PK	10.43152G	57.26	68.20	-10.94	12.75	3	Vertical	357	1.58	-	44.51	38.53	9.01	34.79
PK	15.62752G	57.85	74.00	-16.15	15.25	3	Vertical	311	1.19	-	42.60	38.03	12.19	34.97


**802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6318G	45.92	54.00	-8.08	15.24	3	Horizontal	7	1.38	-	30.68	38.03	12.19	34.98
PK	10.4306G	57.54	68.20	-10.66	12.75	3	Horizontal	24	1.54	-	44.79	38.53	9.01	34.79
PK	15.63292G	57.81	74.00	-16.19	15.24	3	Horizontal	7	1.38	-	42.57	38.03	12.19	34.98

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.53	54.00	-4.47	5.35	3	Vertical	185	1.16	-	44.18	33.10	6.87	34.62
AV	5.291G	108.86	Inf	-Inf	5.34	3	Vertical	185	1.16	-	103.52	32.94	6.99	34.59
AV	5.353G	53.51	54.00	-0.49	5.21	3	Vertical	185	1.16	-	48.30	32.72	7.07	34.58
PK	5.15G	59.57	74.00	-14.43	5.35	3	Vertical	185	1.16	-	54.22	33.10	6.87	34.62
PK	5.282G	118.35	Inf	-Inf	5.36	3	Vertical	185	1.16	-	112.99	32.97	6.98	34.59
PK	5.351G	67.06	74.00	-6.94	5.19	3	Vertical	185	1.16	-	61.87	32.71	7.06	34.58


802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.02	54.00	-6.98	5.33	3	Horizontal	102	1.02	-	41.69	33.08	6.87	34.62
AV	5.292G	96.68	Inf	-Inf	5.34	3	Horizontal	102	1.02	-	91.34	32.93	7.00	34.59
AV	5.352G	46.46	54.00	-7.54	5.19	3	Horizontal	102	1.02	-	41.27	32.71	7.06	34.58
PK	5.126G	57.74	74.00	-16.26	5.29	3	Horizontal	102	1.02	-	52.45	33.05	6.86	34.62
PK	5.293G	105.58	Inf	-Inf	5.34	3	Horizontal	102	1.02	-	100.24	32.93	7.00	34.59
PK	5.476G	56.94	68.20	-11.26	5.36	3	Horizontal	102	1.02	-	51.58	32.85	7.07	34.56

**802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86806G	45.59	54.00	-8.41	15.01	3	Vertical	251	1.78	-	30.58	37.73	12.43	35.15
PK	10.5884G	60.80	68.20	-7.40	13.23	3	Vertical	304	1.82	-	47.57	38.87	9.06	34.70
PK	15.87438G	56.98	74.00	-17.02	14.98	3	Vertical	251	1.78	-	42.00	37.70	12.44	35.16


**802.11ax HEW80_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86546G	45.54	54.00	-8.46	15.02	3	Horizontal	329	2.79	-	30.52	37.74	12.43	35.15
PK	10.56328G	57.39	68.20	-10.81	13.15	3	Horizontal	31	1.30	-	44.24	38.79	9.06	34.70
PK	15.86506G	57.77	74.00	-16.23	15.02	3	Horizontal	329	2.79	-	42.75	37.74	12.43	35.15

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.71	54.00	-0.29	5.33	3	Vertical	190	1.50	-	48.38	32.82	7.08	34.57
AV	5.5312G	108.42	Inf	-Inf	5.43	3	Vertical	190	1.50	-	102.99	32.96	7.03	34.56
PK	5.47G	67.83	68.20	-0.37	5.35	3	Vertical	190	1.50	-	62.48	32.84	7.07	34.56
PK	5.5288G	118.01	Inf	-Inf	5.44	3	Vertical	190	1.50	-	112.57	32.96	7.04	34.56
PK	5.7604G	61.15	68.20	-7.05	6.05	3	Vertical	190	1.50	-	55.10	33.66	6.93	34.54


802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	46.55	54.00	-7.45	5.32	3	Horizontal	24	1.53	-	41.23	32.81	7.08	34.57
AV	5.5264G	93.31	Inf	-Inf	5.43	3	Horizontal	24	1.53	-	87.88	32.95	7.04	34.56
PK	5.2576G	57.65	68.20	-10.55	5.43	3	Horizontal	24	1.53	-	52.22	33.07	6.96	34.60
PK	5.5252G	102.49	Inf	-Inf	5.43	3	Horizontal	24	1.53	-	97.06	32.95	7.04	34.56
PK	5.7904G	58.18	68.20	-10.02	6.21	3	Horizontal	24	1.53	-	51.97	33.84	6.91	34.54

**802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0532G	47.10	54.00	-6.90	13.29	3	Vertical	354	1.61	-	33.81	38.65	9.22	34.58
PK	11.05248G	58.67	74.00	-15.33	13.29	3	Vertical	354	1.61	-	45.38	38.65	9.22	34.58
PK	16.59412G	58.47	68.20	-9.73	16.41	3	Vertical	316	1.96	-	42.06	38.32	12.73	34.64


**802.11ax HEW80_Nss1,(MCS0)_2TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05256G	44.56	54.00	-9.44	13.29	3	Horizontal	67	1.02	-	31.27	38.65	9.22	34.58
PK	11.05632G	56.53	74.00	-17.47	13.28	3	Horizontal	67	1.02	-	43.25	38.64	9.22	34.58
PK	16.5903G	59.30	68.20	-8.90	16.43	3	Horizontal	106	1.58	-	42.87	38.34	12.73	34.64

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.42	54.00	-5.58	5.33	3	Vertical	172	1.04	-	43.09	32.82	7.08	34.57
AV	5.611G	109.52	Inf	-Inf	5.44	3	Vertical	172	1.04	-	104.08	33.00	6.99	34.55
PK	5.469G	59.77	68.20	-8.43	5.36	3	Vertical	172	1.04	-	54.41	32.84	7.08	34.56
PK	5.612G	118.68	Inf	-Inf	5.44	3	Vertical	172	1.04	-	113.24	33.00	6.99	34.55
PK	5.731G	66.99	68.20	-1.21	5.92	3	Vertical	172	1.04	-	61.07	33.52	6.94	34.54


802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4G	45.95	54.00	-8.05	5.54	3	Horizontal	82	1.46	-	40.41	33.00	7.12	34.58
AV	5.615G	93.37	Inf	-Inf	5.43	3	Horizontal	82	1.46	-	87.94	33.00	6.98	34.55
PK	5.461G	56.36	68.20	-11.84	5.33	3	Horizontal	82	1.46	-	51.03	32.82	7.08	34.57
PK	5.616G	103.44	Inf	-Inf	5.43	3	Horizontal	82	1.46	-	98.01	33.00	6.98	34.55
PK	5.846G	58.60	68.20	-9.60	6.66	3	Horizontal	82	1.46	-	51.94	34.08	7.11	34.53

802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21792G	45.48	54.00	-8.52	13.43	3	Vertical	358	1.50	-	32.05	38.74	9.27	34.58
PK	11.21648G	57.37	74.00	-16.63	13.42	3	Vertical	358	1.50	-	43.95	38.73	9.27	34.58
PK	16.82558G	59.04	68.20	-9.16	16.71	3	Vertical	43	2.31	-	42.33	38.25	12.80	34.34

802.11ax HEW80_Nss1,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	45.14	54.00	-8.86	13.43	3	Horizontal	328	2.87	-	31.71	38.74	9.27	34.58
PK	11.22448G	55.58	74.00	-18.42	13.44	3	Horizontal	328	2.87	-	42.14	38.75	9.27	34.58
PK	16.8254G	58.43	68.20	-9.77	16.71	3	Horizontal	245	1.35	-	41.72	38.25	12.80	34.34

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.83	54.00	-6.17	5.32	3	Vertical	156	1.02	-	42.51	32.81	7.08	34.57
AV	5.6888G	112.30	Inf	-Inf	5.72	3	Vertical	156	1.02	-	106.58	33.31	6.95	34.54
PK	5.468G	58.10	68.20	-10.10	5.35	3	Vertical	156	1.02	-	52.75	32.84	7.08	34.57
PK	5.6888G	121.71	Inf	-Inf	5.72	3	Vertical	156	1.02	-	115.99	33.31	6.95	34.54
PK	5.852G	65.04	68.20	-3.16	6.72	3	Vertical	156	1.02	-	58.32	34.11	7.14	34.53

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.396G	45.99	54.00	-8.01	5.52	3	Horizontal	108	1.62	-	40.47	32.98	7.12	34.58
AV	5.6948G	97.06	Inf	-Inf	5.77	3	Horizontal	108	1.62	-	91.29	33.36	6.95	34.54
PK	5.4656G	56.56	68.20	-11.64	5.34	3	Horizontal	108	1.62	-	51.22	32.83	7.08	34.57
PK	5.6948G	106.72	Inf	-Inf	5.77	3	Horizontal	108	1.62	-	100.95	33.36	6.95	34.54
PK	5.8568G	59.36	68.20	-8.84	6.76	3	Horizontal	108	1.62	-	52.60	34.13	7.16	34.53

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37312G	47.27	54.00	-6.73	13.65	3	Vertical	333	1.50	-	33.62	38.90	9.32	34.57
PK	11.37432G	58.84	74.00	-15.16	13.65	3	Vertical	333	1.50	-	45.19	38.90	9.32	34.57
PK	17.06874G	59.37	68.20	-8.83	16.71	3	Vertical	82	1.96	-	42.66	38.00	12.87	34.16


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38176G	45.90	54.00	-8.10	13.66	3	Horizontal	14	2.28	-	32.24	38.90	9.33	34.57
PK	11.37344G	57.40	74.00	-16.60	13.65	3	Horizontal	14	2.28	-	43.75	38.90	9.32	34.57
PK	17.07468G	59.29	68.20	-8.91	16.71	3	Horizontal	245	1.56	-	42.58	38.00	12.87	34.16

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	110.57	Inf	-Inf	6.14	3	Vertical	152	1.00	-	104.43	33.76	6.92	34.54
PK	5.6454G	65.87	68.20	-2.33	5.42	3	Vertical	152	1.00	-	60.45	33.00	6.97	34.55
PK	5.7762G	119.65	Inf	-Inf	6.14	3	Vertical	152	1.00	-	113.51	33.76	6.92	34.54
PK	5.9406G	59.12	68.20	-9.08	7.31	3	Vertical	152	1.00	-	51.81	34.30	7.53	34.52


802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7762G	95.36	Inf	-Inf	6.14	3	Horizontal	212	1.50	-	89.22	33.76	6.92	34.54
PK	5.487G	58.02	68.20	-10.18	5.37	3	Horizontal	212	1.50	-	52.65	32.87	7.06	34.56
PK	5.7774G	104.55	Inf	-Inf	6.14	3	Horizontal	212	1.50	-	98.41	33.76	6.92	34.54
PK	6.0126G	59.28	68.20	-8.92	7.38	3	Horizontal	212	1.50	-	51.90	34.15	7.75	34.52

**802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.552G	46.44	54.00	-7.56	13.39	3	Vertical	0	1.56	-	33.05	38.60	9.38	34.59
PK	11.56408G	57.83	74.00	-16.17	13.37	3	Vertical	0	1.56	-	44.46	38.57	9.39	34.59
PK	17.32934G	58.84	68.20	-9.36	16.89	3	Vertical	31	2.20	-	41.95	38.26	12.95	34.32


**802.11ax HEW80_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5428G	45.24	54.00	-8.76	13.41	3	Horizontal	20	1.61	-	31.83	38.61	9.38	34.58
PK	11.53184G	56.84	74.00	-17.16	13.44	3	Horizontal	20	1.61	-	43.40	38.64	9.38	34.58
PK	17.32974G	58.85	68.20	-9.35	16.89	3	Horizontal	108	2.23	-	41.96	38.26	12.95	34.32

802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.75	54.00	-0.25	5.35	3	Vertical	185	1.28	-	48.40	33.10	6.87	34.62
AV	5.2524G	104.39	Inf	-Inf	5.44	3	Vertical	185	1.28	-	98.95	33.09	6.95	34.60
AV	5.382G	52.14	54.00	-1.86	5.41	3	Vertical	185	1.28	-	46.73	32.89	7.10	34.58
PK	5.1492G	64.48	74.00	-9.52	5.35	3	Vertical	185	1.28	-	59.13	33.10	6.87	34.62
PK	5.2308G	113.29	Inf	-Inf	5.47	3	Vertical	185	1.28	-	107.82	33.14	6.93	34.60
PK	5.4612G	58.11	68.20	-10.09	5.33	3	Vertical	185	1.28	-	52.78	32.82	7.08	34.57


802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	48.34	54.00	-5.66	5.31	3	Horizontal	129	1.91	-	43.03	33.07	6.86	34.62
AV	5.244G	93.74	Inf	-Inf	5.45	3	Horizontal	129	1.91	-	88.29	33.11	6.94	34.60
AV	5.3748G	46.58	54.00	-7.42	5.36	3	Horizontal	129	1.91	-	41.22	32.85	7.09	34.58
PK	5.1216G	58.35	74.00	-15.65	5.28	3	Horizontal	129	1.91	-	53.07	33.04	6.86	34.62
PK	5.2536G	104.12	Inf	-Inf	5.44	3	Horizontal	129	1.91	-	98.68	33.09	6.95	34.60
PK	5.5356G	57.16	68.20	-11.04	5.44	3	Horizontal	129	1.91	-	51.72	32.97	7.03	34.56

802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7446G	46.55	54.00	-7.45	15.31	3	Vertical	60	1.50	-	31.24	38.06	12.31	35.06
PK	10.45936G	55.88	68.20	-12.32	12.82	3	Vertical	304	1.36	-	43.06	38.56	9.02	34.76
PK	15.75702G	58.55	74.00	-15.45	15.29	3	Vertical	60	1.50	-	43.26	38.04	12.32	35.07


802.11ax HEW160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75468G	46.40	54.00	-7.60	15.30	3	Horizontal	0	1.58	-	31.10	38.05	12.32	35.07
PK	10.45648G	56.44	68.20	-11.76	12.82	3	Horizontal	23	1.60	-	43.62	38.56	9.02	34.76
PK	15.74032G	58.42	74.00	-15.58	15.30	3	Horizontal	0	1.58	-	43.12	38.06	12.30	35.06

802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	53.41	54.00	-0.59	5.32	3	Vertical	155	1.07	-	48.09	32.81	7.08	34.57
AV	5.5688G	105.55	Inf	-Inf	5.46	3	Vertical	155	1.07	-	100.09	33.00	7.01	34.55
PK	5.468G	65.15	68.20	-3.05	5.35	3	Vertical	155	1.07	-	59.80	32.84	7.08	34.57
PK	5.5784G	115.77	Inf	-Inf	5.45	3	Vertical	155	1.07	-	110.32	33.00	7.00	34.55
PK	5.7284G	64.03	68.20	-4.17	5.91	3	Vertical	155	1.07	-	58.12	33.51	6.94	34.54


802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	46.31	54.00	-7.69	5.46	3	Horizontal	110	1.50	-	40.85	32.92	7.11	34.57
AV	5.564G	88.73	Inf	-Inf	5.46	3	Horizontal	110	1.50	-	83.27	33.00	7.01	34.55
PK	5.2772G	57.53	68.20	-10.67	5.37	3	Horizontal	110	1.50	-	52.16	32.99	6.98	34.60
PK	5.5628G	98.73	Inf	-Inf	5.46	3	Horizontal	110	1.50	-	93.27	33.00	7.01	34.55
PK	5.858G	59.51	68.20	-8.69	6.77	3	Horizontal	110	1.50	-	52.74	34.13	7.17	34.53

**802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07536G	43.88	54.00	-10.12	13.26	3	Vertical	194	1.50	-	30.62	38.62	9.22	34.58
PK	11.14384G	54.33	74.00	-19.67	13.31	3	Vertical	194	1.50	-	41.02	38.64	9.25	34.58
PK	16.70406G	57.01	68.20	-11.19	16.37	3	Vertical	276	1.50	-	40.64	38.11	12.76	34.50

**802.11ax HEW160_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0792G	43.69	54.00	-10.31	13.27	3	Horizontal	149	1.50	-	30.42	38.62	9.23	34.58
PK	10.98G	52.77	74.00	-21.23	13.34	3	Horizontal	149	1.50	-	39.43	38.74	9.19	34.59
PK	16.60504G	57.98	68.20	-10.22	16.40	3	Horizontal	274	1.35	-	41.58	38.29	12.74	34.63



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV/m)	AF (dB/m)
Mode 1	Pass	AV	11.44138G	52.66	54.00	-1.34	12.73	3	Horizontal	321	2.14	-	39.93	38.82



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87397G	50.43	54.00	-3.57	3	Vertical	95	2.94	-
Mode 1	Pass	AV	7.30955G	39.99	54.00	-14.01	3	Vertical	166	2.69	-
Mode 1	Pass	AV	11.44364G	50.28	54.00	-3.72	3	Vertical	340	2.28	-
Mode 1	Pass	AV	17.16339G	49.66	68.20	-18.54	3	Vertical	174	2.15	-
Mode 1	Pass	PK	4.87395G	54.65	74.00	-19.35	3	Vertical	95	2.94	-
Mode 1	Pass	PK	7.30961G	51.20	74.00	-22.80	3	Vertical	166	2.69	-
Mode 1	Pass	PK	11.44527G	61.50	74.00	-12.50	3	Vertical	340	2.28	-
Mode 1	Pass	PK	17.16339G	57.50	68.20	-10.70	3	Vertical	174	2.15	-
Mode 1	Pass	AV	4.87402G	48.61	54.00	-5.39	3	Horizontal	132	2.79	-
Mode 1	Pass	AV	7.30987G	38.22	54.00	-15.78	3	Horizontal	98	2.36	-
Mode 1	Pass	AV	11.44138G	52.66	54.00	-1.34	3	Horizontal	321	2.14	-
Mode 1	Pass	AV	17.17251G	49.51	68.20	-18.69	3	Horizontal	161	1.31	-
Mode 1	Pass	PK	4.87397G	53.62	74.00	-20.38	3	Horizontal	132	2.79	-
Mode 1	Pass	PK	7.31081G	50.11	74.00	-23.89	3	Horizontal	98	2.36	-
Mode 1	Pass	PK	11.44095G	64.52	74.00	-9.48	3	Horizontal	321	2.14	-
Mode 1	Pass	PK	17.17251G	57.39	68.20	-10.81	3	Horizontal	162	1.31	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87397G	50.43	54.00	-3.57	3.76	3	Vertical	95	2.94	-	46.67	32.70	5.71	34.65
AV	7.30955G	39.99	54.00	-14.01	8.78	3	Vertical	166	2.69	-	31.21	36.74	6.82	34.78
AV	11.44364G	50.28	54.00	-3.72	12.72	3	Vertical	340	2.28	-	37.56	38.81	8.48	34.57
AV	17.16339G	49.66	68.20	-18.54	14.18	3	Vertical	174	2.15	-	35.48	38.19	10.21	34.22
PK	4.87395G	54.65	74.00	-19.35	3.76	3	Vertical	95	2.94	-	50.89	32.70	5.71	34.65
PK	7.30961G	51.20	74.00	-22.80	8.78	3	Vertical	166	2.69	-	42.42	36.74	6.82	34.78
PK	11.44527G	61.50	74.00	-12.50	12.72	3	Vertical	340	2.28	-	48.78	38.81	8.48	34.57
PK	17.16339G	57.50	68.20	-10.70	14.18	3	Vertical	174	2.15	-	43.32	38.19	10.21	34.22

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87402G	48.61	54.00	-5.39	3.76	3	Horizontal	132	2.79	-	44.85	32.70	5.71	34.65
AV	7.30987G	38.22	54.00	-15.78	8.78	3	Horizontal	98	2.36	-	29.44	36.74	6.82	34.78
AV	11.44138G	52.66	54.00	-1.34	12.73	3	Horizontal	321	2.14	-	39.93	38.82	8.48	34.57
AV	17.17251G	49.51	68.20	-18.69	14.22	3	Horizontal	161	1.31	-	35.29	38.22	10.22	34.22
PK	4.87397G	53.62	74.00	-20.38	3.76	3	Horizontal	132	2.79	-	49.86	32.70	5.71	34.65
PK	7.31081G	50.11	74.00	-23.89	8.78	3	Horizontal	98	2.36	-	41.33	36.74	6.82	34.78
PK	11.44095G	64.52	74.00	-9.48	12.73	3	Horizontal	321	2.14	-	51.79	38.82	8.48	34.57
PK	17.17251G	57.39	68.20	-10.81	14.22	3	Horizontal	162	1.31	-	43.17	38.22	10.22	34.22