


802.11b

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.86	40.58	3.03	37.55	54.00	-13.42	172	194 Average	Horizontal	
2 *	2462.00	99.91	61.85	38.06	54.00	45.91	172	194 Average	Horizontal	
3	2491.28	42.62	4.41	38.21	54.00	-11.38	172	194 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.15	40.52	2.98	37.54	54.00	-13.48	295	102 Average	Vertical	
2 *	2462.00	97.95	59.89	38.06	54.00	43.89	295	102 Average	Vertical	
3	2490.80	42.24	4.04	38.20	54.00	-11.76	295	102 Average	Vertical	


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.98	68.37	38.81	37.56	74.00	-5.63	157	289	Peak	Horizontal	
2 *	2412.00	104.13	66.41	37.72	74.00	30.13	184	289	Peak	Horizontal	
3	2882.59	53.56	15.25	38.31	74.00	-20.44	184	289	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.98	63.24	25.68	37.56	74.00	-10.76	348	187	Peak	Vertical	
2 *	2412.00	103.27	65.55	37.72	74.00	29.27	348	187	Peak	Vertical	
3	2899.65	51.91	13.29	38.62	74.00	-22.09	348	187	Peak	Vertical	


802.11g

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 2389.98	53.09	15.53	37.56	54.00	-0.91	157	209 Average	Horizontal	
2 * 2412.00	94.53	56.81	37.72	54.00	40.53	104	209 Average	Horizontal	
3 2802.59	42.07	3.76	38.31	54.00	-11.93	104	209 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 2389.98	50.42	12.86	37.56	54.00	-3.58	348	107 Average	Vertical	
2 * 2412.00	93.12	55.40	37.72	54.00	39.12	348	107 Average	Vertical	
3 2899.65	42.10	3.48	38.62	54.00	-11.90	348	107 Average	Vertical	


802.11g

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.86	51.28	13.64	37.56	74.00	-22.80	150		212 Peak	Horizontal	
2 *	2462.00	104.04	65.98	38.06	74.00	30.04	150		212 Peak	Horizontal	
3 !	2483.50	71.96	33.80	38.16	74.00	-2.04	150		212 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2369.60	50.72	13.30	37.42	74.00	-23.28	294		113 Peak	Vertical	
2 *	2462.00	102.30	64.24	38.06	74.00	28.30	294		113 Peak	Vertical	
3	2483.86	67.16	28.99	38.17	74.00	-6.84	294		113 Peak	Vertical	


802.11g

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.86	40.53	2.97	37.56	54.00	-13.47	150	212	Average	Horizontal	
2 *	2462.00	94.64	56.58	38.06	54.00	40.64	150	212	Average	Horizontal	
3 !	2483.50	53.66	15.50	38.16	54.00	-0.34	150	212	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.60	40.33	2.91	37.42	54.00	-13.67	294	113	Average	Vertical	
2 *	2462.00	91.96	53.90	38.06	54.00	37.96	294	113	Average	Vertical	
3 !	2483.86	49.13	10.96	38.17	54.00	-4.87	294	113	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak





Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.98	66.66	29.10	37.56	74.00	-7.34	292	206	Peak	Horizontal	
2 *	2412.00	103.97	66.25	37.72	74.00	29.97	125	206	Peak	Horizontal	
3	2633.09	52.59	14.55	38.04	74.00	-21.41	125	206	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.86	64.17	26.61	37.56	74.00	-9.83	308	105	Peak	Vertical	
2 *	2412.00	102.64	64.92	37.72	74.00	28.64	308	105	Peak	Vertical	
3	2896.00	52.00	13.40	38.60	74.00	-22.00	308	105	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average

Low Channel (Vertical) Average





Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 2389.98	53.46	15.90	37.56	54.00	-0.54	292	206	Average	Horizontal	
2 * 2412.00	94.74	57.82	37.72	54.00	40.74	125	206	Average	Horizontal	
3 2633.09	42.21	4.17	38.04	54.00	-11.79	125	206	Average	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 2389.86	50.77	13.21	37.56	54.00	-3.23	308	105	Average	Vertical	
2 * 2412.00	92.48	54.76	37.72	54.00	38.48	308	105	Average	Vertical	
3 2896.00	42.09	3.49	38.60	54.00	-11.91	308	105	Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	53.55	15.99	37.56	74.00	-20.45	149	208	Peak	Horizontal	
2 *	2462.00	104.28	66.22	38.06	74.00	30.28	149	208	Peak	Horizontal	
3 †	2483.81	73.46	35.29	38.17	74.00	-0.54	149	208	Peak	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2354.84	53.24	15.93	37.31	74.00	-20.76	296	115	Peak	Vertical	
2 *	2462.00	101.23	63.17	38.06	74.00	27.23	296	115	Peak	Vertical	
3	2483.50	65.20	27.84	38.16	74.00	-8.80	296	115	Peak	Vertical	


802.11n HT20

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2398.00	48.61	3.05	37.56	54.00	-13.39	149	288	Average	Horizontal	
2 *	2462.00	94.14	56.88	38.06	54.00	40.14	149	288	Average	Horizontal	
3 !	2483.81	53.49	15.32	38.17	54.00	-0.51	149	288	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2354.84	48.53	3.22	37.31	54.00	-13.47	296	115	Average	Vertical	
2 *	2462.00	91.45	53.39	38.06	54.00	37.45	296	115	Average	Vertical	
3 !	2483.50	48.42	10.26	38.16	54.00	-5.58	296	115	Average	Vertical	

802.11n HT40

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.39	65.14	27.50	37.56	74.00	-8.86	150	204	Peak	Horizontal	
2 *	2422.00	98.90	61.11	37.79	74.00	24.90	150	204	Peak	Horizontal	
3	2817.67	52.17	13.85	38.32	74.00	-21.83	150	204	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.63	62.71	25.15	37.56	74.00	-11.29	302	103	Peak	Vertical	
2 *	2422.00	98.00	61.01	37.79	74.00	24.00	302	103	Peak	Vertical	
3	2899.18	53.79	15.17	38.62	74.00	-20.21	302	103	Peak	Vertical	


802.11n HT40

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2389.39	53.70	16.14	37.56	54.00	-0.30	150	204	Average	Horizontal		
2 * 2422.00	88.97	51.18	37.79	54.00	34.97	150	204	Average	Horizontal		
3 2817.67	42.68	4.36	38.32	54.00	-11.32	150	204	Average	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2389.63	50.30	12.74	37.56	54.00	-3.70	302	103	Average	Vertical		
2 * 2422.00	86.97	49.18	37.79	54.00	32.97	302	103	Average	Vertical		
3 2899.18	42.73	4.11	38.62	54.00	-11.27	302	103	Average	Vertical		

802.11n HT40

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	55.90	18.34	37.56	74.00	-18.10	111	207		Peak	Horizontal	
2 *	2452.00	99.95	61.95	38.00	74.00	25.95	111	207		Peak	Horizontal	
3 !	2483.81	73.64	35.47	38.17	74.00	-0.36	107	207		Peak	Horizontal	

Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.82	54.26	16.72	37.54	74.00	-19.74	293	105		Peak	Vertical	
2 *	2452.00	99.83	61.83	38.00	74.00	25.83	293	105		Peak	Vertical	
3 !	2483.81	69.01	30.84	38.17	74.00	-4.99	293	105		Peak	Vertical	


802.11n HT40

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.80	42.23	4.67	37.56	54.00	-11.77	111	287	Average	Horizontal	
2 *	2452.80	89.77	51.77	38.00	54.00	35.77	111	287	Average	Horizontal	
3 !	2483.81	50.96	12.79	38.17	54.00	-3.04	187	287	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.82	41.11	3.57	37.54	54.00	-12.89	293	105	Average	Vertical	
2 *	2452.80	88.26	50.26	38.00	54.00	34.26	293	105	Average	Vertical	
3	2483.81	47.79	9.62	38.17	54.00	-6.21	293	105	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11n40

Low Channel (open) 9kHz~150kHz

Low Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.01	0.03	0.07	0.10	0.12	0.14
81.47	69.36	61.48	55.09	54.99	52.60
5.42	1.57	0.16	-2.69	-1.55	-2.80
76.05	67.79	61.32	57.78	56.54	55.40
126.20	116.98	110.80	107.95	106.25	104.48
-44.73	-47.62	-49.32	-52.86	-51.26	-51.80
100	100	100	100	100	100
270	122	42	269	89	228
QP	QP	QP	QP	QP	QP
Open	Open	Open	Open	Open	Open



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.25	4.39	13.09	19.34	25.24	28.62
62.35	48.38	51.42	49.39	53.00	53.98
11.59	11.86	13.47	11.89	13.10	12.49
50.76	36.52	37.95	37.50	39.90	41.49
99.59	21.12	18.00	20.11	16.50	15.52
-37.24	-21.12	-18.00	-20.11	-16.50	-15.52
100	100	100	100	100	100
96	211	297	178	103	208
QP	QP	QP	QP	QP	QP
Open	Open	Open	Open	Open	Open


802.11n40

Low Channel (Close) 9kHz~150kHz

Low Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	81.05	5.13	75.92	125.97	-44.92	100	120	QP	Close
2	0.04	67.44	0.59	66.85	116.06	-48.62	100	115	QP	Close
3	0.06	61.02	-0.86	61.88	111.35	-50.33	100	222	QP	Close
4	0.10	55.55	-2.34	57.89	108.02	-52.47	100	161	QP	Close
5	0.12	53.34	-3.20	56.54	106.25	-52.91	100	167	QP	Close
6	0.14	52.32	-3.11	55.43	104.52	-52.20	100	44	QP	Close




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.25	65.38	14.62	50.76	99.59	-34.21	100	147	QP	Close
2	5.36	48.40	11.92	36.48	69.50	-21.10	100	291	QP	Close
3	8.96	49.94	12.14	37.80	69.50	-19.56	100	3	QP	Close
4	14.40	50.17	12.31	37.86	69.50	-19.33	100	5	QP	Close
5	22.28	51.58	13.06	38.52	69.50	-17.92	100	13	QP	Close
6	28.29	53.74	12.42	41.32	69.50	-15.76	100	15	QP	Close

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
802.11n40
Low Channel (Horizontal)
Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	241.75	28.69	36.99	-8.30	46.00	-17.31	100	347 QP	Horizontal
2	269.88	35.46	42.85	-7.39	46.00	-10.54	100	251 QP	Horizontal
3	299.56	30.69	37.15	-6.46	46.00	-15.31	100	216 QP	Horizontal
4	399.47	29.26	33.48	-4.22	46.00	-16.74	100	245 QP	Horizontal
5	680.29	30.22	30.31	-0.09	46.00	-15.78	100	0 QP	Horizontal
6	810.17	31.43	29.49	1.94	46.00	-14.57	100	19 QP	Horizontal



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	166.19	25.59	32.60	-7.01	43.50	-17.91	100	345 QP	Vertical
2	263.09	29.68	37.50	-7.82	46.00	-16.32	100	126 QP	Vertical
3	399.47	34.45	38.67	-4.22	46.00	-11.55	100	76 QP	Vertical
4	566.51	28.44	30.43	-1.99	46.00	-17.56	100	176 QP	Vertical
5	695.61	30.01	29.77	0.24	46.00	-15.99	100	68 QP	Vertical
6	884.30	32.88	29.72	3.16	46.00	-13.12	100	360 QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6						
1	2	3	4	5	6						
MHz	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
4824.00	47.21	56.97	-9.76	54.00	-6.79	100	324	Average	Horizontal		
4824.00	50.00	59.85	-9.76	74.00	-23.91	100	324	Peak	Horizontal		
7236.00	59.19	66.49	-7.30	82.55	-23.36	100	257	Average	Horizontal		
7236.00	62.60	69.90	-7.30	85.33	-22.73	100	257	Peak	Horizontal		
12060.00	47.84	48.00	-0.16	54.00	-6.16	100	327	Average	Horizontal		
12060.00	53.61	53.77	-0.16	74.00	-20.39	100	327	Peak	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6						
1	2	3	4	5	6						
MHz	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
4824.00	46.98	56.74	-9.76	54.00	-7.02	355	360	Average	Vertical		
4824.00	49.81	59.57	-9.76	74.00	-24.19	355	360	Peak	Vertical		
7236.00	61.08	68.38	-7.30	80.61	-19.53	100	116	Average	Vertical		
7236.00	64.22	71.52	-7.30	83.55	-19.33	100	116	Peak	Vertical		
12060.00	50.07	50.23	-0.16	54.00	-3.93	117	245	Average	Vertical		
12060.00	55.29	55.45	-0.16	74.00	-18.71	117	245	Peak	Vertical		


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	45.73	55.40	-9.67	74.00	-28.27	300	274 Peak	Horizontal	
2	7311.00	52.09	59.34	-7.25	54.00	-1.91	400	250 Average	Horizontal	
3	7311.00	55.97	63.22	-7.25	74.00	-18.03	400	250 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	45.02	54.69	-9.67	74.00	-28.98	100	161 Peak	Vertical	
2	7311.00	52.64	59.89	-7.25	54.00	-1.36	100	102 Average	Vertical	
3	7311.00	56.61	63.86	-7.25	74.00	-17.39	100	102 Peak	Vertical	


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
4924.00	7386.00	7386.00
45.62	58.75	54.96
55.15	58.08	62.29
-9.53	-7.33	-7.33
74.00	54.00	74.00
-28.38	-3.25	-19.04
300	322	322
337	255	255
Peak	Average	Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
4924.00	7386.00	7386.00
44.98	53.26	56.75
54.43	68.59	64.88
-9.53	-7.33	-7.33
74.00	54.00	74.00
-29.18	-8.74	-17.25
300	105	105
147	105	105
Peak	Average	Peak
Vertical	Vertical	Vertical


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
7236.00	7236.00	12069.00
50.35	64.40	47.18
57.65	71.70	47.34
-7.30	-7.30	-0.16
84.13	74.53	74.00
-33.78	-10.13	-26.82
269	269	100
256	256	319
Average	Peak	Peak
Horizontal	Horizontal	Horizontal




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
7236.00	7236.00	12069.00	12069.00
50.90	65.43	38.53	55.12
58.20	72.73	38.69	55.28
-7.30	-7.30	-0.16	-0.16
73.12	83.27	54.00	74.00
-22.22	-17.84	-15.47	-18.88
100	100	117	117
116	116	244	244
Average	Peak	Average	Peak
Vertical	Vertical	Vertical	Vertical

802.11g
Middle Channel (Horizontal)
Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note							
	Freq	Level	Level	Factor	Line	Limit	cm	deg										
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg										
1	7311.00	51.33	58.58	-7.25	54.00	-2.67	490	249	Average	Horizontal								
2	7311.00	64.99	72.24	-7.25	74.00	-9.01	490	249	Peak	Horizontal								
3	12185.00	39.89	39.84	0.05	54.00	-14.11	100	310	Average	Horizontal								
4	12185.00	54.97	54.92	0.05	74.00	-19.03	100	310	Peak	Horizontal								



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note							
	Freq	Level	Level	Factor	Line	Limit	cm	deg										
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg										
1	7311.00	53.19	60.44	-7.25	54.00	-0.81	192	100	Average	Vertical								
2	7311.00	66.72	73.97	-7.25	74.00	-7.28	192	100	Peak	Vertical								
3	12185.00	43.21	43.16	0.05	54.00	-10.79	112	245	Average	Vertical								
4	12185.00	54.89	54.84	0.05	74.00	-19.11	112	245	Peak	Vertical								


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
7386.00	7386.00	12318.00
44.48	58.93	47.60
51.81	66.26	47.35
-7.33	-7.33	0.25
54.00	74.00	74.00
-9.52	-15.07	-26.40
276	276	100
253	253	257
Average	Peak	Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
7386.00	7386.00	12318.00	12318.00
46.92	61.61	36.56	52.68
54.25	68.94	36.31	52.43
-7.33	-7.33	0.25	0.25
54.00	74.00	54.00	74.00
-7.08	-12.39	-17.44	-21.32
100	100	114	114
104	104	244	244
Average	Peak	Average	Peak
Vertical	Vertical	Vertical	Vertical


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
7236.00	48.86	56.16	-7.30	74.74	-25.88	270	256	Average	Horizontal										
7236.00	63.05	70.35	-7.30	83.97	-20.92	270	256	Peak	Horizontal										



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MHz	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
7236.00	48.82	56.12	-7.30	72.48	-23.66	180	101	Average	Vertical										
7236.00	64.31	71.61	-7.30	82.64	-18.33	180	101	Peak	Vertical										

802.11n HT20

Middle Channel (Horizontal)

Middle Channel (Vertical)



Peak No.	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4874.00	44.68	54.35	-9.67	74.00	-29.32	100		290 Peak	Horizontal	
2	7311.00	51.90	59.15	-7.25	54.00	-2.10	110		258 Average	Horizontal	
3	7311.00	65.81	73.06	-7.25	54.00	-8.19	110		258 Peak	Horizontal	
4	12185.00	43.72	43.67	0.05	54.00	-10.28	100		328 Average	Horizontal	
5	12185.00	58.34	58.29	0.05	74.00	-15.66	100		328 Peak	Horizontal	

Peak No.	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	7311.00	53.35	60.60	-7.25	54.00	-0.65	100	116	116 Average	Vertical	
2	7311.00	67.16	74.41	-7.25	74.00	-0.84	100	116	116 Peak	Vertical	
3	12185.00	46.53	46.48	0.05	54.00	-7.47	113	244	244 Average	Vertical	
4	12185.00	61.92	61.87	0.05	74.00	-12.08	113	244	244 Peak	Vertical	


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
7386.00	7386.00
43.98	58.84
51.31	66.17
-7.33	-7.33
54.00	74.00
-18.02	-15.16
480	480
258	258
Average	Peak
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
7386.00	7386.00
46.02	61.08
53.35	68.41
-7.33	-7.33
54.00	74.00
-7.98	-12.92
180	180
107	107
Average	Peak
Vertical	Vertical


802.11n HT40

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7266.00	39.07	47.17	-7.30	54.00	-14.13	100	248 Average	Horizontal	
2	7266.00	54.07	61.37	-7.30	74.00	-19.93	100	248 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7266.00	41.08	49.18	-7.30	54.00	-12.12	100	100 Average	Vertical	
2	7266.00	55.05	63.15	-7.30	74.00	-16.15	100	100 Peak	Vertical	


802.11n HT40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Line	Line	Line									
Limit	Limit	Limit									
Over	Over	Over									
Limit	Limit	Limit									
Apos	Apos	Apos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	deg			
7311.00	46.28	53.53	-7.25	54.00	-7.72	187	255	Average	Horizontal		
7311.00	58.91	66.16	-7.25	74.00	-15.09	187	255	Peak	Horizontal		
9748.00	44.81	49.42	-4.61	83.34	-38.53	100	278	Peak	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Line	Line	Line									
Limit	Limit	Limit									
Over	Over	Over									
Limit	Limit	Limit									
Apos	Apos	Apos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	deg			
7311.00	47.05	54.30	-7.25	54.00	-6.95	286	101	Average	Vertical		
7311.00	59.95	67.20	-7.25	74.00	-14.05	286	101	Peak	Vertical		
9748.00	46.01	50.62	-4.61	81.98	-35.97	100	252	Peak	Vertical		


802.11n HT40

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
Level	Level
Factor	Factor
Line	Line
Limit	Limit
Over	Over
Limit	Limit
APos	APos
TPos	TPos
Remark	Remark
Pol/Phase	Pol/Phase
Note	Note
7356.00	7356.00
42.13	56.69
49.46	64.02
-7.33	-7.33
54.00	74.00
-11.87	-17.31
384	384
236	236
Average	Peak
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
Level	Level
Factor	Factor
Line	Line
Limit	Limit
Over	Over
Limit	Limit
APos	APos
TPos	TPos
Remark	Remark
Pol/Phase	Pol/Phase
Note	Note
7356.00	7356.00
43.21	56.67
50.54	64.20
-7.33	-7.33
54.00	74.00
-10.79	-17.13
100	100
101	101
Average	Peak
Vertical	Vertical

Mains Conducted Emission, 150kHz ~ 30MHz

