




802.11ax HE40

Low Channel (Horizontal) Average

Low Channel (Vertical) Average






Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.00	52.12	14.78	37.34	54.00	-1.88	100	202 Average	Horizontal
2 *	2422.00	98.72	61.23	37.49	54.00	44.72	100	202 Average	Horizontal
3	2492.06	43.16	5.50	37.66	54.00	-10.84	100	202 Average	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.99	50.04	12.70	37.34	54.00	-3.96	100	174 Average	Vertical
2 *	2422.00	97.13	59.64	37.49	54.00	43.13	100	174 Average	Vertical
3	2488.75	42.73	5.07	37.66	54.00	-11.27	100	174 Average	Vertical

802.11ax HE40

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average





Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.50	51.90	14.56	37.34	54.00	-2.10	139	199 Average	Horizontal
2	2437.00	102.75	65.19	37.56	54.00	46.75	139	199 Average	Horizontal
3	2483.85	52.76	15.11	37.65	54.00	-1.24	139	199 Average	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.50	50.22	12.88	37.34	54.00	-3.78	100	197 Average	Vertical
2	2437.00	100.89	63.33	37.56	54.00	46.89	100	197 Average	Vertical
3	2484.15	51.24	13.59	37.65	54.00	-2.76	100	197 Average	Vertical

802.11ax HE40

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.00	57.34	20.00	37.34	74.00	-16.66	163	202	Peak	Horizontal	
2 *	2452.00	113.36	75.74	37.62	74.00	39.36	163	202	Peak	Horizontal	
3	2484.50	64.12	26.46	37.66	74.00	-9.88	163	202	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.00	56.33	18.99	37.34	74.00	-17.67	100	172	Peak	Vertical	
2 *	2452.00	109.67	72.05	37.62	74.00	35.67	100	172	Peak	Vertical	
3	2484.15	61.65	24.00	37.65	74.00	-12.35	100	172	Peak	Vertical	


802.11ax HE40

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
1	2	3
1	2	3
2388.05	2452.00	2483.81
44.54	100.26	51.54
7.20	62.64	13.89
37.34	37.62	37.65
54.00	54.00	54.00
-9.46	46.26	-2.46
163	163	163
202	202	202
Average	Average	Average
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
1	2	3
1	2	3
2387.41	2452.00	2483.81
43.92	98.04	49.29
6.59	60.42	11.64
37.33	37.62	37.65
54.00	54.00	54.00
-10.08	46.04	-4.71
100	100	100
172	172	172
Average	Average	Average
Vertical	Vertical	Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Middle Channel(Open) 9kHz~150kHz

Middle Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	55.75	36.20	19.55	119.13	-63.38	100	0	Peak	Open	
2	0.06	41.51	22.22	19.29	111.82	-70.31	100	118	Peak	Open	
3	0.09	49.59	30.85	18.74	108.60	-59.01	100	156	Peak	Open	
4	0.10	39.59	21.06	18.53	107.56	-67.97	100	136	Peak	Open	
5	0.12	34.76	16.17	18.59	105.69	-70.93	100	9	Peak	Open	
6	0.13	35.25	16.64	18.61	105.20	-69.95	100	131	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.39	46.00	26.91	19.09	95.81	-49.81	100	129	Peak	Open	
2	1.16	37.74	18.66	19.08	66.28	-28.54	100	132	Peak	Open	
3	10.48	34.55	13.23	21.32	69.50	-34.95	100	149	Peak	Open	
4	13.70	34.92	13.19	21.73	69.50	-34.58	100	136	Peak	Open	
5	20.09	35.70	13.16	22.54	69.50	-33.80	100	265	Peak	Open	
6	23.28	37.38	14.71	22.67	69.50	-32.12	100	360	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	58.13	22.69	28.93	-6.24	40.00	-17.31	100	200 Peak	Horizontal
2	165.80	25.17	30.86	-5.69	43.50	-18.33	100	243 Peak	Horizontal
3	298.69	33.42	38.26	-4.84	46.00	-12.58	100	275 Peak	Horizontal
4	499.48	34.44	36.08	-1.64	46.00	-11.56	100	163 Peak	Horizontal
5	845.77	34.28	30.19	4.09	46.00	-11.72	200	171 Peak	Horizontal
6	928.22	33.21	27.86	5.35	46.00	-12.79	200	161 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	47.46	27.41	33.24	-5.83	40.00	-12.59	100	86 Peak	Vertical
2	199.75	27.94	36.64	-8.70	43.50	-15.56	100	279 Peak	Vertical
3	299.66	37.19	41.99	-4.80	46.00	-8.81	100	163 Peak	Vertical
4	498.51	30.47	32.14	-1.67	46.00	-15.53	100	152 Peak	Vertical
5	631.40	30.58	29.58	1.00	46.00	-15.42	100	64 Peak	Vertical
6	844.80	34.20	30.09	4.11	46.00	-11.80	100	353 Peak	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
43.31	74.00	-30.62	100	194	Average	Horizontal	
53.54	74.00	-30.39	100	194	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
46.45	74.00	-17.48	100	182	Average	Vertical	
54.68	74.00	-29.25	100	182	Peak	Vertical	


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note									
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	4874.000	33.33	43.20	-9.87	54.00	-20.67	139	178 Average	Horizontal										
2	4874.000	42.58	52.45	-9.87	74.00	-31.42	139	178 Peak	Horizontal										
3	7311.000	52.39	60.22	-7.83	54.00	-1.61	100	174 Average	Horizontal										
4	7311.000	56.44	64.27	-7.83	74.00	-17.56	100	174 Peak	Horizontal										



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note									
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	4874.000	46.47	56.34	-9.87	54.00	-7.53	303	166 Average	Vertical										
2	4874.000	49.68	59.55	-9.87	74.00	-24.32	303	166 Peak	Vertical										
3	7311.000	51.21	59.04	-7.83	54.00	-2.79	122	194 Average	Vertical										
4	7311.000	55.25	63.08	-7.83	74.00	-18.75	122	194 Peak	Vertical										


802.11b

High Channel (Horizontal)

High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322




1	2	3	4
Level	Read Level	Factor	Limit Line
dBuV/m	dBuV	dB/m	dBuV/m
4924.00	29.41	39.11	-9.70
4924.00	42.55	52.25	-9.70
7386.00	49.73	57.60	-7.87
7386.00	54.20	62.07	-7.87

Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dB	dB	cm	deg			
54.00	-24.59	100	360	Average	Horizontal	
74.00	-31.45	100	360	Peak	Horizontal	
54.00	-4.27	100	203	Average	Horizontal	
74.00	-19.80	100	203	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2	3	4
Level	Read Level	Factor	Limit Line
dBuV/m	dBuV	dB/m	dBuV/m
4924.00	45.18	54.88	-9.70
4924.00	49.38	59.08	-9.70
7386.00	49.54	57.41	-7.87
7386.00	54.54	62.41	-7.87

Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dB	dB	cm	deg			
54.00	-8.82	100	204	Average	Vertical	
74.00	-24.62	100	204	Peak	Vertical	
54.00	-4.46	100	202	Average	Vertical	
74.00	-19.46	100	202	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Line	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.000	28.61	38.54	-9.93	54.00	-25.39	180	251 Average	Horizontal	
2	4824.000	42.66	52.59	-9.93	74.00	-31.34	180	251 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Line	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.000	38.09	48.02	-9.93	54.00	-15.91	256	178 Average	Vertical	
2	4824.000	53.48	63.41	-9.93	74.00	-20.52	256	178 Peak	Vertical	


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2	3	4							
Read Level	Read Level	Read Level	Read Level							
Factor	Factor	Factor	Factor							
Limit Line	Limit Line	Limit Line	Limit Line							
Over Limit	Over Limit	Over Limit	Over Limit							
APos	APos	APos	APos							
TPos	TPos	TPos	TPos							
Remark	Remark	Remark	Remark							
Pol/Phase	Pol/Phase	Pol/Phase	Pol/Phase							
Note	Note	Note	Note							
1 4874.000	32.74	42.61	-9.87	54.00	-21.26	292	180	Average	Horizontal	
2 4874.000	48.27	58.14	-9.87	74.00	-25.73	292	180	Peak	Horizontal	
3 7311.000	47.50	55.33	-7.83	54.00	-6.50	100	191	Average	Horizontal	
4 7311.000	60.69	68.52	-7.83	74.00	-13.31	100	191	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2	3	4							
Read Level	Read Level	Read Level	Read Level							
Factor	Factor	Factor	Factor							
Limit Line	Limit Line	Limit Line	Limit Line							
Over Limit	Over Limit	Over Limit	Over Limit							
APos	APos	APos	APos							
TPos	TPos	TPos	TPos							
Remark	Remark	Remark	Remark							
Pol/Phase	Pol/Phase	Pol/Phase	Pol/Phase							
Note	Note	Note	Note							
1 4874.000	48.57	58.44	-9.87	54.00	-5.43	100	172	Average	Vertical	
2 4874.000	63.27	73.14	-9.87	74.00	-10.73	100	172	Peak	Vertical	
3 7311.000	47.60	55.43	-7.83	54.00	-6.40	107	192	Average	Vertical	
4 7311.000	60.44	68.27	-7.83	74.00	-13.56	107	192	Peak	Vertical	

802.11g

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.000	29.13	38.83	-9.70	54.00	-24.87	300	328 Average	Horizontal	
2	4924.000	42.33	52.03	-9.70	74.00	-31.67	300	328 Peak	Horizontal	
3	7386.000	47.57	55.44	-7.87	54.00	-6.43	100	175 Average	Horizontal	
4	7386.000	62.24	70.11	-7.87	74.00	-11.76	100	175 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.000	35.82	45.52	-9.70	54.00	-18.18	100	177 Average	Vertical	
2	4924.000	51.66	61.36	-9.70	74.00	-22.34	100	177 Peak	Vertical	
3	7386.000	48.25	56.12	-7.87	54.00	-5.75	100	190 Average	Vertical	
4	7386.000	63.12	70.99	-7.87	74.00	-10.88	100	190 Peak	Vertical	


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.000	31.37	41.30	-9.93	54.00	-22.63	110	93	Average	Horizontal	
2	4824.000	41.70	51.63	-9.93	74.00	-32.30	110	93	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.000	42.04	51.97	-9.93	54.00	-11.96	116	161	Average	Vertical	
2	4824.000	46.44	56.37	-9.93	74.00	-27.56	116	161	Peak	Vertical	

802.11ax HE20

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note									
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	4874.000	33.01	42.88	-9.87	54.00	-20.99	180	181 Average	Horizontal										
2	4874.000	43.71	53.58	-9.87	74.00	-30.29	180	191 Peak	Horizontal										
3	7311.000	49.23	57.06	-7.83	54.00	-4.77	149	178 Average	Horizontal										
4	7311.000	56.91	64.74	-7.83	74.00	-17.09	149	178 Peak	Horizontal										

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note									
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	4874.000	48.62	58.49	-9.87	54.00	-5.38	284	175 Average	Vertical										
2	4874.000	58.11	59.98	-9.87	74.00	-23.89	284	175 Peak	Vertical										
3	7311.000	49.02	56.85	-7.83	54.00	-4.98	182	194 Average	Vertical										
4	7311.000	56.50	64.33	-7.83	74.00	-17.50	182	194 Peak	Vertical										


802.11ax HE20

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7386.000	45.66	53.53	-7.87	54.00	-8.34	129	178 Average	Horizontal	
2	7386.000	54.89	62.76	-7.87	74.00	-19.11	129	178 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	7386.000	45.88	53.75	-7.87	54.00	-8.12	100	193 Average	Vertical	
2	7386.000	54.11	61.98	-7.87	74.00	-19.89	100	193 Peak	Vertical	


802.11ax HE40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
4844.00	43.13	29.55	39.41	-9.86	54.00	-24.45	385	360	Average	Horizontal									
4844.00	43.13	52.99	-9.86	74.00	-30.87	385	360	Peak	Horizontal										



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note								
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
4844.00	42.87	29.67	39.53	-9.86	54.00	-24.33	380	286	Average	Vertical									
4844.00	42.87	52.73	-9.86	74.00	-31.13	380	286	Peak	Vertical										


802.11ax HE40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4								
Level	Level	Level	Level								
Factor	Factor	Factor	Factor								
Limit	Limit	Limit	Limit								
Over	Over	Over	Over								
Line	Line	Line	Line								
Limit	Limit	Limit	Limit								
Apos	Apos	Apos	Apos								
TPos	TPos	TPos	TPos								
Remark	Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note	Note								
1	4874.00	29.30	39.07	-9.87	54.00	-24.80	238	0	Average	Horizontal	
2	4874.00	42.26	52.13	-9.87	74.00	-31.74	238	0	Peak	Horizontal	
3	7311.00	31.18	39.01	-7.83	74.00	-42.82	100	173	Peak	Horizontal	
4	7311.00	46.36	54.19	-7.83	74.00	-27.64	100	173	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4								
Level	Level	Level	Level								
Factor	Factor	Factor	Factor								
Limit	Limit	Limit	Limit								
Over	Over	Over	Over								
Line	Line	Line	Line								
Limit	Limit	Limit	Limit								
Apos	Apos	Apos	Apos								
TPos	TPos	TPos	TPos								
Remark	Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note	Note								
1	4874.00	29.14	39.01	-9.87	54.00	-24.86	100	322	Average	Vertical	
2	4874.00	42.10	51.97	-9.87	74.00	-31.90	100	322	Peak	Vertical	
3	7311.00	30.93	38.76	-7.83	54.00	-23.67	400	360	Average	Vertical	
4	7311.00	43.97	51.80	-7.83	74.00	-30.63	400	360	Peak	Vertical	


802.11ax HE40

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2
4984.00	4984.00
29.04	42.49
38.89	52.34
-9.85	-9.85
54.00	74.00
-24.96	-31.51
180	180
212	212
Average	Peak
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



1	2
4984.00	4984.00
29.02	42.14
38.87	51.99
-9.85	-9.85
54.00	74.00
-24.98	-31.86
200	200
140	140
Average	Peak
Vertical	Vertical

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)


(Neutral)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor	Limit Line (dB)	Over Limit (dB)	Remark	PoI/Phase
1	0.17	38.38	28.76	9.62	54.97	-16.59	Average	line1
2	0.17	57.74	48.12	9.62	64.97	-7.23	QP	line1
3	0.21	17.66	8.04	9.62	53.35	-35.69	Average	line1
4	0.21	46.03	36.41	9.62	63.35	-17.32	QP	line1
5	4.13	22.33	12.65	9.68	46.00	-23.67	Average	line1
6	4.13	30.46	20.78	9.68	56.00	-25.54	QP	line1
7	8.00	19.14	9.40	9.74	50.00	-30.86	Average	line1
8	8.00	27.40	17.66	9.74	60.00	-32.60	QP	line1
9	10.53	24.08	14.32	9.76	50.00	-25.92	Average	line1
10	10.53	29.24	19.48	9.76	60.00	-30.76	QP	line1
11	25.70	20.14	10.40	9.74	50.00	-29.86	Average	line1
12	25.70	25.40	15.66	9.74	60.00	-34.60	QP	line1



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor	Limit Line (dB)	Over Limit (dB)	Remark	PoI/Phase
1	0.16	36.31	26.69	9.62	55.34	-19.03	Average	neutral
2	0.16	56.75	47.13	9.62	65.34	-8.59	QP	neutral
3	0.21	28.74	19.12	9.62	53.35	-24.61	Average	neutral
4	0.21	49.76	40.14	9.62	63.35	-13.59	QP	neutral
5	4.05	20.85	11.16	9.69	46.00	-25.15	Average	neutral
6	4.05	28.71	19.02	9.69	56.00	-27.29	QP	neutral
7	8.67	28.21	18.44	9.77	50.00	-21.79	Average	neutral
8	8.67	34.83	25.06	9.77	60.00	-25.17	QP	neutral
9	17.69	19.61	9.77	9.84	50.00	-30.39	Average	neutral
10	17.69	25.93	16.09	9.84	60.00	-34.07	QP	neutral
11	25.96	21.08	11.21	9.87	50.00	-28.92	Average	neutral
12	25.96	27.48	17.53	9.87	60.00	-32.60	QP	neutral