


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9248G | 48.37 | 68.20 | -19.83 | 7.23 | 3 | Vertical | 17 | 2.38 | 41.14 | 34.30 | 7.46 | 34.53 |
| AV | 5.9659G | 97.43 | Inf | -Inf | 7.39 | 3 | Vertical | 17 | 2.38 | 90.04 | 34.27 | 7.64 | 34.52 |
| PK | 5.9152G | 59.54 | 88.20 | -28.66 | 7.19 | 3 | Vertical | 17 | 2.38 | 52.35 | 34.30 | 7.42 | 34.53 |
| PK | 5.9662G | 107.17 | Inf | -Inf | 7.39 | 3 | Vertical | 17 | 2.38 | 99.78 | 34.27 | 7.64 | 34.52 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9239G | 48.29 | 68.20 | -19.91 | 7.23 | 3 | Horizontal | 100 | 2.94 | 41.06 | 34.30 | 7.46 | 34.53 |
| AV | 5.9662G | 91.39 | Inf | -Inf | 7.39 | 3 | Horizontal | 100 | 2.94 | 84.00 | 34.27 | 7.64 | 34.52 |
| PK | 5.9095G | 59.70 | 88.20 | -28.50 | 7.16 | 3 | Horizontal | 100 | 2.94 | 52.54 | 34.30 | 7.39 | 34.53 |
| PK | 5.9662G | 100.42 | Inf | -Inf | 7.39 | 3 | Horizontal | 100 | 2.94 | 93.03 | 34.27 | 7.64 | 34.52 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.93412G | 42.87 | 54.00 | -11.13 | 13.37 | 3 | Vertical | 301 | 2.91 | 29.50 | 38.57 | 9.51 | 34.71 |
| PK | 11.93171G | 53.92 | 74.00 | -20.08 | 13.36 | 3 | Vertical | 301 | 2.91 | 40.56 | 38.56 | 9.51 | 34.71 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.9343G | 42.90 | 54.00 | -11.10 | 13.37 | 3 | Horizontal | 101 | 1.04 | 29.53 | 38.57 | 9.51 | 34.71 |
| PK | 11.92713G | 53.84 | 74.00 | -20.16 | 13.35 | 3 | Horizontal | 101 | 1.04 | 40.49 | 38.55 | 9.51 | 34.71 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6125MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9132G | 48.10 | 68.20 | -20.10 | 6.94 | 3 | Vertical | 144 | 2.51 | 41.16 | 34.30 | 7.41 | 34.77 |
| AV | 6.1238G | 97.99 | Inf | -Inf | 6.69 | 3 | Vertical | 144 | 2.51 | 90.90 | 34.00 | 7.44 | 34.75 |
| PK | 5.8958G | 59.81 | 88.20 | -28.39 | 6.84 | 3 | Vertical | 144 | 2.51 | 52.97 | 34.28 | 7.33 | 34.77 |
| PK | 6.1244G | 106.88 | Inf | -Inf | 6.69 | 3 | Vertical | 144 | 2.51 | 100.19 | 34.00 | 7.44 | 34.75 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6125MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9228G | 48.09 | 68.20 | -20.11 | 6.98 | 3 | Horizontal | 30 | 1.03 | 41.11 | 34.30 | 7.45 | 34.77 |
| AV | 6.1244G | 86.54 | Inf | -Inf | 6.69 | 3 | Horizontal | 30 | 1.03 | 79.85 | 34.00 | 7.44 | 34.75 |
| PK | 5.8826G | 59.13 | 88.20 | -29.07 | 6.73 | 3 | Horizontal | 30 | 1.03 | 52.40 | 34.23 | 7.27 | 34.77 |
| PK | 6.1244G | 96.70 | Inf | -Inf | 6.69 | 3 | Horizontal | 30 | 1.03 | 90.01 | 34.00 | 7.44 | 34.75 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6125MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.24848G | 43.96 | 54.00 | -10.04 | 14.06 | 3 | Vertical | 194 | 1.88 | 29.90 | 39.00 | 9.66 | 34.60 |
| PK | 12.25296G | 55.75 | 74.00 | -18.25 | 14.06 | 3 | Vertical | 194 | 1.88 | 41.69 | 38.99 | 9.66 | 34.59 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6125MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.25012G | 43.96 | 54.00 | -10.04 | 14.07 | 3 | Horizontal | 255 | 1.88 | 29.89 | 39.00 | 9.66 | 34.59 |
| PK | 12.25231G | 55.86 | 74.00 | -18.14 | 14.07 | 3 | Horizontal | 255 | 1.88 | 41.79 | 39.00 | 9.66 | 34.59 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.919G | 48.35 | 68.20 | -19.85 | 7.20 | 3 | Vertical | 141 | 2.62 | 41.15 | 34.30 | 7.43 | 34.53 |
| AV | 6.1638G | 98.01 | Inf | -Inf | 6.99 | 3 | Vertical | 141 | 2.62 | 91.02 | 34.16 | 7.33 | 34.50 |
| PK | 5.8818G | 59.16 | 88.20 | -29.04 | 6.97 | 3 | Vertical | 141 | 2.62 | 52.19 | 34.23 | 7.27 | 34.53 |
| PK | 6.1638G | 106.27 | Inf | -Inf | 6.99 | 3 | Vertical | 141 | 2.62 | 99.28 | 34.16 | 7.33 | 34.50 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.8992G | 48.23 | 68.20 | -19.97 | 7.12 | 3 | Horizontal | 29 | 1.17 | 41.11 | 34.30 | 7.35 | 34.53 |
| AV | 6.1644G | 87.05 | Inf | -Inf | 6.99 | 3 | Horizontal | 29 | 1.17 | 80.06 | 34.16 | 7.33 | 34.50 |
| PK | 5.9052G | 59.88 | 88.20 | -28.32 | 7.14 | 3 | Horizontal | 29 | 1.17 | 52.74 | 34.30 | 7.37 | 34.53 |
| PK | 6.1638G | 96.85 | Inf | -Inf | 6.99 | 3 | Horizontal | 29 | 1.17 | 89.86 | 34.16 | 7.33 | 34.50 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.33381G | 43.84 | 54.00 | -10.16 | 14.10 | 3 | Vertical | 49 | 2.08 | 29.74 | 38.90 | 9.70 | 34.50 |
| PK | 12.32844G | 55.48 | 74.00 | -18.52 | 14.10 | 3 | Vertical | 49 | 2.08 | 41.38 | 38.90 | 9.70 | 34.50 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.32765G | 43.88 | 54.00 | -10.12 | 14.10 | 3 | Horizontal | 62 | 2.64 | 29.78 | 38.90 | 9.70 | 34.50 |
| PK | 12.33466G | 54.34 | 74.00 | -19.66 | 14.10 | 3 | Horizontal | 62 | 2.64 | 40.24 | 38.90 | 9.70 | 34.50 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6245MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.915G | 48.04 | 68.20 | -20.16 | 6.95 | 3 | Vertical | 143 | 2.78 | 41.09 | 34.30 | 7.42 | 34.77 |
| AV | 6.2438G | 97.52 | Inf | -Inf | 7.03 | 3 | Vertical | 143 | 2.78 | 90.49 | 34.39 | 7.38 | 34.74 |
| PK | 5.8646G | 59.62 | 88.20 | -28.58 | 6.58 | 3 | Vertical | 143 | 2.78 | 53.04 | 34.16 | 7.19 | 34.77 |
| PK | 6.2438G | 107.64 | Inf | -Inf | 7.03 | 3 | Vertical | 143 | 2.78 | 100.61 | 34.39 | 7.38 | 34.74 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6245MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9186G | 48.03 | 68.20 | -20.17 | 6.96 | 3 | Horizontal | 100 | 2.92 | 41.07 | 34.30 | 7.43 | 34.77 |
| AV | 6.2474G | 88.18 | Inf | -Inf | 7.04 | 3 | Horizontal | 100 | 2.92 | 81.14 | 34.39 | 7.39 | 34.74 |
| PK | 5.8934G | 59.10 | 88.20 | -29.10 | 6.82 | 3 | Horizontal | 100 | 2.92 | 52.28 | 34.27 | 7.32 | 34.77 |
| PK | 6.2486G | 97.09 | Inf | -Inf | 7.06 | 3 | Horizontal | 100 | 2.92 | 90.03 | 34.40 | 7.40 | 34.74 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6245MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.49198G | 43.87 | 54.00 | -10.13 | 14.34 | 3 | Vertical | 95 | 2.94 | 29.53 | 38.99 | 9.79 | 34.44 |
| PK | 12.49021G | 56.36 | 74.00 | -17.64 | 14.32 | 3 | Vertical | 95 | 2.94 | 42.04 | 38.99 | 9.78 | 34.45 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6245MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.48941G | 43.84 | 54.00 | -10.16 | 14.32 | 3 | Horizontal | 101 | 1.69 | 29.52 | 38.99 | 9.78 | 34.45 |
| PK | 12.49304G | 55.78 | 74.00 | -18.22 | 14.34 | 3 | Horizontal | 101 | 1.69 | 41.44 | 38.99 | 9.79 | 34.44 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9082G | 48.15 | 68.20 | -20.05 | 6.92 | 3 | Vertical | 155 | 2.34 | 41.23 | 34.30 | 7.39 | 34.77 |
| AV | 6.4038G | 97.54 | Inf | -Inf | 8.11 | 3 | Vertical | 155 | 2.34 | 89.43 | 34.91 | 7.91 | 34.71 |
| PK | 5.8746G | 59.27 | 88.20 | -28.93 | 6.67 | 3 | Vertical | 155 | 2.34 | 52.60 | 34.20 | 7.24 | 34.77 |
| PK | 6.4026G | 105.47 | Inf | -Inf | 8.11 | 3 | Vertical | 155 | 2.34 | 97.36 | 34.91 | 7.91 | 34.71 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.919G | 48.05 | 68.20 | -20.15 | 6.96 | 3 | Horizontal | 190 | 2.90 | 41.09 | 34.30 | 7.43 | 34.77 |
| AV | 6.4038G | 88.69 | Inf | -Inf | 8.11 | 3 | Horizontal | 190 | 2.90 | 80.58 | 34.91 | 7.91 | 34.71 |
| PK | 5.8278G | 58.86 | 88.20 | -29.34 | 6.27 | 3 | Horizontal | 190 | 2.90 | 52.59 | 34.01 | 7.03 | 34.77 |
| PK | 6.4038G | 98.48 | Inf | -Inf | 8.11 | 3 | Horizontal | 190 | 2.90 | 90.37 | 34.91 | 7.91 | 34.71 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.81213G | 44.60 | 68.20 | -23.60 | 15.46 | 3 | Vertical | 0 | 2.90 | 29.14 | 39.52 | 9.95 | 34.01 |
| PK | 12.81238G | 56.46 | 88.20 | -31.74 | 15.46 | 3 | Vertical | 0 | 2.90 | 41.00 | 39.52 | 9.95 | 34.01 |

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.80503G | 44.60 | 68.20 | -23.60 | 15.44 | 3 | Horizontal | 355 | 2.11 | 29.16 | 39.51 | 9.95 | 34.02 |
| PK | 12.80885G | 56.68 | 88.20 | -31.52 | 15.46 | 3 | Horizontal | 355 | 2.11 | 41.22 | 39.52 | 9.95 | 34.01 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.917G | 48.08 | 68.20 | -20.12 | 6.95 | 3 | Vertical | 157 | 2.58 | 41.13 | 34.30 | 7.42 | 34.77 |
| AV | 6.4438G | 97.36 | Inf | -Inf | 8.08 | 3 | Vertical | 157 | 2.58 | 89.28 | 34.99 | 7.80 | 34.71 |
| PK | 5.9062G | 59.82 | 88.20 | -28.38 | 6.91 | 3 | Vertical | 157 | 2.58 | 52.91 | 34.30 | 7.38 | 34.77 |
| PK | 6.4426G | 106.26 | Inf | -Inf | 8.08 | 3 | Vertical | 157 | 2.58 | 98.18 | 34.99 | 7.80 | 34.71 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9182G | 48.11 | 68.20 | -20.09 | 6.96 | 3 | Horizontal | 84 | 2.75 | 41.15 | 34.30 | 7.43 | 34.77 |
| AV | 6.4438G | 88.84 | Inf | -Inf | 8.08 | 3 | Horizontal | 84 | 2.75 | 80.76 | 34.99 | 7.80 | 34.71 |
| PK | 5.8942G | 59.20 | 88.20 | -29.00 | 6.83 | 3 | Horizontal | 84 | 2.75 | 52.37 | 34.28 | 7.32 | 34.77 |
| PK | 6.4438G | 96.85 | Inf | -Inf | 8.08 | 3 | Horizontal | 84 | 2.75 | 88.77 | 34.99 | 7.80 | 34.71 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.88593G | 44.93 | 68.20 | -23.27 | 15.75 | 3 | Vertical | 323 | 1.99 | 29.18 | 39.67 | 9.99 | 33.91 |
| PK | 12.89228G | 57.39 | 88.20 | -30.81 | 15.77 | 3 | Vertical | 323 | 1.99 | 41.62 | 39.68 | 9.99 | 33.90 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.89068G | 44.87 | 68.20 | -23.33 | 15.77 | 3 | Horizontal | 86 | 2.52 | 29.10 | 39.68 | 9.99 | 33.90 |
| PK | 12.89243G | 56.86 | 88.20 | -31.34 | 15.77 | 3 | Horizontal | 86 | 2.52 | 41.09 | 39.68 | 9.99 | 33.90 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9068G | 48.10 | 68.20 | -20.10 | 6.91 | 3 | Vertical | 155 | 2.57 | 41.19 | 34.30 | 7.38 | 34.77 |
| AV | 6.4836G | 97.73 | Inf | -Inf | 7.99 | 3 | Vertical | 155 | 2.57 | 89.74 | 35.00 | 7.69 | 34.70 |
| AV | 7.1528G | 50.70 | 68.20 | -17.50 | 9.70 | 3 | Vertical | 155 | 2.57 | 41.00 | 36.61 | 7.89 | 34.80 |
| PK | 5.8676G | 58.45 | 88.20 | -29.75 | 6.61 | 3 | Vertical | 155 | 2.57 | 51.84 | 34.17 | 7.21 | 34.77 |
| PK | 6.485G | 107.58 | Inf | -Inf | 7.99 | 3 | Vertical | 155 | 2.57 | 99.59 | 35.00 | 7.69 | 34.70 |
| PK | 7.1724G | 61.38 | 88.20 | -26.82 | 9.67 | 3 | Vertical | 155 | 2.57 | 51.71 | 36.64 | 7.83 | 34.80 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9082G | 48.10 | 68.20 | -20.10 | 6.92 | 3 | Horizontal | 102 | 2.48 | 41.18 | 34.30 | 7.39 | 34.77 |
| AV | 6.4836G | 89.27 | Inf | -Inf | 7.99 | 3 | Horizontal | 102 | 2.48 | 81.28 | 35.00 | 7.69 | 34.70 |
| AV | 7.1542G | 50.73 | 68.20 | -17.47 | 9.70 | 3 | Horizontal | 102 | 2.48 | 41.03 | 36.61 | 7.89 | 34.80 |
| PK | 5.918G | 58.94 | 88.20 | -29.26 | 6.96 | 3 | Horizontal | 102 | 2.48 | 51.98 | 34.30 | 7.43 | 34.77 |
| PK | 6.4822G | 98.52 | Inf | -Inf | 7.99 | 3 | Horizontal | 102 | 2.48 | 90.53 | 35.00 | 7.69 | 34.70 |
| PK | 7.15G | 61.17 | 88.20 | -27.03 | 9.70 | 3 | Horizontal | 102 | 2.48 | 51.47 | 36.60 | 7.90 | 34.80 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.96852G | 44.91 | 68.20 | -23.29 | 15.94 | 3 | Vertical | 249 | 1.38 | 28.97 | 39.70 | 10.03 | 33.79 |
| PK | 12.97248G | 56.92 | 88.20 | -31.28 | 15.95 | 3 | Vertical | 249 | 1.38 | 40.97 | 39.70 | 10.04 | 33.79 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.96739G | 44.87 | 68.20 | -23.33 | 15.93 | 3 | Horizontal | 136 | 2.55 | 28.94 | 39.70 | 10.03 | 33.80 |
| PK | 12.96995G | 57.03 | 88.20 | -31.17 | 15.94 | 3 | Horizontal | 136 | 2.55 | 41.09 | 39.70 | 10.03 | 33.79 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9216G | 47.59 | 68.20 | -20.61 | 6.98 | 3 | Vertical | 333 | 2.52 | 40.61 | 34.30 | 7.45 | 34.77 |
| AV | 6.5278G | 97.51 | Inf | -Inf | 8.09 | 3 | Vertical | 333 | 2.52 | 89.42 | 35.22 | 7.57 | 34.70 |
| AV | 7.2054G | 50.40 | 68.20 | -17.80 | 9.64 | 3 | Vertical | 333 | 2.52 | 40.76 | 36.71 | 7.74 | 34.81 |
| PK | 5.9202G | 58.26 | 88.20 | -29.94 | 6.97 | 3 | Vertical | 333 | 2.52 | 51.29 | 34.30 | 7.44 | 34.77 |
| PK | 6.518G | 106.72 | Inf | -Inf | 8.04 | 3 | Vertical | 333 | 2.52 | 98.68 | 35.14 | 7.60 | 34.70 |
| PK | 7.1466G | 61.42 | 88.20 | -26.78 | 9.69 | 3 | Vertical | 333 | 2.52 | 51.73 | 36.58 | 7.91 | 34.80 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9216G | 47.68 | 68.20 | -20.52 | 6.98 | 3 | Horizontal | 359 | 2.96 | 40.70 | 34.30 | 7.45 | 34.77 |
| AV | 6.5222G | 88.79 | Inf | -Inf | 8.06 | 3 | Horizontal | 359 | 2.96 | 80.73 | 35.18 | 7.58 | 34.70 |
| AV | 7.2166G | 50.46 | 68.20 | -17.74 | 9.67 | 3 | Horizontal | 359 | 2.96 | 40.79 | 36.73 | 7.75 | 34.81 |
| PK | 5.9076G | 58.64 | 88.20 | -29.56 | 6.91 | 3 | Horizontal | 359 | 2.96 | 51.73 | 34.30 | 7.38 | 34.77 |
| PK | 6.5236G | 97.92 | Inf | -Inf | 8.07 | 3 | Horizontal | 359 | 2.96 | 89.85 | 35.19 | 7.58 | 34.70 |
| PK | 7.1676G | 61.22 | 88.20 | -26.98 | 9.68 | 3 | Horizontal | 359 | 2.96 | 51.54 | 36.64 | 7.84 | 34.80 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.05458G | 44.78 | 68.20 | -23.42 | 16.04 | 3 | Vertical | 313 | 1.08 | 28.74 | 39.65 | 10.08 | 33.69 |
| PK | 13.05062G | 55.46 | 88.20 | -32.74 | 16.04 | 3 | Vertical | 313 | 1.08 | 39.42 | 39.65 | 10.08 | 33.69 |

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.05066G | 44.79 | 68.20 | -23.41 | 16.04 | 3 | Horizontal | 274 | 2.45 | 28.75 | 39.65 | 10.08 | 33.69 |
| PK | 13.04515G | 57.26 | 88.20 | -30.94 | 16.02 | 3 | Horizontal | 274 | 2.45 | 41.24 | 39.65 | 10.07 | 33.70 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.5674G | 97.23 | Inf | -Inf | 8.22 | 3 | Vertical | 329 | 2.34 | 89.01 | 35.47 | 7.46 | 34.71 |
| AV | 7.1578G | 50.45 | 68.20 | -17.75 | 9.70 | 3 | Vertical | 329 | 2.34 | 40.75 | 36.62 | 7.88 | 34.80 |
| PK | 6.5674G | 105.00 | Inf | -Inf | 8.22 | 3 | Vertical | 329 | 2.34 | 96.78 | 35.47 | 7.46 | 34.71 |
| PK | 7.1254G | 61.47 | 88.20 | -26.73 | 9.64 | 3 | Vertical | 329 | 2.34 | 51.83 | 36.45 | 7.99 | 34.80 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.5638G | 87.92 | Inf | -Inf | 8.22 | 3 | Horizontal | 85 | 2.75 | 79.70 | 35.46 | 7.47 | 34.71 |
| AV | 7.1626G | 50.47 | 68.20 | -17.73 | 9.69 | 3 | Horizontal | 85 | 2.75 | 40.78 | 36.63 | 7.86 | 34.80 |
| PK | 6.5638G | 95.64 | Inf | -Inf | 8.22 | 3 | Horizontal | 85 | 2.75 | 87.42 | 35.46 | 7.47 | 34.71 |
| PK | 7.129G | 60.95 | 88.20 | -27.25 | 9.64 | 3 | Horizontal | 85 | 2.75 | 51.31 | 36.47 | 7.97 | 34.80 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.12648G | 44.94 | 68.20 | -23.26 | 16.11 | 3 | Vertical | 42 | 2.82 | 28.83 | 39.60 | 10.12 | 33.61 |
| PK | 13.12514G | 55.84 | 88.20 | -32.36 | 16.11 | 3 | Vertical | 42 | 2.82 | 39.73 | 39.60 | 10.12 | 33.61 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.125G | 44.95 | 68.20 | -23.25 | 16.11 | 3 | Horizontal | 276 | 1.28 | 28.84 | 39.60 | 10.12 | 33.61 |
| PK | 13.12572G | 56.68 | 88.20 | -31.52 | 16.11 | 3 | Horizontal | 276 | 1.28 | 40.57 | 39.60 | 10.12 | 33.61 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.684G | 97.42 | Inf | -Inf | 8.35 | 3 | Vertical | 321 | 2.38 | 89.07 | 35.97 | 7.11 | 34.73 |
| AV | 7.178G | 50.52 | 68.20 | -17.68 | 9.67 | 3 | Vertical | 321 | 2.38 | 40.85 | 36.66 | 7.81 | 34.80 |
| PK | 6.686G | 105.21 | Inf | -Inf | 8.34 | 3 | Vertical | 321 | 2.38 | 96.87 | 35.97 | 7.10 | 34.73 |
| PK | 7.179G | 61.93 | 88.20 | -26.27 | 9.65 | 3 | Vertical | 321 | 2.38 | 52.28 | 36.66 | 7.80 | 34.81 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.684G | 89.97 | Inf | -Inf | 8.35 | 3 | Horizontal | 342 | 2.98 | 81.62 | 35.97 | 7.11 | 34.73 |
| AV | 7.165G | 50.51 | 68.20 | -17.69 | 9.68 | 3 | Horizontal | 342 | 2.98 | 40.83 | 36.63 | 7.85 | 34.80 |
| PK | 6.682G | 98.18 | Inf | -Inf | 8.34 | 3 | Horizontal | 342 | 2.98 | 89.84 | 35.96 | 7.11 | 34.73 |
| PK | 7.176G | 61.52 | 88.20 | -26.68 | 9.66 | 3 | Horizontal | 342 | 2.98 | 51.86 | 36.65 | 7.81 | 34.80 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.37367G | 45.03 | 54.00 | -8.97 | 16.85 | 3 | Vertical | 248 | 2.15 | 28.18 | 39.95 | 10.24 | 33.34 |
| PK | 13.37178G | 55.99 | 74.00 | -18.01 | 16.84 | 3 | Vertical | 248 | 2.15 | 39.15 | 39.94 | 10.24 | 33.34 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.371G | 45.00 | 54.00 | -9.00 | 16.84 | 3 | Horizontal | 175 | 1.30 | 28.16 | 39.94 | 10.24 | 33.34 |
| PK | 13.36691G | 55.19 | 74.00 | -18.81 | 16.82 | 3 | Horizontal | 175 | 1.30 | 38.37 | 39.93 | 10.24 | 33.35 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




13/07/2022

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8443G | 97.59 | Inf | -Inf | 8.15 | 3 | Vertical | 322 | 2.48 | 89.44 | 35.80 | 7.11 | 34.76 |
| AV | 7.1656G | 50.53 | 68.20 | -17.67 | 9.68 | 3 | Vertical | 322 | 2.48 | 40.85 | 36.63 | 7.85 | 34.80 |
| PK | 6.8457G | 106.93 | Inf | -Inf | 8.16 | 3 | Vertical | 322 | 2.48 | 98.77 | 35.80 | 7.12 | 34.76 |
| PK | 7.1397G | 61.91 | 88.20 | -26.29 | 9.68 | 3 | Vertical | 322 | 2.48 | 52.23 | 36.54 | 7.94 | 34.80 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




13/07/2022

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8436G | 88.55 | Inf | -Inf | 8.16 | 3 | Horizontal | 343 | 2.87 | 80.39 | 35.80 | 7.11 | 34.75 |
| AV | 7.1593G | 50.52 | 68.20 | -17.68 | 9.69 | 3 | Horizontal | 343 | 2.87 | 40.83 | 36.62 | 7.87 | 34.80 |
| PK | 6.8436G | 98.69 | Inf | -Inf | 8.16 | 3 | Horizontal | 343 | 2.87 | 90.53 | 35.80 | 7.11 | 34.75 |
| PK | 7.16G | 61.43 | 88.20 | -26.77 | 9.69 | 3 | Horizontal | 343 | 2.87 | 51.74 | 36.62 | 7.87 | 34.80 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.68955G | 45.84 | 68.20 | -22.36 | 17.18 | 3 | Vertical | 36 | 2.92 | 28.66 | 40.11 | 10.41 | 33.34 |
| PK | 13.69395G | 55.57 | 88.20 | -32.63 | 17.18 | 3 | Vertical | 36 | 2.92 | 38.39 | 40.11 | 10.41 | 33.34 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.68521G | 45.88 | 68.20 | -22.32 | 17.18 | 3 | Horizontal | 70 | 1.41 | 28.70 | 40.11 | 10.41 | 33.34 |
| PK | 13.69387G | 56.99 | 88.20 | -31.21 | 17.18 | 3 | Horizontal | 70 | 1.41 | 39.81 | 40.11 | 10.41 | 33.34 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8843G | 98.04 | Inf | -Inf | 8.49 | 3 | Vertical | 324 | 2.35 | 89.55 | 35.80 | 7.45 | 34.76 |
| AV | 7.2203G | 50.58 | 68.20 | -17.62 | 9.68 | 3 | Vertical | 324 | 2.35 | 40.90 | 36.74 | 7.75 | 34.81 |
| PK | 6.8843G | 107.61 | Inf | -Inf | 8.49 | 3 | Vertical | 324 | 2.35 | 99.12 | 35.80 | 7.45 | 34.76 |
| PK | 7.1979G | 61.79 | 88.20 | -26.41 | 9.63 | 3 | Vertical | 324 | 2.35 | 52.16 | 36.70 | 7.74 | 34.81 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8829G | 88.41 | Inf | -Inf | 8.48 | 3 | Horizontal | 340 | 2.87 | 79.93 | 35.80 | 7.44 | 34.76 |
| AV | 7.1503G | 50.55 | 68.20 | -17.65 | 9.70 | 3 | Horizontal | 340 | 2.87 | 40.85 | 36.60 | 7.90 | 34.80 |
| PK | 6.8927G | 97.97 | Inf | -Inf | 8.56 | 3 | Horizontal | 340 | 2.87 | 89.41 | 35.80 | 7.52 | 34.76 |
| PK | 7.2329G | 61.46 | 88.20 | -26.74 | 9.73 | 3 | Horizontal | 340 | 2.87 | 51.73 | 36.77 | 7.77 | 34.81 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.76529G | 45.70 | 68.20 | -22.50 | 17.08 | 3 | Vertical | 25 | 1.13 | 28.62 | 40.03 | 10.45 | 33.40 |
| PK | 13.7704G | 56.05 | 88.20 | -32.15 | 17.08 | 3 | Vertical | 25 | 1.13 | 38.97 | 40.03 | 10.45 | 33.40 |

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.76538G | 45.66 | 68.20 | -22.54 | 17.08 | 3 | Horizontal | 333 | 1.66 | 28.58 | 40.03 | 10.45 | 33.40 |
| PK | 13.77156G | 56.15 | 88.20 | -32.05 | 17.08 | 3 | Horizontal | 333 | 1.66 | 39.07 | 40.03 | 10.45 | 33.40 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.9262G | 97.56 | Inf | -Inf | 8.78 | 3 | Vertical | 331 | 2.54 | 88.78 | 35.75 | 7.80 | 34.77 |
| AV | 7.2094G | 50.53 | 68.20 | -17.67 | 9.65 | 3 | Vertical | 331 | 2.54 | 40.88 | 36.72 | 7.74 | 34.81 |
| PK | 6.9268G | 107.20 | Inf | -Inf | 8.79 | 3 | Vertical | 331 | 2.54 | 98.41 | 35.75 | 7.81 | 34.77 |
| PK | 7.1812G | 61.85 | 88.20 | -26.35 | 9.64 | 3 | Vertical | 331 | 2.54 | 52.21 | 36.66 | 7.79 | 34.81 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.9226G | 87.41 | Inf | -Inf | 8.75 | 3 | Horizontal | 339 | 2.73 | 78.66 | 35.75 | 7.77 | 34.77 |
| AV | 7.1944G | 50.61 | 68.20 | -17.59 | 9.63 | 3 | Horizontal | 339 | 2.73 | 40.98 | 36.69 | 7.75 | 34.81 |
| PK | 6.922G | 96.96 | Inf | -Inf | 8.75 | 3 | Horizontal | 339 | 2.73 | 88.21 | 35.76 | 7.76 | 34.77 |
| PK | 7.1524G | 61.76 | 88.20 | -26.44 | 9.69 | 3 | Horizontal | 339 | 2.73 | 52.07 | 36.60 | 7.89 | 34.80 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.85399G | 45.54 | 68.20 | -22.66 | 17.14 | 3 | Vertical | 51 | 2.82 | 28.40 | 40.11 | 10.49 | 33.46 |
| PK | 13.8456G | 56.95 | 88.20 | -31.25 | 17.12 | 3 | Vertical | 51 | 2.82 | 39.83 | 40.09 | 10.49 | 33.46 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.85461G | 45.49 | 68.20 | -22.71 | 17.14 | 3 | Horizontal | 216 | 1.59 | 28.35 | 40.11 | 10.49 | 33.46 |
| PK | 13.85054G | 55.89 | 88.20 | -32.31 | 17.13 | 3 | Horizontal | 216 | 1.59 | 38.76 | 40.10 | 10.49 | 33.46 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 7.0062G | 97.41 | Inf | -Inf | 9.36 | 3 | Vertical | 329 | 2.47 | 88.05 | 35.74 | 8.40 | 34.78 |
| AV | 7.1424G | 50.49 | 68.20 | -17.71 | 9.68 | 3 | Vertical | 329 | 2.47 | 40.81 | 36.55 | 7.93 | 34.80 |
| PK | 7.0062G | 106.37 | Inf | -Inf | 9.36 | 3 | Vertical | 329 | 2.47 | 97.01 | 35.74 | 8.40 | 34.78 |
| PK | 7.1436G | 61.62 | 88.20 | -26.58 | 9.68 | 3 | Vertical | 329 | 2.47 | 51.94 | 36.56 | 7.92 | 34.80 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 7.0026G | 87.13 | Inf | -Inf | 9.35 | 3 | Horizontal | 103 | 2.64 | 77.78 | 35.72 | 8.41 | 34.78 |
| AV | 7.1484G | 50.56 | 68.20 | -17.64 | 9.70 | 3 | Horizontal | 103 | 2.64 | 40.86 | 36.59 | 7.91 | 34.80 |
| PK | 7.002G | 98.37 | Inf | -Inf | 9.34 | 3 | Horizontal | 103 | 2.64 | 89.03 | 35.71 | 8.41 | 34.78 |
| PK | 7.1268G | 61.38 | 88.20 | -26.82 | 9.64 | 3 | Horizontal | 103 | 2.64 | 51.74 | 36.46 | 7.98 | 34.80 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 14.01083G | 46.12 | 68.20 | -22.08 | 17.41 | 3 | Vertical | 55 | 1.25 | 28.71 | 40.41 | 10.58 | 33.58 |
| PK | 14.0094G | 56.24 | 88.20 | -31.96 | 17.41 | 3 | Vertical | 55 | 1.25 | 38.83 | 40.41 | 10.58 | 33.58 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 14.01256G | 46.13 | 68.20 | -22.07 | 17.41 | 3 | Horizontal | 333 | 1.97 | 28.72 | 40.41 | 10.58 | 33.58 |
| PK | 14.01404G | 56.36 | 88.20 | -31.84 | 17.41 | 3 | Horizontal | 333 | 1.97 | 38.95 | 40.41 | 10.58 | 33.58 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 7.0838G | 97.41 | Inf | -Inf | 9.54 | 3 | Vertical | 323 | 2.33 | 87.87 | 36.20 | 8.13 | 34.79 |
| AV | 7.1255G | 50.60 | 68.20 | -17.60 | 9.64 | 3 | Vertical | 323 | 2.33 | 40.96 | 36.45 | 7.99 | 34.80 |
| PK | 7.0826G | 107.66 | Inf | -Inf | 9.55 | 3 | Vertical | 323 | 2.33 | 98.11 | 36.20 | 8.14 | 34.79 |
| PK | 7.1597G | 62.18 | 88.20 | -26.02 | 9.69 | 3 | Vertical | 323 | 2.33 | 52.49 | 36.62 | 7.87 | 34.80 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 7.0844G | 87.74 | Inf | -Inf | 9.55 | 3 | Horizontal | 345 | 2.77 | 78.19 | 36.21 | 8.13 | 34.79 |
| AV | 7.2299G | 50.54 | 68.20 | -17.66 | 9.72 | 3 | Horizontal | 345 | 2.77 | 40.82 | 36.76 | 7.77 | 34.81 |
| PK | 7.0844G | 98.53 | Inf | -Inf | 9.55 | 3 | Horizontal | 345 | 2.77 | 88.98 | 36.21 | 8.13 | 34.79 |
| PK | 7.2218G | 61.84 | 88.20 | -26.36 | 9.69 | 3 | Horizontal | 345 | 2.77 | 52.15 | 36.74 | 7.76 | 34.81 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 14.1668G | 46.40 | 68.20 | -21.80 | 17.51 | 3 | Vertical | 349 | 1.26 | 28.89 | 40.50 | 10.74 | 33.73 |
| PK | 14.16678G | 57.78 | 88.20 | -30.42 | 17.51 | 3 | Vertical | 349 | 1.26 | 40.27 | 40.50 | 10.74 | 33.73 |

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 14.16755G | 46.30 | 68.20 | -21.90 | 17.51 | 3 | Horizontal | 56 | 1.83 | 28.79 | 40.50 | 10.74 | 33.73 |
| PK | 14.16609G | 56.82 | 88.20 | -31.38 | 17.51 | 3 | Horizontal | 56 | 1.83 | 39.31 | 40.50 | 10.74 | 33.73 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9205G | 48.35 | 68.20 | -19.85 | 7.21 | 3 | Vertical | 323 | 2.32 | 41.14 | 34.30 | 7.44 | 34.53 |
| AV | 5.989G | 97.58 | Inf | -Inf | 7.44 | 3 | Vertical | 323 | 2.32 | 90.14 | 34.22 | 7.74 | 34.52 |
| PK | 5.897G | 59.69 | 88.20 | -28.51 | 7.10 | 3 | Vertical | 323 | 2.32 | 52.59 | 34.29 | 7.34 | 34.53 |
| PK | 5.9885G | 107.78 | Inf | -Inf | 7.44 | 3 | Vertical | 323 | 2.32 | 100.34 | 34.22 | 7.74 | 34.52 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.915G | 48.24 | 68.20 | -19.96 | 7.19 | 3 | Horizontal | 100 | 2.98 | 41.05 | 34.30 | 7.42 | 34.53 |
| AV | 5.9865G | 90.14 | Inf | -Inf | 7.44 | 3 | Horizontal | 100 | 2.98 | 82.70 | 34.23 | 7.73 | 34.52 |
| PK | 5.917G | 59.75 | 88.20 | -28.45 | 7.19 | 3 | Horizontal | 100 | 2.98 | 52.56 | 34.30 | 7.42 | 34.53 |
| PK | 5.988G | 101.01 | Inf | -Inf | 7.44 | 3 | Horizontal | 100 | 2.98 | 93.57 | 34.22 | 7.74 | 34.52 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 11.96914G | 43.03 | 54.00 | -10.97 | 13.44 | 3 | Vertical | 63 | 1.43 | 29.59 | 38.64 | 9.52 | 34.72 |
| PK | 11.97022G | 53.76 | 74.00 | -20.24 | 13.44 | 3 | Vertical | 63 | 1.43 | 40.32 | 38.64 | 9.52 | 34.72 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 11.96961G | 43.03 | 54.00 | -10.97 | 13.44 | 3 | Horizontal | 8 | 2.40 | 29.59 | 38.64 | 9.52 | 34.72 |
| PK | 11.96849G | 53.10 | 74.00 | -20.90 | 13.44 | 3 | Horizontal | 8 | 2.40 | 39.66 | 38.64 | 9.52 | 34.72 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9128G | 47.78 | 68.20 | -20.42 | 6.94 | 3 | Vertical | 142 | 2.64 | 40.84 | 34.30 | 7.41 | 34.77 |
| AV | 6.1444G | 97.33 | Inf | -Inf | 6.72 | 3 | Vertical | 142 | 2.64 | 90.61 | 34.08 | 7.39 | 34.75 |
| PK | 5.8852G | 59.08 | 88.20 | -29.12 | 6.75 | 3 | Vertical | 142 | 2.64 | 52.33 | 34.24 | 7.28 | 34.77 |
| PK | 6.1348G | 106.93 | Inf | -Inf | 6.70 | 3 | Vertical | 142 | 2.64 | 100.23 | 34.04 | 7.41 | 34.75 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9074G | 47.78 | 68.20 | -20.42 | 6.91 | 3 | Horizontal | 100 | 2.92 | 40.87 | 34.30 | 7.38 | 34.77 |
| AV | 6.1468G | 87.43 | Inf | -Inf | 6.72 | 3 | Horizontal | 100 | 2.92 | 80.71 | 34.09 | 7.38 | 34.75 |
| PK | 5.911G | 58.84 | 88.20 | -29.36 | 6.93 | 3 | Horizontal | 100 | 2.92 | 51.91 | 34.30 | 7.40 | 34.77 |
| PK | 6.1378G | 96.97 | Inf | -Inf | 6.70 | 3 | Horizontal | 100 | 2.92 | 90.27 | 34.05 | 7.40 | 34.75 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.288G | 43.90 | 54.00 | -10.10 | 14.03 | 3 | Vertical | 28 | 2.03 | 29.87 | 38.92 | 9.68 | 34.57 |
| PK | 12.29315G | 54.73 | 74.00 | -19.27 | 14.02 | 3 | Vertical | 28 | 2.03 | 40.71 | 38.91 | 9.68 | 34.57 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.29055G | 43.89 | 54.00 | -10.11 | 14.03 | 3 | Horizontal | 152 | 2.79 | 29.86 | 38.92 | 9.68 | 34.57 |
| PK | 12.28685G | 54.41 | 74.00 | -19.59 | 14.04 | 3 | Horizontal | 152 | 2.79 | 40.37 | 38.93 | 9.68 | 34.57 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.912G | 47.80 | 68.20 | -20.40 | 6.93 | 3 | Vertical | 330 | 2.77 | 40.87 | 34.30 | 7.40 | 34.77 |
| AV | 6.229G | 97.72 | Inf | -Inf | 6.95 | 3 | Vertical | 330 | 2.77 | 90.77 | 34.36 | 7.33 | 34.74 |
| PK | 5.83G | 58.76 | 88.20 | -29.44 | 6.29 | 3 | Vertical | 330 | 2.77 | 52.47 | 34.02 | 7.04 | 34.77 |
| PK | 6.22G | 107.40 | Inf | -Inf | 6.90 | 3 | Vertical | 330 | 2.77 | 100.50 | 34.34 | 7.30 | 34.74 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.907G | 47.74 | 68.20 | -20.46 | 6.91 | 3 | Horizontal | 192 | 2.95 | 40.83 | 34.30 | 7.38 | 34.77 |
| AV | 6.223G | 88.81 | Inf | -Inf | 6.92 | 3 | Horizontal | 192 | 2.95 | 81.89 | 34.35 | 7.31 | 34.74 |
| PK | 5.899G | 58.91 | 88.20 | -29.29 | 6.88 | 3 | Horizontal | 192 | 2.95 | 52.03 | 34.30 | 7.35 | 34.77 |
| PK | 6.222G | 98.98 | Inf | -Inf | 6.91 | 3 | Horizontal | 192 | 2.95 | 92.07 | 34.34 | 7.31 | 34.74 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.44636G | 43.84 | 54.00 | -10.16 | 14.24 | 3 | Vertical | 250 | 1.29 | 29.60 | 38.95 | 9.76 | 34.47 |
| PK | 12.452G | 54.08 | 74.00 | -19.92 | 14.25 | 3 | Vertical | 250 | 1.29 | 39.83 | 38.95 | 9.77 | 34.47 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.44662G | 43.91 | 54.00 | -10.09 | 14.24 | 3 | Horizontal | 71 | 1.86 | 29.67 | 38.95 | 9.76 | 34.47 |
| PK | 12.4485G | 55.51 | 74.00 | -18.49 | 14.24 | 3 | Horizontal | 71 | 1.86 | 41.27 | 38.95 | 9.76 | 34.47 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.905G | 47.77 | 68.20 | -20.43 | 6.90 | 3 | Vertical | 330 | 2.61 | 40.87 | 34.30 | 7.37 | 34.77 |
| AV | 6.3886G | 97.62 | Inf | -Inf | 8.04 | 3 | Vertical | 330 | 2.61 | 89.58 | 34.88 | 7.88 | 34.72 |
| PK | 5.9026G | 59.18 | 88.20 | -29.02 | 6.89 | 3 | Vertical | 330 | 2.61 | 52.29 | 34.30 | 7.36 | 34.77 |
| PK | 6.3886G | 106.91 | Inf | -Inf | 8.04 | 3 | Vertical | 330 | 2.61 | 98.87 | 34.88 | 7.88 | 34.72 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.911G | 47.81 | 68.20 | -20.39 | 6.93 | 3 | Horizontal | 331 | 1.06 | 40.88 | 34.30 | 7.40 | 34.77 |
| AV | 6.3874G | 88.41 | Inf | -Inf | 8.03 | 3 | Horizontal | 331 | 1.06 | 80.38 | 34.87 | 7.88 | 34.72 |
| PK | 5.8762G | 58.98 | 88.20 | -29.22 | 6.68 | 3 | Horizontal | 331 | 1.06 | 52.30 | 34.20 | 7.25 | 34.77 |
| PK | 6.3874G | 96.29 | Inf | -Inf | 8.03 | 3 | Horizontal | 331 | 1.06 | 88.26 | 34.87 | 7.88 | 34.72 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.77402G | 44.58 | 68.20 | -23.62 | 15.32 | 3 | Vertical | 171 | 1.80 | 29.26 | 39.45 | 9.93 | 34.06 |
| PK | 12.76994G | 54.92 | 88.20 | -33.28 | 15.30 | 3 | Vertical | 171 | 1.80 | 39.62 | 39.44 | 9.93 | 34.07 |

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.77284G | 44.49 | 68.20 | -23.71 | 15.32 | 3 | Horizontal | 323 | 1.53 | 29.17 | 39.45 | 9.93 | 34.06 |
| PK | 12.77383G | 55.17 | 88.20 | -33.03 | 15.32 | 3 | Horizontal | 323 | 1.53 | 39.85 | 39.45 | 9.93 | 34.06 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




13/07/2022

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9036G | 47.77 | 68.20 | -20.43 | 6.90 | 3 | Vertical | 158 | 2.50 | 40.87 | 34.30 | 7.37 | 34.77 |
| AV | 6.4636G | 97.61 | Inf | -Inf | 8.04 | 3 | Vertical | 158 | 2.50 | 89.57 | 35.00 | 7.75 | 34.71 |
| AV | 7.1524G | 50.48 | 68.20 | -17.72 | 9.69 | 3 | Vertical | 158 | 2.50 | 40.79 | 36.60 | 7.89 | 34.80 |
| PK | 5.8686G | 58.66 | 88.20 | -29.54 | 6.61 | 3 | Vertical | 158 | 2.50 | 52.05 | 34.17 | 7.21 | 34.77 |
| PK | 6.472G | 106.16 | Inf | -Inf | 8.02 | 3 | Vertical | 158 | 2.50 | 98.14 | 35.00 | 7.72 | 34.70 |
| PK | 7.1566G | 61.60 | 88.20 | -26.60 | 9.69 | 3 | Vertical | 158 | 2.50 | 51.91 | 36.61 | 7.88 | 34.80 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




13/07/2022

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9148G | 47.74 | 68.20 | -20.46 | 6.95 | 3 | Horizontal | 85 | 2.66 | 40.79 | 34.30 | 7.42 | 34.77 |
| AV | 6.4636G | 89.22 | Inf | -Inf | 8.04 | 3 | Horizontal | 85 | 2.66 | 81.18 | 35.00 | 7.75 | 34.71 |
| AV | 7.165G | 50.46 | 68.20 | -17.74 | 9.68 | 3 | Horizontal | 85 | 2.66 | 40.78 | 36.63 | 7.85 | 34.80 |
| PK | 5.8644G | 58.58 | 88.20 | -29.62 | 6.58 | 3 | Horizontal | 85 | 2.66 | 52.00 | 34.16 | 7.19 | 34.77 |
| PK | 6.4636G | 97.93 | Inf | -Inf | 8.04 | 3 | Horizontal | 85 | 2.66 | 89.89 | 35.00 | 7.75 | 34.71 |
| PK | 7.144G | 60.95 | 88.20 | -27.25 | 9.68 | 3 | Horizontal | 85 | 2.66 | 51.27 | 36.56 | 7.92 | 34.80 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.92823G | 44.80 | 68.20 | -23.40 | 15.86 | 3 | Vertical | 244 | 1.79 | 28.94 | 39.70 | 10.01 | 33.85 |
| PK | 12.93036G | 54.92 | 88.20 | -33.28 | 15.86 | 3 | Vertical | 244 | 1.79 | 39.06 | 39.70 | 10.01 | 33.85 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.92745G | 44.79 | 68.20 | -23.41 | 15.86 | 3 | Horizontal | 269 | 1.09 | 28.93 | 39.70 | 10.01 | 33.85 |
| PK | 12.9338G | 54.93 | 88.20 | -33.27 | 15.88 | 3 | Horizontal | 269 | 1.09 | 39.05 | 39.70 | 10.02 | 33.84 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9164G | 47.82 | 68.20 | -20.38 | 6.95 | 3 | Vertical | 333 | 2.41 | 40.87 | 34.30 | 7.42 | 34.77 |
| AV | 6.5478G | 97.05 | Inf | -Inf | 8.18 | 3 | Vertical | 333 | 2.41 | 88.87 | 35.38 | 7.51 | 34.71 |
| AV | 7.1624G | 50.50 | 68.20 | -17.70 | 9.68 | 3 | Vertical | 333 | 2.41 | 40.82 | 36.62 | 7.86 | 34.80 |
| PK | 5.9094G | 57.91 | 88.20 | -30.29 | 6.92 | 3 | Vertical | 333 | 2.41 | 50.99 | 34.30 | 7.39 | 34.77 |
| PK | 6.5478G | 105.49 | Inf | -Inf | 8.18 | 3 | Vertical | 333 | 2.41 | 97.31 | 35.38 | 7.51 | 34.71 |
| PK | 7.1526G | 61.57 | 88.20 | -26.63 | 9.70 | 3 | Vertical | 333 | 2.41 | 51.87 | 36.61 | 7.89 | 34.80 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.908G | 47.80 | 68.20 | -20.40 | 6.92 | 3 | Horizontal | 86 | 2.78 | 40.88 | 34.30 | 7.39 | 34.77 |
| AV | 6.5436G | 87.66 | Inf | -Inf | 8.17 | 3 | Horizontal | 86 | 2.78 | 79.49 | 35.35 | 7.53 | 34.71 |
| AV | 7.238G | 50.45 | 68.20 | -17.75 | 9.75 | 3 | Horizontal | 86 | 2.78 | 40.70 | 36.78 | 7.78 | 34.81 |
| PK | 5.8758G | 59.26 | 88.20 | -28.94 | 6.67 | 3 | Horizontal | 86 | 2.78 | 52.59 | 34.20 | 7.24 | 34.77 |
| PK | 6.5436G | 96.00 | Inf | -Inf | 8.17 | 3 | Horizontal | 86 | 2.78 | 87.83 | 35.35 | 7.53 | 34.71 |
| PK | 7.168G | 61.05 | 88.20 | -27.15 | 9.68 | 3 | Horizontal | 86 | 2.78 | 51.37 | 36.64 | 7.84 | 34.80 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.09383G | 44.88 | 68.20 | -23.32 | 16.06 | 3 | Vertical | 360 | 2.45 | 28.82 | 39.61 | 10.10 | 33.65 |
| PK | 13.09419G | 55.32 | 88.20 | -32.88 | 16.06 | 3 | Vertical | 360 | 2.45 | 39.26 | 39.61 | 10.10 | 33.65 |

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.09417G | 44.91 | 68.20 | -23.29 | 16.06 | 3 | Horizontal | 234 | 1.19 | 28.85 | 39.61 | 10.10 | 33.65 |
| PK | 13.08785G | 56.70 | 88.20 | -31.50 | 16.06 | 3 | Horizontal | 234 | 1.19 | 40.64 | 39.61 | 10.10 | 33.65 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.6262G | 97.71 | Inf | -Inf | 8.33 | 3 | Vertical | 321 | 2.33 | 89.38 | 35.76 | 7.29 | 34.72 |
| AV | 7.201G | 50.56 | 68.20 | -17.64 | 9.62 | 3 | Vertical | 321 | 2.33 | 40.94 | 36.70 | 7.73 | 34.81 |
| PK | 6.6262G | 107.01 | Inf | -Inf | 8.33 | 3 | Vertical | 321 | 2.33 | 98.68 | 35.76 | 7.29 | 34.72 |
| PK | 7.2154G | 61.25 | 88.20 | -26.95 | 9.67 | 3 | Vertical | 321 | 2.33 | 51.58 | 36.73 | 7.75 | 34.81 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.625G | 90.73 | Inf | -Inf | 8.32 | 3 | Horizontal | 338 | 2.97 | 82.41 | 35.75 | 7.29 | 34.72 |
| AV | 7.1518G | 50.52 | 68.20 | -17.68 | 9.70 | 3 | Horizontal | 338 | 2.97 | 40.82 | 36.60 | 7.90 | 34.80 |
| PK | 6.625G | 99.25 | Inf | -Inf | 8.32 | 3 | Horizontal | 338 | 2.97 | 90.93 | 35.75 | 7.29 | 34.72 |
| PK | 7.1518G | 61.27 | 88.20 | -26.93 | 9.70 | 3 | Horizontal | 338 | 2.97 | 51.57 | 36.60 | 7.90 | 34.80 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.24939G | 44.89 | 68.20 | -23.31 | 16.40 | 3 | Vertical | 201 | 2.04 | 28.49 | 39.70 | 10.18 | 33.48 |
| PK | 13.24646G | 56.52 | 88.20 | -31.68 | 16.39 | 3 | Vertical | 201 | 2.04 | 40.13 | 39.69 | 10.18 | 33.48 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.24952G | 44.95 | 68.20 | -23.25 | 16.40 | 3 | Horizontal | 52 | 1.36 | 28.55 | 39.70 | 10.18 | 33.48 |
| PK | 13.25401G | 55.52 | 74.00 | -18.48 | 16.42 | 3 | Horizontal | 52 | 1.36 | 39.10 | 39.71 | 10.18 | 33.47 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.704G | 97.32 | Inf | -Inf | 8.30 | 3 | Vertical | 319 | 2.35 | 89.02 | 35.99 | 7.04 | 34.73 |
| AV | 7.201G | 50.56 | 68.20 | -17.64 | 9.62 | 3 | Vertical | 319 | 2.35 | 40.94 | 36.70 | 7.73 | 34.81 |
| PK | 6.706G | 105.25 | Inf | -Inf | 8.30 | 3 | Vertical | 319 | 2.35 | 96.95 | 35.99 | 7.04 | 34.73 |
| PK | 7.174G | 62.13 | 88.20 | -26.07 | 9.67 | 3 | Vertical | 319 | 2.35 | 52.46 | 36.65 | 7.82 | 34.80 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.703G | 89.88 | Inf | -Inf | 8.31 | 3 | Horizontal | 340 | 2.90 | 81.57 | 35.99 | 7.05 | 34.73 |
| AV | 7.143G | 50.53 | 68.20 | -17.67 | 9.69 | 3 | Horizontal | 340 | 2.90 | 40.84 | 36.56 | 7.93 | 34.80 |
| PK | 6.702G | 100.12 | Inf | -Inf | 8.32 | 3 | Horizontal | 340 | 2.90 | 91.80 | 36.00 | 7.05 | 34.73 |
| PK | 7.19G | 60.87 | 88.20 | -27.33 | 9.63 | 3 | Horizontal | 340 | 2.90 | 51.24 | 36.68 | 7.76 | 34.81 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.40595G | 45.25 | 68.20 | -22.95 | 16.96 | 3 | Vertical | 209 | 1.43 | 28.29 | 40.00 | 10.26 | 33.30 |
| PK | 13.40913G | 55.29 | 88.20 | -32.91 | 16.96 | 3 | Vertical | 209 | 1.43 | 38.33 | 40.00 | 10.26 | 33.30 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.4072G | 45.20 | 68.20 | -23.00 | 16.96 | 3 | Horizontal | 165 | 2.25 | 28.24 | 40.00 | 10.26 | 33.30 |
| PK | 13.40692G | 56.37 | 88.20 | -31.83 | 16.96 | 3 | Horizontal | 165 | 2.25 | 39.41 | 40.00 | 10.26 | 33.30 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.7843G | 97.69 | Inf | -Inf | 7.87 | 3 | Vertical | 324 | 2.20 | 89.82 | 35.83 | 6.79 | 34.75 |
| AV | 7.1329G | 50.60 | 68.20 | -17.60 | 9.66 | 3 | Vertical | 324 | 2.20 | 40.94 | 36.50 | 7.96 | 34.80 |
| PK | 6.7843G | 107.93 | Inf | -Inf | 7.87 | 3 | Vertical | 324 | 2.20 | 100.06 | 35.83 | 6.79 | 34.75 |
| PK | 7.1287G | 60.63 | 88.20 | -27.57 | 9.65 | 3 | Vertical | 324 | 2.20 | 50.98 | 36.47 | 7.98 | 34.80 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.7822G | 88.72 | Inf | -Inf | 7.89 | 3 | Horizontal | 360 | 1.00 | 80.83 | 35.84 | 6.80 | 34.75 |
| AV | 7.1259G | 50.48 | 68.20 | -17.72 | 9.65 | 3 | Horizontal | 360 | 1.00 | 40.83 | 36.46 | 7.99 | 34.80 |
| PK | 6.7829G | 98.78 | Inf | -Inf | 7.87 | 3 | Horizontal | 360 | 1.00 | 90.91 | 35.83 | 6.79 | 34.75 |
| PK | 7.1336G | 61.23 | 88.20 | -26.97 | 9.66 | 3 | Horizontal | 360 | 1.00 | 51.57 | 36.50 | 7.96 | 34.80 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.5745G | 45.62 | 68.20 | -22.58 | 17.24 | 3 | Vertical | 275 | 1.62 | 28.38 | 40.15 | 10.35 | 33.26 |
| PK | 13.56638G | 56.09 | 88.20 | -32.11 | 17.22 | 3 | Vertical | 275 | 1.62 | 38.87 | 40.13 | 10.34 | 33.25 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.57156G | 45.59 | 68.20 | -22.61 | 17.24 | 3 | Horizontal | 57 | 1.48 | 28.35 | 40.14 | 10.35 | 33.25 |
| PK | 13.57095G | 55.83 | 88.20 | -32.37 | 17.24 | 3 | Horizontal | 57 | 1.48 | 38.59 | 40.14 | 10.35 | 33.25 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8643G | 97.81 | Inf | -Inf | 8.32 | 3 | Vertical | 321 | 2.38 | 89.49 | 35.80 | 7.28 | 34.76 |
| AV | 7.2003G | 50.76 | 68.20 | -17.44 | 9.62 | 3 | Vertical | 321 | 2.38 | 41.14 | 36.70 | 7.73 | 34.81 |
| PK | 6.8643G | 107.11 | Inf | -Inf | 8.32 | 3 | Vertical | 321 | 2.38 | 98.79 | 35.80 | 7.28 | 34.76 |
| PK | 7.1415G | 61.61 | 88.20 | -26.59 | 9.68 | 3 | Vertical | 321 | 2.38 | 51.93 | 36.55 | 7.93 | 34.80 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8615G | 89.05 | Inf | -Inf | 8.30 | 3 | Horizontal | 342 | 2.36 | 80.75 | 35.80 | 7.26 | 34.76 |
| AV | 7.1912G | 50.65 | 68.20 | -17.55 | 9.63 | 3 | Horizontal | 342 | 2.36 | 41.02 | 36.68 | 7.76 | 34.81 |
| PK | 6.8615G | 98.45 | Inf | -Inf | 8.30 | 3 | Horizontal | 342 | 2.36 | 90.15 | 35.80 | 7.26 | 34.76 |
| PK | 7.1996G | 62.68 | 88.20 | -25.52 | 9.62 | 3 | Horizontal | 342 | 2.36 | 53.06 | 36.70 | 7.73 | 34.81 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.72519G | 45.68 | 68.20 | -22.52 | 17.13 | 3 | Vertical | 64 | 1.28 | 28.55 | 40.07 | 10.43 | 33.37 |
| PK | 13.72946G | 55.67 | 88.20 | -32.53 | 17.13 | 3 | Vertical | 64 | 1.28 | 38.54 | 40.07 | 10.43 | 33.37 |

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.72955G | 45.71 | 68.20 | -22.49 | 17.13 | 3 | Horizontal | 204 | 1.50 | 28.58 | 40.07 | 10.43 | 33.37 |
| PK | 13.72684G | 57.88 | 88.20 | -30.32 | 17.13 | 3 | Horizontal | 204 | 1.50 | 40.75 | 40.07 | 10.43 | 33.37 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.9444G | 97.96 | Inf | -Inf | 8.89 | 3 | Vertical | 327 | 2.31 | 89.07 | 35.71 | 7.95 | 34.77 |
| AV | 7.2444G | 50.72 | 68.20 | -17.48 | 9.76 | 3 | Vertical | 327 | 2.31 | 40.96 | 36.79 | 7.78 | 34.81 |
| PK | 6.945G | 107.57 | Inf | -Inf | 8.90 | 3 | Vertical | 327 | 2.31 | 98.67 | 35.71 | 7.96 | 34.77 |
| PK | 7.182G | 61.59 | 88.20 | -26.61 | 9.64 | 3 | Vertical | 327 | 2.31 | 51.95 | 36.66 | 7.79 | 34.81 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.9426G | 88.92 | Inf | -Inf | 8.88 | 3 | Horizontal | 340 | 2.99 | 80.04 | 35.71 | 7.94 | 34.77 |
| AV | 7.1874G | 50.69 | 68.20 | -17.51 | 9.63 | 3 | Horizontal | 340 | 2.99 | 41.06 | 36.67 | 7.77 | 34.81 |
| PK | 6.9432G | 98.75 | Inf | -Inf | 8.88 | 3 | Horizontal | 340 | 2.99 | 89.87 | 35.71 | 7.94 | 34.77 |
| PK | 7.1652G | 62.03 | 88.20 | -26.17 | 9.68 | 3 | Horizontal | 340 | 2.99 | 52.35 | 36.63 | 7.85 | 34.80 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.89247G | 45.70 | 68.20 | -22.50 | 17.20 | 3 | Vertical | 59 | 1.23 | 28.50 | 40.18 | 10.51 | 33.49 |
| PK | 13.88595G | 55.77 | 88.20 | -32.43 | 17.19 | 3 | Vertical | 59 | 1.23 | 38.58 | 40.17 | 10.51 | 33.49 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.89277G | 45.74 | 68.20 | -22.46 | 17.21 | 3 | Horizontal | 348 | 2.13 | 28.53 | 40.19 | 10.51 | 33.49 |
| PK | 13.88554G | 55.75 | 88.20 | -32.45 | 17.20 | 3 | Horizontal | 348 | 2.13 | 38.55 | 40.18 | 10.51 | 33.49 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 7.0244G | 97.71 | Inf | -Inf | 9.41 | 3 | Vertical | 326 | 2.34 | 88.30 | 35.85 | 8.34 | 34.78 |
| AV | 7.1483G | 50.72 | 68.20 | -17.48 | 9.70 | 3 | Vertical | 326 | 2.34 | 41.02 | 36.59 | 7.91 | 34.80 |
| PK | 7.0241G | 108.00 | Inf | -Inf | 9.40 | 3 | Vertical | 326 | 2.34 | 98.60 | 35.84 | 8.34 | 34.78 |
| PK | 7.1438G | 61.76 | 88.20 | -26.44 | 9.68 | 3 | Vertical | 326 | 2.34 | 52.08 | 36.56 | 7.92 | 34.80 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 7.0241G | 89.11 | Inf | -Inf | 9.40 | 3 | Horizontal | 344 | 2.84 | 79.71 | 35.84 | 8.34 | 34.78 |
| AV | 7.1399G | 50.69 | 68.20 | -17.51 | 9.68 | 3 | Horizontal | 344 | 2.84 | 41.01 | 36.54 | 7.94 | 34.80 |
| PK | 7.0229G | 98.53 | Inf | -Inf | 9.40 | 3 | Horizontal | 344 | 2.84 | 89.13 | 35.84 | 8.34 | 34.78 |
| PK | 7.1363G | 62.67 | 88.20 | -25.53 | 9.67 | 3 | Horizontal | 344 | 2.84 | 53.00 | 36.52 | 7.95 | 34.80 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 14.04549G | 46.22 | 68.20 | -21.98 | 17.46 | 3 | Vertical | 99 | 2.61 | 28.76 | 40.45 | 10.62 | 33.61 |
| PK | 14.04531G | 56.45 | 88.20 | -31.75 | 17.46 | 3 | Vertical | 99 | 2.61 | 38.99 | 40.45 | 10.62 | 33.61 |

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 14.04751G | 46.30 | 68.20 | -21.90 | 17.45 | 3 | Horizontal | 107 | 2.91 | 28.85 | 40.45 | 10.62 | 33.62 |
| PK | 14.0458G | 57.56 | 88.20 | -30.64 | 17.46 | 3 | Horizontal | 107 | 2.91 | 40.10 | 40.45 | 10.62 | 33.61 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9205G | 48.61 | 68.20 | -19.59 | 7.21 | 3 | Vertical | 321 | 2.42 | 41.40 | 34.30 | 7.44 | 34.53 |
| AV | 6.029G | 97.30 | Inf | -Inf | 7.27 | 3 | Vertical | 321 | 2.42 | 90.03 | 34.08 | 7.71 | 34.52 |
| PK | 5.8765G | 59.59 | 88.20 | -28.61 | 6.93 | 3 | Vertical | 321 | 2.42 | 52.66 | 34.21 | 7.25 | 34.53 |
| PK | 6.03G | 106.89 | Inf | -Inf | 7.27 | 3 | Vertical | 321 | 2.42 | 99.62 | 34.08 | 7.71 | 34.52 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9175G | 48.36 | 68.20 | -19.84 | 7.20 | 3 | Horizontal | 97 | 2.87 | 41.16 | 34.30 | 7.43 | 34.53 |
| AV | 6.027G | 88.83 | Inf | -Inf | 7.28 | 3 | Horizontal | 97 | 2.87 | 81.55 | 34.09 | 7.71 | 34.52 |
| PK | 5.9105G | 60.27 | 88.20 | -27.93 | 7.17 | 3 | Horizontal | 97 | 2.87 | 53.10 | 34.30 | 7.40 | 34.53 |
| PK | 6.0265G | 97.71 | Inf | -Inf | 7.29 | 3 | Horizontal | 97 | 2.87 | 90.42 | 34.09 | 7.72 | 34.52 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.04992G | 44.40 | 54.00 | -9.60 | 13.71 | 3 | Vertical | 286 | 1.10 | 30.69 | 38.85 | 9.56 | 34.70 |
| PK | 12.05265G | 53.95 | 74.00 | -20.05 | 13.73 | 3 | Vertical | 286 | 1.10 | 40.22 | 38.86 | 9.56 | 34.69 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.04996G | 44.44 | 54.00 | -9.56 | 13.71 | 3 | Horizontal | 297 | 2.31 | 30.73 | 38.85 | 9.56 | 34.70 |
| PK | 12.05466G | 54.52 | 74.00 | -19.48 | 13.73 | 3 | Horizontal | 297 | 2.31 | 40.79 | 38.86 | 9.56 | 34.69 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9218G | 47.87 | 68.20 | -20.33 | 6.98 | 3 | Vertical | 10 | 2.40 | 40.89 | 34.30 | 7.45 | 34.77 |
| AV | 6.1914G | 97.33 | Inf | -Inf | 6.78 | 3 | Vertical | 10 | 2.40 | 90.55 | 34.27 | 7.25 | 34.74 |
| PK | 5.901G | 58.67 | 88.20 | -29.53 | 6.88 | 3 | Vertical | 10 | 2.40 | 51.79 | 34.30 | 7.35 | 34.77 |
| PK | 6.1906G | 107.95 | Inf | -Inf | 6.78 | 3 | Vertical | 10 | 2.40 | 101.17 | 34.26 | 7.26 | 34.74 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9242G | 47.94 | 68.20 | -20.26 | 6.99 | 3 | Horizontal | 30 | 2.48 | 40.95 | 34.30 | 7.46 | 34.77 |
| AV | 6.1834G | 86.93 | Inf | -Inf | 6.77 | 3 | Horizontal | 30 | 2.48 | 80.16 | 34.23 | 7.28 | 34.74 |
| PK | 5.9162G | 58.92 | 88.20 | -29.28 | 6.95 | 3 | Horizontal | 30 | 2.48 | 51.97 | 34.30 | 7.42 | 34.77 |
| PK | 6.193G | 96.53 | Inf | -Inf | 6.78 | 3 | Horizontal | 30 | 2.48 | 89.75 | 34.27 | 7.25 | 34.74 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.36923G | 43.66 | 54.00 | -10.34 | 14.10 | 3 | Vertical | 169 | 2.99 | 29.56 | 38.90 | 9.72 | 34.52 |
| PK | 12.3709G | 53.78 | 74.00 | -20.22 | 14.10 | 3 | Vertical | 169 | 2.99 | 39.68 | 38.90 | 9.72 | 34.52 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.36563G | 43.77 | 54.00 | -10.23 | 14.10 | 3 | Horizontal | 118 | 1.43 | 29.67 | 38.90 | 9.72 | 34.52 |
| PK | 12.3711G | 54.47 | 74.00 | -19.53 | 14.10 | 3 | Horizontal | 118 | 1.43 | 40.37 | 38.90 | 9.72 | 34.52 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9118G | 47.89 | 68.20 | -20.31 | 6.93 | 3 | Vertical | 313 | 2.73 | 40.96 | 34.30 | 7.40 | 34.77 |
| AV | 6.3474G | 97.82 | Inf | -Inf | 7.81 | 3 | Vertical | 313 | 2.73 | 90.01 | 34.79 | 7.74 | 34.72 |
| PK | 5.9166G | 58.99 | 88.20 | -29.21 | 6.95 | 3 | Vertical | 313 | 2.73 | 52.04 | 34.30 | 7.42 | 34.77 |
| PK | 6.3354G | 106.88 | Inf | -Inf | 7.72 | 3 | Vertical | 313 | 2.73 | 99.16 | 34.74 | 7.70 | 34.72 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9226G | 47.84 | 68.20 | -20.36 | 6.98 | 3 | Horizontal | 330 | 1.00 | 40.86 | 34.30 | 7.45 | 34.77 |
| AV | 6.3474G | 88.25 | Inf | -Inf | 7.81 | 3 | Horizontal | 330 | 1.00 | 80.44 | 34.79 | 7.74 | 34.72 |
| PK | 5.7954G | 59.10 | 88.20 | -29.10 | 6.01 | 3 | Horizontal | 330 | 1.00 | 53.09 | 33.87 | 6.91 | 34.77 |
| PK | 6.3582G | 97.64 | Inf | -Inf | 7.88 | 3 | Horizontal | 330 | 1.00 | 89.76 | 34.82 | 7.78 | 34.72 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 12.68538G | 44.33 | 54.00 | -9.67 | 14.98 | 3 | Vertical | 182 | 1.02 | 29.35 | 39.27 | 9.89 | 34.18 |
| PK | 12.68908G | 54.58 | 74.00 | -19.42 | 14.99 | 3 | Vertical | 182 | 1.02 | 39.59 | 39.28 | 9.89 | 34.18 |

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 12.68601G | 44.28 | 54.00 | -9.72 | 14.98 | 3 | Horizontal | 274 | 1.46 | 29.30 | 39.27 | 9.89 | 34.18 |
| PK | 12.68905G | 54.51 | 74.00 | -19.49 | 14.99 | 3 | Horizontal | 274 | 1.46 | 39.52 | 39.28 | 9.89 | 34.18 |

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 5.9198G | 47.95 | 68.20 | -20.25 | 6.97 | 3 | Vertical | 161 | 2.46 | 40.98 | 34.30 | 7.44 | 34.77 |
| AV | 6.5036G | 97.72 | Inf | -Inf | 7.97 | 3 | Vertical | 161 | 2.46 | 89.75 | 35.03 | 7.64 | 34.70 |
| AV | 7.1588G | 50.60 | 68.20 | -17.60 | 9.69 | 3 | Vertical | 161 | 2.46 | 40.91 | 36.62 | 7.87 | 34.80 |
| PK | 5.8414G | 58.58 | 88.20 | -29.62 | 6.39 | 3 | Vertical | 161 | 2.46 | 52.19 | 34.07 | 7.09 | 34.77 |
| PK | 6.5008G | 106.60 | Inf | -Inf | 7.95 | 3 | Vertical | 161 | 2.46 | 98.65 | 35.01 | 7.64 | 34.70 |
| PK | 7.1518G | 61.42 | 88.20 | -26.78 | 9.70 | 3 | Vertical | 161 | 2.46 | 51.72 | 36.60 | 7.90 | 34.80 |

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 5.917G | 47.89 | 68.20 | -20.31 | 6.95 | 3 | Horizontal | 177 | 2.46 | 40.94 | 34.30 | 7.42 | 34.77 |
| AV | 6.5036G | 89.53 | Inf | -Inf | 7.97 | 3 | Horizontal | 177 | 2.46 | 81.56 | 35.03 | 7.64 | 34.70 |
| AV | 7.1476G | 50.58 | 68.20 | -17.62 | 9.70 | 3 | Horizontal | 177 | 2.46 | 40.88 | 36.59 | 7.91 | 34.80 |
| PK | 5.861G | 58.89 | 88.20 | -29.31 | 6.55 | 3 | Horizontal | 177 | 2.46 | 52.34 | 34.14 | 7.18 | 34.77 |
| PK | 6.5022G | 98.09 | Inf | -Inf | 7.96 | 3 | Horizontal | 177 | 2.46 | 90.13 | 35.02 | 7.64 | 34.70 |
| PK | 7.1882G | 61.46 | 88.20 | -26.74 | 9.64 | 3 | Horizontal | 177 | 2.46 | 51.82 | 36.68 | 7.77 | 34.81 |

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.00997G | 44.85 | 68.20 | -23.35 | 16.01 | 3 | Vertical | 231 | 2.19 | 28.84 | 39.69 | 10.06 | 33.74 |
| PK | 13.01247G | 55.30 | 88.20 | -32.90 | 16.01 | 3 | Vertical | 231 | 2.19 | 39.29 | 39.69 | 10.06 | 33.74 |

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBUV/m) | Limit (dBUV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBUV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.00729G | 44.87 | 68.20 | -23.33 | 16.00 | 3 | Horizontal | 216 | 2.76 | 28.87 | 39.69 | 10.05 | 33.74 |
| PK | 13.01283G | 55.85 | 88.20 | -32.35 | 16.01 | 3 | Horizontal | 216 | 2.76 | 39.84 | 39.69 | 10.06 | 33.74 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.6595G | 97.24 | Inf | -Inf | 8.37 | 3 | Vertical | 336 | 2.38 | 88.87 | 35.92 | 7.18 | 34.73 |
| AV | 7.1688G | 50.66 | 68.20 | -17.54 | 9.68 | 3 | Vertical | 336 | 2.38 | 40.98 | 36.64 | 7.84 | 34.80 |
| PK | 6.6584G | 107.60 | Inf | -Inf | 8.38 | 3 | Vertical | 336 | 2.38 | 99.22 | 35.92 | 7.19 | 34.73 |
| PK | 7.2128G | 61.21 | 88.20 | -26.99 | 9.67 | 3 | Vertical | 336 | 2.38 | 51.54 | 36.73 | 7.75 | 34.81 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.6628G | 89.49 | Inf | -Inf | 8.37 | 3 | Horizontal | 102 | 2.71 | 81.12 | 35.93 | 7.17 | 34.73 |
| AV | 7.1633G | 50.64 | 68.20 | -17.56 | 9.69 | 3 | Horizontal | 102 | 2.71 | 40.95 | 36.63 | 7.86 | 34.80 |
| PK | 6.6727G | 98.51 | Inf | -Inf | 8.36 | 3 | Horizontal | 102 | 2.71 | 90.15 | 35.95 | 7.14 | 34.73 |
| PK | 7.1611G | 61.75 | 88.20 | -26.45 | 9.68 | 3 | Horizontal | 102 | 2.71 | 52.07 | 36.62 | 7.86 | 34.80 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.33377G | 44.99 | 54.00 | -9.01 | 16.71 | 3 | Vertical | 316 | 1.57 | 28.28 | 39.87 | 10.22 | 33.38 |
| PK | 13.33488G | 54.95 | 74.00 | -19.05 | 16.71 | 3 | Vertical | 316 | 1.57 | 38.24 | 39.87 | 10.22 | 33.38 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.33086G | 44.90 | 54.00 | -9.10 | 16.69 | 3 | Horizontal | 289 | 2.85 | 28.21 | 39.86 | 10.22 | 33.39 |
| PK | 13.32967G | 57.44 | 74.00 | -16.56 | 16.69 | 3 | Horizontal | 289 | 2.85 | 40.75 | 39.86 | 10.22 | 33.39 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8242G | 97.42 | Inf | -Inf | 7.99 | 3 | Vertical | 324 | 2.28 | 89.43 | 35.80 | 6.94 | 34.75 |
| AV | 7.2194G | 50.75 | 68.20 | -17.45 | 9.68 | 3 | Vertical | 324 | 2.28 | 41.07 | 36.74 | 7.75 | 34.81 |
| PK | 6.8242G | 107.28 | Inf | -Inf | 7.99 | 3 | Vertical | 324 | 2.28 | 99.29 | 35.80 | 6.94 | 34.75 |
| PK | 7.1586G | 61.16 | 88.20 | -27.04 | 9.69 | 3 | Vertical | 324 | 2.28 | 51.47 | 36.62 | 7.87 | 34.80 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.8226G | 89.47 | Inf | -Inf | 7.98 | 3 | Horizontal | 341 | 2.40 | 81.49 | 35.80 | 6.93 | 34.75 |
| AV | 7.1546G | 50.72 | 68.20 | -17.48 | 9.70 | 3 | Horizontal | 341 | 2.40 | 41.02 | 36.61 | 7.89 | 34.80 |
| PK | 6.8114G | 98.31 | Inf | -Inf | 7.89 | 3 | Horizontal | 341 | 2.40 | 90.42 | 35.80 | 6.84 | 34.75 |
| PK | 7.149G | 61.83 | 88.20 | -26.37 | 9.70 | 3 | Horizontal | 341 | 2.40 | 52.13 | 36.59 | 7.91 | 34.80 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.64927G | 46.02 | 68.20 | -22.18 | 17.23 | 3 | Vertical | 307 | 1.92 | 28.79 | 40.15 | 10.39 | 33.31 |
| PK | 13.64895G | 56.35 | 88.20 | -31.85 | 17.23 | 3 | Vertical | 307 | 1.92 | 39.12 | 40.15 | 10.39 | 33.31 |

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.64507G | 46.10 | 68.20 | -22.10 | 17.23 | 3 | Horizontal | 221 | 2.58 | 28.87 | 40.15 | 10.39 | 33.31 |
| PK | 13.64673G | 56.07 | 88.20 | -32.13 | 17.23 | 3 | Horizontal | 221 | 2.58 | 38.84 | 40.15 | 10.39 | 33.31 |

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 6.9835G | 97.76 | Inf | -Inf | 9.20 | 3 | Vertical | 324 | 2.26 | 88.56 | 35.70 | 8.28 | 34.78 |
| AV | 7.125G | 51.04 | 68.20 | -17.16 | 9.64 | 3 | Vertical | 324 | 2.26 | 41.40 | 36.45 | 7.99 | 34.80 |
| PK | 6.9945G | 108.21 | Inf | -Inf | 9.29 | 3 | Vertical | 324 | 2.26 | 98.92 | 35.70 | 8.37 | 34.78 |
| PK | 7.1515G | 62.10 | 88.20 | -26.10 | 9.70 | 3 | Vertical | 324 | 2.26 | 52.40 | 36.60 | 7.90 | 34.80 |

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 6.993G | 88.57 | Inf | -Inf | 9.28 | 3 | Horizontal | 341 | 2.93 | 79.29 | 35.70 | 8.36 | 34.78 |
| AV | 7.1345G | 50.82 | 68.20 | -17.38 | 9.67 | 3 | Horizontal | 341 | 2.93 | 41.15 | 36.51 | 7.96 | 34.80 |
| PK | 6.993G | 99.45 | Inf | -Inf | 9.28 | 3 | Horizontal | 341 | 2.93 | 90.17 | 35.70 | 8.36 | 34.78 |
| PK | 7.1385G | 62.57 | 88.20 | -25.63 | 9.67 | 3 | Horizontal | 341 | 2.93 | 52.90 | 36.53 | 7.94 | 34.80 |

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV | 13.97381G | 45.94 | 68.20 | -22.26 | 17.36 | 3 | Vertical | 47 | 1.63 | 28.58 | 40.35 | 10.56 | 33.55 |
| PK | 13.9702G | 56.30 | 88.20 | -31.90 | 17.34 | 3 | Vertical | 47 | 1.63 | 38.96 | 40.34 | 10.55 | 33.55 |

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV | 13.97494G | 45.96 | 68.20 | -22.24 | 17.36 | 3 | Horizontal | 88 | 2.71 | 28.60 | 40.35 | 10.56 | 33.55 |
| PK | 13.96835G | 56.02 | 88.20 | -32.18 | 17.34 | 3 | Horizontal | 88 | 2.71 | 38.68 | 40.34 | 10.55 | 33.55 |



| Antenna Gain (dBi) | | | |
|--------------------|--------|--------|--------|
| UNII 5 | UNII 6 | UNII 7 | UNII 8 |
| 5.4 | 5.4 | 5.4 | 5.4 |

| Contention Based protocol 802.11ax HEW20 | | | | | | | | | | | |
|--|--------------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------|-----------|-------------|
| UNII Band | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) | | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Ratio (%) | Limit (%) | Test Result |
| 5 | 53 | 20 | 6215 | Center | 6215 | -72.40 | OFF | 10 | 100 | 90 | Pass |
| 6 | 101 | 20 | 6455 | Center | 6455 | -71.40 | OFF | 10 | 100 | 90 | Pass |
| 7 | 149 | 20 | 6695 | Center | 6695 | -67.40 | OFF | 10 | 100 | 90 | Pass |
| 8 | 213 | 20 | 7015 | Center | 7015 | -67.40 | OFF | 10 | 100 | 90 | Pass |



| Contention Based protocol 802.11ax HEW160 | | | | | | | | | | | |
|---|--------------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------|-----------|-------------|
| UNII Band | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) | | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Ratio (%) | Limit (%) | Test Result |
| 5 | 47 | 160 | 6185 | Low edge | 6110 | -73.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | Center | 6185 | -66.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | High edge | 6260 | -63.40 | OFF | 10 | 100 | 90 | Pass |
| 6 | 111 | 160 | 6505 | Low edge | 6430 | -72.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | Center | 6505 | -68.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | High edge | 6580 | -70.40 | OFF | 10 | 100 | 90 | Pass |
| 7 | 143 | 160 | 6665 | Low edge | 6590 | -70.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | Center | 6665 | -67.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | High edge | 6740 | -75.40 | OFF | 10 | 100 | 90 | Pass |
| 8 | 207 | 160 | 6985 | Low edge | 6910 | -71.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | Center | 6985 | -67.40 | OFF | 10 | 100 | 90 | Pass |
| | | | | High edge | 7060 | -68.40 | OFF | 10 | 100 | 90 | Pass |



| Contention Based Protocol Threshold Level 802.11ax HE20 | | | | | | | | | | |
|---|---------|-----------------|-----------------|----------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band | Channel | Bandwidth (MHz) | Frequency (MHz) | Inteferece frequency (MHz) | | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5 | 53 | 20 | 6215 | Center | 6215 | OFF | -67.00 | 5.40 | -72.40 | ≤ -62 |
| | | | | | | Minimal | -68.00 | 5.40 | -73.40 | ≤ -62 |
| | | | | | | ON | -69.00 | 5.40 | -74.40 | ≤ -62 |
| 6 | 101 | | 6455 | Center | 6455 | OFF | -66.00 | 5.40 | -71.40 | ≤ -62 |
| | | | | | | Minimal | -67.00 | 5.40 | -72.40 | ≤ -62 |
| | | | | | | ON | -68.00 | 5.40 | -73.40 | ≤ -62 |
| 7 | 149 | | 6695 | Center | 6695 | OFF | -62.00 | 5.40 | -67.40 | ≤ -62 |
| | | | | | | Minimal | -63.00 | 5.40 | -68.40 | ≤ -62 |
| | | | | | | ON | -64.00 | 5.40 | -69.40 | ≤ -62 |
| 8 | 213 | | 7015 | Center | 7015 | OFF | -62.00 | 5.40 | -67.40 | ≤ -62 |
| | | | | | | Minimal | -63.00 | 5.40 | -68.40 | ≤ -62 |
| | | | | | | ON | -64.00 | 5.40 | -69.40 | ≤ -62 |




| Contention Based Protocol Threshold Level 802.11ax HE160 | | | | | | | | | | |
|--|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band | Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) | | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5 | 47 | 160 | 6185 | Low edge | 6110 | OFF | -68.00 | 5.40 | -73.40 | ≤ -62 |
| | | | | | | Minimal | -69.00 | 5.40 | -74.40 | ≤ -62 |
| | | | | | | ON | -70.00 | 5.40 | -75.40 | ≤ -62 |
| | | | | Center | 6185 | OFF | -61.00 | 5.40 | -66.40 | ≤ -62 |
| | | | | | | Minimal | -62.00 | 5.40 | -67.40 | ≤ -62 |
| | | | | | | ON | -63.00 | 5.40 | -68.40 | ≤ -62 |
| | | | | High edge | 6260 | OFF | -58.00 | 5.40 | -63.40 | ≤ -62 |
| | | | | | | Minimal | -59.00 | 5.40 | -64.40 | ≤ -62 |
| | | | | | | ON | -60.00 | 5.40 | -65.40 | ≤ -62 |
| 6 | 111 | 160 | 6505 | Low edge | 6430 | OFF | -67.00 | 5.40 | -72.40 | ≤ -62 |
| | | | | | | Minimal | -68.00 | 5.40 | -73.40 | ≤ -62 |
| | | | | | | ON | -69.00 | 5.40 | -74.40 | ≤ -62 |
| | | | | Center | 6505 | OFF | -63.00 | 5.40 | -68.40 | ≤ -62 |
| | | | | | | Minimal | -64.00 | 5.40 | -69.40 | ≤ -62 |
| | | | | | | ON | -65.00 | 5.40 | -70.40 | ≤ -62 |
| | | | | High edge | 6580 | OFF | -65.00 | 5.40 | -70.40 | ≤ -62 |
| | | | | | | Minimal | -66.00 | 5.40 | -71.40 | ≤ -62 |
| | | | | | | ON | -67.00 | 5.40 | -72.40 | ≤ -62 |
| 7 | 143 | 160 | 6665 | Low edge | 6590 | OFF | -65.00 | 5.40 | -70.40 | ≤ -62 |
| | | | | | | Minimal | -66.00 | 5.40 | -71.40 | ≤ -62 |
| | | | | | | ON | -67.00 | 5.40 | -72.40 | ≤ -62 |
| | | | | Center | 6665 | OFF | -62.00 | 5.40 | -67.40 | ≤ -62 |
| | | | | | | Minimal | -63.00 | 5.40 | -68.40 | ≤ -62 |
| | | | | | | ON | -64.00 | 5.40 | -69.40 | ≤ -62 |
| | | | | High edge | 6740 | OFF | -70.00 | 5.40 | -75.40 | ≤ -62 |
| | | | | | | Minimal | -71.00 | 5.40 | -76.40 | ≤ -62 |
| | | | | | | ON | -72.00 | 5.40 | -77.40 | ≤ -62 |
| 8 | 207 | 160 | 6985 | Low edge | 6910 | OFF | -66.00 | 5.40 | -71.40 | ≤ -62 |
| | | | | | | Minimal | -67.00 | 5.40 | -72.40 | ≤ -62 |
| | | | | | | ON | -68.00 | 5.40 | -73.40 | ≤ -62 |
| | | | | Center | 6985 | OFF | -62.00 | 5.40 | -67.40 | ≤ -62 |
| | | | | | | Minimal | -63.00 | 5.40 | -68.40 | ≤ -62 |
| | | | | | | ON | -64.00 | 5.40 | -69.40 | ≤ -62 |
| | | | | High edge | 7060 | OFF | -63.00 | 5.40 | -68.40 | ≤ -62 |
| | | | | | | Minimal | -64.00 | 5.40 | -69.40 | ≤ -62 |
| | | | | | | ON | -65.00 | 5.40 | -70.40 | ≤ -62 |



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.75ms

All TX Sample

5820

Duty Cycle

0.727409

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

73.7375ms

All TX Sample

5899

Duty Cycle

0.737283

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

66.5625ms

All TX Sample

5325

Duty Cycle

0.665542

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

76.9625ms

All TX Sample

6157

Duty Cycle

0.769529


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz




Bandwidth 160MHz: Traffic Loading Plot - 6505MHz



Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

22.25ms

All TX Sample

1780

Duty Cycle

0.222472

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

26.7ms

All TX Sample

2136

Duty Cycle

0.266967



T1[s] T2[s]



NaNs NaNs


T3[s] T4[s]


NaNs NaNs


1. Incumbent signal (AWGN) Plot






















2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -67 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -68dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 423.485ms |
| All TX Sample | 423485 |
| Duty Cycle | 0.423485 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -68dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 220.254ms |
| All TX Sample | 220254 |
| Duty Cycle | 0.220254 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6110 MHz (Threshold Level: -69dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 219.753ms |
| All TX Sample | 219753 |
| Duty Cycle | 0.219753 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6110 MHz (Threshold Level: -70dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 219.749ms |
| All TX Sample | 219749 |
| Duty Cycle | 0.219749 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6185 MHz (Threshold Level: -61dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 274.739ms |
| All TX Sample | 274739 |
| Duty Cycle | 0.274739 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6185 MHz (Threshold Level: -62dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 274.959ms |
| All TX Sample | 274959 |
| Duty Cycle | 0.274959 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6185 MHz (Threshold Level: -63dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 273.322ms |
| All TX Sample | 273322 |
| Duty Cycle | 0.273322 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6260 MHz (Threshold Level: -58dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 220.501ms |
| All TX Sample | 220501 |
| Duty Cycle | 0.220501 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6260 MHz (Threshold Level: -59dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 221.566ms |
| All TX Sample | 221566 |
| Duty Cycle | 0.221566 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6260 MHz (Threshold Level: -60dBm)

Time Analysis



| | |
|---------------|----------|
| Sample Time | 1us |
| All TX Time | 216.39ms |
| All TX Sample | 216390 |
| Duty Cycle | 0.21639 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |



Summary

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|--------------------------|--------|---------|-------------|--------|-------------|------|--------|
| 5.925-6.425GHz | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | 6.175G | 6.174981G | 3.0361 | Inf | 1 | 10 min |



Result

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|--------------------------|--------|---------|-------------|--------|-------------|------|--------|
| 802.11a_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 0 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 2 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 5 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174983G | 2.7325 | Inf | 1 | 10 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 0 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 2 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.174983G | 2.7325 | Inf | 1 | 5 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.174981G | 3.0361 | Inf | 1 | 10 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174981G | 3.0361 | Inf | 1 | 0 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174983G | 2.7325 | Inf | 1 | 2 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174983G | 2.7325 | Inf | 1 | 5 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174983G | 2.7325 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174983G | 2.7325 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174981G | 3.0361 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174985G | 2.4288 | Inf | 1 | 10 min |



Summary


| Mode | Result | Type | Freq (Hz) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Condition |
|--------|--------|------|-----------|--------------|--------------|-------------|-----------|
| Mode 1 | Pass | PK | 10.3614G | 60.97 | 68.20 | -7.23 | Vertical |



Result


| Mode | Result | Type | Freq (Hz) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|--------------|--------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass | AV | 1.1982G | 36.98 | 54.00 | -17.02 | 3 | Vertical | 242 | 1.47 | - |
| Mode 1 | Pass | AV | 3.18734G | 39.93 | 68.20 | -28.27 | 3 | Vertical | 0 | 2.52 | - |
| Mode 1 | Pass | AV | 10.3657G | 54.22 | 68.20 | -13.98 | 3 | Vertical | 149 | 2.41 | - |
| Mode 1 | Pass | PK | 1.19887G | 46.96 | 74.00 | -27.04 | 3 | Vertical | 242 | 1.47 | - |
| Mode 1 | Pass | PK | 3.18765G | 49.89 | 68.20 | -18.31 | 3 | Vertical | 0 | 2.52 | - |
| Mode 1 | Pass | PK | 10.3614G | 60.97 | 68.20 | -7.23 | 3 | Vertical | 149 | 2.41 | - |
| Mode 1 | Pass | AV | 1.1824G | 34.65 | 54.00 | -19.35 | 3 | Horizontal | 345 | 2.74 | - |
| Mode 1 | Pass | AV | 2.0631G | 34.03 | 68.20 | -34.17 | 3 | Horizontal | 270 | 1.49 | - |
| Mode 1 | Pass | AV | 10.36015G | 50.53 | 68.20 | -17.67 | 3 | Horizontal | 257 | 1.55 | - |
| Mode 1 | Pass | PK | 1.18521G | 49.02 | 74.00 | -24.98 | 3 | Horizontal | 345 | 2.74 | - |
| Mode 1 | Pass | PK | 2.0635G | 44.65 | 68.20 | -23.55 | 3 | Horizontal | 150 | 1.49 | - |
| Mode 1 | Pass | PK | 10.36012G | 59.38 | 68.20 | -8.82 | 3 | Horizontal | 257 | 1.55 | - |

Radiated Emissions above 1GHz_Mode 1



| Type | Freq (Hz) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|--------------|--------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 1.1982G | 36.98 | 54.00 | -17.02 | -6.60 | 3 | Vertical | 242 | 1.47 | - | 43.58 | 25.91 | 2.88 | 35.39 |
| AV | 3.18734G | 39.93 | 68.20 | -28.27 | -0.07 | 3 | Vertical | 0 | 2.52 | - | 40.00 | 29.93 | 4.73 | 34.73 |
| AV | 10.3657G | 54.22 | 68.20 | -13.98 | 12.16 | 3 | Vertical | 149 | 2.41 | - | 42.06 | 39.00 | 8.02 | 34.86 |
| PK | 1.19887G | 46.96 | 74.00 | -27.04 | -6.61 | 3 | Vertical | 242 | 1.47 | - | 53.57 | 25.90 | 2.88 | 35.39 |
| PK | 3.18765G | 49.89 | 68.20 | -18.31 | -0.08 | 3 | Vertical | 0 | 2.52 | - | 49.97 | 29.92 | 4.73 | 34.73 |
| PK | 10.3614G | 60.97 | 68.20 | -7.23 | 12.14 | 3 | Vertical | 149 | 2.41 | - | 48.83 | 38.98 | 8.02 | 34.86 |

Radiated Emissions above 1GHz_Mode 1



| Type | Freq (Hz) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|--------------|--------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 1.1824G | 34.65 | 54.00 | -19.35 | -6.60 | 3 | Horizontal | 345 | 2.74 | - | 41.25 | 25.97 | 2.85 | 35.42 |
| AV | 2.0631G | 34.03 | 68.20 | -34.17 | -3.86 | 3 | Horizontal | 270 | 1.49 | - | 37.89 | 26.90 | 3.86 | 34.62 |
| AV | 10.36015G | 50.53 | 68.20 | -17.67 | 12.14 | 3 | Horizontal | 257 | 1.55 | - | 38.39 | 38.98 | 8.02 | 34.86 |
| PK | 1.18521G | 49.02 | 74.00 | -24.98 | -6.59 | 3 | Horizontal | 345 | 2.74 | - | 55.61 | 25.96 | 2.86 | 35.41 |
| PK | 2.0635G | 44.65 | 68.20 | -23.55 | -3.85 | 3 | Horizontal | 150 | 1.49 | - | 48.50 | 26.91 | 3.86 | 34.62 |
| PK | 10.36012G | 59.38 | 68.20 | -8.82 | 12.14 | 3 | Horizontal | 257 | 1.55 | - | 47.24 | 38.98 | 8.02 | 34.86 |