



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	749.74M	39.86	46.00	-6.14	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	74.62M	33.74	40.00	-6.26	3	Vertical	0	1.00	-
5775MHz	Pass	PK	134.76M	28.74	43.50	-14.76	3	Vertical	0	1.00	-
5775MHz	Pass	PK	173.56M	34.77	43.50	-8.73	3	Vertical	0	1.00	-
5775MHz	Pass	PK	299.66M	32.10	46.00	-13.90	3	Vertical	0	1.00	-
5775MHz	Pass	PK	499.48M	30.32	46.00	-15.68	3	Vertical	0	1.00	-
5775MHz	Pass	PK	650.8M	32.73	46.00	-13.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	72.68M	30.31	40.00	-9.69	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	113.42M	29.32	43.50	-14.18	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	173.56M	33.38	43.50	-10.12	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	249.22M	31.53	46.00	-14.47	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	505.3M	36.42	46.00	-9.58	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	749.74M	39.86	46.00	-6.14	3	Horizontal	360	1.00	-

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	74.62M	33.74	40.00	-6.26	-24.16	3	Vertical	0	1.00	-	57.90	11.97	0.79	36.92
PK	134.76M	28.74	43.50	-14.76	-18.50	3	Vertical	0	1.00	-	47.24	16.72	1.27	36.49
PK	173.56M	34.77	43.50	-8.73	-20.46	3	Vertical	0	1.00	-	55.23	14.64	1.36	36.46
PK	299.66M	32.10	46.00	-13.90	-16.32	3	Vertical	0	1.00	-	48.42	18.38	1.71	36.41
PK	499.48M	30.32	46.00	-15.68	-11.53	3	Vertical	0	1.00	-	41.85	23.11	2.34	36.98
PK	650.8M	32.73	46.00	-13.27	-8.64	3	Vertical	0	1.00	-	41.37	25.65	2.88	37.17

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	72.68M	30.31	40.00	-9.69	-24.42	3	Horizontal	360	1.00	-	54.73	11.74	0.78	36.94
PK	113.42M	29.32	43.50	-14.18	-19.17	3	Horizontal	360	1.00	-	48.49	16.39	1.07	36.63
PK	173.56M	33.38	43.50	-10.12	-20.46	3	Horizontal	360	1.00	-	53.84	14.64	1.36	36.46
PK	249.22M	31.53	46.00	-14.47	-17.27	3	Horizontal	360	1.00	-	48.80	17.68	1.53	36.48
PK	505.3M	36.42	46.00	-9.58	-11.46	3	Horizontal	360	1.00	-	47.88	23.18	2.36	37.00
PK	749.74M	39.86	46.00	-6.14	-7.12	3	Horizontal	360	1.00	-	46.98	27.24	3.07	37.43



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1448G	53.52	54.00	-0.48	3	Horizontal	331	1.40	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.1472G	53.37	54.00	-0.63	3	Horizontal	306	1.21	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.1484G	53.45	54.00	-0.55	3	Horizontal	305	2.80	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.149G	53.85	54.00	-0.15	3	Horizontal	300	2.86	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.64	54.00	-0.36	3	Horizontal	293	1.00	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.352G	53.67	54.00	-0.33	3	Vertical	357	1.24	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3552G	53.68	54.00	-0.32	3	Horizontal	324	1.23	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.355G	53.86	54.00	-0.14	3	Horizontal	324	1.16	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	16.73644G	68.07	68.20	-0.13	3	Vertical	325	1.14	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	16.50336G	67.77	68.20	-0.43	3	Vertical	0	1.11	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.1221G	67.92	68.20	-0.28	3	Horizontal	33	2.17	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.73G	67.93	68.20	-0.27	3	Vertical	355	2.77	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.23424G	67.74	68.20	-0.46	3	Vertical	308	1.01	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.2479G	67.98	68.20	-0.22	3	Vertical	321	1.05	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.2622G	68.02	68.20	-0.18	3	Vertical	322	1.08	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6438G	67.42	68.20	-0.78	3	Horizontal	24	2.54	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.147G	52.37	54.00	-1.63	3	Vertical	22	1.50	-
5180MHz	Pass	AV	5.186G	108.04	Inf	-Inf	3	Vertical	22	1.50	-
5180MHz	Pass	PK	5.148G	63.74	74.00	-10.26	3	Vertical	22	1.50	-
5180MHz	Pass	PK	5.185G	115.39	Inf	-Inf	3	Vertical	22	1.50	-
5180MHz	Pass	AV	5.15G	53.40	54.00	-0.60	3	Horizontal	330	1.45	-
5180MHz	Pass	AV	5.1834G	111.97	Inf	-Inf	3	Horizontal	330	1.45	-
5180MHz	Pass	PK	5.1498G	65.28	74.00	-8.72	3	Horizontal	330	1.45	-
5180MHz	Pass	PK	5.183G	119.20	Inf	-Inf	3	Horizontal	330	1.45	-
5180MHz	Pass	AV	15.54007G	46.74	54.00	-7.26	3	Vertical	310	1.04	-
5180MHz	Pass	PK	10.36006G	58.40	68.20	-9.80	3	Vertical	348	3.00	-
5180MHz	Pass	PK	15.53962G	58.00	74.00	-16.00	3	Vertical	310	1.04	-
5180MHz	Pass	AV	15.5403G	46.75	54.00	-7.25	3	Horizontal	306	1.50	-
5180MHz	Pass	PK	10.3597G	57.24	68.20	-10.96	3	Horizontal	19	1.52	-
5180MHz	Pass	PK	15.5398G	58.43	74.00	-15.57	3	Horizontal	306	1.50	-
5200MHz	Pass	AV	5.15G	52.79	54.00	-1.21	3	Vertical	349	2.80	-
5200MHz	Pass	AV	5.1928G	114.22	Inf	-Inf	3	Vertical	349	2.80	-
5200MHz	Pass	PK	5.15G	64.19	74.00	-9.81	3	Vertical	349	2.80	-
5200MHz	Pass	PK	5.1932G	121.61	Inf	-Inf	3	Vertical	349	2.80	-
5200MHz	Pass	AV	5.1448G	53.52	54.00	-0.48	3	Horizontal	331	1.40	-
5200MHz	Pass	AV	5.2032G	115.36	Inf	-Inf	3	Horizontal	331	1.40	-
5200MHz	Pass	PK	5.1432G	65.65	74.00	-8.35	3	Horizontal	331	1.40	-
5200MHz	Pass	PK	5.2024G	123.10	Inf	-Inf	3	Horizontal	331	1.40	-
5200MHz	Pass	AV	15.59818G	48.42	54.00	-5.58	3	Vertical	343	1.14	-
5200MHz	Pass	PK	10.40014G	57.39	68.20	-10.81	3	Vertical	10	1.49	-
5200MHz	Pass	PK	15.5978G	59.16	74.00	-14.84	3	Vertical	343	1.14	-
5200MHz	Pass	AV	15.60244G	50.42	54.00	-3.58	3	Horizontal	314	1.94	-
5200MHz	Pass	PK	10.40004G	57.12	68.20	-11.08	3	Horizontal	19	2.09	-
5200MHz	Pass	PK	15.60266G	61.88	74.00	-12.12	3	Horizontal	314	1.94	-
5240MHz	Pass	AV	5.138G	47.77	54.00	-6.23	3	Vertical	46	1.50	-
5240MHz	Pass	AV	5.2346G	113.67	Inf	-Inf	3	Vertical	46	1.50	-
5240MHz	Pass	AV	5.3882G	46.52	54.00	-7.48	3	Vertical	46	1.50	-
5240MHz	Pass	PK	5.111G	58.04	74.00	-15.96	3	Vertical	46	1.50	-
5240MHz	Pass	PK	5.2352G	120.85	Inf	-Inf	3	Vertical	46	1.50	-
5240MHz	Pass	PK	5.3816G	57.65	74.00	-16.35	3	Vertical	46	1.50	-
5240MHz	Pass	AV	5.147G	48.65	54.00	-5.35	3	Horizontal	41	2.28	-
5240MHz	Pass	AV	5.2328G	116.51	Inf	-Inf	3	Horizontal	41	2.28	-
5240MHz	Pass	AV	5.3696G	47.01	54.00	-6.99	3	Horizontal	41	2.28	-
5240MHz	Pass	PK	5.1242G	59.08	74.00	-14.92	3	Horizontal	41	2.28	-
5240MHz	Pass	PK	5.2328G	123.86	Inf	-Inf	3	Horizontal	41	2.28	-
5240MHz	Pass	PK	5.3858G	56.87	74.00	-17.13	3	Horizontal	41	2.28	-
5240MHz	Pass	AV	15.72035G	53.12	54.00	-0.88	3	Vertical	52	1.08	-
5240MHz	Pass	PK	10.4799G	58.60	68.20	-9.60	3	Vertical	11	1.00	-
5240MHz	Pass	PK	15.72019G	64.95	74.00	-9.05	3	Vertical	52	1.08	-
5240MHz	Pass	AV	15.71928G	49.38	54.00	-4.62	3	Horizontal	46	2.00	-
5240MHz	Pass	PK	10.47985G	58.21	68.20	-9.99	3	Horizontal	60	3.00	-
5240MHz	Pass	PK	15.71907G	61.40	74.00	-12.60	3	Horizontal	46	2.00	-
5260MHz	Pass	AV	5.1376G	48.06	54.00	-5.94	3	Vertical	59	1.02	-
5260MHz	Pass	AV	5.2624G	113.25	Inf	-Inf	3	Vertical	59	1.02	-
5260MHz	Pass	AV	5.3968G	47.01	54.00	-6.99	3	Vertical	59	1.02	-
5260MHz	Pass	PK	5.1442G	57.78	74.00	-16.22	3	Vertical	59	1.02	-
5260MHz	Pass	PK	5.2624G	121.24	Inf	-Inf	3	Vertical	59	1.02	-
5260MHz	Pass	PK	5.389G	57.72	74.00	-16.28	3	Vertical	59	1.02	-
5260MHz	Pass	AV	5.1436G	48.09	54.00	-5.91	3	Horizontal	330	1.37	-
5260MHz	Pass	AV	5.2546G	115.47	Inf	-Inf	3	Horizontal	330	1.37	-
5260MHz	Pass	AV	5.3632G	47.50	54.00	-6.50	3	Horizontal	330	1.37	-
5260MHz	Pass	PK	5.134G	58.01	74.00	-15.99	3	Horizontal	330	1.37	-
5260MHz	Pass	PK	5.2546G	123.04	Inf	-Inf	3	Horizontal	330	1.37	-
5260MHz	Pass	PK	5.353G	57.84	74.00	-16.16	3	Horizontal	330	1.37	-
5260MHz	Pass	AV	15.78308G	50.79	54.00	-3.21	3	Vertical	54	1.15	-
5260MHz	Pass	PK	10.52011G	58.58	68.20	-9.62	3	Vertical	11	1.00	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.78258G	62.33	74.00	-11.67	3	Vertical	54	1.15	-
5260MHz	Pass	AV	15.78128G	49.02	54.00	-4.98	3	Horizontal	281	1.96	-
5260MHz	Pass	PK	10.51996G	57.84	68.20	-10.36	3	Horizontal	60	2.98	-
5260MHz	Pass	PK	15.78158G	61.27	74.00	-12.73	3	Horizontal	281	1.96	-
5300MHz	Pass	AV	5.2984G	112.68	Inf	-Inf	3	Vertical	326	1.63	-
5300MHz	Pass	AV	5.3512G	50.74	54.00	-3.26	3	Vertical	326	1.63	-
5300MHz	Pass	PK	5.2988G	120.46	Inf	-Inf	3	Vertical	326	1.63	-
5300MHz	Pass	PK	5.3508G	64.83	74.00	-9.17	3	Vertical	326	1.63	-
5300MHz	Pass	AV	5.2968G	116.80	Inf	-Inf	3	Horizontal	291	1.00	-
5300MHz	Pass	AV	5.3504G	52.02	54.00	-1.98	3	Horizontal	291	1.00	-
5300MHz	Pass	PK	5.2972G	124.77	Inf	-Inf	3	Horizontal	291	1.00	-
5300MHz	Pass	PK	5.3568G	63.97	74.00	-10.03	3	Horizontal	291	1.00	-
5300MHz	Pass	AV	10.60005G	52.72	54.00	-1.28	3	Vertical	9	2.58	-
5300MHz	Pass	AV	15.9024G	52.61	54.00	-1.39	3	Vertical	17	1.03	-
5300MHz	Pass	PK	10.59989G	58.85	68.20	-9.35	3	Vertical	9	2.58	-
5300MHz	Pass	PK	15.90148G	63.98	74.00	-10.02	3	Vertical	17	1.03	-
5300MHz	Pass	AV	10.60002G	48.62	54.00	-5.38	3	Horizontal	20	1.63	-
5300MHz	Pass	AV	15.89976G	49.57	54.00	-4.43	3	Horizontal	290	1.03	-
5300MHz	Pass	PK	10.60012G	57.28	74.00	-16.72	3	Horizontal	20	1.63	-
5300MHz	Pass	PK	15.89978G	60.70	74.00	-13.30	3	Horizontal	290	1.03	-
5320MHz	Pass	AV	5.3168G	110.56	Inf	-Inf	3	Vertical	333	2.48	-
5320MHz	Pass	AV	5.3504G	52.84	54.00	-1.16	3	Vertical	333	2.48	-
5320MHz	Pass	PK	5.3166G	118.30	Inf	-Inf	3	Vertical	333	2.48	-
5320MHz	Pass	PK	5.3508G	64.36	74.00	-9.64	3	Vertical	333	2.48	-
5320MHz	Pass	AV	5.3234G	113.72	Inf	-Inf	3	Horizontal	293	1.00	-
5320MHz	Pass	AV	5.35G	53.64	54.00	-0.36	3	Horizontal	293	1.00	-
5320MHz	Pass	PK	5.3232G	121.03	Inf	-Inf	3	Horizontal	293	1.00	-
5320MHz	Pass	PK	5.3502G	63.74	74.00	-10.26	3	Horizontal	293	1.00	-
5320MHz	Pass	AV	10.63998G	52.83	54.00	-1.17	3	Vertical	12	1.05	-
5320MHz	Pass	AV	15.96316G	46.20	54.00	-7.80	3	Vertical	321	2.37	-
5320MHz	Pass	PK	10.64G	59.07	74.00	-14.93	3	Vertical	12	1.05	-
5320MHz	Pass	PK	15.95664G	57.07	74.00	-16.93	3	Vertical	321	2.37	-
5320MHz	Pass	AV	10.64001G	48.33	54.00	-5.67	3	Horizontal	22	1.66	-
5320MHz	Pass	AV	15.96408G	46.33	54.00	-7.67	3	Horizontal	330	1.48	-
5320MHz	Pass	PK	10.64002G	57.11	74.00	-16.89	3	Horizontal	22	1.66	-
5320MHz	Pass	PK	15.95646G	57.74	74.00	-16.26	3	Horizontal	330	1.48	-
5500MHz	Pass	AV	5.4598G	46.93	54.00	-7.07	3	Vertical	0	2.03	-
5500MHz	Pass	AV	5.5044G	108.24	Inf	-Inf	3	Vertical	0	2.03	-
5500MHz	Pass	PK	5.4656G	59.39	68.20	-8.81	3	Vertical	0	2.03	-
5500MHz	Pass	PK	5.504G	115.67	Inf	-Inf	3	Vertical	0	2.03	-
5500MHz	Pass	AV	5.4572G	48.04	54.00	-5.96	3	Horizontal	298	2.72	-
5500MHz	Pass	AV	5.4952G	111.38	Inf	-Inf	3	Horizontal	298	2.72	-
5500MHz	Pass	PK	5.4636G	61.01	68.20	-7.19	3	Horizontal	298	2.72	-
5500MHz	Pass	PK	5.4964G	119.60	Inf	-Inf	3	Horizontal	298	2.72	-
5500MHz	Pass	AV	10.99993G	51.39	54.00	-2.61	3	Vertical	14	1.70	-
5500MHz	Pass	PK	10.99996G	58.31	74.00	-15.69	3	Vertical	14	1.70	-
5500MHz	Pass	PK	16.4957G	62.73	68.20	-5.47	3	Vertical	342	2.50	-
5500MHz	Pass	AV	10.99994G	47.49	54.00	-6.51	3	Horizontal	300	1.55	-
5500MHz	Pass	PK	10.99966G	56.44	74.00	-17.56	3	Horizontal	300	1.55	-
5500MHz	Pass	PK	16.50088G	67.59	68.20	-0.61	3	Horizontal	31	1.87	-
5580MHz	Pass	AV	5.4396G	47.07	54.00	-6.93	3	Vertical	1	2.91	-
5580MHz	Pass	AV	5.5782G	112.51	Inf	-Inf	3	Vertical	1	2.91	-
5580MHz	Pass	PK	5.469G	57.00	68.20	-11.20	3	Vertical	1	2.91	-
5580MHz	Pass	PK	5.5782G	119.64	Inf	-Inf	3	Vertical	1	2.91	-
5580MHz	Pass	PK	5.7282G	57.75	68.20	-10.45	3	Vertical	1	2.91	-
5580MHz	Pass	AV	5.445G	46.99	54.00	-7.01	3	Horizontal	330	1.00	-
5580MHz	Pass	AV	5.5842G	114.17	Inf	-Inf	3	Horizontal	330	1.00	-
5580MHz	Pass	PK	5.4696G	57.98	68.20	-10.22	3	Horizontal	330	1.00	-
5580MHz	Pass	PK	5.5848G	121.24	Inf	-Inf	3	Horizontal	330	1.00	-
5580MHz	Pass	PK	5.7252G	57.60	68.20	-10.60	3	Horizontal	330	1.00	-
5580MHz	Pass	AV	11.15999G	47.56	54.00	-6.44	3	Vertical	355	2.38	-
5580MHz	Pass	PK	11.16022G	57.36	74.00	-16.64	3	Vertical	355	2.38	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.73644G	68.07	68.20	-0.13	3	Vertical	325	1.14	-
5580MHz	Pass	AV	11.15986G	47.01	54.00	-6.99	3	Horizontal	304	2.91	-
5580MHz	Pass	PK	11.16018G	56.31	74.00	-17.69	3	Horizontal	304	2.91	-
5580MHz	Pass	PK	16.73899G	67.38	68.20	-0.82	3	Horizontal	22	1.89	-
5700MHz	Pass	AV	5.6988G	111.33	Inf	-Inf	3	Vertical	34	1.22	-
5700MHz	Pass	PK	5.6988G	118.51	Inf	-Inf	3	Vertical	34	1.22	-
5700MHz	Pass	PK	5.7264G	62.79	68.20	-5.41	3	Vertical	34	1.22	-
5700MHz	Pass	AV	5.7012G	111.58	Inf	-Inf	3	Horizontal	2	1.50	-
5700MHz	Pass	PK	5.7016G	118.77	Inf	-Inf	3	Horizontal	2	1.50	-
5700MHz	Pass	PK	5.7268G	67.65	68.20	-0.55	3	Horizontal	2	1.50	-
5700MHz	Pass	AV	11.39983G	47.06	54.00	-6.94	3	Vertical	2	1.13	-
5700MHz	Pass	PK	11.39991G	56.25	74.00	-17.75	3	Vertical	2	1.13	-
5700MHz	Pass	PK	17.09752G	59.05	68.20	-9.15	3	Vertical	52	1.50	-
5700MHz	Pass	AV	11.40001G	48.39	54.00	-5.61	3	Horizontal	3	2.03	-
5700MHz	Pass	PK	11.39996G	56.80	74.00	-17.20	3	Horizontal	3	2.03	-
5700MHz	Pass	PK	17.10438G	60.17	68.20	-8.03	3	Horizontal	0	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	46.58	54.00	-7.42	3	Vertical	32	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	116.53	Inf	-Inf	3	Vertical	32	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.97	68.20	-11.23	3	Vertical	32	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	124.41	Inf	-Inf	3	Vertical	32	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9864G	59.47	68.20	-8.73	3	Vertical	32	2.72	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	46.75	54.00	-7.25	3	Horizontal	23	1.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	116.72	Inf	-Inf	3	Horizontal	23	1.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.36	68.20	-11.84	3	Horizontal	23	1.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	123.97	Inf	-Inf	3	Horizontal	23	1.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9912G	59.07	68.20	-9.13	3	Horizontal	23	1.33	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43995G	47.29	54.00	-6.71	3	Vertical	328	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44001G	58.60	74.00	-15.40	3	Vertical	328	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1564G	65.93	68.20	-2.27	3	Vertical	360	2.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44008G	46.77	54.00	-7.23	3	Horizontal	14	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44006G	57.06	74.00	-16.94	3	Horizontal	14	1.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15802G	66.28	68.20	-1.92	3	Horizontal	18	1.16	-
5745MHz	Pass	AV	5.7474G	114.99	Inf	-Inf	3	Vertical	360	1.26	-
5745MHz	Pass	PK	5.493G	58.46	68.20	-9.74	3	Vertical	360	1.26	-
5745MHz	Pass	PK	5.7486G	122.53	Inf	-Inf	3	Vertical	360	1.26	-
5745MHz	Pass	PK	6.0414G	58.50	68.20	-9.70	3	Vertical	360	1.26	-
5745MHz	Pass	AV	5.7474G	115.92	Inf	-Inf	3	Horizontal	4	1.43	-
5745MHz	Pass	PK	5.6118G	58.24	68.20	-9.96	3	Horizontal	4	1.43	-
5745MHz	Pass	PK	5.7474G	123.10	Inf	-Inf	3	Horizontal	4	1.43	-
5745MHz	Pass	PK	5.9934G	59.34	68.20	-8.86	3	Horizontal	4	1.43	-
5745MHz	Pass	AV	11.48997G	47.47	54.00	-6.53	3	Vertical	2	1.02	-
5745MHz	Pass	PK	11.48976G	56.88	74.00	-17.12	3	Vertical	2	1.02	-
5745MHz	Pass	PK	17.23424G	67.74	68.20	-0.46	3	Vertical	308	1.01	-
5745MHz	Pass	AV	11.48993G	47.10	54.00	-6.90	3	Horizontal	21	2.78	-
5745MHz	Pass	PK	11.48996G	56.66	74.00	-17.34	3	Horizontal	21	2.78	-
5745MHz	Pass	PK	17.22976G	66.53	68.20	-1.67	3	Horizontal	34	1.18	-
5785MHz	Pass	AV	5.779G	115.99	Inf	-Inf	3	Vertical	31	1.72	-
5785MHz	Pass	PK	5.5978G	58.34	68.20	-9.86	3	Vertical	31	1.72	-
5785MHz	Pass	PK	5.779G	123.20	Inf	-Inf	3	Vertical	31	1.72	-
5785MHz	Pass	PK	6.0346G	59.09	68.20	-9.11	3	Vertical	31	1.72	-
5785MHz	Pass	AV	5.7814G	117.49	Inf	-Inf	3	Horizontal	324	2.74	-
5785MHz	Pass	PK	5.599G	58.05	68.20	-10.15	3	Horizontal	324	2.74	-
5785MHz	Pass	PK	5.7814G	124.62	Inf	-Inf	3	Horizontal	324	2.74	-
5785MHz	Pass	PK	5.9314G	58.79	68.20	-9.41	3	Horizontal	324	2.74	-
5785MHz	Pass	AV	11.56988G	48.10	54.00	-5.90	3	Vertical	0	1.00	-
5785MHz	Pass	PK	11.56984G	56.62	74.00	-17.38	3	Vertical	0	1.00	-
5785MHz	Pass	PK	17.34896G	66.63	68.20	-1.57	3	Vertical	3	1.01	-
5785MHz	Pass	AV	11.57G	46.02	54.00	-7.98	3	Horizontal	44	2.78	-
5785MHz	Pass	PK	11.57008G	55.41	74.00	-18.59	3	Horizontal	44	2.78	-
5785MHz	Pass	PK	17.35324G	64.33	68.20	-3.87	3	Horizontal	37	1.00	-
5825MHz	Pass	AV	5.8226G	116.28	Inf	-Inf	3	Vertical	33	2.75	-
5825MHz	Pass	PK	5.6042G	57.92	68.20	-10.28	3	Vertical	33	2.75	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8214G	123.34	Inf	-Inf	3	Vertical	33	2.75	-
5825MHz	Pass	PK	6.0266G	58.67	68.20	-9.53	3	Vertical	33	2.75	-
5825MHz	Pass	AV	5.8262G	118.22	Inf	-Inf	3	Horizontal	68	2.54	-
5825MHz	Pass	PK	5.5922G	58.18	68.20	-10.02	3	Horizontal	68	2.54	-
5825MHz	Pass	PK	5.8262G	125.26	Inf	-Inf	3	Horizontal	68	2.54	-
5825MHz	Pass	PK	6.0122G	59.54	68.20	-8.66	3	Horizontal	68	2.54	-
5825MHz	Pass	AV	11.64992G	48.69	54.00	-5.31	3	Vertical	0	1.04	-
5825MHz	Pass	PK	11.65032G	56.89	74.00	-17.11	3	Vertical	0	1.04	-
5825MHz	Pass	PK	17.47668G	64.46	68.20	-3.74	3	Vertical	18	1.00	-
5825MHz	Pass	AV	11.65G	45.02	54.00	-8.98	3	Horizontal	337	1.26	-
5825MHz	Pass	PK	11.64704G	55.95	74.00	-18.05	3	Horizontal	337	1.26	-
5825MHz	Pass	PK	17.47012G	64.80	68.20	-3.40	3	Horizontal	30	1.84	-
802.11ax HEW20_Nss1 (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	53.33	54.00	-0.67	3	Vertical	27	1.19	-
5180MHz	Pass	AV	5.1758G	109.36	Inf	-Inf	3	Vertical	27	1.19	-
5180MHz	Pass	PK	5.1478G	66.74	74.00	-7.26	3	Vertical	27	1.19	-
5180MHz	Pass	PK	5.175G	121.04	Inf	-Inf	3	Vertical	27	1.19	-
5180MHz	Pass	AV	5.1396G	53.27	54.00	-0.73	3	Horizontal	308	2.78	-
5180MHz	Pass	AV	5.1784G	113.45	Inf	-Inf	3	Horizontal	308	2.78	-
5180MHz	Pass	PK	5.1474G	64.82	74.00	-9.18	3	Horizontal	308	2.78	-
5180MHz	Pass	PK	5.1792G	124.18	Inf	-Inf	3	Horizontal	308	2.78	-
5180MHz	Pass	AV	15.54648G	46.64	54.00	-7.36	3	Vertical	337	1.06	-
5180MHz	Pass	PK	10.36016G	56.33	68.20	-11.87	3	Vertical	351	1.50	-
5180MHz	Pass	PK	15.54208G	58.04	74.00	-15.96	3	Vertical	337	1.06	-
5180MHz	Pass	AV	15.55152G	46.25	54.00	-7.75	3	Horizontal	316	1.50	-
5180MHz	Pass	PK	10.36G	56.74	68.20	-11.46	3	Horizontal	20	2.15	-
5180MHz	Pass	PK	15.55248G	57.34	74.00	-16.66	3	Horizontal	316	1.50	-
5200MHz	Pass	AV	5.1488G	52.15	54.00	-1.85	3	Vertical	52	1.62	-
5200MHz	Pass	AV	5.2072G	111.50	Inf	-Inf	3	Vertical	52	1.62	-
5200MHz	Pass	PK	5.1496G	65.10	74.00	-8.90	3	Vertical	52	1.62	-
5200MHz	Pass	PK	5.2076G	120.95	Inf	-Inf	3	Vertical	52	1.62	-
5200MHz	Pass	AV	5.1472G	53.37	54.00	-0.63	3	Horizontal	306	1.21	-
5200MHz	Pass	AV	5.1956G	116.67	Inf	-Inf	3	Horizontal	306	1.21	-
5200MHz	Pass	PK	5.1468G	65.98	74.00	-8.02	3	Horizontal	306	1.21	-
5200MHz	Pass	PK	5.1944G	126.19	Inf	-Inf	3	Horizontal	306	1.21	-
5200MHz	Pass	AV	15.59868G	53.21	54.00	-0.79	3	Vertical	15	1.00	-
5200MHz	Pass	PK	10.4G	57.17	68.20	-11.03	3	Vertical	17	1.00	-
5200MHz	Pass	PK	15.59936G	69.13	74.00	-4.87	3	Vertical	15	1.00	-
5200MHz	Pass	AV	15.60224G	52.63	54.00	-1.37	3	Horizontal	320	1.94	-
5200MHz	Pass	PK	10.4002G	56.00	68.20	-12.20	3	Horizontal	22	1.56	-
5200MHz	Pass	PK	15.60352G	66.76	74.00	-7.24	3	Horizontal	320	1.94	-
5240MHz	Pass	AV	5.1416G	47.92	54.00	-6.08	3	Vertical	324	2.61	-
5240MHz	Pass	AV	5.2382G	114.13	Inf	-Inf	3	Vertical	324	2.61	-
5240MHz	Pass	AV	5.3864G	46.67	54.00	-7.33	3	Vertical	324	2.61	-
5240MHz	Pass	PK	5.1416G	59.80	74.00	-14.20	3	Vertical	324	2.61	-
5240MHz	Pass	PK	5.2376G	125.23	Inf	-Inf	3	Vertical	324	2.61	-
5240MHz	Pass	PK	5.3684G	58.95	74.00	-15.05	3	Vertical	324	2.61	-
5240MHz	Pass	AV	5.1488G	49.68	54.00	-4.32	3	Horizontal	288	1.00	-
5240MHz	Pass	AV	5.243G	116.77	Inf	-Inf	3	Horizontal	288	1.00	-
5240MHz	Pass	AV	5.3762G	47.74	54.00	-6.26	3	Horizontal	288	1.00	-
5240MHz	Pass	PK	5.1182G	60.92	74.00	-13.08	3	Horizontal	288	1.00	-
5240MHz	Pass	PK	5.243G	126.25	Inf	-Inf	3	Horizontal	288	1.00	-
5240MHz	Pass	PK	5.3876G	58.73	74.00	-15.27	3	Horizontal	288	1.00	-
5240MHz	Pass	AV	15.72232G	53.12	54.00	-0.88	3	Vertical	360	1.14	-
5240MHz	Pass	PK	10.48008G	57.31	68.20	-10.89	3	Vertical	36	2.21	-
5240MHz	Pass	PK	15.72112G	66.98	74.00	-7.02	3	Vertical	360	1.14	-
5240MHz	Pass	AV	15.72812G	52.38	54.00	-1.62	3	Horizontal	51	1.89	-
5240MHz	Pass	PK	10.47988G	57.50	68.20	-10.70	3	Horizontal	64	3.00	-
5240MHz	Pass	PK	15.72764G	66.44	74.00	-7.56	3	Horizontal	51	1.89	-
5260MHz	Pass	AV	5.1418G	47.79	54.00	-6.21	3	Vertical	315	2.83	-
5260MHz	Pass	AV	5.2564G	113.93	Inf	-Inf	3	Vertical	315	2.83	-
5260MHz	Pass	AV	5.4004G	47.10	54.00	-6.90	3	Vertical	315	2.83	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.1244G	59.56	74.00	-14.44	3	Vertical	315	2.83	-
5260MHz	Pass	PK	5.2576G	124.31	Inf	-Inf	3	Vertical	315	2.83	-
5260MHz	Pass	PK	5.3902G	57.90	74.00	-16.10	3	Vertical	315	2.83	-
5260MHz	Pass	AV	5.15G	48.07	54.00	-5.93	3	Horizontal	326	1.26	-
5260MHz	Pass	AV	5.2612G	114.84	Inf	-Inf	3	Horizontal	326	1.26	-
5260MHz	Pass	AV	5.3644G	47.73	54.00	-6.27	3	Horizontal	326	1.26	-
5260MHz	Pass	PK	5.1142G	59.61	74.00	-14.39	3	Horizontal	326	1.26	-
5260MHz	Pass	PK	5.2612G	126.06	Inf	-Inf	3	Horizontal	326	1.26	-
5260MHz	Pass	PK	5.4088G	59.23	74.00	-14.77	3	Horizontal	326	1.26	-
5260MHz	Pass	AV	15.7728G	53.67	54.00	-0.33	3	Vertical	357	1.24	-
5260MHz	Pass	PK	10.52004G	58.89	68.20	-9.31	3	Vertical	8	1.63	-
5260MHz	Pass	PK	15.77064G	67.04	74.00	-6.96	3	Vertical	357	1.24	-
5260MHz	Pass	AV	15.78032G	52.69	54.00	-1.31	3	Horizontal	42	1.99	-
5260MHz	Pass	PK	10.52004G	57.34	68.20	-10.86	3	Horizontal	17	1.72	-
5260MHz	Pass	PK	15.7796G	67.39	74.00	-6.61	3	Horizontal	42	1.99	-
5300MHz	Pass	AV	5.2968G	110.14	Inf	-Inf	3	Vertical	282	1.50	-
5300MHz	Pass	AV	5.356G	47.55	54.00	-6.45	3	Vertical	282	1.50	-
5300MHz	Pass	PK	5.2976G	120.66	Inf	-Inf	3	Vertical	282	1.50	-
5300MHz	Pass	PK	5.394G	58.80	74.00	-15.20	3	Vertical	282	1.50	-
5300MHz	Pass	AV	5.2984G	112.85	Inf	-Inf	3	Horizontal	351	1.38	-
5300MHz	Pass	AV	5.3576G	48.09	54.00	-5.91	3	Horizontal	351	1.38	-
5300MHz	Pass	PK	5.2988G	123.71	Inf	-Inf	3	Horizontal	351	1.38	-
5300MHz	Pass	PK	5.3664G	61.23	74.00	-12.77	3	Horizontal	351	1.38	-
5300MHz	Pass	AV	10.6G	52.84	54.00	-1.16	3	Vertical	0	1.20	-
5300MHz	Pass	AV	15.89848G	52.75	54.00	-1.25	3	Vertical	328	1.00	-
5300MHz	Pass	PK	10.6G	58.12	74.00	-15.88	3	Vertical	0	1.20	-
5300MHz	Pass	PK	15.89864G	67.88	74.00	-6.12	3	Vertical	328	1.00	-
5300MHz	Pass	AV	10.6G	48.14	54.00	-5.86	3	Horizontal	16	1.80	-
5300MHz	Pass	AV	15.90736G	50.88	54.00	-3.12	3	Horizontal	28	1.08	-
5300MHz	Pass	PK	10.60016G	57.11	74.00	-16.89	3	Horizontal	16	1.80	-
5300MHz	Pass	PK	15.90824G	65.67	74.00	-8.33	3	Horizontal	28	1.08	-
5320MHz	Pass	AV	5.3156G	106.69	Inf	-Inf	3	Vertical	328	1.61	-
5320MHz	Pass	AV	5.355G	48.89	54.00	-5.11	3	Vertical	328	1.61	-
5320MHz	Pass	PK	5.3148G	118.52	Inf	-Inf	3	Vertical	328	1.61	-
5320MHz	Pass	PK	5.3542G	60.37	74.00	-13.63	3	Vertical	328	1.61	-
5320MHz	Pass	AV	5.3128G	111.34	Inf	-Inf	3	Horizontal	303	1.00	-
5320MHz	Pass	AV	5.3518G	53.04	54.00	-0.96	3	Horizontal	303	1.00	-
5320MHz	Pass	PK	5.3122G	122.37	Inf	-Inf	3	Horizontal	303	1.00	-
5320MHz	Pass	PK	5.3514G	64.40	74.00	-9.60	3	Horizontal	303	1.00	-
5320MHz	Pass	AV	10.64G	52.95	54.00	-1.05	3	Vertical	15	2.54	-
5320MHz	Pass	AV	15.95976G	47.99	54.00	-6.01	3	Vertical	22	1.00	-
5320MHz	Pass	PK	10.64G	59.01	74.00	-14.99	3	Vertical	15	2.54	-
5320MHz	Pass	PK	15.96032G	60.04	74.00	-13.96	3	Vertical	22	1.00	-
5320MHz	Pass	AV	10.63996G	47.73	54.00	-6.27	3	Horizontal	18	1.73	-
5320MHz	Pass	AV	15.95812G	47.43	54.00	-6.57	3	Horizontal	310	2.02	-
5320MHz	Pass	PK	10.6398G	56.57	74.00	-17.43	3	Horizontal	18	1.73	-
5320MHz	Pass	PK	15.95804G	59.72	74.00	-14.28	3	Horizontal	310	2.02	-
5500MHz	Pass	AV	5.458G	47.98	54.00	-6.02	3	Vertical	4	1.05	-
5500MHz	Pass	AV	5.4956G	109.50	Inf	-Inf	3	Vertical	4	1.05	-
5500MHz	Pass	PK	5.468G	63.46	68.20	-4.74	3	Vertical	4	1.05	-
5500MHz	Pass	PK	5.4948G	121.39	Inf	-Inf	3	Vertical	4	1.05	-
5500MHz	Pass	AV	5.46G	49.12	54.00	-4.88	3	Horizontal	296	2.67	-
5500MHz	Pass	AV	5.4986G	111.29	Inf	-Inf	3	Horizontal	296	2.67	-
5500MHz	Pass	PK	5.47G	66.50	68.20	-1.70	3	Horizontal	296	2.67	-
5500MHz	Pass	PK	5.4992G	123.12	Inf	-Inf	3	Horizontal	296	2.67	-
5500MHz	Pass	AV	10.99998G	53.05	54.00	-0.95	3	Vertical	11	1.57	-
5500MHz	Pass	PK	11.00008G	58.92	74.00	-15.08	3	Vertical	11	1.57	-
5500MHz	Pass	PK	16.50336G	67.77	68.20	-0.43	3	Vertical	0	1.11	-
5500MHz	Pass	AV	10.99996G	47.21	54.00	-6.79	3	Horizontal	312	1.66	-
5500MHz	Pass	PK	10.99988G	55.72	74.00	-18.28	3	Horizontal	312	1.66	-
5500MHz	Pass	PK	16.50408G	67.54	68.20	-0.66	3	Horizontal	336	1.93	-
5580MHz	Pass	AV	5.4378G	46.74	54.00	-7.26	3	Vertical	360	2.83	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	5.583G	111.74	Inf	-Inf	3	Vertical	360	2.83	-
5580MHz	Pass	PK	5.4642G	58.46	68.20	-9.74	3	Vertical	360	2.83	-
5580MHz	Pass	PK	5.5824G	122.15	Inf	-Inf	3	Vertical	360	2.83	-
5580MHz	Pass	PK	5.73G	59.11	68.20	-9.09	3	Vertical	360	2.83	-
5580MHz	Pass	AV	5.4474G	46.74	54.00	-7.26	3	Horizontal	321	2.60	-
5580MHz	Pass	AV	5.5788G	111.60	Inf	-Inf	3	Horizontal	321	2.60	-
5580MHz	Pass	PK	5.4606G	58.04	68.20	-10.16	3	Horizontal	321	2.60	-
5580MHz	Pass	PK	5.5788G	122.52	Inf	-Inf	3	Horizontal	321	2.60	-
5580MHz	Pass	PK	5.7252G	59.65	68.20	-8.55	3	Horizontal	321	2.60	-
5580MHz	Pass	AV	11.15992G	49.10	54.00	-4.90	3	Vertical	6	1.08	-
5580MHz	Pass	PK	11.16G	56.81	74.00	-17.19	3	Vertical	6	1.08	-
5580MHz	Pass	PK	16.7388G	67.34	68.20	-0.86	3	Vertical	360	1.16	-
5580MHz	Pass	AV	11.15996G	47.70	54.00	-6.30	3	Horizontal	0	1.96	-
5580MHz	Pass	PK	11.16008G	56.23	74.00	-17.77	3	Horizontal	0	1.96	-
5580MHz	Pass	PK	16.73056G	66.43	68.20	-1.77	3	Horizontal	10	1.50	-
5700MHz	Pass	AV	5.694G	110.00	Inf	-Inf	3	Vertical	360	2.69	-
5700MHz	Pass	PK	5.6944G	120.29	Inf	-Inf	3	Vertical	360	2.69	-
5700MHz	Pass	PK	5.7272G	65.49	68.20	-2.71	3	Vertical	360	2.69	-
5700MHz	Pass	AV	5.6972G	110.56	Inf	-Inf	3	Horizontal	63	2.35	-
5700MHz	Pass	PK	5.6976G	122.44	Inf	-Inf	3	Horizontal	63	2.35	-
5700MHz	Pass	PK	5.7252G	67.62	68.20	-0.58	3	Horizontal	63	2.35	-
5700MHz	Pass	AV	11.39992G	48.45	54.00	-5.55	3	Vertical	6	1.09	-
5700MHz	Pass	PK	11.40016G	56.43	74.00	-17.57	3	Vertical	6	1.09	-
5700MHz	Pass	PK	17.10592G	59.65	68.20	-8.55	3	Vertical	184	1.50	-
5700MHz	Pass	AV	11.39992G	48.68	54.00	-5.32	3	Horizontal	9	2.00	-
5700MHz	Pass	PK	11.39992G	56.67	74.00	-17.33	3	Horizontal	9	2.00	-
5700MHz	Pass	PK	17.1156G	59.53	68.20	-8.67	3	Horizontal	249	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4272G	46.55	54.00	-7.45	3	Vertical	26	1.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	113.20	Inf	-Inf	3	Vertical	26	1.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.51	68.20	-10.69	3	Vertical	26	1.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	122.88	Inf	-Inf	3	Vertical	26	1.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9228G	60.05	68.20	-8.15	3	Vertical	26	1.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	46.62	54.00	-7.38	3	Horizontal	360	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	113.62	Inf	-Inf	3	Horizontal	360	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.56	68.20	-10.64	3	Horizontal	360	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	124.25	Inf	-Inf	3	Horizontal	360	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8688G	59.88	68.20	-8.32	3	Horizontal	360	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	48.04	54.00	-5.96	3	Vertical	5	1.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44016G	57.89	74.00	-16.11	3	Vertical	5	1.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15568G	66.74	68.20	-1.46	3	Vertical	319	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	47.66	54.00	-6.34	3	Horizontal	32	1.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44016G	56.29	74.00	-17.71	3	Horizontal	32	1.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16448G	64.12	68.20	-4.08	3	Horizontal	103	1.81	-
5745MHz	Pass	AV	5.739G	113.38	Inf	-Inf	3	Vertical	26	1.34	-
5745MHz	Pass	PK	5.643G	58.72	68.20	-9.48	3	Vertical	26	1.34	-
5745MHz	Pass	PK	5.7366G	123.18	Inf	-Inf	3	Vertical	26	1.34	-
5745MHz	Pass	PK	5.9382G	59.02	68.20	-9.18	3	Vertical	26	1.34	-
5745MHz	Pass	AV	5.7402G	114.74	Inf	-Inf	3	Horizontal	320	2.65	-
5745MHz	Pass	PK	5.649G	59.02	68.20	-9.18	3	Horizontal	320	2.65	-
5745MHz	Pass	PK	5.7414G	124.21	Inf	-Inf	3	Horizontal	320	2.65	-
5745MHz	Pass	PK	5.9718G	59.37	68.20	-8.83	3	Horizontal	320	2.65	-
5745MHz	Pass	AV	11.49G	47.87	54.00	-6.13	3	Vertical	5	1.18	-
5745MHz	Pass	PK	11.49G	57.09	74.00	-16.91	3	Vertical	5	1.18	-
5745MHz	Pass	PK	17.2479G	67.98	68.20	-0.22	3	Vertical	321	1.05	-
5745MHz	Pass	AV	11.49G	48.00	54.00	-6.00	3	Horizontal	20	2.18	-
5745MHz	Pass	PK	11.49012G	57.23	74.00	-16.77	3	Horizontal	20	2.18	-
5745MHz	Pass	PK	17.2251G	66.92	68.20	-1.28	3	Horizontal	16	1.00	-
5785MHz	Pass	AV	5.7826G	112.05	Inf	-Inf	3	Vertical	22	2.77	-
5785MHz	Pass	PK	5.5918G	58.95	68.20	-9.25	3	Vertical	22	2.77	-
5785MHz	Pass	PK	5.7838G	122.58	Inf	-Inf	3	Vertical	22	2.77	-
5785MHz	Pass	PK	5.9998G	59.17	68.20	-9.03	3	Vertical	22	2.77	-
5785MHz	Pass	AV	5.7862G	115.46	Inf	-Inf	3	Horizontal	62	2.64	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.5294G	58.75	68.20	-9.45	3	Horizontal	62	2.64	-
5785MHz	Pass	PK	5.7874G	126.65	Inf	-Inf	3	Horizontal	62	2.64	-
5785MHz	Pass	PK	5.9434G	59.15	68.20	-9.05	3	Horizontal	62	2.64	-
5785MHz	Pass	AV	11.56994G	47.84	54.00	-6.16	3	Vertical	360	1.16	-
5785MHz	Pass	PK	11.57042G	55.72	74.00	-18.28	3	Vertical	360	1.16	-
5785MHz	Pass	PK	17.3542G	67.51	68.20	-0.69	3	Vertical	358	1.01	-
5785MHz	Pass	AV	11.56988G	47.13	54.00	-6.87	3	Horizontal	22	2.10	-
5785MHz	Pass	PK	11.56982G	56.00	74.00	-18.00	3	Horizontal	22	2.10	-
5785MHz	Pass	PK	17.36388G	65.18	68.20	-3.02	3	Horizontal	357	1.00	-
5825MHz	Pass	AV	5.8214G	113.48	Inf	-Inf	3	Vertical	25	1.61	-
5825MHz	Pass	PK	5.6306G	59.72	68.20	-8.48	3	Vertical	25	1.61	-
5825MHz	Pass	PK	5.8214G	124.67	Inf	-Inf	3	Vertical	25	1.61	-
5825MHz	Pass	PK	5.9678G	59.37	68.20	-8.83	3	Vertical	25	1.61	-
5825MHz	Pass	AV	5.8262G	113.89	Inf	-Inf	3	Horizontal	338	1.00	-
5825MHz	Pass	PK	5.6294G	58.77	68.20	-9.43	3	Horizontal	338	1.00	-
5825MHz	Pass	PK	5.8262G	123.66	Inf	-Inf	3	Horizontal	338	1.00	-
5825MHz	Pass	PK	6.0638G	59.07	68.20	-9.13	3	Horizontal	338	1.00	-
5825MHz	Pass	AV	11.64994G	48.82	54.00	-5.18	3	Vertical	360	1.17	-
5825MHz	Pass	PK	11.64982G	57.39	74.00	-16.61	3	Vertical	360	1.17	-
5825MHz	Pass	PK	17.4741G	67.33	68.20	-0.87	3	Vertical	358	1.03	-
5825MHz	Pass	AV	11.65006G	47.51	54.00	-6.49	3	Horizontal	32	2.10	-
5825MHz	Pass	PK	11.64988G	57.39	74.00	-16.61	3	Horizontal	32	2.10	-
5825MHz	Pass	PK	17.47452G	64.60	68.20	-3.60	3	Horizontal	37	1.00	-
802.11ax HEW40_Nss1 (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.89	54.00	-4.11	3	Vertical	325	2.62	-
5190MHz	Pass	AV	5.198G	105.11	Inf	-Inf	3	Vertical	325	2.62	-
5190MHz	Pass	PK	5.1492G	60.34	74.00	-13.66	3	Vertical	325	2.62	-
5190MHz	Pass	PK	5.178G	115.38	Inf	-Inf	3	Vertical	325	2.62	-
5190MHz	Pass	AV	5.1488G	53.21	54.00	-0.79	3	Horizontal	304	2.88	-
5190MHz	Pass	AV	5.1884G	108.12	Inf	-Inf	3	Horizontal	304	2.88	-
5190MHz	Pass	PK	5.1488G	65.78	74.00	-8.22	3	Horizontal	304	2.88	-
5190MHz	Pass	PK	5.1892G	117.67	Inf	-Inf	3	Horizontal	304	2.88	-
5190MHz	Pass	AV	15.56484G	46.12	54.00	-7.88	3	Vertical	285	1.18	-
5190MHz	Pass	PK	10.38018G	56.40	68.20	-11.80	3	Vertical	1	1.16	-
5190MHz	Pass	PK	15.56688G	56.58	74.00	-17.42	3	Vertical	285	1.18	-
5190MHz	Pass	AV	15.57312G	46.10	54.00	-7.90	3	Horizontal	312	2.77	-
5190MHz	Pass	PK	10.38012G	55.48	68.20	-12.72	3	Horizontal	69	2.23	-
5190MHz	Pass	PK	15.56478G	56.48	74.00	-17.52	3	Horizontal	312	2.77	-
5230MHz	Pass	AV	5.15G	50.06	54.00	-3.94	3	Vertical	326	2.56	-
5230MHz	Pass	AV	5.2188G	108.11	Inf	-Inf	3	Vertical	326	2.56	-
5230MHz	Pass	PK	5.138G	60.50	74.00	-13.50	3	Vertical	326	2.56	-
5230MHz	Pass	PK	5.2376G	118.68	Inf	-Inf	3	Vertical	326	2.56	-
5230MHz	Pass	AV	5.1484G	53.45	54.00	-0.55	3	Horizontal	305	2.80	-
5230MHz	Pass	AV	5.2276G	111.43	Inf	-Inf	3	Horizontal	305	2.80	-
5230MHz	Pass	PK	5.1488G	64.81	74.00	-9.19	3	Horizontal	305	2.80	-
5230MHz	Pass	PK	5.2276G	121.61	Inf	-Inf	3	Horizontal	305	2.80	-
5230MHz	Pass	AV	15.68946G	46.64	54.00	-7.36	3	Vertical	30	2.12	-
5230MHz	Pass	PK	10.45993G	58.29	68.20	-9.91	3	Vertical	10	1.48	-
5230MHz	Pass	PK	15.69195G	59.06	74.00	-14.94	3	Vertical	30	2.12	-
5230MHz	Pass	AV	15.69972G	46.40	54.00	-7.60	3	Horizontal	76	1.50	-
5230MHz	Pass	PK	10.45977G	56.15	68.20	-12.05	3	Horizontal	21	1.67	-
5230MHz	Pass	PK	15.70092G	57.75	74.00	-16.25	3	Horizontal	76	1.50	-
5270MHz	Pass	AV	5.258G	108.80	Inf	-Inf	3	Vertical	327	2.64	-
5270MHz	Pass	AV	5.3576G	50.39	54.00	-3.61	3	Vertical	327	2.64	-
5270MHz	Pass	PK	5.2568G	119.36	Inf	-Inf	3	Vertical	327	2.64	-
5270MHz	Pass	PK	5.358G	62.22	74.00	-11.78	3	Vertical	327	2.64	-
5270MHz	Pass	AV	5.268G	111.62	Inf	-Inf	3	Horizontal	300	2.78	-
5270MHz	Pass	AV	5.35G	52.53	54.00	-1.47	3	Horizontal	300	2.78	-
5270MHz	Pass	PK	5.2676G	121.67	Inf	-Inf	3	Horizontal	300	2.78	-
5270MHz	Pass	PK	5.35G	63.95	74.00	-10.05	3	Horizontal	300	2.78	-
5270MHz	Pass	AV	15.81074G	48.17	54.00	-5.83	3	Vertical	346	1.00	-
5270MHz	Pass	PK	10.54001G	59.32	68.20	-8.88	3	Vertical	7	1.50	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	15.81085G	61.05	74.00	-12.95	3	Vertical	346	1.00	-
5270MHz	Pass	AV	15.80868G	47.82	54.00	-6.18	3	Horizontal	28	1.12	-
5270MHz	Pass	PK	10.54009G	57.44	68.20	-10.76	3	Horizontal	17	1.68	-
5270MHz	Pass	PK	15.80881G	60.87	74.00	-13.13	3	Horizontal	28	1.12	-
5310MHz	Pass	AV	5.2976G	101.38	Inf	-Inf	3	Vertical	44	1.50	-
5310MHz	Pass	AV	5.3568G	49.38	54.00	-4.62	3	Vertical	44	1.50	-
5310MHz	Pass	PK	5.2976G	112.58	Inf	-Inf	3	Vertical	44	1.50	-
5310MHz	Pass	PK	5.356G	60.15	74.00	-13.85	3	Vertical	44	1.50	-
5310MHz	Pass	AV	5.3148G	105.14	Inf	-Inf	3	Horizontal	324	1.23	-
5310MHz	Pass	AV	5.3552G	53.68	54.00	-0.32	3	Horizontal	324	1.23	-
5310MHz	Pass	PK	5.3148G	114.91	Inf	-Inf	3	Horizontal	324	1.23	-
5310MHz	Pass	PK	5.3532G	64.63	74.00	-9.37	3	Horizontal	324	1.23	-
5310MHz	Pass	AV	10.61988G	52.94	54.00	-1.06	3	Vertical	11	1.64	-
5310MHz	Pass	AV	15.91722G	46.12	54.00	-7.88	3	Vertical	321	2.94	-
5310MHz	Pass	PK	10.61994G	58.04	74.00	-15.96	3	Vertical	11	1.64	-
5310MHz	Pass	PK	15.9183G	57.04	74.00	-16.96	3	Vertical	321	2.94	-
5310MHz	Pass	AV	10.62006G	44.21	54.00	-9.79	3	Horizontal	230	1.84	-
5310MHz	Pass	AV	15.91506G	46.00	54.00	-8.00	3	Horizontal	110	2.91	-
5310MHz	Pass	PK	10.61634G	53.74	74.00	-20.26	3	Horizontal	230	1.84	-
5310MHz	Pass	PK	15.92802G	56.54	74.00	-17.46	3	Horizontal	110	2.91	-
5510MHz	Pass	AV	5.4588G	48.64	54.00	-5.36	3	Vertical	20	1.50	-
5510MHz	Pass	AV	5.5052G	105.09	Inf	-Inf	3	Vertical	20	1.50	-
5510MHz	Pass	PK	5.4664G	65.49	68.20	-2.71	3	Vertical	20	1.50	-
5510MHz	Pass	PK	5.5068G	114.59	Inf	-Inf	3	Vertical	20	1.50	-
5510MHz	Pass	AV	5.4576G	50.70	54.00	-3.30	3	Horizontal	324	1.64	-
5510MHz	Pass	AV	5.5048G	107.98	Inf	-Inf	3	Horizontal	324	1.64	-
5510MHz	Pass	PK	5.4656G	67.70	68.20	-0.50	3	Horizontal	324	1.64	-
5510MHz	Pass	PK	5.5252G	119.07	Inf	-Inf	3	Horizontal	324	1.64	-
5510MHz	Pass	AV	11.02G	48.21	54.00	-5.79	3	Vertical	35	1.42	-
5510MHz	Pass	PK	11.02006G	56.17	74.00	-17.83	3	Vertical	35	1.42	-
5510MHz	Pass	PK	16.5243G	65.35	68.20	-2.85	3	Vertical	2	1.22	-
5510MHz	Pass	AV	11.02G	47.43	54.00	-6.57	3	Horizontal	33	2.05	-
5510MHz	Pass	PK	11.02G	55.43	74.00	-18.57	3	Horizontal	33	2.05	-
5510MHz	Pass	PK	16.52274G	64.84	68.20	-3.36	3	Horizontal	35	1.10	-
5550MHz	Pass	AV	5.45G	47.06	54.00	-6.94	3	Vertical	0	2.84	-
5550MHz	Pass	AV	5.5464G	106.58	Inf	-Inf	3	Vertical	0	2.84	-
5550MHz	Pass	PK	5.4656G	58.72	68.20	-9.48	3	Vertical	0	2.84	-
5550MHz	Pass	PK	5.5468G	117.36	Inf	-Inf	3	Vertical	0	2.84	-
5550MHz	Pass	AV	5.46G	47.75	54.00	-6.25	3	Horizontal	294	2.77	-
5550MHz	Pass	AV	5.5592G	108.67	Inf	-Inf	3	Horizontal	294	2.77	-
5550MHz	Pass	PK	5.4672G	58.61	68.20	-9.59	3	Horizontal	294	2.77	-
5550MHz	Pass	PK	5.54G	118.43	Inf	-Inf	3	Horizontal	294	2.77	-
5550MHz	Pass	AV	11.10006G	46.59	54.00	-7.41	3	Vertical	167	2.89	-
5550MHz	Pass	PK	11.10042G	55.55	74.00	-18.45	3	Vertical	167	2.89	-
5550MHz	Pass	PK	16.644G	66.97	68.20	-1.23	3	Vertical	1	1.01	-
5550MHz	Pass	AV	11.10006G	44.34	54.00	-9.66	3	Horizontal	142	2.71	-
5550MHz	Pass	PK	11.10294G	55.16	74.00	-18.84	3	Horizontal	142	2.71	-
5550MHz	Pass	PK	16.6475G	63.92	68.20	-4.28	3	Horizontal	1	2.87	-
5670MHz	Pass	AV	5.6688G	108.48	Inf	-Inf	3	Vertical	5	2.82	-
5670MHz	Pass	PK	5.6694G	119.06	Inf	-Inf	3	Vertical	5	2.82	-
5670MHz	Pass	PK	5.7294G	65.58	68.20	-2.62	3	Vertical	5	2.82	-
5670MHz	Pass	AV	5.6712G	110.47	Inf	-Inf	3	Horizontal	0	1.35	-
5670MHz	Pass	PK	5.6706G	119.58	Inf	-Inf	3	Horizontal	0	1.35	-
5670MHz	Pass	PK	5.733G	67.53	68.20	-0.67	3	Horizontal	0	1.35	-
5670MHz	Pass	AV	11.33994G	47.15	54.00	-6.85	3	Vertical	35	1.07	-
5670MHz	Pass	PK	11.34018G	56.29	74.00	-17.71	3	Vertical	35	1.07	-
5670MHz	Pass	PK	17.00928G	58.17	68.20	-10.03	3	Vertical	109	2.10	-
5670MHz	Pass	AV	11.34G	47.89	54.00	-6.11	3	Horizontal	12	2.06	-
5670MHz	Pass	PK	11.33988G	56.08	74.00	-17.92	3	Horizontal	12	2.06	-
5670MHz	Pass	PK	17.02416G	58.58	68.20	-9.62	3	Horizontal	306	1.65	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.434G	46.48	54.00	-7.52	3	Vertical	27	1.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	111.46	Inf	-Inf	3	Vertical	27	1.68	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.00	68.20	-11.20	3	Vertical	27	1.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	120.82	Inf	-Inf	3	Vertical	27	1.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	60.28	68.20	-7.92	3	Vertical	27	1.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4124G	46.59	54.00	-7.41	3	Horizontal	26	1.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	112.11	Inf	-Inf	3	Horizontal	26	1.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	57.55	68.20	-10.65	3	Horizontal	26	1.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.722G	121.96	Inf	-Inf	3	Horizontal	26	1.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9836G	59.86	68.20	-8.34	3	Horizontal	26	1.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42006G	48.35	54.00	-5.65	3	Vertical	343	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42984G	58.52	74.00	-15.48	3	Vertical	343	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1217G	67.19	68.20	-1.01	3	Vertical	323	1.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	46.41	54.00	-7.59	3	Horizontal	44	2.26	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42018G	54.96	74.00	-19.04	3	Horizontal	44	2.26	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1221G	67.92	68.20	-0.28	3	Horizontal	33	2.17	-
5755MHz	Pass	PK	5.7646G	123.57	Inf	-Inf	3	Vertical	24	2.73	-
5755MHz	Pass	PK	5.647G	67.88	68.20	-0.32	3	Vertical	24	2.73	-
5755MHz	Pass	PK	6.0346G	60.58	68.20	-7.62	3	Vertical	24	2.73	-
5755MHz	Pass	AV	5.7634G	112.73	Inf	-Inf	3	Vertical	24	2.73	-
5755MHz	Pass	AV	5.7658G	114.08	Inf	-Inf	3	Horizontal	315	2.56	-
5755MHz	Pass	PK	5.6554G	69.05	72.20	-3.15	3	Horizontal	315	2.56	-
5755MHz	Pass	PK	5.7454G	122.94	Inf	-Inf	3	Horizontal	315	2.56	-
5755MHz	Pass	PK	6.0454G	59.54	68.20	-8.66	3	Horizontal	315	2.56	-
5755MHz	Pass	AV	11.51008G	48.24	54.00	-5.76	3	Vertical	334	1.02	-
5755MHz	Pass	PK	11.51002G	59.15	74.00	-14.85	3	Vertical	334	1.02	-
5755MHz	Pass	PK	17.2622G	68.02	68.20	-0.18	3	Vertical	322	1.08	-
5755MHz	Pass	AV	11.51004G	46.97	54.00	-7.03	3	Horizontal	11	1.99	-
5755MHz	Pass	PK	11.51003G	56.60	74.00	-17.40	3	Horizontal	11	1.99	-
5755MHz	Pass	PK	17.25964G	60.55	68.20	-7.65	3	Horizontal	29	2.34	-
5795MHz	Pass	AV	5.7842G	112.60	Inf	-Inf	3	Vertical	21	2.73	-
5795MHz	Pass	PK	5.6426G	59.28	68.20	-8.92	3	Vertical	21	2.73	-
5795MHz	Pass	PK	5.8034G	122.09	Inf	-Inf	3	Vertical	21	2.73	-
5795MHz	Pass	PK	5.9582G	59.15	68.20	-9.05	3	Vertical	21	2.73	-
5795MHz	Pass	AV	5.7854G	113.99	Inf	-Inf	3	Horizontal	23	2.53	-
5795MHz	Pass	PK	5.597G	59.99	68.20	-8.21	3	Horizontal	23	2.53	-
5795MHz	Pass	PK	5.7854G	123.33	Inf	-Inf	3	Horizontal	23	2.53	-
5795MHz	Pass	PK	6.0782G	60.54	68.20	-7.66	3	Horizontal	23	2.53	-
5795MHz	Pass	AV	11.5901G	45.14	54.00	-8.86	3	Vertical	160	2.02	-
5795MHz	Pass	PK	11.5903G	55.48	74.00	-18.52	3	Vertical	160	2.02	-
5795MHz	Pass	PK	17.3884G	64.00	68.20	-4.20	3	Vertical	360	1.04	-
5795MHz	Pass	AV	11.59108G	44.03	54.00	-9.97	3	Horizontal	24	1.00	-
5795MHz	Pass	PK	11.5903G	55.54	74.00	-18.46	3	Horizontal	24	1.00	-
5795MHz	Pass	PK	17.38452G	61.22	68.20	-6.98	3	Horizontal	62	2.86	-
802.11ax HEW80_Nss1 (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.139G	51.61	54.00	-2.39	3	Vertical	324	2.63	-
5210MHz	Pass	AV	5.218G	102.60	Inf	-Inf	3	Vertical	324	2.63	-
5210MHz	Pass	AV	5.405G	46.36	54.00	-7.64	3	Vertical	324	2.63	-
5210MHz	Pass	PK	5.148G	63.40	74.00	-10.60	3	Vertical	324	2.63	-
5210MHz	Pass	PK	5.219G	112.82	Inf	-Inf	3	Vertical	324	2.63	-
5210MHz	Pass	PK	5.392G	57.47	74.00	-16.53	3	Vertical	324	2.63	-
5210MHz	Pass	AV	5.149G	53.85	54.00	-0.15	3	Horizontal	300	2.86	-
5210MHz	Pass	AV	5.208G	105.18	Inf	-Inf	3	Horizontal	300	2.86	-
5210MHz	Pass	AV	5.381G	46.54	54.00	-7.46	3	Horizontal	300	2.86	-
5210MHz	Pass	PK	5.149G	64.19	74.00	-9.81	3	Horizontal	300	2.86	-
5210MHz	Pass	PK	5.208G	114.61	Inf	-Inf	3	Horizontal	300	2.86	-
5210MHz	Pass	PK	5.383G	58.26	74.00	-15.74	3	Horizontal	300	2.86	-
5210MHz	Pass	AV	15.63546G	45.47	54.00	-8.53	3	Vertical	224	2.33	-
5210MHz	Pass	PK	10.41994G	55.68	68.20	-12.52	3	Vertical	143	1.50	-
5210MHz	Pass	PK	15.64362G	56.33	74.00	-17.67	3	Vertical	224	2.33	-
5210MHz	Pass	AV	15.63528G	45.44	54.00	-8.56	3	Horizontal	113	1.49	-
5210MHz	Pass	PK	10.42006G	55.60	68.20	-12.60	3	Horizontal	23	2.62	-
5210MHz	Pass	PK	15.63414G	56.47	74.00	-17.53	3	Horizontal	113	1.49	-
5290MHz	Pass	AV	5.138G	47.28	54.00	-6.72	3	Vertical	43	1.51	-



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.278G	98.19	Inf	-Inf	3	Vertical	43	1.51	-
5290MHz	Pass	AV	5.357G	50.83	54.00	-3.17	3	Vertical	43	1.51	-
5290MHz	Pass	PK	5.111G	58.57	74.00	-15.43	3	Vertical	43	1.51	-
5290MHz	Pass	PK	5.298G	108.11	Inf	-Inf	3	Vertical	43	1.51	-
5290MHz	Pass	PK	5.517G	57.56	68.20	-10.64	3	Vertical	43	1.51	-
5290MHz	Pass	AV	5.145G	47.72	54.00	-6.28	3	Horizontal	324	1.16	-
5290MHz	Pass	AV	5.294G	101.27	Inf	-Inf	3	Horizontal	324	1.16	-
5290MHz	Pass	AV	5.355G	53.86	54.00	-0.14	3	Horizontal	324	1.16	-
5290MHz	Pass	PK	5.123G	59.03	74.00	-14.97	3	Horizontal	324	1.16	-
5290MHz	Pass	PK	5.294G	110.98	Inf	-Inf	3	Horizontal	324	1.16	-
5290MHz	Pass	PK	5.524G	58.52	68.20	-9.68	3	Horizontal	324	1.16	-
5290MHz	Pass	AV	15.85848G	45.59	54.00	-8.41	3	Vertical	193	1.32	-
5290MHz	Pass	PK	10.58018G	56.49	68.20	-11.71	3	Vertical	338	2.61	-
5290MHz	Pass	PK	15.85992G	56.87	74.00	-17.13	3	Vertical	193	1.32	-
5290MHz	Pass	AV	15.86448G	45.35	54.00	-8.65	3	Horizontal	350	2.44	-
5290MHz	Pass	PK	10.57976G	54.55	68.20	-13.65	3	Horizontal	215	2.19	-
5290MHz	Pass	PK	15.86004G	56.55	74.00	-17.45	3	Horizontal	350	2.44	-
5530MHz	Pass	AV	5.446G	49.31	54.00	-4.69	3	Vertical	20	1.58	-
5530MHz	Pass	AV	5.545G	102.26	Inf	-Inf	3	Vertical	20	1.58	-
5530MHz	Pass	PK	5.47G	65.93	68.20	-2.27	3	Vertical	20	1.58	-
5530MHz	Pass	PK	5.525G	112.45	Inf	-Inf	3	Vertical	20	1.58	-
5530MHz	Pass	PK	5.762G	59.43	68.20	-8.77	3	Vertical	20	1.58	-
5530MHz	Pass	AV	5.457G	53.06	54.00	-0.94	3	Horizontal	46	2.74	-
5530MHz	Pass	AV	5.536G	106.74	Inf	-Inf	3	Horizontal	46	2.74	-
5530MHz	Pass	PK	5.46G	63.62	68.20	-4.58	3	Horizontal	46	2.74	-
5530MHz	Pass	PK	5.536G	115.52	Inf	-Inf	3	Horizontal	46	2.74	-
5530MHz	Pass	PK	5.78G	59.33	68.20	-8.87	3	Horizontal	46	2.74	-
5530MHz	Pass	AV	11.06012G	47.42	54.00	-6.58	3	Vertical	167	2.68	-
5530MHz	Pass	PK	11.06006G	56.39	74.00	-17.61	3	Vertical	167	2.68	-
5530MHz	Pass	PK	16.60434G	63.47	68.20	-4.73	3	Vertical	5	1.09	-
5530MHz	Pass	AV	11.06012G	45.81	54.00	-8.19	3	Horizontal	141	2.84	-
5530MHz	Pass	PK	11.06012G	55.26	74.00	-18.74	3	Horizontal	141	2.84	-
5530MHz	Pass	PK	16.605G	60.17	68.20	-8.03	3	Horizontal	75	2.74	-
5610MHz	Pass	AV	5.459G	48.59	54.00	-5.41	3	Vertical	355	2.77	-
5610MHz	Pass	AV	5.598G	105.68	Inf	-Inf	3	Vertical	355	2.77	-
5610MHz	Pass	PK	5.466G	60.24	68.20	-7.96	3	Vertical	355	2.77	-
5610MHz	Pass	PK	5.599G	115.70	Inf	-Inf	3	Vertical	355	2.77	-
5610MHz	Pass	PK	5.73G	67.93	68.20	-0.27	3	Vertical	355	2.77	-
5610MHz	Pass	AV	5.453G	47.71	54.00	-6.29	3	Horizontal	321	1.39	-
5610MHz	Pass	AV	5.612G	106.07	Inf	-Inf	3	Horizontal	321	1.39	-
5610MHz	Pass	PK	5.465G	59.83	68.20	-8.37	3	Horizontal	321	1.39	-
5610MHz	Pass	PK	5.613G	117.27	Inf	-Inf	3	Horizontal	321	1.39	-
5610MHz	Pass	PK	5.739G	67.65	68.20	-0.55	3	Horizontal	321	1.39	-
5610MHz	Pass	AV	11.21998G	45.06	54.00	-8.94	3	Vertical	0	1.01	-
5610MHz	Pass	PK	11.21981G	56.06	74.00	-17.94	3	Vertical	0	1.01	-
5610MHz	Pass	PK	16.8274G	60.21	68.20	-7.99	3	Vertical	327	1.17	-
5610MHz	Pass	AV	11.22002G	46.82	54.00	-7.18	3	Horizontal	18	1.94	-
5610MHz	Pass	PK	11.22046G	56.25	74.00	-17.75	3	Horizontal	18	1.94	-
5610MHz	Pass	PK	16.82506G	61.04	68.20	-7.16	3	Horizontal	32	2.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	46.59	54.00	-7.41	3	Vertical	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	107.96	Inf	-Inf	3	Vertical	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.57	68.20	-9.63	3	Vertical	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6876G	117.94	Inf	-Inf	3	Vertical	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	66.08	68.20	-2.12	3	Vertical	26	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.14	54.00	-6.86	3	Horizontal	25	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	108.90	Inf	-Inf	3	Horizontal	25	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.74	68.20	-10.46	3	Horizontal	25	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	118.06	Inf	-Inf	3	Horizontal	25	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	65.74	68.20	-2.46	3	Horizontal	25	1.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37999G	47.34	54.00	-6.66	3	Vertical	2	1.04	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37996G	57.33	74.00	-16.67	3	Vertical	2	1.04	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06466G	62.83	68.20	-5.37	3	Vertical	307	1.04	-




RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37996G	47.59	54.00	-6.41	3	Horizontal	9	1.97	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38006G	56.94	74.00	-17.06	3	Horizontal	9	1.97	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07148G	62.78	68.20	-5.42	3	Horizontal	335	1.94	-
5775MHz	Pass	AV	5.7838G	107.84	Inf	-Inf	3	Vertical	25	2.72	-
5775MHz	Pass	PK	5.6446G	65.76	68.20	-2.44	3	Vertical	25	2.72	-
5775MHz	Pass	PK	5.783G	118.13	Inf	-Inf	3	Vertical	25	2.72	-
5775MHz	Pass	PK	5.9414G	59.56	68.20	-8.64	3	Vertical	25	2.72	-
5775MHz	Pass	AV	5.7846G	109.11	Inf	-Inf	3	Horizontal	24	2.54	-
5775MHz	Pass	PK	5.6438G	67.42	68.20	-0.78	3	Horizontal	24	2.54	-
5775MHz	Pass	PK	5.7854G	119.87	Inf	-Inf	3	Horizontal	24	2.54	-
5775MHz	Pass	PK	5.9734G	60.10	68.20	-8.10	3	Horizontal	24	2.54	-
5775MHz	Pass	AV	11.55G	44.17	54.00	-9.83	3	Vertical	159	1.86	-
5775MHz	Pass	PK	11.5503G	55.34	74.00	-18.66	3	Vertical	159	1.86	-
5775MHz	Pass	PK	17.32884G	59.12	68.20	-9.08	3	Vertical	212	1.20	-
5775MHz	Pass	AV	11.54088G	42.64	54.00	-11.36	3	Horizontal	75	1.17	-
5775MHz	Pass	PK	11.5383G	53.86	74.00	-20.14	3	Horizontal	75	1.17	-
5775MHz	Pass	PK	17.32734G	59.11	68.20	-9.09	3	Horizontal	191	2.29	-

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	52.37	54.00	-1.63	5.20	3	Vertical	22	1.50	-	47.17	33.09	6.87	34.76
AV	5.186G	108.04	Inf	-Inf	5.29	3	Vertical	22	1.50	-	102.75	33.17	6.88	34.76
PK	5.148G	63.74	74.00	-10.26	5.21	3	Vertical	22	1.50	-	58.53	33.10	6.87	34.76
PK	5.185G	115.39	Inf	-Inf	5.29	3	Vertical	22	1.50	-	110.10	33.17	6.88	34.76

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.40	54.00	-0.60	5.21	3	Horizontal	330	1.45	-	48.19	33.10	6.87	34.76
AV	5.1834G	111.97	Inf	-Inf	5.29	3	Horizontal	330	1.45	-	106.68	33.17	6.88	34.76
PK	5.1498G	65.28	74.00	-8.72	5.21	3	Horizontal	330	1.45	-	60.07	33.10	6.87	34.76
PK	5.183G	119.20	Inf	-Inf	5.29	3	Horizontal	330	1.45	-	113.91	33.17	6.88	34.76

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54007G	46.74	54.00	-7.26	15.54	3	Vertical	310	1.04	-	31.20	38.36	12.10	34.92
PK	10.36006G	58.40	68.20	-9.80	12.54	3	Vertical	348	3.00	-	45.86	38.58	8.99	35.03
PK	15.53962G	58.00	74.00	-16.00	15.54	3	Vertical	310	1.04	-	42.46	38.36	12.10	34.92

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5403G	46.75	54.00	-7.25	15.54	3	Horizontal	306	1.50	-	31.21	38.36	12.10	34.92
PK	10.3597G	57.24	68.20	-10.96	12.54	3	Horizontal	19	1.52	-	44.70	38.58	8.99	35.03
PK	15.5398G	58.43	74.00	-15.57	15.54	3	Horizontal	306	1.50	-	42.89	38.36	12.10	34.92

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.79	54.00	-1.21	5.21	3	Vertical	349	2.80	-	47.58	33.10	6.87	34.76
AV	5.1928G	114.22	Inf	-Inf	5.32	3	Vertical	349	2.80	-	108.90	33.19	6.89	34.76
PK	5.15G	64.19	74.00	-9.81	5.21	3	Vertical	349	2.80	-	58.98	33.10	6.87	34.76
PK	5.1932G	121.61	Inf	-Inf	5.32	3	Vertical	349	2.80	-	116.29	33.19	6.89	34.76


802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	53.52	54.00	-0.48	5.20	3	Horizontal	331	1.40	-	48.32	33.09	6.87	34.76
AV	5.2032G	115.36	Inf	-Inf	5.32	3	Horizontal	331	1.40	-	110.04	33.19	6.89	34.76
PK	5.1432G	65.65	74.00	-8.35	5.20	3	Horizontal	331	1.40	-	60.45	33.09	6.87	34.76
PK	5.2024G	123.10	Inf	-Inf	5.33	3	Horizontal	331	1.40	-	117.77	33.20	6.89	34.76

802.11a_Nss1,(6Mbps)_4TX
5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59818G	48.42	54.00	-5.58	15.21	3	Vertical	343	1.14	-	33.21	38.01	12.16	34.96
PK	10.40014G	57.39	68.20	-10.81	12.51	3	Vertical	10	1.49	-	44.88	38.50	9.00	34.99
PK	15.5978G	59.16	74.00	-14.84	15.21	3	Vertical	343	1.14	-	43.95	38.01	12.16	34.96


802.11a_Nss1,(6Mbps)_4TX
5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60244G	50.42	54.00	-3.58	15.20	3	Horizontal	314	1.94	-	35.22	38.00	12.16	34.96
PK	10.40004G	57.12	68.20	-11.08	12.51	3	Horizontal	19	2.09	-	44.61	38.50	9.00	34.99
PK	15.60266G	61.88	74.00	-12.12	15.20	3	Horizontal	314	1.94	-	46.68	38.00	12.16	34.96

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	47.77	54.00	-6.23	5.19	3	Vertical	46	1.50	-	42.58	33.08	6.87	34.76
AV	5.2346G	113.67	Inf	-Inf	5.30	3	Vertical	46	1.50	-	108.37	33.13	6.93	34.76
AV	5.3882G	46.52	54.00	-7.48	5.27	3	Vertical	46	1.50	-	41.25	32.93	7.11	34.77
PK	5.111G	58.04	74.00	-15.96	5.11	3	Vertical	46	1.50	-	52.93	33.02	6.85	34.76
PK	5.2352G	120.85	Inf	-Inf	5.30	3	Vertical	46	1.50	-	115.55	33.13	6.93	34.76
PK	5.3816G	57.65	74.00	-16.35	5.22	3	Vertical	46	1.50	-	52.43	32.89	7.10	34.77

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	48.65	54.00	-5.35	5.20	3	Horizontal	41	2.28	-	43.45	33.09	6.87	34.76
AV	5.2328G	116.51	Inf	-Inf	5.30	3	Horizontal	41	2.28	-	111.21	33.13	6.93	34.76
AV	5.3696G	47.01	54.00	-6.99	5.14	3	Horizontal	41	2.28	-	41.87	32.82	7.09	34.77
PK	5.1242G	59.08	74.00	-14.92	5.15	3	Horizontal	41	2.28	-	53.93	33.05	6.86	34.76
PK	5.2328G	123.86	Inf	-Inf	5.30	3	Horizontal	41	2.28	-	118.56	33.13	6.93	34.76
PK	5.3858G	56.87	74.00	-17.13	5.24	3	Horizontal	41	2.28	-	51.63	32.91	7.10	34.77

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72035G	53.12	54.00	-0.88	15.33	3	Vertical	52	1.08	-	37.79	38.08	12.28	35.03
PK	10.4799G	58.60	68.20	-9.60	12.69	3	Vertical	11	1.00	-	45.91	38.58	9.03	34.92
PK	15.72019G	64.95	74.00	-9.05	15.33	3	Vertical	52	1.08	-	49.62	38.08	12.28	35.03

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71928G	49.38	54.00	-4.62	15.33	3	Horizontal	46	2.00	-	34.05	38.08	12.28	35.03
PK	10.47985G	58.21	68.20	-9.99	12.69	3	Horizontal	60	3.00	-	45.52	38.58	9.03	34.92
PK	15.71907G	61.40	74.00	-12.60	15.33	3	Horizontal	46	2.00	-	46.07	38.08	12.28	35.03

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1376G	48.06	54.00	-5.94	5.19	3	Vertical	59	1.02	-	42.87	33.08	6.87	34.76
AV	5.2624G	113.25	Inf	-Inf	5.24	3	Vertical	59	1.02	-	108.01	33.05	6.96	34.77
AV	5.3968G	47.01	54.00	-6.99	5.33	3	Vertical	59	1.02	-	41.68	32.98	7.12	34.77
PK	5.1442G	57.78	74.00	-16.22	5.20	3	Vertical	59	1.02	-	52.58	33.09	6.87	34.76
PK	5.2624G	121.24	Inf	-Inf	5.24	3	Vertical	59	1.02	-	116.00	33.05	6.96	34.77
PK	5.389G	57.72	74.00	-16.28	5.27	3	Vertical	59	1.02	-	52.45	32.93	7.11	34.77


802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	48.09	54.00	-5.91	5.20	3	Horizontal	330	1.37	-	42.89	33.09	6.87	34.76
AV	5.2546G	115.47	Inf	-Inf	5.26	3	Horizontal	330	1.37	-	110.21	33.08	6.95	34.77
AV	5.3632G	47.50	54.00	-6.50	5.09	3	Horizontal	330	1.37	-	42.41	32.78	7.08	34.77
PK	5.134G	58.01	74.00	-15.99	5.17	3	Horizontal	330	1.37	-	52.84	33.07	6.86	34.76
PK	5.2546G	123.04	Inf	-Inf	5.26	3	Horizontal	330	1.37	-	117.78	33.08	6.95	34.77
PK	5.353G	57.84	74.00	-16.16	5.02	3	Horizontal	330	1.37	-	52.82	32.72	7.07	34.77

802.11a_Nss1,(6Mbps)_4TX
5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78308G	50.79	54.00	-3.21	15.30	3	Vertical	54	1.15	-	35.49	38.02	12.34	35.06
PK	10.52011G	58.58	68.20	-9.62	12.81	3	Vertical	11	1.00	-	45.77	38.66	9.04	34.89
PK	15.78258G	62.33	74.00	-11.67	15.30	3	Vertical	54	1.15	-	47.03	38.02	12.34	35.06


802.11a_Nss1,(6Mbps)_4TX
5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78128G	49.02	54.00	-4.98	15.30	3	Horizontal	281	1.96	-	33.72	38.02	12.34	35.06
PK	10.51996G	57.84	68.20	-10.36	12.81	3	Horizontal	60	2.98	-	45.03	38.66	9.04	34.89
PK	15.78158G	61.27	74.00	-12.73	15.30	3	Horizontal	281	1.96	-	45.97	38.02	12.34	35.06

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	112.68	Inf	-Inf	5.14	3	Vertical	326	1.63	-	107.54	32.91	7.00	34.77
AV	5.3512G	50.74	54.00	-3.26	5.00	3	Vertical	326	1.63	-	45.74	32.71	7.06	34.77
PK	5.2988G	120.46	Inf	-Inf	5.13	3	Vertical	326	1.63	-	115.33	32.90	7.00	34.77
PK	5.3508G	64.83	74.00	-9.17	4.99	3	Vertical	326	1.63	-	59.84	32.70	7.06	34.77

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	116.80	Inf	-Inf	5.14	3	Horizontal	291	1.00	-	111.66	32.91	7.00	34.77
AV	5.3504G	52.02	54.00	-1.98	4.99	3	Horizontal	291	1.00	-	47.03	32.70	7.06	34.77
PK	5.2972G	124.77	Inf	-Inf	5.14	3	Horizontal	291	1.00	-	119.63	32.91	7.00	34.77
PK	5.3568G	63.97	74.00	-10.03	5.04	3	Horizontal	291	1.00	-	58.93	32.74	7.07	34.77

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60005G	52.72	54.00	-1.28	13.10	3	Vertical	9	2.58	-	39.62	38.90	9.07	34.87
AV	15.9024G	52.61	54.00	-1.39	14.93	3	Vertical	17	1.03	-	37.68	37.60	12.46	35.13
PK	10.59989G	58.85	68.20	-9.35	13.10	3	Vertical	9	2.58	-	45.75	38.90	9.07	34.87
PK	15.90148G	63.98	74.00	-10.02	14.93	3	Vertical	17	1.03	-	49.05	37.60	12.46	35.13

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60002G	48.62	54.00	-5.38	13.10	3	Horizontal	20	1.63	-	35.52	38.90	9.07	34.87
AV	15.89976G	49.57	54.00	-4.43	14.93	3	Horizontal	290	1.03	-	34.64	37.60	12.46	35.13
PK	10.60012G	57.28	74.00	-16.72	13.10	3	Horizontal	20	1.63	-	44.18	38.90	9.07	34.87
PK	15.89978G	60.70	74.00	-13.30	14.93	3	Horizontal	290	1.03	-	45.77	37.60	12.46	35.13

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	110.56	Inf	-Inf	5.08	3	Vertical	333	2.48	-	105.48	32.83	7.02	34.77
AV	5.3504G	52.84	54.00	-1.16	4.99	3	Vertical	333	2.48	-	47.85	32.70	7.06	34.77
PK	5.3166G	118.30	Inf	-Inf	5.08	3	Vertical	333	2.48	-	113.22	32.83	7.02	34.77
PK	5.3508G	64.36	74.00	-9.64	4.99	3	Vertical	333	2.48	-	59.37	32.70	7.06	34.77

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3234G	113.72	Inf	-Inf	5.07	3	Horizontal	293	1.00	-	108.65	32.81	7.03	34.77
AV	5.35G	53.64	54.00	-0.36	4.99	3	Horizontal	293	1.00	-	48.65	32.70	7.06	34.77
PK	5.3232G	121.03	Inf	-Inf	5.07	3	Horizontal	293	1.00	-	115.96	32.81	7.03	34.77
PK	5.3502G	63.74	74.00	-10.26	4.99	3	Horizontal	293	1.00	-	58.75	32.70	7.06	34.77

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63998G	52.83	54.00	-1.17	13.20	3	Vertical	12	1.05	-	39.63	38.98	9.08	34.86
AV	15.96316G	46.20	54.00	-7.80	14.95	3	Vertical	321	2.37	-	31.25	37.60	12.52	35.17
PK	10.64G	59.07	74.00	-14.93	13.20	3	Vertical	12	1.05	-	45.87	38.98	9.08	34.86
PK	15.95664G	57.07	74.00	-16.93	14.96	3	Vertical	321	2.37	-	42.11	37.60	12.52	35.16

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64001G	48.33	54.00	-5.67	13.20	3	Horizontal	22	1.66	-	35.13	38.98	9.08	34.86
AV	15.96408G	46.33	54.00	-7.67	14.95	3	Horizontal	330	1.48	-	31.38	37.60	12.52	35.17
PK	10.64002G	57.11	74.00	-16.89	13.20	3	Horizontal	22	1.66	-	43.91	38.98	9.08	34.86
PK	15.95646G	57.74	74.00	-16.26	14.96	3	Horizontal	330	1.48	-	42.78	37.60	12.52	35.16

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	46.93	54.00	-7.07	5.13	3	Vertical	0	2.03	-	41.80	32.82	7.08	34.77
AV	5.5044G	108.24	Inf	-Inf	5.19	3	Vertical	0	2.03	-	103.05	32.91	7.05	34.77
PK	5.4656G	59.39	68.20	-8.81	5.14	3	Vertical	0	2.03	-	54.25	32.83	7.08	34.77
PK	5.504G	115.67	Inf	-Inf	5.19	3	Vertical	0	2.03	-	110.48	32.91	7.05	34.77

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	48.04	54.00	-5.96	5.12	3	Horizontal	298	2.72	-	42.92	32.81	7.08	34.77
AV	5.4952G	111.38	Inf	-Inf	5.18	3	Horizontal	298	2.72	-	106.20	32.89	7.06	34.77
PK	5.4636G	61.01	68.20	-7.19	5.14	3	Horizontal	298	2.72	-	55.87	32.83	7.08	34.77
PK	5.4964G	119.60	Inf	-Inf	5.18	3	Horizontal	298	2.72	-	114.42	32.89	7.06	34.77

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99993G	51.39	54.00	-2.61	13.16	3	Vertical	14	1.70	-	38.23	38.70	9.20	34.74
PK	10.99996G	58.31	74.00	-15.69	13.16	3	Vertical	14	1.70	-	45.15	38.70	9.20	34.74
PK	16.4957G	62.73	68.20	-5.47	16.43	3	Vertical	342	2.50	-	46.30	38.67	12.70	34.94

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99994G	47.49	54.00	-6.51	13.16	3	Horizontal	300	1.55	-	34.33	38.70	9.20	34.74
PK	10.99966G	56.44	74.00	-17.56	13.16	3	Horizontal	300	1.55	-	43.28	38.70	9.20	34.74
PK	16.50088G	67.59	68.20	-0.61	16.47	3	Horizontal	31	1.87	-	51.12	38.70	12.71	34.94

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	47.07	54.00	-6.93	5.16	3	Vertical	1	2.91	-	41.91	32.84	7.09	34.77
AV	5.5782G	112.51	Inf	-Inf	5.23	3	Vertical	1	2.91	-	107.28	33.00	7.00	34.77
PK	5.469G	57.00	68.20	-11.20	5.15	3	Vertical	1	2.91	-	51.85	32.84	7.08	34.77
PK	5.5782G	119.64	Inf	-Inf	5.23	3	Vertical	1	2.91	-	114.41	33.00	7.00	34.77
PK	5.7282G	57.75	68.20	-10.45	5.68	3	Vertical	1	2.91	-	52.07	33.51	6.94	34.77

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.99	54.00	-7.01	5.14	3	Horizontal	330	1.00	-	41.85	32.82	7.09	34.77
AV	5.5842G	114.17	Inf	-Inf	5.23	3	Horizontal	330	1.00	-	108.94	33.00	7.00	34.77
PK	5.4696G	57.98	68.20	-10.22	5.14	3	Horizontal	330	1.00	-	52.84	32.84	7.07	34.77
PK	5.5848G	121.24	Inf	-Inf	5.23	3	Horizontal	330	1.00	-	116.01	33.00	7.00	34.77
PK	5.7252G	57.60	68.20	-10.60	5.67	3	Horizontal	330	1.00	-	51.93	33.50	6.94	34.77

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15999G	47.56	54.00	-6.44	13.21	3	Vertical	355	2.38	-	34.35	38.66	9.25	34.70
PK	11.16022G	57.36	74.00	-16.64	13.21	3	Vertical	355	2.38	-	44.15	38.66	9.25	34.70
PK	16.73644G	68.07	68.20	-0.13	16.47	3	Vertical	325	1.14	-	51.60	38.17	12.77	34.47


802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15986G	47.01	54.00	-6.99	13.21	3	Horizontal	304	2.91	-	33.80	38.66	9.25	34.70
PK	11.16018G	56.31	74.00	-17.69	13.21	3	Horizontal	304	2.91	-	43.10	38.66	9.25	34.70
PK	16.73899G	67.38	68.20	-0.82	16.49	3	Horizontal	22	1.89	-	50.89	38.18	12.77	34.46

802.11a_Nss1,(6Mbps)_4TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	111.33	Inf	-Inf	5.57	3	Vertical	34	1.22	-	105.76	33.39	6.95	34.77
PK	5.6988G	118.51	Inf	-Inf	5.57	3	Vertical	34	1.22	-	112.94	33.39	6.95	34.77
PK	5.7264G	62.79	68.20	-5.41	5.68	3	Vertical	34	1.22	-	57.11	33.51	6.94	34.77


802.11a_Nss1,(6Mbps)_4TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	111.58	Inf	-Inf	5.58	3	Horizontal	2	1.50	-	106.00	33.40	6.95	34.77
PK	5.7016G	118.77	Inf	-Inf	5.59	3	Horizontal	2	1.50	-	113.18	33.41	6.95	34.77
PK	5.7268G	67.65	68.20	-0.55	5.68	3	Horizontal	2	1.50	-	61.97	33.51	6.94	34.77

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39983G	47.06	54.00	-6.94	13.59	3	Vertical	2	1.13	-	33.47	38.90	9.33	34.64
PK	11.39991G	56.25	74.00	-17.75	13.59	3	Vertical	2	1.13	-	42.66	38.90	9.33	34.64
PK	17.09752G	59.05	68.20	-9.15	16.81	3	Vertical	52	1.50	-	42.24	38.00	12.88	34.07

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40001G	48.39	54.00	-5.61	13.59	3	Horizontal	3	2.03	-	34.80	38.90	9.33	34.64
PK	11.39996G	56.80	74.00	-17.20	13.59	3	Horizontal	3	2.03	-	43.21	38.90	9.33	34.64
PK	17.10438G	60.17	68.20	-8.03	16.81	3	Horizontal	0	1.71	-	43.36	38.01	12.88	34.08

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	46.58	54.00	-7.42	5.18	3	Vertical	32	2.72	-	41.40	32.85	7.10	34.77
AV	5.7164G	116.53	Inf	-Inf	5.64	3	Vertical	32	2.72	-	110.89	33.47	6.94	34.77
PK	5.468G	56.97	68.20	-11.23	5.15	3	Vertical	32	2.72	-	51.82	32.84	7.08	34.77
PK	5.7176G	124.41	Inf	-Inf	5.64	3	Vertical	32	2.72	-	118.77	33.47	6.94	34.77
PK	5.9864G	59.47	68.20	-8.73	7.19	3	Vertical	32	2.72	-	52.28	34.23	7.73	34.77

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.75	54.00	-7.25	5.13	3	Horizontal	23	1.33	-	41.62	32.82	7.08	34.77
AV	5.7188G	116.72	Inf	-Inf	5.65	3	Horizontal	23	1.33	-	111.07	33.48	6.94	34.77
PK	5.468G	56.36	68.20	-11.84	5.15	3	Horizontal	23	1.33	-	51.21	32.84	7.08	34.77
PK	5.7212G	123.97	Inf	-Inf	5.65	3	Horizontal	23	1.33	-	118.32	33.48	6.94	34.77
PK	5.9912G	59.07	68.20	-9.13	7.20	3	Horizontal	23	1.33	-	51.87	34.22	7.75	34.77

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43995G	47.29	54.00	-6.71	13.54	3	Vertical	328	1.04	-	33.75	38.82	9.35	34.63
PK	11.44001G	58.60	74.00	-15.40	13.54	3	Vertical	328	1.04	-	45.06	38.82	9.35	34.63
PK	17.1564G	65.93	68.20	-2.27	16.92	3	Vertical	360	2.10	-	49.01	38.17	12.90	34.15

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44008G	46.77	54.00	-7.23	13.54	3	Horizontal	14	1.89	-	33.23	38.82	9.35	34.63
PK	11.44006G	57.06	74.00	-16.94	13.54	3	Horizontal	14	1.89	-	43.52	38.82	9.35	34.63
PK	17.15802G	66.28	68.20	-1.92	16.92	3	Horizontal	18	1.16	-	49.36	38.17	12.90	34.15

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	114.99	Inf	-Inf	5.75	3	Vertical	360	1.26	-	109.24	33.59	6.93	34.77
PK	5.493G	58.46	68.20	-9.74	5.18	3	Vertical	360	1.26	-	53.28	32.89	7.06	34.77
PK	5.7486G	122.53	Inf	-Inf	5.75	3	Vertical	360	1.26	-	116.78	33.59	6.93	34.77
PK	6.0414G	58.50	68.20	-9.70	6.94	3	Vertical	360	1.26	-	51.56	34.03	7.67	34.76


802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	115.92	Inf	-Inf	5.75	3	Horizontal	4	1.43	-	110.17	33.59	6.93	34.77
PK	5.6118G	58.24	68.20	-9.96	5.22	3	Horizontal	4	1.43	-	53.02	33.00	6.99	34.77
PK	5.7474G	123.10	Inf	-Inf	5.75	3	Horizontal	4	1.43	-	117.35	33.59	6.93	34.77
PK	5.9934G	59.34	68.20	-8.86	7.20	3	Horizontal	4	1.43	-	52.14	34.21	7.76	34.77

802.11a_Nss1,(6Mbps)_4TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48997G	47.47	54.00	-6.53	13.47	3	Vertical	2	1.02	-	34.00	38.72	9.36	34.61
PK	11.48976G	56.88	74.00	-17.12	13.47	3	Vertical	2	1.02	-	43.41	38.72	9.36	34.61
PK	17.23424G	67.74	68.20	-0.46	16.94	3	Vertical	308	1.01	-	50.80	38.27	12.92	34.25


802.11a_Nss1,(6Mbps)_4TX
5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48993G	47.10	54.00	-6.90	13.47	3	Horizontal	21	2.78	-	33.63	38.72	9.36	34.61
PK	11.48996G	56.66	74.00	-17.34	13.47	3	Horizontal	21	2.78	-	43.19	38.72	9.36	34.61
PK	17.22976G	66.53	68.20	-1.67	16.94	3	Horizontal	34	1.18	-	49.59	38.27	12.92	34.25

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	115.99	Inf	-Inf	5.92	3	Vertical	31	1.72	-	110.07	33.77	6.92	34.77
PK	5.5978G	58.34	68.20	-9.86	5.22	3	Vertical	31	1.72	-	53.12	33.00	6.99	34.77
PK	5.779G	123.20	Inf	-Inf	5.92	3	Vertical	31	1.72	-	117.28	33.77	6.92	34.77
PK	6.0346G	59.09	68.20	-9.11	6.98	3	Vertical	31	1.72	-	52.11	34.06	7.69	34.77

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	117.49	Inf	-Inf	5.94	3	Horizontal	324	2.74	-	111.55	33.79	6.92	34.77
PK	5.599G	58.05	68.20	-10.15	5.22	3	Horizontal	324	2.74	-	52.83	33.00	6.99	34.77
PK	5.7814G	124.62	Inf	-Inf	5.94	3	Horizontal	324	2.74	-	118.68	33.79	6.92	34.77
PK	5.9314G	58.79	68.20	-9.41	7.02	3	Horizontal	324	2.74	-	51.77	34.30	7.49	34.77

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56988G	48.10	54.00	-5.90	13.32	3	Vertical	0	1.00	-	34.78	38.56	9.39	34.63
PK	11.56984G	56.62	74.00	-17.38	13.32	3	Vertical	0	1.00	-	43.30	38.56	9.39	34.63
PK	17.34896G	66.63	68.20	-1.57	16.84	3	Vertical	3	1.01	-	49.79	38.30	12.95	34.41

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	46.02	54.00	-7.98	13.32	3	Horizontal	44	2.78	-	32.70	38.56	9.39	34.63
PK	11.57008G	55.41	74.00	-18.59	13.32	3	Horizontal	44	2.78	-	42.09	38.56	9.39	34.63
PK	17.35324G	64.33	68.20	-3.87	16.85	3	Horizontal	37	1.00	-	47.48	38.31	12.95	34.41

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	116.28	Inf	-Inf	6.23	3	Vertical	33	2.75	-	110.05	33.99	7.01	34.77
PK	5.6042G	57.92	68.20	-10.28	5.22	3	Vertical	33	2.75	-	52.70	33.00	6.99	34.77
PK	5.8214G	123.34	Inf	-Inf	6.22	3	Vertical	33	2.75	-	117.12	33.99	7.00	34.77
PK	6.0266G	58.67	68.20	-9.53	7.04	3	Vertical	33	2.75	-	51.63	34.09	7.72	34.77

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	118.22	Inf	-Inf	6.26	3	Horizontal	68	2.54	-	111.96	34.00	7.03	34.77
PK	5.5922G	58.18	68.20	-10.02	5.23	3	Horizontal	68	2.54	-	52.95	33.00	7.00	34.77
PK	5.8262G	125.26	Inf	-Inf	6.26	3	Horizontal	68	2.54	-	119.00	34.00	7.03	34.77
PK	6.0122G	59.54	68.20	-8.66	7.14	3	Horizontal	68	2.54	-	52.40	34.15	7.76	34.77

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64992G	48.69	54.00	-5.31	13.21	3	Vertical	0	1.04	-	35.48	38.45	9.41	34.65
PK	11.65032G	56.89	74.00	-17.11	13.21	3	Vertical	0	1.04	-	43.68	38.45	9.41	34.65
PK	17.47668G	64.46	68.20	-3.74	16.58	3	Vertical	18	1.00	-	47.88	38.17	12.99	34.58

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	45.02	54.00	-8.98	13.21	3	Horizontal	337	1.26	-	31.81	38.45	9.41	34.65
PK	11.64704G	55.95	74.00	-18.05	13.21	3	Horizontal	337	1.26	-	42.74	38.45	9.41	34.65
PK	17.47012G	64.80	68.20	-3.40	16.61	3	Horizontal	30	1.84	-	48.19	38.19	12.99	34.57

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.33	54.00	-0.67	5.21	3	Vertical	27	1.19	-	48.12	33.10	6.87	34.76
AV	5.1758G	109.36	Inf	-Inf	5.27	3	Vertical	27	1.19	-	104.09	33.15	6.88	34.76
PK	5.1478G	66.74	74.00	-7.26	5.21	3	Vertical	27	1.19	-	61.53	33.10	6.87	34.76
PK	5.175G	121.04	Inf	-Inf	5.27	3	Vertical	27	1.19	-	115.77	33.15	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	53.27	54.00	-0.73	5.19	3	Horizontal	308	2.78	-	48.08	33.08	6.87	34.76
AV	5.1784G	113.45	Inf	-Inf	5.28	3	Horizontal	308	2.78	-	108.17	33.16	6.88	34.76
PK	5.1474G	64.82	74.00	-9.18	5.20	3	Horizontal	308	2.78	-	59.62	33.09	6.87	34.76
PK	5.1792G	124.18	Inf	-Inf	5.28	3	Horizontal	308	2.78	-	118.90	33.16	6.88	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54648G	46.64	54.00	-7.36	15.50	3	Vertical	337	1.06	-	31.14	38.32	12.11	34.93
PK	10.36016G	56.33	68.20	-11.87	12.54	3	Vertical	351	1.50	-	43.79	38.58	8.99	35.03
PK	15.54208G	58.04	74.00	-15.96	15.53	3	Vertical	337	1.06	-	42.51	38.35	12.10	34.92

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55152G	46.25	54.00	-7.75	15.47	3	Horizontal	316	1.50	-	30.78	38.29	12.11	34.93
PK	10.36G	56.74	68.20	-11.46	12.54	3	Horizontal	20	2.15	-	44.20	38.58	8.99	35.03
PK	15.55248G	57.34	74.00	-16.66	15.47	3	Horizontal	316	1.50	-	41.87	38.29	12.11	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.15	54.00	-1.85	5.21	3	Vertical	52	1.62	-	46.94	33.10	6.87	34.76
AV	5.2072G	111.50	Inf	-Inf	5.33	3	Vertical	52	1.62	-	106.17	33.19	6.90	34.76
PK	5.1496G	65.10	74.00	-8.90	5.21	3	Vertical	52	1.62	-	59.89	33.10	6.87	34.76
PK	5.2076G	120.95	Inf	-Inf	5.32	3	Vertical	52	1.62	-	115.63	33.18	6.90	34.76


802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	53.37	54.00	-0.63	5.20	3	Horizontal	306	1.21	-	48.17	33.09	6.87	34.76
AV	5.1956G	116.67	Inf	-Inf	5.32	3	Horizontal	306	1.21	-	111.35	33.19	6.89	34.76
PK	5.1468G	65.98	74.00	-8.02	5.20	3	Horizontal	306	1.21	-	60.78	33.09	6.87	34.76
PK	5.1944G	126.19	Inf	-Inf	5.32	3	Horizontal	306	1.21	-	120.87	33.19	6.89	34.76

**802.11ax HEW20_Nss1,(MCS0)_4TX
5200MHz_TnomVnom**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59868G	53.21	54.00	-0.79	15.22	3	Vertical	15	1.00	-	37.99	38.01	12.16	34.95
PK	10.4G	57.17	68.20	-11.03	12.68	3	Vertical	17	1.00	-	44.49	38.50	9.00	34.82
PK	15.59936G	69.13	74.00	-4.87	15.21	3	Vertical	15	1.00	-	53.92	38.00	12.16	34.95


**802.11ax HEW20_Nss1,(MCS0)_4TX
5200MHz_TnomVnom**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60224G	52.63	54.00	-1.37	15.20	3	Horizontal	320	1.94	-	37.43	38.00	12.16	34.96
PK	10.4002G	56.00	68.20	-12.20	12.68	3	Horizontal	22	1.56	-	43.32	38.50	9.00	34.82
PK	15.60352G	66.76	74.00	-7.24	15.21	3	Horizontal	320	1.94	-	51.55	38.00	12.17	34.96

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.92	54.00	-6.08	5.33	3	Vertical	324	2.61	-	42.59	33.08	6.87	34.62
AV	5.2382G	114.13	Inf	-Inf	5.45	3	Vertical	324	2.61	-	108.68	33.12	6.93	34.60
AV	5.3864G	46.67	54.00	-7.33	5.44	3	Vertical	324	2.61	-	41.23	32.92	7.10	34.58
PK	5.1416G	59.80	74.00	-14.20	5.33	3	Vertical	324	2.61	-	54.47	33.08	6.87	34.62
PK	5.2376G	125.23	Inf	-Inf	5.45	3	Vertical	324	2.61	-	119.78	33.12	6.93	34.60
PK	5.3684G	58.95	74.00	-15.05	5.31	3	Vertical	324	2.61	-	53.64	32.81	7.08	34.58


802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.68	54.00	-4.32	5.35	3	Horizontal	288	1.00	-	44.33	33.10	6.87	34.62
AV	5.243G	116.77	Inf	-Inf	5.45	3	Horizontal	288	1.00	-	111.32	33.11	6.94	34.60
AV	5.3762G	47.74	54.00	-6.26	5.37	3	Horizontal	288	1.00	-	42.37	32.86	7.09	34.58
PK	5.1182G	60.92	74.00	-13.08	5.28	3	Horizontal	288	1.00	-	55.64	33.04	6.86	34.62
PK	5.243G	126.25	Inf	-Inf	5.45	3	Horizontal	288	1.00	-	120.80	33.11	6.94	34.60
PK	5.3876G	58.73	74.00	-15.27	5.46	3	Horizontal	288	1.00	-	53.27	32.93	7.11	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX
5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72232G	53.12	54.00	-0.88	15.32	3	Vertical	360	1.14	-	37.80	38.08	12.28	35.04
PK	10.48008G	57.31	68.20	-10.89	12.87	3	Vertical	36	2.21	-	44.44	38.58	9.03	34.74
PK	15.72112G	66.98	74.00	-7.02	15.32	3	Vertical	360	1.14	-	51.66	38.08	12.28	35.04


802.11ax HEW20_Nss1,(MCS0)_4TX
5240MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72812G	52.38	54.00	-1.62	15.31	3	Horizontal	51	1.89	-	37.07	38.07	12.29	35.05
PK	10.47988G	57.50	68.20	-10.70	12.87	3	Horizontal	64	3.00	-	44.63	38.58	9.03	34.74
PK	15.72764G	66.44	74.00	-7.56	15.31	3	Horizontal	51	1.89	-	51.13	38.07	12.29	35.05

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1418G	47.79	54.00	-6.21	5.33	3	Vertical	315	2.83	-	42.46	33.08	6.87	34.62
AV	5.2564G	113.93	Inf	-Inf	5.42	3	Vertical	315	2.83	-	108.51	33.07	6.95	34.60
AV	5.4004G	47.10	54.00	-6.90	5.54	3	Vertical	315	2.83	-	41.56	33.00	7.12	34.58
PK	5.1244G	59.56	74.00	-14.44	5.29	3	Vertical	315	2.83	-	54.27	33.05	6.86	34.62
PK	5.2576G	124.31	Inf	-Inf	5.43	3	Vertical	315	2.83	-	118.88	33.07	6.96	34.60
PK	5.3902G	57.90	74.00	-16.10	5.47	3	Vertical	315	2.83	-	52.43	32.94	7.11	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.07	54.00	-5.93	5.35	3	Horizontal	326	1.26	-	42.72	33.10	6.87	34.62
AV	5.2612G	114.84	Inf	-Inf	5.42	3	Horizontal	326	1.26	-	109.42	33.06	6.96	34.60
AV	5.3644G	47.73	54.00	-6.27	5.29	3	Horizontal	326	1.26	-	42.44	32.79	7.08	34.58
PK	5.1142G	59.61	74.00	-14.39	5.27	3	Horizontal	326	1.26	-	54.34	33.03	6.86	34.62
PK	5.2612G	126.06	Inf	-Inf	5.42	3	Horizontal	326	1.26	-	120.64	33.06	6.96	34.60
PK	5.4088G	59.23	74.00	-14.77	5.50	3	Horizontal	326	1.26	-	53.73	32.96	7.11	34.57

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7728G	53.67	54.00	-0.33	15.28	3	Vertical	357	1.24	-	38.39	38.03	12.33	35.08
PK	10.52004G	58.89	68.20	-9.31	12.99	3	Vertical	8	1.63	-	45.90	38.66	9.04	34.71
PK	15.77064G	67.04	74.00	-6.96	15.28	3	Vertical	357	1.24	-	51.76	38.03	12.33	35.08

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78032G	52.69	54.00	-1.31	15.27	3	Horizontal	42	1.99	-	37.42	38.02	12.34	35.09
PK	10.52004G	57.34	68.20	-10.86	12.99	3	Horizontal	17	1.72	-	44.35	38.66	9.04	34.71
PK	15.7796G	67.39	74.00	-6.61	15.27	3	Horizontal	42	1.99	-	52.12	38.02	12.34	35.09

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	110.14	Inf	-Inf	5.32	3	Vertical	282	1.50	-	104.82	32.91	7.00	34.59
AV	5.356G	47.55	54.00	-6.45	5.23	3	Vertical	282	1.50	-	42.32	32.74	7.07	34.58
PK	5.2976G	120.66	Inf	-Inf	5.32	3	Vertical	282	1.50	-	115.34	32.91	7.00	34.59
PK	5.394G	58.80	74.00	-15.20	5.49	3	Vertical	282	1.50	-	53.31	32.96	7.11	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	112.85	Inf	-Inf	5.32	3	Horizontal	351	1.38	-	107.53	32.91	7.00	34.59
AV	5.3576G	48.09	54.00	-5.91	5.24	3	Horizontal	351	1.38	-	42.85	32.75	7.07	34.58
PK	5.2988G	123.71	Inf	-Inf	5.31	3	Horizontal	351	1.38	-	118.40	32.90	7.00	34.59
PK	5.3664G	61.23	74.00	-12.77	5.30	3	Horizontal	351	1.38	-	55.93	32.80	7.08	34.58

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6G	52.84	54.00	-1.16	13.28	3	Vertical	0	1.20	-	39.56	38.90	9.07	34.69
AV	15.89848G	52.75	54.00	-1.25	14.90	3	Vertical	328	1.00	-	37.85	37.61	12.46	35.17
PK	10.6G	58.12	74.00	-15.88	13.28	3	Vertical	0	1.20	-	44.84	38.90	9.07	34.69
PK	15.89864G	67.88	74.00	-6.12	14.90	3	Vertical	328	1.00	-	52.98	37.61	12.46	35.17

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6G	48.14	54.00	-5.86	13.28	3	Horizontal	16	1.80	-	34.86	38.90	9.07	34.69
AV	15.90736G	50.88	54.00	-3.12	14.89	3	Horizontal	28	1.08	-	35.99	37.60	12.47	35.18
PK	10.60016G	57.11	74.00	-16.89	13.28	3	Horizontal	16	1.80	-	43.83	38.90	9.07	34.69
PK	15.90824G	65.67	74.00	-8.33	14.89	3	Horizontal	28	1.08	-	50.78	37.60	12.47	35.18

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	106.69	Inf	-Inf	5.09	3	Vertical	328	1.61	-	101.60	32.84	7.02	34.77
AV	5.355G	48.89	54.00	-5.11	5.03	3	Vertical	328	1.61	-	43.86	32.73	7.07	34.77
PK	5.3148G	118.52	Inf	-Inf	5.09	3	Vertical	328	1.61	-	113.43	32.84	7.02	34.77
PK	5.3542G	60.37	74.00	-13.63	5.03	3	Vertical	328	1.61	-	55.34	32.73	7.07	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	111.34	Inf	-Inf	5.10	3	Horizontal	303	1.00	-	106.24	32.85	7.02	34.77
AV	5.3518G	53.04	54.00	-0.96	5.00	3	Horizontal	303	1.00	-	48.04	32.71	7.06	34.77
PK	5.3122G	122.37	Inf	-Inf	5.10	3	Horizontal	303	1.00	-	117.27	32.85	7.02	34.77
PK	5.3514G	64.40	74.00	-9.60	5.00	3	Horizontal	303	1.00	-	59.40	32.71	7.06	34.77

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	52.95	54.00	-1.05	13.38	3	Vertical	15	2.54	-	39.57	38.98	9.08	34.68
AV	15.95976G	47.99	54.00	-6.01	14.90	3	Vertical	22	1.00	-	33.09	37.60	12.52	35.22
PK	10.64G	59.01	74.00	-14.99	13.38	3	Vertical	15	2.54	-	45.63	38.98	9.08	34.68
PK	15.96032G	60.04	74.00	-13.96	14.90	3	Vertical	22	1.00	-	45.14	37.60	12.52	35.22

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63996G	47.73	54.00	-6.27	13.38	3	Horizontal	18	1.73	-	34.35	38.98	9.08	34.68
AV	15.95812G	47.43	54.00	-6.57	14.90	3	Horizontal	310	2.02	-	32.53	37.60	12.52	35.22
PK	10.6398G	56.57	74.00	-17.43	13.38	3	Horizontal	18	1.73	-	43.19	38.98	9.08	34.68
PK	15.95804G	59.72	74.00	-14.28	14.90	3	Horizontal	310	2.02	-	44.82	37.60	12.52	35.22

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.98	54.00	-6.02	5.33	3	Vertical	4	1.05	-	42.65	32.82	7.08	34.57
AV	5.4956G	109.50	Inf	-Inf	5.39	3	Vertical	4	1.05	-	104.11	32.89	7.06	34.56
PK	5.468G	63.46	68.20	-4.74	5.35	3	Vertical	4	1.05	-	58.11	32.84	7.08	34.57
PK	5.4948G	121.39	Inf	-Inf	5.39	3	Vertical	4	1.05	-	116.00	32.89	7.06	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.12	54.00	-4.88	5.33	3	Horizontal	296	2.67	-	43.79	32.82	7.08	34.57
AV	5.4986G	111.29	Inf	-Inf	5.40	3	Horizontal	296	2.67	-	105.89	32.90	7.06	34.56
PK	5.47G	66.50	68.20	-1.70	5.35	3	Horizontal	296	2.67	-	61.15	32.84	7.07	34.56
PK	5.4992G	123.12	Inf	-Inf	5.40	3	Horizontal	296	2.67	-	117.72	32.90	7.06	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99998G	53.05	54.00	-0.95	13.32	3	Vertical	11	1.57	-	39.73	38.70	9.20	34.58
PK	11.00008G	58.92	74.00	-15.08	13.32	3	Vertical	11	1.57	-	45.60	38.70	9.20	34.58
PK	16.50336G	67.77	68.20	-0.43	16.64	3	Vertical	0	1.11	-	51.13	38.69	12.71	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99996G	47.21	54.00	-6.79	13.32	3	Horizontal	312	1.66	-	33.89	38.70	9.20	34.58
PK	10.99988G	55.72	74.00	-18.28	13.32	3	Horizontal	312	1.66	-	42.40	38.70	9.20	34.58
PK	16.50408G	67.54	68.20	-0.66	16.64	3	Horizontal	336	1.93	-	50.90	38.68	12.71	34.75

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4378G	46.74	54.00	-7.26	5.38	3	Vertical	360	2.83	-	41.36	32.85	7.10	34.57
AV	5.583G	111.74	Inf	-Inf	5.45	3	Vertical	360	2.83	-	106.29	33.00	7.00	34.55
PK	5.4642G	58.46	68.20	-9.74	5.34	3	Vertical	360	2.83	-	53.12	32.83	7.08	34.57
PK	5.5824G	122.15	Inf	-Inf	5.45	3	Vertical	360	2.83	-	116.70	33.00	7.00	34.55
PK	5.73G	59.11	68.20	-9.09	5.92	3	Vertical	360	2.83	-	53.19	33.52	6.94	34.54


802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	46.74	54.00	-7.26	5.33	3	Horizontal	321	2.60	-	41.41	32.81	7.09	34.57
AV	5.5788G	111.60	Inf	-Inf	5.45	3	Horizontal	321	2.60	-	106.15	33.00	7.00	34.55
PK	5.4606G	58.04	68.20	-10.16	5.33	3	Horizontal	321	2.60	-	52.71	32.82	7.08	34.57
PK	5.5788G	122.52	Inf	-Inf	5.45	3	Horizontal	321	2.60	-	117.07	33.00	7.00	34.55
PK	5.7252G	59.65	68.20	-8.55	5.90	3	Horizontal	321	2.60	-	53.75	33.50	6.94	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15992G	49.10	54.00	-4.90	13.33	3	Vertical	6	1.08	-	35.77	38.66	9.25	34.58
PK	11.16G	56.81	74.00	-17.19	13.33	3	Vertical	6	1.08	-	43.48	38.66	9.25	34.58
PK	16.7388G	67.34	68.20	-0.86	16.50	3	Vertical	360	1.16	-	50.84	38.18	12.77	34.45

802.11ax HEW20_Nss1,(MCS0)_4TX
5580MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15996G	47.70	54.00	-6.30	13.33	3	Horizontal	0	1.96	-	34.37	38.66	9.25	34.58
PK	11.16008G	56.23	74.00	-17.77	13.33	3	Horizontal	0	1.96	-	42.90	38.66	9.25	34.58
PK	16.73056G	66.43	68.20	-1.77	16.47	3	Horizontal	10	1.50	-	49.96	38.16	12.77	34.46

802.11ax HEW20_Nss1,(MCS0)_4TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.694G	110.00	Inf	-Inf	5.76	3	Vertical	360	2.69	-	104.24	33.35	6.95	34.54
PK	5.6944G	120.29	Inf	-Inf	5.77	3	Vertical	360	2.69	-	114.52	33.36	6.95	34.54
PK	5.7272G	65.49	68.20	-2.71	5.91	3	Vertical	360	2.69	-	59.58	33.51	6.94	34.54


802.11ax HEW20_Nss1,(MCS0)_4TX
5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	110.56	Inf	-Inf	5.79	3	Horizontal	63	2.35	-	104.77	33.38	6.95	34.54
PK	5.6976G	122.44	Inf	-Inf	5.79	3	Horizontal	63	2.35	-	116.65	33.38	6.95	34.54
PK	5.7252G	67.62	68.20	-0.58	5.90	3	Horizontal	63	2.35	-	61.72	33.50	6.94	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39992G	48.45	54.00	-5.55	13.66	3	Vertical	6	1.09	-	34.79	38.90	9.33	34.57
PK	11.40016G	56.43	74.00	-17.57	13.66	3	Vertical	6	1.09	-	42.77	38.90	9.33	34.57
PK	17.10592G	59.65	68.20	-8.55	16.72	3	Vertical	184	1.50	-	42.93	38.02	12.88	34.18

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39992G	48.68	54.00	-5.32	13.66	3	Horizontal	9	2.00	-	35.02	38.90	9.33	34.57
PK	11.39992G	56.67	74.00	-17.33	13.66	3	Horizontal	9	2.00	-	43.01	38.90	9.33	34.57
PK	17.1156G	59.53	68.20	-8.67	16.74	3	Horizontal	249	1.50	-	42.79	38.05	12.88	34.19

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4272G	46.55	54.00	-7.45	5.42	3	Vertical	26	1.35	-	41.13	32.89	7.10	34.57
AV	5.7236G	113.20	Inf	-Inf	5.89	3	Vertical	26	1.35	-	107.31	33.49	6.94	34.54
PK	5.4692G	57.51	68.20	-10.69	5.36	3	Vertical	26	1.35	-	52.15	32.84	7.08	34.56
PK	5.7236G	122.88	Inf	-Inf	5.89	3	Vertical	26	1.35	-	116.99	33.49	6.94	34.54
PK	5.9228G	60.05	68.20	-8.15	7.22	3	Vertical	26	1.35	-	52.83	34.30	7.45	34.53

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4224G	46.62	54.00	-7.38	5.45	3	Horizontal	360	1.48	-	41.17	32.91	7.11	34.57
AV	5.7248G	113.62	Inf	-Inf	5.90	3	Horizontal	360	1.48	-	107.72	33.50	6.94	34.54
PK	5.4644G	57.56	68.20	-10.64	5.34	3	Horizontal	360	1.48	-	52.22	32.83	7.08	34.57
PK	5.7248G	124.25	Inf	-Inf	5.90	3	Horizontal	360	1.48	-	118.35	33.50	6.94	34.54
PK	5.8688G	59.88	68.20	-8.32	6.86	3	Horizontal	360	1.48	-	53.02	34.18	7.21	34.53

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	48.04	54.00	-5.96	13.60	3	Vertical	5	1.10	-	34.44	38.82	9.35	34.57
PK	11.44016G	57.89	74.00	-16.11	13.60	3	Vertical	5	1.10	-	44.29	38.82	9.35	34.57
PK	17.15568G	66.74	68.20	-1.46	16.86	3	Vertical	319	1.08	-	49.88	38.17	12.90	34.21

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	47.66	54.00	-6.34	13.60	3	Horizontal	32	1.95	-	34.06	38.82	9.35	34.57
PK	11.44016G	56.29	74.00	-17.71	13.60	3	Horizontal	32	1.95	-	42.69	38.82	9.35	34.57
PK	17.16448G	64.12	68.20	-4.08	16.87	3	Horizontal	103	1.81	-	47.25	38.19	12.90	34.22

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	113.38	Inf	-Inf	5.95	3	Vertical	26	1.34	-	107.43	33.56	6.93	34.54
PK	5.643G	58.72	68.20	-9.48	5.42	3	Vertical	26	1.34	-	53.30	33.00	6.97	34.55
PK	5.7366G	123.18	Inf	-Inf	5.95	3	Vertical	26	1.34	-	117.23	33.55	6.94	34.54
PK	5.9382G	59.02	68.20	-9.18	7.30	3	Vertical	26	1.34	-	51.72	34.30	7.52	34.52

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	114.74	Inf	-Inf	5.95	3	Horizontal	320	2.65	-	108.79	33.56	6.93	34.54
PK	5.649G	59.02	68.20	-9.18	5.42	3	Horizontal	320	2.65	-	53.60	33.00	6.97	34.55
PK	5.7414G	124.21	Inf	-Inf	5.96	3	Horizontal	320	2.65	-	118.25	33.57	6.93	34.54
PK	5.9718G	59.37	68.20	-8.83	7.41	3	Horizontal	320	2.65	-	51.96	34.26	7.67	34.52

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	47.87	54.00	-6.13	13.51	3	Vertical	5	1.18	-	34.36	38.72	9.36	34.57
PK	11.49G	57.09	74.00	-16.91	13.51	3	Vertical	5	1.18	-	43.58	38.72	9.36	34.57
PK	17.2479G	67.98	68.20	-0.22	16.90	3	Vertical	321	1.05	-	51.08	38.25	12.92	34.27

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	48.00	54.00	-6.00	13.51	3	Horizontal	20	2.18	-	34.49	38.72	9.36	34.57
PK	11.49012G	57.23	74.00	-16.77	13.51	3	Horizontal	20	2.18	-	43.72	38.72	9.36	34.57
PK	17.2251G	66.92	68.20	-1.28	16.93	3	Horizontal	16	1.00	-	49.99	38.27	12.92	34.26

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	112.05	Inf	-Inf	6.18	3	Vertical	22	2.77	-	105.87	33.80	6.92	34.54
PK	5.5918G	58.95	68.20	-9.25	5.45	3	Vertical	22	2.77	-	53.50	33.00	7.00	34.55
PK	5.7838G	122.58	Inf	-Inf	6.18	3	Vertical	22	2.77	-	116.40	33.80	6.92	34.54
PK	5.9998G	59.17	68.20	-9.03	7.47	3	Vertical	22	2.77	-	51.70	34.20	7.79	34.52


802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	115.46	Inf	-Inf	6.20	3	Horizontal	62	2.64	-	109.26	33.82	6.92	34.54
PK	5.5294G	58.75	68.20	-9.45	5.44	3	Horizontal	62	2.64	-	53.31	32.96	7.04	34.56
PK	5.7874G	126.65	Inf	-Inf	6.20	3	Horizontal	62	2.64	-	120.45	33.82	6.92	34.54
PK	5.9434G	59.15	68.20	-9.05	7.32	3	Horizontal	62	2.64	-	51.83	34.30	7.54	34.52

802.11ax HEW20_Nss1,(MCS0)_4TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56994G	47.84	54.00	-6.16	13.36	3	Vertical	360	1.16	-	34.48	38.56	9.39	34.59
PK	11.57042G	55.72	74.00	-18.28	13.36	3	Vertical	360	1.16	-	42.36	38.56	9.39	34.59
PK	17.3542G	67.51	68.20	-0.69	16.93	3	Vertical	358	1.01	-	50.58	38.31	12.95	34.33


802.11ax HEW20_Nss1,(MCS0)_4TX
5785MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56988G	47.13	54.00	-6.87	13.36	3	Horizontal	22	2.10	-	33.77	38.56	9.39	34.59
PK	11.56982G	56.00	74.00	-18.00	13.36	3	Horizontal	22	2.10	-	42.64	38.56	9.39	34.59
PK	17.36388G	65.18	68.20	-3.02	16.95	3	Horizontal	357	1.00	-	48.23	38.33	12.96	34.34

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	113.48	Inf	-Inf	6.46	3	Vertical	25	1.61	-	107.02	33.99	7.00	34.53
PK	5.6306G	59.72	68.20	-8.48	5.43	3	Vertical	25	1.61	-	54.29	33.00	6.98	34.55
PK	5.8214G	124.67	Inf	-Inf	6.46	3	Vertical	25	1.61	-	118.21	33.99	7.00	34.53
PK	5.9678G	59.37	68.20	-8.83	7.39	3	Vertical	25	1.61	-	51.98	34.26	7.65	34.52

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	113.89	Inf	-Inf	6.50	3	Horizontal	338	1.00	-	107.39	34.00	7.03	34.53
PK	5.6294G	58.77	68.20	-9.43	5.43	3	Horizontal	338	1.00	-	53.34	33.00	6.98	34.55
PK	5.8262G	123.66	Inf	-Inf	6.50	3	Horizontal	338	1.00	-	117.16	34.00	7.03	34.53
PK	6.0638G	59.07	68.20	-9.13	7.07	3	Horizontal	338	1.00	-	52.00	33.97	7.61	34.51

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	48.82	54.00	-5.18	13.24	3	Vertical	360	1.17	-	35.58	38.45	9.41	34.62
PK	11.64982G	57.39	74.00	-16.61	13.24	3	Vertical	360	1.17	-	44.15	38.45	9.41	34.62
PK	17.4741G	67.33	68.20	-0.87	16.77	3	Vertical	358	1.03	-	50.56	38.18	12.99	34.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65006G	47.51	54.00	-6.49	13.24	3	Horizontal	32	2.10	-	34.27	38.45	9.41	34.62
PK	11.64988G	57.39	74.00	-16.61	13.24	3	Horizontal	32	2.10	-	44.15	38.45	9.41	34.62
PK	17.47452G	64.60	68.20	-3.60	16.77	3	Horizontal	37	1.00	-	47.83	38.18	12.99	34.40

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.89	54.00	-4.11	5.35	3	Vertical	325	2.62	-	44.54	33.10	6.87	34.62
AV	5.198G	105.11	Inf	-Inf	5.48	3	Vertical	325	2.62	-	99.63	33.20	6.89	34.61
PK	5.1492G	60.34	74.00	-13.66	5.35	3	Vertical	325	2.62	-	54.99	33.10	6.87	34.62
PK	5.178G	115.38	Inf	-Inf	5.43	3	Vertical	325	2.62	-	109.95	33.16	6.88	34.61

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.21	54.00	-0.79	5.35	3	Horizontal	304	2.88	-	47.86	33.10	6.87	34.62
AV	5.1884G	108.12	Inf	-Inf	5.46	3	Horizontal	304	2.88	-	102.66	33.18	6.89	34.61
PK	5.1488G	65.78	74.00	-8.22	5.35	3	Horizontal	304	2.88	-	60.43	33.10	6.87	34.62
PK	5.1892G	117.67	Inf	-Inf	5.46	3	Horizontal	304	2.88	-	112.21	33.18	6.89	34.61

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56484G	46.12	54.00	-7.88	15.41	3	Vertical	285	1.18	-	30.71	38.21	12.13	34.93
PK	10.38018G	56.40	68.20	-11.80	12.70	3	Vertical	1	1.16	-	43.70	38.54	9.00	34.84
PK	15.56688G	56.58	74.00	-17.42	15.40	3	Vertical	285	1.18	-	41.18	38.20	12.13	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57312G	46.10	54.00	-7.90	15.37	3	Horizontal	312	2.77	-	30.73	38.16	12.14	34.93
PK	10.38012G	55.48	68.20	-12.72	12.70	3	Horizontal	69	2.23	-	42.78	38.54	9.00	34.84
PK	15.56478G	56.48	74.00	-17.52	15.41	3	Horizontal	312	2.77	-	41.07	38.21	12.13	34.93

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.06	54.00	-3.94	5.35	3	Vertical	326	2.56	-	44.71	33.10	6.87	34.62
AV	5.2188G	108.11	Inf	-Inf	5.47	3	Vertical	326	2.56	-	102.64	33.16	6.91	34.60
PK	5.138G	60.50	74.00	-13.50	5.33	3	Vertical	326	2.56	-	55.17	33.08	6.87	34.62
PK	5.2376G	118.68	Inf	-Inf	5.45	3	Vertical	326	2.56	-	113.23	33.12	6.93	34.60


802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.45	54.00	-0.55	5.35	3	Horizontal	305	2.80	-	48.10	33.10	6.87	34.62
AV	5.2276G	111.43	Inf	-Inf	5.46	3	Horizontal	305	2.80	-	105.97	33.14	6.92	34.60
PK	5.1488G	64.81	74.00	-9.19	5.35	3	Horizontal	305	2.80	-	59.46	33.10	6.87	34.62
PK	5.2276G	121.61	Inf	-Inf	5.46	3	Horizontal	305	2.80	-	116.15	33.14	6.92	34.60

802.11ax HEW40_Nss1,(MCS0)_4TX
5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68946G	46.64	54.00	-7.36	15.32	3	Vertical	30	2.12	-	31.32	38.09	12.25	35.02
PK	10.45993G	58.29	68.20	-9.91	12.82	3	Vertical	10	1.48	-	45.47	38.56	9.02	34.76
PK	15.69195G	59.06	74.00	-14.94	15.32	3	Vertical	30	2.12	-	43.74	38.09	12.25	35.02


802.11ax HEW40_Nss1,(MCS0)_4TX
5230MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69972G	46.40	54.00	-7.60	15.33	3	Horizontal	76	1.50	-	31.07	38.10	12.26	35.03
PK	10.45977G	56.15	68.20	-12.05	12.82	3	Horizontal	21	1.67	-	43.33	38.56	9.02	34.76
PK	15.70092G	57.75	74.00	-16.25	15.33	3	Horizontal	76	1.50	-	42.42	38.10	12.26	35.03

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.258G	108.80	Inf	-Inf	5.43	3	Vertical	327	2.64	-	103.37	33.07	6.96	34.60
AV	5.3576G	50.39	54.00	-3.61	5.24	3	Vertical	327	2.64	-	45.15	32.75	7.07	34.58
PK	5.2568G	119.36	Inf	-Inf	5.43	3	Vertical	327	2.64	-	113.93	33.07	6.96	34.60
PK	5.358G	62.22	74.00	-11.78	5.24	3	Vertical	327	2.64	-	56.98	32.75	7.07	34.58


802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.268G	111.62	Inf	-Inf	5.40	3	Horizontal	300	2.78	-	106.22	33.03	6.97	34.60
AV	5.35G	52.53	54.00	-1.47	5.18	3	Horizontal	300	2.78	-	47.35	32.70	7.06	34.58
PK	5.2676G	121.67	Inf	-Inf	5.40	3	Horizontal	300	2.78	-	116.27	33.03	6.97	34.60
PK	5.35G	63.95	74.00	-10.05	5.18	3	Horizontal	300	2.78	-	58.77	32.70	7.06	34.58

802.11ax HEW40_Nss1,(MCS0)_4TX
5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81074G	48.17	54.00	-5.83	15.22	3	Vertical	346	1.00	-	32.95	37.96	12.37	35.11
PK	10.54001G	59.32	68.20	-8.88	13.06	3	Vertical	7	1.50	-	46.26	38.72	9.05	34.71
PK	15.81085G	61.05	74.00	-12.95	15.22	3	Vertical	346	1.00	-	45.83	37.96	12.37	35.11


802.11ax HEW40_Nss1,(MCS0)_4TX
5270MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80868G	47.82	54.00	-6.18	15.23	3	Horizontal	28	1.12	-	32.59	37.97	12.37	35.11
PK	10.54009G	57.44	68.20	-10.76	13.06	3	Horizontal	17	1.68	-	44.38	38.72	9.05	34.71
PK	15.80881G	60.87	74.00	-13.13	15.22	3	Horizontal	28	1.12	-	45.65	37.96	12.37	35.11

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	101.38	Inf	-Inf	5.32	3	Vertical	44	1.50	-	96.06	32.91	7.00	34.59
AV	5.3568G	49.38	54.00	-4.62	5.23	3	Vertical	44	1.50	-	44.15	32.74	7.07	34.58
PK	5.2976G	112.58	Inf	-Inf	5.32	3	Vertical	44	1.50	-	107.26	32.91	7.00	34.59
PK	5.356G	60.15	74.00	-13.85	5.23	3	Vertical	44	1.50	-	54.92	32.74	7.07	34.58

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	105.14	Inf	-Inf	5.27	3	Horizontal	324	1.23	-	99.87	32.84	7.02	34.59
AV	5.3552G	53.68	54.00	-0.32	5.22	3	Horizontal	324	1.23	-	48.46	32.73	7.07	34.58
PK	5.3148G	114.91	Inf	-Inf	5.27	3	Horizontal	324	1.23	-	109.64	32.84	7.02	34.59
PK	5.3532G	64.63	74.00	-9.37	5.21	3	Horizontal	324	1.23	-	59.42	32.72	7.07	34.58

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61988G	52.94	54.00	-1.06	13.32	3	Vertical	11	1.64	-	39.62	38.94	9.07	34.69
AV	15.91722G	46.12	54.00	-7.88	14.89	3	Vertical	321	2.94	-	31.23	37.60	12.48	35.19
PK	10.61994G	58.04	74.00	-15.96	13.32	3	Vertical	11	1.64	-	44.72	38.94	9.07	34.69
PK	15.9183G	57.04	74.00	-16.96	14.89	3	Vertical	321	2.94	-	42.15	37.60	12.48	35.19

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62006G	44.21	54.00	-9.79	13.32	3	Horizontal	230	1.84	-	30.89	38.94	9.07	34.69
AV	15.91506G	46.00	54.00	-8.00	14.89	3	Horizontal	110	2.91	-	31.11	37.60	12.48	35.19
PK	10.61634G	53.74	74.00	-20.26	13.31	3	Horizontal	230	1.84	-	40.43	38.93	9.07	34.69
PK	15.92802G	56.54	74.00	-17.46	14.89	3	Horizontal	110	2.91	-	41.65	37.60	12.49	35.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.64	54.00	-5.36	5.33	3	Vertical	20	1.50	-	43.31	32.82	7.08	34.57
AV	5.5052G	105.09	Inf	-Inf	5.40	3	Vertical	20	1.50	-	99.69	32.91	7.05	34.56
PK	5.4664G	65.49	68.20	-2.71	5.34	3	Vertical	20	1.50	-	60.15	32.83	7.08	34.57
PK	5.5068G	114.59	Inf	-Inf	5.40	3	Vertical	20	1.50	-	109.19	32.91	7.05	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	50.70	54.00	-3.30	5.33	3	Horizontal	324	1.64	-	45.37	32.82	7.08	34.57
AV	5.5048G	107.98	Inf	-Inf	5.40	3	Horizontal	324	1.64	-	102.58	32.91	7.05	34.56
PK	5.4656G	67.70	68.20	-0.50	5.34	3	Horizontal	324	1.64	-	62.36	32.83	7.08	34.57
PK	5.5252G	119.07	Inf	-Inf	5.43	3	Horizontal	324	1.64	-	113.64	32.95	7.04	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	48.21	54.00	-5.79	13.31	3	Vertical	35	1.42	-	34.90	38.68	9.21	34.58
PK	11.02006G	56.17	74.00	-17.83	13.31	3	Vertical	35	1.42	-	42.86	38.68	9.21	34.58
PK	16.5243G	65.35	68.20	-2.85	16.58	3	Vertical	2	1.22	-	48.77	38.60	12.71	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	47.43	54.00	-6.57	13.31	3	Horizontal	33	2.05	-	34.12	38.68	9.21	34.58
PK	11.02G	55.43	74.00	-18.57	13.31	3	Horizontal	33	2.05	-	42.12	38.68	9.21	34.58
PK	16.52274G	64.84	68.20	-3.36	16.59	3	Horizontal	35	1.10	-	48.25	38.61	12.71	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.06	54.00	-6.94	5.32	3	Vertical	0	2.84	-	41.74	32.80	7.09	34.57
AV	5.5464G	106.58	Inf	-Inf	5.45	3	Vertical	0	2.84	-	101.13	32.99	7.02	34.56
PK	5.4656G	58.72	68.20	-9.48	5.34	3	Vertical	0	2.84	-	53.38	32.83	7.08	34.57
PK	5.5468G	117.36	Inf	-Inf	5.45	3	Vertical	0	2.84	-	111.91	32.99	7.02	34.56


802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.75	54.00	-6.25	5.33	3	Horizontal	294	2.77	-	42.42	32.82	7.08	34.57
AV	5.5592G	108.67	Inf	-Inf	5.46	3	Horizontal	294	2.77	-	103.21	33.00	7.02	34.56
PK	5.4672G	58.61	68.20	-9.59	5.34	3	Horizontal	294	2.77	-	53.27	32.83	7.08	34.57
PK	5.54G	118.43	Inf	-Inf	5.45	3	Horizontal	294	2.77	-	112.98	32.98	7.03	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX
5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10006G	46.59	54.00	-7.41	13.25	3	Vertical	167	2.89	-	33.34	38.60	9.23	34.58
PK	11.10042G	55.55	74.00	-18.45	13.25	3	Vertical	167	2.89	-	42.30	38.60	9.23	34.58
PK	16.644G	66.97	68.20	-1.23	16.38	3	Vertical	1	1.01	-	50.59	38.21	12.75	34.58


802.11ax HEW40_Nss1,(MCS0)_4TX
5550MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10006G	44.34	54.00	-9.66	13.25	3	Horizontal	142	2.71	-	31.09	38.60	9.23	34.58
PK	11.10294G	55.16	74.00	-18.84	13.25	3	Horizontal	142	2.71	-	41.91	38.60	9.23	34.58
PK	16.6475G	63.92	68.20	-4.28	16.38	3	Horizontal	1	2.87	-	47.54	38.20	12.75	34.57

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6688G	108.48	Inf	-Inf	5.56	3	Vertical	5	2.82	-	102.92	33.15	6.96	34.55
PK	5.6694G	119.06	Inf	-Inf	5.57	3	Vertical	5	2.82	-	113.49	33.16	6.96	34.55
PK	5.7294G	65.58	68.20	-2.62	5.92	3	Vertical	5	2.82	-	59.66	33.52	6.94	34.54


802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	110.47	Inf	-Inf	5.58	3	Horizontal	0	1.35	-	104.89	33.17	6.96	34.55
PK	5.6706G	119.58	Inf	-Inf	5.57	3	Horizontal	0	1.35	-	114.01	33.16	6.96	34.55
PK	5.733G	67.53	68.20	-0.67	5.93	3	Horizontal	0	1.35	-	61.60	33.53	6.94	34.54

802.11ax HEW40_Nss1,(MCS0)_4TX
5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33994G	47.15	54.00	-6.85	13.64	3	Vertical	35	1.07	-	33.51	38.90	9.31	34.57
PK	11.34018G	56.29	74.00	-17.71	13.64	3	Vertical	35	1.07	-	42.65	38.90	9.31	34.57
PK	17.00928G	58.17	68.20	-10.03	16.72	3	Vertical	109	2.10	-	41.45	38.00	12.85	34.13


802.11ax HEW40_Nss1,(MCS0)_4TX
5670MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	47.89	54.00	-6.11	13.64	3	Horizontal	12	2.06	-	34.25	38.90	9.31	34.57
PK	11.33988G	56.08	74.00	-17.92	13.64	3	Horizontal	12	2.06	-	42.44	38.90	9.31	34.57
PK	17.02416G	58.58	68.20	-9.62	16.73	3	Horizontal	306	1.65	-	41.85	38.00	12.86	34.13

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.434G	46.48	54.00	-7.52	5.39	3	Vertical	27	1.68	-	41.09	32.86	7.10	34.57
AV	5.7064G	111.46	Inf	-Inf	5.84	3	Vertical	27	1.68	-	105.62	33.43	6.95	34.54
PK	5.4664G	57.00	68.20	-11.20	5.34	3	Vertical	27	1.68	-	51.66	32.83	7.08	34.57
PK	5.7076G	120.82	Inf	-Inf	5.84	3	Vertical	27	1.68	-	114.98	33.43	6.95	34.54
PK	5.8576G	60.28	68.20	-7.92	6.76	3	Vertical	27	1.68	-	53.52	34.13	7.16	34.53


802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4124G	46.59	54.00	-7.41	5.49	3	Horizontal	26	1.02	-	41.10	32.95	7.11	34.57
AV	5.7028G	112.11	Inf	-Inf	5.82	3	Horizontal	26	1.02	-	106.29	33.41	6.95	34.54
PK	5.4604G	57.55	68.20	-10.65	5.33	3	Horizontal	26	1.02	-	52.22	32.82	7.08	34.57
PK	5.722G	121.96	Inf	-Inf	5.89	3	Horizontal	26	1.02	-	116.07	33.49	6.94	34.54
PK	5.9836G	59.86	68.20	-8.34	7.43	3	Horizontal	26	1.02	-	52.43	34.23	7.72	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42006G	48.35	54.00	-5.65	13.63	3	Vertical	343	1.00	-	34.72	38.86	9.34	34.57
PK	11.42984G	58.52	74.00	-15.48	13.61	3	Vertical	343	1.00	-	44.91	38.84	9.34	34.57
PK	17.1217G	67.19	68.20	-1.01	16.77	3	Vertical	323	1.04	-	50.42	38.07	12.89	34.19


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42G	46.41	54.00	-7.59	13.63	3	Horizontal	44	2.26	-	32.78	38.86	9.34	34.57
PK	11.42018G	54.96	74.00	-19.04	13.63	3	Horizontal	44	2.26	-	41.33	38.86	9.34	34.57
PK	17.1221G	67.92	68.20	-0.28	16.77	3	Horizontal	33	2.17	-	51.15	38.07	12.89	34.19

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.7646G	123.57	Inf	-Inf	6.07	3	Vertical	24	2.73	-	117.50	33.69	6.92	34.54
PK	5.647G	67.88	68.20	-0.32	5.42	3	Vertical	24	2.73	-	62.46	33.00	6.97	34.55
PK	6.0346G	60.58	68.20	-7.62	7.23	3	Vertical	24	2.73	-	53.35	34.06	7.69	34.52
AV	5.7634G	112.73	Inf	-Inf	6.06	3	Vertical	24	2.73	-	106.67	33.68	6.92	34.54

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7658G	114.08	Inf	-Inf	6.07	3	Horizontal	315	2.56	-	108.01	33.69	6.92	34.54
PK	5.6554G	69.05	72.20	-3.15	5.46	3	Horizontal	315	2.56	-	63.59	33.04	6.97	34.55
PK	5.7454G	122.94	Inf	-Inf	5.97	3	Horizontal	315	2.56	-	116.97	33.58	6.93	34.54
PK	6.0454G	59.54	68.20	-8.66	7.16	3	Horizontal	315	2.56	-	52.38	34.02	7.66	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51008G	48.24	54.00	-5.76	13.48	3	Vertical	334	1.02	-	34.76	38.68	9.37	34.57
PK	11.51002G	59.15	74.00	-14.85	13.48	3	Vertical	334	1.02	-	45.67	38.68	9.37	34.57
PK	17.2622G	68.02	68.20	-0.18	16.89	3	Vertical	322	1.08	-	51.13	38.24	12.93	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51004G	46.97	54.00	-7.03	13.48	3	Horizontal	11	1.99	-	33.49	38.68	9.37	34.57
PK	11.51003G	56.60	74.00	-17.40	13.48	3	Horizontal	11	1.99	-	43.12	38.68	9.37	34.57
PK	17.25964G	60.55	68.20	-7.65	16.89	3	Horizontal	29	2.34	-	43.66	38.24	12.93	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	112.60	Inf	-Inf	6.19	3	Vertical	21	2.73	-	106.41	33.81	6.92	34.54
PK	5.6426G	59.28	68.20	-8.92	5.42	3	Vertical	21	2.73	-	53.86	33.00	6.97	34.55
PK	5.8034G	122.09	Inf	-Inf	6.29	3	Vertical	21	2.73	-	115.80	33.91	6.92	34.54
PK	5.9582G	59.15	68.20	-9.05	7.37	3	Vertical	21	2.73	-	51.78	34.28	7.61	34.52


802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7854G	113.99	Inf	-Inf	6.19	3	Horizontal	23	2.53	-	107.80	33.81	6.92	34.54
PK	5.597G	59.99	68.20	-8.21	5.44	3	Horizontal	23	2.53	-	54.55	33.00	6.99	34.55
PK	5.7854G	123.33	Inf	-Inf	6.19	3	Horizontal	23	2.53	-	117.14	33.81	6.92	34.54
PK	6.0782G	60.54	68.20	-7.66	7.00	3	Horizontal	23	2.53	-	53.54	33.94	7.57	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX
5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5901G	45.14	54.00	-8.86	13.31	3	Vertical	160	2.02	-	31.83	38.52	9.39	34.60
PK	11.5903G	55.48	74.00	-18.52	13.31	3	Vertical	160	2.02	-	42.17	38.52	9.39	34.60
PK	17.3884G	64.00	68.20	-4.20	16.99	3	Vertical	360	1.04	-	47.01	38.38	12.96	34.35


802.11ax HEW40_Nss1,(MCS0)_4TX
5795MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59108G	44.03	54.00	-9.97	13.32	3	Horizontal	24	1.00	-	30.71	38.52	9.40	34.60
PK	11.5903G	55.54	74.00	-18.46	13.31	3	Horizontal	24	1.00	-	42.23	38.52	9.39	34.60
PK	17.38452G	61.22	68.20	-6.98	16.98	3	Horizontal	62	2.86	-	44.24	38.37	12.96	34.35

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	51.61	54.00	-2.39	5.33	3	Vertical	324	2.63	-	46.28	33.08	6.87	34.62
AV	5.218G	102.60	Inf	-Inf	5.46	3	Vertical	324	2.63	-	97.14	33.16	6.91	34.61
AV	5.405G	46.36	54.00	-7.64	5.52	3	Vertical	324	2.63	-	40.84	32.98	7.12	34.58
PK	5.148G	63.40	74.00	-10.60	5.35	3	Vertical	324	2.63	-	58.05	33.10	6.87	34.62
PK	5.219G	112.82	Inf	-Inf	5.47	3	Vertical	324	2.63	-	107.35	33.16	6.91	34.60
PK	5.392G	57.47	74.00	-16.53	5.48	3	Vertical	324	2.63	-	51.99	32.95	7.11	34.58


802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.85	54.00	-0.15	5.35	3	Horizontal	300	2.86	-	48.50	33.10	6.87	34.62
AV	5.208G	105.18	Inf	-Inf	5.47	3	Horizontal	300	2.86	-	99.71	33.18	6.90	34.61
AV	5.381G	46.54	54.00	-7.46	5.41	3	Horizontal	300	2.86	-	41.13	32.89	7.10	34.58
PK	5.149G	64.19	74.00	-9.81	5.35	3	Horizontal	300	2.86	-	58.84	33.10	6.87	34.62
PK	5.208G	114.61	Inf	-Inf	5.47	3	Horizontal	300	2.86	-	109.14	33.18	6.90	34.61
PK	5.383G	58.26	74.00	-15.74	5.42	3	Horizontal	300	2.86	-	52.84	32.90	7.10	34.58

802.11ax HEW80_Nss1,(MCS0)_4TX
5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63546G	45.47	54.00	-8.53	15.26	3	Vertical	224	2.33	-	30.21	38.04	12.20	34.98
PK	10.41994G	55.68	68.20	-12.52	12.73	3	Vertical	143	1.50	-	42.95	38.52	9.01	34.80
PK	15.64362G	56.33	74.00	-17.67	15.26	3	Vertical	224	2.33	-	41.07	38.04	12.21	34.99


802.11ax HEW80_Nss1,(MCS0)_4TX
5210MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63528G	45.44	54.00	-8.56	15.26	3	Horizontal	113	1.49	-	30.18	38.04	12.20	34.98
PK	10.42006G	55.60	68.20	-12.60	12.73	3	Horizontal	23	2.62	-	42.87	38.52	9.01	34.80
PK	15.63414G	56.47	74.00	-17.53	15.25	3	Horizontal	113	1.49	-	41.22	38.03	12.20	34.98

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	47.28	54.00	-6.72	5.33	3	Vertical	43	1.51	-	41.95	33.08	6.87	34.62
AV	5.278G	98.19	Inf	-Inf	5.37	3	Vertical	43	1.51	-	92.82	32.99	6.98	34.60
AV	5.357G	50.83	54.00	-3.17	5.23	3	Vertical	43	1.51	-	45.60	32.74	7.07	34.58
PK	5.111G	58.57	74.00	-15.43	5.25	3	Vertical	43	1.51	-	53.32	33.02	6.85	34.62
PK	5.298G	108.11	Inf	-Inf	5.32	3	Vertical	43	1.51	-	102.79	32.91	7.00	34.59
PK	5.517G	57.56	68.20	-10.64	5.41	3	Vertical	43	1.51	-	52.15	32.93	7.04	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	47.72	54.00	-6.28	5.34	3	Horizontal	324	1.16	-	42.38	33.09	6.87	34.62
AV	5.294G	101.27	Inf	-Inf	5.33	3	Horizontal	324	1.16	-	95.94	32.92	7.00	34.59
AV	5.355G	53.86	54.00	-0.14	5.22	3	Horizontal	324	1.16	-	48.64	32.73	7.07	34.58
PK	5.123G	59.03	74.00	-14.97	5.29	3	Horizontal	324	1.16	-	53.74	33.05	6.86	34.62
PK	5.294G	110.98	Inf	-Inf	5.33	3	Horizontal	324	1.16	-	105.65	32.92	7.00	34.59
PK	5.524G	58.52	68.20	-9.68	5.43	3	Horizontal	324	1.16	-	53.09	32.95	7.04	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85848G	45.59	54.00	-8.41	15.04	3	Vertical	193	1.32	-	30.55	37.77	12.42	35.15
PK	10.58018G	56.49	68.20	-11.71	13.20	3	Vertical	338	2.61	-	43.29	38.84	9.06	34.70
PK	15.85992G	56.87	74.00	-17.13	15.03	3	Vertical	193	1.32	-	41.84	37.76	12.42	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86448G	45.35	54.00	-8.65	15.02	3	Horizontal	350	2.44	-	30.33	37.74	12.43	35.15
PK	10.57976G	54.55	68.20	-13.65	13.20	3	Horizontal	215	2.19	-	41.35	38.84	9.06	34.70
PK	15.86004G	56.55	74.00	-17.45	15.03	3	Horizontal	350	2.44	-	41.52	37.76	12.42	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	49.31	54.00	-4.69	5.34	3	Vertical	20	1.58	-	43.97	32.82	7.09	34.57
AV	5.455G	102.26	Inf	-Inf	5.46	3	Vertical	20	1.58	-	96.80	32.99	7.03	34.56
PK	5.47G	65.93	68.20	-2.27	5.35	3	Vertical	20	1.58	-	60.58	32.84	7.07	34.56
PK	5.525G	112.45	Inf	-Inf	5.43	3	Vertical	20	1.58	-	107.02	32.95	7.04	34.56
PK	5.762G	59.43	68.20	-8.77	6.06	3	Vertical	20	1.58	-	53.37	33.67	6.93	34.54

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	53.06	54.00	-0.94	5.32	3	Horizontal	46	2.74	-	47.74	32.81	7.08	34.57
AV	5.536G	106.74	Inf	-Inf	5.44	3	Horizontal	46	2.74	-	101.30	32.97	7.03	34.56
PK	5.46G	63.62	68.20	-4.58	5.33	3	Horizontal	46	2.74	-	58.29	32.82	7.08	34.57
PK	5.536G	115.52	Inf	-Inf	5.44	3	Horizontal	46	2.74	-	110.08	32.97	7.03	34.56
PK	5.78G	59.33	68.20	-8.87	6.16	3	Horizontal	46	2.74	-	53.17	33.78	6.92	34.54

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06012G	47.42	54.00	-6.58	13.28	3	Vertical	167	2.68	-	34.14	38.64	9.22	34.58
PK	11.06006G	56.39	74.00	-17.61	13.28	3	Vertical	167	2.68	-	43.11	38.64	9.22	34.58
PK	16.60434G	63.47	68.20	-4.73	16.40	3	Vertical	5	1.09	-	47.07	38.29	12.74	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06012G	45.81	54.00	-8.19	13.28	3	Horizontal	141	2.84	-	32.53	38.64	9.22	34.58
PK	11.06012G	55.26	74.00	-18.74	13.28	3	Horizontal	141	2.84	-	41.98	38.64	9.22	34.58
PK	16.605G	60.17	68.20	-8.03	16.40	3	Horizontal	75	2.74	-	43.77	38.29	12.74	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.59	54.00	-5.41	5.33	3	Vertical	355	2.77	-	43.26	32.82	7.08	34.57
AV	5.598G	105.68	Inf	-Inf	5.44	3	Vertical	355	2.77	-	100.24	33.00	6.99	34.55
PK	5.466G	60.24	68.20	-7.96	5.34	3	Vertical	355	2.77	-	54.90	32.83	7.08	34.57
PK	5.599G	115.70	Inf	-Inf	5.44	3	Vertical	355	2.77	-	110.26	33.00	6.99	34.55
PK	5.73G	67.93	68.20	-0.27	5.92	3	Vertical	355	2.77	-	62.01	33.52	6.94	34.54

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	47.71	54.00	-6.29	5.33	3	Horizontal	321	1.39	-	42.38	32.81	7.09	34.57
AV	5.612G	106.07	Inf	-Inf	5.44	3	Horizontal	321	1.39	-	100.63	33.00	6.99	34.55
PK	5.465G	59.83	68.20	-8.37	5.34	3	Horizontal	321	1.39	-	54.49	32.83	7.08	34.57
PK	5.613G	117.27	Inf	-Inf	5.43	3	Horizontal	321	1.39	-	111.84	33.00	6.98	34.55
PK	5.739G	67.65	68.20	-0.55	5.95	3	Horizontal	321	1.39	-	61.70	33.56	6.93	34.54

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21998G	45.06	54.00	-8.94	13.43	3	Vertical	0	1.01	-	31.63	38.74	9.27	34.58
PK	11.21981G	56.06	74.00	-17.94	13.43	3	Vertical	0	1.01	-	42.63	38.74	9.27	34.58
PK	16.8274G	60.21	68.20	-7.99	16.71	3	Vertical	327	1.17	-	43.50	38.25	12.80	34.34

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22002G	46.82	54.00	-7.18	13.43	3	Horizontal	18	1.94	-	33.39	38.74	9.27	34.58
PK	11.22046G	56.25	74.00	-17.75	13.43	3	Horizontal	18	1.94	-	42.82	38.74	9.27	34.58
PK	16.82506G	61.04	68.20	-7.16	16.71	3	Horizontal	32	2.54	-	44.33	38.25	12.80	34.34

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	46.59	54.00	-7.41	5.32	3	Vertical	26	1.50	-	41.27	32.80	7.09	34.57
AV	5.6864G	107.96	Inf	-Inf	5.70	3	Vertical	26	1.50	-	102.26	33.29	6.96	34.55
PK	5.468G	58.57	68.20	-9.63	5.35	3	Vertical	26	1.50	-	53.22	32.84	7.08	34.57
PK	5.6876G	117.94	Inf	-Inf	5.71	3	Vertical	26	1.50	-	112.23	33.30	6.95	34.54
PK	5.8532G	66.08	68.20	-2.12	6.72	3	Vertical	26	1.50	-	59.36	34.11	7.14	34.53

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.14	54.00	-6.86	5.33	3	Horizontal	25	1.02	-	41.81	32.82	7.08	34.57
AV	5.7032G	108.90	Inf	-Inf	5.82	3	Horizontal	25	1.02	-	103.08	33.41	6.95	34.54
PK	5.468G	57.74	68.20	-10.46	5.35	3	Horizontal	25	1.02	-	52.39	32.84	7.08	34.57
PK	5.702G	118.06	Inf	-Inf	5.82	3	Horizontal	25	1.02	-	112.24	33.41	6.95	34.54
PK	5.8616G	65.74	68.20	-2.46	6.80	3	Horizontal	25	1.02	-	58.94	34.15	7.18	34.53

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37999G	47.34	54.00	-6.66	13.66	3	Vertical	2	1.04	-	33.68	38.90	9.33	34.57
PK	11.37996G	57.33	74.00	-16.67	13.66	3	Vertical	2	1.04	-	43.67	38.90	9.33	34.57
PK	17.06466G	62.83	68.20	-5.37	16.71	3	Vertical	307	1.04	-	46.12	38.00	12.87	34.16

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37996G	47.59	54.00	-6.41	13.66	3	Horizontal	9	1.97	-	33.93	38.90	9.33	34.57
PK	11.38006G	56.94	74.00	-17.06	13.66	3	Horizontal	9	1.97	-	43.28	38.90	9.33	34.57
PK	17.07148G	62.78	68.20	-5.42	16.71	3	Horizontal	335	1.94	-	46.07	38.00	12.87	34.16

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	107.84	Inf	-Inf	6.18	3	Vertical	25	2.72	-	101.66	33.80	6.92	34.54
PK	5.6446G	65.76	68.20	-2.44	5.42	3	Vertical	25	2.72	-	60.34	33.00	6.97	34.55
PK	5.783G	118.13	Inf	-Inf	6.18	3	Vertical	25	2.72	-	111.95	33.80	6.92	34.54
PK	5.9414G	59.56	68.20	-8.64	7.31	3	Vertical	25	2.72	-	52.25	34.30	7.53	34.52

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	109.11	Inf	-Inf	6.19	3	Horizontal	24	2.54	-	102.92	33.81	6.92	34.54
PK	5.6438G	67.42	68.20	-0.78	5.42	3	Horizontal	24	2.54	-	62.00	33.00	6.97	34.55
PK	5.7854G	119.87	Inf	-Inf	6.19	3	Horizontal	24	2.54	-	113.68	33.81	6.92	34.54
PK	5.9734G	60.10	68.20	-8.10	7.40	3	Horizontal	24	2.54	-	52.70	34.25	7.67	34.52

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	44.17	54.00	-9.83	13.39	3	Vertical	159	1.86	-	30.78	38.60	9.38	34.59
PK	11.5503G	55.34	74.00	-18.66	13.39	3	Vertical	159	1.86	-	41.95	38.60	9.38	34.59
PK	17.32884G	59.12	68.20	-9.08	16.89	3	Vertical	212	1.20	-	42.23	38.26	12.95	34.32

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54088G	42.64	54.00	-11.36	13.42	3	Horizontal	75	1.17	-	29.22	38.62	9.38	34.58
PK	11.5383G	53.86	74.00	-20.14	13.42	3	Horizontal	75	1.17	-	40.44	38.62	9.38	34.58
PK	17.32734G	59.11	68.20	-9.09	16.87	3	Horizontal	191	2.29	-	42.24	38.25	12.94	34.32



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	AV	2.78488G	43.38	54.00	-10.62	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.758G	42.96	68.20	-25.24	3	Vertical	0	1.13	-
Mode 1	Pass	AV	2.78488G	43.38	54.00	-10.62	3	Vertical	42	2.73	-
Mode 1	Pass	AV	3.26142G	31.30	54.00	-22.70	3	Vertical	342	1.50	-
Mode 1	Pass	PK	1.758G	47.28	68.20	-20.92	3	Vertical	0	1.13	-
Mode 1	Pass	PK	2.78722G	53.90	74.00	-20.10	3	Vertical	42	2.73	-
Mode 1	Pass	PK	3.261G	44.31	74.00	-29.69	3	Vertical	342	1.50	-
Mode 1	Pass	AV	1.27282G	27.14	68.20	-41.06	3	Horizontal	292	2.34	-
Mode 1	Pass	AV	1.75684G	35.42	68.20	-32.78	3	Horizontal	64	1.50	-
Mode 1	Pass	AV	3.23678G	31.54	68.20	-36.66	3	Horizontal	45	2.30	-
Mode 1	Pass	PK	1.272G	38.32	68.20	-29.88	3	Horizontal	292	2.34	-
Mode 1	Pass	PK	1.76G	49.33	68.20	-18.87	3	Horizontal	64	1.50	-
Mode 1	Pass	PK	3.236G	43.98	68.20	-24.22	3	Horizontal	45	2.30	-

Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.758G	42.96	68.20	-25.24	-6.03	3	Vertical	0	1.13	-	48.99	25.10	3.58	34.71
AV	2.78488G	43.38	54.00	-10.62	-1.99	3	Vertical	42	2.73	-	45.37	28.34	4.43	34.76
AV	3.26142G	31.30	54.00	-22.70	-0.06	3	Vertical	342	1.50	-	31.36	29.88	4.77	34.71
PK	1.758G	47.28	68.20	-20.92	-6.03	3	Vertical	0	1.13	-	53.31	25.10	3.58	34.71
PK	2.78722G	53.90	74.00	-20.10	-1.99	3	Vertical	42	2.73	-	55.89	28.34	4.43	34.76
PK	3.261G	44.31	74.00	-29.69	-0.06	3	Vertical	342	1.50	-	44.37	29.88	4.77	34.71

Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.27282G	27.14	68.20	-41.06	-6.50	3	Horizontal	292	2.34	-	33.64	25.74	2.97	35.21
AV	1.75684G	35.42	68.20	-32.78	-6.03	3	Horizontal	64	1.50	-	41.45	25.10	3.58	34.71
AV	3.23678G	31.54	68.20	-36.66	-0.03	3	Horizontal	45	2.30	-	31.57	29.93	4.76	34.72
PK	1.272G	38.32	68.20	-29.88	-6.52	3	Horizontal	292	2.34	-	44.84	25.72	2.97	35.21
PK	1.76G	49.33	68.20	-18.87	-6.03	3	Horizontal	64	1.50	-	55.36	25.10	3.58	34.71
PK	3.236G	43.98	68.20	-24.22	-0.03	3	Horizontal	45	2.30	-	44.01	29.93	4.76	34.72