

Declaration of Equivalence (DoE)

We hereby declare that the function of Hitachi Maxell Digital Pen model number **DP-101U** is identical to that of model number **DP-101B** except that the latter has the Bluetooth interface.

Product Specification

Model	DP-101B	DP-101U
Dimensions (nominal)	152 x 25 x 20 [mm] (cap-on) 148 x 21 x 18 [mm] (cap-off)	152 x 25 x 20 [mm] (cap-on) 148 x 21 x 18 [mm] (cap-off)
Weight (nominal)	38g	38g
PC Interface	Bluetooth, USB	USB
Operating voltage	3.7V (run on an internal Battery) (Operating voltage span: 3.5V to 4.2V)	3.7V (run on an internal Battery) (Operating voltage span: 3.5V to 4.2V)
Possible writeing period	2 hour after fully charged	2 hour after fully charged
Battery workable period	10 hours (cap-off) 2 months (cap-on)	10 hours (cap-off) 2 months (cap-on)
Charging time	Average 2.5 hours	Average 2.5 hours
Environmental Condition for use	0 to 40 degree C , 10 to 85%RH (No dew formation)	0 to 40 degree C , 10 to 85%RH (No dew formation)
Environmental Condition for storage	-20 to 45 degree C , 10 to 90%RH (No dew formation)	-20 to 45 degree C , 10 to 90%RH (No dew formation)

Declarer:

Shigeru Sakairi
Engineer
Digital Pen Design Dept.
Mobile Device Div.
Hitachi Maxell, Ltd.

Signature: *Shigeru Sakairi*
.....

Place : Mistukaido-shi, Ibaraki, Japan
.....

Date: January 14, 2004
.....