| • | 6 | S | EE 2. | | |
|--|--|---|--------------------|----|--|
| | Part 90 Signal Booster | rs 🖌 | | | |
| | WARNING. This is NOT a CONSUMER device. It is designed for in: | | ╡ | | |
| 38.10 | by FCC LICENSEES and QUALIFIED INSTALLERS . | | | | |
| | You MUST have an FCC LICENSE or express consent of an FCC Licensee | | | | |
| | to operate this device . You MUST register Class B signal boosters | 8 | | | |
| | (as defined in 47 CFR 90.219) online at | | | | |
| | www.fcc.gov/signal-boosters/registration. | | | | |
| | Unauthorized use may result in significant forfeiture penalties , | 49 | | | |
| <u> </u> | including penalties in excess of \$100,000 for each continuing violat | uon. | J | | |
| | 76.00 | | | | |
| | - 76.20 | | - | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NOTE. | TERIAL SHEET SILVER COLOR METALIZED POLYESTER WITH | HONE SIDE | | | |
| 1. MA WIT | TERIAL: SHEET SILVER COLOR METALIZED POLYESTER WITH TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SI | | | | |
| 1. MA WIT | | | | | |
| 1. MA WIT | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK | | | | |
| 1. MA ⁻ WIT 2. PRI | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW | DE. | | | |
| MA[*] WIT PRI 3. USE | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM | DE. | | | |
| MA[*] WIT PRI PRI S. USE FOF 5. BAF | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 | DE. | | | |
| MA[*] WIT PRI PRI S. USE 4. FOF 5. BAF 6. THE | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. | DE. | | | |
| MA[*] WIT PRI PRI S. USE 4. FOF 5. BAF 6. THE | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. | DE. | | | |
| MA[*] WIT PRI PRI S. USE 4. FOF 5. BAF 6. THE | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. | DE. | | | |
| MA[*] WIT PRI PRI S. USE 4. FOF 5. BAF 6. THE | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. | DE. NDATION. | DATE | BY | |
| MA[*] WIT PRI PRI< | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. RT MUST COMPLY ROHS REQUIREMENTS. | DE. NDATION. | DATE | BY | |
| MA WIT PRI PRI PRI PRI PRI FOF BAF THE THIS IS A REPROD | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SIL INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. RT MUST COMPLY ROHS REQUIREMENTS. | DE. NDATION. | DATE | BY | |
| MA WIT PRI PRI PRI FOF BAF THE THIS IS A REPROD OTHERS | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SII INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. RT MUST COMPLY ROHS REQUIREMENTS. | DE. NDATION. | 175 470 | 0 | |
| MA WIT PRI PRI PRI PRI FOF BAF THE THIS IS A REPRODO OTHERS AUTHORI | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SILINTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMENT R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. RT MUST COMPLY RoHS REQUIREMENTS. A PROPRIETARY DESIGN OF AXELL WIRELESS LTD DUCTION OR USE OF THIS DESIGN BY IS PERMISSABLE ONLY IF EXPRESSLY RISED IN WRITING BY AXELL WIRELESS LTD. AL TOLERANCES | DE. NDATION. Tel : +46 (0)8 4 Fax : +44 (0)8 | 175 470 475 479 | 0 | |
| MA WIT PRI PRI PRI FOF BAF THE THIS IS A REPRODO OTHERS AUTHORI GENERA | TH 3M 467MP BACK ADHESIVE + ADHESIVE 200MP ON ONE SIL INTING 2.1 BACKGROUND "a": SILVER 2.2 SYMBOLS AND FONTS "b" : BLACK 2.3 FONTS: HELVETICA MEDIUM 2.4 PRINT THIS AREA IN THE YELLOW E RIBBON ACCORDING TO LABEL MANUFACTURER RECOMEN R SERIAL NUMBER SEE LABEL INFORMATION. R CODE TYPE ACCORDING TO CODE-128 E LABELS MUST BE SUPPLIED ON ROLL. RT MUST COMPLY ROHS REQUIREMENTS. A PROPRIETARY DESIGN OF AXELL WIRELESS LTD DUCTION OR USE OF THIS DESIGN BY B S PERMISSABLE ONLY IF EXPRESSLY RISED IN WRITING BY AXELL WIRELESS LTD. | DE. NDATION. Tel : +46 (0)8 4 Fax : +44 (0)8 | 175 470 475 479 | 0 | |