

# **NJIAL200 EXHIBIT 10 “Attestation Statement”**

**This exhibit is submitted to comply in part with  
FCC 47CFR section 22.919 part c:**

**“The ESN must be factory set and must not be alterable,  
transferable, removable or otherwise able to be manipulated.  
Cellular mobile equipment must be designed such that any  
attempt to remove, tamper with, or change the ESN chip, its  
logic system, or firmware originally programmed by the  
manufacturer will render the mobile transmitter inoperative.”**

**Submission examination in detail on FCC 47CFR section 22.919 part c:**

**Whereas the ESN Attestation statement of compliance is shown below, this requirement is evidenced.**

**CSI Wireless™**  
**Wireless Link Corporation**  
**NJIAL200**

## **Statement of Compliance with Electrical Serial Number (ESN) Regulations**

The Electrical Serial Number (ESN) is encrypted and stored in a non-volatile memory location in the NJIAL200. A non encrypted version of the ESN is stored in a separate location in the memory. Upon power up the software decrypts the encrypted ESN, using a key known only to Wireless Link, and compares it to the non-encrypted version of ESN. If they do not match, the cellular section will not operate or attempt to register on the cellular network.

The ESN is set only by Wireless Link factory and cannot otherwise be altered, transferred or removed. Any attempts to manipulate the ESN will render the phone inoperative.