


### 802.11a\_(6Mbps)\_4TX

### 5320MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 80  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63848G	40.39	54.00	-13.61	11.45	3	V	73	1.54	-
AV	15.96136G	44.83	54.00	-9.17	13.41	3	V	313	2.44	-
PK	10.65096G	53.23	74.00	-20.77	11.47	3	V	73	1.54	-
PK	15.97848G	58.18	74.00	-15.82	13.39	3	V	313	2.44	-

### 802.11a\_(6Mbps)\_4TX

### 5320MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 80  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63056G	39.91	54.00	-14.09	11.45	3	H	230	2.30	-
AV	15.94G	44.51	54.00	-9.49	13.43	3	H	0	1.68	-
PK	10.62984G	52.88	74.00	-21.12	11.44	3	H	230	2.30	-
PK	15.95296G	57.61	74.00	-16.39	13.42	3	H	0	1.68	-

### 802.11a\_(6Mbps)\_4TX

### 5500MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 69  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4196G	50.49	54.00	-3.51	4.87	3	V	93	1.21	-
AV	5.4688G	50.12	54.00	-3.88	5.01	3	V	93	1.21	-
AV	5.5012G	109.16	Inf	-Inf	5.09	3	V	93	1.21	-
AV	5.7424G	53.61	54.00	-0.39	5.86	3	V	93	1.21	-
PK	5.3392G	64.11	68.20	-4.09	4.71	3	V	93	1.21	-
PK	5.4676G	66.20	74.00	-7.80	5.00	3	V	93	1.21	-
PK	5.5012G	118.14	Inf	-Inf	5.09	3	V	93	1.21	-
PK	5.7424G	64.05	74.00	-9.95	5.86	3	V	93	1.21	-
PK	5.4196G	62.52	74.00	-11.48	4.87	3	V	93	1.21	-

### 802.11a\_(6Mbps)\_4TX

### 5500MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 69  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4256G	47.28	54.00	-6.72	4.89	3	H	83	1.08	-
AV	5.4676G	48.79	54.00	-5.21	5.00	3	H	83	1.08	-
AV	5.4964G	101.64	Inf	-Inf	5.08	3	H	83	1.08	-
AV	5.746G	48.00	54.00	-6.00	5.87	3	H	83	1.08	-
PK	5.3332G	59.43	68.20	-8.77	4.70	3	H	83	1.08	-
PK	5.4664G	66.72	74.00	-7.28	5.00	3	H	83	1.08	-
PK	5.5048G	111.24	Inf	-Inf	5.11	3	H	83	1.08	-
PK	5.7364G	58.80	74.00	-15.20	5.84	3	H	83	1.08	-
PK	5.4208G	59.69	74.00	-14.31	4.88	3	H	83	1.08	-

### 802.11a\_(6Mbps)\_4TX

### 5500MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 69  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0152G	40.22	54.00	-13.78	11.88	3	V	81	2.20	-
PK	10.9836G	53.51	74.00	-20.49	11.85	3	V	81	2.20	-

### 802.11a\_(6Mbps)\_4TX

### 5500MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 69  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99864G	40.13	54.00	-13.87	11.87	3	H	311	1.50	-
PK	10.99704G	53.28	74.00	-20.72	11.87	3	H	311	1.50	-

### 802.11a\_(6Mbps)\_4TX

### 5580MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4192G	53.94	54.00	-0.06	4.87	3	V	91	1.02	-
AV	5.4684G	45.64	54.00	-8.36	5.00	3	V	91	1.02	-
AV	5.5812G	104.26	Inf	-Inf	5.37	3	V	91	1.02	-
AV	5.742G	51.81	54.00	-2.19	5.86	3	V	91	1.02	-
PK	5.3388G	63.17	68.20	-5.03	4.71	3	V	91	1.02	-
PK	5.418G	64.39	74.00	-9.61	4.87	3	V	91	1.02	-
PK	5.4684G	57.32	74.00	-16.68	5.00	3	V	91	1.02	-
PK	5.5812G	113.87	Inf	-Inf	5.37	3	V	91	1.02	-
PK	5.742G	62.45	74.00	-11.55	5.86	3	V	91	1.02	-

### 802.11a\_(6Mbps)\_4TX

### 5580MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.412G	47.54	54.00	-6.46	4.85	3	H	77	1.09	-
AV	5.466G	44.68	54.00	-9.32	5.00	3	H	77	1.09	-
AV	5.5824G	98.07	Inf	-Inf	5.38	3	H	77	1.09	-
AV	5.7432G	48.30	54.00	-5.70	5.86	3	H	77	1.09	-
PK	5.34G	58.30	68.20	-9.90	4.71	3	H	77	1.09	-
PK	5.4132G	58.83	74.00	-15.17	4.86	3	H	77	1.09	-
PK	5.4684G	57.31	74.00	-16.69	5.00	3	H	77	1.09	-
PK	5.5836G	108.17	Inf	-Inf	5.38	3	H	77	1.09	-
PK	5.7372G	59.89	74.00	-14.11	5.84	3	H	77	1.09	-



### 802.11a\_(6Mbps)\_4TX

### 5580MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17824G	39.97	54.00	-14.03	11.96	3	V	142	1.36	-
PK	11.14048G	53.91	74.00	-20.09	11.94	3	V	142	1.36	-

### 802.11a\_(6Mbps)\_4TX

### 5580MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16864G	39.75	54.00	-14.25	11.96	3	H	288	1.58	-
PK	11.17512G	53.39	74.00	-20.61	11.96	3	H	288	1.58	-

### 802.11a\_(6Mbps)\_4TX

### 5700MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	53.76	54.00	-0.24	4.98	3	V	95	1.06	-
AV	5.466G	52.59	54.00	-1.41	5.00	3	V	95	1.06	-
AV	5.7012G	104.66	Inf	-Inf	5.74	3	V	95	1.06	-
AV	5.862G	52.81	54.00	-1.19	6.26	3	V	95	1.06	-
PK	5.4576G	64.54	74.00	-9.46	4.98	3	V	95	1.06	-
PK	5.466G	63.05	74.00	-10.95	5.00	3	V	95	1.06	-
PK	5.7012G	113.53	Inf	-Inf	5.74	3	V	95	1.06	-
PK	5.7276G	65.99	74.00	-8.01	5.82	3	V	95	1.06	-

### 802.11a\_(6Mbps)\_4TX

### 5700MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	47.77	54.00	-6.23	4.98	3	H	75	1.15	-
AV	5.4612G	47.79	54.00	-6.21	4.99	3	H	75	1.15	-
AV	5.7024G	98.70	Inf	-Inf	5.75	3	H	75	1.15	-
AV	5.8632G	48.40	54.00	-5.60	6.27	3	H	75	1.15	-
PK	5.4552G	59.36	74.00	-14.64	4.97	3	H	75	1.15	-
PK	5.4612G	59.30	74.00	-14.70	4.99	3	H	75	1.15	-
PK	5.7036G	108.71	Inf	-Inf	5.75	3	H	75	1.15	-
PK	5.7252G	61.37	74.00	-12.63	5.81	3	H	75	1.15	-

### 802.11a\_(6Mbps)\_4TX

### 5700MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40128G	40.54	54.00	-13.46	12.08	3	V	127	2.12	-
PK	11.41144G	54.19	74.00	-19.81	12.08	3	V	127	2.12	-

### 802.11a\_(6Mbps)\_4TX

### 5700MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 60  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39008G	40.81	54.00	-13.19	12.07	3	H	207	2.40	-
PK	11.39504G	53.65	74.00	-20.35	12.08	3	H	207	2.40	-

### 802.11a\_(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.396G	50.49	54.00	-3.51	4.81	3	V	266	1.18	-
AV	5.716G	113.46	Inf	-Inf	5.78	3	V	266	1.18	-
PK	5.396G	61.26	74.00	-12.74	4.81	3	V	266	1.18	-
PK	5.464G	60.19	68.20	-8.01	4.99	3	V	266	1.18	-
PK	5.716G	122.53	Inf	-Inf	5.78	3	V	266	1.18	-
PK	5.956G	67.84	68.20	-0.36	6.62	3	V	266	1.18	-

### 802.11a\_(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.392G	47.85	54.00	-6.15	4.81	3	H	83	1.17	-
AV	5.716G	107.88	Inf	-Inf	5.78	3	H	83	1.17	-
PK	5.45G	59.00	74.00	-15.00	4.95	3	H	83	1.17	-
PK	5.462G	57.59	68.20	-10.61	4.99	3	H	83	1.17	-
PK	5.716G	117.15	Inf	-Inf	5.78	3	H	83	1.17	-
PK	5.962G	63.11	68.20	-5.09	6.64	3	H	83	1.17	-



### 802.11a\_(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4364G	44.62	54.00	-9.38	12.10	3	V	273	1.01	-
PK	11.43868G	57.58	74.00	-16.42	12.10	3	V	273	1.01	-

### 802.11a\_(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.45194G	42.59	54.00	-11.41	12.11	3	H	121	1.52	-
PK	11.4427G	56.53	74.00	-17.47	12.10	3	H	121	1.52	-

### 802.11a\_(6Mbps)\_4TX

### 5745MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.746G	114.57	Inf	-Inf	5.87	3	V	94	1.11	-
PK	5.51G	68.18	68.20	-0.02	5.12	3	V	94	1.11	-
PK	5.746G	123.86	Inf	-Inf	5.87	3	V	94	1.11	-
PK	5.988G	64.90	68.20	-3.30	6.74	3	V	94	1.11	-

### 802.11a\_(6Mbps)\_4TX

### 5745MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	107.03	Inf	-Inf	5.87	3	H	78	2.79	-
PK	5.504G	59.49	68.20	-8.71	5.10	3	H	78	2.79	-
PK	5.747G	116.59	Inf	-Inf	5.87	3	H	78	2.79	-
PK	5.989G	62.14	68.20	-6.06	6.74	3	H	78	2.79	-

### 802.11a\_(6Mbps)\_4TX

### 5745MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.488G	44.95	54.00	-9.05	12.12	3	V	110	1.02	-
PK	11.48832G	59.05	74.00	-14.95	12.12	3	V	110	1.02	-

### 802.11a\_(6Mbps)\_4TX

### 5745MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49032G	41.32	54.00	-12.68	12.12	3	H	195	1.39	-
PK	11.4916G	54.43	74.00	-19.57	12.13	3	H	195	1.39	-

### 802.11a\_(6Mbps)\_4TX

### 5785MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.786G	114.45	Inf	-Inf	5.98	3	V	92	1.10	-
PK	5.55G	67.99	68.20	-0.21	5.27	3	V	92	1.10	-
PK	5.785G	125.39	Inf	-Inf	5.98	3	V	92	1.10	-
PK	5.947G	65.10	68.20	-3.10	6.58	3	V	92	1.10	-

### 802.11a\_(6Mbps)\_4TX

### 5785MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.787G	109.87	Inf	-Inf	5.98	3	H	76	1.06	-
PK	5.537G	63.01	68.20	-5.19	5.22	3	H	76	1.06	-
PK	5.788G	120.70	Inf	-Inf	5.99	3	H	76	1.06	-
PK	5.939G	60.71	68.20	-7.49	6.55	3	H	76	1.06	-



### 802.11a\_(6Mbps)\_4TX

### 5785MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57272G	51.53	54.00	-2.47	12.17	3	V	111	1.07	-
PK	11.57032G	64.47	74.00	-9.53	12.17	3	V	111	1.07	-

### 802.11a\_(6Mbps)\_4TX

### 5785MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57128G	47.33	54.00	-6.67	12.17	3	H	290	1.02	-
PK	11.5704G	60.67	74.00	-13.33	12.17	3	H	290	1.02	-

### 802.11a\_(6Mbps)\_4TX

### 5825MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.826G	114.13	Inf	-Inf	6.12	3	V	93	1.04	-
PK	5.589G	65.83	68.20	-2.37	5.40	3	V	93	1.04	-
PK	5.826G	124.19	Inf	-Inf	6.12	3	V	93	1.04	-
PK	5.929G	68.15	68.20	-0.05	6.52	3	V	93	1.04	-

### 802.11a\_(6Mbps)\_4TX

### 5825MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.828G	109.41	Inf	-Inf	6.13	3	H	75	1.05	-
PK	5.588G	62.15	68.20	-6.05	5.40	3	H	75	1.05	-
PK	5.827G	120.50	Inf	-Inf	6.13	3	H	75	1.05	-
PK	5.923G	66.51	69.68	-3.17	6.50	3	H	75	1.05	-

### 802.11a\_(6Mbps)\_4TX

### 5825MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65312G	53.45	54.00	-0.55	12.21	3	V	109	1.05	-
PK	11.654G	66.57	74.00	-7.43	12.21	3	V	109	1.05	-

### 802.11a\_(6Mbps)\_4TX

### 5825MHz\_TX




20170211  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-Z-1  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64928G	47.65	54.00	-6.35	12.21	3	H	97	1.24	-
PK	11.6484G	60.22	74.00	-13.78	12.21	3	H	97	1.24	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 72  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.77	54.00	-0.23	4.32	3	V	257	1.18	-
AV	5.183G	107.09	Inf	-Inf	4.39	3	V	257	1.18	-
AV	5.414G	46.26	54.00	-7.74	4.86	3	V	257	1.18	-
PK	5.148G	70.98	74.00	-3.02	4.32	3	V	257	1.18	-
PK	5.183G	117.42	Inf	-Inf	4.39	3	V	257	1.18	-
PK	5.414G	57.82	74.00	-16.18	4.86	3	V	257	1.18	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 72  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.87	54.00	-5.13	4.32	3	H	76	1.07	-
AV	5.177G	100.77	Inf	-Inf	4.38	3	H	76	1.07	-
AV	5.413G	44.88	54.00	-9.12	4.86	3	H	76	1.07	-
PK	5.149995G	65.46	74.00	-8.54	4.32	3	H	76	1.07	-
PK	5.187G	110.75	Inf	-Inf	4.40	3	H	76	1.07	-
PK	5.417G	57.79	74.00	-16.21	4.87	3	H	76	1.07	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 72  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.35928G	67.22	68.20	-0.98	11.13	3	V	187	1.16	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 72  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.36072G	59.67	68.20	-8.53	11.13	3	H	79	2.84	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 78  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	47.97	54.00	-6.03	4.31	3	V	257	1.02	-
AV	5.204G	107.67	Inf	-Inf	4.44	3	V	257	1.02	-
AV	5.354G	48.35	54.00	-5.65	4.74	3	V	257	1.02	-
PK	5.149G	65.51	74.00	-8.49	4.32	3	V	257	1.02	-
PK	5.206G	117.44	Inf	-Inf	4.44	3	V	257	1.02	-
PK	5.354G	59.44	74.00	-14.56	4.74	3	V	257	1.02	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 78  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.145G	44.93	54.00	-9.07	4.31	3	H	67	1.18	-
AV	5.205G	101.61	Inf	-Inf	4.44	3	H	67	1.18	-
AV	5.355G	45.28	54.00	-8.72	4.74	3	H	67	1.18	-
PK	5.145G	59.87	74.00	-14.13	4.31	3	H	67	1.18	-
PK	5.205G	112.40	Inf	-Inf	4.44	3	H	67	1.18	-
PK	5.358G	57.61	74.00	-16.39	4.74	3	H	67	1.18	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 78  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.40018G	68.12	68.20	-0.08	11.18	3	V	208	1.01	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 78  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.39874G	61.46	68.20	-6.74	11.18	3	H	89	2.64	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.083G	48.88	54.00	-5.12	4.17	3	V	256	1.01	-
AV	5.233G	119.89	Inf	-Inf	4.50	3	V	256	1.01	-
AV	5.403G	49.30	54.00	-4.70	4.83	3	V	256	1.01	-
PK	5.073G	60.03	74.00	-13.97	4.14	3	V	256	1.01	-
PK	5.233G	119.89	Inf	-Inf	4.50	3	V	256	1.01	-
PK	5.404G	60.84	74.00	-13.16	4.83	3	V	256	1.01	-
PK	5.479G	57.74	68.20	-10.46	5.03	3	V	256	1.01	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	45.94	54.00	-8.06	4.32	3	H	93	1.12	-
AV	5.235G	105.11	Inf	-Inf	4.50	3	H	93	1.12	-
AV	5.394G	46.55	54.00	-7.45	4.81	3	H	93	1.12	-
PK	5.146G	57.79	74.00	-16.21	4.31	3	H	93	1.12	-
PK	5.245G	116.21	Inf	-Inf	4.52	3	H	93	1.12	-
PK	5.399G	58.36	74.00	-15.64	4.82	3	H	93	1.12	-
PK	5.472G	57.81	68.20	-10.39	5.01	3	H	93	1.12	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.4812G	68.03	68.20	-0.17	11.27	3	V	206	1.05	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.47742G	61.86	68.20	-6.34	11.27	3	H	73	1.15	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 87  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.103G	48.35	54.00	-5.65	4.22	3	V	256	1.22	-
AV	5.253G	110.16	Inf	-Inf	4.54	3	V	256	1.22	-
AV	5.419G	49.00	54.00	-5.00	4.87	3	V	256	1.22	-
PK	5.093G	60.26	74.00	-13.74	4.19	3	V	256	1.22	-
PK	5.266G	120.00	Inf	-Inf	4.57	3	V	256	1.22	-
PK	5.494G	58.59	68.20	-9.61	5.07	3	V	256	1.22	-
PK	5.419G	60.17	74.00	-13.83	4.87	3	V	256	1.22	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 87  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.105G	45.28	54.00	-8.72	4.22	3	H	92	1.01	-
AV	5.264G	104.38	Inf	-Inf	4.56	3	H	92	1.01	-
AV	5.415G	46.59	54.00	-7.41	4.86	3	H	92	1.01	-
PK	5.095G	57.93	74.00	-16.07	4.20	3	H	92	1.01	-
PK	5.255G	115.88	Inf	-Inf	4.55	3	H	92	1.01	-
PK	5.415G	59.57	74.00	-14.43	4.86	3	H	92	1.01	-
PK	5.495G	58.01	68.20	-10.19	5.08	3	H	92	1.01	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 87  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.51874G	68.06	68.20	-0.14	11.32	3	V	200	1.02	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 87  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.5212G	60.14	68.20	-8.06	11.32	3	H	88	1.34	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	49.20	54.00	-4.80	4.30	3	V	258	1.19	-
AV	5.308G	111.10	Inf	-Inf	4.65	3	V	258	1.19	-
AV	5.351G	53.78	54.00	-0.22	4.73	3	V	258	1.19	-
PK	5.148G	59.65	74.00	-14.35	4.32	3	V	258	1.19	-
PK	5.306G	121.41	Inf	-Inf	4.65	3	V	258	1.19	-
PK	5.351G	69.14	74.00	-4.86	4.73	3	V	258	1.19	-
PK	5.463G	60.62	68.20	-7.58	4.99	3	V	258	1.19	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	45.38	54.00	-8.62	4.30	3	H	90	1.49	-
AV	5.304G	105.21	Inf	-Inf	4.65	3	H	90	1.49	-
AV	5.350005G	50.46	54.00	-3.54	4.73	3	H	90	1.49	-
PK	5.148G	57.70	74.00	-16.30	4.32	3	H	90	1.49	-
PK	5.294G	115.70	Inf	-Inf	4.63	3	H	90	1.49	-
PK	5.350005G	66.25	74.00	-7.75	4.73	3	H	90	1.49	-
PK	5.485G	57.46	68.20	-10.74	5.05	3	H	90	1.49	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60049G	50.84	54.00	-3.16	11.41	3	V	198	1.01	-
PK	10.60034G	66.02	74.00	-7.98	11.41	3	V	198	1.01	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 91  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60054G	45.70	54.00	-8.30	11.41	3	H	83	2.97	-
PK	10.60006G	60.15	74.00	-13.85	11.41	3	H	83	2.97	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 76  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.088G	46.01	54.00	-7.99	4.18	3	V	255	1.15	-
AV	5.318G	107.70	Inf	-Inf	4.67	3	V	255	1.15	-
AV	5.351G	53.84	54.00	-0.16	4.73	3	V	255	1.15	-
PK	5.075G	57.58	74.00	-16.42	4.15	3	V	255	1.15	-
PK	5.323G	117.82	Inf	-Inf	4.68	3	V	255	1.15	-
PK	5.351G	69.14	74.00	-4.86	4.73	3	V	255	1.15	-
PK	5.488G	58.25	68.20	-9.95	5.06	3	V	255	1.15	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 76  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.076G	43.95	54.00	-10.05	4.15	3	H	90	1.15	-
AV	5.324G	102.56	Inf	-Inf	4.68	3	H	90	1.15	-
AV	5.350005G	51.02	54.00	-2.98	4.73	3	H	90	1.15	-
PK	5.086G	56.90	74.00	-17.10	4.17	3	H	90	1.15	-
PK	5.324G	113.30	Inf	-Inf	4.68	3	H	90	1.15	-
PK	5.350005G	68.45	74.00	-5.55	4.73	3	H	90	1.15	-
PK	5.554G	57.72	68.20	-10.48	5.28	3	H	90	1.15	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 76  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63688G	42.12	54.00	-11.88	11.45	3	V	203	1.02	-
PK	10.6277G	57.77	74.00	-16.23	11.44	3	V	203	1.02	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 76  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64144G	39.82	54.00	-14.18	11.46	3	H	63	1.11	-
PK	10.63832G	53.35	74.00	-20.65	11.45	3	H	63	1.11	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 70  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.425G	50.22	54.00	-3.78	4.89	3	V	93	1.23	-
AV	5.469G	52.17	54.00	-1.83	5.01	3	V	93	1.23	-
AV	5.495G	107.42	Inf	-Inf	5.08	3	V	93	1.23	-
AV	5.738G	53.95	54.00	-0.05	5.85	3	V	93	1.23	-
PK	5.335G	63.39	68.20	-4.81	4.70	3	V	93	1.23	-
PK	5.415G	61.45	74.00	-12.55	4.86	3	V	93	1.23	-
PK	5.466G	68.49	74.00	-5.51	5.00	3	V	93	1.23	-
PK	5.505G	117.59	Inf	-Inf	5.11	3	V	93	1.23	-
PK	5.738G	65.25	74.00	-8.75	5.85	3	V	93	1.23	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 70  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.423G	47.17	54.00	-6.83	4.88	3	H	87	1.05	-
AV	5.469G	50.23	54.00	-3.77	5.01	3	H	87	1.05	-
AV	5.504G	101.60	Inf	-Inf	5.10	3	H	87	1.05	-
AV	5.735G	47.27	54.00	-6.73	5.84	3	H	87	1.05	-
PK	5.343G	59.61	68.20	-8.59	4.72	3	H	87	1.05	-
PK	5.454G	62.54	74.00	-11.46	4.97	3	H	87	1.05	-
PK	5.464G	67.24	74.00	-6.76	4.99	3	H	87	1.05	-
PK	5.504G	112.33	Inf	-Inf	5.10	3	H	87	1.05	-
PK	5.738G	60.72	74.00	-13.28	5.85	3	H	87	1.05	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 70  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99808G	39.64	54.00	-14.36	11.87	3	V	175	1.50	-
PK	10.98968G	53.14	74.00	-20.86	11.86	3	V	175	1.50	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 70  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.98842G	39.54	54.00	-14.46	11.86	3	H	65	1.25	-
PK	10.98758G	53.32	74.00	-20.68	11.86	3	H	65	1.25	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.415G	53.78	54.00	-0.22	4.86	3	V	92	1.05	-
AV	5.468G	45.79	54.00	-8.21	5.00	3	V	92	1.05	-
AV	5.585G	104.48	Inf	-Inf	5.39	3	V	92	1.05	-
AV	5.736G	51.25	54.00	-2.75	5.84	3	V	92	1.05	-
AV	5.818G	51.81	54.00	-2.19	6.09	3	V	92	1.05	-
PK	5.338G	61.85	68.20	-6.35	4.71	3	V	92	1.05	-
PK	5.424G	63.34	74.00	-10.66	4.88	3	V	92	1.05	-
PK	5.461G	57.80	74.00	-16.20	4.98	3	V	92	1.05	-
PK	5.585G	114.10	Inf	-Inf	5.39	3	V	92	1.05	-
PK	5.737G	61.35	74.00	-12.65	5.84	3	V	92	1.05	-
PK	5.818G	61.96	74.00	-12.04	6.09	3	V	92	1.05	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.416G	48.07	54.00	-5.93	4.86	3	H	80	1.02	-
AV	5.469G	44.77	54.00	-9.23	5.01	3	H	80	1.02	-
AV	5.577G	98.21	Inf	-Inf	5.36	3	H	80	1.02	-
AV	5.743G	47.84	54.00	-6.16	5.86	3	H	80	1.02	-
AV	5.82G	47.38	54.00	-6.62	6.10	3	H	80	1.02	-
PK	5.336G	58.73	68.20	-9.47	4.70	3	H	80	1.02	-
PK	5.415G	58.70	74.00	-15.30	4.86	3	H	80	1.02	-
PK	5.465G	56.23	74.00	-17.77	5.00	3	H	80	1.02	-
PK	5.575G	109.27	Inf	-Inf	5.35	3	H	80	1.02	-
PK	5.735G	58.87	74.00	-15.13	5.84	3	H	80	1.02	-
PK	5.818G	58.94	74.00	-15.06	6.09	3	H	80	1.02	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17302G	39.51	54.00	-14.49	11.96	3	V	291	1.16	-
PK	11.1609G	52.68	74.00	-21.32	11.95	3	V	291	1.16	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17386G	39.45	54.00	-14.55	11.96	3	H	126	1.39	-
PK	11.16942G	52.97	74.00	-21.03	11.96	3	H	126	1.39	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 67  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	53.92	54.00	-0.08	4.97	3	V	94	1.26	-
AV	5.464G	53.55	54.00	-0.45	4.99	3	V	94	1.26	-
AV	5.705G	104.81	Inf	-Inf	5.75	3	V	94	1.26	-
AV	5.726G	52.20	54.00	-1.80	5.81	3	V	94	1.26	-
PK	5.455G	65.72	74.00	-8.28	4.97	3	V	94	1.26	-
PK	5.465G	63.59	74.00	-10.41	5.00	3	V	94	1.26	-
PK	5.705G	114.36	Inf	-Inf	5.75	3	V	94	1.26	-
PK	5.726G	70.57	74.00	-3.43	5.81	3	V	94	1.26	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 67  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	47.60	54.00	-6.40	4.97	3	H	78	2.82	-
AV	5.466G	47.29	54.00	-6.71	5.00	3	H	78	2.82	-
AV	5.705G	98.52	Inf	-Inf	5.75	3	H	78	2.82	-
AV	5.726G	48.68	54.00	-5.32	5.81	3	H	78	2.82	-
PK	5.455G	58.24	74.00	-15.76	4.97	3	H	78	2.82	-
PK	5.466G	58.73	74.00	-15.27	5.00	3	H	78	2.82	-
PK	5.696G	108.67	Inf	-Inf	5.73	3	H	78	2.82	-
PK	5.726G	67.55	74.00	-6.45	5.81	3	H	78	2.82	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 67  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38866G	40.27	54.00	-13.73	12.07	3	V	273	1.22	-
PK	11.39466G	53.47	74.00	-20.53	12.08	3	V	273	1.22	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 67  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38698G	40.23	54.00	-13.77	12.07	3	H	334	1.06	-
PK	11.40906G	53.55	74.00	-20.45	12.08	3	H	334	1.06	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX


### 5720MHz Straddle 5.47-5.725GHz\_TX



20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.404G	48.69	54.00	-5.31	4.83	3	V	314	1.02	-
AV	5.724G	111.16	Inf	-Inf	5.81	3	V	314	1.02	-
PK	5.402G	60.40	74.00	-13.60	4.83	3	V	314	1.02	-
PK	5.460005G	59.45	68.20	-8.75	4.98	3	V	314	1.02	-
PK	5.724G	120.34	Inf	-Inf	5.81	3	V	314	1.02	-
PK	5.964G	67.97	68.20	-0.23	6.65	3	V	314	1.02	-

**802.11ac VHT20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.406G	47.32	54.00	-6.68	4.84	3	H	81	1.03	-
AV	5.716G	105.45	Inf	-Inf	5.78	3	H	81	1.03	-
PK	5.396G	58.75	74.00	-15.25	4.81	3	H	81	1.03	-
PK	5.464G	57.62	68.20	-10.58	4.99	3	H	81	1.03	-
PK	5.714G	115.64	Inf	-Inf	5.78	3	H	81	1.03	-
PK	5.956G	62.64	68.20	-5.56	6.62	3	H	81	1.03	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44984G	39.83	54.00	-14.17	12.10	3	V	322	2.08	-
PK	11.4379G	53.24	74.00	-20.76	12.10	3	V	322	2.08	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.45434G	39.63	54.00	-14.37	12.11	3	H	99	1.77	-
PK	11.4493G	52.86	74.00	-21.14	12.10	3	H	99	1.77	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	112.12	Inf	-Inf	5.85	3	V	94	1.12	-
PK	5.635G	68.16	68.20	-0.04	5.54	3	V	94	1.12	-
PK	5.741G	121.72	Inf	-Inf	5.85	3	V	94	1.12	-
PK	5.993G	66.39	68.20	-1.81	6.75	3	V	94	1.12	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	105.54	Inf	-Inf	5.85	3	H	79	2.94	-
PK	5.511G	61.10	68.20	-7.10	5.13	3	H	79	2.94	-
PK	5.751G	115.65	Inf	-Inf	5.88	3	H	79	2.94	-
PK	5.99G	59.56	68.20	-8.64	6.74	3	H	79	2.94	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49096G	44.73	54.00	-9.27	12.13	3	V	235	1.80	-
PK	11.48592G	58.66	74.00	-15.34	12.12	3	V	235	1.80	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49018G	41.13	54.00	-12.87	12.12	3	H	26	1.86	-
PK	11.48262G	54.88	74.00	-19.12	12.12	3	H	26	1.86	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 92  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.79G	112.68	Inf	-Inf	5.99	3	V	94	1.04	-
PK	5.55G	67.98	68.20	-0.22	5.27	3	V	94	1.04	-
PK	5.79G	122.79	Inf	-Inf	5.99	3	V	94	1.04	-
PK	5.948G	62.63	68.20	-5.57	6.59	3	V	94	1.04	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 92  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.781G	108.47	Inf	-Inf	5.97	3	H	73	1.01	-
PK	5.552G	60.36	68.20	-7.84	5.27	3	H	73	1.01	-
PK	5.781G	120.00	Inf	-Inf	5.97	3	H	73	1.01	-
PK	5.938G	60.91	68.20	-7.29	6.55	3	H	73	1.01	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 92  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57042G	50.78	54.00	-3.22	12.17	3	V	140	2.08	-
PK	11.57078G	63.38	74.00	-10.62	12.17	3	V	140	2.08	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 92  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57144G	45.56	54.00	-8.44	12.17	3	H	59	1.70	-
PK	11.57132G	58.47	74.00	-15.53	12.17	3	H	59	1.70	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.826G	111.72	Inf	-Inf	6.12	3	V	252	1.06	-
PK	5.588G	63.18	68.20	-5.02	5.40	3	V	252	1.06	-
PK	5.821G	121.73	Inf	-Inf	6.10	3	V	252	1.06	-
PK	5.925G	68.03	68.20	-0.17	6.50	3	V	252	1.06	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.82G	104.65	Inf	-Inf	6.10	3	H	71	1.02	-
PK	5.575G	59.05	68.20	-9.15	5.35	3	H	71	1.02	-
PK	5.82G	113.83	Inf	-Inf	6.10	3	H	71	1.02	-
PK	5.982G	59.42	68.20	-8.78	6.71	3	H	71	1.02	-



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6506G	46.47	54.00	-7.53	12.21	3	V	212	1.03	-
PK	11.6488G	60.51	74.00	-13.49	12.21	3	V	212	1.03	-

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 88  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6488G	41.29	54.00	-12.71	12.21	3	H	45	2.22	-
PK	11.64748G	54.84	74.00	-19.16	12.21	3	H	45	2.22	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.86	54.00	-0.14	4.32	3	V	258	1.16	-
AV	5.1984G	100.66	Inf	-Inf	4.43	3	V	258	1.16	-
AV	5.3592G	49.95	54.00	-4.05	4.75	3	V	258	1.16	-
PK	5.149995G	70.76	74.00	-3.24	4.32	3	V	258	1.16	-
PK	5.196G	111.58	Inf	-Inf	4.42	3	V	258	1.16	-
PK	5.358G	60.20	74.00	-13.80	4.74	3	V	258	1.16	-
PK	5.4852G	56.49	68.20	-11.71	5.05	3	V	258	1.16	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	49.81	54.00	-4.19	4.32	3	H	91	1.07	-
AV	5.1792G	95.89	Inf	-Inf	4.38	3	H	91	1.07	-
AV	5.3592G	46.99	54.00	-7.01	4.75	3	H	91	1.07	-
PK	5.149995G	72.36	74.00	-1.64	4.32	3	H	91	1.07	-
PK	5.1996G	107.11	Inf	-Inf	4.43	3	H	91	1.07	-
PK	5.3652G	58.16	74.00	-15.84	4.76	3	H	91	1.07	-
PK	5.4768G	56.70	68.20	-11.50	5.03	3	H	91	1.07	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5667G	43.21	54.00	-10.79	13.88	3	V	336	2.02	-
PK	15.57234G	57.33	74.00	-16.67	13.87	3	V	336	2.02	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56682G	43.25	54.00	-10.75	13.88	3	H	186	1.15	-
PK	15.5811G	56.49	74.00	-17.51	13.86	3	H	186	1.15	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.49	54.00	-1.51	4.32	3	V	257	1.01	-
AV	5.2384G	105.60	Inf	-Inf	4.51	3	V	257	1.01	-
AV	5.3836G	53.45	54.00	-0.55	4.79	3	V	257	1.01	-
PK	5.149995G	66.07	74.00	-7.93	4.32	3	V	257	1.01	-
PK	5.236G	116.16	Inf	-Inf	4.51	3	V	257	1.01	-
PK	5.3836G	63.63	74.00	-10.37	4.79	3	V	257	1.01	-
PK	5.4784G	61.01	68.20	-7.19	5.03	3	V	257	1.01	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	48.91	54.00	-5.09	4.32	3	H	93	1.12	-
AV	5.2336G	100.05	Inf	-Inf	4.50	3	H	93	1.12	-
AV	5.3836G	49.11	54.00	-4.89	4.79	3	H	93	1.12	-
PK	5.149995G	63.86	74.00	-10.14	4.32	3	H	93	1.12	-
PK	5.224G	111.53	Inf	-Inf	4.48	3	H	93	1.12	-
PK	5.3752G	59.89	74.00	-14.11	4.78	3	H	93	1.12	-
PK	5.4676G	58.41	68.20	-9.79	5.00	3	H	93	1.12	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.45904G	65.06	68.20	-3.14	11.25	3	V	173	1.34	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.45952G	57.86	68.20	-10.34	11.25	3	H	300	2.06	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1224G	52.49	54.00	-1.51	4.26	3	V	258	1.20	-
AV	5.2628G	106.17	Inf	-Inf	4.56	3	V	258	1.20	-
AV	5.3528G	53.77	54.00	-0.23	4.74	3	V	258	1.20	-
PK	5.1224G	62.13	74.00	-11.87	4.26	3	V	258	1.20	-
PK	5.276G	116.42	Inf	-Inf	4.59	3	V	258	1.20	-
PK	5.3552G	69.01	74.00	-4.99	4.74	3	V	258	1.20	-
PK	5.4992G	61.71	68.20	-6.49	5.09	3	V	258	1.20	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1032G	47.60	54.00	-6.40	4.22	3	H	89	1.19	-
AV	5.264G	99.94	Inf	-Inf	4.56	3	H	89	1.19	-
AV	5.3504G	49.79	54.00	-4.21	4.73	3	H	89	1.19	-
PK	5.1032G	58.59	74.00	-15.41	4.22	3	H	89	1.19	-
PK	5.264G	112.37	Inf	-Inf	4.56	3	H	89	1.19	-
PK	5.3564G	63.22	74.00	-10.78	4.74	3	H	89	1.19	-
PK	5.5004G	59.58	68.20	-8.62	5.09	3	H	89	1.19	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.53856G	61.22	68.20	-6.98	11.34	3	V	314	1.29	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 83  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.5394G	57.13	68.20	-11.07	11.34	3	H	172	1.46	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 66  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1432G	49.01	54.00	-4.99	4.31	3	V	259	1.03	-
AV	5.3028G	102.05	Inf	-Inf	4.65	3	V	259	1.03	-
AV	5.3532G	53.72	54.00	-0.28	4.74	3	V	259	1.03	-
PK	5.1432G	60.12	74.00	-13.88	4.31	3	V	259	1.03	-
PK	5.316G	112.45	Inf	-Inf	4.67	3	V	259	1.03	-
PK	5.350005G	73.95	74.00	-0.05	4.73	3	V	259	1.03	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 66  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1432G	45.29	54.00	-8.71	4.31	3	H	90	1.45	-
AV	5.3184G	96.13	Inf	-Inf	4.67	3	H	90	1.45	-
AV	5.3532G	50.40	54.00	-3.60	4.74	3	H	90	1.45	-
PK	5.1432G	57.63	74.00	-16.37	4.31	3	H	90	1.45	-
PK	5.3184G	107.79	Inf	-Inf	4.67	3	H	90	1.45	-
PK	5.35005G	72.53	74.00	-1.47	4.73	3	H	90	1.45	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 66  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.92298G	41.90	54.00	-12.10	13.45	3	V	61	2.39	-
PK	15.92028G	55.55	74.00	-18.45	13.45	3	V	61	2.39	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 66  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.91716G	41.62	54.00	-12.38	13.46	3	H	97	2.48	-
PK	15.94446G	55.44	74.00	-18.56	13.43	3	H	97	2.48	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 62  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.92	54.00	-3.08	4.98	3	V	91	1.13	-
AV	5.4692G	53.95	54.00	-0.05	5.01	3	V	91	1.13	-
AV	5.5004G	101.91	Inf	-Inf	5.09	3	V	91	1.13	-
AV	5.7428G	48.87	54.00	-5.13	5.86	3	V	91	1.13	-
PK	5.3396G	60.65	68.20	-7.55	4.71	3	V	91	1.13	-
PK	5.4548G	65.84	74.00	-8.16	4.97	3	V	91	1.13	-
PK	5.4692G	71.89	74.00	-2.11	5.01	3	V	91	1.13	-
PK	5.4992G	111.90	Inf	-Inf	5.09	3	V	91	1.13	-
PK	5.7428G	59.63	74.00	-14.37	5.86	3	V	91	1.13	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 62  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	48.06	54.00	-5.94	4.98	3	H	85	1.13	-
AV	5.4692G	50.64	54.00	-3.36	5.01	3	H	85	1.13	-
AV	5.504G	96.19	Inf	-Inf	5.10	3	H	85	1.13	-
AV	5.7428G	45.22	54.00	-8.78	5.86	3	H	85	1.13	-
PK	5.3468G	57.45	68.20	-10.75	4.72	3	H	85	1.13	-
PK	5.459995G	65.47	74.00	-8.53	4.98	3	H	85	1.13	-
PK	5.4692G	69.25	74.00	-4.75	5.01	3	H	85	1.13	-
PK	5.5184G	107.03	Inf	-Inf	5.15	3	H	85	1.13	-
PK	5.738G	57.68	74.00	-16.32	5.85	3	H	85	1.13	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 62  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01544G	39.37	54.00	-14.63	11.88	3	V	349	2.07	-
PK	11.02366G	53.57	74.00	-20.43	11.88	3	V	349	2.07	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 62  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.03014G	39.51	54.00	-14.49	11.89	3	H	236	2.05	-
PK	11.02642G	53.70	74.00	-20.30	11.88	3	H	236	2.05	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 73  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3952G	53.79	54.00	-0.21	4.81	3	V	92	1.07	-
AV	5.4648G	49.16	54.00	-4.84	4.99	3	V	92	1.07	-
AV	5.5452G	103.82	Inf	-Inf	5.25	3	V	92	1.07	-
AV	5.7252G	50.18	54.00	-3.82	5.81	3	V	92	1.07	-
PK	5.3244G	60.98	68.20	-7.22	4.68	3	V	92	1.07	-
PK	5.394G	63.38	74.00	-10.62	4.81	3	V	92	1.07	-
PK	5.4696G	62.62	74.00	-11.38	5.01	3	V	92	1.07	-
PK	5.5404G	113.57	Inf	-Inf	5.23	3	V	92	1.07	-
PK	5.7804G	61.54	74.00	-12.46	5.97	3	V	92	1.07	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 73  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4012G	47.63	54.00	-6.37	4.82	3	H	79	1.02	-
AV	5.4684G	46.22	54.00	-7.78	5.00	3	H	79	1.02	-
AV	5.5416G	97.45	Inf	-Inf	5.24	3	H	79	1.02	-
AV	5.7276G	47.19	54.00	-6.81	5.82	3	H	79	1.02	-
PK	5.3256G	57.94	68.20	-10.26	4.69	3	H	79	1.02	-
PK	5.4012G	59.16	74.00	-14.84	4.82	3	H	79	1.02	-
PK	5.4684G	59.93	74.00	-14.07	5.00	3	H	79	1.02	-
PK	5.556G	109.13	Inf	-Inf	5.29	3	H	79	1.02	-
PK	5.7828G	59.05	74.00	-14.95	5.97	3	H	79	1.02	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 73  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0958G	38.95	54.00	-15.05	11.92	3	V	26	1.99	-
PK	11.09754G	52.62	74.00	-21.38	11.92	3	V	26	1.99	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 73  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.08896G	39.00	54.00	-15.00	11.92	3	H	127	2.16	-
PK	11.10696G	53.12	74.00	-20.88	11.93	3	H	127	2.16	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 71  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4348G	51.64	54.00	-2.36	4.91	3	V	92	1.01	-
AV	5.4696G	44.85	54.00	-9.15	5.01	3	V	92	1.01	-
AV	5.6652G	102.05	Inf	-Inf	5.64	3	V	92	1.01	-
AV	5.7264G	53.86	54.00	-0.14	5.81	3	V	92	1.01	-
PK	5.4396G	62.57	74.00	-11.43	4.93	3	V	92	1.01	-
PK	5.4696G	57.66	74.00	-16.34	5.01	3	V	92	1.01	-
PK	5.6544G	111.84	Inf	-Inf	5.60	3	V	92	1.01	-
PK	5.7264G	69.96	74.00	-4.04	5.81	3	V	92	1.01	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 71  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4336G	46.48	54.00	-7.52	4.91	3	H	72	1.08	-
AV	5.4636G	44.16	54.00	-9.84	4.99	3	H	72	1.08	-
AV	5.6748G	95.38	Inf	-Inf	5.66	3	H	72	1.08	-
AV	5.7252G	48.89	54.00	-5.11	5.81	3	H	72	1.08	-
PK	5.4384G	58.43	74.00	-15.57	4.92	3	H	72	1.08	-
PK	5.4684G	56.03	74.00	-17.97	5.00	3	H	72	1.08	-
PK	5.6808G	106.86	Inf	-Inf	5.68	3	H	72	1.08	-
PK	5.7276G	63.34	74.00	-10.66	5.82	3	H	72	1.08	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 71  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34264G	40.07	54.00	-13.93	12.05	3	V	301	1.08	-
PK	11.33058G	54.55	74.00	-19.45	12.04	3	V	301	1.08	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TX



20170213  
 EUT Z 4TX Non-TXBF  
 Setting 71  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.32788G	39.99	54.00	-14.01	12.04	3	H	264	1.04	-
PK	11.34936G	54.66	74.00	-19.34	12.05	3	H	264	1.04	-

**802.11ac VHT40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 80  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	53.81	54.00	-0.19	4.97	3	V	313	1.06	-
AV	5.704G	106.08	Inf	-Inf	5.75	3	V	313	1.06	-
PK	5.458G	63.67	74.00	-10.33	4.98	3	V	313	1.06	-
PK	5.462G	65.23	68.20	-2.97	4.99	3	V	313	1.06	-
PK	5.704G	115.80	Inf	-Inf	5.75	3	V	313	1.06	-
PK	5.94G	64.95	68.20	-3.25	6.56	3	V	313	1.06	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 80  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.55	54.00	-3.45	4.98	3	H	80	1.01	-
AV	5.696G	99.98	Inf	-Inf	5.73	3	H	80	1.01	-
PK	5.456G	61.46	74.00	-12.54	4.97	3	H	80	1.01	-
PK	5.466G	61.95	68.20	-6.25	5.00	3	H	80	1.01	-
PK	5.716G	111.25	Inf	-Inf	5.78	3	H	80	1.01	-
PK	5.938G	61.90	68.20	-6.30	6.55	3	H	80	1.01	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 80  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40842G	39.34	54.00	-14.66	12.08	3	V	155	2.05	-
PK	11.40608G	53.57	74.00	-20.43	12.08	3	V	155	2.05	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 80  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4068G	39.34	54.00	-14.66	12.08	3	H	75	1.90	-
PK	11.41136G	53.30	74.00	-20.70	12.08	3	H	75	1.90	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.745G	107.73	Inf	-Inf	5.87	3	V	93	1.27	-
PK	5.651G	68.73	68.94	-0.21	5.59	3	V	93	1.27	-
PK	5.77G	117.92	Inf	-Inf	5.94	3	V	93	1.27	-
PK	5.931G	61.70	68.20	-6.50	6.52	3	V	93	1.27	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.76G	101.76	Inf	-Inf	5.91	3	H	79	2.91	-
PK	5.645G	60.79	68.20	-7.41	5.57	3	H	79	2.91	-
PK	5.766G	112.84	Inf	-Inf	5.92	3	H	79	2.91	-
PK	5.926G	59.31	68.20	-8.89	6.51	3	H	79	2.91	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5109G	40.80	54.00	-13.20	12.14	3	V	110	1.06	-
PK	11.51084G	55.94	74.00	-18.06	12.14	3	V	110	1.06	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 89  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51714G	39.28	54.00	-14.72	12.14	3	H	113	1.47	-
PK	11.52176G	53.22	74.00	-20.78	12.14	3	H	113	1.47	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.79G	107.54	Inf	-Inf	5.99	3	V	93	1.14	-
PK	5.642G	62.58	68.20	-5.62	5.57	3	V	93	1.14	-
PK	5.785G	117.98	Inf	-Inf	5.98	3	V	93	1.14	-
PK	5.941G	67.75	68.20	-0.45	6.56	3	V	93	1.14	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.785G	101.30	Inf	-Inf	5.98	3	H	72	1.11	-
PK	5.566G	58.78	68.20	-9.42	5.32	3	H	72	1.11	-
PK	5.801G	112.94	Inf	-Inf	6.02	3	H	72	1.11	-
PK	5.925G	59.69	68.20	-8.51	6.50	3	H	72	1.11	-



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58916G	41.11	54.00	-12.89	12.18	3	V	112	1.12	-
PK	11.59036G	55.48	74.00	-18.52	12.18	3	V	112	1.12	-

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 90  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57668G	39.02	54.00	-14.98	12.17	3	H	348	1.27	-
PK	11.60494G	52.89	74.00	-21.11	12.18	3	H	348	1.27	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1428G	53.93	54.00	-0.07	4.30	3	V	258	1.03	-
AV	5.2232G	99.50	Inf	-Inf	4.48	3	V	258	1.03	-
AV	5.354G	49.36	54.00	-4.64	4.74	3	V	258	1.03	-
PK	5.1488G	72.67	74.00	-1.33	4.32	3	V	258	1.03	-
PK	5.1968G	109.44	Inf	-Inf	4.42	3	V	258	1.03	-
PK	5.354G	60.14	74.00	-13.86	4.74	3	V	258	1.03	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.83	54.00	-4.17	4.32	3	H	93	1.11	-
AV	5.2244G	94.15	Inf	-Inf	4.48	3	H	93	1.11	-
AV	5.3588G	46.47	54.00	-7.53	4.75	3	H	93	1.11	-
PK	5.149995G	68.08	74.00	-5.92	4.32	3	H	93	1.11	-
PK	5.2244G	105.29	Inf	-Inf	4.48	3	H	93	1.11	-
PK	5.384G	58.41	74.00	-15.59	4.79	3	H	93	1.11	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62028G	43.53	54.00	-10.47	13.81	3	V	322	1.40	-
PK	15.6159G	56.04	74.00	-17.96	13.82	3	V	322	1.40	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63156G	43.24	54.00	-10.76	13.80	3	H	62	1.86	-
PK	15.6177G	55.58	74.00	-18.42	13.81	3	H	62	1.86	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1436G	47.55	54.00	-6.45	4.31	3	V	257	1.04	-
AV	5.3032G	99.00	Inf	-Inf	4.65	3	V	257	1.04	-
AV	5.3536G	53.86	54.00	-0.14	4.74	3	V	257	1.04	-
PK	5.1424G	58.69	74.00	-15.31	4.30	3	V	257	1.04	-
PK	5.2768G	109.35	Inf	-Inf	4.59	3	V	257	1.04	-
PK	5.3584G	73.14	74.00	-0.86	4.75	3	V	257	1.04	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-L-2-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	44.76	54.00	-9.24	4.32	3	H	89	1.12	-
AV	5.2792G	93.48	Inf	-Inf	4.60	3	H	89	1.12	-
AV	5.3548G	50.12	54.00	-3.88	4.74	3	H	89	1.12	-
PK	5.1484G	56.89	74.00	-17.11	4.32	3	H	89	1.12	-
PK	5.3032G	103.00	Inf	-Inf	4.65	3	H	89	1.12	-
PK	5.350005G	71.86	74.00	-2.14	4.73	3	H	89	1.12	-



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88266G	43.72	54.00	-10.28	13.50	3	V	39	2.40	-
PK	15.86064G	55.92	74.00	-18.08	13.53	3	V	39	2.40	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 63  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.85764G	43.96	54.00	-10.04	13.53	3	H	119	1.92	-
PK	15.8604G	56.76	74.00	-17.24	13.53	3	H	119	1.92	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 59  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.50	54.00	-1.50	4.98	3	V	92	1.24	-
AV	5.4652G	53.99	54.00	-0.01	5.00	3	V	92	1.24	-
AV	5.5144G	98.75	Inf	-Inf	5.14	3	V	92	1.24	-
AV	5.7256G	47.99	54.00	-6.01	5.81	3	V	92	1.24	-
PK	5.4556G	73.92	74.00	-0.08	4.97	3	V	92	1.24	-
PK	5.4628G	69.96	74.00	-4.04	4.99	3	V	92	1.24	-
PK	5.5G	108.44	Inf	-Inf	5.09	3	V	92	1.24	-
PK	5.7424G	58.77	74.00	-15.23	5.86	3	V	92	1.24	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 59  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.17	54.00	-5.83	4.98	3	H	89	2.99	-
AV	5.4628G	49.05	54.00	-4.95	4.99	3	H	89	2.99	-
AV	5.542G	93.17	Inf	-Inf	5.24	3	H	89	2.99	-
AV	5.7484G	45.97	54.00	-8.03	5.88	3	H	89	2.99	-
PK	5.4544G	63.99	74.00	-10.01	4.97	3	H	89	2.99	-
PK	5.4688G	70.16	74.00	-3.84	5.01	3	H	89	2.99	-
PK	5.5156G	102.49	Inf	-Inf	5.14	3	H	89	2.99	-
PK	5.764G	57.61	74.00	-16.39	5.92	3	H	89	2.99	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 59  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05574G	40.22	54.00	-13.78	11.90	3	V	265	1.08	-
PK	11.05628G	53.35	74.00	-20.65	11.90	3	V	265	1.08	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 59  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.066G	40.35	54.00	-13.65	11.90	3	H	73	1.85	-
PK	11.07158G	52.49	74.00	-21.51	11.91	3	H	73	1.85	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 75  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	52.76	54.00	-1.24	4.97	3	V	94	1.11	-
AV	5.6004G	102.19	Inf	-Inf	5.44	3	V	94	1.11	-
PK	5.4588G	64.15	74.00	-9.85	4.98	3	V	94	1.11	-
PK	5.4696G	64.41	68.20	-3.79	5.01	3	V	94	1.11	-
PK	5.5956G	111.81	Inf	-Inf	5.42	3	V	94	1.11	-
PK	5.7324G	67.91	68.20	-0.29	5.83	3	V	94	1.11	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 75  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	47.83	54.00	-6.17	4.97	3	H	78	1.04	-
AV	5.6256G	95.57	Inf	-Inf	5.52	3	H	78	1.04	-
PK	5.4372G	59.79	74.00	-14.21	4.92	3	H	78	1.04	-
PK	5.466G	62.21	68.20	-5.99	5.00	3	H	78	1.04	-
PK	5.6256G	106.45	Inf	-Inf	5.52	3	H	78	1.04	-
PK	5.7336G	63.09	68.20	-5.11	5.83	3	H	78	1.04	-



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 75  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21046G	40.80	54.00	-13.20	11.98	3	V	109	1.13	-
PK	11.22702G	54.10	74.00	-19.90	11.99	3	V	109	1.13	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 75  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22324G	40.69	54.00	-13.31	11.99	3	H	47	2.11	-
PK	11.23098G	53.37	74.00	-20.63	11.99	3	H	47	2.11	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	53.97	54.00	-0.03	4.97	3	V	312	1.04	-
AV	5.7G	105.48	Inf	-Inf	5.74	3	V	312	1.04	-
PK	5.452G	64.02	74.00	-9.98	4.96	3	V	312	1.04	-
PK	5.468G	65.09	68.20	-3.11	5.00	3	V	312	1.04	-
PK	5.694G	114.61	Inf	-Inf	5.72	3	V	312	1.04	-
PK	5.924G	64.58	68.94	-4.36	6.50	3	V	312	1.04	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	50.44	54.00	-3.56	4.96	3	H	81	1.02	-
AV	5.696G	99.67	Inf	-Inf	5.73	3	H	81	1.02	-
PK	5.446G	61.58	74.00	-12.42	4.94	3	H	81	1.02	-
PK	5.462G	60.90	68.20	-7.30	4.99	3	H	81	1.02	-
PK	5.716G	109.85	Inf	-Inf	5.78	3	H	81	1.02	-
PK	5.934G	60.79	68.20	-7.41	6.54	3	H	81	1.02	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37964G	40.92	54.00	-13.08	12.07	3	V	244	2.33	-
PK	11.36848G	53.87	74.00	-20.13	12.06	3	V	244	2.33	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170216  
 EUT Z 4TX Non-TXBF  
 Setting 85  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37652G	40.87	54.00	-13.13	12.07	3	H	355	2.42	-
PK	11.37154G	52.85	74.00	-21.15	12.06	3	H	355	2.42	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 82  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.76G	102.81	Inf	-Inf	5.91	3	V	96	1.28	-
PK	5.65G	68.03	68.20	-0.17	5.59	3	V	96	1.28	-
PK	5.745G	112.20	Inf	-Inf	5.87	3	V	96	1.28	-
PK	5.932G	64.85	68.20	-3.35	6.53	3	V	96	1.28	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 82  
 01-J-4-10  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.76G	97.70	Inf	-Inf	5.91	3	H	77	2.79	-
PK	5.649G	63.36	68.20	-4.84	5.59	3	H	77	2.79	-
PK	5.765G	108.59	Inf	-Inf	5.92	3	H	77	2.79	-
PK	5.927G	62.28	68.20	-5.92	6.51	3	H	77	2.79	-



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 82  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5537G	40.31	54.00	-13.69	12.16	3	V	0	1.50	-
PK	11.5614G	53.28	74.00	-20.72	12.16	3	V	0	1.50	-

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170213  
 EUT Z 4TX Non-TXBF  
 Setting 82  
 01-J-4  
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.317G	41.40	54.00	-12.60	12.03	3	H	270	1.19	-
PK	11.339G	54.07	74.00	-19.93	12.05	3	H	270	1.19	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 74  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.89	54.00	-0.11	4.27	3	V	197	1.01	-
AV	5.1832G	109.86	Inf	-Inf	4.34	3	V	197	1.01	-
AV	5.4232G	48.09	54.00	-5.91	4.83	3	V	197	1.01	-
PK	5.149995G	67.34	74.00	-6.66	4.27	3	V	197	1.01	-
PK	5.1848G	119.35	Inf	-Inf	4.35	3	V	197	1.01	-
PK	5.4232G	60.59	74.00	-13.41	4.83	3	V	197	1.01	-
PK	5.4744G	59.56	68.20	-8.64	4.96	3	V	197	1.01	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 74  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	46.83	54.00	-7.17	4.27	3	H	92	1.31	-
AV	5.188G	106.26	Inf	-Inf	4.35	3	H	92	1.31	-
AV	5.428G	46.88	54.00	-7.12	4.84	3	H	92	1.31	-
PK	5.149995G	58.87	74.00	-15.13	4.27	3	H	92	1.31	-
PK	5.188G	115.51	Inf	-Inf	4.35	3	H	92	1.31	-
PK	5.4296G	58.56	74.00	-15.44	4.85	3	H	92	1.31	-
PK	5.476G	59.27	68.20	-8.93	4.97	3	H	92	1.31	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 74  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.3587G	65.94	68.20	-2.26	11.08	3	V	249	2.31	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 74  
01-S-6  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.36136G	59.06	68.20	-9.14	11.08	3	H	330	1.30	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 80  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	50.39	54.00	-3.61	4.26	3	V	83	1.33	-
AV	5.2032G	111.00	Inf	-Inf	4.39	3	V	83	1.33	-
AV	5.3648G	50.15	54.00	-3.85	4.71	3	V	83	1.33	-
PK	5.1424G	65.55	74.00	-8.45	4.25	3	V	83	1.33	-
PK	5.2064G	120.57	Inf	-Inf	4.39	3	V	83	1.33	-
PK	5.3648G	61.51	74.00	-12.49	4.71	3	V	83	1.33	-
PK	5.4976G	63.31	68.20	-4.89	5.02	3	V	83	1.33	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 80  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.128G	47.00	54.00	-7.00	4.22	3	H	72	1.01	-
AV	5.208G	106.27	Inf	-Inf	4.40	3	H	72	1.01	-
AV	5.368G	47.67	54.00	-6.33	4.71	3	H	72	1.01	-
PK	5.1392G	59.16	74.00	-14.84	4.25	3	H	72	1.01	-
PK	5.208G	116.27	Inf	-Inf	4.40	3	H	72	1.01	-
PK	5.3664G	58.95	74.00	-15.05	4.71	3	H	72	1.01	-
PK	5.4976G	59.73	68.20	-8.47	5.02	3	H	72	1.01	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 80  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60456G	45.12	54.00	-8.88	13.72	3	V	352	2.17	-
PK	10.39922G	67.92	68.20	-0.28	11.12	3	V	223	1.00	-
PK	15.60008G	59.23	74.00	-14.77	13.73	3	V	352	2.17	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 80  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6021G	45.15	54.00	-8.85	13.72	3	H	234	1.08	-
PK	10.40162G	62.57	68.20	-5.63	11.12	3	H	257	1.06	-
PK	15.5997G	58.95	74.00	-15.05	13.73	3	H	234	1.08	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0752G	48.72	54.00	-5.28	4.10	3	V	256	1.14	-
AV	5.2352G	111.01	Inf	-Inf	4.45	3	V	256	1.14	-
AV	5.3968G	49.46	54.00	-4.54	4.76	3	V	256	1.14	-
PK	5.0752G	60.29	74.00	-13.71	4.10	3	V	256	1.14	-
PK	5.2384G	120.46	Inf	-Inf	4.46	3	V	256	1.14	-
PK	5.3936G	61.12	74.00	-12.88	4.76	3	V	256	1.14	-
PK	5.4832G	59.83	68.20	-8.37	4.99	3	V	256	1.14	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.80	54.00	-8.20	4.13	3	H	92	1.11	-
AV	5.248G	106.48	Inf	-Inf	4.48	3	H	92	1.11	-
AV	5.408G	47.08	54.00	-6.92	4.79	3	H	92	1.11	-
PK	5.1456G	58.49	74.00	-15.51	4.26	3	H	92	1.11	-
PK	5.248G	115.75	Inf	-Inf	4.48	3	H	92	1.11	-
PK	5.4448G	59.00	74.00	-15.00	4.89	3	H	92	1.11	-
PK	5.5632G	58.92	68.20	-9.28	5.25	3	H	92	1.11	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71522G	44.19	54.00	-9.81	13.58	3	V	315	1.82	-
PK	10.48142G	67.12	68.20	-1.08	11.21	3	V	317	1.02	-
PK	15.71504G	58.91	74.00	-15.09	13.58	3	V	315	1.82	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72324G	44.20	54.00	-9.80	13.57	3	H	83	1.30	-
PK	10.47888G	61.89	68.20	-6.31	11.21	3	H	31	1.10	-
PK	15.7182G	57.94	74.00	-16.06	13.58	3	H	83	1.30	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1064G	49.66	54.00	-4.34	4.17	3	V	190	1.29	-
AV	5.268G	113.45	Inf	-Inf	4.52	3	V	190	1.29	-
AV	5.428G	51.38	54.00	-2.62	4.84	3	V	190	1.29	-
PK	5.1064G	60.31	74.00	-13.69	4.17	3	V	190	1.29	-
PK	5.268G	122.51	Inf	-Inf	4.52	3	V	190	1.29	-
PK	5.4264G	61.62	74.00	-12.38	4.84	3	V	190	1.29	-
PK	5.5592G	60.84	68.20	-7.36	5.24	3	V	190	1.29	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.092G	45.83	54.00	-8.17	4.14	3	H	73	1.35	-
AV	5.252G	106.33	Inf	-Inf	4.49	3	H	73	1.35	-
AV	5.412G	46.93	54.00	-7.07	4.80	3	H	73	1.35	-
PK	5.0152G	57.31	74.00	-16.69	3.96	3	H	73	1.35	-
PK	5.2536G	114.90	Inf	-Inf	4.49	3	H	73	1.35	-
PK	5.412G	58.47	74.00	-15.53	4.80	3	H	73	1.35	-
PK	5.4968G	59.07	68.20	-9.13	5.02	3	H	73	1.35	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78408G	44.31	54.00	-9.69	13.50	3	V	22	1.95	-
PK	10.52146G	63.89	68.20	-4.31	11.26	3	V	308	1.01	-
PK	15.78108G	58.11	74.00	-15.89	13.50	3	V	22	1.95	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78148G	44.17	54.00	-9.83	13.50	3	H	254	1.99	-
PK	10.51882G	59.36	68.20	-8.84	11.26	3	H	283	2.38	-
PK	15.78093G	57.85	74.00	-16.15	13.50	3	H	254	1.99	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1464G	48.78	54.00	-5.22	4.26	3	V	193	1.04	-
AV	5.3064G	112.60	Inf	-Inf	4.60	3	V	193	1.04	-
AV	5.350005G	50.44	54.00	-3.56	4.68	3	V	193	1.04	-
PK	5.1448G	59.49	74.00	-14.51	4.26	3	V	193	1.04	-
PK	5.3064G	121.92	Inf	-Inf	4.60	3	V	193	1.04	-
PK	5.350005G	63.09	74.00	-10.91	4.68	3	V	193	1.04	-
PK	5.4664G	62.50	68.20	-5.70	4.94	3	V	193	1.04	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1304G	45.84	54.00	-8.16	4.23	3	H	73	1.34	-
AV	5.292G	107.31	Inf	-Inf	4.57	3	H	73	1.34	-
AV	5.3592G	47.93	54.00	-6.07	4.70	3	H	73	1.34	-
PK	5.0872G	57.49	74.00	-16.51	4.13	3	H	73	1.34	-
PK	5.292G	115.55	Inf	-Inf	4.57	3	H	73	1.34	-
PK	5.4328G	59.31	74.00	-14.69	4.86	3	H	73	1.34	-
PK	5.6168G	58.59	68.20	-9.61	5.43	3	H	73	1.34	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60058G	45.15	54.00	-8.85	11.35	3	V	280	1.14	-
PK	10.60166G	62.83	74.00	-11.17	11.35	3	V	280	1.14	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6006G	41.96	54.00	-12.04	11.35	3	H	257	1.29	-
PK	10.60135G	56.34	74.00	-17.66	11.35	3	H	257	1.29	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 73  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.088G	46.89	54.00	-7.11	4.13	3	V	252	1.24	-
AV	5.3248G	108.49	Inf	-Inf	4.63	3	V	252	1.24	-
AV	5.3504G	53.92	54.00	-0.08	4.68	3	V	252	1.24	-
PK	5.128G	58.34	74.00	-15.66	4.22	3	V	252	1.24	-
PK	5.3232G	118.59	Inf	-Inf	4.63	3	V	252	1.24	-
PK	5.3552G	70.23	74.00	-3.77	4.69	3	V	252	1.24	-
PK	5.5632G	60.69	68.20	-7.51	5.25	3	V	252	1.24	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 73  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0816G	45.10	54.00	-8.90	4.12	3	H	78	1.16	-
AV	5.3216G	101.75	Inf	-Inf	4.63	3	H	78	1.16	-
AV	5.3504G	49.65	54.00	-4.35	4.68	3	H	78	1.16	-
PK	5.0736G	57.88	74.00	-16.12	4.10	3	H	78	1.16	-
PK	5.3216G	111.76	Inf	-Inf	4.63	3	H	78	1.16	-
PK	5.352G	65.21	74.00	-8.79	4.68	3	H	78	1.16	-
PK	5.56G	59.08	68.20	-9.12	5.24	3	H	78	1.16	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 73  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64048G	43.57	54.00	-10.43	11.39	3	V	197	1.01	-
AV	15.95962G	44.78	54.00	-9.22	13.28	3	V	339	2.21	-
PK	10.63938G	58.03	74.00	-15.97	11.39	3	V	197	1.01	-
PK	15.96107G	58.75	74.00	-15.25	13.28	3	V	339	2.21	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 73  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64077G	40.28	54.00	-13.72	11.39	3	H	199	1.71	-
AV	15.96234G	44.94	54.00	-9.06	13.28	3	H	179	2.15	-
PK	10.63956G	54.46	74.00	-19.54	11.39	3	H	199	1.71	-
PK	15.95862G	58.51	74.00	-15.49	13.28	3	H	179	2.15	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 63  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.66	54.00	-4.34	4.93	3	V	86	1.01	-
AV	5.4696G	51.60	54.00	-2.40	4.95	3	V	86	1.01	-
AV	5.4968G	108.36	Inf	-Inf	5.02	3	V	86	1.01	-
AV	5.7384G	53.98	54.00	-0.02	5.79	3	V	86	1.01	-
PK	5.3448G	61.65	68.20	-6.55	4.67	3	V	86	1.01	-
PK	5.46G	62.50	74.00	-11.50	4.93	3	V	86	1.01	-
PK	5.468G	69.77	74.00	-4.23	4.95	3	V	86	1.01	-
PK	5.5032G	119.82	Inf	-Inf	5.04	3	V	86	1.01	-
PK	5.7384G	65.65	74.00	-8.35	5.79	3	V	86	1.01	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 63  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4264G	46.73	54.00	-7.27	4.84	3	H	43	1.07	-
AV	5.468G	46.58	54.00	-7.42	4.95	3	H	43	1.07	-
AV	5.508G	102.70	Inf	-Inf	5.06	3	H	43	1.07	-
AV	5.748G	51.40	54.00	-2.60	5.81	3	H	43	1.07	-
PK	5.2664G	58.81	68.20	-9.39	4.52	3	H	43	1.07	-
PK	5.428G	59.17	74.00	-14.83	4.84	3	H	43	1.07	-
PK	5.468G	58.72	74.00	-15.28	4.95	3	H	43	1.07	-
PK	5.5064G	112.53	Inf	-Inf	5.05	3	H	43	1.07	-
PK	5.748G	62.34	74.00	-11.66	5.81	3	H	43	1.07	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 63  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00229G	39.32	54.00	-14.68	11.80	3	V	207	1.68	-
PK	10.99914G	52.96	74.00	-21.04	11.80	3	V	207	1.68	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 63  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00009G	39.30	54.00	-14.70	11.80	3	H	253	1.03	-
PK	11.00023G	53.00	74.00	-21.00	11.80	3	H	253	1.03	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 65  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4152G	53.73	54.00	-0.27	4.81	3	V	265	1.28	-
AV	5.5752G	107.38	Inf	-Inf	5.29	3	V	265	1.28	-
PK	5.412G	64.08	74.00	-9.92	4.80	3	V	265	1.28	-
PK	5.4664G	58.32	68.20	-9.88	4.94	3	V	265	1.28	-
PK	5.5752G	117.47	Inf	-Inf	5.29	3	V	265	1.28	-
PK	5.8168G	63.76	68.20	-4.44	6.02	3	V	265	1.28	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 65  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.412G	50.45	54.00	-3.55	4.80	3	H	81	1.26	-
AV	5.572G	103.95	Inf	-Inf	5.28	3	H	81	1.26	-
PK	5.412G	60.57	74.00	-13.43	4.80	3	H	81	1.26	-
PK	5.4696G	57.91	68.20	-10.29	4.95	3	H	81	1.26	-
PK	5.572G	113.02	Inf	-Inf	5.28	3	H	81	1.26	-
PK	5.732G	61.38	68.20	-6.82	5.77	3	H	81	1.26	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 65  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16162G	39.30	54.00	-14.70	11.88	3	V	311	2.23	-
PK	11.15961G	52.86	74.00	-21.14	11.88	3	V	311	2.23	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 65  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15816G	39.18	54.00	-14.82	11.88	3	H	119	1.38	-
PK	11.15947G	53.36	74.00	-20.64	11.88	3	H	119	1.38	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 65  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4552G	50.78	54.00	-3.22	4.91	3	V	82	1.24	-
AV	5.4664G	52.45	54.00	-1.55	4.94	3	V	82	1.24	-
AV	5.6952G	106.75	Inf	-Inf	5.67	3	V	82	1.24	-
AV	5.7256G	53.62	54.00	-0.38	5.75	3	V	82	1.24	-
PK	5.4552G	63.41	74.00	-10.59	4.91	3	V	82	1.24	-
PK	5.468G	62.84	74.00	-11.16	4.95	3	V	82	1.24	-
PK	5.6968G	116.76	Inf	-Inf	5.67	3	V	82	1.24	-
PK	5.7256G	71.47	74.00	-2.53	5.75	3	V	82	1.24	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 65  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4536G	48.18	54.00	-5.82	4.91	3	H	44	1.01	-
AV	5.4616G	47.43	54.00	-6.57	4.93	3	H	44	1.01	-
AV	5.6952G	101.73	Inf	-Inf	5.67	3	H	44	1.01	-
AV	5.9384G	49.03	54.00	-4.97	6.49	3	H	44	1.01	-
PK	5.452G	60.09	74.00	-13.91	4.91	3	H	44	1.01	-
PK	5.4632G	59.16	74.00	-14.84	4.93	3	H	44	1.01	-
PK	5.6952G	112.06	Inf	-Inf	5.67	3	H	44	1.01	-
PK	5.8648G	61.12	74.00	-12.88	6.21	3	H	44	1.01	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 65  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40039G	39.18	54.00	-14.82	12.00	3	V	5	1.20	-
PK	11.39756G	53.35	74.00	-20.65	11.99	3	V	5	1.20	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 65  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40008G	39.14	54.00	-14.86	12.00	3	H	293	1.56	-
PK	11.40105G	52.91	74.00	-21.09	12.00	3	H	293	1.56	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4064G	46.68	54.00	-7.32	4.79	3	V	223	1.50	-
AV	5.7264G	111.22	Inf	-Inf	5.75	3	V	223	1.50	-
PK	5.408G	58.81	74.00	-15.19	4.79	3	V	223	1.50	-
PK	5.4624G	58.08	68.20	-10.12	4.93	3	V	223	1.50	-
PK	5.728G	120.58	Inf	-Inf	5.76	3	V	223	1.50	-
PK	5.9648G	66.23	68.20	-1.97	6.59	3	V	223	1.50	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4032G	46.30	54.00	-7.70	4.78	3	H	74	1.30	-
AV	5.7248G	104.67	Inf	-Inf	5.75	3	H	74	1.30	-
PK	5.408G	58.80	74.00	-15.20	4.79	3	H	74	1.30	-
PK	5.4608G	58.30	68.20	-9.90	4.93	3	H	74	1.30	-
PK	5.7232G	113.97	Inf	-Inf	5.74	3	H	74	1.30	-
PK	5.9648G	64.15	68.20	-4.05	6.59	3	H	74	1.30	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44023G	39.90	54.00	-14.10	12.02	3	V	345	2.10	-
PK	11.43809G	53.46	74.00	-20.54	12.01	3	V	345	2.10	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43813G	39.28	54.00	-14.72	12.01	3	H	42	1.04	-
PK	11.44019G	52.83	74.00	-21.17	12.02	3	H	42	1.04	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4314G	46.21	54.00	-7.79	4.85	3	V	334	1.13	-
AV	5.7498G	112.05	Inf	-Inf	5.82	3	V	334	1.13	-
PK	5.4282G	58.71	74.00	-15.29	4.84	3	V	334	1.13	-
PK	5.513G	67.00	68.20	-1.20	5.08	3	V	334	1.13	-
PK	5.7498G	121.79	Inf	-Inf	5.82	3	V	334	1.13	-
PK	5.9898G	64.64	68.20	-3.56	6.68	3	V	334	1.13	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4442G	45.55	54.00	-8.45	4.88	3	H	84	2.94	-
AV	5.7482G	105.12	Inf	-Inf	5.81	3	H	84	2.94	-
PK	5.4442G	57.88	74.00	-16.12	4.88	3	H	84	2.94	-
PK	5.513G	60.19	68.20	-8.01	5.08	3	H	84	2.94	-
PK	5.7514G	114.62	Inf	-Inf	5.82	3	H	84	2.94	-
PK	5.9898G	61.94	68.20	-6.26	6.68	3	H	84	2.94	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49248G	39.46	54.00	-14.54	12.04	3	V	22	2.05	-
PK	11.49048G	52.64	74.00	-21.36	12.04	3	V	22	2.05	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4924G	39.14	54.00	-14.86	12.04	3	H	268	2.41	-
PK	11.49144G	53.27	74.00	-20.73	12.04	3	H	268	2.41	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.05	54.00	-6.95	4.93	3	V	313	1.12	-
AV	5.7818G	112.99	Inf	-Inf	5.91	3	V	313	1.12	-
PK	5.457G	58.69	74.00	-15.31	4.92	3	V	313	1.12	-
PK	5.5514G	67.87	68.20	-0.33	5.21	3	V	313	1.12	-
PK	5.785G	123.36	Inf	-Inf	5.92	3	V	313	1.12	-
PK	5.9402G	64.40	68.20	-3.80	6.49	3	V	313	1.12	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3994G	45.55	54.00	-8.45	4.77	3	H	99	1.06	-
AV	5.793G	105.63	Inf	-Inf	5.94	3	H	99	1.06	-
PK	5.4378G	57.87	74.00	-16.13	4.87	3	H	99	1.06	-
PK	5.5514G	61.23	68.20	-6.97	5.21	3	H	99	1.06	-
PK	5.793G	115.03	Inf	-Inf	5.94	3	H	99	1.06	-
PK	5.9514G	60.15	68.20	-8.05	6.54	3	H	99	1.06	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57007G	39.79	54.00	-14.21	12.08	3	V	342	1.19	-
PK	11.56882G	53.82	74.00	-20.18	12.08	3	V	342	1.19	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56878G	39.49	54.00	-14.51	12.08	3	H	191	1.58	-
PK	11.57009G	53.51	74.00	-20.49	12.08	3	H	191	1.58	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	45.81	54.00	-8.19	4.92	3	V	315	1.00	-
AV	5.817G	113.18	Inf	-Inf	6.02	3	V	315	1.00	-
PK	5.441G	58.51	74.00	-15.49	4.88	3	V	315	1.00	-
PK	5.5898G	65.90	68.20	-2.30	5.34	3	V	315	1.00	-
PK	5.817G	122.06	Inf	-Inf	6.02	3	V	315	1.00	-
PK	5.9802G	63.17	68.20	-5.03	6.64	3	V	315	1.00	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170309  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	45.50	54.00	-8.50	4.92	3	H	102	1.08	-
AV	5.817G	105.40	Inf	-Inf	6.02	3	H	102	1.08	-
PK	5.4282G	58.05	74.00	-15.95	4.84	3	H	102	1.08	-
PK	5.5866G	59.36	68.20	-8.84	5.33	3	H	102	1.08	-
PK	5.817G	115.18	Inf	-Inf	6.02	3	H	102	1.08	-
PK	5.977G	60.05	68.20	-8.15	6.63	3	H	102	1.08	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65007G	41.72	54.00	-12.28	12.12	3	V	84	1.30	-
PK	11.65145G	56.42	74.00	-17.58	12.12	3	V	84	1.30	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65098G	40.14	54.00	-13.86	12.12	3	H	75	1.31	-
PK	11.65126G	54.38	74.00	-19.62	12.12	3	H	75	1.31	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 63  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.96	54.00	-0.04	4.27	3	V	248	1.07	-
AV	5.2076G	104.18	Inf	-Inf	4.40	3	V	248	1.07	-
AV	5.4396G	51.01	54.00	-2.99	4.87	3	V	248	1.07	-
PK	5.1484G	69.96	74.00	-4.04	4.27	3	V	248	1.07	-
PK	5.2044G	114.09	Inf	-Inf	4.39	3	V	248	1.07	-
PK	5.358G	62.31	74.00	-11.69	4.69	3	V	248	1.07	-
PK	5.5164G	58.81	68.20	-9.39	5.09	3	V	248	1.07	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 63  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.87	54.00	-6.13	4.27	3	H	97	1.37	-
AV	5.182G	99.82	Inf	-Inf	4.34	3	H	97	1.37	-
AV	5.422G	47.36	54.00	-6.64	4.83	3	H	97	1.37	-
PK	5.1484G	67.64	74.00	-6.36	4.27	3	H	97	1.37	-
PK	5.182G	109.95	Inf	-Inf	4.34	3	H	97	1.37	-
PK	5.422G	59.54	74.00	-14.46	4.83	3	H	97	1.37	-
PK	5.582G	58.37	68.20	-9.83	5.32	3	H	97	1.37	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 63  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57183G	45.23	54.00	-8.77	13.76	3	V	322	1.99	-
PK	15.57188G	59.10	74.00	-14.90	13.76	3	V	322	1.99	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 63  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56908G	45.30	54.00	-8.70	13.76	3	H	99	1.95	-
PK	15.56878G	58.92	74.00	-15.08	13.76	3	H	99	1.95	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 79  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.078G	52.37	54.00	-1.63	4.11	3	V	238	1.11	-
AV	5.2348G	107.10	Inf	-Inf	4.45	3	V	238	1.11	-
AV	5.3996G	53.65	54.00	-0.35	4.77	3	V	238	1.11	-
PK	5.1452G	64.35	74.00	-9.65	4.26	3	V	238	1.11	-
PK	5.2332G	117.13	Inf	-Inf	4.45	3	V	238	1.11	-
PK	5.3996G	65.72	74.00	-8.28	4.77	3	V	238	1.11	-
PK	5.4732G	63.57	68.20	-4.63	4.96	3	V	238	1.11	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 79  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.086G	46.91	54.00	-7.09	4.13	3	H	96	1.07	-
AV	5.246G	103.36	Inf	-Inf	4.48	3	H	96	1.07	-
AV	5.4076G	49.99	54.00	-4.01	4.79	3	H	96	1.07	-
PK	5.086G	58.29	74.00	-15.71	4.13	3	H	96	1.07	-
PK	5.2444G	113.57	Inf	-Inf	4.47	3	H	96	1.07	-
PK	5.4076G	61.70	74.00	-12.30	4.79	3	H	96	1.07	-
PK	5.4844G	60.68	68.20	-7.52	4.99	3	H	96	1.07	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 79  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68936G	44.13	54.00	-9.87	13.62	3	V	7	2.25	-
PK	15.69225G	57.87	74.00	-16.13	13.61	3	V	7	2.25	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 79  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68962G	44.16	54.00	-9.84	13.61	3	H	310	1.10	-
PK	15.68935G	58.19	74.00	-15.81	13.62	3	H	310	1.10	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 81  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1164G	52.98	54.00	-1.02	4.20	3	V	255	1.37	-
AV	5.2764G	106.84	Inf	-Inf	4.54	3	V	255	1.37	-
AV	5.4348G	53.66	54.00	-0.34	4.86	3	V	255	1.37	-
PK	5.118G	64.10	74.00	-9.90	4.20	3	V	255	1.37	-
PK	5.278G	116.68	Inf	-Inf	4.54	3	V	255	1.37	-
PK	5.3516G	70.50	74.00	-3.50	4.68	3	V	255	1.37	-
PK	5.5084G	64.06	68.20	-4.14	5.06	3	V	255	1.37	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 81  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0924G	48.28	54.00	-5.72	4.14	3	H	98	1.13	-
AV	5.254G	106.47	Inf	-Inf	4.49	3	H	98	1.13	-
AV	5.414G	52.33	54.00	-1.67	4.81	3	H	98	1.13	-
PK	5.0956G	59.53	74.00	-14.47	4.15	3	H	98	1.13	-
PK	5.254G	115.95	Inf	-Inf	4.49	3	H	98	1.13	-
PK	5.350005G	64.61	74.00	-9.39	4.68	3	H	98	1.13	-
PK	5.4956G	62.90	68.20	-5.30	5.02	3	H	98	1.13	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 81  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81139G	44.32	54.00	-9.68	13.46	3	V	357	2.49	-
PK	15.81134G	58.68	74.00	-15.32	13.46	3	V	357	2.49	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 81  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80782G	44.23	54.00	-9.77	13.47	3	H	278	2.36	-
PK	15.80811G	57.87	74.00	-16.13	13.47	3	H	278	2.36	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 64  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	49.26	54.00	-4.74	4.25	3	V	83	1.22	-
AV	5.3036G	103.06	Inf	-Inf	4.60	3	V	83	1.22	-
AV	5.350005G	53.66	54.00	-0.34	4.68	3	V	83	1.22	-
PK	5.1404G	61.03	74.00	-12.97	4.25	3	V	83	1.22	-
PK	5.302G	113.17	Inf	-Inf	4.59	3	V	83	1.22	-
PK	5.350005G	72.78	74.00	-1.22	4.68	3	V	83	1.22	-
PK	5.478G	62.91	68.20	-5.29	4.97	3	V	83	1.22	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170309  
EUT\_Z\_4TX  
Setting 64  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0876G	46.18	54.00	-7.82	4.13	3	H	73	1.06	-
AV	5.3276G	99.66	Inf	-Inf	4.64	3	H	73	1.06	-
AV	5.350005G	50.80	54.00	-3.20	4.68	3	H	73	1.06	-
PK	5.0844G	57.95	74.00	-16.05	4.12	3	H	73	1.06	-
PK	5.3276G	108.87	Inf	-Inf	4.64	3	H	73	1.06	-
PK	5.3516G	72.22	74.00	-1.78	4.68	3	H	73	1.06	-
PK	5.486G	61.07	68.20	-7.13	4.99	3	H	73	1.06	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 64  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61867G	40.43	54.00	-13.57	11.37	3	V	72	2.41	-
AV	15.93007G	44.79	54.00	-9.21	13.32	3	V	197	2.17	-
PK	10.62218G	54.29	74.00	-19.71	11.37	3	V	72	2.41	-
PK	15.9307G	58.37	74.00	-15.63	13.32	3	V	197	2.17	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 64  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61947G	40.45	54.00	-13.55	11.37	3	H	142	1.21	-
AV	15.93229G	44.74	54.00	-9.26	13.31	3	H	48	1.51	-
PK	10.61814G	54.32	74.00	-19.68	11.37	3	H	142	1.21	-
PK	15.93249G	58.52	74.00	-15.48	13.31	3	H	48	1.51	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 58  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	51.64	54.00	-2.36	4.92	3	V	314	1.10	-
AV	5.4684G	53.73	54.00	-0.27	4.95	3	V	314	1.10	-
AV	5.5212G	105.09	Inf	-Inf	5.10	3	V	314	1.10	-
AV	5.7596G	53.15	54.00	-0.85	5.85	3	V	314	1.10	-
PK	5.2748G	60.83	68.20	-7.37	4.54	3	V	314	1.10	-
PK	5.4588G	67.73	74.00	-6.27	4.92	3	V	314	1.10	-
PK	5.4668G	73.41	74.00	-0.59	4.94	3	V	314	1.10	-
PK	5.518G	115.49	Inf	-Inf	5.09	3	V	314	1.10	-
PK	5.7644G	64.99	74.00	-9.01	5.86	3	V	314	1.10	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 58  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.438G	46.55	54.00	-7.45	4.87	3	H	92	2.78	-
AV	5.4668G	46.98	54.00	-7.02	4.94	3	H	92	2.78	-
AV	5.5164G	98.72	Inf	-Inf	5.09	3	H	92	2.78	-
AV	5.7564G	48.65	54.00	-5.35	5.84	3	H	92	2.78	-
PK	5.278G	57.73	68.20	-10.47	4.54	3	H	92	2.78	-
PK	5.4524G	59.81	74.00	-14.19	4.91	3	H	92	2.78	-
PK	5.4684G	59.36	74.00	-14.64	4.95	3	H	92	2.78	-
PK	5.518G	108.58	Inf	-Inf	5.09	3	H	92	2.78	-
PK	5.7564G	60.75	74.00	-13.25	5.84	3	H	92	2.78	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 58  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01887G	38.95	54.00	-15.05	11.81	3	V	124	1.24	-
PK	11.02227G	53.06	74.00	-20.94	11.81	3	V	124	1.24	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 58  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02081G	38.93	54.00	-15.07	11.81	3	H	45	1.09	-
PK	11.02049G	53.28	74.00	-20.72	11.81	3	H	45	1.09	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 81  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3996G	53.88	54.00	-0.12	4.77	3	V	166	1.01	-
AV	5.5628G	109.70	Inf	-Inf	5.25	3	V	166	1.01	-
PK	5.3196G	62.63	68.20	-5.57	4.63	3	V	166	1.01	-
PK	5.4588G	65.58	74.00	-8.42	4.92	3	V	166	1.01	-
PK	5.4684G	64.97	68.20	-3.23	4.95	3	V	166	1.01	-
PK	5.5612G	120.27	Inf	-Inf	5.24	3	V	166	1.01	-
PK	5.726G	65.78	68.20	-2.42	5.75	3	V	166	1.01	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 81  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4076G	52.57	54.00	-1.43	4.79	3	H	76	1.19	-
AV	5.5676G	106.20	Inf	-Inf	5.27	3	H	76	1.19	-
PK	5.3276G	61.15	68.20	-7.05	4.64	3	H	76	1.19	-
PK	5.406G	63.15	74.00	-10.85	4.79	3	H	76	1.19	-
PK	5.4636G	60.24	68.20	-7.96	4.94	3	H	76	1.19	-
PK	5.5676G	115.27	Inf	-Inf	5.27	3	H	76	1.19	-
PK	5.7276G	65.21	68.20	-2.99	5.76	3	H	76	1.19	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 81  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09947G	39.58	54.00	-14.42	11.85	3	V	301	1.53	-
PK	11.10098G	53.75	74.00	-20.25	11.85	3	V	301	1.53	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 81  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09965G	39.53	54.00	-14.47	11.85	3	H	256	1.94	-
PK	11.09751G	53.28	74.00	-20.72	11.85	3	H	256	1.94	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 69  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4348G	51.90	54.00	-2.10	4.86	3	V	311	1.07	-
AV	5.662G	107.53	Inf	-Inf	5.57	3	V	311	1.07	-
PK	5.3404G	57.52	68.20	-10.68	4.66	3	V	311	1.07	-
PK	5.4348G	62.56	74.00	-11.44	4.86	3	V	311	1.07	-
PK	5.462G	57.57	68.20	-10.63	4.93	3	V	311	1.07	-
PK	5.662G	117.37	Inf	-Inf	5.57	3	V	311	1.07	-
PK	5.7372G	68.00	68.20	-0.20	5.78	3	V	311	1.07	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 69  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4252G	46.72	54.00	-7.28	4.84	3	H	97	1.25	-
AV	5.6668G	99.68	Inf	-Inf	5.58	3	H	97	1.25	-
PK	5.27G	56.68	68.20	-11.52	4.53	3	H	97	1.25	-
PK	5.4268G	58.58	74.00	-15.42	4.84	3	H	97	1.25	-
PK	5.4668G	56.93	68.20	-11.27	4.94	3	H	97	1.25	-
PK	5.6668G	109.98	Inf	-Inf	5.58	3	H	97	1.25	-
PK	5.8268G	62.29	68.20	-5.91	6.06	3	H	97	1.25	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 69  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33847G	39.08	54.00	-14.92	11.97	3	V	216	1.16	-
PK	11.34164G	52.81	74.00	-21.19	11.97	3	V	216	1.16	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 69  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33863G	39.08	54.00	-14.92	11.97	3	H	299	1.83	-
PK	11.34065G	53.36	74.00	-20.64	11.97	3	H	299	1.83	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 75  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.74	54.00	-0.26	4.93	3	V	317	1.05	-
AV	5.7036G	108.21	Inf	-Inf	5.69	3	V	317	1.05	-
PK	5.459995G	63.46	74.00	-10.54	4.93	3	V	317	1.05	-
PK	5.4636G	64.75	68.20	-3.45	4.94	3	V	317	1.05	-
PK	5.7036G	118.13	Inf	-Inf	5.69	3	V	317	1.05	-
PK	5.9468G	63.48	68.20	-4.72	6.52	3	V	317	1.05	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 75  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4524G	46.32	54.00	-7.68	4.91	3	H	85	2.75	-
AV	5.7276G	104.71	Inf	-Inf	5.76	3	H	85	2.75	-
PK	5.4268G	58.10	74.00	-15.90	4.84	3	H	85	2.75	-
PK	5.4652G	58.61	68.20	-9.59	4.94	3	H	85	2.75	-
PK	5.7276G	114.09	Inf	-Inf	5.76	3	H	85	2.75	-
PK	5.9692G	61.46	68.20	-6.74	6.60	3	H	85	2.75	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 75  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42148G	39.39	54.00	-14.61	12.01	3	V	144	2.30	-
PK	11.41856G	52.98	74.00	-21.02	12.01	3	V	144	2.30	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 75  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41813G	39.20	54.00	-14.80	12.00	3	H	38	1.09	-
PK	11.41913G	53.39	74.00	-20.61	12.01	3	H	38	1.09	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4446G	46.01	54.00	-7.99	4.89	3	V	312	1.01	-
AV	5.7454G	108.74	Inf	-Inf	5.81	3	V	312	1.01	-
PK	5.443G	59.63	74.00	-14.37	4.88	3	V	312	1.01	-
PK	5.5806G	62.72	68.20	-5.48	5.31	3	V	312	1.01	-
PK	5.747G	118.54	Inf	-Inf	5.81	3	V	312	1.01	-
PK	5.9326G	60.84	68.20	-7.36	6.46	3	V	312	1.01	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4526G	45.55	54.00	-8.45	4.91	3	H	75	1.48	-
AV	5.771G	102.73	Inf	-Inf	5.88	3	H	75	1.48	-
PK	5.3886G	57.75	74.00	-16.25	4.75	3	H	75	1.48	-
PK	5.5838G	59.49	68.20	-8.71	5.32	3	H	75	1.48	-
PK	5.771G	112.28	Inf	-Inf	5.88	3	H	75	1.48	-
PK	5.9854G	59.55	68.20	-8.65	6.66	3	H	75	1.48	-



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50866G	39.26	54.00	-14.74	12.05	3	V	35	2.15	-
PK	11.51186G	53.00	74.00	-21.00	12.05	3	V	35	2.15	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51029G	39.34	54.00	-14.66	12.05	3	H	9	1.03	-
PK	11.51209G	52.91	74.00	-21.09	12.05	3	H	9	1.03	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4574G	45.70	54.00	-8.30	4.92	3	V	92	1.05	-
AV	5.7886G	106.48	Inf	-Inf	5.93	3	V	92	1.05	-
PK	5.451G	58.22	74.00	-15.78	4.90	3	V	92	1.05	-
PK	5.6206G	60.33	68.20	-7.87	5.44	3	V	92	1.05	-
PK	5.7902G	117.24	Inf	-Inf	5.93	3	V	92	1.05	-
PK	5.9646G	62.45	68.20	-5.75	6.59	3	V	92	1.05	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4446G	45.31	54.00	-8.69	4.89	3	H	40	1.04	-
AV	5.8094G	102.77	Inf	-Inf	6.00	3	H	40	1.04	-
PK	5.4558G	58.48	74.00	-15.52	4.92	3	H	40	1.04	-
PK	5.5726G	59.11	68.20	-9.09	5.28	3	H	40	1.04	-
PK	5.811G	112.13	Inf	-Inf	6.00	3	H	40	1.04	-
PK	5.9582G	60.05	68.20	-8.15	6.56	3	H	40	1.04	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59064G	39.80	54.00	-14.20	12.09	3	V	107	1.11	-
PK	11.58832G	53.03	74.00	-20.97	12.09	3	V	107	1.11	-

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5882G	39.10	54.00	-14.90	12.09	3	H	338	1.93	-
PK	11.59188G	52.90	74.00	-21.10	12.09	3	H	338	1.93	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.92	54.00	-1.08	4.27	3	V	202	1.00	-
AV	5.1988G	102.09	Inf	-Inf	4.38	3	V	202	1.00	-
AV	5.3588G	50.92	54.00	-3.08	4.70	3	V	202	1.00	-
PK	5.1428G	73.82	74.00	-0.18	4.25	3	V	202	1.00	-
PK	5.1972G	112.16	Inf	-Inf	4.37	3	V	202	1.00	-
PK	5.3748G	61.78	74.00	-12.22	4.72	3	V	202	1.00	-
PK	5.474G	61.04	68.20	-7.16	4.96	3	V	202	1.00	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0692G	46.88	54.00	-7.12	4.09	3	H	81	1.16	-
AV	5.2292G	98.51	Inf	-Inf	4.44	3	H	81	1.16	-
AV	5.3908G	48.23	54.00	-5.77	4.75	3	H	81	1.16	-
PK	5.138G	61.58	74.00	-12.42	4.24	3	H	81	1.16	-
PK	5.2276G	108.13	Inf	-Inf	4.44	3	H	81	1.16	-
PK	5.3876G	59.47	74.00	-14.53	4.75	3	H	81	1.16	-
PK	5.466G	60.46	68.20	-7.74	4.94	3	H	81	1.16	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62792G	44.68	54.00	-9.32	13.69	3	V	252	1.49	-
PK	15.6316G	59.23	74.00	-14.77	13.69	3	V	252	1.49	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6283G	44.70	54.00	-9.30	13.69	3	H	142	1.05	-
PK	15.63106G	58.62	74.00	-15.38	13.69	3	H	142	1.05	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 65  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1412G	48.28	54.00	-5.72	4.25	3	V	247	1.02	-
AV	5.3028G	100.54	Inf	-Inf	4.60	3	V	247	1.02	-
AV	5.350005G	53.90	54.00	-0.10	4.68	3	V	247	1.02	-
PK	5.1396G	60.76	74.00	-13.24	4.25	3	V	247	1.02	-
PK	5.298G	110.25	Inf	-Inf	4.59	3	V	247	1.02	-
PK	5.3572G	73.92	74.00	-0.08	4.69	3	V	247	1.02	-
PK	5.466G	60.67	68.20	-7.53	4.94	3	V	247	1.02	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 65  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1236G	45.83	54.00	-8.17	4.21	3	H	85	1.50	-
AV	5.282G	96.40	Inf	-Inf	4.55	3	H	85	1.50	-
AV	5.3508G	48.63	54.00	-5.37	4.68	3	H	85	1.50	-
PK	5.0148G	58.05	74.00	-15.95	3.96	3	H	85	1.50	-
PK	5.2884G	106.76	Inf	-Inf	4.57	3	H	85	1.50	-
PK	5.386G	66.71	74.00	-7.29	4.74	3	H	85	1.50	-
PK	5.5668G	59.62	68.20	-8.58	5.26	3	H	85	1.50	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 65  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86831G	44.45	54.00	-9.55	13.39	3	V	334	1.71	-
PK	15.86905G	58.63	74.00	-15.37	13.39	3	V	334	1.71	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 65  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87097G	44.48	54.00	-9.52	13.39	3	H	273	1.69	-
PK	15.86948G	58.02	74.00	-15.98	13.39	3	H	273	1.69	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.20	54.00	-1.80	4.93	3	V	81	1.28	-
AV	5.466G	53.80	54.00	-0.20	4.94	3	V	81	1.28	-
AV	5.546G	101.97	Inf	-Inf	5.19	3	V	81	1.28	-
AV	5.7748G	48.80	54.00	-5.20	5.89	3	V	81	1.28	-
PK	5.3444G	59.19	68.20	-9.01	4.67	3	V	81	1.28	-
PK	5.4532G	70.24	74.00	-3.76	4.91	3	V	81	1.28	-
PK	5.4692G	72.09	74.00	-1.91	4.95	3	V	81	1.28	-
PK	5.546G	111.57	Inf	-Inf	5.19	3	V	81	1.28	-
PK	5.7748G	60.96	74.00	-13.04	5.89	3	V	81	1.28	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.05	54.00	-5.95	4.93	3	H	93	2.87	-
AV	5.4692G	49.10	54.00	-4.90	4.95	3	H	93	2.87	-
AV	5.5156G	97.83	Inf	-Inf	5.08	3	H	93	2.87	-
AV	5.7556G	48.68	54.00	-5.32	5.84	3	H	93	2.87	-
PK	5.2004G	57.91	68.20	-10.29	4.38	3	H	93	2.87	-
PK	5.459995G	66.72	74.00	-7.28	4.93	3	H	93	2.87	-
PK	5.4676G	71.29	74.00	-2.71	4.95	3	H	93	2.87	-
PK	5.5172G	107.36	Inf	-Inf	5.09	3	H	93	2.87	-
PK	5.754G	60.41	74.00	-13.59	5.83	3	H	93	2.87	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06027G	39.64	54.00	-14.36	11.83	3	V	312	1.07	-
PK	11.0625G	54.02	74.00	-19.98	11.83	3	V	312	1.07	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 60  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06038G	39.63	54.00	-14.37	11.83	3	H	309	1.98	-
PK	11.05877G	53.40	74.00	-20.60	11.83	3	H	309	1.98	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 72  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4548G	51.50	54.00	-2.50	4.91	3	V	93	1.14	-
AV	5.6164G	104.67	Inf	-Inf	5.43	3	V	93	1.14	-
PK	5.3348G	58.29	68.20	-9.91	4.65	3	V	93	1.14	-
PK	5.4484G	62.80	74.00	-11.20	4.90	3	V	93	1.14	-
PK	5.4676G	65.07	68.20	-3.13	4.95	3	V	93	1.14	-
PK	5.6196G	114.36	Inf	-Inf	5.44	3	V	93	1.14	-
PK	5.7396G	68.13	68.20	-0.07	5.79	3	V	93	1.14	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 72  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4116G	49.79	54.00	-4.21	4.80	3	H	80	1.23	-
AV	5.5716G	102.64	Inf	-Inf	5.28	3	H	80	1.23	-
PK	5.3316G	58.37	68.20	-9.83	4.65	3	H	80	1.23	-
PK	5.4564G	61.89	74.00	-12.11	4.92	3	H	80	1.23	-
PK	5.460005G	61.71	68.20	-6.49	4.93	3	H	80	1.23	-
PK	5.5732G	112.03	Inf	-Inf	5.29	3	H	80	1.23	-
PK	5.7332G	63.89	68.20	-4.31	5.77	3	H	80	1.23	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 72  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22245G	39.49	54.00	-14.51	11.91	3	V	135	2.35	-
PK	11.21873G	53.29	74.00	-20.71	11.91	3	V	135	2.35	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 72  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22141G	39.43	54.00	-14.57	11.91	3	H	93	1.89	-
PK	11.22079G	53.16	74.00	-20.84	11.91	3	H	93	1.89	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4372G	53.29	54.00	-0.71	4.87	3	V	314	1.07	-
AV	5.6708G	107.41	Inf	-Inf	5.59	3	V	314	1.07	-
PK	5.4356G	64.16	74.00	-9.84	4.86	3	V	314	1.07	-
PK	5.4644G	64.23	68.20	-3.97	4.94	3	V	314	1.07	-
PK	5.6628G	118.42	Inf	-Inf	5.57	3	V	314	1.07	-
PK	5.9668G	62.77	68.20	-5.43	6.59	3	V	314	1.07	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.24	54.00	-6.76	4.93	3	H	89	2.83	-
AV	5.7156G	101.23	Inf	-Inf	5.72	3	H	89	2.83	-
PK	5.458G	59.26	74.00	-14.74	4.92	3	H	89	2.83	-
PK	5.4628G	59.50	68.20	-8.70	4.93	3	H	89	2.83	-
PK	5.7236G	110.71	Inf	-Inf	5.75	3	H	89	2.83	-
PK	5.9476G	61.84	68.20	-6.36	6.52	3	H	89	2.83	-



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38055G	39.32	54.00	-14.68	11.99	3	V	138	1.42	-
PK	11.38035G	52.93	74.00	-21.07	11.99	3	V	138	1.42	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 84 (Max setting)  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38187G	39.21	54.00	-14.79	11.99	3	H	18	1.91	-
PK	11.38105G	53.04	74.00	-20.96	11.99	3	H	18	1.91	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 78  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4566G	45.73	54.00	-8.27	4.92	3	V	92	1.44	-
AV	5.7382G	104.23	Inf	-Inf	5.79	3	V	92	1.44	-
PK	5.4502G	58.44	74.00	-15.56	4.90	3	V	92	1.44	-
PK	5.639G	68.18	68.20	-0.02	5.50	3	V	92	1.44	-
PK	5.7382G	114.88	Inf	-Inf	5.79	3	V	92	1.44	-
PK	5.9286G	64.38	68.20	-3.82	6.45	3	V	92	1.44	-

**802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

**5775MHz\_TX**




20170310  
EUT\_Z\_4TX  
Setting 78  
01-W-3-10  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.455G	45.35	54.00	-8.65	4.91	3	H	77	1.04	-
AV	5.8118G	100.98	Inf	-Inf	6.00	3	H	77	1.04	-
PK	5.4086G	58.04	74.00	-15.96	4.79	3	H	77	1.04	-
PK	5.6342G	60.60	68.20	-7.60	5.48	3	H	77	1.04	-
PK	5.8118G	110.32	Inf	-Inf	6.00	3	H	77	1.04	-
PK	5.9238G	62.87	69.09	-6.21	6.43	3	H	77	1.04	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170310  
EUT\_Z\_4TX  
Setting 78  
01-W-3  
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55086G	39.44	54.00	-14.56	12.07	3	V	302	1.50	-
PK	11.54968G	53.88	74.00	-20.12	12.07	3	V	302	1.50	-

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170310  
 EUT\_Z\_4TX  
 Setting 78  
 01-W-3  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55476G	39.36	54.00	-14.64	12.07	3	H	224	1.30	-
PK	11.55338G	53.34	74.00	-20.66	12.07	3	H	224	1.30	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.84	54.00	-0.16	4.27	3	V	262	1.48	-
AV	5.1736G	107.14	Inf	-Inf	4.32	3	V	262	1.48	-
AV	5.4248G	46.64	54.00	-7.36	4.83	3	V	262	1.48	-
PK	5.149995G	67.80	74.00	-6.20	4.27	3	V	262	1.48	-
PK	5.1832G	118.30	Inf	-Inf	4.34	3	V	262	1.48	-
PK	5.476G	59.41	68.20	-8.79	4.97	3	V	262	1.48	-
PK	5.4168G	58.81	74.00	-15.19	4.81	3	V	262	1.48	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	47.25	54.00	-6.75	4.27	3	H	284	1.31	-
AV	5.1864G	102.69	Inf	-Inf	4.35	3	H	284	1.31	-
AV	5.428G	46.04	54.00	-7.96	4.84	3	H	284	1.31	-
PK	5.149995G	62.52	74.00	-11.48	4.27	3	H	284	1.31	-
PK	5.1864G	113.50	Inf	-Inf	4.35	3	H	284	1.31	-
PK	5.476G	58.82	68.20	-9.38	4.97	3	H	284	1.31	-
PK	5.4296G	58.26	74.00	-15.74	4.85	3	H	284	1.31	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.35852G	64.66	68.20	-3.54	11.08	3	V	298	1.75	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.3615G	57.93	68.20	-10.27	11.08	3	H	111	2.02	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.39	54.00	-2.61	4.27	3	V	191	1.63	-
AV	5.2016G	110.54	Inf	-Inf	4.38	3	V	191	1.63	-
AV	5.3632G	49.80	54.00	-4.20	4.70	3	V	191	1.63	-
PK	5.149995G	66.38	74.00	-7.62	4.27	3	V	191	1.63	-
PK	5.2032G	120.37	Inf	-Inf	4.39	3	V	191	1.63	-
PK	5.4944G	62.08	68.20	-6.12	5.02	3	V	191	1.63	-
PK	5.3616G	61.59	74.00	-12.41	4.70	3	V	191	1.63	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.52	54.00	-5.48	4.27	3	H	189	2.33	-
AV	5.1936G	105.65	Inf	-Inf	4.37	3	H	189	2.33	-
AV	5.4336G	46.26	54.00	-7.74	4.86	3	H	189	2.33	-
PK	5.1472G	62.92	74.00	-11.08	4.26	3	H	189	2.33	-
PK	5.192G	115.75	Inf	-Inf	4.36	3	H	189	2.33	-
PK	5.472G	59.22	68.20	-8.98	4.96	3	H	189	2.33	-
PK	5.352G	58.75	74.00	-15.25	4.70	3	H	189	2.33	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




220170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60026G	45.53	54.00	-8.47	13.73	3	V	234	1.56	-
PK	10.39902G	67.09	68.20	-1.11	11.12	3	V	216	1.45	-
PK	15.59558G	59.21	74.00	-14.79	13.73	3	V	234	1.56	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




220170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5955G	45.46	54.00	-8.54	13.73	3	H	300	1.28	-
PK	10.4016G	62.23	68.20	-5.97	11.12	3	H	206	1.06	-
PK	15.60046G	59.40	74.00	-14.60	13.73	3	H	300	1.28	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.28	54.00	-5.72	4.27	3	V	307	2.04	-
AV	5.2384G	108.55	Inf	-Inf	4.46	3	V	307	2.04	-
AV	5.3936G	48.62	54.00	-5.38	4.76	3	V	307	2.04	-
PK	5.149995G	59.97	74.00	-14.03	4.27	3	V	307	2.04	-
PK	5.2368G	119.92	Inf	-Inf	4.46	3	V	307	2.04	-
PK	5.5344G	59.15	68.20	-9.05	5.15	3	V	307	2.04	-
PK	5.3968G	60.81	74.00	-13.19	4.76	3	V	307	2.04	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.90	54.00	-8.10	4.13	3	H	19	2.00	-
AV	5.2464G	103.79	Inf	-Inf	4.48	3	H	19	2.00	-
AV	5.3984G	46.57	54.00	-7.43	4.77	3	H	19	2.00	-
PK	5.1472G	59.18	74.00	-14.82	4.26	3	H	19	2.00	-
PK	5.2432G	114.05	Inf	-Inf	4.47	3	H	19	2.00	-
PK	5.5776G	59.46	68.20	-8.74	5.30	3	H	19	2.00	-
PK	5.4048G	58.64	74.00	-15.36	4.78	3	H	19	2.00	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72156G	44.46	54.00	-9.54	13.58	3	V	114	1.13	-
PK	10.47968G	65.15	68.20	-3.05	11.21	3	V	198	1.55	-
PK	15.72138G	58.41	74.00	-15.59	13.58	3	V	114	1.13	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72174G	44.45	54.00	-9.55	13.58	3	H	17	2.29	-
PK	10.4798G	60.97	68.20	-7.23	11.21	3	H	106	1.67	-
PK	15.7202G	58.54	74.00	-15.46	13.58	3	H	17	2.29	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.108G	47.69	54.00	-6.31	4.18	3	V	259	1.84	-
AV	5.268G	108.41	Inf	-Inf	4.52	3	V	259	1.84	-
AV	5.4248G	48.44	54.00	-5.56	4.83	3	V	259	1.84	-
PK	5.1096G	59.20	74.00	-14.80	4.18	3	V	259	1.84	-
PK	5.2664G	119.35	Inf	-Inf	4.52	3	V	259	1.84	-
PK	5.5608G	61.60	68.20	-6.60	5.24	3	V	259	1.84	-
PK	5.428G	60.01	74.00	-13.99	4.84	3	V	259	1.84	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0936G	45.92	54.00	-8.08	4.14	3	H	161	1.78	-
AV	5.2536G	106.00	Inf	-Inf	4.49	3	H	161	1.78	-
AV	5.4136G	47.40	54.00	-6.60	4.81	3	H	161	1.78	-
PK	5.1384G	57.96	74.00	-16.04	4.24	3	H	161	1.78	-
PK	5.2552G	116.21	Inf	-Inf	4.50	3	H	161	1.78	-
PK	5.5848G	59.13	68.20	-9.07	5.33	3	H	161	1.78	-
PK	5.404G	59.23	74.00	-14.77	4.78	3	H	161	1.78	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78132G	44.25	54.00	-9.75	13.50	3	V	359	1.23	-
PK	10.52066G	62.64	68.20	-5.56	11.26	3	V	242	1.87	-
PK	15.77694G	57.81	74.00	-16.19	13.51	3	V	359	1.23	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7849G	44.42	54.00	-9.58	13.50	3	H	181	2.37	-
PK	10.52066G	56.80	68.20	-11.40	11.26	3	H	84	1.79	-
PK	15.77614G	57.83	74.00	-16.17	13.51	3	H	181	2.37	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1416G	47.37	54.00	-6.63	4.25	3	V	218	2.06	-
AV	5.3064G	109.99	Inf	-Inf	4.60	3	V	218	2.06	-
AV	5.350005G	51.01	54.00	-2.99	4.68	3	V	218	2.06	-
PK	5.14G	60.77	74.00	-13.23	4.25	3	V	218	2.06	-
PK	5.3064G	120.52	Inf	-Inf	4.60	3	V	218	2.06	-
PK	5.468G	61.91	68.20	-6.29	4.95	3	V	218	1.06	-
PK	5.356G	64.39	74.00	-9.61	4.69	3	V	218	1.06	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1432G	45.25	54.00	-8.75	4.26	3	H	343	1.88	-
AV	5.2968G	103.61	Inf	-Inf	4.58	3	H	343	1.88	-
AV	5.350005G	47.83	54.00	-6.17	4.68	3	H	343	1.88	-
PK	5.1384G	58.51	74.00	-15.49	4.24	3	H	343	1.88	-
PK	5.2984G	114.82	Inf	-Inf	4.59	3	H	343	1.88	-
PK	5.6104G	59.28	68.20	-8.92	5.41	3	H	343	1.88	-
PK	5.3912G	60.36	74.00	-13.64	4.75	3	H	343	1.88	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.69652G	40.76	54.00	-13.24	11.46	3	V	212	2.34	-
AV	15.90142G	44.70	54.00	-9.30	13.35	3	V	236	2.48	-
PK	10.69882G	54.61	74.00	-19.39	11.46	3	V	212	2.34	-
PK	15.89754G	58.71	74.00	-15.29	13.36	3	V	236	2.48	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60266G	40.84	54.00	-13.16	11.35	3	H	294	1.83	-
AV	15.89858G	44.66	54.00	-9.34	13.36	3	H	273	2.40	-
PK	10.69704G	54.74	74.00	-19.26	11.46	3	H	294	1.83	-
PK	15.90398G	58.92	74.00	-15.08	13.35	3	H	273	2.40	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.99	54.00	-8.01	4.13	3	V	335	2.14	-
AV	5.3136G	106.84	Inf	-Inf	4.61	3	V	335	2.14	-
AV	5.3504G	53.78	54.00	-0.22	4.68	3	V	335	2.14	-
PK	5.0768G	58.76	74.00	-15.24	4.10	3	V	335	2.14	-
PK	5.3168G	117.45	Inf	-Inf	4.62	3	V	335	2.14	-
PK	5.3504G	69.45	74.00	-4.55	4.68	3	V	335	2.14	-
PK	5.4784G	60.83	68.20	-7.37	4.97	3	V	335	2.14	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.30	54.00	-8.70	4.13	3	H	219	1.01	-
AV	5.3264G	102.37	Inf	-Inf	4.64	3	H	219	1.01	-
AV	5.3504G	51.93	54.00	-2.07	4.68	3	H	219	1.01	-
PK	5.0352G	58.23	74.00	-15.77	4.00	3	H	219	1.01	-
PK	5.3248G	112.84	Inf	-Inf	4.63	3	H	219	1.01	-
PK	5.3504G	72.66	74.00	-1.34	4.68	3	H	219	1.01	-
PK	5.5104G	58.70	68.20	-9.50	5.07	3	H	219	1.01	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63906G	40.47	54.00	-13.53	11.39	3	V	31	1.65	-
AV	15.9559G	45.20	54.00	-8.80	13.28	3	V	72	1.15	-
PK	10.63732G	53.80	74.00	-20.20	11.39	3	V	31	1.65	-
PK	15.9564G	59.08	74.00	-14.92	13.28	3	V	72	1.15	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 74  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64068G	40.44	54.00	-13.56	11.39	3	H	272	1.89	-
AV	15.95524G	44.93	54.00	-9.07	13.29	3	H	251	1.65	-
PK	10.63692G	54.40	74.00	-19.60	11.39	3	H	272	1.89	-
PK	15.95852G	59.11	74.00	-14.89	13.28	3	H	251	1.65	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.74	54.00	-4.26	4.93	3	V	316	1.09	-
AV	5.4936G	108.27	Inf	-Inf	5.01	3	V	316	1.09	-
PK	5.3352G	62.90	68.20	-5.30	4.65	3	V	316	1.09	-
PK	5.4696G	66.44	68.20	-1.76	4.95	3	V	316	1.09	-
PK	5.4952G	118.59	Inf	-Inf	5.02	3	V	316	1.09	-
PK	5.7368G	66.00	68.20	-2.20	5.78	3	V	316	1.09	-
PK	5.42G	62.23	74.00	-11.77	4.82	3	V	316	1.09	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.80	54.00	-7.20	4.93	3	H	93	1.46	-
AV	5.5016G	99.74	Inf	-Inf	5.04	3	H	93	1.46	-
PK	5.2616G	59.77	68.20	-8.43	4.51	3	H	93	1.46	-
PK	5.4696G	64.21	68.20	-3.99	4.95	3	H	93	1.46	-
PK	5.5032G	110.83	Inf	-Inf	5.04	3	H	93	1.46	-
PK	5.4136G	58.97	74.00	-15.03	4.81	3	H	93	1.46	-
PK	5.7448G	61.27	68.20	-6.93	5.81	3	H	93	1.46	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99704G	39.20	54.00	-14.80	11.80	3	V	49	1.79	-
PK	10.99802G	52.99	74.00	-21.01	11.80	3	V	49	1.79	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99732G	39.26	54.00	-14.74	11.80	3	H	304	1.99	-
PK	10.99844G	52.99	74.00	-21.01	11.80	3	H	304	1.99	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4264G	50.87	54.00	-3.13	4.84	3	V	92	1.43	-
AV	5.5736G	108.01	Inf	-Inf	5.29	3	V	92	1.43	-
PK	5.4664G	59.50	68.20	-8.70	4.94	3	V	92	1.43	-
PK	5.5752G	118.21	Inf	-Inf	5.29	3	V	92	1.43	-
PK	5.7336G	67.48	68.20	-0.72	5.77	3	V	92	1.43	-
PK	5.4232G	62.39	74.00	-11.61	4.83	3	V	92	1.43	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4168G	47.53	54.00	-6.47	4.81	3	H	74	2.92	-
AV	5.5736G	102.08	Inf	-Inf	5.29	3	H	74	2.92	-
PK	5.4632G	57.48	68.20	-10.72	4.93	3	H	74	2.92	-
PK	5.5768G	112.38	Inf	-Inf	5.30	3	H	74	2.92	-
PK	5.7368G	62.51	68.20	-5.69	5.78	3	H	74	2.92	-
PK	5.4184G	59.54	74.00	-14.46	4.82	3	H	74	2.92	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16478G	39.41	54.00	-14.59	11.88	3	V	274	1.35	-
PK	11.15858G	53.14	74.00	-20.86	11.88	3	V	274	1.35	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15588G	39.47	54.00	-14.53	11.88	3	H	198	2.10	-
PK	11.16054G	53.68	74.00	-20.32	11.88	3	H	198	2.10	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4616G	51.96	54.00	-2.04	4.93	3	V	81	1.47	-
AV	5.7032G	104.84	Inf	-Inf	5.69	3	V	81	1.47	-
AV	5.7256G	53.98	54.00	-0.02	5.75	3	V	81	1.47	-
PK	5.4664G	63.38	74.00	-10.62	4.94	3	V	81	1.47	-
PK	5.7032G	115.38	Inf	-Inf	5.69	3	V	81	1.47	-
PK	5.7272G	69.86	74.00	-4.14	5.76	3	V	81	1.47	-
PK	5.459995G	62.54	74.00	-11.46	4.93	3	V	81	1.47	-
AV	5.4584G	50.32	54.00	-3.68	4.92	3	V	81	1.47	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4568G	48.45	54.00	-5.55	4.92	3	H	89	2.82	-
AV	5.6984G	100.82	Inf	-Inf	5.68	3	H	89	2.82	-
AV	5.8584G	50.91	54.00	-3.09	6.18	3	H	89	2.82	-
PK	5.4648G	60.36	74.00	-13.64	4.94	3	H	89	2.82	-
PK	5.6984G	113.12	Inf	-Inf	5.68	3	H	89	2.82	-
PK	5.7256G	67.83	74.00	-6.17	5.75	3	H	89	2.82	-
AV	5.4616G	46.97	54.00	-7.03	4.93	3	H	89	2.82	-
PK	5.4536G	59.54	74.00	-14.46	4.91	3	H	89	2.82	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4003G	39.42	54.00	-14.58	12.00	3	V	104	1.20	-
PK	11.39878G	52.86	74.00	-21.14	12.00	3	V	104	1.20	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 68  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4013G	39.50	54.00	-14.50	12.00	3	H	234	1.78	-
PK	11.40264G	53.22	74.00	-20.78	12.00	3	H	234	1.78	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4064G	47.98	54.00	-6.02	4.79	3	V	315	1.00	-
AV	5.7264G	112.05	Inf	-Inf	5.75	3	V	315	1.00	-
PK	5.4032G	60.08	74.00	-13.92	4.78	3	V	315	1.00	-
PK	5.4656G	58.29	68.20	-9.91	4.94	3	V	315	1.00	-
PK	5.7232G	122.25	Inf	-Inf	5.74	3	V	315	1.00	-
PK	5.9664G	68.07	68.20	-0.13	6.59	3	V	315	1.00	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4064G	45.67	54.00	-8.33	4.79	3	H	91	2.79	-
AV	5.7264G	105.12	Inf	-Inf	5.75	3	H	91	2.79	-
PK	5.4576G	58.25	74.00	-15.75	4.92	3	H	91	2.79	-
PK	5.4672G	57.37	68.20	-10.83	4.94	3	H	91	2.79	-
PK	5.728G	116.04	Inf	-Inf	5.76	3	H	91	2.79	-
PK	5.9664G	64.21	68.20	-3.99	6.59	3	H	91	2.79	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43832G	39.53	54.00	-14.47	12.01	3	V	215	1.94	-
PK	11.44148G	53.49	74.00	-20.51	12.02	3	V	215	1.94	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43832G	39.50	54.00	-14.50	12.01	3	H	200	1.63	-
PK	11.44106G	53.32	74.00	-20.68	12.02	3	H	200	1.63	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7466G	112.03	Inf	-Inf	5.81	3	V	313	1.09	-
PK	5.497G	64.19	68.20	-4.01	5.02	3	V	313	1.09	-
PK	5.745G	122.74	Inf	-Inf	5.81	3	V	313	1.09	-
PK	5.993G	64.98	68.20	-3.22	6.69	3	V	313	1.09	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7514G	106.23	Inf	-Inf	5.82	3	H	99	1.23	-
PK	5.593G	59.69	68.20	-8.51	5.36	3	H	99	1.23	-
PK	5.753G	116.75	Inf	-Inf	5.83	3	H	99	1.23	-
PK	5.977G	61.59	68.20	-6.61	6.63	3	H	99	1.23	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49242G	39.41	54.00	-14.59	12.04	3	V	266	2.47	-
PK	11.49164G	53.14	74.00	-20.86	12.04	3	V	266	2.47	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4857G	39.30	54.00	-14.70	12.04	3	H	249	1.17	-
PK	11.49058G	52.63	74.00	-21.37	12.04	3	H	249	1.17	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7882G	110.11	Inf	-Inf	5.93	3	V	168	1.02	-
PK	5.5514G	61.97	68.20	-6.23	5.21	3	V	168	1.02	-
PK	5.7882G	121.19	Inf	-Inf	5.93	3	V	168	1.02	-
PK	5.9402G	64.06	68.20	-4.14	6.49	3	V	168	1.02	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7834G	106.42	Inf	-Inf	5.91	3	H	85	2.74	-
PK	5.537G	60.60	68.20	-7.60	5.16	3	H	85	2.74	-
PK	5.7786G	116.89	Inf	-Inf	5.90	3	H	85	2.74	-
PK	6.0186G	61.95	68.20	-6.25	6.73	3	H	85	2.74	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57044G	39.78	54.00	-14.22	12.08	3	V	226	1.83	-
PK	11.56582G	53.54	74.00	-20.46	12.08	3	V	226	1.83	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57378G	39.63	54.00	-14.37	12.08	3	H	255	1.98	-
PK	11.57446G	53.38	74.00	-20.62	12.08	3	H	255	1.98	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8266G	112.73	Inf	-Inf	6.06	3	V	202	1.10	-
PK	5.5898G	63.23	68.20	-4.97	5.34	3	V	202	1.10	-
PK	5.8266G	123.11	Inf	-Inf	6.06	3	V	202	1.10	-
PK	5.9818G	64.53	68.20	-3.67	6.65	3	V	202	1.10	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.833G	104.50	Inf	-Inf	6.09	3	H	73	1.32	-
PK	5.5898G	61.03	68.20	-7.17	5.34	3	H	73	1.32	-
PK	5.833G	115.26	Inf	-Inf	6.09	3	H	73	1.32	-
PK	5.9898G	60.90	68.20	-7.30	6.68	3	H	73	1.32	-



### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64818G	39.92	54.00	-14.08	12.12	3	V	1	1.12	-
PK	11.64828G	53.19	74.00	-20.81	12.12	3	V	1	1.12	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64918G	39.93	54.00	-14.07	12.12	3	H	34	2.07	-
PK	11.65158G	53.78	74.00	-20.22	12.12	3	H	34	2.07	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 63  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.32	54.00	-0.68	4.27	3	V	236	1.03	-
AV	5.1984G	101.60	Inf	-Inf	4.38	3	V	236	1.03	-
AV	5.4406G	49.64	54.00	-4.36	4.88	3	V	236	1.03	-
PK	5.148G	72.29	74.00	-1.71	4.27	3	V	236	1.03	-
PK	5.1998G	113.56	Inf	-Inf	4.38	3	V	236	1.03	-
PK	5.4952G	59.11	68.20	-9.09	5.02	3	V	236	1.03	-
PK	5.4154G	61.71	74.00	-12.29	4.81	3	V	236	1.03	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 63  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.51	54.00	-6.49	4.27	3	H	103	2.89	-
AV	5.1872G	98.86	Inf	-Inf	4.35	3	H	103	2.89	-
AV	5.4224G	48.16	54.00	-5.84	4.83	3	H	103	2.89	-
PK	5.149995G	67.09	74.00	-6.91	4.27	3	H	103	2.89	-
PK	5.1858G	109.96	Inf	-Inf	4.35	3	H	103	2.89	-
PK	5.5274G	58.37	68.20	-9.83	5.13	3	H	103	2.89	-
PK	5.428G	59.72	74.00	-14.28	4.84	3	H	103	2.89	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 63  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57178G	45.58	54.00	-8.42	13.76	3	V	177	1.33	-
PK	15.56924G	58.91	74.00	-15.09	13.76	3	V	177	1.33	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 63  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57482G	45.39	54.00	-8.61	13.76	3	H	227	1.02	-
PK	15.57276G	59.01	74.00	-14.99	13.76	3	H	227	1.02	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.94	54.00	-0.06	4.27	3	V	179	1.04	-
AV	5.237G	106.47	Inf	-Inf	4.46	3	V	179	1.04	-
AV	5.3742G	53.38	54.00	-0.62	4.72	3	V	179	1.04	-
PK	5.1474G	69.64	74.00	-4.36	4.26	3	V	179	1.04	-
PK	5.2426G	117.78	Inf	-Inf	4.47	3	V	179	1.04	-
PK	5.4736G	63.67	68.20	-4.53	4.96	3	V	179	1.04	-
PK	5.3854G	65.11	74.00	-8.89	4.73	3	V	179	1.04	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.48	54.00	-4.52	4.27	3	H	92	1.04	-
AV	5.2216G	103.06	Inf	-Inf	4.43	3	H	92	1.04	-
AV	5.3826G	51.10	54.00	-2.90	4.74	3	H	92	1.04	-
PK	5.1488G	62.81	74.00	-11.19	4.27	3	H	92	1.04	-
PK	5.2202G	113.31	Inf	-Inf	4.42	3	H	92	1.04	-
PK	5.4624G	61.07	68.20	-7.13	4.93	3	H	92	1.04	-
PK	5.3798G	62.72	74.00	-11.28	4.73	3	H	92	1.04	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69256G	44.38	54.00	-9.62	13.61	3	V	143	1.91	-
PK	15.68916G	58.15	74.00	-15.85	13.62	3	V	143	1.91	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68886G	44.41	54.00	-9.59	13.62	3	H	282	2.16	-
PK	15.69444G	58.46	74.00	-15.54	13.61	3	H	282	2.16	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 82  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1062G	52.72	54.00	-1.28	4.17	3	V	273	1.08	-
AV	5.2616G	107.28	Inf	-Inf	4.51	3	V	273	1.08	-
AV	5.4226G	53.74	54.00	-0.26	4.83	3	V	273	1.08	-
PK	5.1048G	64.29	74.00	-9.71	4.17	3	V	273	1.08	-
PK	5.277G	118.11	Inf	-Inf	4.54	3	V	273	1.08	-
PK	5.5136G	64.23	68.20	-3.97	5.08	3	V	273	1.08	-
PK	5.4366G	65.08	74.00	-8.92	4.87	3	V	273	1.08	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 82  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1258G	49.14	54.00	-4.86	4.22	3	H	106	1.12	-
AV	5.2868G	103.72	Inf	-Inf	4.56	3	H	106	1.12	-
AV	5.350005G	50.81	54.00	-3.19	4.68	3	H	106	1.12	-
PK	5.1272G	60.30	74.00	-13.70	4.22	3	H	106	1.12	-
PK	5.2882G	113.16	Inf	-Inf	4.57	3	H	106	1.12	-
PK	5.3554G	67.07	74.00	-6.93	4.69	3	H	106	1.12	-
PK	5.5276G	60.41	68.20	-7.79	5.13	3	H	106	1.12	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 82  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80648G	44.23	54.00	-9.77	13.47	3	V	252	1.31	-
PK	15.81006G	57.75	74.00	-16.25	13.47	3	V	252	1.31	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 82  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80964G	44.22	54.00	-9.78	13.47	3	H	284	1.01	-
PK	15.80998G	58.65	74.00	-15.35	13.47	3	H	284	1.01	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	48.82	54.00	-5.18	4.25	3	V	211	1.09	-
AV	5.3016G	103.30	Inf	-Inf	4.59	3	V	211	1.09	-
AV	5.3506G	52.12	54.00	-1.88	4.68	3	V	211	1.09	-
PK	5.1462G	60.66	74.00	-13.34	4.26	3	V	211	1.09	-
PK	5.3002G	113.04	Inf	-Inf	4.59	3	V	211	1.09	-
PK	5.3506G	73.96	74.00	-0.04	4.68	3	V	211	1.09	-
PK	5.5396G	63.72	68.20	-4.48	5.17	3	V	211	1.09	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1364G	46.02	54.00	-7.98	4.24	3	H	90	1.00	-
AV	5.2932G	97.76	Inf	-Inf	4.58	3	H	90	1.00	-
AV	5.4542G	48.50	54.00	-5.50	4.91	3	H	90	1.00	-
PK	5.0566G	58.08	74.00	-15.92	4.06	3	H	90	1.00	-
PK	5.3002G	110.17	Inf	-Inf	4.59	3	H	90	1.00	-
PK	5.3506G	68.74	74.00	-5.26	4.68	3	H	90	1.00	-
PK	5.5452G	59.45	68.20	-8.75	5.19	3	H	90	1.00	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61692G	40.57	54.00	-13.43	11.37	3	V	100	2.33	-
AV	15.92812G	45.11	54.00	-8.89	13.32	3	V	179	2.05	-
PK	10.61802G	54.96	74.00	-19.04	11.37	3	V	100	2.33	-
PK	15.92822G	59.16	74.00	-14.84	13.32	3	V	179	2.05	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 64  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61884G	40.64	54.00	-13.36	11.37	3	H	297	1.73	-
AV	15.93214G	44.89	54.00	-9.11	13.31	3	H	284	1.65	-
PK	10.61908G	53.87	74.00	-20.13	11.37	3	H	297	1.73	-
PK	15.92686G	58.97	74.00	-15.03	13.32	3	H	284	1.65	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	50.76	54.00	-3.24	4.92	3	V	78	1.05	-
AV	5.4694G	53.91	54.00	-0.09	4.95	3	V	78	1.05	-
AV	5.5058G	103.13	Inf	-Inf	5.05	3	V	78	1.05	-
AV	5.734G	50.42	54.00	-3.58	5.78	3	V	78	1.05	-
PK	5.3406G	60.40	68.20	-7.80	4.66	3	V	78	1.05	-
PK	5.4694G	72.10	74.00	-1.90	4.95	3	V	78	1.05	-
PK	5.517G	114.10	Inf	-Inf	5.09	3	V	78	1.05	-
PK	5.7382G	61.58	74.00	-12.42	5.79	3	V	78	1.05	-
PK	5.4568G	65.26	74.00	-8.74	4.92	3	V	78	1.05	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	46.90	54.00	-7.10	4.92	3	H	88	1.06	-
AV	5.4694G	47.58	54.00	-6.42	4.95	3	H	88	1.06	-
AV	5.5142G	97.37	Inf	-Inf	5.08	3	H	88	1.06	-
AV	5.7536G	47.56	54.00	-6.44	5.83	3	H	88	1.06	-
PK	5.2636G	58.14	68.20	-10.06	4.51	3	H	88	1.06	-
PK	5.4694G	64.66	74.00	-9.34	4.95	3	H	88	1.06	-
PK	5.5142G	110.05	Inf	-Inf	5.08	3	H	88	1.06	-
PK	5.7634G	60.15	74.00	-13.85	5.86	3	H	88	1.06	-
PK	5.4568G	62.84	74.00	-11.16	4.92	3	H	88	1.06	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01668G	39.14	54.00	-14.86	11.81	3	V	224	1.19	-
PK	11.01782G	52.99	74.00	-21.01	11.81	3	V	224	1.19	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01884G	39.18	54.00	-14.82	11.81	3	H	269	2.37	-
PK	11.01578G	52.88	74.00	-21.12	11.81	3	H	269	2.37	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 81  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3932G	53.10	54.00	-0.90	4.76	3	V	89	1.01	-
AV	5.5528G	108.56	Inf	-Inf	5.21	3	V	89	1.01	-
PK	5.319G	60.92	68.20	-7.28	4.62	3	V	89	1.01	-
PK	5.4688G	67.92	68.20	-0.28	4.95	3	V	89	1.01	-
PK	5.5528G	120.05	Inf	-Inf	5.21	3	V	89	1.01	-
PK	5.7264G	66.35	68.20	-1.85	5.75	3	V	89	1.01	-
PK	5.3988G	64.15	74.00	-9.85	4.77	3	V	89	1.01	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 81  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.382G	49.01	54.00	-4.99	4.74	3	H	76	1.10	-
AV	5.5416G	103.51	Inf	-Inf	5.18	3	H	76	1.10	-
PK	5.3008G	60.29	68.20	-7.91	4.59	3	H	76	1.10	-
PK	5.4688G	63.39	68.20	-4.81	4.95	3	H	76	1.10	-
PK	5.543G	115.03	Inf	-Inf	5.18	3	H	76	1.10	-
PK	5.781G	62.46	68.20	-5.74	5.91	3	H	76	1.10	-
PK	5.4534G	61.61	74.00	-12.39	4.91	3	H	76	1.10	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 81  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09522G	39.75	54.00	-14.25	11.85	3	V	126	1.48	-
PK	11.09878G	53.32	74.00	-20.68	11.85	3	V	126	1.48	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 81  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09962G	39.79	54.00	-14.21	11.85	3	H	7	1.36	-
PK	11.10218G	53.39	74.00	-20.61	11.85	3	H	7	1.36	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 70  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.446G	50.43	54.00	-3.57	4.89	3	V	87	1.27	-
AV	5.6868G	105.77	Inf	-Inf	5.64	3	V	87	1.27	-
PK	5.3452G	57.66	68.20	-10.54	4.67	3	V	87	1.27	-
PK	5.4684G	58.10	68.20	-10.10	4.95	3	V	87	1.27	-
PK	5.684G	115.49	Inf	-Inf	5.63	3	V	87	1.27	-
PK	5.7274G	67.64	68.20	-0.56	5.76	3	V	87	1.27	-
PK	5.446G	61.78	74.00	-12.22	4.89	3	V	87	1.27	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 70  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.446G	47.93	54.00	-6.07	4.89	3	H	73	1.00	-
AV	5.6868G	98.35	Inf	-Inf	5.64	3	H	73	1.00	-
PK	5.348G	56.76	68.20	-11.44	4.68	3	H	73	1.00	-
PK	5.4656G	58.91	68.20	-9.29	4.94	3	H	73	1.00	-
PK	5.6868G	108.46	Inf	-Inf	5.64	3	H	73	1.00	-
PK	5.74G	64.48	68.20	-3.72	5.79	3	H	73	1.00	-
PK	5.4446G	60.04	74.00	-13.96	4.89	3	H	73	1.00	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 70  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34258G	39.26	54.00	-14.74	11.97	3	V	101	2.11	-
PK	11.33914G	54.26	74.00	-19.74	11.97	3	V	101	2.11	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 70  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33512G	39.29	54.00	-14.71	11.96	3	H	211	1.56	-
PK	11.34484G	53.86	74.00	-20.14	11.97	3	H	211	1.56	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4524G	51.02	54.00	-2.98	4.91	3	V	90	1.04	-
AV	5.7058G	107.65	Inf	-Inf	5.70	3	V	90	1.04	-
PK	5.4538G	62.84	74.00	-11.16	4.91	3	V	90	1.04	-
PK	5.465G	62.50	68.20	-5.70	4.94	3	V	90	1.04	-
PK	5.7002G	119.26	Inf	-Inf	5.68	3	V	90	1.04	-
PK	5.9438G	64.33	68.20	-3.87	6.51	3	V	90	1.04	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	46.90	54.00	-7.10	4.93	3	H	40	1.16	-
AV	5.7282G	104.00	Inf	-Inf	5.76	3	H	40	1.16	-
PK	5.3824G	59.34	74.00	-14.66	4.74	3	H	40	1.16	-
PK	5.4636G	59.61	68.20	-8.59	4.94	3	H	40	1.16	-
PK	5.7268G	114.88	Inf	-Inf	5.76	3	H	40	1.16	-
PK	5.9676G	62.52	68.20	-5.68	6.60	3	H	40	1.16	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42124G	39.50	54.00	-14.50	12.01	3	V	232	2.10	-
PK	11.42038G	53.40	74.00	-20.60	12.01	3	V	232	2.10	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42348G	39.55	54.00	-14.45	12.01	3	H	112	2.43	-
PK	11.4164G	53.10	74.00	-20.90	12.00	3	H	112	2.43	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7518G	107.69	Inf	-Inf	5.83	3	V	96	1.00	-
PK	5.6462G	64.36	68.20	-3.84	5.52	3	V	96	1.00	-
PK	5.7678G	118.67	Inf	-Inf	5.87	3	V	96	1.00	-
PK	5.9326G	61.61	68.20	-6.59	6.46	3	V	96	1.00	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7598G	103.11	Inf	-Inf	5.85	3	H	100	1.04	-
PK	5.595G	59.60	68.20	-8.60	5.36	3	H	100	1.04	-
PK	5.7582G	114.08	Inf	-Inf	5.84	3	H	100	1.04	-
PK	5.9246G	60.48	68.50	-8.01	6.43	3	H	100	1.04	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51378G	39.41	54.00	-14.59	12.05	3	V	67	1.30	-
PK	11.50544G	52.85	74.00	-21.15	12.05	3	V	67	1.30	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5132G	39.50	54.00	-14.50	12.05	3	H	133	1.49	-
PK	11.50866G	52.84	74.00	-21.16	12.05	3	H	133	1.49	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7918G	107.87	Inf	-Inf	5.94	3	V	92	1.20	-
PK	5.6494G	61.78	68.20	-6.42	5.53	3	V	92	1.20	-
PK	5.7886G	119.08	Inf	-Inf	5.93	3	V	92	1.20	-
PK	5.9646G	63.00	68.20	-5.20	6.59	3	V	92	1.20	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.811G	103.31	Inf	-Inf	6.00	3	H	79	2.69	-
PK	5.6478G	59.66	68.20	-8.54	5.52	3	H	79	2.69	-
PK	5.8078G	114.29	Inf	-Inf	5.99	3	H	79	2.69	-
PK	5.963G	60.73	68.20	-7.47	6.58	3	H	79	2.69	-



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59216G	39.81	54.00	-14.19	12.09	3	V	100	1.82	-
PK	11.58882G	53.15	74.00	-20.85	12.09	3	V	100	1.82	-

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5949G	39.83	54.00	-14.17	12.09	3	H	273	1.23	-
PK	11.58902G	53.76	74.00	-20.24	12.09	3	H	273	1.23	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 62  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.66	54.00	-0.34	4.27	3	V	175	1.01	-
AV	5.226G	99.30	Inf	-Inf	4.43	3	V	175	1.01	-
AV	5.4452G	49.47	54.00	-4.53	4.89	3	V	175	1.01	-
PK	5.1444G	71.59	74.00	-2.41	4.26	3	V	175	1.01	-
PK	5.186G	115.01	Inf	-Inf	4.35	3	V	175	1.01	-
PK	5.460005G	61.35	68.20	-6.85	4.93	3	V	175	1.01	-
PK	5.4484G	61.34	74.00	-12.66	4.90	3	V	175	1.01	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 62  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.35	54.00	-5.65	4.27	3	H	91	1.18	-
AV	5.2228G	95.85	Inf	-Inf	4.43	3	H	91	1.18	-
AV	5.3828G	47.41	54.00	-6.59	4.74	3	H	91	1.18	-
PK	5.149995G	67.73	74.00	-6.27	4.27	3	H	91	1.18	-
PK	5.2244G	105.98	Inf	-Inf	4.43	3	H	91	1.18	-
PK	5.4628G	60.19	68.20	-8.01	4.93	3	H	91	1.18	-
PK	5.3828G	59.01	74.00	-14.99	4.74	3	H	91	1.18	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 62  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63158G	45.29	54.00	-8.71	13.69	3	V	296	2.14	-
PK	15.62708G	59.16	74.00	-14.84	13.69	3	V	296	2.14	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 62  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63288G	45.27	54.00	-8.73	13.69	3	H	360	2.17	-
PK	15.63262G	59.77	74.00	-14.23	13.69	3	H	360	2.17	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 65  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	46.36	54.00	-7.64	4.26	3	V	212	1.04	-
AV	5.3028G	99.31	Inf	-Inf	4.60	3	V	212	1.04	-
AV	5.350005G	52.83	54.00	-1.17	4.68	3	V	212	1.04	-
PK	5.0516G	58.41	74.00	-15.59	4.04	3	V	212	1.04	-
PK	5.3028G	109.37	Inf	-Inf	4.60	3	V	212	1.04	-
PK	5.3604G	73.84	74.00	-0.16	4.70	3	V	212	1.04	-
PK	5.482G	60.31	68.20	-7.89	4.98	3	V	212	1.04	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 65  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1076G	45.35	54.00	-8.65	4.18	3	H	85	1.06	-
AV	5.3012G	92.81	Inf	-Inf	4.59	3	H	85	1.06	-
AV	5.350005G	48.37	54.00	-5.63	4.68	3	H	85	1.06	-
PK	5.0804G	57.82	74.00	-16.18	4.11	3	H	85	1.06	-
PK	5.306G	103.58	Inf	-Inf	4.60	3	H	85	1.06	-
PK	5.3524G	70.40	74.00	-3.60	4.68	3	H	85	1.06	-
PK	5.5012G	59.54	68.20	-8.66	5.03	3	H	85	1.06	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 65  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87498G	44.76	54.00	-9.24	13.39	3	V	291	1.67	-
PK	15.86714G	58.13	74.00	-15.87	13.39	3	V	291	1.67	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 65  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87444G	44.67	54.00	-9.33	13.39	3	H	212	1.05	-
PK	15.87312G	58.68	74.00	-15.32	13.39	3	H	212	1.05	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.42	54.00	-1.58	4.93	3	V	84	1.16	-
AV	5.4692G	53.75	54.00	-0.25	4.95	3	V	84	1.16	-
AV	5.5332G	99.87	Inf	-Inf	5.15	3	V	84	1.16	-
AV	5.7348G	48.52	54.00	-5.48	5.78	3	V	84	1.16	-
PK	5.4548G	69.16	74.00	-4.84	4.91	3	V	84	1.16	-
PK	5.4628G	68.63	74.00	-5.37	4.93	3	V	84	1.16	-
PK	5.5588G	110.77	Inf	-Inf	5.24	3	V	84	1.16	-
PK	5.7412G	60.88	74.00	-13.12	5.80	3	V	84	1.16	-
PK	5.3204G	58.16	68.20	-10.04	4.63	3	V	84	1.16	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.06	54.00	-5.94	4.93	3	H	89	1.36	-
AV	5.4692G	48.43	54.00	-5.57	4.95	3	H	89	1.36	-
AV	5.546G	94.24	Inf	-Inf	5.19	3	H	89	1.36	-
AV	5.7844G	47.02	54.00	-6.98	5.92	3	H	89	1.36	-
PK	5.4692G	65.70	74.00	-8.30	4.95	3	H	89	1.36	-
PK	5.546G	105.69	Inf	-Inf	5.19	3	H	89	1.36	-
PK	5.8708G	59.80	74.00	-14.20	6.23	3	H	89	1.36	-
PK	5.4628G	65.22	74.00	-8.78	4.93	3	H	89	1.36	-
PK	5.2724G	58.23	68.20	-9.97	4.53	3	H	89	1.36	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0572G	39.70	54.00	-14.30	11.83	3	V	200	2.18	-
PK	11.06144G	54.00	74.00	-20.00	11.83	3	V	200	2.18	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 60  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06306G	39.72	54.00	-14.28	11.83	3	H	36	1.15	-
PK	11.05558G	53.24	74.00	-20.76	11.83	3	H	36	1.15	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 76  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	49.32	54.00	-4.68	4.92	3	V	167	1.47	-
AV	5.5778G	102.30	Inf	-Inf	5.30	3	V	167	1.47	-
PK	5.459995G	65.88	74.00	-8.12	4.93	3	V	167	1.47	-
PK	5.4602G	65.88	68.20	-2.32	4.93	3	V	167	1.47	-
PK	5.5834G	116.19	Inf	-Inf	5.32	3	V	167	1.47	-
PK	5.7332G	68.00	68.20	-0.20	5.77	3	V	167	1.47	-
PK	5.3398G	58.45	68.20	-9.75	4.66	3	V	167	1.47	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 76  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.70	54.00	-6.30	4.93	3	H	94	2.85	-
AV	5.5778G	97.54	Inf	-Inf	5.30	3	H	94	2.85	-
PK	5.3398G	60.05	68.20	-8.15	4.66	3	H	94	2.85	-
PK	5.4686G	61.59	68.20	-6.61	4.95	3	H	94	2.85	-
PK	5.5778G	108.34	Inf	-Inf	5.30	3	H	94	2.85	-
PK	5.736G	64.12	68.20	-4.08	5.78	3	H	94	2.85	-
PK	5.4546G	60.71	74.00	-13.29	4.91	3	H	94	2.85	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 76  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22348G	39.64	54.00	-14.36	11.91	3	V	92	1.67	-
PK	11.21888G	53.68	74.00	-20.32	11.91	3	V	92	1.67	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 76  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22466G	39.68	54.00	-14.32	11.91	3	H	21	1.82	-
PK	11.21782G	53.18	74.00	-20.82	11.91	3	H	21	1.82	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.434G	49.46	54.00	-4.54	4.86	3	V	92	1.27	-
AV	5.6868G	104.81	Inf	-Inf	5.64	3	V	92	1.27	-
PK	5.4436G	61.70	74.00	-12.30	4.88	3	V	92	1.27	-
PK	5.4692G	61.80	68.20	-6.40	4.95	3	V	92	1.27	-
PK	5.682G	115.73	Inf	-Inf	5.63	3	V	92	1.27	-
PK	5.9396G	63.12	68.20	-5.08	6.49	3	V	92	1.27	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4532G	46.97	54.00	-7.03	4.91	3	H	78	2.83	-
AV	5.6932G	99.24	Inf	-Inf	5.66	3	H	78	2.83	-
PK	5.418G	59.11	74.00	-14.89	4.82	3	H	78	2.83	-
PK	5.4644G	59.22	68.20	-8.98	4.94	3	H	78	2.83	-
PK	5.6516G	111.80	Inf	-Inf	5.53	3	H	78	2.83	-
PK	5.9508G	61.40	68.20	-6.80	6.53	3	H	78	2.83	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3811G	39.46	54.00	-14.54	11.99	3	V	82	1.05	-
PK	11.37684G	52.61	74.00	-21.39	11.98	3	V	82	1.05	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 84  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38442G	39.32	54.00	-14.68	11.99	3	H	320	1.86	-
PK	11.38134G	52.88	74.00	-21.12	11.99	3	H	320	1.86	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 80  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7718G	103.42	Inf	-Inf	5.88	3	V	96	1.00	-
PK	5.6342G	68.18	68.20	-0.02	5.48	3	V	96	1.00	-
PK	5.783G	114.22	Inf	-Inf	5.91	3	V	96	1.00	-
PK	5.9238G	67.64	69.09	-1.45	6.43	3	V	96	1.00	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 80  
 01-S-6-10  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7878G	98.86	Inf	-Inf	5.93	3	H	89	1.31	-
PK	5.647G	61.79	68.20	-6.41	5.52	3	H	89	1.31	-
PK	5.791G	110.12	Inf	-Inf	5.93	3	H	89	1.31	-
PK	5.9366G	61.60	68.20	-6.60	6.48	3	H	89	1.31	-



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 80  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55434G	39.59	54.00	-14.41	12.07	3	V	103	1.31	-
PK	11.55204G	53.71	74.00	-20.29	12.07	3	V	103	1.31	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX



20170310  
 EUT\_Z\_4TX\_TXBF\_NSS2  
 Setting 80  
 01-S-6  
 FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55426G	39.48	54.00	-14.52	12.07	3	H	108	2.31	-
PK	11.5532G	53.46	74.00	-20.54	12.07	3	H	108	2.31	-



**Mode: 20 MHz / Chain 2**  
**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5199.9964	5199.9958	5199.9953	5199.9945
110.00	5199.9961	5199.9953	5199.9946	5199.9938
93.50	5199.9952	5199.9945	5199.9940	5199.9930
Max. Deviation (MHz)	<b>0.0048</b>	<b>0.0055</b>	<b>0.0060</b>	<b>0.0070</b>
Max. Deviation (ppm)	<b>0.92</b>	<b>1.06</b>	<b>1.15</b>	<b>1.35</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5200.0051	5200.0039	5200.0020	5199.9998
10	5200.0038	5200.0025	5200.0010	5199.9992
20	5200.0026	5200.0013	5199.9997	5199.9978
30	5200.0012	5200.0001	5199.9987	5199.9971
40	5199.9996	5199.9981	5199.9965	5199.9945
Max. Deviation (MHz)	<b>0.0096</b>	<b>0.0082</b>	<b>0.0064</b>	<b>0.0075</b>
Max. Deviation (ppm)	<b>1.85</b>	<b>1.58</b>	<b>1.23</b>	<b>1.44</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9954	5299.9946	5299.9945	5299.9942
110.00	5299.9946	5299.9940	5299.9936	5299.9926
93.50	5299.9945	5299.9940	5299.9939	5299.9936
Max. Deviation (MHz)	<b>0.0055</b>	<b>0.0060</b>	<b>0.0064</b>	<b>0.0074</b>
Max. Deviation (ppm)	<b>1.04</b>	<b>1.13</b>	<b>1.21</b>	<b>1.40</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9961	5299.9949	5299.9930	5299.9908
10	5299.9948	5299.9935	5299.9920	5299.9902
20	5299.9936	5299.9923	5299.9907	5299.9888
30	5299.9922	5299.9911	5299.9897	5299.9881
40	5299.9906	5299.9891	5299.9875	5299.9855
Max. Deviation (MHz)	<b>0.0111</b>	<b>0.0123</b>	<b>0.0138</b>	<b>0.0165</b>
Max. Deviation (ppm)	<b>2.09</b>	<b>2.32</b>	<b>2.60</b>	<b>3.11</b>
Result	Pass			



**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9906	5579.9899	5579.9898	5579.9891
110.00	5579.9900	5579.9890	5579.9882	5579.9873
93.50	5579.9891	5579.9886	5579.9879	5579.9869
Max. Deviation (MHz)	<b>0.0109</b>	<b>0.0114</b>	<b>0.0121</b>	<b>0.0131</b>
Max. Deviation (ppm)	<b>1.95</b>	<b>2.04</b>	<b>2.17</b>	<b>2.35</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9962	5579.9950	5579.9931	5579.9909
10	5579.9949	5579.9936	5579.9921	5579.9903
20	5579.9937	5579.9924	5579.9908	5579.9889
30	5579.9923	5579.9912	5579.9898	5579.9882
40	5579.9907	5579.9892	5579.9876	5579.9856
Max. Deviation (MHz)	<b>0.0110</b>	<b>0.0122</b>	<b>0.0137</b>	<b>0.0164</b>
Max. Deviation (ppm)	<b>1.97</b>	<b>2.19</b>	<b>2.46</b>	<b>2.94</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5784.9954	5784.9950	5784.9943	5784.9939
110.00	5784.9949	5784.9942	5784.9939	5784.9929
93.50	5784.9944	5784.9941	5784.9931	5784.9923
Max. Deviation (MHz)	<b>0.0056</b>	<b>0.0059</b>	<b>0.0069</b>	<b>0.0077</b>
Max. Deviation (ppm)	<b>0.97</b>	<b>1.02</b>	<b>1.19</b>	<b>1.33</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5785.0013	5785.0001	5784.9982	5784.9960
10	5785.0000	5784.9987	5784.9972	5784.9954
20	5784.9988	5784.9975	5784.9959	5784.9940
30	5784.9974	5784.9963	5784.9949	5784.9933
40	5784.9958	5784.9943	5784.9927	5784.9907
Max. Deviation (MHz)	<b>0.0059</b>	<b>0.0071</b>	<b>0.0086</b>	<b>0.0113</b>
Max. Deviation (ppm)	<b>1.02</b>	<b>1.23</b>	<b>1.49</b>	<b>1.95</b>
Result	Pass			



**Mode: 40 MHz / Chain 2**  
**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5189.9973	5189.9964	5189.9962	5189.9954
110.00	5189.9967	5189.9960	5189.9958	5189.9950
93.50	5189.9959	5189.9952	5189.9948	5189.9944
Max. Deviation (MHz)	<b>0.0041</b>	<b>0.0048</b>	<b>0.0052</b>	<b>0.0056</b>
Max. Deviation (ppm)	<b>0.79</b>	<b>0.92</b>	<b>1.00</b>	<b>1.08</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5189.9933	5189.9921	5189.9902	5189.9880
10	5189.9920	5189.9907	5189.9892	5189.9874
20	5189.9908	5189.9895	5189.9879	5189.9860
30	5189.9894	5189.9883	5189.9869	5189.9853
40	5189.9878	5189.9863	5189.9847	5189.9827
Max. Deviation (MHz)	<b>0.0139</b>	<b>0.0151</b>	<b>0.0166</b>	<b>0.0193</b>
Max. Deviation (ppm)	<b>2.68</b>	<b>2.91</b>	<b>3.20</b>	<b>3.72</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9987	5309.9977	5309.9973	5309.9970
110.00	5309.9982	5309.9973	5309.9966	5309.9963
93.50	5309.9979	5309.9971	5309.9969	5309.9964
Max. Deviation (MHz)	<b>0.0021</b>	<b>0.0029</b>	<b>0.0034</b>	<b>0.0037</b>
Max. Deviation (ppm)	<b>0.40</b>	<b>0.55</b>	<b>0.64</b>	<b>0.70</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5310.0014	5310.0002	5309.9983	5309.9961
10	5310.0001	5309.9988	5309.9973	5309.9955
20	5309.9989	5309.9976	5309.9960	5309.9941
30	5309.9975	5309.9964	5309.9950	5309.9934
40	5309.9959	5309.9944	5309.9928	5309.9908
Max. Deviation (MHz)	<b>0.0059</b>	<b>0.0070</b>	<b>0.0085</b>	<b>0.0112</b>
Max. Deviation (ppm)	<b>1.11</b>	<b>1.32</b>	<b>1.60</b>	<b>2.11</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9962	5549.9955	5549.9947	5549.9944
110.00	5549.9954	5549.9944	5549.9937	5549.9934
93.50	5549.9944	5549.9942	5549.9941	5549.9932
Max. Deviation (MHz)	<b>0.0056</b>	<b>0.0058</b>	<b>0.0063</b>	<b>0.0068</b>
Max. Deviation (ppm)	<b>1.01</b>	<b>1.05</b>	<b>1.14</b>	<b>1.23</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9973	5549.9961	5549.9942	5549.9920
10	5549.9960	5549.9947	5549.9932	5549.9914
20	5549.9948	5549.9935	5549.9919	5549.9900
30	5549.9934	5549.9923	5549.9909	5549.9893
40	5549.9918	5549.9903	5549.9887	5549.9867
Max. Deviation (MHz)	<b>0.0099</b>	<b>0.0111</b>	<b>0.0126</b>	<b>0.0153</b>
Max. Deviation (ppm)	<b>1.78</b>	<b>2.00</b>	<b>2.27</b>	<b>2.76</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5754.9914	5754.9911	5754.9907	5754.9904
110.00	5754.9912	5754.9902	5754.9892	5754.9882
93.50	5754.9903	5754.9898	5754.9890	5754.9881
Max. Deviation (MHz)	<b>0.0097</b>	<b>0.0102</b>	<b>0.0110</b>	<b>0.0119</b>
Max. Deviation (ppm)	<b>1.69</b>	<b>1.77</b>	<b>1.91</b>	<b>2.07</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5754.9987	5754.9975	5754.9956	5754.9934
10	5754.9974	5754.9961	5754.9946	5754.9928
20	5754.9962	5754.9949	5754.9933	5754.9914
30	5754.9948	5754.9937	5754.9923	5754.9907
40	5754.9932	5754.9917	5754.9901	5754.9881
Max. Deviation (MHz)	<b>0.0085</b>	<b>0.0097</b>	<b>0.0112</b>	<b>0.0139</b>
Max. Deviation (ppm)	<b>1.48</b>	<b>1.69</b>	<b>1.95</b>	<b>2.42</b>
Result	Pass			



**Mode: 80 MHz / Chain 2**  
**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5209.9943	5209.9934	5209.9926	5209.9919
110.00	5209.9934	5209.9924	5209.9921	5209.9917
93.50	5209.9929	5209.9924	5209.9915	5209.9914
Max. Deviation (MHz)	<b>0.0071</b>	<b>0.0076</b>	<b>0.0085</b>	<b>0.0086</b>
Max. Deviation (ppm)	<b>1.36</b>	<b>1.46</b>	<b>1.63</b>	<b>1.65</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5210.0013	5210.0001	5209.9982	5209.9960
10	5210.0000	5209.9987	5209.9972	5209.9954
20	5209.9988	5209.9975	5209.9959	5209.9940
30	5209.9974	5209.9963	5209.9949	5209.9933
40	5209.9958	5209.9943	5209.9927	5209.9907
Max. Deviation (MHz)	<b>0.0059</b>	<b>0.0071</b>	<b>0.0086</b>	<b>0.0113</b>
Max. Deviation (ppm)	<b>1.13</b>	<b>1.36</b>	<b>1.65</b>	<b>2.17</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9954	5289.9950	5289.9947	5289.9943
110.00	5289.9947	5289.9940	5289.9938	5289.9937
93.50	5289.9941	5289.9937	5289.9927	5289.9923
Max. Deviation (MHz)	<b>0.0059</b>	<b>0.0063</b>	<b>0.0073</b>	<b>0.0077</b>
Max. Deviation (ppm)	<b>1.12</b>	<b>1.19</b>	<b>1.38</b>	<b>1.46</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9961	5289.9949	5289.9930	5289.9908
10	5289.9948	5289.9935	5289.9920	5289.9902
20	5289.9936	5289.9923	5289.9907	5289.9888
30	5289.9922	5289.9911	5289.9897	5289.9881
40	5289.9906	5289.9891	5289.9875	5289.9855
Max. Deviation (MHz)	<b>0.0111</b>	<b>0.0123</b>	<b>0.0138</b>	<b>0.0165</b>
Max. Deviation (ppm)	<b>2.10</b>	<b>2.33</b>	<b>2.61</b>	<b>3.12</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9957	5529.9955	5529.9951	5529.9948
110.00	5529.9956	5529.9949	5529.9945	5529.9942
93.50	5529.9950	5529.9949	5529.9944	5529.9943
Max. Deviation (MHz)	<b>0.0050</b>	<b>0.0051</b>	<b>0.0056</b>	<b>0.0058</b>
Max. Deviation (ppm)	<b>0.90</b>	<b>0.92</b>	<b>1.01</b>	<b>1.05</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5530.0003	5529.9991	5529.9972	5529.9950
10	5529.9990	5529.9977	5529.9962	5529.9944
20	5529.9978	5529.9965	5529.9949	5529.9930
30	5529.9964	5529.9953	5529.9939	5529.9923
40	5529.9948	5529.9933	5529.9917	5529.9897
Max. Deviation (MHz)	<b>0.0069</b>	<b>0.0081</b>	<b>0.0096</b>	<b>0.0123</b>
Max. Deviation (ppm)	<b>1.25</b>	<b>1.46</b>	<b>1.74</b>	<b>2.22</b>
Result	Pass			

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5774.9992	5774.9986	5774.9977	5774.9973
110.00	5774.9988	5774.9987	5774.9986	5774.9982
93.50	5774.9985	5774.9979	5774.9972	5774.9969
Max. Deviation (MHz)	<b>0.0015</b>	<b>0.0021</b>	<b>0.0028</b>	<b>0.0031</b>
Max. Deviation (ppm)	<b>0.26</b>	<b>0.36</b>	<b>0.48</b>	<b>0.54</b>
Result	Pass			

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5774.9997	5774.9985	5774.9966	5774.9944
10	5774.9984	5774.9971	5774.9956	5774.9938
20	5774.9972	5774.9959	5774.9943	5774.9924
30	5774.9958	5774.9947	5774.9933	5774.9917
40	5774.9942	5774.9927	5774.9911	5774.9891
Max. Deviation (MHz)	<b>0.0075</b>	<b>0.0087</b>	<b>0.0102</b>	<b>0.0129</b>
Max. Deviation (ppm)	<b>1.30</b>	<b>1.51</b>	<b>1.77</b>	<b>2.23</b>
Result	Pass			