


802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170822
EUT_Y_4TX
Setting 21.5
01-W-3
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63844G	41.66	54.00	-12.34	11.39	3	V	189	1.03	-
AV	15.96292G	44.54	54.00	-9.46	13.28	3	V	236	2.41	-
PK	10.64288G	56.40	74.00	-17.60	11.40	3	V	189	1.03	-
PK	15.95788G	58.14	74.00	-15.86	13.28	3	V	236	2.41	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170822
 EUT_Y_4TX
 Setting 21.5
 01-W-3
 FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64112G	41.69	54.00	-12.31	11.39	3	H	238	2.10	-
AV	15.95866G	44.62	54.00	-9.38	13.28	3	H	257	2.39	-
PK	10.64108G	56.30	74.00	-17.70	11.39	3	H	238	2.10	-
PK	15.96456G	58.68	74.00	-15.32	13.27	3	H	257	2.39	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170821
 EUT_Y_4TX
 Setting 23
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.82	54.00	-4.18	5.98	3	V	202	1.55	-
AV	5.4696G	53.95	54.00	-0.05	6.02	3	V	202	1.55	-
AV	5.4932G	104.39	Inf	-Inf	6.13	3	V	202	1.55	-
PK	5.4576G	63.73	74.00	-10.27	5.96	3	V	202	1.55	-
PK	5.4668G	69.52	74.00	-4.48	6.01	3	V	202	1.55	-
PK	5.5064G	118.19	Inf	-Inf	6.20	3	V	202	1.55	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170821
 EUT_Y_4TX
 Setting 23
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	47.22	54.00	-6.78	5.97	3	H	291	1.92	-
AV	5.4696G	49.95	54.00	-4.05	6.02	3	H	291	1.92	-
AV	5.502G	98.63	Inf	-Inf	6.17	3	H	291	1.92	-
PK	5.4564G	59.84	74.00	-14.16	5.96	3	H	291	1.92	-
PK	5.4696G	65.53	74.00	-8.47	6.02	3	H	291	1.92	-
PK	5.4956G	111.59	Inf	-Inf	6.14	3	H	291	1.92	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170823
EUT Y 4TX
Setting 23
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.98842G	41.04	54.00	-12.96	15.83	3	V	95	1.65	-
PK	10.99682G	54.68	74.00	-19.32	15.83	3	V	95	1.65	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170823
EUT Y 4TX
Setting 23
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99892G	41.03	54.00	-12.97	15.83	3	H	231	1.66	-
PK	11.0108G	53.96	74.00	-20.04	15.84	3	H	231	1.66	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170823
 EUT Y 4TX
 Setting 30
 02-Z-1-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4544G	47.68	54.00	-6.32	9.67	3	V	172	1.50	-
AV	5.5736G	108.09	Inf	-Inf	9.86	3	V	172	1.50	-
PK	5.4584G	60.58	74.00	-13.42	9.68	3	V	172	1.50	-
PK	5.4648G	60.82	68.20	-7.38	9.69	3	V	172	1.50	-
PK	5.5864G	119.90	Inf	-Inf	9.87	3	V	172	1.50	-
PK	5.7536G	60.42	68.20	-7.78	9.91	3	V	172	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170823
 EUT Y 4TX
 Setting 30
 02-Z-1-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4224G	47.04	54.00	-6.96	9.58	3	H	278	1.48	-
AV	5.5864G	101.38	Inf	-Inf	9.87	3	H	278	1.48	-
PK	5.432G	59.41	74.00	-14.59	9.61	3	H	278	1.48	-
PK	5.4656G	58.75	68.20	-9.45	9.70	3	H	278	1.48	-
PK	5.572G	112.10	Inf	-Inf	9.85	3	H	278	1.48	-
PK	5.776G	60.00	68.20	-8.20	9.92	3	H	278	1.48	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170823
EUT Y 4TX
Setting 30
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1582G	41.41	54.00	-12.59	16.00	3	V	253	1.08	-
PK	11.1495G	53.88	74.00	-20.12	15.99	3	V	253	1.08	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170823
 EUT Y 4TX
 Setting 30
 02-Z-1
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15808G	41.39	54.00	-12.61	16.00	3	H	133	2.42	-
PK	11.17494G	55.19	74.00	-18.81	16.02	3	H	133	2.42	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170821
EUT_Y_4TX
Setting 20.5
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6932G	102.13	Inf	-Inf	6.96	3	V	198	1.25	-
AV	5.7252G	53.96	54.00	-0.04	7.02	3	V	198	1.25	-
PK	5.7064G	114.22	Inf	-Inf	6.98	3	V	198	1.25	-
PK	5.7252G	67.96	74.00	-6.04	7.02	3	V	198	1.25	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170821
EUT_Y_4TX
Setting 20.5
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6932G	95.76	Inf	-Inf	6.96	3	H	155	1.52	-
AV	5.7252G	49.82	54.00	-4.18	7.02	3	H	155	1.52	-
PK	5.6956G	107.59	Inf	-Inf	6.96	3	H	155	1.52	-
PK	5.7272G	62.68	74.00	-11.32	7.03	3	H	155	1.52	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170823
 EUT Y 4TX
 Setting 20.5
 02-Z-1
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41428G	40.82	54.00	-13.18	16.28	3	V	39	2.25	-
PK	11.39772G	54.96	74.00	-19.04	16.26	3	V	39	2.25	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170823
 EUT Y 4TX
 Setting 20.5
 02-Z-1
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4066G	40.81	54.00	-13.19	16.27	3	H	311	1.46	-
PK	11.4024G	54.76	74.00	-19.24	16.27	3	H	311	1.46	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT Y 4TX
 Setting 30
 02-Z-1-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4212G	47.54	54.00	-6.46	9.58	3	V	172	1.94	-
AV	5.7176G	105.51	Inf	-Inf	9.90	3	V	172	1.94	-
PK	5.4572G	59.06	74.00	-14.94	9.67	3	V	172	1.94	-
PK	5.4644G	59.37	68.20	-8.83	9.69	3	V	172	1.94	-
PK	5.7188G	116.83	Inf	-Inf	9.90	3	V	172	1.94	-
PK	5.9516G	60.48	68.20	-7.72	10.13	3	V	172	1.94	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT Y 4TX
 Setting 30
 02-Z-1-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4428G	46.96	54.00	-7.04	9.64	3	H	275	1.48	-
AV	5.726G	99.55	Inf	-Inf	9.91	3	H	275	1.48	-
PK	5.4392G	59.65	74.00	-14.35	9.63	3	H	275	1.48	-
PK	5.462G	57.74	68.20	-10.46	9.69	3	H	275	1.48	-
PK	5.7188G	111.60	Inf	-Inf	9.90	3	H	275	1.48	-
PK	5.9432G	59.81	68.20	-8.39	10.12	3	H	275	1.48	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT Y 4TX
 Setting 30
 02-Z-1
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44104G	41.75	54.00	-12.25	16.31	3	V	5	1.83	-
PK	11.45976G	54.51	74.00	-19.49	16.33	3	V	5	1.83	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170823
EUT Y 4TX
Setting 30
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44928G	41.77	54.00	-12.23	16.32	3	H	349	2.25	-
PK	11.42944G	55.66	74.00	-18.34	16.30	3	H	349	2.25	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170821
EUT_Y_4TX
Setting 30
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	105.79	Inf	-Inf	7.05	3	V	200	1.50	-
PK	5.635G	61.18	68.20	-7.02	6.85	3	V	200	1.50	-
PK	5.738G	116.77	Inf	-Inf	7.05	3	V	200	1.50	-
PK	5.934G	60.90	68.20	-7.30	8.05	3	V	200	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170821
EUT_Y_4TX
Setting 30
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	101.39	Inf	-Inf	7.05	3	H	307	1.67	-
PK	5.579G	59.47	68.20	-8.73	6.65	3	H	307	1.67	-
PK	5.749G	112.07	Inf	-Inf	7.07	3	H	307	1.67	-
PK	5.926G	60.93	68.20	-7.27	8.00	3	H	307	1.67	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170823
 EUT_Y_4TX
 Setting 30
 02-Z-1
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49864G	41.66	54.00	-12.34	16.37	3	V	22	1.24	-
PK	11.48676G	54.69	74.00	-19.31	16.36	3	V	22	1.24	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170823
 EUT_Y_4TX
 Setting 30
 02-Z-1
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.48892G	41.70	54.00	-12.30	16.36	3	H	304	1.40	-
PK	11.48896G	55.29	74.00	-18.71	16.36	3	H	304	1.40	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170823
EUT_Y_4TX
Setting 30
02-G-1-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7826G	106.54	Inf	-Inf	9.92	3	V	150	1.74	-
PK	5.6428G	61.33	68.20	-6.87	9.89	3	V	150	1.74	-
PK	5.7868G	118.33	Inf	-Inf	9.92	3	V	150	1.74	-
PK	5.9332G	60.65	68.20	-7.55	10.11	3	V	150	1.74	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170823
 EUT_Y_4TX
 Setting 30
 02-G-1-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7784G	99.94	Inf	-Inf	9.92	3	H	152	1.87	-
PK	5.65G	59.22	68.20	-8.98	9.89	3	H	152	1.87	-
PK	5.7784G	111.43	Inf	-Inf	9.92	3	H	152	1.87	-
PK	5.9296G	59.07	68.20	-9.13	10.10	3	H	152	1.87	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170823
EUT_Y_4TX
Setting 30
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57796G	41.65	54.00	-12.35	16.46	3	V	294	2.19	-
PK	11.56196G	54.92	74.00	-19.08	16.44	3	V	294	2.19	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170823
EUT_Y_4TX
Setting 30
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57864G	41.79	54.00	-12.21	16.46	3	H	269	2.35	-
PK	11.57592G	54.83	74.00	-19.17	16.46	3	H	269	2.35	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170821
EUT_Y_4TX
Setting 30
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.831G	106.09	Inf	-Inf	7.38	3	V	176	1.97	-
PK	5.595G	61.14	68.20	-7.06	6.75	3	V	176	1.97	-
PK	5.817G	118.01	Inf	-Inf	7.29	3	V	176	1.97	-
PK	5.939G	61.30	68.20	-6.90	8.08	3	V	176	1.97	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170821
EUT_Y_4TX
Setting 30
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.818G	100.29	Inf	-Inf	7.30	3	H	306	1.64	-
PK	5.645G	59.63	68.20	-8.57	6.87	3	H	306	1.64	-
PK	5.829G	111.65	Inf	-Inf	7.37	3	H	306	1.64	-
PK	5.978G	60.53	68.20	-7.67	8.34	3	H	306	1.64	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170823
EUT Y 4TX
Setting 30
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64396G	41.93	54.00	-12.07	16.53	3	V	279	2.15	-
PK	11.64356G	55.15	74.00	-18.85	16.53	3	V	279	2.15	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170823
EUT Y 4TX
Setting 30
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65428G	41.74	54.00	-12.26	16.23	3	H	1	1.18	-
PK	11.65492G	54.82	74.00	-19.18	16.23	3	H	1	1.18	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170821
EUT_Y_4TX
Setting 18
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	53.86	54.00	-0.14	5.31	3	V	207	1.50	-
AV	5.1932G	97.79	Inf	-Inf	5.47	3	V	207	1.50	-
PK	5.146G	72.15	74.00	-1.85	5.30	3	V	207	1.50	-
PK	5.198G	109.65	Inf	-Inf	5.48	3	V	207	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170821
EUT_Y_4TX
Setting 18
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.40	54.00	-2.60	5.31	3	H	56	1.95	-
AV	5.1864G	93.51	Inf	-Inf	5.44	3	H	56	1.95	-
PK	5.149995G	72.57	74.00	-1.43	5.31	3	H	56	1.95	-
PK	5.1824G	106.78	Inf	-Inf	5.43	3	H	56	1.95	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170823
EUT Y 4TX
Setting 18
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57108G	43.18	54.00	-10.82	17.96	3	V	20	1.24	-
PK	15.56996G	56.20	74.00	-17.80	17.96	3	V	20	1.24	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170823
EUT Y 4TX
Setting 18
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57476G	43.13	54.00	-10.87	17.83	3	H	248	2.47	-
PK	15.57532G	56.17	74.00	-17.83	17.83	3	H	248	2.47	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170823
 EUT Y 4TX
 Setting 23.5
 02-Z-1-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	53.97	54.00	-0.03	9.03	3	V	176	1.46	-
AV	5.2332G	102.34	Inf	-Inf	9.22	3	V	176	1.46	-
PK	5.1376G	68.63	74.00	-5.37	9.00	3	V	176	1.46	-
PK	5.238G	115.43	Inf	-Inf	9.23	3	V	176	1.46	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170823
 EUT Y 4TX
 Setting 23.5
 02-Z-1-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.10	54.00	-2.90	9.03	3	H	165	1.92	-
AV	5.2332G	98.36	Inf	-Inf	9.22	3	H	165	1.92	-
PK	5.1468G	67.00	74.00	-7.00	9.03	3	H	165	1.92	-
PK	5.2352G	111.66	Inf	-Inf	9.23	3	H	165	1.92	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170823
EUT Y 4TX
Setting 23.5
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69096G	43.51	54.00	-10.49	17.92	3	V	220	2.43	-
PK	15.6876G	56.74	74.00	-17.26	17.92	3	V	220	2.43	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170823
 EUT Y 4TX
 Setting 23.5
 02-Z-1
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.67896G	43.54	54.00	-10.46	17.91	3	H	112	2.23	-
PK	15.69408G	56.69	74.00	-17.31	17.92	3	H	112	2.23	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170823
 EUT_Y_4TX
 Setting 21
 03-J-4-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	50.20	54.00	-3.80	5.44	3	V	201	1.62	-
AV	5.2736G	105.20	Inf	-Inf	5.69	3	V	201	1.62	-
AV	5.3672G	53.57	54.00	-0.43	5.85	3	V	201	1.62	-
PK	5.1344G	60.25	74.00	-13.75	5.41	3	V	201	1.62	-
PK	5.2778G	115.13	Inf	-Inf	5.70	3	V	201	1.62	-
PK	5.3588G	66.99	74.00	-7.01	5.84	3	V	201	1.62	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170823
EUT_Y_4TX
Setting 21
03-J-4-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1242G	48.72	54.00	-5.28	5.39	3	H	23	2.80	-
AV	5.2622G	102.23	Inf	-Inf	5.67	3	H	23	2.80	-
AV	5.3744G	50.32	54.00	-3.68	5.87	3	H	23	2.80	-
PK	5.1494G	58.87	74.00	-15.13	5.44	3	H	23	2.80	-
PK	5.2658G	113.22	Inf	-Inf	5.68	3	H	23	2.80	-
PK	5.363G	62.46	74.00	-11.54	5.85	3	H	23	2.80	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170823
 EUT_Y_4TX
 Setting 21
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7968G	46.08	54.00	-7.92	15.47	3	V	240	2.39	-
PK	15.80586G	57.06	74.00	-16.94	15.44	3	V	240	2.39	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170823
EUT_Y_4TX
Setting 21
03-J-4
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.79758G	46.59	54.00	-7.41	15.47	3	H	117	1.73	-
PK	15.79728G	57.36	74.00	-16.64	15.47	3	H	117	1.73	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170821
EUT_Y_4TX
Setting 17.5
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.302G	97.60	Inf	-Inf	5.60	3	V	194	1.81	-
AV	5.350005G	53.90	54.00	-0.10	5.65	3	V	194	1.81	-
PK	5.306G	109.69	Inf	-Inf	5.61	3	V	194	1.81	-
PK	5.3516G	71.93	74.00	-2.07	5.65	3	V	194	1.81	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170821
EUT_Y_4TX
Setting 17.5
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3132G	95.94	Inf	-Inf	5.61	3	H	179	1.98	-
AV	5.3504G	51.84	54.00	-2.16	5.65	3	H	179	1.98	-
PK	5.316G	107.84	Inf	-Inf	5.62	3	H	179	1.98	-
PK	5.3524G	67.32	74.00	-6.68	5.65	3	H	179	1.98	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170821
 EUT_Y_4TX
 Setting 17.5
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61562G	41.37	54.00	-12.63	12.56	3	V	178	1.43	-
PK	10.61262G	54.69	74.00	-19.31	12.56	3	V	178	1.43	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170821
 EUT Y_4TX
 Setting 17.5
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60506G	41.13	54.00	-12.87	12.55	3	H	267	2.11	-
PK	10.62102G	54.99	74.00	-19.01	12.56	3	H	267	2.11	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170821
EUT_Y_4TX
Setting 20.5
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	48.96	54.00	-5.04	5.97	3	V	158	1.56	-
AV	5.4696G	53.89	54.00	-0.11	6.02	3	V	158	1.56	-
AV	5.5132G	91.93	Inf	-Inf	6.24	3	V	158	1.56	-
PK	5.456G	64.63	74.00	-9.37	5.96	3	V	158	1.56	-
PK	5.4656G	71.65	74.00	-2.35	6.00	3	V	158	1.56	-
PK	5.5152G	106.62	Inf	-Inf	6.25	3	V	158	1.56	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170821
EUT_Y_4TX
Setting 20.5
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	48.97	54.00	-5.03	5.96	3	H	154	1.50	-
AV	5.4696G	53.29	54.00	-0.71	6.02	3	H	154	1.50	-
AV	5.5132G	92.19	Inf	-Inf	6.24	3	H	154	1.50	-
PK	5.456G	65.03	74.00	-8.97	5.96	3	H	154	1.50	-
PK	5.4696G	71.79	74.00	-2.21	6.02	3	H	154	1.50	-
PK	5.5152G	107.44	Inf	-Inf	6.25	3	H	154	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170821
 EUT_Y_4TX
 Setting 20.5
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00548G	39.33	54.00	-14.67	12.93	3	V	166	1.35	-
PK	11.01148G	53.42	74.00	-20.58	12.93	3	V	166	1.35	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170821
 EUT_Y_4TX
 Setting 20.5
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00602G	39.22	54.00	-14.78	12.93	3	H	50	2.22	-
PK	11.01058G	52.83	74.00	-21.17	12.93	3	H	50	2.22	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170823
 EUT_Y_4TX
 Setting 21
 03-J-4-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4468G	53.52	54.00	-0.48	6.03	3	V	184	1.93	-
AV	5.4696G	53.92	54.00	-0.08	6.08	3	V	184	1.93	-
AV	5.5422G	107.36	Inf	-Inf	6.19	3	V	184	1.93	-
PK	5.454G	64.24	74.00	-9.76	6.05	3	V	184	1.93	-
PK	5.466G	66.82	74.00	-7.18	6.08	3	V	184	1.93	-
PK	5.5458G	117.41	Inf	-Inf	6.20	3	V	184	1.93	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170823
EUT_Y_4TX
Setting 21
03-J-4-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	50.00	54.00	-4.00	6.05	3	H	122	1.72	-
AV	5.466G	49.59	54.00	-4.41	6.08	3	H	122	1.72	-
AV	5.5536G	98.98	Inf	-Inf	6.20	3	H	122	1.72	-
PK	5.4318G	59.90	74.00	-14.10	5.99	3	H	122	1.72	-
PK	5.4624G	59.77	74.00	-14.23	6.07	3	H	122	1.72	-
PK	5.5578G	108.32	Inf	-Inf	6.21	3	H	122	1.72	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170823
 EUT_Y_4TX
 Setting 21
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.10534G	42.61	54.00	-11.39	13.03	3	V	179	2.33	-
PK	11.10318G	53.60	74.00	-20.40	13.03	3	V	179	2.33	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170823
 EUT_Y_4TX
 Setting 21
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09268G	43.04	54.00	-10.96	13.01	3	H	299	2.06	-
PK	11.08764G	54.07	74.00	-19.93	13.01	3	H	299	2.06	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170821
 EUT_Y_4TX
 Setting 22
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6736G	100.80	Inf	-Inf	6.92	3	V	179	1.50	-
AV	5.7276G	53.65	54.00	-0.35	7.03	3	V	179	1.50	-
PK	5.658G	113.75	Inf	-Inf	6.89	3	V	179	1.50	-
PK	5.726G	69.03	74.00	-4.97	7.02	3	V	179	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170821
EUT_Y_4TX
Setting 22
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6736G	94.91	Inf	-Inf	6.92	3	H	155	1.50	-
AV	5.7272G	49.60	54.00	-4.40	7.03	3	H	155	1.50	-
PK	5.6552G	108.42	Inf	-Inf	6.88	3	H	155	1.50	-
PK	5.7256G	64.32	74.00	-9.68	7.02	3	H	155	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170821
 EUT_Y_4TX
 Setting 22
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.35056G	40.70	54.00	-13.30	13.28	3	V	192	1.85	-
PK	11.33616G	53.80	74.00	-20.20	13.26	3	V	192	1.85	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170821
 EUT_Y_4TX
 Setting 22
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.35476G	40.71	54.00	-13.29	13.28	3	H	174	2.07	-
PK	11.3415G	53.41	74.00	-20.59	13.27	3	H	174	2.07	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT_Y_4TX
 Setting 30
 03-J-4-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4208G	50.88	54.00	-3.12	5.96	3	V	180	1.81	-
AV	5.7184G	107.87	Inf	-Inf	6.25	3	V	180	1.81	-
PK	5.446G	61.64	74.00	-12.36	6.03	3	V	180	1.81	-
PK	5.4616G	61.14	68.20	-7.06	6.06	3	V	180	1.81	-
PK	5.6956G	116.68	Inf	-Inf	6.25	3	V	180	1.81	-
PK	5.9488G	60.24	68.20	-7.96	6.18	3	V	180	1.81	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT_Y_4TX
 Setting 30
 03-J-4-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4508G	49.35	54.00	-4.65	6.04	3	H	127	2.23	-
AV	5.7172G	100.93	Inf	-Inf	6.25	3	H	127	2.23	-
PK	5.4388G	58.80	74.00	-15.20	6.01	3	H	127	2.23	-
PK	5.4616G	58.27	68.20	-9.93	6.06	3	H	127	2.23	-
PK	5.716G	111.65	Inf	-Inf	6.25	3	H	127	2.23	-
PK	5.9548G	58.62	68.20	-9.58	6.17	3	H	127	2.23	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT Y_4TX
 Setting 30
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4248G	43.70	54.00	-10.30	13.35	3	V	346	1.52	-
PK	11.42132G	54.42	74.00	-19.58	13.35	3	V	346	1.52	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT_Y_4TX
 Setting 30
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40962G	43.57	54.00	-10.43	13.34	3	H	20	2.22	-
PK	11.40644G	54.46	74.00	-19.54	13.33	3	H	20	2.22	-



802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170821
 EUT_Y_4TX
 Setting 25
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.763G	101.85	Inf	-Inf	7.10	3	V	181	1.50	-
PK	5.643G	67.85	68.20	-0.35	6.86	3	V	181	1.50	-
PK	5.758G	115.44	Inf	-Inf	7.09	3	V	181	1.50	-
PK	5.928G	61.35	68.20	-6.85	8.01	3	V	181	1.50	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170821
EUT_Y_4TX
Setting 25
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.758G	97.59	Inf	-Inf	7.09	3	H	308	1.82	-
PK	5.646G	60.55	68.20	-7.65	6.87	3	H	308	1.82	-
PK	5.759G	109.42	Inf	-Inf	7.09	3	H	308	1.82	-
PK	5.965G	60.56	68.20	-7.64	8.25	3	H	308	1.82	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170823
EUT Y 4TX
Setting 25
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51012G	41.22	54.00	-12.78	16.14	3	V	256	1.80	-
PK	11.4986G	55.30	74.00	-18.70	16.13	3	V	256	1.80	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170823
EUT Y 4TX
Setting 25
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5088G	41.27	54.00	-12.73	16.14	3	H	230	2.18	-
PK	11.49512G	54.84	74.00	-19.16	16.13	3	H	230	2.18	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170821
EUT_Y_4TX
Setting 30
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.803G	102.90	Inf	-Inf	7.20	3	V	187	1.99	-
PK	5.645G	64.12	68.20	-4.08	6.87	3	V	187	1.99	-
PK	5.788G	114.61	Inf	-Inf	7.15	3	V	187	1.99	-
PK	5.929G	62.27	68.20	-5.93	8.02	3	V	187	1.99	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170821
 EUT_Y_4TX
 Setting 30
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.798G	96.77	Inf	-Inf	7.18	3	H	308	1.80	-
PK	5.584G	59.42	68.20	-8.78	6.68	3	H	308	1.80	-
PK	5.803G	108.26	Inf	-Inf	7.20	3	H	308	1.80	-
PK	5.973G	60.32	68.20	-7.88	8.30	3	H	308	1.80	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170823
EUT Y 4TX
Setting 30
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5999G	41.51	54.00	-12.49	16.20	3	V	41	1.20	-
PK	11.59546G	54.89	74.00	-19.11	16.19	3	V	41	1.20	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170823
 EUT Y 4TX
 Setting 30
 02-Z-1
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59162G	41.57	54.00	-12.43	16.19	3	H	39	1.61	-
PK	11.58376G	54.56	74.00	-19.44	16.19	3	H	39	1.61	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170821
 EUT_Y_4TX
 Setting 17.5
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1386G	52.29	54.00	-1.71	5.28	3	V	182	1.50	-
AV	5.2334G	91.96	Inf	-Inf	5.53	3	V	182	1.50	-
AV	5.354G	47.35	54.00	-6.65	5.65	3	V	182	1.50	-
PK	5.138G	73.94	74.00	-0.06	5.27	3	V	182	1.50	-
PK	5.2388G	107.67	Inf	-Inf	5.53	3	V	182	1.50	-
PK	5.3522G	59.44	74.00	-14.56	5.65	3	V	182	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170821
 EUT_Y_4TX
 Setting 17.5
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1422G	51.60	54.00	-2.40	5.29	3	H	29	1.98	-
AV	5.2214G	88.57	Inf	-Inf	5.51	3	H	29	1.98	-
AV	5.36G	45.79	54.00	-8.21	5.66	3	H	29	1.98	-
PK	5.1428G	70.70	74.00	-3.30	5.29	3	H	29	1.98	-
PK	5.2232G	104.26	Inf	-Inf	5.52	3	H	29	1.98	-
PK	5.357G	57.03	74.00	-16.97	5.66	3	H	29	1.98	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170823
EUT Y 4TX
Setting 17.5
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.64422G	43.09	54.00	-10.91	17.88	3	V	180	2.08	-
PK	15.6333G	56.32	74.00	-17.68	17.87	3	V	180	2.08	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170823
EUT Y 4TX
Setting 17.5
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.64332G	43.11	54.00	-10.89	17.88	3	H	160	1.99	-
PK	15.62616G	57.12	74.00	-16.88	17.87	3	H	160	1.99	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170821
EUT_Y_4TX
Setting 17
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	46.58	54.00	-7.42	5.31	3	V	182	1.37	-
AV	5.2936G	91.86	Inf	-Inf	5.59	3	V	182	1.37	-
AV	5.3542G	53.82	54.00	-0.18	5.65	3	V	182	1.37	-
PK	5.1424G	58.69	74.00	-15.31	5.29	3	V	182	1.37	-
PK	5.2972G	105.94	Inf	-Inf	5.60	3	V	182	1.37	-
PK	5.3542G	73.07	74.00	-0.93	5.65	3	V	182	1.37	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170821
EUT_Y_4TX
Setting 17
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1454G	46.06	54.00	-7.94	5.30	3	H	203	1.98	-
AV	5.2774G	88.82	Inf	-Inf	5.58	3	H	203	1.98	-
AV	5.3542G	51.36	54.00	-2.64	5.65	3	H	203	1.98	-
PK	5.1472G	57.75	74.00	-16.25	5.31	3	H	203	1.98	-
PK	5.3152G	103.26	Inf	-Inf	5.62	3	H	203	1.98	-
PK	5.3542G	69.75	74.00	-4.25	5.65	3	H	203	1.98	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170821
 EUT_Y_4TX
 Setting 17
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88392G	45.51	54.00	-8.49	15.19	3	V	340	1.30	-
PK	15.8724G	58.30	74.00	-15.70	15.22	3	V	340	1.30	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170821
EUT_Y_4TX
Setting 17
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88236G	45.70	54.00	-8.30	15.19	3	H	232	1.43	-
PK	15.8655G	59.02	74.00	-14.98	15.25	3	H	232	1.43	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170821
EUT_Y_4TX
Setting 18
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	53.91	54.00	-0.09	5.97	3	V	202	1.50	-
AV	5.4604G	52.23	54.00	-1.77	5.98	3	V	202	1.50	-
AV	5.5332G	93.13	Inf	-Inf	6.37	3	V	202	1.50	-
AV	5.7276G	47.21	54.00	-6.79	7.03	3	V	202	1.50	-
PK	5.4588G	73.98	74.00	-0.02	5.97	3	V	202	1.50	-
PK	5.460005G	68.40	74.00	-5.60	5.98	3	V	202	1.50	-
PK	5.5372G	108.14	Inf	-Inf	6.39	3	V	202	1.50	-
PK	5.7292G	58.36	74.00	-15.64	7.03	3	V	202	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170821
EUT_Y_4TX
Setting 18
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	49.05	54.00	-4.95	5.96	3	H	155	1.67	-
AV	5.4636G	48.69	54.00	-5.31	5.99	3	H	155	1.67	-
AV	5.5532G	87.34	Inf	-Inf	6.49	3	H	155	1.67	-
AV	5.7252G	46.81	54.00	-7.19	7.02	3	H	155	1.67	-
PK	5.458G	66.95	74.00	-7.05	5.97	3	H	155	1.67	-
PK	5.4628G	63.27	74.00	-10.73	5.99	3	H	155	1.67	-
PK	5.5556G	102.37	Inf	-Inf	6.50	3	H	155	1.67	-
PK	5.73G	58.71	74.00	-15.29	7.03	3	H	155	1.67	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170821
 EUT_Y_4TX
 Setting 18
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06996G	40.08	54.00	-13.92	12.99	3	V	86	2.26	-
PK	11.0735G	53.73	74.00	-20.27	12.99	3	V	86	2.26	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170821
 EUT_Y_4TX
 Setting 18
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06828G	40.02	54.00	-13.98	12.99	3	H	305	2.33	-
PK	11.069G	53.12	74.00	-20.88	12.99	3	H	305	2.33	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170823
EUT_Y_4TX
Setting 20
03-J-4-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	53.70	54.00	-0.30	6.05	3	V	176	1.72	-
AV	5.460005G	53.33	54.00	-0.67	6.06	3	V	176	1.72	-
AV	5.598G	100.72	Inf	-Inf	6.24	3	V	176	1.72	-
AV	5.733G	52.57	54.00	-1.43	6.25	3	V	176	1.72	-
PK	5.459G	66.88	74.00	-7.12	6.06	3	V	176	1.72	-
PK	5.461G	65.58	74.00	-8.42	6.06	3	V	176	1.72	-
PK	5.599G	111.11	Inf	-Inf	6.24	3	V	176	1.72	-
PK	5.763G	65.63	74.00	-8.37	6.25	3	V	176	1.72	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170823
EUT_Y_4TX
Setting 20
03-J-4-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	50.23	54.00	-3.77	6.05	3	H	114	1.50	-
AV	5.464G	50.38	54.00	-3.62	6.07	3	H	114	1.50	-
AV	5.601G	95.05	Inf	-Inf	6.24	3	H	114	1.50	-
AV	5.747G	49.69	54.00	-4.31	6.25	3	H	114	1.50	-
PK	5.459G	60.47	74.00	-13.53	6.06	3	H	114	1.50	-
PK	5.463G	60.52	74.00	-13.48	6.07	3	H	114	1.50	-
PK	5.615G	104.58	Inf	-Inf	6.24	3	H	114	1.50	-
PK	5.734G	59.62	74.00	-14.38	6.25	3	H	114	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170823
 EUT_Y_4TX
 Setting 20
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21922G	42.74	54.00	-11.26	13.14	3	V	51	1.87	-
PK	11.21298G	53.65	74.00	-20.35	13.14	3	V	51	1.87	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170823
 EUT_Y_4TX
 Setting 20
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.20674G	42.95	54.00	-11.05	13.13	3	H	319	1.40	-
PK	11.21226G	53.40	74.00	-20.60	13.14	3	H	319	1.40	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT_Y_4TX
 Setting 23
 03-J-4-10
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.77	54.00	-0.23	6.05	3	V	179	1.86	-
AV	5.658G	103.56	Inf	-Inf	6.25	3	V	179	1.86	-
PK	5.458G	67.17	74.00	-6.83	6.05	3	V	179	1.86	-
PK	5.464G	65.70	68.20	-2.50	6.07	3	V	179	1.86	-
PK	5.672G	113.48	Inf	-Inf	6.25	3	V	179	1.86	-
PK	5.932G	61.14	68.20	-7.06	6.18	3	V	179	1.86	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170823
EUT_Y_4TX
Setting 23
03-J-4-10
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	49.37	54.00	-4.63	6.05	3	H	115	1.48	-
AV	5.694G	96.75	Inf	-Inf	6.25	3	H	115	1.48	-
PK	5.436G	59.36	74.00	-14.64	6.00	3	H	115	1.48	-
PK	5.468G	59.68	68.20	-8.52	6.08	3	H	115	1.48	-
PK	5.702G	106.49	Inf	-Inf	6.25	3	H	115	1.48	-
PK	5.946G	58.84	68.20	-9.36	6.18	3	H	115	1.48	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170823
 EUT Y_4TX
 Setting 23
 03-J-4
 FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38018G	43.21	54.00	-10.79	13.31	3	V	354	1.22	-
PK	11.3923G	54.80	74.00	-19.20	13.32	3	V	354	1.22	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170823
EUT_Y_4TX
Setting 23
03-J-4
FSP(100019)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38228G	43.51	54.00	-10.49	13.31	3	H	313	1.82	-
PK	11.38414G	54.40	74.00	-19.60	13.31	3	H	313	1.82	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170821
EUT_Y_4TX
Setting 21.5
04-M-0-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.763G	96.24	Inf	-Inf	7.10	3	V	187	1.79	-
PK	5.639G	67.92	68.20	-0.28	6.85	3	V	187	1.79	-
PK	5.764G	110.26	Inf	-Inf	7.10	3	V	187	1.79	-
PK	5.929G	65.55	68.20	-2.65	8.02	3	V	187	1.79	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170821
 EUT_Y_4TX
 Setting 21.5
 04-M-0-10
 FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.763G	90.83	Inf	-Inf	7.10	3	H	306	1.79	-
PK	5.643G	63.37	68.20	-4.83	6.86	3	H	306	1.79	-
PK	5.761G	105.62	Inf	-Inf	7.10	3	H	306	1.79	-
PK	5.93G	61.41	68.20	-6.79	8.02	3	H	306	1.79	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170823
 EUT Y 4TX
 Setting 21.5
 02-Z-1
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55006G	41.24	54.00	-12.76	16.16	3	V	40	1.53	-
PK	11.54118G	54.51	74.00	-19.49	16.16	3	V	40	1.53	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170823
EUT Y 4TX
Setting 21.5
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.53944G	41.23	54.00	-12.77	16.16	3	H	265	1.64	-
PK	11.54688G	54.13	74.00	-19.87	16.16	3	H	265	1.64	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170831
 EUT_Y_4TX
 Setting 19.5
 06-J-4-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	53.65	54.00	-0.35	7.24	3	V	189	1.41	-
AV	5.1856G	105.83	Inf	-Inf	7.28	3	V	189	1.41	-
PK	5.1492G	70.27	74.00	-3.73	7.24	3	V	189	1.41	-
PK	5.1812G	115.48	Inf	-Inf	7.27	3	V	189	1.41	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170831
 EUT_Y_4TX
 Setting 19.5
 06-J-4-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	51.49	54.00	-2.51	7.24	3	H	23	2.97	-
AV	5.1724G	106.29	Inf	-Inf	7.27	3	H	23	2.97	-
PK	5.1468G	67.95	74.00	-6.05	7.24	3	H	23	2.97	-
PK	5.1728G	115.53	Inf	-Inf	7.27	3	H	23	2.97	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170831
 EUT_Y_4TX
 Setting 19.5
 06-J-4
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.52824G	47.69	54.00	-6.31	17.95	3	V	179	2.14	-
PK	15.55086G	61.31	74.00	-12.69	17.89	3	V	179	2.14	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170831
 EUT_Y_4TX
 Setting 19.5
 06-J-4
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.54714G	47.78	54.00	-6.22	17.90	3	H	173	2.46	-
PK	15.53952G	61.62	74.00	-12.38	17.92	3	H	173	2.46	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	49.02	54.00	-4.98	7.24	3	V	200	1.40	-
AV	5.1964G	108.58	Inf	-Inf	7.29	3	V	200	1.40	-
PK	5.148G	64.13	74.00	-9.87	7.24	3	V	200	1.40	-
PK	5.1976G	118.54	Inf	-Inf	7.29	3	V	200	1.40	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	47.67	54.00	-6.33	7.24	3	H	341	1.15	-
AV	5.194G	106.16	Inf	-Inf	7.28	3	H	341	1.15	-
PK	5.1496G	61.97	74.00	-12.03	7.24	3	H	341	1.15	-
PK	5.1944G	116.15	Inf	-Inf	7.28	3	H	341	1.15	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.58674G	47.65	54.00	-6.35	17.78	3	V	69	1.71	-
PK	15.58638G	61.19	74.00	-12.81	17.78	3	V	69	1.71	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.58848G	47.71	54.00	-6.29	17.78	3	H	16	1.29	-
PK	15.5886G	61.04	74.00	-12.96	17.78	3	H	16	1.29	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.126G	48.21	54.00	-5.79	7.22	3	V	175	1.50	-
AV	5.2358G	110.03	Inf	-Inf	7.35	3	V	175	1.50	-
AV	5.3522G	49.59	54.00	-4.41	7.53	3	V	175	1.50	-
PK	5.135G	60.29	74.00	-13.71	7.23	3	V	175	1.50	-
PK	5.2346G	120.41	Inf	-Inf	7.35	3	V	175	1.50	-
PK	5.3798G	62.63	74.00	-11.37	7.57	3	V	175	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1236G	48.15	54.00	-5.85	7.22	3	H	172	2.02	-
AV	5.2328G	111.67	Inf	-Inf	7.34	3	H	172	2.02	-
AV	5.3798G	48.26	54.00	-5.74	7.57	3	H	172	2.02	-
PK	5.1236G	60.27	74.00	-13.73	7.22	3	H	172	2.02	-
PK	5.2328G	120.75	Inf	-Inf	7.34	3	H	172	2.02	-
PK	5.3672G	62.00	74.00	-12.00	7.55	3	H	172	2.02	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.73284G	47.41	54.00	-6.59	17.37	3	V	169	1.08	-
PK	15.71106G	61.99	74.00	-12.01	17.43	3	V	169	1.08	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7062G	47.45	54.00	-6.55	17.44	3	H	221	1.78	-
PK	15.72612G	61.18	74.00	-12.82	17.39	3	H	221	1.78	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	47.24	54.00	-6.76	7.24	3	V	268	2.27	-
AV	5.2582G	109.40	Inf	-Inf	7.38	3	V	268	2.27	-
AV	5.3656G	49.76	54.00	-4.24	7.55	3	V	268	2.27	-
PK	5.1364G	59.37	74.00	-14.63	7.23	3	V	268	2.27	-
PK	5.2582G	119.57	Inf	-Inf	7.38	3	V	268	2.27	-
PK	5.3728G	62.01	74.00	-11.99	7.56	3	V	268	2.27	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	46.70	54.00	-7.30	7.24	3	H	44	1.47	-
AV	5.2636G	109.32	Inf	-Inf	7.39	3	H	44	1.47	-
AV	5.3728G	48.64	54.00	-5.36	7.56	3	H	44	1.47	-
PK	5.149G	59.62	74.00	-14.38	7.24	3	H	44	1.47	-
PK	5.2636G	118.51	Inf	-Inf	7.39	3	H	44	1.47	-
PK	5.3746G	61.93	74.00	-12.07	7.56	3	H	44	1.47	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170901
 EUT_Y_4TX
 Setting 23
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7716G	47.69	54.00	-6.31	17.26	3	V	118	1.36	-
PK	15.77994G	61.86	74.00	-12.14	17.23	3	V	118	1.36	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77106G	47.70	54.00	-6.30	17.26	3	H	70	1.93	-
PK	15.77526G	61.98	74.00	-12.02	17.25	3	H	70	1.93	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.306G	110.03	Inf	-Inf	7.46	3	V	339	1.99	-
AV	5.3504G	50.65	54.00	-3.35	7.53	3	V	339	1.99	-
PK	5.3064G	120.01	Inf	-Inf	7.46	3	V	339	1.99	-
PK	5.352G	64.24	74.00	-9.76	7.53	3	V	339	1.99	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2932G	109.09	Inf	-Inf	7.44	3	H	37	1.25	-
AV	5.3508G	50.22	54.00	-3.78	7.53	3	H	37	1.25	-
PK	5.2928G	118.21	Inf	-Inf	7.44	3	H	37	1.25	-
PK	5.3548G	64.39	74.00	-9.61	7.53	3	H	37	1.25	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60034G	45.22	54.00	-8.78	16.69	3	V	277	2.09	-
PK	10.59582G	59.44	68.20	-8.76	16.69	3	V	277	2.09	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60326G	45.15	54.00	-8.85	16.70	3	H	244	2.38	-
PK	10.59762G	58.81	68.20	-9.39	16.69	3	H	244	2.38	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170831
EUT_Y_4TX
Setting 19.5
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3124G	107.69	Inf	-Inf	7.47	3	V	139	1.44	-
AV	5.3512G	53.98	54.00	-0.02	7.53	3	V	139	1.44	-
PK	5.3248G	117.12	Inf	-Inf	7.49	3	V	139	1.44	-
PK	5.3508G	68.80	74.00	-5.20	7.53	3	V	139	1.44	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170831
EUT_Y_4TX
Setting 19.5
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3128G	102.13	Inf	-Inf	7.47	3	H	196	1.22	-
AV	5.3508G	49.97	54.00	-4.03	7.53	3	H	196	1.22	-
PK	5.3148G	112.87	Inf	-Inf	7.47	3	H	196	1.22	-
PK	5.3524G	64.57	74.00	-9.43	7.53	3	H	196	1.22	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170901
 EUT_Y_4TX
 Setting 19.5
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62626G	45.42	54.00	-8.58	16.73	3	V	297	2.09	-
PK	10.64066G	59.78	74.00	-14.22	16.75	3	V	297	2.09	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170901
EUT_Y_4TX
Setting 19.5
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.62602G	45.47	54.00	-8.53	16.73	3	H	181	1.58	-
PK	10.64234G	59.56	74.00	-14.44	16.75	3	H	181	1.58	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170901
EUT_Y_4TX
Setting 19.5
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4562G	49.53	54.00	-4.47	7.73	3	V	315	1.50	-
AV	5.4694G	53.99	54.00	-0.01	7.76	3	V	315	1.50	-
AV	5.4946G	108.61	Inf	-Inf	7.82	3	V	315	1.50	-
PK	5.4598G	64.12	74.00	-9.88	7.74	3	V	315	1.50	-
PK	5.4676G	69.17	74.00	-4.83	7.76	3	V	315	1.50	-
PK	5.4964G	118.05	Inf	-Inf	7.82	3	V	315	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170901
EUT_Y_4TX
Setting 19.5
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.398G	48.96	54.00	-5.04	7.60	3	H	287	1.58	-
AV	5.4682G	49.64	54.00	-4.36	7.76	3	H	287	1.58	-
AV	5.5078G	107.21	Inf	-Inf	7.85	3	H	287	1.58	-
PK	5.3926G	60.86	74.00	-13.14	7.59	3	H	287	1.58	-
PK	5.4694G	63.02	74.00	-10.98	7.76	3	H	287	1.58	-
PK	5.5066G	117.05	Inf	-Inf	7.85	3	H	287	1.58	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170901
 EUT_Y_4TX
 Setting 19.5
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00438G	45.52	54.00	-8.48	17.22	3	V	325	2.20	-
PK	11.01326G	58.89	74.00	-15.11	17.21	3	V	325	2.20	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170901
 EUT_Y_4TX
 Setting 19.5
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0135G	45.52	54.00	-8.48	17.21	3	H	150	1.43	-
PK	11.00696G	58.82	74.00	-15.18	17.22	3	H	150	1.43	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	48.56	54.00	-5.44	7.73	3	V	166	1.62	-
AV	5.4696G	50.67	54.00	-3.33	7.76	3	V	166	1.62	-
AV	5.5824G	111.67	Inf	-Inf	8.04	3	V	166	1.62	-
AV	5.7328G	48.11	54.00	-5.89	8.21	3	V	166	1.62	-
PK	5.4376G	61.44	74.00	-12.56	7.69	3	V	166	1.62	-
PK	5.4664G	62.72	74.00	-11.28	7.75	3	V	166	1.62	-
PK	5.584G	121.52	Inf	-Inf	8.04	3	V	166	1.62	-
PK	5.7552G	61.15	74.00	-12.85	8.23	3	V	166	1.62	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4472G	47.86	54.00	-6.14	7.71	3	H	152	1.49	-
AV	5.4664G	48.78	54.00	-5.22	7.75	3	H	152	1.49	-
AV	5.572G	108.74	Inf	-Inf	8.01	3	H	152	1.49	-
AV	5.728G	47.37	54.00	-6.63	8.21	3	H	152	1.49	-
PK	5.4472G	60.29	74.00	-13.71	7.71	3	H	152	1.49	-
PK	5.4664G	61.35	74.00	-12.65	7.75	3	H	152	1.49	-
PK	5.5736G	118.18	Inf	-Inf	8.01	3	H	152	1.49	-
PK	5.7312G	60.53	74.00	-13.47	8.21	3	H	152	1.49	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170901
 EUT_Y_4TX
 Setting 23
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1525G	44.82	54.00	-9.18	17.12	3	V	115	1.64	-
PK	11.16366G	58.49	74.00	-15.51	17.11	3	V	115	1.64	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.14704G	44.87	54.00	-9.13	17.12	3	H	105	2.02	-
PK	11.14722G	58.53	74.00	-15.47	17.12	3	H	105	2.02	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170901
EUT_Y_4TX
Setting 20
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6946G	107.04	Inf	-Inf	8.17	3	V	273	1.50	-
AV	5.7252G	53.71	54.00	-0.29	8.20	3	V	273	1.50	-
PK	5.6958G	116.81	Inf	-Inf	8.18	3	V	273	1.50	-
PK	5.7252G	70.74	74.00	-3.26	8.20	3	V	273	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170901
EUT_Y_4TX
Setting 20
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6928G	106.19	Inf	-Inf	8.17	3	H	7	1.78	-
AV	5.7252G	53.32	54.00	-0.68	8.20	3	H	7	1.78	-
PK	5.6946G	116.06	Inf	-Inf	8.17	3	H	7	1.78	-
PK	5.7252G	68.84	74.00	-5.16	8.20	3	H	7	1.78	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170901
 EUT_Y_4TX
 Setting 20
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38962G	44.69	54.00	-9.31	16.96	3	V	298	1.77	-
PK	11.40774G	58.77	74.00	-15.23	16.95	3	V	298	1.77	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170901
 EUT_Y_4TX
 Setting 20
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38854G	44.60	54.00	-9.40	16.96	3	H	156	1.49	-
PK	11.40156G	58.43	74.00	-15.57	16.95	3	H	156	1.49	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.448G	48.80	54.00	-5.20	7.71	3	V	181	1.50	-
AV	5.4688G	49.09	54.00	-4.91	7.76	3	V	181	1.50	-
AV	5.7248G	110.11	Inf	-Inf	8.20	3	V	181	1.50	-
PK	5.376G	61.81	74.00	-12.19	7.56	3	V	181	1.50	-
PK	5.4656G	60.67	74.00	-13.33	7.75	3	V	181	1.50	-
PK	5.7232G	120.19	Inf	-Inf	8.20	3	V	181	1.50	-
PK	5.9344G	61.46	68.20	-6.74	8.57	3	V	181	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3888G	48.11	54.00	-5.89	7.58	3	H	289	2.71	-
AV	5.4608G	48.26	54.00	-5.74	7.74	3	H	289	2.71	-
AV	5.712G	110.75	Inf	-Inf	8.19	3	H	289	2.71	-
PK	5.4016G	60.24	74.00	-13.76	7.60	3	H	289	2.71	-
PK	5.4624G	60.13	74.00	-13.87	7.74	3	H	289	2.71	-
PK	5.712G	119.57	Inf	-Inf	8.19	3	H	289	2.71	-
PK	5.96G	60.78	68.20	-7.42	8.62	3	H	289	2.71	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44756G	44.91	54.00	-9.09	16.92	3	V	340	2.29	-
PK	11.42512G	57.89	74.00	-16.11	16.94	3	V	340	2.29	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44162G	44.92	54.00	-9.08	16.93	3	H	166	1.25	-
PK	11.44426G	58.15	74.00	-15.85	16.93	3	H	166	1.25	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	109.04	Inf	-Inf	8.21	3	V	129	1.98	-
PK	5.568G	61.55	68.20	-6.65	8.00	3	V	129	1.98	-
PK	5.737G	118.96	Inf	-Inf	8.21	3	V	129	1.98	-
PK	5.979G	60.58	68.20	-7.62	8.66	3	V	129	1.98	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.737G	107.38	Inf	-Inf	8.21	3	H	150	1.70	-
PK	5.624G	62.32	68.20	-5.88	8.10	3	H	150	1.70	-
PK	5.739G	116.91	Inf	-Inf	8.22	3	H	150	1.70	-
PK	5.971G	61.02	68.20	-7.18	8.65	3	H	150	1.70	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49822G	44.88	54.00	-9.12	16.89	3	V	129	1.72	-
PK	11.4804G	58.80	74.00	-15.20	16.90	3	V	129	1.72	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4945G	44.79	54.00	-9.21	16.89	3	H	334	1.89	-
PK	11.50104G	59.18	74.00	-14.82	16.89	3	H	334	1.89	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.781G	109.37	Inf	-Inf	8.25	3	V	163	1.52	-
PK	5.633G	61.48	68.20	-6.72	8.11	3	V	163	1.52	-
PK	5.786G	119.94	Inf	-Inf	8.26	3	V	163	1.52	-
PK	5.933G	60.89	68.20	-7.31	8.56	3	V	163	1.52	-



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.777G	104.61	Inf	-Inf	8.25	3	H	150	1.52	-
PK	5.631G	61.80	68.20	-6.40	8.11	3	H	150	1.52	-
PK	5.777G	114.48	Inf	-Inf	8.25	3	H	150	1.52	-
PK	5.986G	60.19	68.20	-8.01	8.68	3	H	150	1.52	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57408G	44.70	54.00	-9.30	16.84	3	V	256	2.22	-
PK	11.57912G	58.87	74.00	-15.13	16.84	3	V	256	2.22	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56832G	44.73	54.00	-9.27	16.84	3	H	314	2.06	-
PK	11.5574G	58.14	74.00	-15.86	16.85	3	H	314	2.06	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.832G	108.41	Inf	-Inf	8.34	3	V	173	1.55	-
PK	5.612G	61.59	68.20	-6.61	8.09	3	V	173	1.55	-
PK	5.833G	118.21	Inf	-Inf	8.34	3	V	173	1.55	-
PK	5.977G	61.66	68.20	-6.54	8.66	3	V	173	1.55	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.83G	105.01	Inf	-Inf	8.34	3	H	180	1.76	-
PK	5.608G	60.59	68.20	-7.61	8.09	3	H	180	1.76	-
PK	5.832G	114.54	Inf	-Inf	8.34	3	H	180	1.76	-
PK	5.94G	61.06	68.20	-7.14	8.58	3	H	180	1.76	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6641G	44.70	54.00	-9.30	16.78	3	V	340	1.42	-
PK	11.66494G	58.42	74.00	-15.58	16.78	3	V	340	1.42	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65546G	44.60	54.00	-9.40	16.79	3	H	342	2.22	-
PK	11.64676G	58.60	74.00	-15.40	16.79	3	H	342	2.22	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170831
EUT_Y_4TX
Setting 17
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	53.86	54.00	-0.14	7.24	3	V	184	1.81	-
AV	5.1824G	102.40	Inf	-Inf	7.27	3	V	184	1.81	-
PK	5.1444G	73.71	74.00	-0.29	7.24	3	V	184	1.81	-
PK	5.184G	113.51	Inf	-Inf	7.28	3	V	184	1.81	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170831
EUT_Y_4TX
Setting 17
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1488G	50.97	54.00	-3.03	7.24	3	H	163	1.95	-
AV	5.1744G	99.56	Inf	-Inf	7.27	3	H	163	1.95	-
PK	5.1496G	71.38	74.00	-2.62	7.24	3	H	163	1.95	-
PK	5.1744G	109.62	Inf	-Inf	7.27	3	H	163	1.95	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170831
 EUT_Y_4TX
 Setting 17
 06-J-4
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55518G	47.01	54.00	-6.99	17.87	3	V	320	1.30	-
PK	15.57066G	61.89	74.00	-12.11	17.83	3	V	320	1.30	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170831
EUT_Y_4TX
Setting 17
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5787G	47.06	54.00	-6.94	17.81	3	H	93	1.98	-
PK	15.55794G	61.12	74.00	-12.88	17.87	3	H	93	1.98	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170831
EUT_Y_4TX
Setting 22
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1478G	53.87	54.00	-0.13	7.24	3	V	134	1.86	-
AV	5.248G	107.55	Inf	-Inf	7.37	3	V	134	1.86	-
AV	5.356G	50.40	54.00	-3.60	7.53	3	V	134	1.86	-
PK	5.149G	71.50	74.00	-2.50	7.24	3	V	134	1.86	-
PK	5.2468G	116.76	Inf	-Inf	7.36	3	V	134	1.86	-
PK	5.3554G	64.77	74.00	-9.23	7.53	3	V	134	1.86	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170831
EUT_Y_4TX
Setting 22
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1478G	49.67	54.00	-4.33	7.24	3	H	171	1.91	-
AV	5.2282G	106.52	Inf	-Inf	7.34	3	H	171	1.91	-
AV	5.3632G	49.00	54.00	-5.00	7.54	3	H	171	1.91	-
PK	5.1454G	64.78	74.00	-9.22	7.24	3	H	171	1.91	-
PK	5.2264G	116.41	Inf	-Inf	7.33	3	H	171	1.91	-
PK	5.38G	61.93	74.00	-12.07	7.57	3	H	171	1.91	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170831
EUT_Y_4TX
Setting 22
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.67584G	47.59	54.00	-6.41	17.53	3	V	95	2.09	-
PK	15.69036G	61.70	74.00	-12.30	17.49	3	V	95	2.09	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170831
EUT_Y_4TX
Setting 22
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.67626G	47.66	54.00	-6.34	17.53	3	H	305	1.90	-
PK	15.68682G	61.59	74.00	-12.41	17.50	3	H	305	1.90	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170901
EUT_Y_4TX
Setting 22
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	48.73	54.00	-5.27	7.24	3	V	305	1.24	-
AV	5.278G	108.69	Inf	-Inf	7.41	3	V	305	1.24	-
AV	5.351G	53.63	54.00	-0.37	7.53	3	V	305	1.24	-
PK	5.144G	61.04	74.00	-12.96	7.24	3	V	305	1.24	-
PK	5.278G	118.63	Inf	-Inf	7.41	3	V	305	1.24	-
PK	5.353G	68.35	74.00	-5.65	7.53	3	V	305	1.24	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170901
EUT_Y_4TX
Setting 22
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	48.30	54.00	-5.70	7.24	3	H	171	1.91	-
AV	5.267G	108.34	Inf	-Inf	7.40	3	H	171	1.91	-
AV	5.351G	51.89	54.00	-2.11	7.53	3	H	171	1.91	-
PK	5.101G	61.24	74.00	-12.76	7.20	3	H	171	1.91	-
PK	5.267G	117.42	Inf	-Inf	7.40	3	H	171	1.91	-
PK	5.353G	64.83	74.00	-9.17	7.53	3	H	171	1.91	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170901
EUT_Y_4TX
Setting 22
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8223G	48.27	54.00	-5.73	17.11	3	V	325	1.39	-
PK	15.8178G	61.89	74.00	-12.11	17.13	3	V	325	1.39	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170901
EUT_Y_4TX
Setting 22
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.82194G	48.48	54.00	-5.52	17.12	3	H	82	1.17	-
PK	15.80994G	61.41	74.00	-12.59	17.15	3	H	82	1.17	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170901
EUT_Y_4TX
Setting 15
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.315G	102.52	Inf	-Inf	7.47	3	V	316	1.47	-
AV	5.351G	53.98	54.00	-0.02	7.53	3	V	316	1.47	-
PK	5.318G	113.06	Inf	-Inf	7.48	3	V	316	1.47	-
PK	5.352G	68.69	74.00	-5.31	7.53	3	V	316	1.47	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170901
EUT_Y_4TX
Setting 15
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.326G	100.41	Inf	-Inf	7.49	3	H	292	2.68	-
AV	5.351G	52.68	54.00	-1.32	7.53	3	H	292	2.68	-
PK	5.322G	110.39	Inf	-Inf	7.48	3	H	292	2.68	-
PK	5.352G	69.90	74.00	-4.10	7.53	3	H	292	2.68	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170901
EUT_Y_4TX
Setting 15
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6101G	46.04	54.00	-7.96	16.71	3	V	269	1.92	-
PK	10.61334G	59.18	74.00	-14.82	16.71	3	V	269	1.92	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170901
EUT_Y_4TX
Setting 15
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6077G	46.10	54.00	-7.90	16.70	3	H	215	2.19	-
PK	10.61334G	59.75	74.00	-14.25	16.71	3	H	215	2.19	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170901
EUT_Y_4TX
Setting 16
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	50.96	54.00	-3.04	7.74	3	V	313	1.66	-
AV	5.4662G	52.94	54.00	-1.06	7.75	3	V	313	1.66	-
AV	5.5274G	102.49	Inf	-Inf	7.90	3	V	313	1.66	-
PK	5.4584G	67.83	74.00	-6.17	7.73	3	V	313	1.66	-
PK	5.4644G	73.51	74.00	-0.49	7.75	3	V	313	1.66	-
PK	5.5226G	112.85	Inf	-Inf	7.89	3	V	313	1.66	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170901
EUT_Y_4TX
Setting 16
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4578G	48.53	54.00	-5.47	7.73	3	H	292	1.50	-
AV	5.4698G	49.40	54.00	-4.60	7.76	3	H	292	1.50	-
AV	5.5196G	97.10	Inf	-Inf	7.88	3	H	292	1.50	-
PK	5.4404G	61.36	74.00	-12.64	7.69	3	H	292	1.50	-
PK	5.4692G	66.64	74.00	-7.36	7.76	3	H	292	1.50	-
PK	5.5172G	107.39	Inf	-Inf	7.87	3	H	292	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170901
 EUT_Y_4TX
 Setting 16
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02324G	45.02	54.00	-8.98	17.20	3	V	61	1.70	-
PK	11.02132G	59.10	74.00	-14.90	17.21	3	V	61	1.70	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170901
 EUT_Y_4TX
 Setting 16
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02102G	44.97	54.00	-9.03	17.21	3	H	52	1.84	-
PK	11.03362G	59.18	74.00	-14.82	17.20	3	H	52	1.84	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170901
EUT_Y_4TX
Setting 22
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	52.24	54.00	-1.76	7.74	3	V	181	1.78	-
AV	5.4654G	53.72	54.00	-0.28	7.75	3	V	181	1.78	-
AV	5.5524G	107.37	Inf	-Inf	7.96	3	V	181	1.78	-
PK	5.4588G	66.64	74.00	-7.36	7.74	3	V	181	1.78	-
PK	5.4666G	69.63	74.00	-4.37	7.75	3	V	181	1.78	-
PK	5.5542G	118.32	Inf	-Inf	7.97	3	V	181	1.78	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170901
EUT_Y_4TX
Setting 22
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	50.29	54.00	-3.71	7.73	3	H	285	2.98	-
AV	5.4696G	51.23	54.00	-2.77	7.76	3	H	285	2.98	-
AV	5.5674G	104.00	Inf	-Inf	8.00	3	H	285	2.98	-
PK	5.457G	64.07	74.00	-9.93	7.73	3	H	285	2.98	-
PK	5.4696G	64.88	74.00	-9.12	7.76	3	H	285	2.98	-
PK	5.5356G	115.78	Inf	-Inf	7.92	3	H	285	2.98	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170901
 EUT_Y_4TX
 Setting 22
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.08698G	44.60	54.00	-9.40	17.16	3	V	62	1.54	-
PK	11.09172G	58.86	74.00	-15.14	17.16	3	V	62	1.54	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170901
EUT_Y_4TX
Setting 22
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.08662G	44.65	54.00	-9.35	17.16	3	H	177	1.55	-
PK	11.0964G	58.63	74.00	-15.37	17.16	3	H	177	1.55	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170901
EUT_Y_4TX
Setting 21
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6838G	105.68	Inf	-Inf	8.16	3	V	181	1.50	-
AV	5.727G	53.90	54.00	-0.10	8.20	3	V	181	1.50	-
PK	5.6808G	117.01	Inf	-Inf	8.16	3	V	181	1.50	-
PK	5.7258G	72.46	74.00	-1.54	8.20	3	V	181	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170901
EUT_Y_4TX
Setting 21
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6628G	102.92	Inf	-Inf	8.14	3	H	301	2.21	-
AV	5.7282G	50.56	54.00	-3.44	8.21	3	H	301	2.21	-
PK	5.661G	112.98	Inf	-Inf	8.14	3	H	301	2.21	-
PK	5.7276G	66.18	74.00	-7.82	8.20	3	H	301	2.21	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170901
EUT_Y_4TX
Setting 21
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33532G	44.70	54.00	-9.30	17.00	3	V	218	1.56	-
PK	11.3313G	58.79	74.00	-15.21	17.00	3	V	218	1.56	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170901
EUT_Y_4TX
Setting 21
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34594G	44.74	54.00	-9.26	16.99	3	H	232	1.11	-
PK	11.34168G	59.94	74.00	-14.06	16.99	3	H	232	1.11	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4556G	48.59	54.00	-5.41	7.73	3	V	271	1.50	-
AV	5.4636G	48.72	54.00	-5.28	7.75	3	V	271	1.50	-
AV	5.6956G	107.49	Inf	-Inf	8.18	3	V	271	1.50	-
PK	5.3868G	60.84	74.00	-13.16	7.58	3	V	271	1.50	-
PK	5.462G	61.70	74.00	-12.30	7.74	3	V	271	1.50	-
PK	5.6924G	116.68	Inf	-Inf	8.17	3	V	271	1.50	-
PK	5.9868G	62.55	68.20	-5.65	8.68	3	V	271	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170901
 EUT_Y_4TX
 Setting 23
 06-D-1-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4588G	48.07	54.00	-5.93	7.74	3	H	276	2.88	-
AV	5.4668G	48.09	54.00	-5.91	7.75	3	H	276	2.88	-
AV	5.7004G	104.79	Inf	-Inf	8.18	3	H	276	2.88	-
PK	5.366G	60.85	74.00	-13.15	7.55	3	H	276	2.88	-
PK	5.4636G	59.71	74.00	-14.29	7.75	3	H	276	2.88	-
PK	5.7036G	114.07	Inf	-Inf	8.18	3	H	276	2.88	-
PK	5.9708G	60.53	68.20	-7.67	8.65	3	H	276	2.88	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40722G	45.39	54.00	-8.61	16.95	3	V	136	2.04	-
PK	11.41838G	58.61	74.00	-15.39	16.94	3	V	136	2.04	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41016G	45.34	54.00	-8.66	16.95	3	H	91	1.22	-
PK	11.43254G	58.97	74.00	-15.03	16.93	3	H	91	1.22	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.761G	107.70	Inf	-Inf	8.23	3	V	177	1.72	-
PK	5.649G	64.84	68.20	-3.36	8.13	3	V	177	1.72	-
PK	5.762G	117.75	Inf	-Inf	8.24	3	V	177	1.72	-
PK	5.943G	61.04	68.20	-7.16	8.58	3	V	177	1.72	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	106.04	Inf	-Inf	8.21	3	H	149	1.80	-
PK	5.651G	63.95	68.94	-4.99	8.13	3	H	149	1.80	-
PK	5.737G	115.38	Inf	-Inf	8.21	3	H	149	1.80	-
PK	5.938G	61.01	68.20	-7.19	8.57	3	H	149	1.80	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.504G	44.60	54.00	-9.40	16.89	3	V	339	1.03	-
PK	11.50988G	58.13	74.00	-15.87	16.88	3	V	339	1.03	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50112G	44.42	54.00	-9.58	16.89	3	H	183	1.42	-
PK	11.5205G	58.18	74.00	-15.82	16.88	3	H	183	1.42	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.798G	107.26	Inf	-Inf	8.27	3	V	175	1.57	-
PK	5.646G	62.36	68.20	-5.84	8.13	3	V	175	1.57	-
PK	5.799G	116.82	Inf	-Inf	8.27	3	V	175	1.57	-
PK	5.956G	61.29	68.20	-6.91	8.61	3	V	175	1.57	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.809G	104.53	Inf	-Inf	8.29	3	H	253	1.88	-
PK	5.564G	61.25	68.20	-6.95	7.99	3	H	253	1.88	-
PK	5.811G	113.69	Inf	-Inf	8.29	3	H	253	1.88	-
PK	5.932G	60.74	68.20	-7.46	8.56	3	H	253	1.88	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170831
 EUT_Y_4TX
 Setting 23
 06-J-4
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57668G	44.17	54.00	-9.83	16.84	3	V	152	1.77	-
PK	11.59072G	58.47	74.00	-15.53	16.83	3	V	152	1.77	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170831
EUT_Y_4TX
Setting 23
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58502G	44.28	54.00	-9.72	16.83	3	H	233	2.24	-
PK	11.5954G	58.24	74.00	-15.76	16.83	3	H	233	2.24	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170831
EUT_Y_4TX
Setting 17
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.125G	53.69	54.00	-0.31	7.22	3	V	180	1.54	-
AV	5.234G	97.46	Inf	-Inf	7.34	3	V	180	1.54	-
AV	5.353G	49.44	54.00	-4.56	7.53	3	V	180	1.54	-
PK	5.144G	71.62	74.00	-2.38	7.24	3	V	180	1.54	-
PK	5.231G	109.21	Inf	-Inf	7.34	3	V	180	1.54	-
PK	5.37G	62.68	74.00	-11.32	7.55	3	V	180	1.54	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170831
EUT_Y_4TX
Setting 17
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	52.49	54.00	-1.51	7.24	3	H	170	1.91	-
AV	5.23G	99.30	Inf	-Inf	7.34	3	H	170	1.91	-
AV	5.363G	48.25	54.00	-5.75	7.54	3	H	170	1.91	-
PK	5.138G	68.94	74.00	-5.06	7.23	3	H	170	1.91	-
PK	5.231G	110.46	Inf	-Inf	7.34	3	H	170	1.91	-
PK	5.353G	61.22	74.00	-12.78	7.53	3	H	170	1.91	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170831
EUT_Y_4TX
Setting 17
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.61692G	47.88	54.00	-6.12	17.70	3	V	132	1.77	-
PK	15.6417G	62.04	74.00	-11.96	17.63	3	V	132	1.77	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170831
EUT_Y_4TX
Setting 17
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6165G	47.92	54.00	-6.08	17.70	3	H	118	2.02	-
PK	15.63366G	62.17	74.00	-11.83	17.65	3	H	118	2.02	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170901
EUT_Y_4TX
Setting 14
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	46.50	54.00	-7.50	7.24	3	V	181	1.79	-
AV	5.309G	96.76	Inf	-Inf	7.46	3	V	181	1.79	-
AV	5.352G	53.78	54.00	-0.22	7.53	3	V	181	1.79	-
PK	5.123G	60.12	74.00	-13.88	7.22	3	V	181	1.79	-
PK	5.312G	106.92	Inf	-Inf	7.47	3	V	181	1.79	-
PK	5.356G	68.04	74.00	-5.96	7.53	3	V	181	1.79	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170901
 EUT_Y_4TX
 Setting 14
 06-D-1-10
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.07G	46.27	54.00	-7.73	7.17	3	H	167	2.65	-
AV	5.287G	94.69	Inf	-Inf	7.43	3	H	167	2.65	-
AV	5.354G	50.26	54.00	-3.74	7.53	3	H	167	2.65	-
PK	5.095G	59.57	74.00	-14.43	7.20	3	H	167	2.65	-
PK	5.287G	105.24	Inf	-Inf	7.43	3	H	167	2.65	-
PK	5.355G	65.10	74.00	-8.90	7.53	3	H	167	2.65	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170901
EUT_Y_4TX
Setting 14
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88344G	47.72	54.00	-6.28	16.94	3	V	358	1.32	-
PK	15.86658G	62.37	74.00	-11.63	16.99	3	V	358	1.32	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170901
EUT_Y_4TX
Setting 14
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88032G	47.79	54.00	-6.21	16.95	3	H	102	2.28	-
PK	15.87738G	61.63	74.00	-12.37	16.96	3	H	102	2.28	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170901
EUT_Y_4TX
Setting 15,5
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.87	54.00	-0.13	7.73	3	V	183	1.52	-
AV	5.46G	53.65	54.00	-0.35	7.74	3	V	183	1.52	-
AV	5.554G	98.74	Inf	-Inf	7.96	3	V	183	1.52	-
AV	5.736G	48.00	54.00	-6.00	8.21	3	V	183	1.52	-
PK	5.468G	67.66	74.00	-6.34	7.76	3	V	183	1.52	-
PK	5.515G	109.15	Inf	-Inf	7.87	3	V	183	1.52	-
PK	5.747G	60.20	74.00	-13.80	8.22	3	V	183	1.52	-
PK	5.449G	64.08	74.00	-9.92	7.71	3	V	183	1.52	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170901
EUT_Y_4TX
Setting 15.5
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.64	54.00	-4.36	7.74	3	H	287	1.83	-
AV	5.468G	50.04	54.00	-3.96	7.76	3	H	287	1.83	-
AV	5.516G	96.29	Inf	-Inf	7.87	3	H	287	1.83	-
AV	5.734G	47.63	54.00	-6.37	8.21	3	H	287	1.83	-
PK	5.469G	62.03	74.00	-11.97	7.76	3	H	287	1.83	-
PK	5.52G	106.64	Inf	-Inf	7.88	3	H	287	1.83	-
PK	5.739G	60.37	74.00	-13.63	8.22	3	H	287	1.83	-
PK	5.444G	61.78	74.00	-12.22	7.70	3	H	287	1.83	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170901
 EUT_Y_4TX
 Setting 15.5
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05226G	45.46	54.00	-8.54	17.19	3	V	173	1.82	-
PK	11.05586G	59.79	74.00	-14.21	17.18	3	V	173	1.82	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170901
 EUT_Y_4TX
 Setting 15.5
 06-D-1
 FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0585G	45.52	54.00	-8.48	17.18	3	H	123	1.58	-
PK	11.0465G	59.21	74.00	-14.79	17.19	3	H	123	1.58	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170901
EUT_Y_4TX
Setting 20
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	51.08	54.00	-2.92	7.74	3	V	169	1.50	-
AV	5.467G	51.97	54.00	-2.03	7.75	3	V	169	1.50	-
AV	5.618G	103.49	Inf	-Inf	8.10	3	V	169	1.50	-
AV	5.728G	53.87	54.00	-0.13	8.21	3	V	169	1.50	-
PK	5.458G	63.72	74.00	-10.28	7.73	3	V	169	1.50	-
PK	5.465G	64.07	74.00	-9.93	7.75	3	V	169	1.50	-
PK	5.613G	113.97	Inf	-Inf	8.09	3	V	169	1.50	-
PK	5.728G	66.19	74.00	-7.81	8.21	3	V	169	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170901
EUT_Y_4TX
Setting 20
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	49.43	54.00	-4.57	7.73	3	H	289	2.92	-
AV	5.469G	49.97	54.00	-4.03	7.76	3	H	289	2.92	-
AV	5.62G	102.49	Inf	-Inf	8.10	3	H	289	2.92	-
AV	5.727G	50.14	54.00	-3.86	8.20	3	H	289	2.92	-
PK	5.456G	62.45	74.00	-11.55	7.73	3	H	289	2.92	-
PK	5.465G	62.91	74.00	-11.09	7.75	3	H	289	2.92	-
PK	5.619G	112.25	Inf	-Inf	8.10	3	H	289	2.92	-
PK	5.728G	62.99	74.00	-11.01	8.21	3	H	289	2.92	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170901
EUT_Y_4TX
Setting 20
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22048G	44.94	54.00	-9.06	17.07	3	V	62	2.03	-
PK	11.2155G	58.49	74.00	-15.51	17.08	3	V	62	2.03	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170901
EUT_Y_4TX
Setting 20
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21256G	44.96	54.00	-9.04	17.08	3	H	287	1.01	-
PK	11.21226G	58.70	74.00	-15.30	17.08	3	H	287	1.01	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	51.70	54.00	-2.30	7.74	3	V	183	1.50	-
AV	5.4692G	52.65	54.00	-1.35	7.76	3	V	183	1.50	-
AV	5.6868G	104.25	Inf	-Inf	8.17	3	V	183	1.50	-
PK	5.4548G	65.03	74.00	-8.97	7.73	3	V	183	1.50	-
PK	5.4612G	66.63	74.00	-7.37	7.74	3	V	183	1.50	-
PK	5.6868G	114.84	Inf	-Inf	8.17	3	V	183	1.50	-
PK	5.9364G	61.61	68.20	-6.59	8.57	3	V	183	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	48.85	54.00	-5.15	7.74	3	H	288	2.87	-
AV	5.4676G	49.29	54.00	-4.71	7.76	3	H	288	2.87	-
AV	5.6996G	103.67	Inf	-Inf	8.18	3	H	288	2.87	-
PK	5.4548G	61.12	74.00	-12.88	7.73	3	H	288	2.87	-
PK	5.4628G	62.12	74.00	-11.88	7.74	3	H	288	2.87	-
PK	5.698G	114.03	Inf	-Inf	8.18	3	H	288	2.87	-
PK	5.9796G	61.51	68.20	-6.69	8.67	3	H	288	2.87	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38396G	45.53	54.00	-8.47	16.97	3	V	234	1.01	-
PK	11.3776G	58.86	74.00	-15.14	16.97	3	V	234	1.01	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170901
EUT_Y_4TX
Setting 23
06-D-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38984G	45.47	54.00	-8.53	16.96	3	H	295	1.53	-
PK	11.38006G	59.26	74.00	-14.74	16.97	3	H	295	1.53	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170831
EUT_Y_4TX
Setting 21
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.76G	102.39	Inf	-Inf	8.23	3	V	181	1.50	-
PK	5.643G	67.87	68.20	-0.33	8.12	3	V	181	1.50	-
PK	5.759G	112.68	Inf	-Inf	8.23	3	V	181	1.50	-
PK	5.927G	65.19	68.20	-3.01	8.55	3	V	181	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170831
EUT_Y_4TX
Setting 21
06-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	98.29	Inf	-Inf	8.21	3	H	157	1.50	-
PK	5.65G	68.14	68.20	-0.06	8.13	3	H	157	1.50	-
PK	5.748G	110.26	Inf	-Inf	8.22	3	H	157	1.50	-
PK	5.937G	63.82	68.20	-4.38	8.57	3	H	157	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170831
EUT_Y_4TX
Setting 21
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55102G	44.14	54.00	-9.86	16.86	3	V	250	2.24	-
PK	11.54586G	57.83	74.00	-16.17	16.86	3	V	250	2.24	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



20170831
EUT_Y_4TX
Setting 21
06-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5599G	44.17	54.00	-9.83	16.85	3	H	330	1.94	-
PK	11.54022G	58.43	74.00	-15.57	16.86	3	H	330	1.94	-



Mode: 20 MHz / Port 2

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5200.0024	5200.0021	5200.0015	5200.0006
110.00	5200.0015	5200.0009	5200.0005	5199.9995
93.50	5200.0008	5199.9999	5199.9995	5199.9986
Max. Deviation (MHz)	0.0024	0.0021	0.0015	0.0014
Max. Deviation (ppm)	0.46	0.40	0.29	0.27
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5200.0045	5200.0037	5200.0027	5200.0026
10	5200.0034	5200.0027	5200.0021	5200.0011
20	5200.0015	5200.0013	5200.0007	5199.9997
30	5200.0014	5200.0012	5200.0009	5200.0006
40	5200.0012	5200.0005	5199.9998	5199.9994
50	5200.0004	5200.0002	5199.9999	5199.9997
Max. Deviation (MHz)	0.0063	0.0060	0.0050	0.0046
Max. Deviation (ppm)	1.21	1.15	0.96	0.88
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5300.0020	5300.0018	5300.0015	5300.0014
110.00	5300.0015	5300.0012	5300.0008	5300.0006
93.50	5300.0013	5300.0006	5300.0003	5299.9995
Max. Deviation (MHz)	0.0020	0.0018	0.0015	0.0014
Max. Deviation (ppm)	0.38	0.34	0.28	0.26
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5300.0028	5300.0025	5300.0021	5300.0011
10	5300.0024	5300.0019	5300.0012	5300.0003
20	5300.0015	5300.0009	5300.0001	5299.9992
30	5300.0014	5300.0011	5300.0005	5300.0000
40	5300.0006	5300.0003	5299.9998	5299.9988
50	5299.9991	5299.9987	5299.9978	5299.9970
Max. Deviation (MHz)	0.0044	0.0038	0.0030	0.0030
Max. Deviation (ppm)	0.83	0.72	0.57	0.56
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5580.0024	5580.0022	5580.0018	5580.0009
110.00	5580.0015	5580.0011	5580.0005	5580.0000
93.50	5580.0009	5580.0005	5580.0001	5579.9999
Max. Deviation (MHz)	0.0024	0.0022	0.0018	0.0009
Max. Deviation (ppm)	0.43	0.39	0.32	0.16
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5580.0040	5580.0038	5580.0036	5580.0029
10	5580.0034	5580.0029	5580.0022	5580.0014
20	5580.0015	5580.0011	5580.0006	5580.0002
30	5580.0014	5580.0008	5579.9999	5579.9993
40	5579.9994	5579.9990	5579.9984	5579.9978
50	5579.9996	5579.9995	5579.9992	5579.9986
Max. Deviation (MHz)	0.0067	0.0066	0.0065	0.0059
Max. Deviation (ppm)	1.20	1.18	1.16	1.06
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5785.0020	5785.0018	5785.0010	5785.0003
110.00	5785.0015	5785.0010	5785.0007	5784.9999
93.50	5785.0005	5785.0000	5784.9995	5784.9991
Max. Deviation (MHz)	0.0020	0.0018	0.0010	0.0009
Max. Deviation (ppm)	0.35	0.31	0.17	0.16
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5785.0043	5785.0041	5785.0038	5785.0030
10	5785.0031	5785.0021	5785.0012	5785.0002
20	5785.0015	5785.0008	5785.0000	5784.9996
30	5785.0014	5785.0011	5785.0006	5785.0005
40	5785.0011	5785.0009	5785.0002	5784.9997
50	5784.9989	5784.9986	5784.9976	5784.9970
Max. Deviation (MHz)	0.0071	0.0070	0.0060	0.0053
Max. Deviation (ppm)	1.23	1.21	1.04	0.92
Result	Pass			



Mode: 40 MHz / Port 2
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5190.0016	5190.0015	5190.0012	5190.0009
110.00	5190.0015	5190.0014	5190.0009	5190.0000
93.50	5190.0007	5189.9998	5189.9997	5189.9990
Max. Deviation (MHz)	0.0016	0.0015	0.0012	0.0010
Max. Deviation (ppm)	0.31	0.29	0.23	0.19
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5190.0040	5190.0032	5190.0022	5190.0012
10	5190.0025	5190.0019	5190.0009	5190.0007
20	5190.0015	5190.0010	5190.0005	5189.9999
30	5190.0014	5190.0005	5189.9995	5189.9991
40	5190.0001	5189.9994	5189.9984	5189.9977
50	5189.9986	5189.9984	5189.9976	5189.9970
Max. Deviation (MHz)	0.0062	0.0052	0.0048	0.0046
Max. Deviation (ppm)	1.19	1.00	0.92	0.89
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5310.0017	5310.0010	5310.0006	5309.9997
110.00	5310.0015	5310.0007	5310.0001	5309.9993
93.50	5310.0006	5309.9996	5309.9991	5309.9983
Max. Deviation (MHz)	0.0017	0.0010	0.0009	0.0017
Max. Deviation (ppm)	0.32	0.19	0.17	0.32
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5310.0036	5310.0031	5310.0024	5310.0020
10	5310.0027	5310.0018	5310.0009	5310.0006
20	5310.0015	5310.0009	5309.9999	5309.9994
30	5310.0014	5310.0009	5310.0001	5309.9994
40	5310.0011	5310.0004	5309.9997	5309.9989
50	5310.0004	5309.9994	5309.9987	5309.9984
Max. Deviation (MHz)	0.0066	0.0060	0.0058	0.0048
Max. Deviation (ppm)	1.24	1.13	1.09	0.90
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5550.0021	5550.0014	5550.0012	5550.0008
110.00	5550.0015	5550.0014	5550.0012	5550.0003
93.50	5550.0007	5550.0000	5549.9998	5549.9991
Max. Deviation (MHz)	0.0021	0.0014	0.0012	0.0009
Max. Deviation (ppm)	0.38	0.25	0.22	0.16
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5550.0039	5550.0036	5550.0029	5550.0022
10	5550.0029	5550.0023	5550.0016	5550.0015
20	5550.0015	5550.0005	5550.0002	5549.9995
30	5550.0014	5550.0011	5550.0002	5549.9998
40	5550.0007	5549.9998	5549.9989	5549.9982
50	5549.9990	5549.9981	5549.9975	5549.9972
Max. Deviation (MHz)	0.0073	0.0064	0.0058	0.0054
Max. Deviation (ppm)	1.32	1.15	1.05	0.97
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5755.0018	5755.0015	5755.0009	5755.0007
110.00	5755.0015	5755.0008	5755.0006	5755.0003
93.50	5755.0007	5755.0003	5754.9999	5754.9994
Max. Deviation (MHz)	0.0018	0.0015	0.0009	0.0007
Max. Deviation (ppm)	0.31	0.26	0.16	0.12
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5755.0042	5755.0038	5755.0030	5755.0029
10	5755.0032	5755.0024	5755.0018	5755.0014
20	5755.0015	5755.0013	5755.0009	5755.0006
30	5755.0014	5755.0006	5754.9997	5754.9990
40	5754.9999	5754.9990	5754.9989	5754.9988
50	5755.0004	5754.9994	5754.9984	5754.9983
Max. Deviation (MHz)	0.0070	0.0067	0.0065	0.0056
Max. Deviation (ppm)	1.22	1.16	1.13	0.97
Result	Pass			



Mode: 80 MHz / Port 2
Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5210.0021	5210.0015	5210.0010	5210.0006
110.00	5210.0015	5210.0007	5210.0006	5210.0004
93.50	5210.0009	5210.0004	5210.0002	5209.9997
Max. Deviation (MHz)	0.0021	0.0015	0.0010	0.0006
Max. Deviation (ppm)	0.40	0.29	0.19	0.12
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5210.0044	5210.0039	5210.0033	5210.0027
10	5210.0029	5210.0026	5210.0021	5210.0017
20	5210.0015	5210.0006	5210.0004	5209.9996
30	5210.0014	5210.0004	5209.9998	5209.9992
40	5210.0005	5210.0004	5209.9999	5209.9992
50	5209.9992	5209.9988	5209.9986	5209.9985
Max. Deviation (MHz)	0.0070	0.0069	0.0068	0.0061
Max. Deviation (ppm)	1.34	1.32	1.31	1.17
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5290.0017	5290.0014	5290.0013	5290.0004
110.00	5290.0015	5290.0010	5290.0003	5289.9996
93.50	5290.0013	5290.0011	5290.0004	5290.0000
Max. Deviation (MHz)	0.0017	0.0014	0.0013	0.0004
Max. Deviation (ppm)	0.32	0.26	0.25	0.08
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5290.0044	5290.0041	5290.0035	5290.0027
10	5290.0024	5290.0015	5290.0007	5290.0000
20	5290.0015	5290.0008	5289.9999	5289.9992
30	5290.0014	5290.0004	5289.9994	5289.9987
40	5289.9997	5289.9989	5289.9987	5289.9979
50	5289.9990	5289.9983	5289.9978	5289.9973
Max. Deviation (MHz)	0.0087	0.0080	0.0071	0.0066
Max. Deviation (ppm)	1.64	1.51	1.34	1.25
Result	Pass			



Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5530.0016	5530.0011	5530.0003	5529.9998
110.00	5530.0015	5530.0009	5530.0001	5529.9999
93.50	5530.0007	5530.0005	5530.0003	5529.9999
Max. Deviation (MHz)	0.0016	0.0011	0.0003	0.0002
Max. Deviation (ppm)	0.29	0.20	0.05	0.04
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5530.0054	5530.0046	5530.0037	5530.0032
10	5530.0035	5530.0029	5530.0022	5530.0020
20	5530.0015	5530.0010	5530.0005	5530.0001
30	5530.0014	5530.0009	5530.0003	5530.0001
40	5529.9996	5529.9994	5529.9989	5529.9984
50	5529.9982	5529.9976	5529.9969	5529.9964
Max. Deviation (MHz)	0.0079	0.0076	0.0074	0.0069
Max. Deviation (ppm)	1.43	1.37	1.34	1.25
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5775.0023	5775.0019	5775.0013	5775.0007
110.00	5775.0015	5775.0010	5775.0003	5774.9994
93.50	5775.0010	5775.0005	5775.0001	5774.9999
Max. Deviation (MHz)	0.0023	0.0019	0.0013	0.0007
Max. Deviation (ppm)	0.40	0.33	0.23	0.12
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5775.0035	5775.0033	5775.0024	5775.0023
10	5775.0022	5775.0019	5775.0013	5775.0007
20	5775.0015	5775.0007	5775.0005	5775.0000
30	5775.0014	5775.0007	5775.0005	5775.0002
40	5774.9994	5774.9992	5774.9989	5774.9983
50	5774.9985	5774.9983	5774.9982	5774.9977
Max. Deviation (MHz)	0.0073	0.0071	0.0069	0.0063
Max. Deviation (ppm)	1.26	1.23	1.19	1.09
Result	Pass			