


### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.513G	63.85	68.20	-4.35	8.53	3	Horizontal	190	1.04	-	55.32
PK	5.743G	122.11	Inf	-Inf	8.82	3	Horizontal	190	1.04	-	113.29
AV	5.743G	111.68	Inf	-Inf	8.82	3	Horizontal	190	1.04	-	102.86
PK	5.978G	62.43	68.20	-5.77	8.94	3	Horizontal	190	1.04	-	53.49

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5745MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48986G	54.94	74.00	-19.06	14.89	3	Vertical	152	1.91	-	40.05
AV	11.48946G	40.84	54.00	-13.16	14.89	3	Vertical	152	1.91	-	25.95

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48484G	57.93	74.00	-16.07	14.89	3	Horizontal	78	1.15	-	43.04
AV	11.48964G	43.97	54.00	-10.03	14.89	3	Horizontal	78	1.15	-	29.08

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5785MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	59.69	68.20	-8.51	8.63	3	Vertical	185	2.55	-	51.06
PK	5.791G	120.33	Inf	-Inf	8.88	3	Vertical	185	2.55	-	111.45
AV	5.792G	111.02	Inf	-Inf	8.89	3	Vertical	185	2.55	-	102.13
PK	5.925G	59.81	68.20	-8.39	8.93	3	Vertical	185	2.55	-	50.88

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5785MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.614G	61.90	68.20	-6.30	8.61	3	Horizontal	185	1.00	-	53.29
PK	5.778G	122.20	Inf	-Inf	8.87	3	Horizontal	185	1.00	-	113.33
AV	5.779G	112.61	Inf	-Inf	8.87	3	Horizontal	185	1.00	-	103.74
PK	5.936G	61.28	68.20	-6.92	8.93	3	Horizontal	185	1.00	-	52.35

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5785MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57068G	55.02	74.00	-18.98	15.00	3	Vertical	148	1.93	-	40.02
AV	11.57078G	40.97	54.00	-13.03	15.00	3	Vertical	148	1.93	-	25.97

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5785MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57172G	58.25	74.00	-15.75	15.00	3	Horizontal	181	1.00	-	43.25
AV	11.57186G	44.92	54.00	-9.08	15.00	3	Horizontal	181	1.00	-	29.92

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5825MHz\_TX



EUT Z\_4TX  
Setting 25  
02-B-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	59.52	68.20	-8.68	8.67	3	Vertical	6	1.51	-	50.85
PK	5.82G	116.90	Inf	-Inf	8.90	3	Vertical	6	1.51	-	108.00
AV	5.817G	107.23	Inf	-Inf	8.90	3	Vertical	6	1.51	-	98.33
PK	5.926G	60.02	68.20	-8.18	8.93	3	Vertical	6	1.51	-	51.09



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5825MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.589G	62.83	68.20	-5.37	8.57	3	Horizontal	178	1.00	-	54.26
PK	5.826G	122.98	Inf	-Inf	8.91	3	Horizontal	178	1.00	-	114.07
AV	5.831G	112.69	Inf	-Inf	8.91	3	Horizontal	178	1.00	-	103.78
PK	5.932G	62.15	68.20	-6.05	8.93	3	Horizontal	178	1.00	-	53.22

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5825MHz\_TX




EUT\_Z\_4TX  
 Setting 25  
 02-B-4  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64844G	55.26	74.00	-18.74	15.09	3	Vertical	213	2.67	-	40.17
AV	11.6484G	41.17	54.00	-12.83	15.09	3	Vertical	213	2.67	-	26.08
PK	17.47224G	62.41	68.20	-5.79	22.11	3	Vertical	190	1.69	-	40.30

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5825MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65036G	55.45	74.00	-18.55	15.09	3	Horizontal	76	1.18	-	40.36
AV	11.6503G	41.70	54.00	-12.30	15.09	3	Horizontal	76	1.18	-	26.61
PK	17.48076G	62.76	68.20	-5.44	22.17	3	Horizontal	80	1.02	-	40.59

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5190MHz\_TX




EUT\_Z\_4TX  
Setting 16  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	64.73	74.00	-9.27	7.93	3	Vertical	28	1.24	-	56.80
AV	5.1484G	47.81	54.00	-6.19	7.94	3	Vertical	28	1.24	-	39.87
PK	5.1796G	108.36	Inf	-Inf	8.02	3	Vertical	28	1.24	-	100.34
AV	5.1732G	98.04	Inf	-Inf	8.00	3	Vertical	28	1.24	-	90.04
PK	5.3532G	58.73	74.00	-15.27	8.28	3	Vertical	28	1.24	-	50.45
AV	5.35G	45.94	54.00	-8.06	8.28	3	Vertical	28	1.24	-	37.66

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5190MHz\_TX




EUT\_Z\_4TX  
Setting 16  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	68.66	74.00	-5.34	7.94	3	Horizontal	175	1.14	-	60.72
AV	5.1492G	53.63	54.00	-0.37	7.94	3	Horizontal	175	1.14	-	45.69
PK	5.1948G	113.29	Inf	-Inf	8.05	3	Horizontal	175	1.14	-	105.24
AV	5.1764G	102.28	Inf	-Inf	8.01	3	Horizontal	175	1.14	-	94.27
PK	5.3628G	60.34	74.00	-13.66	8.29	3	Horizontal	175	1.14	-	52.05
AV	5.354G	46.89	54.00	-7.11	8.28	3	Horizontal	175	1.14	-	38.61

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5190MHz\_TX




EUT Z\_4TX  
Setting 16  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38648G	52.96	68.20	-15.24	14.65	3	Vertical	316	1.94	-	38.31
PK	15.56604G	55.41	74.00	-18.59	16.01	3	Vertical	281	1.66	-	39.40
AV	15.56552G	41.12	54.00	-12.88	16.01	3	Vertical	281	1.66	-	25.11

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5190MHz\_TX




EUT Z\_4TX  
Setting 16  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38156G	54.21	68.20	-13.99	14.65	3	Horizontal	236	1.34	-	39.56
PK	15.56556G	55.22	74.00	-18.78	16.01	3	Horizontal	197	1.85	-	39.21
AV	15.56364G	41.09	54.00	-12.91	16.02	3	Horizontal	197	1.85	-	25.07

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5230MHz\_TX



EUT\_Z\_4TX  
Setting 22  
02-B-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	60.81	74.00	-13.19	7.94	3	Vertical	34	2.63	-	52.87
AV	5.15G	47.06	54.00	-6.94	7.94	3	Vertical	34	2.63	-	39.12
PK	5.2228G	116.14	Inf	-Inf	8.10	3	Vertical	34	2.63	-	108.04
AV	5.2228G	106.05	Inf	-Inf	8.10	3	Vertical	34	2.63	-	97.95
PK	5.3644G	59.26	74.00	-14.74	8.29	3	Vertical	34	2.63	-	50.97
AV	5.3512G	46.79	54.00	-7.21	8.28	3	Vertical	34	2.63	-	38.51



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5230MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	70.35	74.00	-3.65	7.94	3	Horizontal	179	1.04	-	62.41
AV	5.15G	53.24	54.00	-0.76	7.94	3	Horizontal	179	1.04	-	45.30
PK	5.2174G	119.42	Inf	-Inf	8.09	3	Horizontal	179	1.04	-	111.33
AV	5.2318G	108.73	Inf	-Inf	8.11	3	Horizontal	179	1.04	-	100.62
PK	5.3728G	63.48	74.00	-10.52	8.30	3	Horizontal	179	1.04	-	55.18
AV	5.353G	50.77	54.00	-3.23	8.28	3	Horizontal	179	1.04	-	42.49

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5230MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46028G	53.84	68.20	-14.36	14.60	3	Vertical	44	1.62	-	39.24
PK	15.68436G	54.83	74.00	-19.17	15.70	3	Vertical	92	2.58	-	39.13
AV	15.69236G	41.03	54.00	-12.97	15.67	3	Vertical	92	2.58	-	25.36

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5230MHz\_TX




EUT Z\_4TX  
Setting 22  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46848G	53.53	68.20	-14.67	14.60	3	Horizontal	150	2.35	-	38.93
PK	15.69216G	55.48	74.00	-18.52	15.67	3	Horizontal	326	1.12	-	39.81
AV	15.69812G	41.01	54.00	-12.99	15.66	3	Horizontal	326	1.12	-	25.35

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5270MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1308G	59.74	74.00	-14.26	7.91	3	Vertical	137	2.92	-	51.83
AV	5.15G	47.29	54.00	-6.71	7.94	3	Vertical	137	2.92	-	39.35
PK	5.2748G	116.56	Inf	-Inf	8.17	3	Vertical	137	2.92	-	108.39
AV	5.2754G	105.71	Inf	-Inf	8.17	3	Vertical	137	2.92	-	97.54
PK	5.35G	64.73	74.00	-9.27	8.28	3	Vertical	137	2.92	-	56.45
AV	5.3834G	48.62	54.00	-5.38	8.32	3	Vertical	137	2.92	-	40.30

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5270MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	62.54	74.00	-11.46	7.94	3	Horizontal	166	1.00	-	54.60
AV	5.1494G	49.76	54.00	-4.24	7.94	3	Horizontal	166	1.00	-	41.82
PK	5.2838G	119.12	Inf	-Inf	8.19	3	Horizontal	166	1.00	-	110.93
AV	5.2832G	108.83	Inf	-Inf	8.18	3	Horizontal	166	1.00	-	100.65
PK	5.3576G	68.49	74.00	-5.51	8.28	3	Horizontal	166	1.00	-	60.21
AV	5.3501G	53.60	54.00	-0.40	8.28	3	Horizontal	166	1.00	-	45.32

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 22  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81368G	54.37	74.00	-19.63	15.35	3	Vertical	280	1.92	-	39.02
AV	15.80068G	40.19	54.00	-13.81	15.38	3	Vertical	280	1.92	-	24.81

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 22  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81164G	54.36	74.00	-19.64	15.36	3	Horizontal	230	2.36	-	39.00
AV	15.80512G	40.39	54.00	-13.61	15.38	3	Horizontal	230	2.36	-	25.01

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5310MHz\_TX



EUT Z\_4TX  
Setting 17  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2924G	108.61	Inf	-Inf	8.20	3	Vertical	20	1.93	-	100.41
AV	5.2928G	99.65	Inf	-Inf	8.20	3	Vertical	20	1.93	-	91.45
PK	5.3512G	70.86	74.00	-3.14	8.28	3	Vertical	20	1.93	-	62.58
AV	5.3504G	53.00	54.00	-1.00	8.28	3	Vertical	20	1.93	-	44.72



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5310MHz\_TX




EUT Z\_4TX  
Setting 17  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3044G	114.18	Inf	-Inf	8.21	3	Horizontal	150	1.02	-	105.97
AV	5.3044G	102.89	Inf	-Inf	8.21	3	Horizontal	150	1.02	-	94.68
PK	5.3501G	72.00	74.00	-2.00	8.28	3	Horizontal	150	1.02	-	63.72
AV	5.352G	53.70	54.00	-0.30	8.28	3	Horizontal	150	1.02	-	45.42

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 17  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6282G	53.40	74.00	-20.60	14.49	3	Vertical	182	1.25	-	38.91
AV	10.61432G	39.50	54.00	-14.50	14.50	3	Vertical	182	1.25	-	25.00
PK	15.93104G	53.94	74.00	-20.06	15.04	3	Vertical	195	2.00	-	38.90
AV	15.92528G	39.92	54.00	-14.08	15.06	3	Vertical	195	2.00	-	24.86

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 17  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61992G	53.39	74.00	-20.61	14.51	3	Horizontal	268	2.13	-	38.88
AV	10.62356G	39.46	54.00	-14.54	14.50	3	Horizontal	268	2.13	-	24.96
PK	15.93304G	54.31	74.00	-19.69	15.03	3	Horizontal	25	2.27	-	39.28
AV	15.92144G	39.92	54.00	-14.08	15.06	3	Horizontal	25	2.27	-	24.86

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5510MHz\_TX




EUT\_Z\_4TX  
Setting 17  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4552G	59.40	74.00	-14.60	8.44	3	Vertical	50	2.91	-	50.96
AV	5.46G	46.38	54.00	-7.62	8.45	3	Vertical	50	2.91	-	37.93
PK	5.47G	61.93	68.20	-6.27	8.46	3	Vertical	50	2.91	-	53.47
PK	5.5072G	110.31	Inf	-Inf	8.52	3	Vertical	50	2.91	-	101.79
AV	5.5112G	99.70	Inf	-Inf	8.53	3	Vertical	50	2.91	-	91.17

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5510MHz\_TX




EUT\_Z\_4TX  
Setting 17  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	61.85	74.00	-12.15	8.45	3	Horizontal	184	1.00	-	53.40
AV	5.4584G	49.20	54.00	-4.80	8.45	3	Horizontal	184	1.00	-	40.75
PK	5.468G	67.72	68.20	-0.48	8.46	3	Horizontal	184	1.00	-	59.26
PK	5.5236G	113.99	Inf	-Inf	8.53	3	Horizontal	184	1.00	-	105.46
AV	5.52G	103.42	Inf	-Inf	8.53	3	Horizontal	184	1.00	-	94.89

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5510MHz\_TX




EUT Z\_4TX  
Setting 17  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01292G	53.53	74.00	-20.47	14.28	3	Vertical	53	1.37	-	39.25
AV	11.0232G	39.65	54.00	-14.35	14.29	3	Vertical	53	1.37	-	25.36

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 17  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02988G	54.42	74.00	-19.58	14.30	3	Horizontal	280	2.09	-	40.12
AV	11.02608G	39.58	54.00	-14.42	14.29	3	Horizontal	280	2.09	-	25.29

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5550MHz\_TX



EUT\_Z\_4TX  
Setting 21  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4364G	59.90	74.00	-14.10	8.41	3	Vertical	33	2.64	-	51.49
AV	5.4348G	46.79	54.00	-7.21	8.41	3	Vertical	33	2.64	-	38.38
PK	5.4628G	58.84	68.20	-9.36	8.45	3	Vertical	33	2.64	-	50.39
PK	5.5428G	115.21	Inf	-Inf	8.55	3	Vertical	33	2.64	-	106.66
AV	5.542G	105.24	Inf	-Inf	8.55	3	Vertical	33	2.64	-	96.69
PK	5.7284G	59.61	68.20	-8.59	8.80	3	Vertical	33	2.64	-	50.81



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5550MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4508G	65.46	74.00	-8.54	8.44	3	Horizontal	176	1.05	-	57.02
AV	5.4588G	49.44	54.00	-4.56	8.45	3	Horizontal	176	1.05	-	40.99
PK	5.47G	67.93	68.20	-0.27	8.46	3	Horizontal	176	1.05	-	59.47
PK	5.5356G	118.60	Inf	-Inf	8.54	3	Horizontal	176	1.05	-	110.06
AV	5.5364G	108.19	Inf	-Inf	8.54	3	Horizontal	176	1.05	-	99.65
PK	5.7308G	61.50	68.20	-6.70	8.80	3	Horizontal	176	1.05	-	52.70

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5550MHz\_TX




EUT Z\_4TX  
Setting 21  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09532G	53.98	74.00	-20.02	14.39	3	Vertical	41	2.06	-	39.59
AV	11.09228G	39.39	54.00	-14.61	14.38	3	Vertical	41	2.06	-	25.01

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5550MHz\_TX




EUT Z\_4TX  
Setting 21  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0978G	53.37	74.00	-20.63	14.39	3	Horizontal	128	1.55	-	38.98
AV	11.09004G	39.29	54.00	-14.71	14.38	3	Horizontal	128	1.55	-	24.91

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5670MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6744G	112.00	Inf	-Inf	8.70	3	Vertical	111	2.56	-	103.30
AV	5.6608G	101.54	Inf	-Inf	8.69	3	Vertical	111	2.56	-	92.85
PK	5.7264G	64.66	68.20	-3.54	8.79	3	Vertical	111	2.56	-	55.87

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5670MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6784G	117.99	Inf	-Inf	8.72	3	Horizontal	76	1.00	-	109.27
AV	5.6776G	107.95	Inf	-Inf	8.72	3	Horizontal	76	1.00	-	99.23
PK	5.7264G	67.72	68.20	-0.48	8.79	3	Horizontal	76	1.00	-	58.93

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 21  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33224G	53.51	74.00	-20.49	14.70	3	Vertical	28	2.16	-	38.81
AV	11.33376G	39.09	54.00	-14.91	14.70	3	Vertical	28	2.16	-	24.39

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5670MHz\_TX




EUT\_Z\_4TX  
Setting 21  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33732G	53.26	74.00	-20.74	14.70	3	Horizontal	23	2.03	-	38.56
AV	11.33188G	39.16	54.00	-14.84	14.70	3	Horizontal	23	2.03	-	24.46

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_4TX  
Setting 25  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4454G	59.62	74.00	-14.38	8.42	3	Vertical	167	2.96	-	51.20
AV	5.4342G	47.08	54.00	-6.92	8.40	3	Vertical	167	2.96	-	38.68
PK	5.4664G	59.28	68.20	-8.92	8.46	3	Vertical	167	2.96	-	50.82
PK	5.7282G	116.66	Inf	-Inf	8.80	3	Vertical	167	2.96	-	107.86
AV	5.7254G	106.90	Inf	-Inf	8.79	3	Vertical	167	2.96	-	98.11
PK	5.8724G	61.14	68.20	-7.06	8.91	3	Vertical	167	2.96	-	52.23



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3628G	60.87	74.00	-13.13	8.29	3	Horizontal	161	1.06	-	52.58
PK	5.4622G	60.73	68.20	-7.47	8.45	3	Horizontal	161	1.06	-	52.28
AV	5.4314G	47.94	54.00	-6.06	8.40	3	Horizontal	161	1.06	-	39.54
PK	5.717G	120.61	Inf	-Inf	8.77	3	Horizontal	161	1.06	-	111.84
AV	5.7184G	110.85	Inf	-Inf	8.77	3	Horizontal	161	1.06	-	102.08
PK	5.8682G	63.33	68.20	-4.87	8.91	3	Horizontal	161	1.06	-	54.42

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41904G	54.05	74.00	-19.95	14.80	3	Vertical	82	1.67	-	39.25
AV	11.42396G	39.98	54.00	-14.02	14.80	3	Vertical	82	1.67	-	25.18

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41572G	54.56	74.00	-19.44	14.79	3	Horizontal	102	1.09	-	39.77
AV	11.42612G	40.03	54.00	-13.97	14.81	3	Horizontal	102	1.09	-	25.22

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	64.72	68.20	-3.48	8.66	3	Vertical	179	3.00	-	56.06
PK	5.75G	118.21	Inf	-Inf	8.83	3	Vertical	179	3.00	-	109.38
AV	5.763G	105.98	Inf	-Inf	8.84	3	Vertical	179	3.00	-	97.14
PK	5.942G	60.86	68.20	-7.34	8.94	3	Vertical	179	3.00	-	51.92

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.71	68.20	-0.49	8.67	3	Horizontal	174	1.14	-	59.04
PK	5.772G	121.05	Inf	-Inf	8.85	3	Horizontal	174	1.14	-	112.20
AV	5.773G	111.53	Inf	-Inf	8.85	3	Horizontal	174	1.14	-	102.68
PK	5.935G	61.38	68.20	-6.82	8.93	3	Horizontal	174	1.14	-	52.45

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5755MHz\_TX




EUT Z\_4TX  
Setting 24  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50892G	54.85	74.00	-19.15	14.92	3	Vertical	177	1.19	-	39.93
AV	11.51092G	40.02	54.00	-13.98	14.92	3	Vertical	177	1.19	-	25.10

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5755MHz\_TX




EUT Z\_4TX  
Setting 24  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5172G	53.88	74.00	-20.12	14.92	3	Horizontal	13	2.85	-	38.96
AV	11.50708G	39.89	54.00	-14.11	14.92	3	Horizontal	13	2.85	-	24.97

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5795MHz\_TX



EUT\_Z\_4TX  
Setting 25  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	65.73	68.20	-2.47	8.66	3	Vertical	149	1.02	-	57.07
PK	5.78G	122.19	Inf	-Inf	8.87	3	Vertical	149	1.02	-	113.32
AV	5.779G	112.11	Inf	-Inf	8.87	3	Vertical	149	1.02	-	103.24
PK	5.977G	61.80	68.20	-6.40	8.94	3	Vertical	149	1.02	-	52.86



802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5795MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	63.60	68.20	-4.60	8.66	3	Horizontal	342	1.03	-	54.94
PK	5.782G	118.58	Inf	-Inf	8.88	3	Horizontal	342	1.03	-	109.70
AV	5.782G	108.70	Inf	-Inf	8.88	3	Horizontal	342	1.03	-	99.82
PK	5.925G	61.60	68.20	-6.60	8.93	3	Horizontal	342	1.03	-	52.67

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5795MHz\_TX



EUT Z\_4TX  
Setting 25  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59484G	54.55	74.00	-19.45	15.04	3	Vertical	290	2.23	-	39.51
AV	11.59396G	40.33	54.00	-13.67	15.03	3	Vertical	290	2.23	-	25.30

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5795MHz\_TX




EUT Z\_4TX  
Setting 25  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59408G	54.14	74.00	-19.86	15.03	3	Horizontal	201	2.41	-	39.11
AV	11.59976G	40.35	54.00	-13.65	15.04	3	Horizontal	201	2.41	-	25.31

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5210MHz\_TX




EUT\_Z\_4TX  
Setting 15  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	61.41	74.00	-12.59	7.94	3	Vertical	194	1.03	-	53.47
AV	5.146G	47.66	54.00	-6.34	7.94	3	Vertical	194	1.03	-	39.72
PK	5.218G	105.95	Inf	-Inf	8.09	3	Vertical	194	1.03	-	97.86
AV	5.219G	95.62	Inf	-Inf	8.09	3	Vertical	194	1.03	-	87.53
PK	5.372G	58.97	74.00	-15.03	8.30	3	Vertical	194	1.03	-	50.67
AV	5.355G	46.21	54.00	-7.79	8.28	3	Vertical	194	1.03	-	37.93

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5210MHz\_TX




EUT\_Z\_4TX  
Setting 15  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	66.42	74.00	-7.58	7.94	3	Horizontal	162	1.08	-	58.48
AV	5.149G	53.51	54.00	-0.49	7.94	3	Horizontal	162	1.08	-	45.57
PK	5.231G	111.09	Inf	-Inf	8.11	3	Horizontal	162	1.08	-	102.98
AV	5.237G	99.99	Inf	-Inf	8.11	3	Horizontal	162	1.08	-	91.88
PK	5.351G	62.73	74.00	-11.27	8.28	3	Horizontal	162	1.08	-	54.45
AV	5.3501G	48.95	54.00	-5.05	8.28	3	Horizontal	162	1.08	-	40.67

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5210MHz\_TX




EUT Z\_4TX  
Setting 15  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62308G	55.70	74.00	-18.30	15.85	3	Vertical	175	1.97	-	39.85
AV	15.63476G	41.17	54.00	-12.83	15.82	3	Vertical	175	1.97	-	25.35

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

### 5210MHz\_TX




EUT Z\_4TX  
Setting 15  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62144G	55.71	74.00	-18.29	15.86	3	Horizontal	171	2.10	-	39.85
AV	15.62208G	41.10	54.00	-12.90	15.86	3	Horizontal	171	2.10	-	25.24

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5290MHz\_TX



EUT\_Z\_4TX  
Setting 14  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.101G	58.89	74.00	-15.11	7.84	3	Vertical	11	2.88	-	51.05
AV	5.146G	45.68	54.00	-8.32	7.94	3	Vertical	11	2.88	-	37.74
PK	5.3G	106.19	Inf	-Inf	8.21	3	Vertical	11	2.88	-	97.98
AV	5.298G	95.56	Inf	-Inf	8.21	3	Vertical	11	2.88	-	87.35
PK	5.354G	61.53	74.00	-12.47	8.28	3	Vertical	11	2.88	-	53.25
AV	5.352G	48.30	54.00	-5.70	8.28	3	Vertical	11	2.88	-	40.02
PK	5.503G	58.33	68.20	-9.87	8.52	3	Vertical	11	2.88	-	49.81



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5290MHz\_TX




EUT\_Z\_4TX  
Setting 14  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.145G	58.98	74.00	-15.02	7.94	3	Horizontal	178	1.01	-	51.04
AV	5.1499G	46.43	54.00	-7.57	7.94	3	Horizontal	178	1.01	-	38.49
PK	5.254G	107.76	Inf	-Inf	8.14	3	Horizontal	178	1.01	-	99.62
AV	5.306G	97.34	Inf	-Inf	8.22	3	Horizontal	178	1.01	-	89.12
PK	5.36G	67.52	74.00	-6.48	8.29	3	Horizontal	178	1.01	-	59.23
AV	5.3501G	53.53	54.00	-0.47	8.28	3	Horizontal	178	1.01	-	45.25
PK	5.51G	60.76	68.20	-7.44	8.53	3	Horizontal	178	1.01	-	52.23

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86396G	54.03	74.00	-19.97	15.22	3	Vertical	70	2.42	-	38.81
AV	15.8668G	40.11	54.00	-13.89	15.22	3	Vertical	70	2.42	-	24.89

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5290MHz\_TX




EUT Z\_4TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86748G	54.46	74.00	-19.54	15.21	3	Horizontal	225	2.40	-	39.25
AV	15.86356G	40.11	54.00	-13.89	15.22	3	Horizontal	225	2.40	-	24.89

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5530MHz\_TX




EUT\_Z\_4TX  
Setting 14  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.337G	58.64	68.20	-9.56	8.26	3	Vertical	50	2.78	-	50.38
PK	5.458G	62.60	74.00	-11.40	8.45	3	Vertical	50	2.78	-	54.15
AV	5.453G	49.95	54.00	-4.05	8.44	3	Vertical	50	2.78	-	41.51
PK	5.462G	62.36	68.20	-5.84	8.45	3	Vertical	50	2.78	-	53.91
PK	5.498G	104.79	Inf	-Inf	8.52	3	Vertical	50	2.78	-	96.27
AV	5.507G	92.45	Inf	-Inf	8.52	3	Vertical	50	2.78	-	83.93
PK	5.728G	58.73	68.20	-9.47	8.80	3	Vertical	50	2.78	-	49.93

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5530MHz\_TX




EUT\_Z\_4TX  
Setting 14  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.345G	59.13	68.20	-9.07	8.27	3	Horizontal	184	1.01	-	50.86
PK	5.454G	66.75	74.00	-7.25	8.44	3	Horizontal	184	1.01	-	58.31
AV	5.46G	53.51	54.00	-0.49	8.45	3	Horizontal	184	1.01	-	45.06
PK	5.467G	67.21	68.20	-0.99	8.46	3	Horizontal	184	1.01	-	58.75
PK	5.522G	109.84	Inf	-Inf	8.53	3	Horizontal	184	1.01	-	101.31
AV	5.518G	99.06	Inf	-Inf	8.53	3	Horizontal	184	1.01	-	90.53
PK	5.742G	59.55	68.20	-8.65	8.81	3	Horizontal	184	1.01	-	50.74

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

### 5530MHz\_TX




EUT Z\_4TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06572G	53.15	74.00	-20.85	14.34	3	Vertical	206	2.94	-	38.81
AV	11.05608G	39.30	54.00	-14.70	14.33	3	Vertical	206	2.94	-	24.97

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

### 5530MHz\_TX




EUT Z\_4TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05692G	53.15	74.00	-20.85	14.34	3	Horizontal	247	1.08	-	38.81
AV	11.0564G	39.28	54.00	-14.72	14.34	3	Horizontal	247	1.08	-	24.94

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5610MHz\_TX



EUT\_Z\_4TX  
Setting 20  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.455G	60.24	74.00	-13.76	8.44	3	Vertical	214	1.12	-	51.80
AV	5.459G	47.02	54.00	-6.98	8.45	3	Vertical	214	1.12	-	38.57
PK	5.466G	62.11	68.20	-6.09	8.46	3	Vertical	214	1.12	-	53.65
PK	5.607G	109.40	Inf	-Inf	8.59	3	Vertical	214	1.12	-	100.81
AV	5.609G	99.13	Inf	-Inf	8.60	3	Vertical	214	1.12	-	90.53
PK	5.727G	61.06	68.20	-7.14	8.80	3	Vertical	214	1.12	-	52.26



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5610MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.453G	66.41	74.00	-7.59	8.44	3	Horizontal	155	1.02	-	57.97
PK	5.463G	65.91	68.20	-2.29	8.45	3	Horizontal	155	1.02	-	57.46
AV	5.46G	50.57	54.00	-3.43	8.45	3	Horizontal	155	1.02	-	42.12
PK	5.641G	116.01	Inf	-Inf	8.65	3	Horizontal	155	1.02	-	107.36
AV	5.639G	105.61	Inf	-Inf	8.64	3	Horizontal	155	1.02	-	96.97
PK	5.727G	67.99	68.20	-0.21	8.80	3	Horizontal	155	1.02	-	59.19

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 20  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22488G	53.15	74.00	-20.85	14.55	3	Vertical	58	1.51	-	38.60
AV	11.22848G	39.13	54.00	-14.87	14.55	3	Vertical	58	1.51	-	24.58

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

### 5610MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21064G	52.80	74.00	-21.20	14.53	3	Horizontal	124	2.90	-	38.27
AV	11.2234G	39.15	54.00	-14.85	14.55	3	Horizontal	124	2.90	-	24.60

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.45G	60.58	74.00	-13.42	8.44	3	Vertical	42	2.88	-	52.14
AV	5.414G	46.72	54.00	-7.28	8.36	3	Vertical	42	2.88	-	38.36
PK	5.4656G	62.02	68.20	-6.18	8.46	3	Vertical	42	2.88	-	53.56
PK	5.6792G	112.67	Inf	-Inf	8.72	3	Vertical	42	2.88	-	103.95
AV	5.6792G	101.98	Inf	-Inf	8.72	3	Vertical	42	2.88	-	93.26
PK	5.8532G	63.53	68.20	-4.67	8.90	3	Vertical	42	2.88	-	54.63

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	66.31	74.00	-7.69	8.45	3	Horizontal	183	1.13	-	57.86
AV	5.4572G	50.83	54.00	-3.17	8.44	3	Horizontal	183	1.13	-	42.39
PK	5.468G	67.78	68.20	-0.42	8.46	3	Horizontal	183	1.13	-	59.32
PK	5.6684G	118.23	Inf	-Inf	8.70	3	Horizontal	183	1.13	-	109.53
AV	5.6732G	108.08	Inf	-Inf	8.70	3	Horizontal	183	1.13	-	99.38
PK	5.8508G	66.34	68.20	-1.86	8.90	3	Horizontal	183	1.13	-	57.44

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37612G	53.83	74.00	-20.17	14.74	3	Vertical	263	1.08	-	39.09
AV	11.38848G	39.91	54.00	-14.09	14.76	3	Vertical	263	1.08	-	25.15

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

17/11/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38136G	53.69	74.00	-20.31	14.75	3	Horizontal	46	2.96	-	38.94
AV	11.38536G	39.80	54.00	-14.20	14.75	3	Horizontal	46	2.96	-	25.05

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5775MHz\_TX



EUT\_Z\_4TX  
Setting 20  
02-E-2-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.63G	64.49	68.20	-3.71	8.63	3	Vertical	179	2.93	-	55.86
PK	5.753G	110.95	Inf	-Inf	8.83	3	Vertical	179	2.93	-	102.12
AV	5.753G	100.49	Inf	-Inf	8.83	3	Vertical	179	2.93	-	91.66
PK	5.937G	60.45	68.20	-7.75	8.93	3	Vertical	179	2.93	-	51.52



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5775MHz\_TX




EUT Z\_4TX  
Setting 20  
02-E-2-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	67.73	68.20	-0.47	8.63	3	Horizontal	174	1.00	-	59.10
PK	5.749G	117.10	Inf	-Inf	8.82	3	Horizontal	174	1.00	-	108.28
AV	5.778G	104.55	Inf	-Inf	8.87	3	Horizontal	174	1.00	-	95.68
PK	5.927G	62.25	68.20	-5.95	8.93	3	Horizontal	174	1.00	-	53.32

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5775MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54512G	54.61	74.00	-19.39	14.97	3	Vertical	247	2.74	-	39.64
AV	11.55912G	39.87	54.00	-14.13	14.99	3	Vertical	247	2.74	-	24.88

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

16/11/2019

5775MHz\_TX



EUT Z\_4TX  
Setting 20  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55704G	54.08	74.00	-19.92	14.99	3	Horizontal	9	1.55	-	39.09
AV	11.54772G	39.92	54.00	-14.08	14.97	3	Horizontal	9	1.55	-	24.95



For non-beamforming mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	10.3586G	68.19	68.20	-0.01	12.22	3	Vertical	314	1.00	-

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5180MHz\_TX




EUT Z\_4TX  
Setting 19  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	65.03	74.00	-8.97	4.16	3	Vertical	213	2.77	-	60.87
AV	5.1498G	47.08	54.00	-6.92	4.16	3	Vertical	213	2.77	-	42.92
PK	5.1826G	114.37	Inf	-Inf	4.21	3	Vertical	213	2.77	-	110.16
AV	5.1822G	103.99	Inf	-Inf	4.21	3	Vertical	213	2.77	-	99.78

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5180MHz\_TX




EUT Z\_4TX  
Setting 19  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	66.24	74.00	-7.76	4.16	3	Horizontal	22	1.01	-	62.08
AV	5.15G	49.04	54.00	-4.96	4.16	3	Horizontal	22	1.01	-	44.88
PK	5.1758G	118.45	Inf	-Inf	4.21	3	Horizontal	22	1.01	-	114.24
AV	5.1832G	107.77	Inf	-Inf	4.21	3	Horizontal	22	1.01	-	103.56

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5180MHz\_TX




EUT Z\_4TX  
Setting 19  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3586G	68.19	68.20	-0.01	12.22	3	Vertical	314	1.00	-	55.97
PK	15.54219G	56.98	74.00	-17.02	11.40	3	Vertical	274	1.53	-	45.58
AV	15.54448G	42.71	54.00	-11.29	11.40	3	Vertical	274	1.53	-	31.31

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5180MHz\_TX



EUT Z\_4TX  
Setting 19  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3585G	61.28	68.20	-6.92	12.22	3	Horizontal	132	1.02	-	49.06
PK	15.54231G	56.32	74.00	-17.68	11.40	3	Horizontal	283	1.85	-	44.92
AV	15.55389G	42.52	54.00	-11.48	11.39	3	Horizontal	283	1.85	-	31.13



### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 24  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	62.99	74.00	-11.01	4.15	3	Vertical	214	2.74	-	58.84
AV	5.1493G	48.14	54.00	-5.86	4.16	3	Vertical	214	2.74	-	43.98
PK	5.2015G	117.86	Inf	-Inf	4.24	3	Vertical	214	2.74	-	113.62
AV	5.2024G	107.17	Inf	-Inf	4.24	3	Vertical	214	2.74	-	102.93

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5200MHz\_TX




EUT\_Z\_4TX  
Setting 24  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.52	74.00	-5.48	4.16	3	Horizontal	17	1.04	-	64.36
AV	5.1496G	52.85	54.00	-1.15	4.16	3	Horizontal	17	1.04	-	48.69
PK	5.1976G	122.06	Inf	-Inf	4.24	3	Horizontal	17	1.04	-	117.82
AV	5.1973G	111.67	Inf	-Inf	4.24	3	Horizontal	17	1.04	-	107.43

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 24  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3989G	68.03	68.20	-0.17	12.22	3	Vertical	152	1.04	-	55.81

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 24  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3996	66.14	68.20	-2.06	12.22	3	Horizontal	271	1.14	-	53.92

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1365G	58.68	74.00	-15.32	4.15	3	Vertical	220	1.00	-	54.53
AV	5.1347G	45.98	54.00	-8.02	4.14	3	Vertical	220	1.00	-	41.84
PK	5.2427G	120.07	Inf	-Inf	4.30	3	Vertical	220	1.00	-	115.77
AV	5.2433G	109.46	Inf	-Inf	4.30	3	Vertical	220	1.00	-	105.16
PK	5.3516G	61.83	74.00	-12.17	4.56	3	Vertical	220	1.00	-	57.27
AV	5.35G	49.07	54.00	-4.93	4.56	3	Vertical	220	1.00	-	44.51

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.135G	61.11	74.00	-12.89	4.15	3	Horizontal	21	1.05	-	56.96
AV	5.1356G	48.07	54.00	-5.93	4.15	3	Horizontal	21	1.05	-	43.92
PK	5.237G	121.75	Inf	-Inf	4.30	3	Horizontal	21	1.05	-	117.45
AV	5.2367G	111.29	Inf	-Inf	4.30	3	Horizontal	21	1.05	-	106.99
PK	5.354G	61.41	74.00	-12.59	4.57	3	Horizontal	21	1.05	-	56.84
AV	5.3522G	48.59	54.00	-5.41	4.57	3	Horizontal	21	1.05	-	44.02

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5240MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4789G	64.76	68.20	-3.44	12.23	3	Vertical	152	1.01	-	52.53

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5240MHz\_TX



EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4811G	63.34	68.20	-4.86	12.23	3	Horizontal	272	1.04	-	51.11



### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	59.29	74.00	-14.71	7.94	3	Vertical	287	2.96	-	51.35
AV	5.149G	46.15	54.00	-7.85	7.94	3	Vertical	287	2.96	-	38.21
PK	5.2654G	116.74	Inf	-Inf	8.16	3	Vertical	287	2.96	-	108.58
AV	5.2648G	106.60	Inf	-Inf	8.16	3	Vertical	287	2.96	-	98.44
PK	5.3698G	60.60	74.00	-13.40	8.30	3	Vertical	287	2.96	-	52.30
AV	5.371G	47.41	54.00	-6.59	8.30	3	Vertical	287	2.96	-	39.11

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	59.95	74.00	-14.05	7.94	3	Horizontal	263	1.02	-	52.01
AV	5.1448G	47.18	54.00	-6.82	7.94	3	Horizontal	263	1.02	-	39.24
PK	5.2642G	120.73	Inf	-Inf	8.16	3	Horizontal	263	1.02	-	112.57
AV	5.2648G	110.05	Inf	-Inf	8.16	3	Horizontal	263	1.02	-	101.89
PK	5.365G	62.04	74.00	-11.96	8.29	3	Horizontal	263	1.02	-	53.75
AV	5.3644G	49.33	54.00	-4.67	8.29	3	Horizontal	263	1.02	-	41.04

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5260MHz\_TX




EUT Z\_4TX  
 Setting 25  
 02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51862G	61.92	68.20	-6.28	14.57	3	Vertical	139	1.10	-	47.35

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51862G	62.71	68.20	-5.49	14.57	3	Horizontal	274	1.07	-	48.14

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5300MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2928G	117.15	Inf	-Inf	8.20	3	Vertical	113	2.92	-	108.95
AV	5.2922G	106.85	Inf	-Inf	8.20	3	Vertical	113	2.92	-	98.65
PK	5.3504G	66.01	74.00	-7.99	8.28	3	Vertical	113	2.92	-	57.73
AV	5.3534G	48.32	54.00	-5.68	8.28	3	Vertical	113	2.92	-	40.04

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5300MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3024G	121.58	Inf	-Inf	8.21	3	Horizontal	270	1.02	-	113.37
AV	5.303G	110.79	Inf	-Inf	8.21	3	Horizontal	270	1.02	-	102.58
PK	5.351G	73.86	74.00	-0.14	8.28	3	Horizontal	270	1.02	-	65.58
AV	5.351G	52.79	54.00	-1.21	8.28	3	Horizontal	270	1.02	-	44.51

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59886G	60.24	68.20	-7.96	14.51	3	Vertical	127	1.04	-	45.73

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5300MHz\_TX



EUT Z\_4TX  
Setting 24  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59928G	59.88	68.20	-8.32	14.51	3	Horizontal	273	1.02	-	45.37



### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5320MHz\_TX




EUT\_Z\_4TX  
Setting 20.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.322G	114.39	Inf	-Inf	8.23	3	Vertical	118	2.98	-	106.16
AV	5.322G	104.16	Inf	-Inf	8.23	3	Vertical	118	2.98	-	95.93
PK	5.352G	69.12	74.00	-4.88	8.28	3	Vertical	118	2.98	-	60.84
AV	5.35G	50.35	54.00	-3.65	8.28	3	Vertical	118	2.98	-	42.07

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5320MHz\_TX




EUT\_Z\_4TX  
Setting 20.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3228G	118.60	Inf	-Inf	8.24	3	Horizontal	264	1.00	-	110.36
AV	5.3232G	108.09	Inf	-Inf	8.24	3	Horizontal	264	1.00	-	99.85
PK	5.35G	73.17	74.00	-0.83	8.28	3	Horizontal	264	1.00	-	64.89
AV	5.35G	53.82	54.00	-0.18	8.28	3	Horizontal	264	1.00	-	45.54

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 20.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63904G	58.18	74.00	-15.82	14.49	3	Vertical	118	1.05	-	43.69
AV	10.63976G	43.65	54.00	-10.35	14.49	3	Vertical	118	1.05	-	29.16

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 20.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.63886G	58.16	74.00	-15.84	14.49	3	Horizontal	274	1.12	-	43.67
AV	10.64G	43.10	54.00	-10.90	14.49	3	Horizontal	274	1.12	-	28.61

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 19.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	59.48	74.00	-14.52	8.45	3	Vertical	300	1.19	-	51.03
AV	5.46G	45.82	54.00	-8.18	8.45	3	Vertical	300	1.19	-	37.37
PK	5.47G	61.92	68.20	-6.28	8.46	3	Vertical	300	1.19	-	53.46
PK	5.494G	112.13	Inf	-Inf	8.51	3	Vertical	300	1.19	-	103.62
AV	5.4932G	101.88	Inf	-Inf	8.51	3	Vertical	300	1.19	-	93.37

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 19.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	61.11	74.00	-12.89	8.44	3	Horizontal	269	1.00	-	52.67
AV	5.46G	47.41	54.00	-6.59	8.45	3	Horizontal	269	1.00	-	38.96
PK	5.47G	68.07	68.20	-0.13	8.46	3	Horizontal	269	1.00	-	59.61
PK	5.5032G	117.07	Inf	-Inf	8.52	3	Horizontal	269	1.00	-	108.55
AV	5.5032G	106.66	Inf	-Inf	8.52	3	Horizontal	269	1.00	-	98.14

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 19.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.98824G	52.98	74.00	-21.02	14.27	3	Vertical	12	2.88	-	38.71
AV	11.01086G	38.96	54.00	-15.04	14.28	3	Vertical	12	2.88	-	24.68

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5500MHz\_TX



EUT Z\_4TX  
 Setting 19.5  
 02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99988G	53.40	74.00	-20.60	14.26	3	Horizontal	116	1.01	-	39.14
AV	11.00108G	39.37	54.00	-14.63	14.26	3	Horizontal	116	1.01	-	25.11



### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4232G	58.32	74.00	-15.68	8.38	3	Vertical	284	1.03	-	49.94
AV	5.42G	45.27	54.00	-8.73	8.38	3	Vertical	284	1.03	-	36.89
PK	5.4656G	58.07	68.20	-10.13	8.46	3	Vertical	284	1.03	-	49.61
PK	5.5744G	115.74	Inf	-Inf	8.56	3	Vertical	284	1.03	-	107.18
AV	5.5736G	105.24	Inf	-Inf	8.56	3	Vertical	284	1.03	-	96.68
PK	5.7472G	59.79	68.20	-8.41	8.82	3	Vertical	284	1.03	-	50.97

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4464G	59.24	74.00	-14.76	8.42	3	Horizontal	270	1.01	-	50.82
PK	5.464G	59.54	68.20	-8.66	8.45	3	Horizontal	270	1.01	-	51.09
AV	5.46G	46.04	54.00	-7.96	8.45	3	Horizontal	270	1.01	-	37.59
PK	5.5728G	119.45	Inf	-Inf	8.56	3	Horizontal	270	1.01	-	110.89
AV	5.5728G	108.72	Inf	-Inf	8.56	3	Horizontal	270	1.01	-	100.16
PK	5.7568G	60.66	68.20	-7.54	8.83	3	Horizontal	270	1.01	-	51.83

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15886G	54.01	74.00	-19.99	14.46	3	Vertical	276	1.02	-	39.55
AV	11.16G	39.79	54.00	-14.21	14.46	3	Vertical	276	1.02	-	25.33

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1582G	55.31	74.00	-18.69	14.46	3	Horizontal	275	1.16	-	40.85
AV	11.15976G	41.11	54.00	-12.89	14.46	3	Horizontal	275	1.16	-	26.65

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5700MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6956G	114.43	Inf	-Inf	8.74	3	Vertical	302	1.01	-	105.69
AV	5.6948G	103.37	Inf	-Inf	8.74	3	Vertical	302	1.01	-	94.63
PK	5.7812G	60.52	68.20	-7.68	8.88	3	Vertical	302	1.01	-	51.64

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5700MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7044G	116.00	Inf	-Inf	8.76	3	Horizontal	276	1.00	-	107.24
AV	5.6928G	105.22	Inf	-Inf	8.74	3	Horizontal	276	1.00	-	96.48
PK	5.7252G	67.21	68.20	-0.99	8.79	3	Horizontal	276	1.00	-	58.42

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 17.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38932G	53.66	74.00	-20.34	14.76	3	Vertical	292	2.54	-	38.90
AV	11.4006G	39.60	54.00	-14.40	14.77	3	Vertical	292	2.54	-	24.83

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5700MHz\_TX



EUT Z\_4TX  
Setting 17.5  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40802G	53.72	74.00	-20.28	14.79	3	Horizontal	213	1.38	-	38.93
AV	11.40348G	39.61	54.00	-14.39	14.77	3	Horizontal	213	1.38	-	24.84



802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	58.79	74.00	-15.21	8.41	3	Vertical	302	1.07	-	50.38
AV	5.4296G	45.49	54.00	-8.51	8.40	3	Vertical	302	1.07	-	37.09
PK	5.462G	57.35	68.20	-10.85	8.45	3	Vertical	302	1.07	-	48.90
PK	5.7152G	119.39	Inf	-Inf	8.77	3	Vertical	302	1.07	-	110.62
AV	5.7152G	108.44	Inf	-Inf	8.77	3	Vertical	302	1.07	-	99.67
PK	5.9636G	60.53	68.20	-7.67	8.93	3	Vertical	302	1.07	-	51.60

802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4464G	59.83	74.00	-14.17	8.42	3	Horizontal	265	1.00	-	51.41
AV	5.426G	46.22	54.00	-7.78	8.39	3	Horizontal	265	1.00	-	37.83
PK	5.462G	59.25	68.20	-8.95	8.45	3	Horizontal	265	1.00	-	50.80
PK	5.7248G	121.28	Inf	-Inf	8.78	3	Horizontal	265	1.00	-	112.50
AV	5.7248G	110.55	Inf	-Inf	8.78	3	Horizontal	265	1.00	-	101.77
PK	5.9516G	62.09	68.20	-6.11	8.92	3	Horizontal	265	1.00	-	53.17

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44138G	53.95	74.00	-20.05	14.82	3	Vertical	169	2.54	-	39.13
AV	11.4403G	39.77	54.00	-14.23	14.82	3	Vertical	169	2.54	-	24.95

### 802.11a\_Nss1,(6Mbps)\_4TX

21/11/2019

### 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
 Setting 25  
 02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44114G	55.21	74.00	-18.79	14.82	3	Horizontal	277	1.06	-	40.39
AV	11.44072G	40.73	54.00	-13.27	14.82	3	Horizontal	277	1.06	-	25.91

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.586G	58.48	68.20	-9.72	5.53	3	Vertical	200	1.05	-	52.95
PK	5.738G	117.42	Inf	-Inf	5.67	3	Vertical	200	1.05	-	111.75
AV	5.738G	106.98	Inf	-Inf	5.67	3	Vertical	200	1.05	-	101.31
PK	5.9805G	60.27	68.20	-7.93	6.62	3	Vertical	200	1.05	-	53.65

802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

5745MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6375G	61.88	68.20	-6.32	5.60	3	Horizontal	12	1.01	-	56.28
PK	5.7375G	121.53	Inf	-Inf	5.66	3	Horizontal	12	1.01	-	115.87
AV	5.7375G	110.92	Inf	-Inf	5.66	3	Horizontal	12	1.01	-	105.26
PK	5.978G	61.73	68.20	-6.47	6.61	3	Horizontal	12	1.01	-	55.12

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49162G	54.39	74.00	-19.61	11.68	3	Vertical	189	1.35	-	42.71
AV	11.49305G	40.21	54.00	-13.79	11.68	3	Vertical	189	1.35	-	28.53

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5745MHz\_TX



EUT\_Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49446G	54.71	74.00	-19.29	11.67	3	Horizontal	283	1.90	-	43.04
AV	11.49312G	40.20	54.00	-13.80	11.68	3	Horizontal	283	1.90	-	28.52



802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

5785MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6205G	58.90	68.20	-9.30	5.60	3	Vertical	41	1.10	-	53.30
PK	5.781G	120.90	Inf	-Inf	5.72	3	Vertical	41	1.10	-	115.18
AV	5.7815G	110.06	Inf	-Inf	5.72	3	Vertical	41	1.10	-	104.34
PK	5.936G	60.49	68.20	-7.71	6.45	3	Vertical	41	1.10	-	54.04

802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

5785MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6265G	60.56	68.20	-7.64	5.60	3	Horizontal	15	1.03	-	54.96
PK	5.7775G	122.33	Inf	-Inf	5.71	3	Horizontal	15	1.03	-	116.62
AV	5.7775G	111.90	Inf	-Inf	5.71	3	Horizontal	15	1.03	-	106.19
PK	5.9555G	61.06	68.20	-7.14	6.52	3	Horizontal	15	1.03	-	54.54

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5785MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56678G	54.72	74.00	-19.28	11.59	3	Vertical	161	1.50	-	43.13
AV	11.57255G	40.23	54.00	-13.77	11.58	3	Vertical	161	1.50	-	28.65

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5785MHz\_TX




EUT Z\_4TX  
 Setting 25  
 04-P-2  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57104G	55.26	74.00	-18.74	11.58	3	Horizontal	12	1.12	-	43.68
AV	11.57193G	40.91	54.00	-13.09	11.58	3	Horizontal	12	1.12	-	29.33

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.589G	58.64	68.20	-9.56	5.55	3	Vertical	41	1.07	-	53.09
PK	5.821G	120.32	Inf	-Inf	5.87	3	Vertical	41	1.07	-	114.45
AV	5.8215G	109.52	Inf	-Inf	5.87	3	Vertical	41	1.07	-	103.65
PK	5.9355G	59.95	68.20	-8.25	6.45	3	Vertical	41	1.07	-	53.50

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5825MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5845G	59.12	68.20	-9.08	5.53	3	Horizontal	38	1.06	-	53.59
PK	5.821G	119.84	Inf	-Inf	5.87	3	Horizontal	38	1.06	-	113.97
AV	5.8215G	109.26	Inf	-Inf	5.87	3	Horizontal	38	1.06	-	103.39
PK	5.9395G	60.35	68.20	-7.85	6.47	3	Horizontal	38	1.06	-	53.88

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
 Setting 25  
 04-P-2  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64786G	54.35	74.00	-19.65	11.49	3	Vertical	134	1.01	-	42.86
AV	11.64678G	40.11	54.00	-13.89	11.49	3	Vertical	134	1.01	-	28.62

### 802.11a\_Nss1,(6Mbps)\_4TX

13/11/2019

### 5825MHz\_TX



EUT\_Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65078G	54.22	74.00	-19.78	11.48	3	Horizontal	351	1.24	-	42.74
AV	11.65295G	40.15	54.00	-13.85	11.48	3	Horizontal	351	1.24	-	28.67



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5180MHz\_TX




EUT Z\_4TX  
Setting 19.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	63.39	74.00	-10.61	4.16	3	Vertical	266	1.00	-	59.23
AV	5.15G	47.96	54.00	-6.04	4.16	3	Vertical	266	1.00	-	43.80
PK	5.182G	110.71	Inf	-Inf	4.21	3	Vertical	266	1.00	-	106.50
AV	5.1868G	100.82	Inf	-Inf	4.22	3	Vertical	266	1.00	-	96.60

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
Setting 19.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.77	74.00	-6.23	4.16	3	Horizontal	360	1.05	-	63.61
AV	5.15G	53.44	54.00	-0.56	4.16	3	Horizontal	360	1.05	-	49.28
PK	5.1776G	117.25	Inf	-Inf	4.21	3	Horizontal	360	1.05	-	113.04
AV	5.178G	107.67	Inf	-Inf	4.21	3	Horizontal	360	1.05	-	103.46

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5180MHz\_TX




EUT Z\_4TX  
Setting 19.5  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3587G	61.62	68.20	-6.58	12.22	3	Vertical	153	1.01	-	49.40

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5180MHz\_TX




EUT Z\_4TX  
Setting 19.5  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3585G	59.42	68.20	-8.78	12.22	3	Horizontal	11	1.08	-	47.20

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 23.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	63.79	74.00	-10.21	4.16	3	Vertical	339	2.58	-	59.63
AV	5.1496G	49.59	54.00	-4.41	4.16	3	Vertical	339	2.58	-	45.43
PK	5.2078G	116.15	Inf	-Inf	4.25	3	Vertical	339	2.58	-	111.90
AV	5.1934G	105.89	Inf	-Inf	4.23	3	Vertical	339	2.58	-	101.66

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 23.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	67.50	74.00	-6.50	4.16	3	Horizontal	0	1.00	-	63.34
AV	5.1499G	53.71	54.00	-0.29	4.16	3	Horizontal	0	1.00	-	49.55
PK	5.1976G	121.07	Inf	-Inf	4.24	3	Horizontal	0	1.00	-	116.83
AV	5.1979G	111.23	Inf	-Inf	4.24	3	Horizontal	0	1.00	-	106.99

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

14/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 23.5  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3989G	64.53	68.20	-3.67	12.22	3	Vertical	152	1.04	-	52.31

802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

5200MHz\_TX



EUT Z\_4TX  
Setting 23.5  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3966G	64.54	68.20	-3.66	12.23	3	Horizontal	138	1.01	-	52.31



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1407G	58.38	74.00	-15.62	4.15	3	Vertical	343	1.01	-	54.23
AV	5.1494G	46.66	54.00	-7.34	4.16	3	Vertical	343	1.01	-	42.50
PK	5.2466G	116.77	Inf	-Inf	4.31	3	Vertical	343	1.01	-	112.46
AV	5.2334G	106.05	Inf	-Inf	4.29	3	Vertical	343	1.01	-	101.76
PK	5.3504G	59.61	74.00	-14.39	4.56	3	Vertical	343	1.01	-	55.05
AV	5.354G	47.42	54.00	-6.58	4.57	3	Vertical	343	1.01	-	42.85

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	61.57	74.00	-12.43	4.16	3	Horizontal	0	1.03	-	57.41
AV	5.1341G	48.75	54.00	-5.25	4.14	3	Horizontal	0	1.03	-	44.61
PK	5.2427G	121.27	Inf	-Inf	4.30	3	Horizontal	0	1.03	-	116.97
AV	5.2379G	111.81	Inf	-Inf	4.30	3	Horizontal	0	1.03	-	107.51
PK	5.3507G	61.72	74.00	-12.28	4.56	3	Horizontal	0	1.03	-	57.16
AV	5.3504G	50.15	54.00	-3.85	4.56	3	Horizontal	0	1.03	-	45.59

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5240MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4788G	62.40	68.20	-5.80	12.23	3	Vertical	319	1.13	-	50.17

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5240MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4815G	60.81	68.20	-7.39	12.24	3	Horizontal	299	1.12	-	48.57

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	59.16	74.00	-14.84	7.94	3	Vertical	73	2.78	-	51.22
AV	5.15G	46.80	54.00	-7.20	7.94	3	Vertical	73	2.78	-	38.86
PK	5.2558G	116.14	Inf	-Inf	8.15	3	Vertical	73	2.78	-	107.99
AV	5.2624G	106.35	Inf	-Inf	8.15	3	Vertical	73	2.78	-	98.20
PK	5.3698G	59.77	74.00	-14.23	8.30	3	Vertical	73	2.78	-	51.47
AV	5.3608G	47.56	54.00	-6.44	8.29	3	Vertical	73	2.78	-	39.27

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	60.88	74.00	-13.12	7.94	3	Horizontal	263	1.01	-	52.94
AV	5.149G	49.02	54.00	-4.98	7.94	3	Horizontal	263	1.01	-	41.08
PK	5.2582G	121.04	Inf	-Inf	8.15	3	Horizontal	263	1.01	-	112.89
AV	5.2576G	110.81	Inf	-Inf	8.15	3	Horizontal	263	1.01	-	102.66
PK	5.3764G	62.23	74.00	-11.77	8.31	3	Horizontal	263	1.01	-	53.92
AV	5.371G	50.11	54.00	-3.89	8.30	3	Horizontal	263	1.01	-	41.81

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52126G	59.17	68.20	-9.03	14.57	3	Vertical	155	1.18	-	44.60

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5260MHz\_TX



EUT Z\_4TX  
 Setting 25  
 02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.51874G	61.34	68.20	-6.86	14.57	3	Horizontal	271	1.05	-	46.77



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2956G	116.70	Inf	-Inf	8.20	3	Vertical	117	2.76	-	108.50
AV	5.3068G	105.40	Inf	-Inf	8.22	3	Vertical	117	2.76	-	97.18
PK	5.35G	66.94	74.00	-7.06	8.28	3	Vertical	117	2.76	-	58.66
AV	5.3504G	51.38	54.00	-2.62	8.28	3	Vertical	117	2.76	-	43.10

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2948G	119.98	Inf	-Inf	8.20	3	Horizontal	243	1.03	-	111.78
AV	5.298G	109.72	Inf	-Inf	8.21	3	Horizontal	243	1.03	-	101.51
PK	5.3528G	70.24	74.00	-3.76	8.28	3	Horizontal	243	1.03	-	61.96
AV	5.35G	53.95	54.00	-0.05	8.28	3	Horizontal	243	1.03	-	45.67

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5995G	58.06	68.20	-10.14	14.51	3	Vertical	151	1.12	-	43.55

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5300MHz\_TX




EUT Z\_4TX  
Setting 24  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.59886G	58.93	68.20	-9.27	14.51	3	Horizontal	283	1.02	-	44.42

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 20  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3212G	110.71	Inf	-Inf	8.23	3	Vertical	209	1.03	-	102.48
AV	5.3224G	101.63	Inf	-Inf	8.23	3	Vertical	209	1.03	-	93.40
PK	5.3532G	63.51	74.00	-10.49	8.28	3	Vertical	209	1.03	-	55.23
AV	5.35G	49.32	54.00	-4.68	8.28	3	Vertical	209	1.03	-	41.04

802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

5320MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3228G	116.81	Inf	-Inf	8.24	3	Horizontal	267	1.02	-	108.57
AV	5.322G	105.60	Inf	-Inf	8.23	3	Horizontal	267	1.02	-	97.37
PK	5.3504G	69.90	74.00	-4.10	8.28	3	Horizontal	267	1.02	-	61.62
AV	5.3504G	53.75	54.00	-0.25	8.28	3	Horizontal	267	1.02	-	45.47

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 20  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6444G	53.56	74.00	-20.44	14.48	3	Vertical	19	1.04	-	39.08
AV	10.64252G	41.24	54.00	-12.76	14.49	3	Vertical	19	1.04	-	26.75

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5320MHz\_TX



EUT Z\_4TX  
Setting 20  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.64144G	54.75	74.00	-19.25	14.49	3	Horizontal	272	1.03	-	40.26
AV	10.63964G	41.67	54.00	-12.33	14.49	3	Horizontal	272	1.03	-	27.18



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 19.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4288G	60.01	74.00	-13.99	8.40	3	Vertical	298	1.20	-	51.61
PK	5.47G	62.27	68.20	-5.93	8.46	3	Vertical	298	1.20	-	53.81
AV	5.4596G	46.89	54.00	-7.11	8.45	3	Vertical	298	1.20	-	38.44
PK	5.494G	110.70	Inf	-Inf	8.51	3	Vertical	298	1.20	-	102.19
AV	5.5068G	101.41	Inf	-Inf	8.52	3	Vertical	298	1.20	-	92.89

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 19.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	62.98	74.00	-11.02	8.45	3	Horizontal	272	1.01	-	54.53
AV	5.46G	48.63	54.00	-5.37	8.45	3	Horizontal	272	1.01	-	40.18
PK	5.4684G	68.09	68.20	-0.11	8.46	3	Horizontal	272	1.01	-	59.63
PK	5.5036G	116.66	Inf	-Inf	8.52	3	Horizontal	272	1.01	-	108.14
AV	5.5068G	105.58	Inf	-Inf	8.52	3	Horizontal	272	1.01	-	97.06

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 19.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01488G	53.08	74.00	-20.92	14.28	3	Vertical	262	2.61	-	38.80
AV	11.01134G	40.56	54.00	-13.44	14.28	3	Vertical	262	2.61	-	26.28

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 19.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00324G	53.85	74.00	-20.15	14.26	3	Horizontal	271	2.50	-	39.59
AV	10.9943G	40.62	54.00	-13.38	14.26	3	Horizontal	271	2.50	-	26.36

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4424G	58.33	74.00	-15.67	8.42	3	Vertical	97	1.14	-	49.91
AV	5.4264G	46.62	54.00	-7.38	8.39	3	Vertical	97	1.14	-	38.23
PK	5.4688G	58.30	68.20	-9.90	8.46	3	Vertical	97	1.14	-	49.84
PK	5.5784G	112.89	Inf	-Inf	8.57	3	Vertical	97	1.14	-	104.32
AV	5.5776G	103.84	Inf	-Inf	8.57	3	Vertical	97	1.14	-	95.27
PK	5.736G	59.20	68.20	-9.00	8.81	3	Vertical	97	1.14	-	50.39

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.412G	59.85	74.00	-14.15	8.36	3	Horizontal	273	1.06	-	51.49
PK	5.4608G	60.05	68.20	-8.15	8.45	3	Horizontal	273	1.06	-	51.60
AV	5.4576G	47.24	54.00	-6.76	8.44	3	Horizontal	273	1.06	-	38.80
PK	5.584G	119.81	Inf	-Inf	8.57	3	Horizontal	273	1.06	-	111.24
AV	5.5864G	109.09	Inf	-Inf	8.57	3	Horizontal	273	1.06	-	100.52
PK	5.7496G	60.54	68.20	-7.66	8.82	3	Horizontal	273	1.06	-	51.72

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.17272G	53.77	74.00	-20.23	14.48	3	Vertical	188	1.67	-	39.29
AV	11.16744G	40.73	54.00	-13.27	14.47	3	Vertical	188	1.67	-	26.26

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5580MHz\_TX



EUT Z\_4TX  
Setting 25  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16578G	53.73	74.00	-20.27	14.47	3	Horizontal	266	2.07	-	39.26
AV	11.16498G	40.72	54.00	-13.28	14.47	3	Horizontal	266	2.07	-	26.25



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5700MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7064G	109.72	Inf	-Inf	8.76	3	Vertical	104	1.07	-	100.96
AV	5.7068G	100.62	Inf	-Inf	8.76	3	Vertical	104	1.07	-	91.86
PK	5.7252G	61.54	68.20	-6.66	8.79	3	Vertical	104	1.07	-	52.75

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5700MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.704G	115.36	Inf	-Inf	8.76	3	Horizontal	274	1.03	-	106.60
AV	5.7068G	104.37	Inf	-Inf	8.76	3	Horizontal	274	1.03	-	95.61
PK	5.7252G	67.29	68.20	-0.91	8.79	3	Horizontal	274	1.03	-	58.50

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 17.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39856G	54.13	74.00	-19.87	14.77	3	Vertical	14	2.50	-	39.36
AV	11.38602G	41.47	54.00	-12.53	14.75	3	Vertical	14	2.50	-	26.72

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 17.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41564G	53.99	74.00	-20.01	14.79	3	Horizontal	95	2.46	-	39.20
AV	11.41362G	41.46	54.00	-12.54	14.79	3	Horizontal	95	2.46	-	26.67

802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	59.53	74.00	-14.47	8.44	3	Vertical	49	2.97	-	51.09
AV	5.4224G	46.69	54.00	-7.31	8.38	3	Vertical	49	2.97	-	38.31
PK	5.468G	58.48	68.20	-9.72	8.46	3	Vertical	49	2.97	-	50.02
PK	5.7236G	115.69	Inf	-Inf	8.78	3	Vertical	49	2.97	-	106.91
AV	5.7272G	106.18	Inf	-Inf	8.80	3	Vertical	49	2.97	-	97.38
PK	5.8772G	59.64	68.20	-8.56	8.92	3	Vertical	49	2.97	-	50.72

802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4284G	58.96	74.00	-15.04	8.40	3	Horizontal	268	1.00	-	50.56
PK	5.4668G	58.47	68.20	-9.73	8.46	3	Horizontal	268	1.00	-	50.01
AV	5.4536G	47.24	54.00	-6.76	8.44	3	Horizontal	268	1.00	-	38.80
PK	5.7152G	119.28	Inf	-Inf	8.77	3	Horizontal	268	1.00	-	110.51
AV	5.7176G	108.66	Inf	-Inf	8.77	3	Horizontal	268	1.00	-	99.89
PK	5.9492G	61.96	68.20	-6.24	8.94	3	Horizontal	268	1.00	-	53.02

802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
 Setting 25  
 02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43226G	54.38	74.00	-19.62	14.82	3	Vertical	40	1.84	-	39.56
AV	11.42542G	41.29	54.00	-12.71	14.81	3	Vertical	40	1.84	-	26.48

802.11ac VHT20\_Nss1,(MCS0)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 25  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.425G	54.11	74.00	-19.89	14.81	3	Horizontal	144	1.91	-	39.30
AV	11.43988G	41.44	54.00	-12.56	14.82	3	Horizontal	144	1.91	-	26.62



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5745MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5925G	58.63	68.20	-9.57	5.56	3	Vertical	196	1.08	-	53.07
PK	5.7375G	115.10	Inf	-Inf	5.66	3	Vertical	196	1.08	-	109.44
AV	5.752G	105.62	Inf	-Inf	5.67	3	Vertical	196	1.08	-	99.95
PK	5.953G	60.28	68.20	-7.92	6.51	3	Vertical	196	1.08	-	53.77

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5745MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	61.06	68.20	-7.14	5.61	3	Horizontal	13	1.06	-	55.45
PK	5.749G	120.88	Inf	-Inf	5.69	3	Horizontal	13	1.06	-	115.19
AV	5.7515G	110.25	Inf	-Inf	5.67	3	Horizontal	13	1.06	-	104.58
PK	5.965G	61.60	68.20	-6.60	6.56	3	Horizontal	13	1.06	-	55.04

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5745MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49413G	54.49	74.00	-19.51	11.67	3	Vertical	206	1.95	-	42.82
AV	11.48902G	42.06	54.00	-11.94	11.69	3	Vertical	206	1.95	-	30.37

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5745MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48732G	54.73	74.00	-19.27	11.69	3	Horizontal	139	1.93	-	43.04
AV	11.48912G	41.98	54.00	-12.02	11.69	3	Horizontal	139	1.93	-	30.29

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5785MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.55G	59.51	68.20	-8.69	5.42	3	Vertical	172	1.08	-	54.09
PK	5.7805G	119.54	Inf	-Inf	5.72	3	Vertical	172	1.08	-	113.82
AV	5.7875G	108.59	Inf	-Inf	5.72	3	Vertical	172	1.08	-	102.87
PK	5.9825G	60.05	68.20	-8.15	6.63	3	Vertical	172	1.08	-	53.42

802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

5785MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6205G	60.73	68.20	-7.47	5.60	3	Horizontal	9	1.05	-	55.13
PK	5.7845G	122.31	Inf	-Inf	5.72	3	Horizontal	9	1.05	-	116.59
AV	5.783G	111.96	Inf	-Inf	5.73	3	Horizontal	9	1.05	-	106.23
PK	5.952G	61.70	68.20	-6.50	6.51	3	Horizontal	9	1.05	-	55.19

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5785MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56842G	54.85	74.00	-19.15	11.59	3	Vertical	26	1.85	-	43.26
AV	11.56538G	42.23	54.00	-11.77	11.59	3	Vertical	26	1.85	-	30.64

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5785MHz\_TX



EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5661G	54.62	74.00	-19.38	11.59	3	Horizontal	257	1.78	-	43.03
AV	11.56924G	42.08	54.00	-11.92	11.59	3	Horizontal	257	1.78	-	30.49



### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5825MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5905G	60.99	68.20	-7.21	5.55	3	Vertical	15	1.02	-	55.44
PK	5.8285G	121.71	Inf	-Inf	5.90	3	Vertical	15	1.02	-	115.81
AV	5.8315G	111.00	Inf	-Inf	5.92	3	Vertical	15	1.02	-	105.08
PK	5.934G	62.59	68.20	-5.61	6.45	3	Vertical	15	1.02	-	56.14

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5825MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.59G	61.58	68.20	-6.62	5.55	3	Horizontal	11	1.01	-	56.03
PK	5.822G	122.18	Inf	-Inf	5.87	3	Horizontal	11	1.01	-	116.31
AV	5.823G	110.63	Inf	-Inf	5.88	3	Horizontal	11	1.01	-	104.75
PK	5.9305G	62.56	68.20	-5.64	6.43	3	Horizontal	11	1.01	-	56.13

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5825MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64726G	54.33	74.00	-19.67	11.49	3	Vertical	156	1.29	-	42.84
AV	11.65067G	41.65	54.00	-12.35	11.48	3	Vertical	156	1.29	-	30.17

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

13/11/2019

### 5825MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64798G	54.34	74.00	-19.66	11.49	3	Horizontal	104	2.11	-	42.85
AV	11.649G	42.03	54.00	-11.97	11.49	3	Horizontal	104	2.11	-	30.54

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5190MHz\_TX




EUT Z\_4TX  
Setting 17  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1495G	67.10	74.00	-6.90	4.16	3	Vertical	335	2.94	-	62.94
AV	5.1375G	49.19	54.00	-4.81	4.15	3	Vertical	335	2.94	-	45.04
PK	5.178G	108.82	Inf	-Inf	4.21	3	Vertical	335	2.94	-	104.61
AV	5.1936G	98.59	Inf	-Inf	4.23	3	Vertical	335	2.94	-	94.36

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5190MHz\_TX




EUT Z\_4TX  
Setting 17  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1474G	73.74	74.00	-0.26	4.16	3	Horizontal	0	1.01	-	69.58
AV	5.1483G	53.90	54.00	-0.10	4.16	3	Horizontal	0	1.01	-	49.74
PK	5.1948G	112.80	Inf	-Inf	4.23	3	Horizontal	0	1.01	-	108.57
AV	5.1978G	103.58	Inf	-Inf	4.24	3	Horizontal	0	1.01	-	99.34

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5190MHz\_TX




EUT Z\_4TX  
Setting 17  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.37867G	56.93	68.20	-11.27	12.22	3	Vertical	215	1.21	-	44.71

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5190MHz\_TX



EUT Z\_4TX  
Setting 17  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.37798G	57.54	68.20	-10.66	12.22	3	Horizontal	267	2.99	-	45.32



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5230MHz\_TX




EUT\_Z\_4TX  
Setting 21.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1432G	61.62	74.00	-12.38	4.15	3	Vertical	337	2.84	-	57.47
AV	5.15G	49.71	54.00	-4.29	4.16	3	Vertical	337	2.84	-	45.55
PK	5.2384G	112.03	Inf	-Inf	4.30	3	Vertical	337	2.84	-	107.73
AV	5.2336G	102.43	Inf	-Inf	4.29	3	Vertical	337	2.84	-	98.14
PK	5.3628G	59.39	74.00	-14.61	4.60	3	Vertical	337	2.84	-	54.79
AV	5.3596G	49.15	54.00	-4.85	4.59	3	Vertical	337	2.84	-	44.56

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5230MHz\_TX




EUT\_Z\_4TX  
Setting 21.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1344G	67.25	74.00	-6.75	4.14	3	Horizontal	360	1.09	-	63.11
AV	5.1496G	53.02	54.00	-0.98	4.16	3	Horizontal	360	1.09	-	48.86
PK	5.2404G	116.46	Inf	-Inf	4.30	3	Horizontal	360	1.09	-	112.16
AV	5.238G	107.18	Inf	-Inf	4.30	3	Horizontal	360	1.09	-	102.88
PK	5.352G	61.66	74.00	-12.34	4.57	3	Horizontal	360	1.09	-	57.09
AV	5.3528G	51.02	54.00	-2.98	4.57	3	Horizontal	360	1.09	-	46.45

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5230MHz\_TX




EUT Z\_4TX  
Setting 21.5  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4589G	58.73	68.20	-9.47	12.23	3	Vertical	154	1.00	-	46.50

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5230MHz\_TX




EUT Z\_4TX  
Setting 21.5  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.45875G	59.75	68.20	-8.45	12.23	3	Horizontal	127	1.07	-	47.52

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5270MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	60.13	74.00	-13.87	7.94	3	Vertical	167	2.78	-	52.19
AV	5.1386G	48.02	54.00	-5.98	7.92	3	Vertical	167	2.78	-	40.10
PK	5.2622G	112.09	Inf	-Inf	8.15	3	Vertical	167	2.78	-	103.94
AV	5.2622G	101.26	Inf	-Inf	8.15	3	Vertical	167	2.78	-	93.11
PK	5.3534G	63.27	74.00	-10.73	8.28	3	Vertical	167	2.78	-	54.99
AV	5.3528G	50.57	54.00	-3.43	8.28	3	Vertical	167	2.78	-	42.29

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5270MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	62.15	74.00	-11.85	7.94	3	Horizontal	342	1.02	-	54.21
AV	5.1464G	50.31	54.00	-3.69	7.94	3	Horizontal	342	1.02	-	42.37
PK	5.2784G	115.55	Inf	-Inf	8.17	3	Horizontal	342	1.02	-	107.38
AV	5.2778G	106.13	Inf	-Inf	8.17	3	Horizontal	342	1.02	-	97.96
PK	5.3534G	66.97	74.00	-7.03	8.28	3	Horizontal	342	1.02	-	58.69
AV	5.351G	53.96	54.00	-0.04	8.28	3	Horizontal	342	1.02	-	45.68

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5270MHz\_TX




EUT Z\_4TX  
Setting 22  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53886G	56.93	68.20	-11.27	14.55	3	Vertical	260	1.03	-	42.38

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5270MHz\_TX



EUT Z\_4TX  
Setting 22  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.53886G	56.21	68.20	-11.99	14.55	3	Horizontal	350	1.21	-	41.66



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 17.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3028G	106.50	Inf	-Inf	8.21	3	Vertical	255	1.07	-	98.29
AV	5.3064G	97.42	Inf	-Inf	8.22	3	Vertical	255	1.07	-	89.20
PK	5.3508G	68.64	74.00	-5.36	8.28	3	Vertical	255	1.07	-	60.36
AV	5.3526G	50.08	54.00	-3.92	8.28	3	Vertical	255	1.07	-	41.80

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5310MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3022G	110.78	Inf	-Inf	8.21	3	Horizontal	1	1.05	-	102.57
AV	5.3022G	101.20	Inf	-Inf	8.21	3	Horizontal	1	1.05	-	92.99
PK	5.3526G	73.68	74.00	-0.32	8.28	3	Horizontal	1	1.05	-	65.40
AV	5.3538G	53.85	54.00	-0.15	8.28	3	Horizontal	1	1.05	-	45.57

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 17.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62804G	53.62	74.00	-20.38	14.49	3	Vertical	157	1.38	-	39.13
AV	10.6341G	42.13	54.00	-11.87	14.49	3	Vertical	157	1.38	-	27.64

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5310MHz\_TX




EUT Z\_4TX  
Setting 17.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62732G	53.24	74.00	-20.76	14.49	3	Horizontal	76	1.08	-	38.75
AV	10.6302G	42.17	54.00	-11.83	14.49	3	Horizontal	76	1.08	-	27.68

802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

5510MHz\_TX




EUT\_Z\_4TX  
Setting 16.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	59.96	74.00	-14.04	8.45	3	Vertical	26	1.18	-	51.51
AV	5.4566G	48.43	54.00	-5.57	8.44	3	Vertical	26	1.18	-	39.99
PK	5.4632G	64.39	68.20	-3.81	8.45	3	Vertical	26	1.18	-	55.94
PK	5.5238G	105.66	Inf	-Inf	8.53	3	Vertical	26	1.18	-	97.13
AV	5.5268G	96.18	Inf	-Inf	8.54	3	Vertical	26	1.18	-	87.64

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5510MHz\_TX




EUT\_Z\_4TX  
Setting 16.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.73	74.00	-9.27	8.45	3	Horizontal	7	1.01	-	56.28
AV	5.459G	50.25	54.00	-3.75	8.45	3	Horizontal	7	1.01	-	41.80
PK	5.465G	68.17	68.20	-0.03	8.45	3	Horizontal	7	1.01	-	59.72
PK	5.507G	111.70	Inf	-Inf	8.52	3	Horizontal	7	1.01	-	103.18
AV	5.5064G	102.16	Inf	-Inf	8.52	3	Horizontal	7	1.01	-	93.64

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5510MHz\_TX




EUT Z\_4TX  
Setting 16.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02906G	53.18	74.00	-20.82	14.30	3	Vertical	78	1.67	-	38.88
AV	11.032G	41.93	54.00	-12.07	14.31	3	Vertical	78	1.67	-	27.62

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5510MHz\_TX



EUT Z\_4TX  
Setting 16.5  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01412G	53.67	74.00	-20.33	14.28	3	Horizontal	336	2.82	-	39.39
AV	11.01442G	42.00	54.00	-12.00	14.28	3	Horizontal	336	2.82	-	27.72



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5550MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	60.36	74.00	-13.64	8.44	3	Vertical	34	1.07	-	51.92
AV	5.451G	49.08	54.00	-4.92	8.44	3	Vertical	34	1.07	-	40.64
PK	5.4648G	63.25	68.20	-4.95	8.45	3	Vertical	34	1.07	-	54.80
PK	5.5638G	112.50	Inf	-Inf	8.56	3	Vertical	34	1.07	-	103.94
AV	5.5464G	103.48	Inf	-Inf	8.55	3	Vertical	34	1.07	-	94.93

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5550MHz\_TX




EUT\_Z\_4TX  
Setting 22  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	65.45	74.00	-8.55	8.44	3	Horizontal	359	1.06	-	57.01
AV	5.457G	51.75	54.00	-2.25	8.44	3	Horizontal	359	1.06	-	43.31
PK	5.4642G	66.36	68.20	-1.84	8.45	3	Horizontal	359	1.06	-	57.91
PK	5.547G	116.31	Inf	-Inf	8.55	3	Horizontal	359	1.06	-	107.76
AV	5.547G	106.20	Inf	-Inf	8.55	3	Horizontal	359	1.06	-	97.65

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5550MHz\_TX




EUT Z\_4TX  
Setting 22  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09022G	52.97	74.00	-21.03	14.38	3	Vertical	181	1.00	-	38.59
AV	11.1012G	42.08	54.00	-11.92	14.39	3	Vertical	181	1.00	-	27.69

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5550MHz\_TX




EUT Z\_4TX  
Setting 22  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0991G	52.47	74.00	-21.53	14.39	3	Horizontal	233	2.12	-	38.08
AV	11.10282G	41.62	54.00	-12.38	14.39	3	Horizontal	233	2.12	-	27.23

802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

5670MHz\_TX




EUT\_Z\_4TX  
Setting 19.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.661G	109.72	Inf	-Inf	8.69	3	Vertical	190	1.32	-	101.03
AV	5.664G	100.23	Inf	-Inf	8.69	3	Vertical	190	1.32	-	91.54
PK	5.7258G	61.59	68.20	-6.61	8.79	3	Vertical	190	1.32	-	52.80

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5670MHz\_TX




EUT\_Z\_4TX  
Setting 19.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6796G	114.13	Inf	-Inf	8.72	3	Horizontal	0	1.01	-	105.41
AV	5.6664G	104.41	Inf	-Inf	8.69	3	Horizontal	0	1.01	-	95.72
PK	5.7342G	67.39	68.20	-0.81	8.80	3	Horizontal	0	1.01	-	58.59

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5670MHz\_TX




EUT Z\_4TX  
Setting 19.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3464G	53.26	74.00	-20.74	14.71	3	Vertical	283	1.44	-	38.55
AV	11.34468G	41.93	54.00	-12.07	14.71	3	Vertical	283	1.44	-	27.22

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

### 5670MHz\_TX



EUT Z\_4TX  
Setting 19.5  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33316G	52.54	74.00	-21.46	14.70	3	Horizontal	123	1.06	-	37.84
AV	11.33568G	41.56	54.00	-12.44	14.70	3	Horizontal	123	1.06	-	26.86



802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.422G	58.74	74.00	-15.26	8.38	3	Vertical	193	1.26	-	50.36
AV	5.4412G	47.45	54.00	-6.55	8.41	3	Vertical	193	1.26	-	39.04
PK	5.47G	57.63	68.20	-10.57	8.46	3	Vertical	193	1.26	-	49.17
PK	5.7028G	114.93	Inf	-Inf	8.75	3	Vertical	193	1.26	-	106.18
AV	5.7064G	105.55	Inf	-Inf	8.76	3	Vertical	193	1.26	-	96.79
PK	5.8576G	60.49	68.20	-7.71	8.90	3	Vertical	193	1.26	-	51.59

802.11ac VHT40\_Nss1,(MCS0)\_4TX

20/11/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4232G	59.62	74.00	-14.38	8.38	3	Horizontal	0	1.00	-	51.24
AV	5.4292G	48.91	54.00	-5.09	8.40	3	Horizontal	0	1.00	-	40.51
PK	5.4676G	59.39	68.20	-8.81	8.46	3	Horizontal	0	1.00	-	50.93
PK	5.7136G	118.14	Inf	-Inf	8.77	3	Horizontal	0	1.00	-	109.37
AV	5.7028G	108.00	Inf	-Inf	8.75	3	Horizontal	0	1.00	-	99.25
PK	5.8528G	63.93	68.20	-4.27	8.90	3	Horizontal	0	1.00	-	55.03

**802.11ac VHT40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

20/11/2019




EUT Z\_4TX  
 Setting 25  
 02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4346G	53.36	74.00	-20.64	14.82	3	Vertical	106	2.50	-	38.54
AV	11.419G	42.72	54.00	-11.28	14.80	3	Vertical	106	2.50	-	27.92

**802.11ac VHT40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

20/11/2019




EUT Z\_4TX  
 Setting 25  
 02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4194G	53.60	74.00	-20.40	14.80	3	Horizontal	64	1.18	-	38.80
AV	11.4291G	42.34	54.00	-11.66	14.81	3	Horizontal	64	1.18	-	27.53

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5755MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	62.38	68.20	-5.82	5.61	3	Vertical	193	2.69	-	56.77
PK	5.7645G	113.03	Inf	-Inf	5.70	3	Vertical	193	2.69	-	107.33
AV	5.763G	103.32	Inf	-Inf	5.70	3	Vertical	193	2.69	-	97.62
PK	5.9465G	60.99	68.20	-7.21	6.50	3	Vertical	193	2.69	-	54.49

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5755MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	67.29	68.20	-0.91	5.61	3	Horizontal	9	1.06	-	61.68
PK	5.7525G	118.61	Inf	-Inf	5.67	3	Horizontal	9	1.06	-	112.94
AV	5.752G	108.45	Inf	-Inf	5.67	3	Horizontal	9	1.06	-	102.78
PK	5.926G	62.49	68.20	-5.71	6.41	3	Horizontal	9	1.06	-	56.08

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5755MHz\_TX




EUT Z\_4TX  
 Setting 25  
 04-P-2  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50541G	54.79	74.00	-19.21	11.67	3	Vertical	115	1.07	-	43.12
AV	11.50865G	43.81	54.00	-10.19	11.66	3	Vertical	115	1.07	-	32.15

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5755MHz\_TX



EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50601G	54.22	74.00	-19.78	11.67	3	Horizontal	222	1.14	-	42.55
AV	11.5074G	43.38	54.00	-10.62	11.66	3	Horizontal	222	1.14	-	31.72



### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5795MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6015G	58.49	68.20	-9.71	5.59	3	Vertical	172	1.11	-	52.90
PK	5.789G	113.40	Inf	-Inf	5.73	3	Vertical	172	1.11	-	107.67
AV	5.7875G	103.99	Inf	-Inf	5.72	3	Vertical	172	1.11	-	98.27
PK	5.9305G	61.39	68.20	-6.81	6.43	3	Vertical	172	1.11	-	54.96

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5795MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6415G	61.82	68.20	-6.38	5.60	3	Horizontal	12	1.05	-	56.22
PK	5.7875G	118.96	Inf	-Inf	5.72	3	Horizontal	12	1.05	-	113.24
AV	5.7915G	109.37	Inf	-Inf	5.72	3	Horizontal	12	1.05	-	103.65
PK	5.934G	63.31	68.20	-4.89	6.45	3	Horizontal	12	1.05	-	56.86

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5795MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58643G	54.32	74.00	-19.68	11.57	3	Vertical	101	1.24	-	42.75
AV	11.59231G	43.16	54.00	-10.84	11.55	3	Vertical	101	1.24	-	31.61

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

14/11/2019

### 5795MHz\_TX




EUT Z\_4TX  
 Setting 25  
 04-P-2  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59355G	53.97	74.00	-20.03	11.55	3	Horizontal	147	2.12	-	42.42
AV	11.59204G	43.23	54.00	-10.77	11.55	3	Horizontal	147	2.12	-	31.68

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5210MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	67.83	74.00	-6.17	4.14	3	Vertical	221	1.04	-	63.69
AV	5.1335G	49.71	54.00	-4.29	4.14	3	Vertical	221	1.04	-	45.57
PK	5.234G	104.96	Inf	-Inf	4.29	3	Vertical	221	1.04	-	100.67
AV	5.2225G	95.44	Inf	-Inf	4.27	3	Vertical	221	1.04	-	91.17
PK	5.3565G	59.71	74.00	-14.29	4.58	3	Vertical	221	1.04	-	55.13
AV	5.3545G	48.93	54.00	-5.07	4.57	3	Vertical	221	1.04	-	44.36

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5210MHz\_TX




EUT\_Z\_4TX  
Setting 17.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	71.17	74.00	-2.83	4.14	3	Horizontal	0	1.02	-	67.03
AV	5.147G	53.43	54.00	-0.57	4.16	3	Horizontal	0	1.02	-	49.27
PK	5.1955G	109.95	Inf	-Inf	4.24	3	Horizontal	0	1.02	-	105.71
AV	5.198G	99.61	Inf	-Inf	4.24	3	Horizontal	0	1.02	-	95.37
PK	5.3575G	61.47	74.00	-12.53	4.58	3	Horizontal	0	1.02	-	56.89
AV	5.364G	50.57	54.00	-3.43	4.60	3	Horizontal	0	1.02	-	45.97

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5210MHz\_TX




EUT Z\_4TX  
Setting 17.5  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41956G	53.46	68.20	-14.74	12.23	3	Vertical	115	1.25	-	41.23

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5210MHz\_TX



EUT Z\_4TX  
Setting 17.5  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41602G	54.40	68.20	-13.80	12.22	3	Horizontal	299	1.02	-	42.18



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5290MHz\_TX




EUT\_Z\_4TX  
Setting 18  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	58.50	74.00	-15.50	7.94	3	Vertical	251	1.20	-	50.56
AV	5.149G	47.80	54.00	-6.20	7.94	3	Vertical	251	1.20	-	39.86
PK	5.303G	104.76	Inf	-Inf	8.21	3	Vertical	251	1.20	-	96.55
AV	5.301G	93.91	Inf	-Inf	8.21	3	Vertical	251	1.20	-	85.70
PK	5.359G	68.37	74.00	-5.63	8.28	3	Vertical	251	1.20	-	60.09
AV	5.359G	51.15	54.00	-2.85	8.28	3	Vertical	251	1.20	-	42.87
PK	5.487G	58.33	68.20	-9.87	8.50	3	Vertical	251	1.20	-	49.83

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5290MHz\_TX




EUT\_Z\_4TX  
Setting 18  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	60.73	74.00	-13.27	7.94	3	Horizontal	354	1.01	-	52.79
AV	5.144G	49.18	54.00	-4.82	7.94	3	Horizontal	354	1.01	-	41.24
PK	5.279G	108.99	Inf	-Inf	8.17	3	Horizontal	354	1.01	-	100.82
AV	5.278G	99.12	Inf	-Inf	8.17	3	Horizontal	354	1.01	-	90.95
PK	5.354G	73.38	74.00	-0.62	8.28	3	Horizontal	354	1.01	-	65.10
AV	5.354G	53.73	54.00	-0.27	8.28	3	Horizontal	354	1.01	-	45.45
PK	5.463G	61.55	68.20	-6.65	8.45	3	Horizontal	354	1.01	-	53.10

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5290MHz\_TX




EUT Z\_4TX  
 Setting 18  
 02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.56674G	53.54	68.20	-14.66	14.53	3	Vertical	25	2.54	-	39.01

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5290MHz\_TX




EUT Z\_4TX  
Setting 18  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.593926	53.55	68.20	-14.65	14.51	3	Horizontal	2	2.14	-	39.04

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5530MHz\_TX




EUT\_Z\_4TX  
Setting 17  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.348G	57.89	68.20	-10.31	8.27	3	Vertical	34	1.02	-	49.62
AV	5.366G	48.56	54.00	-5.44	8.29	3	Vertical	34	1.02	-	40.27
PK	5.459G	60.44	74.00	-13.56	8.45	3	Vertical	34	1.02	-	51.99
PK	5.463G	62.73	68.20	-5.47	8.45	3	Vertical	34	1.02	-	54.28
PK	5.543G	105.23	Inf	-Inf	8.55	3	Vertical	34	1.02	-	96.68
AV	5.527G	93.18	Inf	-Inf	8.54	3	Vertical	34	1.02	-	84.64
PK	5.755G	59.05	68.20	-9.15	8.83	3	Vertical	34	1.02	-	50.22

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5530MHz\_TX




EUT\_Z\_4TX  
Setting 17  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.341G	59.22	68.20	-8.98	8.27	3	Horizontal	8	1.00	-	50.95
PK	5.453G	68.36	74.00	-5.64	8.44	3	Horizontal	8	1.00	-	59.92
AV	5.455G	51.19	54.00	-2.81	8.44	3	Horizontal	8	1.00	-	42.75
PK	5.463G	67.97	68.20	-0.23	8.45	3	Horizontal	8	1.00	-	59.52
PK	5.543G	108.53	Inf	-Inf	8.55	3	Horizontal	8	1.00	-	99.98
AV	5.544G	98.00	Inf	-Inf	8.55	3	Horizontal	8	1.00	-	89.45
PK	5.728G	61.21	68.20	-6.99	8.80	3	Horizontal	8	1.00	-	52.41

802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

5530MHz\_TX




EUT Z\_4TX  
Setting 17  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.04602G	53.05	74.00	-20.95	14.32	3	Vertical	6	2.34	-	38.73
AV	11.0492G	42.34	54.00	-11.66	14.33	3	Vertical	6	2.34	-	28.01

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5530MHz\_TX



EUT Z\_4TX  
Setting 17  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05886G	52.95	74.00	-21.05	14.34	3	Horizontal	239	2.33	-	38.61
AV	11.06024G	41.95	54.00	-12.05	14.34	3	Horizontal	239	2.33	-	27.61



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5610MHz\_TX




EUT\_Z\_4TX  
Setting 21.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	60.71	74.00	-13.29	8.45	3	Vertical	37	1.05	-	52.26
AV	5.46G	48.71	54.00	-5.29	8.45	3	Vertical	37	1.05	-	40.26
PK	5.463G	63.42	68.20	-4.78	8.45	3	Vertical	37	1.05	-	54.97
PK	5.604G	108.36	Inf	-Inf	8.59	3	Vertical	37	1.05	-	99.77
AV	5.607G	98.23	Inf	-Inf	8.59	3	Vertical	37	1.05	-	89.64
PK	5.764G	65.41	68.20	-2.79	8.84	3	Vertical	37	1.05	-	56.57

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5610MHz\_TX




EUT\_Z\_4TX  
Setting 21.5  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.443G	65.74	74.00	-8.26	8.42	3	Horizontal	1	1.00	-	57.32
PK	5.463G	66.44	68.20	-1.76	8.45	3	Horizontal	1	1.00	-	57.99
AV	5.458G	51.61	54.00	-2.39	8.45	3	Horizontal	1	1.00	-	43.16
PK	5.623G	112.01	Inf	-Inf	8.61	3	Horizontal	1	1.00	-	103.40
AV	5.623G	102.57	Inf	-Inf	8.61	3	Horizontal	1	1.00	-	93.96
PK	5.734G	67.41	68.20	-0.79	8.80	3	Horizontal	1	1.00	-	58.61

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 21.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2176G	52.68	74.00	-21.32	14.54	3	Vertical	89	2.98	-	38.14
AV	11.223G	41.71	54.00	-12.29	14.55	3	Vertical	89	2.98	-	27.16

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5610MHz\_TX




EUT Z\_4TX  
Setting 21.5  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22204G	52.70	74.00	-21.30	14.55	3	Horizontal	34	2.53	-	38.15
AV	11.22078G	41.64	54.00	-12.36	14.55	3	Horizontal	34	2.53	-	27.09

802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4092G	58.10	74.00	-15.90	8.35	3	Vertical	191	1.43	-	49.75
AV	5.4116G	47.48	54.00	-6.52	8.36	3	Vertical	191	1.43	-	39.12
PK	5.462G	58.71	68.20	-9.49	8.45	3	Vertical	191	1.43	-	50.26
PK	5.702G	110.57	Inf	-Inf	8.75	3	Vertical	191	1.43	-	101.82
AV	5.7008G	98.68	Inf	-Inf	8.75	3	Vertical	191	1.43	-	89.93
PK	5.864G	64.13	68.20	-4.07	8.91	3	Vertical	191	1.43	-	55.22

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 23  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	59.58	74.00	-14.42	8.45	3	Horizontal	2	1.01	-	51.13
AV	5.4476G	49.05	54.00	-4.95	8.42	3	Horizontal	2	1.01	-	40.63
PK	5.4632G	60.60	68.20	-7.60	8.45	3	Horizontal	2	1.01	-	52.15
PK	5.6828G	113.61	Inf	-Inf	8.73	3	Horizontal	2	1.01	-	104.88
AV	5.6792G	103.21	Inf	-Inf	8.72	3	Horizontal	2	1.01	-	94.49
PK	5.864G	67.46	68.20	-0.74	8.91	3	Horizontal	2	1.01	-	58.55

802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 23  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37208G	53.66	74.00	-20.34	14.75	3	Vertical	283	1.64	-	38.91
AV	11.37994G	42.34	54.00	-11.66	14.74	3	Vertical	283	1.64	-	27.60

802.11ac VHT80\_Nss1,(MCS0)\_4TX

20/11/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Z\_4TX  
Setting 23  
02-B-J-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37724G	53.31	74.00	-20.69	14.74	3	Horizontal	306	1.62	-	38.57
AV	11.39152G	42.78	54.00	-11.22	14.76	3	Horizontal	306	1.62	-	28.02



### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5775MHz\_TX




EUT\_Z\_4TX  
 Setting 20.5  
 04-P-2-10  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6285G	62.08	68.20	-6.12	5.60	3	Vertical	171	1.19	-	56.48
PK	5.789G	107.26	Inf	-Inf	5.73	3	Vertical	171	1.19	-	101.53
AV	5.7875G	97.55	Inf	-Inf	5.72	3	Vertical	171	1.19	-	91.83
PK	5.9285G	61.62	68.20	-6.58	6.42	3	Vertical	171	1.19	-	55.20

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5775MHz\_TX




EUT Z\_4TX  
Setting 20.5  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6285G	67.18	68.20	-1.02	5.60	3	Horizontal	14	1.01	-	61.58
PK	5.767G	112.87	Inf	-Inf	5.70	3	Horizontal	14	1.01	-	107.17
AV	5.7665G	101.74	Inf	-Inf	5.70	3	Horizontal	14	1.01	-	96.04
PK	5.925G	64.71	68.20	-3.49	6.41	3	Horizontal	14	1.01	-	58.30

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5775MHz\_TX




EUT Z\_4TX  
 Setting 20.5  
 04-P-2  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54574G	54.22	74.00	-19.78	11.62	3	Vertical	203	1.50	-	42.60
AV	11.54557G	43.68	54.00	-10.32	11.62	3	Vertical	203	1.50	-	32.06

### 802.11ac VHT80\_Nss1,(MCS0)\_4TX

14/11/2019

### 5775MHz\_TX



EUT Z\_4TX  
 Setting 20.5  
 04-P-2  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54671G	54.50	74.00	-19.50	11.62	3	Horizontal	211	1.84	-	42.88
AV	11.55138G	43.16	54.00	-10.84	11.60	3	Horizontal	211	1.84	-	31.56



For beamforming mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	53.93	54.00	-0.07	8.28	3	Horizontal	277	1.02	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

15/11/2019

### 5180MHz\_TX




EUT\_Z\_4TX  
Setting 19  
04-B-4-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	66.90	74.00	-7.10	4.16	3	Vertical	191	2.90	-	62.74
AV	5.1494G	49.13	54.00	-4.87	4.16	3	Vertical	191	2.90	-	44.97
PK	5.1865G	113.53	Inf	-Inf	4.22	3	Vertical	191	2.90	-	109.31
AV	5.1883G	104.23	Inf	-Inf	4.22	3	Vertical	191	2.90	-	100.01

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

15/11/2019

5180MHz\_TX




EUT\_Z\_4TX  
Setting 19  
04-B-4-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	70.71	74.00	-3.29	4.16	3	Horizontal	1	1.05	-	66.55
PK	5.1854G	117.95	Inf	-Inf	4.22	3	Horizontal	1	1.05	-	113.73
AV	5.1848G	107.53	Inf	-Inf	4.21	3	Horizontal	1	1.05	-	103.32
AV	5.1499G	52.99	54.00	-1.01	4.16	3	Horizontal	1	1.05	-	48.83

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

15/11/2019

5180MHz\_TX



EUT Z\_4TX  
Setting 19  
04-C-4  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36345G	65.48	68.20	-2.72	12.22	3	Vertical	293	2.69	-	53.26
PK	15.53637G	56.12	74.00	-17.88	11.41	3	Vertical	325	2.53	-	44.71
AV	15.55344G	42.47	54.00	-11.53	11.39	3	Vertical	325	2.53	-	31.08



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

15/11/2019

### 5180MHz\_TX




EUT Z\_4TX  
Setting 19  
04-C-4  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35472G	64.05	68.20	-4.15	12.22	3	Horizontal	23	1.08	-	51.83
PK	15.52881G	56.13	74.00	-17.87	11.42	3	Horizontal	66	1.30	-	44.71
AV	15.55149G	42.37	54.00	-11.63	11.39	3	Horizontal	66	1.30	-	30.98

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5200MHz\_TX




EUT Z\_4TX  
Setting 25  
04-C-4-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	66.79	74.00	-7.21	4.16	3	Vertical	225	2.60	-	62.63
AV	5.15G	49.90	54.00	-4.10	4.16	3	Vertical	225	2.60	-	45.74
PK	5.2064G	120.05	Inf	-Inf	4.25	3	Vertical	225	2.60	-	115.80
AV	5.2078G	110.11	Inf	-Inf	4.25	3	Vertical	225	2.60	-	105.86

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5200MHz\_TX




EUT Z\_4TX  
Setting 25  
04-C-4-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	70.10	74.00	-3.90	4.16	3	Horizontal	358	1.01	-	65.94
AV	5.15G	53.89	54.00	-0.11	4.16	3	Horizontal	358	1.01	-	49.73
PK	5.2064G	121.67	Inf	-Inf	4.25	3	Horizontal	358	1.01	-	117.42
AV	5.207G	111.35	Inf	-Inf	4.25	3	Horizontal	358	1.01	-	107.10

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 25  
04-C-4  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39914G	64.57	68.20	-3.63	12.22	3	Vertical	293	2.51	-	52.35
PK	15.60728G	56.24	74.00	-17.76	11.31	3	Vertical	360	1.38	-	44.93
AV	15.60824G	42.46	54.00	-11.54	11.31	3	Vertical	360	1.38	-	31.15

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5200MHz\_TX




EUT Z\_4TX  
Setting 25  
04-C-4  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4009G	66.06	68.20	-2.14	12.22	3	Horizontal	309	1.15	-	53.84
PK	15.59872G	56.34	74.00	-17.66	11.32	3	Horizontal	278	1.18	-	45.02
AV	15.59822G	42.45	54.00	-11.55	11.32	3	Horizontal	278	1.18	-	31.13

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-C-4-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1368G	59.14	74.00	-14.86	4.15	3	Vertical	212	2.45	-	54.99
AV	5.1377G	46.70	54.00	-7.30	4.15	3	Vertical	212	2.45	-	42.55
PK	5.2463G	120.34	Inf	-Inf	4.31	3	Vertical	212	2.45	-	116.03
AV	5.2472G	110.65	Inf	-Inf	4.31	3	Vertical	212	2.45	-	106.34
PK	5.3549G	59.90	74.00	-14.10	4.57	3	Vertical	212	2.45	-	55.33
AV	5.3552G	47.76	54.00	-6.24	4.58	3	Vertical	212	2.45	-	43.18

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5240MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-C-4-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	60.72	74.00	-13.28	4.15	3	Horizontal	237	1.24	-	56.57
AV	5.1239G	46.28	54.00	-7.72	4.12	3	Horizontal	237	1.24	-	42.16
PK	5.2325G	120.29	Inf	-Inf	4.29	3	Horizontal	237	1.24	-	116.00
AV	5.2328G	110.67	Inf	-Inf	4.29	3	Horizontal	237	1.24	-	106.38
PK	5.3861G	59.83	74.00	-14.17	4.68	3	Horizontal	237	1.24	-	55.15
AV	5.35G	47.08	54.00	-6.92	4.56	3	Horizontal	237	1.24	-	42.52

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5240MHz\_TX



EUT\_Z\_4TX  
Setting 25  
04-C-4  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47954G	62.29	68.20	-5.91	12.23	3	Vertical	290	2.70	-	50.06
PK	15.72894G	55.35	74.00	-18.65	11.14	3	Vertical	230	2.34	-	44.21
AV	15.72872G	41.49	54.00	-12.51	11.14	3	Vertical	230	2.34	-	30.35



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5240MHz\_TX




EUT Z\_4TX  
Setting 25  
04-C-4  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48026G	63.55	68.20	-4.65	12.23	3	Horizontal	311	1.03	-	51.32
PK	15.72284G	55.93	74.00	-18.07	11.14	3	Horizontal	339	1.26	-	44.79
AV	15.71146G	41.59	54.00	-12.41	11.17	3	Horizontal	339	1.26	-	30.42

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5260MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	59.54	74.00	-14.46	7.94	3	Vertical	78	2.79	-	51.60
AV	5.149G	46.02	54.00	-7.98	7.94	3	Vertical	78	2.79	-	38.08
PK	5.257G	117.04	Inf	-Inf	8.15	3	Vertical	78	2.79	-	108.89
AV	5.2582G	107.23	Inf	-Inf	8.15	3	Vertical	78	2.79	-	99.08
PK	5.3674G	59.86	74.00	-14.14	8.29	3	Vertical	78	2.79	-	51.57
AV	5.3668G	47.08	54.00	-6.92	8.29	3	Vertical	78	2.79	-	38.79

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

### 5260MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	61.61	74.00	-12.39	7.94	3	Horizontal	275	1.13	-	53.67
AV	5.1436G	47.54	54.00	-6.46	7.94	3	Horizontal	275	1.13	-	39.60
PK	5.2678G	122.89	Inf	-Inf	8.16	3	Horizontal	275	1.13	-	114.73
AV	5.2678G	113.62	Inf	-Inf	8.16	3	Horizontal	275	1.13	-	105.46
PK	5.3752G	63.91	74.00	-10.09	8.31	3	Horizontal	275	1.13	-	55.60
AV	5.3764G	52.07	54.00	-1.93	8.31	3	Horizontal	275	1.13	-	43.76

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

### 5260MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5236G	63.09	68.20	-5.11	14.56	3	Vertical	216	2.67	-	48.53

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

### 5260MHz\_TX




EUT Z\_4TX  
 Setting 25  
 02-B-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.52042G	62.24	68.20	-5.96	14.57	3	Horizontal	202	1.13	-	47.67

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5300MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2946G	116.38	Inf	-Inf	8.20	3	Vertical	79	2.74	-	108.18
AV	5.294G	106.23	Inf	-Inf	8.20	3	Vertical	79	2.74	-	98.03
PK	5.35G	64.12	74.00	-9.88	8.28	3	Vertical	79	2.74	-	55.84
AV	5.35G	48.80	54.00	-5.20	8.28	3	Vertical	79	2.74	-	40.52

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5300MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3078G	121.20	Inf	-Inf	8.22	3	Horizontal	263	1.21	-	112.98
AV	5.3078G	110.64	Inf	-Inf	8.22	3	Horizontal	263	1.21	-	102.42
PK	5.354G	71.68	74.00	-2.32	8.28	3	Horizontal	263	1.21	-	63.40
AV	5.35G	53.86	54.00	-0.14	8.28	3	Horizontal	263	1.21	-	45.58

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5300MHz\_TX



EUT Z\_4TX  
Setting 24  
02-B-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.599G	56.87	68.20	-11.33	14.51	3	Vertical	204	1.25	-	42.36
PK	10.6042G	58.86	74.00	-15.14	14.52	3	Vertical	204	1.25	-	44.34
AV	10.6053G	44.62	54.00	-9.38	14.52	3	Vertical	204	1.25	-	30.10



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

5300MHz\_TX




EUT\_Z\_4TX  
Setting 24  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5964G	57.76	68.20	-10.44	14.51	3	Horizontal	280	1.09	-	43.25
AV	10.6003G	44.62	54.00	-9.38	14.51	3	Horizontal	280	1.09	-	30.11
PK	10.6049G	58.06	74.00	-15.94	14.52	3	Horizontal	280	1.09	-	43.54

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5320MHz\_TX




EUT\_Z\_4TX  
Setting 19  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3266G	113.77	Inf	-Inf	8.25	3	Vertical	108	2.70	-	105.52
AV	5.3248G	102.81	Inf	-Inf	8.24	3	Vertical	108	2.70	-	94.57
PK	5.3512G	66.61	74.00	-7.39	8.28	3	Vertical	108	2.70	-	58.33
AV	5.35G	48.66	54.00	-5.34	8.28	3	Vertical	108	2.70	-	40.38

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5320MHz\_TX




EUT\_Z\_4TX  
Setting 19  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3122G	117.38	Inf	-Inf	8.22	3	Horizontal	263	1.01	-	109.16
AV	5.3122G	107.91	Inf	-Inf	8.22	3	Horizontal	263	1.01	-	99.69
PK	5.35G	70.06	74.00	-3.94	8.28	3	Horizontal	263	1.01	-	61.78
AV	5.3512G	52.40	54.00	-1.60	8.28	3	Horizontal	263	1.01	-	44.12

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

5320MHz\_TX




EUT Z\_4TX  
Setting 19  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6365G	53.35	74.00	-20.65	14.49	3	Vertical	101	2.66	-	38.86
AV	10.64124G	39.57	54.00	-14.43	14.49	3	Vertical	101	2.66	-	25.08

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5320MHz\_TX




EUT Z\_4TX  
Setting 19  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6284G	54.85	74.00	-19.15	14.49	3	Horizontal	229	1.02	-	40.36
AV	10.6443G	40.98	54.00	-13.02	14.48	3	Horizontal	229	1.02	-	26.50

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5500MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4526G	59.29	74.00	-14.71	8.44	3	Vertical	291	1.12	-	50.85
AV	5.4592G	46.10	54.00	-7.90	8.45	3	Vertical	291	1.12	-	37.65
PK	5.4682G	64.11	68.20	-4.09	8.46	3	Vertical	291	1.12	-	55.65
PK	5.4946G	115.81	Inf	-Inf	8.51	3	Vertical	291	1.12	-	107.30
AV	5.4946G	105.53	Inf	-Inf	8.51	3	Vertical	291	1.12	-	97.02

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

### 5500MHz\_TX




EUT\_Z\_4TX  
Setting 20  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	60.49	74.00	-13.51	8.44	3	Horizontal	168	1.04	-	52.05
AV	5.3974G	47.45	54.00	-6.55	8.34	3	Horizontal	168	1.04	-	39.11
PK	5.47G	67.30	68.20	-0.90	8.46	3	Horizontal	168	1.04	-	58.84
PK	5.5066G	119.21	Inf	-Inf	8.52	3	Horizontal	168	1.04	-	110.69
AV	5.5048G	109.15	Inf	-Inf	8.52	3	Horizontal	168	1.04	-	100.63

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5500MHz\_TX



EUT Z\_4TX  
 Setting 20  
 02-B-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00128G	53.37	74.00	-20.63	14.26	3	Vertical	2	2.19	-	39.11
AV	10.9999G	39.16	54.00	-14.84	14.26	3	Vertical	2	2.19	-	24.90



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5500MHz\_TX




EUT Z\_4TX  
Setting 20  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99972G	53.46	74.00	-20.54	14.26	3	Horizontal	38	1.33	-	39.20
AV	10.9976G	39.18	54.00	-14.82	14.26	3	Horizontal	38	1.33	-	24.92

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

5580MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4536G	58.64	74.00	-15.36	8.44	3	Vertical	303	1.11	-	50.20
PK	5.4688G	58.55	68.20	-9.65	8.46	3	Vertical	303	1.11	-	50.09
AV	5.4592G	45.48	54.00	-8.52	8.45	3	Vertical	303	1.11	-	37.03
PK	5.576G	117.58	Inf	-Inf	8.57	3	Vertical	303	1.11	-	109.01
AV	5.5752G	107.65	Inf	-Inf	8.57	3	Vertical	303	1.11	-	99.08
PK	5.7536G	59.91	68.20	-8.29	8.83	3	Vertical	303	1.11	-	51.08

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5580MHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4472G	59.23	74.00	-14.77	8.42	3	Horizontal	264	1.00	-	50.81
PK	5.464G	60.34	68.20	-7.86	8.45	3	Horizontal	264	1.00	-	51.89
AV	5.4576G	45.90	54.00	-8.10	8.44	3	Horizontal	264	1.00	-	37.46
PK	5.572G	120.32	Inf	-Inf	8.56	3	Horizontal	264	1.00	-	111.76
AV	5.572G	111.08	Inf	-Inf	8.56	3	Horizontal	264	1.00	-	102.52
PK	5.7648G	60.01	68.20	-8.19	8.84	3	Horizontal	264	1.00	-	51.17

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

5580MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1633G	53.91	74.00	-20.09	14.47	3	Vertical	212	1.88	-	39.44
AV	11.16404G	39.04	54.00	-14.96	14.47	3	Vertical	212	1.88	-	24.57

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5580MHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1626G	53.06	74.00	-20.94	14.47	3	Horizontal	179	2.50	-	38.59
AV	11.1669G	39.25	54.00	-14.75	14.47	3	Horizontal	179	2.50	-	24.78

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5700MHz\_TX




EUT\_Z\_4TX  
Setting 17  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6944G	113.02	Inf	-Inf	8.74	3	Vertical	267	2.95	-	104.28
AV	5.6952G	102.54	Inf	-Inf	8.74	3	Vertical	267	2.95	-	93.80
PK	5.86G	59.89	68.20	-8.31	8.91	3	Vertical	267	2.95	-	50.98

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

5700MHz\_TX




EUT\_Z\_4TX  
Setting 17  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7064G	117.60	Inf	-Inf	8.76	3	Horizontal	251	1.01	-	108.84
AV	5.7064G	107.35	Inf	-Inf	8.76	3	Horizontal	251	1.01	-	98.59
PK	5.7256G	67.46	68.20	-0.74	8.79	3	Horizontal	251	1.01	-	58.67

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5700MHz\_TX



EUT Z\_4TX  
Setting 17  
02-B-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40024G	53.80	74.00	-20.20	14.77	3	Vertical	280	1.67	-	39.03
AV	11.40072G	39.79	54.00	-14.21	14.77	3	Vertical	280	1.67	-	25.02



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

### 5700MHz\_TX




EUT Z\_4TX  
Setting 17  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39584G	54.00	74.00	-20.00	14.77	3	Horizontal	336	1.40	-	39.23
AV	11.39984G	39.82	54.00	-14.18	14.77	3	Horizontal	336	1.40	-	25.05

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.728G	116.09	Inf	-Inf	8.80	3	Vertical	68	1.37	-	107.29
AV	5.728G	106.85	Inf	-Inf	8.80	3	Vertical	68	1.37	-	98.05
PK	5.922G	60.00	68.20	-8.20	8.92	3	Vertical	68	1.37	-	51.08

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_4TX  
Setting 25  
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.712G	119.69	Inf	-Inf	8.78	3	Horizontal	343	1.01	-	110.91
AV	5.713G	110.11	Inf	-Inf	8.77	3	Horizontal	343	1.01	-	101.34
PK	5.95G	61.42	68.20	-6.78	8.93	3	Horizontal	343	1.01	-	52.49

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4399G	53.99	74.00	-20.01	14.82	3	Vertical	220	1.38	-	39.17
AV	11.44224G	39.83	54.00	-14.17	14.82	3	Vertical	220	1.38	-	25.01

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

22/11/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Z\_4TX  
Setting 25  
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43808G	54.76	74.00	-19.24	14.82	3	Horizontal	79	1.63	-	39.94
AV	11.43742G	39.82	54.00	-14.18	14.82	3	Horizontal	79	1.63	-	25.00

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.638G	58.50	68.20	-9.70	5.60	3	Vertical	134	1.28	-	52.90
PK	5.752G	115.61	Inf	-Inf	5.67	3	Vertical	134	1.28	-	109.94
AV	5.7525G	105.46	Inf	-Inf	5.67	3	Vertical	134	1.28	-	99.79
PK	5.9795G	59.52	68.20	-8.68	6.62	3	Vertical	134	1.28	-	52.90

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5745MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6385G	62.68	68.20	-5.52	5.60	3	Horizontal	15	1.00	-	57.08
PK	5.746G	123.82	Inf	-Inf	5.68	3	Horizontal	15	1.00	-	118.14
AV	5.7465G	113.11	Inf	-Inf	5.68	3	Horizontal	15	1.00	-	107.43
PK	5.9775G	62.21	68.20	-5.99	6.61	3	Horizontal	15	1.00	-	55.60

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5745MHz\_TX



EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49088G	54.33	74.00	-19.67	11.68	3	Vertical	161	1.50	-	42.65
AV	11.49584G	40.28	54.00	-13.72	11.67	3	Vertical	161	1.50	-	28.61



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5745MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48318G	54.66	74.00	-19.34	11.69	3	Horizontal	10	1.24	-	42.97
AV	11.49546G	40.28	54.00	-13.72	11.67	3	Horizontal	10	1.24	-	28.61

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5785MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	58.65	68.20	-9.55	5.60	3	Vertical	134	1.20	-	53.05
PK	5.7845G	118.39	Inf	-Inf	5.72	3	Vertical	134	1.20	-	112.67
AV	5.7825G	108.21	Inf	-Inf	5.73	3	Vertical	134	1.20	-	102.48
PK	5.987G	59.24	68.20	-8.96	6.64	3	Vertical	134	1.20	-	52.60

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5785MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.604G	59.69	68.20	-8.51	5.59	3	Horizontal	338	1.08	-	54.10
PK	5.777G	123.24	Inf	-Inf	5.71	3	Horizontal	338	1.08	-	117.53
AV	5.777G	113.65	Inf	-Inf	5.71	3	Horizontal	338	1.08	-	107.94
PK	5.938G	60.14	68.20	-8.06	6.46	3	Horizontal	338	1.08	-	53.68

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5785MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56841G	53.84	74.00	-20.16	11.59	3	Vertical	210	2.05	-	42.25
AV	11.56656G	39.46	54.00	-14.54	11.59	3	Vertical	210	2.05	-	27.87

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5785MHz\_TX




EUT Z\_4TX  
 Setting 25  
 04-P-2  
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57405G	53.70	74.00	-20.30	11.58	3	Horizontal	57	1.50	-	42.12
AV	11.57085G	39.55	54.00	-14.45	11.58	3	Horizontal	57	1.50	-	27.97

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5825MHz\_TX




EUT Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.62G	58.52	68.20	-9.68	5.60	3	Vertical	68	1.35	-	52.92
PK	5.82G	119.57	Inf	-Inf	5.86	3	Vertical	68	1.35	-	113.71
AV	5.8215G	109.66	Inf	-Inf	5.87	3	Vertical	68	1.35	-	103.79
PK	5.928G	61.78	68.20	-6.42	6.42	3	Vertical	68	1.35	-	55.36

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5825MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.59G	59.73	68.20	-8.47	5.55	3	Horizontal	11	1.10	-	54.18
PK	5.8275G	122.36	Inf	-Inf	5.89	3	Horizontal	11	1.10	-	116.47
AV	5.824G	112.47	Inf	-Inf	5.88	3	Horizontal	11	1.10	-	106.59
PK	5.935G	62.56	68.20	-5.64	6.45	3	Horizontal	11	1.10	-	56.11

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5825MHz\_TX



EUT Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65364G	53.34	74.00	-20.66	11.48	3	Vertical	310	1.36	-	41.86
AV	11.6517G	39.19	54.00	-14.81	11.48	3	Vertical	310	1.36	-	27.71



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5825MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64773G	53.14	74.00	-20.86	11.49	3	Horizontal	127	1.28	-	41.65
AV	11.64629G	39.18	54.00	-14.82	11.49	3	Horizontal	127	1.28	-	27.69

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5190MHz\_TX




EUT\_Z\_4TX  
Setting 17  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	70.60	74.00	-3.40	4.16	3	Vertical	216	2.48	-	66.44
AV	5.15G	47.62	54.00	-6.38	4.16	3	Vertical	216	2.48	-	43.46
PK	5.202G	110.85	Inf	-Inf	4.24	3	Vertical	216	2.48	-	106.61
AV	5.1975G	99.91	Inf	-Inf	4.24	3	Vertical	216	2.48	-	95.67

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

14/11/2019

### 5190MHz\_TX




EUT\_Z\_4TX  
Setting 17  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1495G	70.50	74.00	-3.50	4.16	3	Horizontal	22	1.04	-	66.34
AV	5.1498G	50.54	54.00	-3.46	4.16	3	Horizontal	22	1.04	-	46.38
PK	5.1831G	114.78	Inf	-Inf	4.21	3	Horizontal	22	1.04	-	110.57
AV	5.1978G	100.55	Inf	-Inf	4.24	3	Horizontal	22	1.04	-	96.31

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5190MHz\_TX




EUT Z\_4TX  
Setting 17  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38G	58.64	68.20	-9.56	12.22	3	Vertical	263	2.63	-	46.42

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

14/11/2019

5190MHz\_TX




EUT Z\_4TX  
Setting 17  
04-P-2  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3767G	57.03	68.20	-11.17	12.22	3	Horizontal	7	1.24	-	44.81

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

15/11/2019

5230MHz\_TX




EUT\_Z\_4TX  
Setting 25  
04-P-2-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	59.21	74.00	-14.79	4.16	3	Vertical	210	1.01	-	55.05
AV	5.1496G	45.43	54.00	-8.57	4.16	3	Vertical	210	1.01	-	41.27
PK	5.2417G	112.73	Inf	-Inf	4.30	3	Vertical	210	1.01	-	108.43
AV	5.2378G	101.67	Inf	-Inf	4.30	3	Vertical	210	1.01	-	97.37
PK	5.3746G	58.45	74.00	-15.55	4.64	3	Vertical	210	1.01	-	53.81
AV	5.3533G	45.61	54.00	-8.39	4.57	3	Vertical	210	1.01	-	41.04

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

15/11/2019

5230MHz\_TX



EUT Z\_4TX  
Setting 25  
04-B-4-10  
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1487G	66.85	74.00	-7.15	4.16	3	Horizontal	37	1.02	-	62.69
AV	5.1499G	52.93	54.00	-1.07	4.16	3	Horizontal	37	1.02	-	48.77
PK	5.2147G	117.41	Inf	-Inf	4.26	3	Horizontal	37	1.02	-	113.15
AV	5.2153G	107.37	Inf	-Inf	4.27	3	Horizontal	37	1.02	-	103.10
PK	5.353G	61.14	74.00	-12.86	4.57	3	Horizontal	37	1.02	-	56.57
AV	5.3503G	48.21	54.00	-5.79	4.56	3	Horizontal	37	1.02	-	43.65