


802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5230MHz_TX




EUT Z_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4601G	62.92	68.20	-5.28	12.23	3	Vertical	21	1.23	-	50.69

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5230MHz_TX




EUT Z_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4601G	64.58	68.20	-3.62	12.23	3	Horizontal	122	1.05	-	52.35

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5270MHz_TX




EUT_Z_4TX
Setting 23
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1308G	59.12	74.00	-14.88	7.91	3	Vertical	123	2.90	-	51.21
AV	5.1218G	46.13	54.00	-7.87	7.88	3	Vertical	123	2.90	-	38.25
PK	5.2838G	115.65	Inf	-Inf	8.19	3	Vertical	123	2.90	-	107.46
AV	5.2832G	104.31	Inf	-Inf	8.18	3	Vertical	123	2.90	-	96.13
PK	5.35G	64.21	74.00	-9.79	8.28	3	Vertical	123	2.90	-	55.93
AV	5.3504G	48.93	54.00	-5.07	8.28	3	Vertical	123	2.90	-	40.65

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5270MHz_TX




EUT_Z_4TX
Setting 23
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	60.61	74.00	-13.39	7.94	3	Horizontal	277	1.02	-	52.67
AV	5.15G	47.35	54.00	-6.65	7.94	3	Horizontal	277	1.02	-	39.41
PK	5.282G	118.56	Inf	-Inf	8.18	3	Horizontal	277	1.02	-	110.38
AV	5.282G	107.05	Inf	-Inf	8.18	3	Horizontal	277	1.02	-	98.87
PK	5.3624G	71.01	74.00	-2.99	8.29	3	Horizontal	277	1.02	-	62.72
AV	5.3504G	53.93	54.00	-0.07	8.28	3	Horizontal	277	1.02	-	45.65

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5270MHz_TX




EUT Z_4TX
Setting 23
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.54G	59.50	68.20	-8.70	14.55	3	Vertical	116	1.26	-	44.95

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5270MHz_TX




EUT Z_4TX
Setting 23
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.5402G	59.97	68.20	-8.23	14.55	3	Horizontal	244	1.25	-	45.42

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

21/11/2019

5310MHz_TX




EUT_Z_4TX
Setting 18
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3226G	110.35	Inf	-Inf	8.23	3	Vertical	118	2.59	-	102.12
AV	5.322G	99.09	Inf	-Inf	8.23	3	Vertical	118	2.59	-	90.86
PK	5.35G	71.17	74.00	-2.83	8.28	3	Vertical	118	2.59	-	62.89
AV	5.3538G	48.63	54.00	-5.37	8.28	3	Vertical	118	2.59	-	40.35

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

21/11/2019

5310MHz_TX




EUT_Z_4TX
Setting 18
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.313G	111.16	Inf	-Inf	8.22	3	Horizontal	306	1.27	-	102.94
AV	5.3118G	101.10	Inf	-Inf	8.22	3	Horizontal	306	1.27	-	92.88
PK	5.35G	70.93	74.00	-3.07	8.28	3	Horizontal	306	1.27	-	62.65
AV	5.3508G	51.14	54.00	-2.86	8.28	3	Horizontal	306	1.27	-	42.86

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5310MHz_TX




EUT Z_4TX
Setting 18
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62392G	53.68	74.00	-20.32	14.50	3	Vertical	284	1.88	-	39.18
AV	10.62352G	39.34	54.00	-14.66	14.50	3	Vertical	284	1.88	-	24.84

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5310MHz_TX




EUT Z_4TX
Setting 18
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.614G	53.33	74.00	-20.67	14.50	3	Horizontal	275	2.04	-	38.83
AV	10.6342G	39.63	54.00	-14.37	14.49	3	Horizontal	275	2.04	-	25.14

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5510MHz_TX




EUT_Z_4TX
Setting 15
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4068G	58.54	74.00	-15.46	8.35	3	Vertical	312	2.97	-	50.19
AV	5.4272G	45.36	54.00	-8.64	8.40	3	Vertical	312	2.97	-	36.96
PK	5.4614G	57.81	68.20	-10.39	8.45	3	Vertical	312	2.97	-	49.36
PK	5.5196G	108.06	Inf	-Inf	8.53	3	Vertical	312	2.97	-	99.53
AV	5.5196G	97.65	Inf	-Inf	8.53	3	Vertical	312	2.97	-	89.12

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

21/11/2019

5510MHz_TX




EUT_Z_4TX
Setting 15
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4578G	60.30	74.00	-13.70	8.45	3	Horizontal	265	1.07	-	51.85
AV	5.4578G	47.85	54.00	-6.15	8.45	3	Horizontal	265	1.07	-	39.40
PK	5.4686G	67.00	68.20	-1.20	8.46	3	Horizontal	265	1.07	-	58.54
PK	5.5238G	111.53	Inf	-Inf	8.53	3	Horizontal	265	1.07	-	103.00
AV	5.525G	100.38	Inf	-Inf	8.53	3	Horizontal	265	1.07	-	91.85

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5510MHz_TX




EUT Z_4TX
Setting 15
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01974G	53.66	74.00	-20.34	14.29	3	Vertical	208	1.81	-	39.37
AV	11.02068G	39.47	54.00	-14.53	14.29	3	Vertical	208	1.81	-	25.18

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5510MHz_TX




EUT Z_4TX
Setting 15
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01654G	53.72	74.00	-20.28	14.28	3	Horizontal	122	1.93	-	39.44
AV	11.0241G	39.44	54.00	-14.56	14.29	3	Horizontal	122	1.93	-	25.15

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5550MHz_TX




EUT_Z_4TX
Setting 22
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	60.27	74.00	-13.73	8.45	3	Vertical	307	1.12	-	51.82
AV	5.458G	46.90	54.00	-7.10	8.45	3	Vertical	307	1.12	-	38.45
PK	5.47G	61.22	68.20	-6.98	8.46	3	Vertical	307	1.12	-	52.76
PK	5.5652G	114.10	Inf	-Inf	8.56	3	Vertical	307	1.12	-	105.54
AV	5.5636G	104.02	Inf	-Inf	8.56	3	Vertical	307	1.12	-	95.46
PK	5.7428G	60.73	68.20	-7.47	8.82	3	Vertical	307	1.12	-	51.91

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5550MHz_TX




EUT_Z_4TX
Setting 22
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	66.27	74.00	-7.73	8.45	3	Horizontal	254	1.01	-	57.82
AV	5.4588G	50.14	54.00	-3.86	8.45	3	Horizontal	254	1.01	-	41.69
PK	5.4684G	67.42	68.20	-0.78	8.46	3	Horizontal	254	1.01	-	58.96
PK	5.5652G	118.12	Inf	-Inf	8.56	3	Horizontal	254	1.01	-	109.56
AV	5.5668G	107.92	Inf	-Inf	8.56	3	Horizontal	254	1.01	-	99.36
PK	5.7308G	61.35	68.20	-6.85	8.80	3	Horizontal	254	1.01	-	52.55

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5550MHz_TX




EUT Z_4TX
Setting 22
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10084G	53.17	74.00	-20.83	14.39	3	Vertical	71	1.92	-	38.78
AV	11.09506G	38.99	54.00	-15.01	14.39	3	Vertical	71	1.92	-	24.60

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5550MHz_TX




EUT Z_4TX
Setting 22
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10272G	53.85	74.00	-20.15	14.39	3	Horizontal	171	1.24	-	39.46
AV	11.09982G	39.14	54.00	-14.86	14.39	3	Horizontal	171	1.24	-	24.75

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5670MHz_TX




EUT_Z_4TX
Setting 20
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6664G	114.83	Inf	-Inf	8.69	3	Vertical	310	1.10	-	106.14
AV	5.6718G	104.08	Inf	-Inf	8.70	3	Vertical	310	1.10	-	95.38
PK	5.7264G	66.78	68.20	-1.42	8.79	3	Vertical	310	1.10	-	57.99

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5670MHz_TX




EUT_Z_4TX
Setting 20
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6682G	117.49	Inf	-Inf	8.70	3	Horizontal	265	1.03	-	108.79
AV	5.6646G	106.98	Inf	-Inf	8.69	3	Horizontal	265	1.03	-	98.29
PK	5.7258G	67.77	68.20	-0.43	8.79	3	Horizontal	265	1.03	-	58.98

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5670MHz_TX




EUT Z_4TX
Setting 20
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34134G	52.99	74.00	-21.01	14.70	3	Vertical	266	1.55	-	38.29
AV	11.33606G	38.93	54.00	-15.07	14.70	3	Vertical	266	1.55	-	24.23

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5670MHz_TX




EUT Z_4TX
Setting 20
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3373G	52.99	74.00	-21.01	14.70	3	Horizontal	347	2.44	-	38.29
AV	11.33932G	38.80	54.00	-15.20	14.70	3	Horizontal	347	2.44	-	24.10

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 25
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7244G	117.47	Inf	-Inf	8.78	3	Vertical	293	1.08	-	108.69
AV	5.7236G	106.32	Inf	-Inf	8.78	3	Vertical	293	1.08	-	97.54
PK	5.8556G	60.25	68.20	-7.95	8.90	3	Vertical	293	1.08	-	51.35

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
 Setting 25
 02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7028G	120.89	Inf	-Inf	8.75	3	Horizontal	271	1.00	-	112.14
AV	5.7068G	110.29	Inf	-Inf	8.76	3	Horizontal	271	1.00	-	101.53
PK	5.8572G	62.54	68.20	-5.66	8.90	3	Horizontal	271	1.00	-	53.64

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 25
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42008G	53.30	74.00	-20.70	14.80	3	Vertical	265	2.31	-	38.50
AV	11.41938G	39.86	54.00	-14.14	14.80	3	Vertical	265	2.31	-	25.06

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

22/11/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 25
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4409G	54.54	74.00	-19.46	14.82	3	Horizontal	228	1.94	-	39.72
AV	11.4214G	40.13	54.00	-13.87	14.80	3	Horizontal	228	1.94	-	25.33

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5755MHz_TX




EUT Z_4TX
Setting 25
04-B-4-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	60.41	68.20	-7.79	5.60	3	Vertical	42	1.08	-	54.81
PK	5.7625G	116.60	Inf	-Inf	5.70	3	Vertical	42	1.08	-	110.90
AV	5.7615G	106.07	Inf	-Inf	5.69	3	Vertical	42	1.08	-	100.38
PK	5.974G	59.99	68.20	-8.21	6.60	3	Vertical	42	1.08	-	53.39

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5755MHz_TX




EUT Z_4TX
Setting 25
04-B-4-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	61.90	68.20	-6.30	5.61	3	Horizontal	40	1.03	-	56.29
PK	5.7375G	117.58	Inf	-Inf	5.66	3	Horizontal	40	1.03	-	111.92
AV	5.7375G	107.95	Inf	-Inf	5.66	3	Horizontal	40	1.03	-	102.29
PK	5.9305G	60.96	68.20	-7.24	6.43	3	Horizontal	40	1.03	-	54.53

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5755MHz_TX




EUT Z_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51238G	54.45	74.00	-19.55	11.65	3	Vertical	275	1.90	-	42.80
AV	11.50748G	40.73	54.00	-13.27	11.66	3	Vertical	275	1.90	-	29.07

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5755MHz_TX




EUT Z_4TX
 Setting 25
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50884G	55.21	74.00	-18.79	11.66	3	Horizontal	152	1.33	-	43.55
AV	11.50603G	40.72	54.00	-13.28	11.67	3	Horizontal	152	1.33	-	29.05

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5795MHz_TX




EUT Z_4TX
Setting 25
04-B-4-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	58.57	68.20	-9.63	5.60	3	Vertical	44	1.01	-	52.97
PK	5.789G	116.79	Inf	-Inf	5.73	3	Vertical	44	1.01	-	111.06
AV	5.797G	106.52	Inf	-Inf	5.73	3	Vertical	44	1.01	-	100.79
PK	5.938G	60.22	68.20	-7.98	6.46	3	Vertical	44	1.01	-	53.76

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5795MHz_TX




EUT Z_4TX
Setting 25
04-B-4-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.626G	60.57	68.20	-7.63	5.60	3	Horizontal	13	1.04	-	54.97
PK	5.778G	119.43	Inf	-Inf	5.72	3	Horizontal	13	1.04	-	113.71
AV	5.7995G	108.89	Inf	-Inf	5.74	3	Horizontal	13	1.04	-	103.15
PK	5.94G	61.43	68.20	-6.77	6.47	3	Horizontal	13	1.04	-	54.96

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5795MHz_TX




EUT Z_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59325G	55.51	74.00	-18.49	11.55	3	Vertical	124	2.01	-	43.96
AV	11.59326G	40.96	54.00	-13.04	11.55	3	Vertical	124	2.01	-	29.41

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

5795MHz_TX




EUT Z_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59043G	55.38	74.00	-18.62	11.55	3	Horizontal	305	1.21	-	43.83
AV	11.59155G	40.81	54.00	-13.19	11.55	3	Horizontal	305	1.21	-	29.26

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5210MHz_TX




EUT_Z_4TX
Setting 17
04-P-2-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1485G	67.09	74.00	-6.91	4.16	3	Vertical	213	2.46	-	62.93
AV	5.1485G	47.30	54.00	-6.70	4.16	3	Vertical	213	2.46	-	43.14
PK	5.1835G	111.53	Inf	-Inf	4.21	3	Vertical	213	2.46	-	107.32
AV	5.1975G	97.22	Inf	-Inf	4.24	3	Vertical	213	2.46	-	92.98
PK	5.4015G	59.15	74.00	-14.85	4.73	3	Vertical	213	2.46	-	54.42
AV	5.352G	45.30	54.00	-8.70	4.57	3	Vertical	213	2.46	-	40.73

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5210MHz_TX




EUT_Z_4TX
Setting 17
04-P-2-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	72.35	74.00	-1.65	4.16	3	Horizontal	357	1.07	-	68.19
AV	5.1495G	52.46	54.00	-1.54	4.16	3	Horizontal	357	1.07	-	48.30
PK	5.186G	114.14	Inf	-Inf	4.22	3	Horizontal	357	1.07	-	109.92
AV	5.173G	99.81	Inf	-Inf	4.20	3	Horizontal	357	1.07	-	95.61
PK	5.351G	60.07	74.00	-13.93	4.56	3	Horizontal	357	1.07	-	55.51
AV	5.3555G	47.47	54.00	-6.53	4.58	3	Horizontal	357	1.07	-	42.89

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5210MHz_TX




EUT Z_4TX
Setting 17
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4228G	53.31	68.20	-14.89	12.23	3	Vertical	119	1.85	-	41.08

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5210MHz_TX




EUT Z_4TX
Setting 17
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41893G	53.27	68.20	-14.93	12.23	3	Horizontal	288	1.33	-	41.04

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5290MHz_TX




EUT_Z_4TX
Setting 17
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.096G	59.29	74.00	-14.71	7.83	3	Vertical	82	2.92	-	51.46
AV	5.148G	45.58	54.00	-8.42	7.94	3	Vertical	82	2.92	-	37.64
PK	5.256G	106.75	Inf	-Inf	8.15	3	Vertical	82	2.92	-	98.60
AV	5.253G	95.37	Inf	-Inf	8.14	3	Vertical	82	2.92	-	87.23
PK	5.355G	62.56	74.00	-11.44	8.28	3	Vertical	82	2.92	-	54.28
AV	5.354G	46.71	54.00	-7.29	8.28	3	Vertical	82	2.92	-	38.43
PK	5.529G	58.81	68.20	-9.39	8.54	3	Vertical	82	2.92	-	50.27

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5290MHz_TX




EUT_Z_4TX
Setting 17
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	59.78	74.00	-14.22	7.94	3	Horizontal	273	1.20	-	51.84
AV	5.144G	46.51	54.00	-7.49	7.94	3	Horizontal	273	1.20	-	38.57
PK	5.252G	110.50	Inf	-Inf	8.14	3	Horizontal	273	1.20	-	102.36
AV	5.304G	99.29	Inf	-Inf	8.21	3	Horizontal	273	1.20	-	91.08
PK	5.351G	72.13	74.00	-1.87	8.28	3	Horizontal	273	1.20	-	63.85
AV	5.352G	52.94	54.00	-1.06	8.28	3	Horizontal	273	1.20	-	44.66
PK	5.511G	60.66	68.20	-7.54	8.53	3	Horizontal	273	1.20	-	52.13

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5290MHz_TX




EUT Z_4TX
Setting 17
02-B-P-2

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	10.57872G	54.13	68.20	-14.07	14.52	3	Vertical	245	2.29	-	39.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5290MHz_TX




EUT Z_4TX
Setting 17
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.57728G	53.63	68.20	-14.57	14.53	3	Horizontal	269	1.19	-	39.10

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5530MHz_TX




EUT_Z_4TX
Setting 17
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4424G	58.99	74.00	-15.01	8.42	3	Vertical	283	2.96	-	50.57
AV	5.4046G	45.66	54.00	-8.34	8.35	3	Vertical	283	2.96	-	37.31
PK	5.467G	62.52	68.20	-5.68	8.46	3	Vertical	283	2.96	-	54.06
PK	5.521G	107.20	Inf	-Inf	8.53	3	Vertical	283	2.96	-	98.67
AV	5.5204G	96.90	Inf	-Inf	8.53	3	Vertical	283	2.96	-	88.37

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5530MHz_TX




EUT_Z_4TX
Setting 17
02-B-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4598G	65.45	74.00	-8.55	8.45	3	Horizontal	277	1.02	-	57.00
AV	5.4592G	47.78	54.00	-6.22	8.45	3	Horizontal	277	1.02	-	39.33
PK	5.4616G	67.61	68.20	-0.59	8.45	3	Horizontal	277	1.02	-	59.16
PK	5.5438G	110.79	Inf	-Inf	8.55	3	Horizontal	277	1.02	-	102.24
AV	5.5432G	100.71	Inf	-Inf	8.55	3	Horizontal	277	1.02	-	92.16

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5530MHz_TX




EUT Z_4TX
Setting 17
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06436G	53.54	74.00	-20.46	14.34	3	Vertical	46	1.93	-	39.20
AV	11.0593G	39.51	54.00	-14.49	14.34	3	Vertical	46	1.93	-	25.17

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5530MHz_TX




EUT Z_4TX
Setting 17
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06024G	53.84	74.00	-20.16	14.34	3	Horizontal	217	1.49	-	39.50
AV	11.06186G	39.36	54.00	-14.64	14.34	3	Horizontal	217	1.49	-	25.02

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5610MHz_TX




EUT_Z_4TX
Setting 22
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	61.35	74.00	-12.65	8.44	3	Vertical	271	3.00	-	52.91
AV	5.46G	46.88	54.00	-7.12	8.45	3	Vertical	271	3.00	-	38.43
PK	5.469G	61.10	68.20	-7.10	8.46	3	Vertical	271	3.00	-	52.64
PK	5.624G	111.00	Inf	-Inf	8.61	3	Vertical	271	3.00	-	102.39
AV	5.622G	100.55	Inf	-Inf	8.61	3	Vertical	271	3.00	-	91.94
PK	5.734G	65.76	68.20	-2.44	8.80	3	Vertical	271	3.00	-	56.96

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5610MHz_TX




EUT_Z_4TX
Setting 22
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.444G	62.60	74.00	-11.40	8.42	3	Horizontal	253	1.14	-	54.18
PK	5.463G	64.89	68.20	-3.31	8.45	3	Horizontal	253	1.14	-	56.44
AV	5.46G	47.99	54.00	-6.01	8.45	3	Horizontal	253	1.14	-	39.54
PK	5.583G	116.00	Inf	-Inf	8.57	3	Horizontal	253	1.14	-	107.43
AV	5.605G	103.51	Inf	-Inf	8.59	3	Horizontal	253	1.14	-	94.92
PK	5.726G	67.96	68.20	-0.24	8.79	3	Horizontal	253	1.14	-	59.17

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5610MHz_TX



EUT Z_4TX
Setting 22
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22486G	53.71	74.00	-20.29	14.55	3	Vertical	104	1.28	-	39.16
AV	11.22418G	39.08	54.00	-14.92	14.55	3	Vertical	104	1.28	-	24.53

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5610MHz_TX




EUT Z_4TX
Setting 22
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21574G	53.41	74.00	-20.59	14.53	3	Horizontal	350	1.36	-	38.88
AV	11.225G	39.07	54.00	-14.93	14.55	3	Horizontal	350	1.36	-	24.52

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4236G	58.70	74.00	-15.30	8.38	3	Vertical	305	1.01	-	50.32
AV	5.4368G	45.79	54.00	-8.21	8.41	3	Vertical	305	1.01	-	37.38
PK	5.4656G	60.32	68.20	-7.88	8.46	3	Vertical	305	1.01	-	51.86
PK	5.6552G	117.57	Inf	-Inf	8.67	3	Vertical	305	1.01	-	108.90
AV	5.6792G	103.16	Inf	-Inf	8.72	3	Vertical	305	1.01	-	94.44
PK	5.8568G	66.48	68.20	-1.72	8.90	3	Vertical	305	1.01	-	57.58

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 24
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	60.93	74.00	-13.07	8.45	3	Horizontal	263	1.00	-	52.48
AV	5.4584G	47.65	54.00	-6.35	8.45	3	Horizontal	263	1.00	-	39.20
PK	5.4644G	62.33	68.20	-5.87	8.45	3	Horizontal	263	1.00	-	53.88
PK	5.6636G	120.64	Inf	-Inf	8.69	3	Horizontal	263	1.00	-	111.95
AV	5.7068G	109.67	Inf	-Inf	8.76	3	Horizontal	263	1.00	-	100.91
PK	5.8508G	67.92	68.20	-0.28	8.90	3	Horizontal	263	1.00	-	59.02

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 24
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38354G	53.53	74.00	-20.47	14.75	3	Vertical	351	1.84	-	38.78
AV	11.3839G	39.72	54.00	-14.28	14.75	3	Vertical	351	1.84	-	24.97

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

22/11/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_4TX
Setting 24
02-B-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38366G	54.06	74.00	-19.94	14.75	3	Horizontal	97	1.38	-	39.31
AV	11.38448G	39.75	54.00	-14.25	14.75	3	Horizontal	97	1.38	-	25.00

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5775MHz_TX




EUT_Z_4TX
Setting 22
04-P-2-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	62.33	68.20	-5.87	5.61	3	Vertical	176	1.09	-	56.72
PK	5.785G	111.58	Inf	-Inf	5.72	3	Vertical	176	1.09	-	105.86
AV	5.781G	101.58	Inf	-Inf	5.72	3	Vertical	176	1.09	-	95.86
PK	5.93G	61.32	68.20	-6.88	6.43	3	Vertical	176	1.09	-	54.89

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5775MHz_TX




EUT_Z_4TX
Setting 22
04-P-2-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6335G	66.75	68.20	-1.45	5.59	3	Horizontal	339	1.04	-	61.16
PK	5.773G	116.84	Inf	-Inf	5.71	3	Horizontal	339	1.04	-	111.13
AV	5.7735G	106.43	Inf	-Inf	5.71	3	Horizontal	339	1.04	-	100.72
PK	5.9245G	65.97	68.57	-2.60	6.41	3	Horizontal	339	1.04	-	59.56

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5775MHz_TX




EUT_Z_4TX
Setting 22
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55374G	53.27	74.00	-20.73	11.60	3	Vertical	337	2.31	-	41.67
AV	11.55029G	39.65	54.00	-14.35	11.60	3	Vertical	337	2.31	-	28.05

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

14/11/2019

5775MHz_TX



EUT Z_4TX
Setting 22
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54697G	54.25	74.00	-19.75	11.62	3	Horizontal	156	1.94	-	42.63
AV	11.54556G	39.58	54.00	-14.42	11.62	3	Horizontal	156	1.94	-	27.96