


VHT40_Nss1,(MCS0)_4TX

09/11/2019

2437MHz_TX




EUT Y_4TX
 Setting 20
 04-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8733G	49.15	74.00	-24.85	3.72	3	Horizontal	274	2.49	-	45.43
AV	4.87274G	37.85	54.00	-16.15	3.72	3	Horizontal	274	2.49	-	34.13
PK	7.30506G	51.00	74.00	-23.00	9.59	3	Horizontal	237	1.69	-	41.41
AV	7.3051G	40.44	54.00	-13.56	9.59	3	Horizontal	237	1.69	-	30.85

VHT40_Nss1,(MCS0)_4TX

21/11/2019

2447MHz_TX




EUT_Y_4TX
Setting 17
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3858G	59.75	74.00	-14.25	31.19	3	Vertical	79	2.62	-	28.56
PK	2.443G	111.13	Inf	-Inf	31.32	3	Vertical	79	2.62	-	79.81
AV	2.4394G	101.43	Inf	-Inf	31.31	3	Vertical	79	2.62	-	70.12
PK	2.4835G	68.91	74.00	-5.09	31.39	3	Vertical	79	2.62	-	37.52
AV	2.3894G	49.21	54.00	-4.79	31.20	3	Vertical	79	2.62	-	18.01
AV	2.4842G	53.95	54.00	-0.05	31.39	3	Vertical	79	2.62	-	22.56

VHT40_Nss1,(MCS0)_4TX

21/11/2019

2447MHz_TX




EUT Y_4TX
 Setting 17
 04-W-3
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	55.94	74.00	-18.06	30.11	3	Horizontal	225	1.23	-	25.83
AV	2.389G	45.79	54.00	-8.21	30.11	3	Horizontal	225	1.23	-	15.68
PK	2.433G	109.32	Inf	-Inf	30.25	3	Horizontal	225	1.23	-	79.07
AV	2.4306G	99.19	Inf	-Inf	30.24	3	Horizontal	225	1.23	-	68.95
PK	2.4838G	59.90	74.00	-14.10	30.48	3	Horizontal	225	1.23	-	29.42
AV	2.4854G	49.41	54.00	-4.59	30.48	3	Horizontal	225	1.23	-	18.93

VHT40_Nss1,(MCS0)_4TX

21/11/2019

2452MHz_TX




EUT_Y_4TX
Setting 17
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3824G	60.11	74.00	-13.89	31.19	3	Vertical	189	1.83	-	28.92
AV	2.3864G	49.04	54.00	-4.96	31.20	3	Vertical	189	1.83	-	17.84
PK	2.4432G	109.98	Inf	-Inf	31.32	3	Vertical	189	1.83	-	78.66
AV	2.4488G	100.43	Inf	-Inf	31.33	3	Vertical	189	1.83	-	69.10
PK	2.4848G	68.88	74.00	-5.12	31.40	3	Vertical	189	1.83	-	37.48
AV	2.4848G	53.70	54.00	-0.30	31.40	3	Vertical	189	1.83	-	22.30

VHT40_Nss1,(MCS0)_4TX

21/11/2019

2452MHz_TX




EUT_Y_4TX
Setting 17
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	55.02	74.00	-18.98	30.11	3	Horizontal	220	1.48	-	24.91
AV	2.3884G	45.02	54.00	-8.98	30.11	3	Horizontal	220	1.48	-	14.91
PK	2.4432G	108.29	Inf	-Inf	30.29	3	Horizontal	220	1.48	-	78.00
AV	2.4456G	97.94	Inf	-Inf	30.30	3	Horizontal	220	1.48	-	67.64
PK	2.484G	64.67	74.00	-9.33	30.48	3	Horizontal	220	1.48	-	34.19
AV	2.4835G	51.16	54.00	-2.84	30.47	3	Horizontal	220	1.48	-	20.69

VHT40_Nss1,(MCS0)_4TX

09/11/2019

2452MHz_TX




EUT Y_4TX
 Setting 17
 04-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90646G	47.57	74.00	-26.43	3.86	3	Vertical	266	2.46	-	43.71
AV	4.90686G	36.39	54.00	-17.61	3.86	3	Vertical	266	2.46	-	32.53

VHT40_Nss1,(MCS0)_4TX

09/11/2019

2452MHz_TX



EUT Y_4TX
 Setting 17
 04-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90368G	46.11	74.00	-27.89	3.86	3	Horizontal	57	1.03	-	42.25
AV	4.9055G	35.52	54.00	-18.48	3.86	3	Horizontal	57	1.03	-	31.66



For beamforming mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
VHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	2.3894G	73.93	74.00	-0.07	31.20	3	Vertical	239	1.68	-

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2412MHz_TX




EUT Y_4TX
Setting 19
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	73.93	74.00	-0.07	31.20	3	Vertical	239	1.68	-	42.73
AV	2.39G	53.66	54.00	-0.34	31.20	3	Vertical	239	1.68	-	22.46
PK	2.4186G	119.23	Inf	-Inf	31.27	3	Vertical	239	1.68	-	87.96
AV	2.4198G	108.51	Inf	-Inf	31.27	3	Vertical	239	1.68	-	77.24

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2412MHz_TX




EUT_Y_4TX
Setting 19
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.12	74.00	-6.88	31.20	3	Horizontal	225	1.37	-	35.92
AV	2.39G	48.90	54.00	-5.10	31.20	3	Horizontal	225	1.37	-	17.70
PK	2.4184G	115.18	Inf	-Inf	31.27	3	Horizontal	225	1.37	-	83.91
AV	2.4192G	104.29	Inf	-Inf	31.27	3	Horizontal	225	1.37	-	73.02

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2412MHz_TX




EUT Y_4TX
 Setting 19
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82408G	48.92	74.00	-25.08	7.17	3	Vertical	194	1.50	-	41.75
AV	4.82399G	41.13	54.00	-12.87	7.17	3	Vertical	194	1.50	-	33.96

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2412MHz_TX




EUT Y_4TX
Setting 19
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82409G	48.22	74.00	-25.78	7.17	3	Horizontal	125	1.03	-	41.05
AV	4.82384G	41.07	54.00	-12.93	7.17	3	Horizontal	125	1.03	-	33.90

VHT20-BF_Nss1,(MCS0)_4TX

16/11/2019

2417MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	70.28	74.00	-3.72	30.11	3	Vertical	209	1.45	-	40.17
AV	2.3898G	52.07	54.00	-1.93	30.11	3	Vertical	209	1.45	-	21.96
PK	2.4178G	120.89	Inf	-Inf	30.18	3	Vertical	209	1.45	-	90.71
AV	2.4206G	111.02	Inf	-Inf	30.19	3	Vertical	209	1.45	-	80.83
PK	2.4874G	57.59	74.00	-16.41	30.49	3	Vertical	209	1.45	-	27.10
AV	2.4835G	45.62	54.00	-8.38	30.47	3	Vertical	209	1.45	-	15.15

VHT20-BF_Nss1,(MCS0)_4TX

16/11/2019

2417MHz_TX




EUT_Y_4TX
 Setting 23
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	69.62	74.00	-4.38	30.11	3	Horizontal	50	1.27	-	39.51
AV	2.3898G	53.92	54.00	-0.08	30.11	3	Horizontal	50	1.27	-	23.81
PK	2.4238G	119.83	Inf	-Inf	30.21	3	Horizontal	50	1.27	-	89.62
AV	2.4146G	110.55	Inf	-Inf	30.17	3	Horizontal	50	1.27	-	80.38
PK	2.4854G	56.93	74.00	-17.07	30.48	3	Horizontal	50	1.27	-	26.45
AV	2.4842G	44.92	54.00	-9.08	30.48	3	Horizontal	50	1.27	-	14.44

VHT20-BF_Nss1,(MCS0)_4TX

12/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.41	74.00	-5.59	30.11	3	Vertical	205	1.46	-	38.30
AV	2.39G	49.00	54.00	-5.00	30.11	3	Vertical	205	1.46	-	18.89
PK	2.431G	122.33	Inf	-Inf	30.24	3	Vertical	205	1.46	-	92.09
AV	2.4298G	112.23	Inf	-Inf	30.23	3	Vertical	205	1.46	-	82.00
PK	2.4844G	62.99	74.00	-11.01	30.48	3	Vertical	205	1.46	-	32.51
AV	2.4835G	47.04	54.00	-6.96	30.47	3	Vertical	205	1.46	-	16.57

VHT20-BF_Nss1,(MCS0)_4TX

12/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	63.06	74.00	-10.94	30.11	3	Horizontal	317	2.47	-	32.95
AV	2.39G	46.46	54.00	-7.54	30.11	3	Horizontal	317	2.47	-	16.35
PK	2.4286G	118.52	Inf	-Inf	30.22	3	Horizontal	317	2.47	-	88.30
AV	2.4346G	112.23	Inf	-Inf	30.26	3	Horizontal	317	2.47	-	81.97
PK	2.4838G	59.73	74.00	-14.27	30.48	3	Horizontal	317	2.47	-	29.25
AV	2.4844G	45.48	54.00	-8.52	30.48	3	Horizontal	317	2.47	-	15.00

VHT20-BF_Nss1,(MCS0)_4TX

12/11/2019

2437MHz_TX




EUT Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86724G	58.73	74.00	-15.27	3.69	3	Vertical	69	2.35	-	55.04
AV	4.87408G	53.55	54.00	-0.45	3.73	3	Vertical	69	2.35	-	49.82

VHT20-BF_Nss1,(MCS0)_4TX

12/11/2019

2437MHz_TX




EUT Y_4TX
 Setting 23
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87404G	53.91	74.00	-20.09	3.73	3	Horizontal	248	1.87	-	50.18
AV	4.87396G	48.03	54.00	-5.97	3.73	3	Horizontal	248	1.87	-	44.30

VHT20-BF_Nss1,(MCS0)_4TX

16/11/2019

2457MHz_TX




EUT_Y_4TX
 Setting 21
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	58.08	74.00	-15.92	30.11	3	Vertical	338	1.67	-	27.97
AV	2.3894G	45.80	54.00	-8.20	30.11	3	Vertical	338	1.67	-	15.69
PK	2.4638G	120.15	Inf	-Inf	30.39	3	Vertical	338	1.67	-	89.76
AV	2.4646G	110.83	Inf	-Inf	30.39	3	Vertical	338	1.67	-	80.44
PK	2.4835G	71.77	74.00	-2.23	30.47	3	Vertical	338	1.67	-	41.30
AV	2.4835G	51.96	54.00	-2.04	30.47	3	Vertical	338	1.67	-	21.49

VHT20-BF_Nss1,(MCS0)_4TX

16/11/2019

2457MHz_TX




EUT_Y_4TX
Setting 21
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3846G	56.28	74.00	-17.72	30.12	3	Horizontal	130	1.83	-	26.16
AV	2.3898G	44.15	54.00	-9.85	30.11	3	Horizontal	130	1.83	-	14.04
PK	2.4534G	117.69	Inf	-Inf	30.34	3	Horizontal	130	1.83	-	87.35
AV	2.4586G	110.00	Inf	-Inf	30.36	3	Horizontal	130	1.83	-	79.64
PK	2.4835G	63.94	74.00	-10.06	30.47	3	Horizontal	130	1.83	-	33.47
AV	2.4835G	48.94	54.00	-5.06	30.47	3	Horizontal	130	1.83	-	18.47

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2462MHz_TX




EUT Y_4TX
Setting 19
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4684G	119.39	Inf	-Inf	31.37	3	Vertical	148	1.48	-	88.02
AV	2.467G	108.53	Inf	-Inf	31.37	3	Vertical	148	1.48	-	77.16
PK	2.485G	72.70	74.00	-1.30	31.40	3	Vertical	148	1.48	-	41.30
AV	2.4835G	53.27	54.00	-0.73	31.39	3	Vertical	148	1.48	-	21.88

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2462MHz_TX




EUT Y_4TX
Setting 19
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4546G	113.04	Inf	-Inf	31.34	3	Horizontal	202	1.48	-	81.70
AV	2.4536G	104.08	Inf	-Inf	31.34	3	Horizontal	202	1.48	-	72.74
PK	2.485G	66.83	74.00	-7.17	31.40	3	Horizontal	202	1.48	-	35.43
AV	2.4835G	50.75	54.00	-3.25	31.39	3	Horizontal	202	1.48	-	19.36

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2462MHz_TX




EUT Y_4TX
Setting 19
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92332G	49.41	74.00	-24.59	7.39	3	Vertical	253	2.49	-	42.02
AV	4.92401G	42.52	54.00	-11.48	7.40	3	Vertical	253	2.49	-	35.12

VHT20-BF_Nss1,(MCS0)_4TX

14/11/2019

2462MHz_TX




EUT Y_4TX
Setting 19
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92398G	48.01	74.00	-25.99	7.40	3	Horizontal	53	2.24	-	40.61
AV	4.92401G	40.95	54.00	-13.05	7.40	3	Horizontal	53	2.24	-	33.55

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT_Y_4TX
Setting 18
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	72.67	74.00	-1.33	31.20	3	Vertical	336	1.22	-	41.47
AV	2.3892G	52.57	54.00	-1.43	31.20	3	Vertical	336	1.22	-	21.37
PK	2.4244G	115.60	Inf	-Inf	31.28	3	Vertical	336	1.22	-	84.32
AV	2.424G	105.34	Inf	-Inf	31.28	3	Vertical	336	1.22	-	74.06
PK	2.494G	60.32	74.00	-13.68	31.42	3	Vertical	336	1.22	-	28.90
AV	2.484G	47.62	54.00	-6.38	31.39	3	Vertical	336	1.22	-	16.23

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT_Y_4TX
 Setting 18
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3824G	69.20	74.00	-4.80	31.19	3	Horizontal	179	1.51	-	38.01
AV	2.39G	49.35	54.00	-4.65	31.20	3	Horizontal	179	1.51	-	18.15
PK	2.4272G	113.51	Inf	-Inf	31.28	3	Horizontal	179	1.51	-	82.23
AV	2.4236G	103.44	Inf	-Inf	31.28	3	Horizontal	179	1.51	-	72.16
PK	2.4892G	59.27	74.00	-14.73	31.41	3	Horizontal	179	1.51	-	27.86
AV	2.484G	46.98	54.00	-7.02	31.39	3	Horizontal	179	1.51	-	15.59

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT Y_4TX
Setting 18
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8374G	49.14	74.00	-24.86	7.20	3	Vertical	199	2.22	-	41.94
AV	4.8239G	40.34	54.00	-13.66	7.17	3	Vertical	199	2.22	-	33.17

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT Y_4TX
 Setting 18
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8457G	48.60	74.00	-25.40	7.22	3	Horizontal	256	1.57	-	41.38
AV	4.8238G	37.84	54.00	-16.16	7.17	3	Horizontal	256	1.57	-	30.67

VHT40-BF_Nss1,(MCS0)_4TX

16/11/2019

2427MHz_TX




EUT_Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	72.96	74.00	-1.04	30.11	3	Vertical	96	2.54	-	42.85
AV	2.3898G	51.84	54.00	-2.16	30.11	3	Vertical	96	2.54	-	21.73
PK	2.4298G	117.40	Inf	-Inf	30.23	3	Vertical	96	2.54	-	87.17
AV	2.4202G	108.09	Inf	-Inf	30.19	3	Vertical	96	2.54	-	77.90
PK	2.4914G	57.86	74.00	-16.14	30.52	3	Vertical	96	2.54	-	27.34
AV	2.4842G	45.66	54.00	-8.34	30.48	3	Vertical	96	2.54	-	15.18

VHT40-BF_Nss1,(MCS0)_4TX

16/11/2019

2427MHz_TX




EUT_Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	71.91	74.00	-2.09	30.11	3	Horizontal	25	1.46	-	41.80
AV	2.3898G	48.76	54.00	-5.24	30.11	3	Horizontal	25	1.46	-	18.65
PK	2.4386G	113.52	Inf	-Inf	30.27	3	Horizontal	25	1.46	-	83.25
AV	2.4198G	108.47	Inf	-Inf	30.19	3	Horizontal	25	1.46	-	78.28
PK	2.4846G	58.08	74.00	-15.92	30.48	3	Horizontal	25	1.46	-	27.60
AV	2.4842G	45.36	54.00	-8.64	30.48	3	Horizontal	25	1.46	-	14.88

VHT40-BF_Nss1,(MCS0)_4TX

14/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 21
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	70.26	74.00	-3.74	31.20	3	Vertical	336	1.61	-	39.06
AV	2.3894G	53.07	54.00	-0.93	31.20	3	Vertical	336	1.61	-	21.87
PK	2.4302G	118.60	Inf	-Inf	31.29	3	Vertical	336	1.61	-	87.31
AV	2.4258G	108.48	Inf	-Inf	31.28	3	Vertical	336	1.61	-	77.20
PK	2.4858G	70.45	74.00	-3.55	31.40	3	Vertical	336	1.61	-	39.05
AV	2.4846G	51.53	54.00	-2.47	31.40	3	Vertical	336	1.61	-	20.13

VHT40-BF_Nss1,(MCS0)_4TX

14/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 21
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	69.43	74.00	-4.57	31.20	3	Horizontal	48	1.06	-	38.23
AV	2.3898G	51.42	54.00	-2.58	31.20	3	Horizontal	48	1.06	-	20.22
PK	2.4222G	114.57	Inf	-Inf	31.28	3	Horizontal	48	1.06	-	83.29
AV	2.4282G	104.02	Inf	-Inf	31.29	3	Horizontal	48	1.06	-	72.73
PK	2.4846G	70.43	74.00	-3.57	31.40	3	Horizontal	48	1.06	-	39.03
AV	2.4835G	52.66	54.00	-1.34	31.39	3	Horizontal	48	1.06	-	21.27

VHT40-BF_Nss1,(MCS0)_4TX

14/11/2019

2437MHz_TX




EUT Y_4TX
 Setting 21
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8562G	51.69	74.00	-22.31	7.25	3	Vertical	209	1.97	-	44.44
AV	4.8542G	46.76	54.00	-7.24	7.24	3	Vertical	209	1.97	-	39.52

VHT40-BF_Nss1,(MCS0)_4TX

14/11/2019

2437MHz_TX




EUT Y_4TX
Setting 21
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8541G	55.87	74.00	-18.13	7.24	3	Horizontal	250	2.08	-	48.63
AV	4.8545G	42.99	54.00	-11.01	7.24	3	Horizontal	250	2.08	-	35.75

VHT40-BF_Nss1,(MCS0)_4TX

16/11/2019

2447MHz_TX




EUT Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	59.95	74.00	-14.05	30.11	3	Vertical	104	2.52	-	29.84
AV	2.3898G	46.68	54.00	-7.32	30.11	3	Vertical	104	2.52	-	16.57
PK	2.4306G	117.65	Inf	-Inf	30.24	3	Vertical	104	2.52	-	87.41
AV	2.4302G	107.11	Inf	-Inf	30.24	3	Vertical	104	2.52	-	76.87
PK	2.4838G	73.15	74.00	-0.85	30.48	3	Vertical	104	2.52	-	42.67
AV	2.4842G	48.98	54.00	-5.02	30.48	3	Vertical	104	2.52	-	18.50

VHT40-BF_Nss1,(MCS0)_4TX

16/11/2019

2447MHz_TX




EUT_Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	58.94	74.00	-15.06	30.11	3	Horizontal	127	1.43	-	28.83
AV	2.3898G	45.19	54.00	-8.81	30.11	3	Horizontal	127	1.43	-	15.08
PK	2.4446G	113.60	Inf	-Inf	30.30	3	Horizontal	127	1.43	-	83.30
AV	2.4386G	106.48	Inf	-Inf	30.27	3	Horizontal	127	1.43	-	76.21
PK	2.4835G	71.58	74.00	-2.42	30.47	3	Horizontal	127	1.43	-	41.11
AV	2.4835G	53.63	54.00	-0.37	30.47	3	Horizontal	127	1.43	-	23.16

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT_Y_4TX
Setting 17
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3788G	60.16	74.00	-13.84	31.18	3	Vertical	340	1.51	-	28.98
AV	2.39G	47.13	54.00	-6.87	31.20	3	Vertical	340	1.51	-	15.93
PK	2.4384G	114.08	Inf	-Inf	31.31	3	Vertical	340	1.51	-	82.77
AV	2.4368G	103.47	Inf	-Inf	31.30	3	Vertical	340	1.51	-	72.17
PK	2.4856G	71.30	74.00	-2.70	31.40	3	Vertical	340	1.51	-	39.90
AV	2.4835G	52.92	54.00	-1.08	31.39	3	Vertical	340	1.51	-	21.53

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT Y_4TX
Setting 17
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	60.21	74.00	-13.79	31.20	3	Horizontal	156	1.52	-	29.01
AV	2.3896G	46.70	54.00	-7.30	31.20	3	Horizontal	156	1.52	-	15.50
PK	2.4388G	111.09	Inf	-Inf	31.31	3	Horizontal	156	1.52	-	79.78
AV	2.4436G	102.29	Inf	-Inf	31.32	3	Horizontal	156	1.52	-	70.97
PK	2.4835G	67.66	74.00	-6.34	31.39	3	Horizontal	156	1.52	-	36.27
AV	2.4844G	50.31	54.00	-3.69	31.40	3	Horizontal	156	1.52	-	18.91

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT Y_4TX
 Setting 17
 02-J-5
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8827G	46.72	74.00	-27.28	7.31	3	Vertical	97	2.44	-	39.41
AV	4.8839G	35.64	54.00	-18.36	7.32	3	Vertical	97	2.44	-	28.32

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX



EUT_Y_4TX
Setting 17
02-J-5
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.883G	47.72	74.00	-26.28	7.31	3	Horizontal	251	2.30	-	40.41
AV	4.8844G	33.93	54.00	-20.07	7.32	3	Horizontal	251	2.30	-	26.61



For non-beamforming mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	4.82398G	53.91	54.00	-0.09	3.48	3	Vertical	79	1.12	-

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2412MHz_TX




EUT_Y_4TX
Setting 22
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	61.13	74.00	-12.87	30.11	3	Vertical	322	1.15	-	31.02
AV	2.3868G	49.27	54.00	-4.73	30.11	3	Vertical	322	1.15	-	19.16
PK	2.4132G	119.62	Inf	-Inf	30.16	3	Vertical	322	1.15	-	89.46
AV	2.4138G	115.64	Inf	-Inf	30.17	3	Vertical	322	1.15	-	85.47
PK	2.4835G	57.99	74.00	-16.01	30.47	3	Vertical	322	1.15	-	27.52
AV	2.484G	45.71	54.00	-8.29	30.48	3	Vertical	322	1.15	-	15.23

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2412MHz_TX




EUT_Y_4TX
Setting 22
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3832G	59.10	74.00	-14.90	30.12	3	Horizontal	212	1.41	-	28.98
AV	2.3868G	46.60	54.00	-7.40	30.11	3	Horizontal	212	1.41	-	16.49
PK	2.4132G	115.42	Inf	-Inf	30.16	3	Horizontal	212	1.41	-	85.26
AV	2.4138G	111.38	Inf	-Inf	30.17	3	Horizontal	212	1.41	-	81.21
PK	2.484G	55.96	74.00	-18.04	30.48	3	Horizontal	212	1.41	-	25.48
AV	2.484G	44.26	54.00	-9.74	30.48	3	Horizontal	212	1.41	-	13.78

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
Setting 22
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82398G	56.48	74.00	-17.52	3.48	3	Vertical	79	1.12	-	53.00
AV	4.82398G	53.91	54.00	-0.09	3.48	3	Vertical	79	1.12	-	50.43

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
Setting 22
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82394G	52.69	74.00	-21.31	3.48	3	Horizontal	86	1.27	-	49.21
AV	4.82402G	48.94	54.00	-5.06	3.48	3	Horizontal	86	1.27	-	45.46

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	58.21	74.00	-15.79	30.11	3	Vertical	208	1.04	-	28.10
AV	2.3898G	45.73	54.00	-8.27	30.11	3	Vertical	208	1.04	-	15.62
PK	2.4362G	119.42	Inf	-Inf	30.26	3	Vertical	208	1.04	-	89.16
AV	2.4362G	115.44	Inf	-Inf	30.26	3	Vertical	208	1.04	-	85.18
PK	2.4842G	60.01	74.00	-13.99	30.48	3	Vertical	208	1.04	-	29.53
AV	2.4838G	47.60	54.00	-6.40	30.48	3	Vertical	208	1.04	-	17.12

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3706G	55.83	74.00	-18.17	30.13	3	Horizontal	1	1.50	-	25.70
AV	2.3898G	43.63	54.00	-10.37	30.11	3	Horizontal	1	1.50	-	13.52
PK	2.4362G	114.35	Inf	-Inf	30.26	3	Horizontal	1	1.50	-	84.09
AV	2.4354G	110.45	Inf	-Inf	30.26	3	Horizontal	1	1.50	-	80.19
PK	2.485G	56.31	74.00	-17.69	30.48	3	Horizontal	1	1.50	-	25.83
AV	2.4835G	44.62	54.00	-9.38	30.47	3	Horizontal	1	1.50	-	14.15

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2437MHz_TX




EUT Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87402G	56.40	74.00	-17.60	3.73	3	Vertical	82	1.12	-	52.67
AV	4.874G	53.77	54.00	-0.23	3.73	3	Vertical	82	1.12	-	50.04
PK	7.30944G	51.30	74.00	-22.70	9.59	3	Vertical	94	2.06	-	41.71
AV	7.31016G	40.24	54.00	-13.76	9.59	3	Vertical	94	2.06	-	30.65

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2437MHz_TX




EUT Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87394G	51.67	74.00	-22.33	3.73	3	Horizontal	165	1.30	-	47.94
AV	4.87398G	47.75	54.00	-6.25	3.73	3	Horizontal	165	1.30	-	44.02
PK	7.3124G	50.92	74.00	-23.08	9.59	3	Horizontal	142	1.50	-	41.33
AV	7.3102G	38.06	54.00	-15.94	9.59	3	Horizontal	142	1.50	-	28.47

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2462MHz_TX




EUT Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	58.29	74.00	-15.71	30.11	3	Vertical	102	2.89	-	28.18
AV	2.3822G	45.46	54.00	-8.54	30.12	3	Vertical	102	2.89	-	15.34
PK	2.4632G	118.66	Inf	-Inf	30.38	3	Vertical	102	2.89	-	88.28
AV	2.4614G	114.69	Inf	-Inf	30.38	3	Vertical	102	2.89	-	84.31
PK	2.4842G	62.94	74.00	-11.06	30.48	3	Vertical	102	2.89	-	32.46
AV	2.4835G	50.68	54.00	-3.32	30.47	3	Vertical	102	2.89	-	20.21

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	57.67	74.00	-16.33	30.11	3	Horizontal	40	2.32	-	27.56
AV	2.3894G	45.16	54.00	-8.84	30.11	3	Horizontal	40	2.32	-	15.05
PK	2.4632G	117.47	Inf	-Inf	30.38	3	Horizontal	40	2.32	-	87.09
AV	2.4602G	113.29	Inf	-Inf	30.37	3	Horizontal	40	2.32	-	82.92
PK	2.4835G	65.03	74.00	-8.97	30.47	3	Horizontal	40	2.32	-	34.56
AV	2.4835G	52.63	54.00	-1.37	30.47	3	Horizontal	40	2.32	-	22.16

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2462MHz_TX




EUT Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92404G	56.07	74.00	-17.93	3.92	3	Vertical	41	1.02	-	52.15
AV	4.92398G	53.53	54.00	-0.47	3.92	3	Vertical	41	1.02	-	49.61
PK	7.3856G	52.54	74.00	-21.46	9.61	3	Vertical	77	2.12	-	42.93
AV	7.3852G	41.35	54.00	-12.65	9.61	3	Vertical	77	2.12	-	31.74

802.11b_Nss1,(1Mbps)_4TX

15/11/2019

2462MHz_TX




EUT Y_4TX
Setting 21.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92398G	53.36	74.00	-20.64	3.92	3	Horizontal	160	1.13	-	49.44
AV	4.92398G	49.98	54.00	-4.02	3.92	3	Horizontal	160	1.13	-	46.06
PK	7.38432G	52.16	74.00	-21.84	9.60	3	Horizontal	201	1.50	-	42.56
AV	7.3852G	40.54	54.00	-13.46	9.61	3	Horizontal	201	1.50	-	30.93

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2412MHz_TX




EUT_Y_4TX
Setting 20
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	71.06	74.00	-2.94	30.11	3	Vertical	180	1.91	-	40.95
AV	2.3898G	49.44	54.00	-4.56	30.11	3	Vertical	180	1.91	-	19.33
PK	2.418G	119.71	Inf	-Inf	30.18	3	Vertical	180	1.91	-	89.53
AV	2.4186G	109.08	Inf	-Inf	30.18	3	Vertical	180	1.91	-	78.90
PK	2.4846G	57.69	74.00	-16.31	30.48	3	Vertical	180	1.91	-	27.21
AV	2.4835G	45.56	54.00	-8.44	30.47	3	Vertical	180	1.91	-	15.09

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2412MHz_TX




EUT_Y_4TX
Setting 20
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	67.71	74.00	-6.29	30.11	3	Horizontal	23	1.50	-	37.60
AV	2.3898G	49.02	54.00	-4.98	30.11	3	Horizontal	23	1.50	-	18.91
PK	2.418G	116.14	Inf	-Inf	30.18	3	Horizontal	23	1.50	-	85.96
AV	2.4174G	105.50	Inf	-Inf	30.18	3	Horizontal	23	1.50	-	75.32
PK	2.4835G	56.35	74.00	-17.65	30.47	3	Horizontal	23	1.50	-	25.88
AV	2.484G	44.33	54.00	-9.67	30.48	3	Horizontal	23	1.50	-	13.85

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
Setting 20
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8228G	52.30	74.00	-21.70	3.47	3	Vertical	84	2.11	-	48.83
AV	4.8257G	36.54	54.00	-17.46	3.48	3	Vertical	84	2.11	-	33.06

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
Setting 20
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8251G	46.57	74.00	-27.43	3.48	3	Horizontal	75	1.50	-	43.09
AV	4.8244G	32.39	54.00	-21.61	3.48	3	Horizontal	75	1.50	-	28.91

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2417MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	72.39	74.00	-1.61	30.11	3	Vertical	199	2.09	-	42.28
AV	2.3888G	53.57	54.00	-0.43	30.11	3	Vertical	199	2.09	-	23.46
PK	2.4158G	121.39	Inf	-Inf	30.17	3	Vertical	199	2.09	-	91.22
AV	2.4158G	111.23	Inf	-Inf	30.17	3	Vertical	199	2.09	-	81.06
PK	2.4848G	59.90	74.00	-14.10	30.48	3	Vertical	199	2.09	-	29.42
AV	2.4842G	46.83	54.00	-7.17	30.48	3	Vertical	199	2.09	-	16.35

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2417MHz_TX




EUT Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.27	74.00	-0.73	30.11	3	Horizontal	136	2.04	-	43.16
AV	2.39G	51.88	54.00	-2.12	30.11	3	Horizontal	136	2.04	-	21.77
PK	2.423G	119.70	Inf	-Inf	30.20	3	Horizontal	136	2.04	-	89.50
AV	2.4224G	109.27	Inf	-Inf	30.20	3	Horizontal	136	2.04	-	79.07
PK	2.4884G	58.33	74.00	-15.67	30.49	3	Horizontal	136	2.04	-	27.84
AV	2.4842G	45.54	54.00	-8.46	30.48	3	Horizontal	136	2.04	-	15.06

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	69.69	74.00	-4.31	30.11	3	Vertical	338	1.45	-	39.58
AV	2.386G	48.57	54.00	-5.43	30.11	3	Vertical	338	1.45	-	18.46
PK	2.4448G	120.72	Inf	-Inf	30.30	3	Vertical	338	1.45	-	90.42
AV	2.4442G	110.17	Inf	-Inf	30.30	3	Vertical	338	1.45	-	79.87
PK	2.4862G	68.89	74.00	-5.11	30.48	3	Vertical	338	1.45	-	38.41
AV	2.4838G	50.28	54.00	-3.72	30.48	3	Vertical	338	1.45	-	19.80

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	65.78	74.00	-8.22	30.11	3	Horizontal	46	1.45	-	35.67
AV	2.3896G	48.66	54.00	-5.34	30.11	3	Horizontal	46	1.45	-	18.55
PK	2.4352G	122.53	Inf	-Inf	30.26	3	Horizontal	46	1.45	-	92.27
AV	2.4346G	112.10	Inf	-Inf	30.26	3	Horizontal	46	1.45	-	81.84
PK	2.4862G	67.62	74.00	-6.38	30.48	3	Horizontal	46	1.45	-	37.14
AV	2.4835G	50.46	54.00	-3.54	30.47	3	Horizontal	46	1.45	-	19.99

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2437MHz_TX




EUT Y_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8728G	60.32	74.00	-13.68	3.72	3	Vertical	74	1.00	-	56.60
AV	4.8728G	44.90	54.00	-9.10	3.72	3	Vertical	74	1.00	-	41.18
PK	7.3093G	55.87	74.00	-18.13	9.59	3	Vertical	91	1.85	-	46.28
AV	7.3084G	41.77	54.00	-12.23	9.59	3	Vertical	91	1.85	-	32.18

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8729G	54.56	74.00	-19.44	3.72	3	Horizontal	160	1.02	-	50.84
AV	4.8718G	39.67	54.00	-14.33	3.72	3	Horizontal	160	1.02	-	35.95
PK	7.3003G	56.16	74.00	-17.84	9.58	3	Horizontal	209	1.49	-	46.58
AV	7.3053G	41.54	54.00	-12.46	9.59	3	Horizontal	209	1.49	-	31.95

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2457MHz_TX




EUT_Y_4TX
Setting 19.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	57.92	74.00	-16.08	30.11	3	Vertical	351	1.63	-	27.81
AV	2.3886G	45.19	54.00	-8.81	30.11	3	Vertical	351	1.63	-	15.08
PK	2.4528G	119.48	Inf	-Inf	30.34	3	Vertical	351	1.63	-	89.14
AV	2.4522G	108.15	Inf	-Inf	30.34	3	Vertical	351	1.63	-	77.81
PK	2.4835G	71.21	74.00	-2.79	30.47	3	Vertical	351	1.63	-	40.74
AV	2.4835G	51.56	54.00	-2.44	30.47	3	Vertical	351	1.63	-	21.09

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2457MHz_TX




EUT_Y_4TX
Setting 19.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3784G	57.25	74.00	-16.75	30.12	3	Horizontal	39	1.26	-	27.13
AV	2.3898G	44.99	54.00	-9.01	30.11	3	Horizontal	39	1.26	-	14.88
PK	2.4552G	119.27	Inf	-Inf	30.35	3	Horizontal	39	1.26	-	88.92
AV	2.4546G	108.40	Inf	-Inf	30.35	3	Horizontal	39	1.26	-	78.05
PK	2.484G	72.55	74.00	-1.45	30.48	3	Horizontal	39	1.26	-	42.07
AV	2.4835G	52.09	54.00	-1.91	30.47	3	Horizontal	39	1.26	-	21.62

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3816G	58.13	74.00	-15.87	30.12	3	Vertical	318	1.15	-	28.01
AV	2.3852G	44.81	54.00	-9.19	30.11	3	Vertical	318	1.15	-	14.70
PK	2.4644G	117.54	Inf	-Inf	30.39	3	Vertical	318	1.15	-	87.15
AV	2.465G	107.02	Inf	-Inf	30.39	3	Vertical	318	1.15	-	76.63
PK	2.486G	70.56	74.00	-3.44	30.48	3	Vertical	318	1.15	-	40.08
AV	2.4842G	51.19	54.00	-2.81	30.48	3	Vertical	318	1.15	-	20.71

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3828G	56.47	74.00	-17.53	30.12	3	Horizontal	41	1.05	-	26.35
AV	2.3894G	44.48	54.00	-9.52	30.11	3	Horizontal	41	1.05	-	14.37
PK	2.4638G	118.46	Inf	-Inf	30.39	3	Horizontal	41	1.05	-	88.07
AV	2.4638G	108.29	Inf	-Inf	30.39	3	Horizontal	41	1.05	-	77.90
PK	2.4842G	71.70	74.00	-2.30	30.48	3	Horizontal	41	1.05	-	41.22
AV	2.4835G	53.12	54.00	-0.88	30.47	3	Horizontal	41	1.05	-	22.65

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9224G	52.14	74.00	-21.86	3.91	3	Vertical	78	1.01	-	48.23
AV	4.9238G	37.30	54.00	-16.70	3.92	3	Vertical	78	1.01	-	33.38
PK	7.38274G	51.82	74.00	-22.18	9.60	3	Vertical	121	2.47	-	42.22
AV	7.38152G	37.45	54.00	-16.55	9.60	3	Vertical	121	2.47	-	27.85

802.11g_Nss1,(6Mbps)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19.5
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9231G	48.20	74.00	-25.80	3.92	3	Horizontal	354	2.15	-	44.28
AV	4.9238G	34.47	54.00	-19.53	3.92	3	Horizontal	354	2.15	-	30.55
PK	7.38492G	51.67	74.00	-22.33	9.60	3	Horizontal	209	1.50	-	42.07
AV	7.38414G	37.58	54.00	-16.42	9.60	3	Horizontal	209	1.50	-	27.98

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT_Y_4TX
 Setting 20
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	69.55	74.00	-4.45	30.11	3	Vertical	82	1.18	-	39.44
AV	2.3892G	50.39	54.00	-3.61	30.11	3	Vertical	82	1.18	-	20.28
PK	2.415G	116.29	Inf	-Inf	30.17	3	Vertical	82	1.18	-	86.12
AV	2.4186G	106.66	Inf	-Inf	30.18	3	Vertical	82	1.18	-	76.48
PK	2.4835G	56.69	74.00	-17.31	30.47	3	Vertical	82	1.18	-	26.22
AV	2.4882G	45.56	54.00	-8.44	30.49	3	Vertical	82	1.18	-	15.07

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
Setting 20
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.86	74.00	-3.14	30.11	3	Horizontal	40	2.11	-	40.75
AV	2.3898G	52.90	54.00	-1.10	30.11	3	Horizontal	40	2.11	-	22.79
PK	2.4156G	115.89	Inf	-Inf	30.17	3	Horizontal	40	2.11	-	85.72
AV	2.4186G	105.50	Inf	-Inf	30.18	3	Horizontal	40	2.11	-	75.32
PK	2.4852G	56.97	74.00	-17.03	30.48	3	Horizontal	40	2.11	-	26.49
AV	2.4846G	46.18	54.00	-7.82	30.48	3	Horizontal	40	2.11	-	15.70

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
Setting 20
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8275G	53.99	74.00	-20.01	3.49	3	Vertical	80	2.12	-	50.50
AV	4.8244G	38.11	54.00	-15.89	3.48	3	Vertical	80	2.12	-	34.63

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
 Setting 20
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8271G	48.21	74.00	-25.79	3.49	3	Horizontal	227	1.00	-	44.72
AV	4.8231G	34.21	54.00	-19.79	3.47	3	Horizontal	227	1.00	-	30.74

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2417MHz_TX




EUT_Y_4TX
Setting 22
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	71.91	74.00	-2.09	30.11	3	Vertical	92	1.89	-	41.80
AV	2.39G	53.70	54.00	-0.30	30.11	3	Vertical	92	1.89	-	23.59
PK	2.4182G	118.73	Inf	-Inf	30.18	3	Vertical	92	1.89	-	88.55
AV	2.4224G	107.62	Inf	-Inf	30.20	3	Vertical	92	1.89	-	77.42

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2417MHz_TX




EUT_Y_4TX
Setting 22
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	73.79	74.00	-0.21	30.11	3	Horizontal	43	2.12	-	43.68
AV	2.3896G	53.32	54.00	-0.68	30.11	3	Horizontal	43	2.12	-	23.21
PK	2.419G	118.71	Inf	-Inf	30.19	3	Horizontal	43	2.12	-	88.52
AV	2.4192G	108.62	Inf	-Inf	30.19	3	Horizontal	43	2.12	-	78.43

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	67.08	74.00	-6.92	30.11	3	Vertical	206	1.04	-	36.97
AV	2.39G	51.35	54.00	-2.65	30.11	3	Vertical	206	1.04	-	21.24
PK	2.4346G	122.26	Inf	-Inf	30.26	3	Vertical	206	1.04	-	92.00
AV	2.4346G	112.51	Inf	-Inf	30.26	3	Vertical	206	1.04	-	82.25
PK	2.4874G	69.28	74.00	-4.72	30.49	3	Vertical	206	1.04	-	38.79
AV	2.4835G	52.60	54.00	-1.40	30.47	3	Vertical	206	1.04	-	22.13

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
 Setting 25
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	67.25	74.00	-6.75	30.11	3	Horizontal	33	1.49	-	37.14
AV	2.3896G	49.42	54.00	-4.58	30.11	3	Horizontal	33	1.49	-	19.31
PK	2.4292G	120.43	Inf	-Inf	30.23	3	Horizontal	33	1.49	-	90.20
AV	2.4436G	109.69	Inf	-Inf	30.29	3	Horizontal	33	1.49	-	79.40
PK	2.4838G	65.40	74.00	-8.60	30.48	3	Horizontal	33	1.49	-	34.92
AV	2.4835G	50.93	54.00	-3.07	30.47	3	Horizontal	33	1.49	-	20.46

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8665G	59.25	74.00	-14.75	3.69	3	Vertical	79	1.09	-	55.56
AV	4.8734G	45.32	54.00	-8.68	3.72	3	Vertical	79	1.09	-	41.60
PK	7.299G	53.83	74.00	-20.17	9.58	3	Vertical	90	1.88	-	44.25
AV	7.3057G	40.59	54.00	-13.41	9.59	3	Vertical	90	1.88	-	31.00

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 25
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8733G	52.90	74.00	-21.10	3.72	3	Horizontal	232	1.42	-	49.18
AV	4.8734G	39.49	54.00	-14.51	3.72	3	Horizontal	232	1.42	-	35.77
PK	7.303G	54.80	74.00	-19.20	9.58	3	Horizontal	202	1.56	-	45.22
AV	7.2975G	40.94	54.00	-13.06	9.57	3	Horizontal	202	1.56	-	31.37

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2457MHz_TX




EUT_Y_4TX
Setting 20.5
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4598G	116.77	Inf	-Inf	30.37	3	Vertical	198	1.84	-	86.40
AV	2.4638G	105.86	Inf	-Inf	30.39	3	Vertical	198	1.84	-	75.47
PK	2.4836G	69.82	74.00	-4.18	30.47	3	Vertical	198	1.84	-	39.35
AV	2.4835G	53.53	54.00	-0.47	30.47	3	Vertical	198	1.84	-	23.06

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2457MHz_TX




EUT_Y_4TX
Setting 20.5
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4552G	116.29	Inf	-Inf	30.35	3	Horizontal	155	1.46	-	85.94
AV	2.4548G	105.62	Inf	-Inf	30.35	3	Horizontal	155	1.46	-	75.27
PK	2.484G	66.64	74.00	-7.36	30.48	3	Horizontal	155	1.46	-	36.16
AV	2.4838G	51.21	54.00	-2.79	30.48	3	Horizontal	155	1.46	-	20.73

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT Y_4TX
 Setting 19.5
 04-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4654G	116.31	Inf	-Inf	30.39	3	Vertical	184	1.83	-	85.92
AV	2.4666G	104.88	Inf	-Inf	30.40	3	Vertical	184	1.83	-	74.48
PK	2.4856G	69.85	74.00	-4.15	30.48	3	Vertical	184	1.83	-	39.37
AV	2.483501G	53.32	54.00	-0.68	30.47	3	Vertical	184	1.83	-	22.85

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19.5
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4558G	115.77	Inf	-Inf	30.35	3	Horizontal	53	1.38	-	85.42
AV	2.4556G	105.04	Inf	-Inf	30.35	3	Horizontal	53	1.38	-	74.69
PK	2.4836G	73.13	74.00	-0.87	30.47	3	Horizontal	53	1.38	-	42.66
AV	2.4842G	52.12	54.00	-1.88	30.48	3	Horizontal	53	1.38	-	21.64

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT Y_4TX
Setting 19.5
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92946G	55.33	74.00	-18.67	3.93	3	Vertical	80	1.05	-	51.40
AV	4.92526G	39.73	54.00	-14.27	3.92	3	Vertical	80	1.05	-	35.81

VHT20_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT Y_4TX
 Setting 19.5
 04-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92466G	49.94	74.00	-24.06	3.92	3	Horizontal	0	1.93	-	46.02
AV	4.92346G	36.20	54.00	-17.80	3.92	3	Horizontal	0	1.93	-	32.28

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT_Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	68.31	74.00	-5.69	30.11	3	Vertical	93	1.09	-	38.20
AV	2.3896G	53.72	54.00	-0.28	30.11	3	Vertical	93	1.09	-	23.61
PK	2.4296G	112.29	Inf	-Inf	30.23	3	Vertical	93	1.09	-	82.06
AV	2.4252G	103.17	Inf	-Inf	30.21	3	Vertical	93	1.09	-	72.96
PK	2.4835G	58.47	74.00	-15.53	30.47	3	Vertical	93	1.09	-	28.00
AV	2.4856G	47.08	54.00	-6.92	30.48	3	Vertical	93	1.09	-	16.60

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT_Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	69.54	74.00	-4.46	30.11	3	Horizontal	58	1.08	-	39.43
AV	2.3868G	53.38	54.00	-0.62	30.11	3	Horizontal	58	1.08	-	23.27
PK	2.4288G	112.05	Inf	-Inf	30.23	3	Horizontal	58	1.08	-	81.82
AV	2.43G	103.46	Inf	-Inf	30.24	3	Horizontal	58	1.08	-	73.22
PK	2.4868G	58.29	74.00	-15.71	30.49	3	Horizontal	58	1.08	-	27.80
AV	2.484G	47.15	54.00	-6.85	30.48	3	Horizontal	58	1.08	-	16.67

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84156G	50.44	74.00	-23.56	3.57	3	Vertical	88	1.00	-	46.87
AV	4.84276G	38.01	54.00	-15.99	3.57	3	Vertical	88	1.00	-	34.44

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84404G	45.07	74.00	-28.93	3.58	3	Horizontal	296	1.52	-	41.49
AV	4.84484G	34.19	54.00	-19.81	3.58	3	Horizontal	296	1.52	-	30.61

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 20.5
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	73.73	74.00	-0.27	30.11	3	Vertical	99	1.92	-	43.62
AV	2.3866G	53.37	54.00	-0.63	30.11	3	Vertical	99	1.92	-	23.26
PK	2.4286G	116.15	Inf	-Inf	30.22	3	Vertical	99	1.92	-	85.93
AV	2.4298G	105.58	Inf	-Inf	30.23	3	Vertical	99	1.92	-	75.35
PK	2.4902G	69.22	74.00	-4.78	30.51	3	Vertical	99	1.92	-	38.71
AV	2.4835G	51.63	54.00	-2.37	30.47	3	Vertical	99	1.92	-	21.16

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 20.5
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	71.46	74.00	-2.54	30.11	3	Horizontal	33	1.86	-	41.35
AV	2.3882G	52.01	54.00	-1.99	30.11	3	Horizontal	33	1.86	-	21.90
PK	2.4326G	114.33	Inf	-Inf	30.25	3	Horizontal	33	1.86	-	84.08
AV	2.4406G	104.29	Inf	-Inf	30.28	3	Horizontal	33	1.86	-	74.01
PK	2.4838G	68.48	74.00	-5.52	30.48	3	Horizontal	33	1.86	-	38.00
AV	2.4835G	52.07	54.00	-1.93	30.47	3	Horizontal	33	1.86	-	21.60

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT Y_4TX
 Setting 20.5
 04-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87192G	53.67	74.00	-20.33	3.72	3	Vertical	84	1.09	-	49.95
AV	4.87544G	41.30	54.00	-12.70	3.73	3	Vertical	84	1.09	-	37.57

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT Y_4TX
Setting 20.5
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.869G	47.14	74.00	-26.86	3.70	3	Horizontal	232	1.35	-	43.44
AV	4.88144G	35.72	54.00	-18.28	3.76	3	Horizontal	232	1.35	-	31.96

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT_Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	60.19	74.00	-13.81	30.12	3	Vertical	319	1.04	-	30.07
AV	2.3848G	46.48	54.00	-7.52	30.12	3	Vertical	319	1.04	-	16.36
PK	2.4448G	113.39	Inf	-Inf	30.30	3	Vertical	319	1.04	-	83.09
AV	2.4444G	103.10	Inf	-Inf	30.30	3	Vertical	319	1.04	-	72.80
PK	2.4835G	71.24	74.00	-2.76	30.47	3	Vertical	319	1.04	-	40.77
AV	2.4848G	53.78	54.00	-0.22	30.48	3	Vertical	319	1.04	-	23.30

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT_Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	58.59	74.00	-15.41	30.11	3	Horizontal	31	1.50	-	28.48
AV	2.3892G	46.04	54.00	-7.96	30.11	3	Horizontal	31	1.50	-	15.93
PK	2.4444G	112.20	Inf	-Inf	30.30	3	Horizontal	31	1.50	-	81.90
AV	2.444G	102.35	Inf	-Inf	30.30	3	Horizontal	31	1.50	-	72.05
PK	2.4852G	69.35	74.00	-4.65	30.48	3	Horizontal	31	1.50	-	38.87
AV	2.4868G	53.27	54.00	-0.73	30.49	3	Horizontal	31	1.50	-	22.78

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90456G	50.34	74.00	-23.66	3.86	3	Vertical	88	1.10	-	46.48
AV	4.90276G	39.23	54.00	-14.77	3.86	3	Vertical	88	1.10	-	35.37

VHT40_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX



EUT Y_4TX
Setting 18
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90592G	46.22	74.00	-27.78	3.86	3	Horizontal	344	1.52	-	42.36
AV	4.90584G	35.55	54.00	-18.45	3.86	3	Horizontal	344	1.52	-	31.69



For beamforming mode:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
VHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	2.485G	73.83	74.00	-0.17	30.48	3	Horizontal	53	1.66	-

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT_Y_4TX
Setting 19
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	67.38	74.00	-6.62	30.11	3	Vertical	217	1.89	-	37.27
AV	2.3898G	49.65	54.00	-4.35	30.11	3	Vertical	217	1.89	-	19.54
PK	2.4188G	119.92	Inf	-Inf	30.19	3	Vertical	217	1.89	-	89.73
AV	2.4148G	109.51	Inf	-Inf	30.17	3	Vertical	217	1.89	-	79.34

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT_Y_4TX
Setting 19
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.98	74.00	-3.02	30.11	3	Horizontal	141	2.13	-	40.87
AV	2.39G	53.17	54.00	-0.83	30.11	3	Horizontal	141	2.13	-	23.06
PK	2.4184G	118.37	Inf	-Inf	30.18	3	Horizontal	141	2.13	-	88.19
AV	2.4196G	108.40	Inf	-Inf	30.19	3	Horizontal	141	2.13	-	78.21

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
 Setting 19
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8222G	52.86	74.00	-21.14	3.47	3	Vertical	66	2.09	-	49.39
AV	4.8242G	44.99	54.00	-9.01	3.48	3	Vertical	66	2.09	-	41.51

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2412MHz_TX




EUT Y_4TX
 Setting 19
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8364G	52.20	74.00	-21.80	3.54	3	Horizontal	226	2.00	-	48.66
AV	4.824G	36.55	54.00	-17.45	3.48	3	Horizontal	226	2.00	-	33.07

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2417MHz_TX




EUT_Y_4TX
Setting 21
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	69.64	74.00	-4.36	30.11	3	Vertical	334	1.15	-	39.53
AV	2.3894G	51.54	54.00	-2.46	30.11	3	Vertical	334	1.15	-	21.43
PK	2.4232G	121.02	Inf	-Inf	30.20	3	Vertical	334	1.15	-	90.82
AV	2.4216G	110.63	Inf	-Inf	30.20	3	Vertical	334	1.15	-	80.43

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2417MHz_TX




EUT_Y_4TX
 Setting 21
 04-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	73.80	74.00	-0.20	30.11	3	Horizontal	60	2.12	-	43.69
AV	2.3894G	52.30	54.00	-1.70	30.11	3	Horizontal	60	2.12	-	22.19
PK	2.4116G	118.37	Inf	-Inf	30.16	3	Horizontal	60	2.12	-	88.21
AV	2.4156G	112.18	Inf	-Inf	30.17	3	Horizontal	60	2.12	-	82.01

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	63.02	74.00	-10.98	30.11	3	Vertical	332	1.36	-	32.91
AV	2.3898G	47.94	54.00	-6.06	30.11	3	Vertical	332	1.36	-	17.83
PK	2.4318G	123.75	Inf	-Inf	30.25	3	Vertical	332	1.36	-	93.50
AV	2.4294G	113.27	Inf	-Inf	30.23	3	Vertical	332	1.36	-	83.04
PK	2.4838G	65.69	74.00	-8.31	30.48	3	Vertical	332	1.36	-	35.21
AV	2.4842G	49.40	54.00	-4.60	30.48	3	Vertical	332	1.36	-	18.92

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	62.31	74.00	-11.69	30.11	3	Horizontal	47	1.08	-	32.20
AV	2.3898G	47.53	54.00	-6.47	30.11	3	Horizontal	47	1.08	-	17.42
PK	2.4318G	122.05	Inf	-Inf	30.25	3	Horizontal	47	1.08	-	91.80
AV	2.4362G	116.35	Inf	-Inf	30.26	3	Horizontal	47	1.08	-	86.09
PK	2.4854G	67.28	74.00	-6.72	30.48	3	Horizontal	47	1.08	-	36.80
AV	2.4838G	49.39	54.00	-4.61	30.48	3	Horizontal	47	1.08	-	18.91

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87332G	56.20	74.00	-17.80	3.72	3	Vertical	91	1.08	-	52.48
AV	4.87388G	53.41	54.00	-0.59	3.73	3	Vertical	91	1.08	-	49.68
PK	7.2944G	54.33	74.00	-19.67	9.56	3	Vertical	4	2.79	-	44.77
AV	7.31G	41.76	54.00	-12.24	9.59	3	Vertical	4	2.79	-	32.17

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 23
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8614G	51.99	74.00	-22.01	3.66	3	Horizontal	231	1.21	-	48.33
AV	4.8742G	40.36	54.00	-13.64	3.73	3	Horizontal	231	1.21	-	36.63
PK	7.2988G	54.52	74.00	-19.48	9.58	3	Horizontal	167	1.38	-	44.94
AV	7.3012G	41.45	54.00	-12.55	9.58	3	Horizontal	167	1.38	-	31.87

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2457MHz_TX




EUT_Y_4TX
Setting 21
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4634G	120.52	Inf	-Inf	30.38	3	Vertical	358	1.80	-	90.14
AV	2.4626G	109.98	Inf	-Inf	30.38	3	Vertical	358	1.80	-	79.60
PK	2.4844G	70.32	74.00	-3.68	30.48	3	Vertical	358	1.80	-	39.84
AV	2.4835G	51.47	54.00	-2.53	30.47	3	Vertical	358	1.80	-	21.00

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2457MHz_TX




EUT_Y_4TX
Setting 21
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4494G	120.86	Inf	-Inf	30.32	3	Horizontal	38	2.02	-	90.54
AV	2.4492G	111.25	Inf	-Inf	30.32	3	Horizontal	38	2.02	-	80.93
PK	2.4842G	73.70	74.00	-0.30	30.48	3	Horizontal	38	2.02	-	43.22
AV	2.4835G	53.46	54.00	-0.54	30.47	3	Horizontal	38	2.02	-	22.99

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4632G	118.76	Inf	-Inf	30.38	3	Vertical	357	1.21	-	88.38
AV	2.467G	108.17	Inf	-Inf	30.40	3	Vertical	357	1.21	-	77.77
PK	2.4835G	70.06	74.00	-3.94	30.47	3	Vertical	357	1.21	-	39.59
AV	2.4835G	50.83	54.00	-3.17	30.47	3	Vertical	357	1.21	-	20.36

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19
04-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.455G	117.05	Inf	-Inf	30.35	3	Horizontal	30	2.02	-	86.70
AV	2.4542G	107.18	Inf	-Inf	30.35	3	Horizontal	30	2.02	-	76.83
PK	2.4836G	73.65	74.00	-0.35	30.47	3	Horizontal	30	2.02	-	43.18
AV	2.4838G	50.78	54.00	-3.22	30.48	3	Horizontal	30	2.02	-	20.30

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9186G	54.77	74.00	-19.23	3.91	3	Vertical	86	2.53	-	50.86
AV	4.924G	40.38	54.00	-13.62	3.92	3	Vertical	86	2.53	-	36.46
PK	7.38202G	51.93	74.00	-22.07	9.60	3	Vertical	348	1.99	-	42.33
AV	7.38168G	37.80	54.00	-16.20	9.60	3	Vertical	348	1.99	-	28.20

VHT20-BF_Nss1,(MCS0)_4TX

15/11/2019

2462MHz_TX




EUT_Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.924G	47.77	74.00	-26.23	3.92	3	Horizontal	154	1.79	-	43.85
AV	4.9238G	41.02	54.00	-12.98	3.92	3	Horizontal	154	1.79	-	37.10
PK	7.3992G	52.69	74.00	-21.31	9.60	3	Horizontal	52	1.50	-	43.09
AV	7.4006G	38.19	54.00	-15.81	9.60	3	Horizontal	52	1.50	-	28.59

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT_Y_4TX
 Setting 19
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3832G	71.21	74.00	-2.79	30.12	3	Vertical	202	1.71	-	41.09
AV	2.3892G	52.55	54.00	-1.45	30.11	3	Vertical	202	1.71	-	22.44
PK	2.4244G	117.91	Inf	-Inf	30.21	3	Vertical	202	1.71	-	87.70
AV	2.4144G	105.86	Inf	-Inf	30.17	3	Vertical	202	1.71	-	75.69
PK	2.4852G	61.51	74.00	-12.49	30.48	3	Vertical	202	1.71	-	31.03
AV	2.4844G	46.81	54.00	-7.19	30.48	3	Vertical	202	1.71	-	16.33

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT_Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.382G	68.53	74.00	-5.47	30.12	3	Horizontal	143	1.93	-	38.41
AV	2.39G	52.47	54.00	-1.53	30.11	3	Horizontal	143	1.93	-	22.36
PK	2.4292G	115.12	Inf	-Inf	30.23	3	Horizontal	143	1.93	-	84.89
AV	2.4292G	103.49	Inf	-Inf	30.23	3	Horizontal	143	1.93	-	73.26
PK	2.4835G	58.34	74.00	-15.66	30.47	3	Horizontal	143	1.93	-	27.87
AV	2.4835G	44.82	54.00	-9.18	30.47	3	Horizontal	143	1.93	-	14.35

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT Y_4TX
 Setting 19
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8384G	49.85	74.00	-24.15	3.55	3	Vertical	228	1.92	-	46.30
AV	4.8238G	33.79	54.00	-20.21	3.48	3	Vertical	228	1.92	-	30.31

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2422MHz_TX




EUT Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8414G	50.59	74.00	-23.41	3.57	3	Horizontal	226	1.99	-	47.02
AV	4.8408G	34.32	54.00	-19.68	3.56	3	Horizontal	226	1.99	-	30.76

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
Setting 20
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	70.70	74.00	-3.30	30.11	3	Vertical	331	1.92	-	40.59
AV	2.39G	52.68	54.00	-1.32	30.11	3	Vertical	331	1.92	-	22.57
PK	2.4286G	118.07	Inf	-Inf	30.22	3	Vertical	331	1.92	-	87.85
AV	2.4244G	109.61	Inf	-Inf	30.21	3	Vertical	331	1.92	-	79.40
PK	2.4835G	69.64	74.00	-4.36	30.47	3	Vertical	331	1.92	-	39.17
AV	2.4844G	49.88	54.00	-4.12	30.48	3	Vertical	331	1.92	-	19.40

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
 Setting 20
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.87	74.00	-5.13	30.11	3	Horizontal	48	1.62	-	38.76
AV	2.39G	50.00	54.00	-4.00	30.11	3	Horizontal	48	1.62	-	19.89
PK	2.4316G	116.19	Inf	-Inf	30.25	3	Horizontal	48	1.62	-	85.94
AV	2.44G	105.81	Inf	-Inf	30.28	3	Horizontal	48	1.62	-	75.53
PK	2.4892G	68.98	74.00	-5.02	30.50	3	Horizontal	48	1.62	-	38.48
AV	2.4835G	50.94	54.00	-3.06	30.47	3	Horizontal	48	1.62	-	20.47

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
 Setting 20
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8538G	54.39	74.00	-19.61	3.63	3	Vertical	65	1.42	-	50.76
AV	4.8544G	44.57	54.00	-9.43	3.63	3	Vertical	65	1.42	-	40.94
PK	7.285G	52.34	74.00	-21.66	9.54	3	Vertical	334	2.97	-	42.80
AV	7.284G	38.59	54.00	-15.41	9.54	3	Vertical	334	2.97	-	29.05

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2437MHz_TX




EUT_Y_4TX
 Setting 20
 04-P-2
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.846G	51.46	74.00	-22.54	3.58	3	Horizontal	230	1.05	-	47.88
AV	4.854G	43.52	54.00	-10.48	3.63	3	Horizontal	230	1.05	-	39.89
PK	7.2868G	51.60	74.00	-22.40	9.55	3	Horizontal	54	2.93	-	42.05
AV	7.2856G	38.59	54.00	-15.41	9.54	3	Horizontal	54	2.93	-	29.05

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.38G	61.14	74.00	-12.86	30.12	3	Vertical	0	2.05	-	31.02
AV	2.3896G	44.77	54.00	-9.23	30.11	3	Vertical	0	2.05	-	14.66
PK	2.4628G	114.50	Inf	-Inf	30.38	3	Vertical	0	2.05	-	84.12
AV	2.446G	108.09	Inf	-Inf	30.30	3	Vertical	0	2.05	-	77.79
PK	2.4868G	72.44	74.00	-1.56	30.49	3	Vertical	0	2.05	-	41.95
AV	2.485G	51.98	54.00	-2.02	30.48	3	Vertical	0	2.05	-	21.50

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	62.68	74.00	-11.32	30.11	3	Horizontal	53	1.66	-	32.57
AV	2.39G	46.64	54.00	-7.36	30.11	3	Horizontal	53	1.66	-	16.53
PK	2.4388G	117.32	Inf	-Inf	30.28	3	Horizontal	53	1.66	-	87.04
AV	2.446G	109.49	Inf	-Inf	30.30	3	Horizontal	53	1.66	-	79.19
PK	2.485G	73.83	74.00	-0.17	30.48	3	Horizontal	53	1.66	-	43.35
AV	2.4835G	53.02	54.00	-0.98	30.47	3	Horizontal	53	1.66	-	22.55

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX




EUT_Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.895G	53.37	74.00	-20.63	3.83	3	Vertical	76	2.34	-	49.54
AV	4.8834G	43.84	54.00	-10.16	3.76	3	Vertical	76	2.34	-	40.08
PK	7.3672G	51.22	74.00	-22.78	9.59	3	Vertical	234	1.50	-	41.63
AV	7.37G	38.00	54.00	-16.00	9.59	3	Vertical	234	1.50	-	28.41

VHT40-BF_Nss1,(MCS0)_4TX

15/11/2019

2452MHz_TX



EUT Y_4TX
Setting 19
04-P-2
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.884G	50.33	74.00	-23.67	3.77	3	Horizontal	165	1.28	-	46.56
AV	4.876G	35.42	54.00	-18.58	3.73	3	Horizontal	165	1.28	-	31.69
PK	7.3654G	51.44	74.00	-22.56	9.59	3	Horizontal	302	1.50	-	41.85
AV	7.3602G	37.76	54.00	-16.24	9.60	3	Horizontal	302	1.50	-	28.16