


802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6855MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56722G	66.86	83.54	-16.68	63.45	1	Horizontal	320	1.63	-	38.33	15.24	50.16
AV	20.56344G	54.47	63.54	-9.07	51.06	1	Horizontal	320	1.63	-	38.33	15.24	50.16


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	121.63	Inf	-Inf	112.35	3	Vertical	67	2.26	-	36.53	5.77	33.02
RMS	6.8678G	110.38	Inf	-Inf	101.10	3	Vertical	67	2.26	-	36.53	5.77	33.02
PK	7.133G	62.82	88.20	-25.38	53.05	3	Vertical	67	2.26	-	36.96	5.97	33.16
RMS	7.1426G	50.72	68.20	-17.48	40.87	3	Vertical	67	2.26	-	37.04	5.97	33.16


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8666G	121.91	Inf	-Inf	112.63	3	Horizontal	110	1.66	-	36.53	5.77	33.02
RMS	6.8666G	109.62	Inf	-Inf	100.34	3	Horizontal	110	1.66	-	36.53	5.77	33.02
PK	7.1486G	63.44	88.20	-24.76	53.54	3	Horizontal	110	1.66	-	37.09	5.97	33.16
RMS	7.127G	50.81	68.20	-17.39	41.08	3	Horizontal	110	1.66	-	36.92	5.96	33.15


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7575G	63.24	88.20	-24.96	48.06	3	Vertical	305	1.89	-	40.46	8.65	33.93
RMS	13.75174G	50.63	68.20	-17.57	35.46	3	Vertical	305	1.89	-	40.45	8.65	33.93


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75348G	63.69	88.20	-24.51	48.52	3	Horizontal	306	1.31	-	40.45	8.65	33.93
RMS	13.7521G	50.24	68.20	-17.96	35.07	3	Horizontal	306	1.31	-	40.45	8.65	33.93


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61336G	64.29	83.54	-19.25	60.74	1	Vertical	16	1.35	-	38.43	15.25	50.13
AV	20.62098G	51.18	63.54	-12.36	47.61	1	Vertical	16	1.35	-	38.44	15.26	50.13


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63946G	64.82	83.54	-18.72	61.20	1	Horizontal	48.2	1.61	-	38.48	15.26	50.12
AV	20.63046G	51.45	63.54	-12.09	47.85	1	Horizontal	48.2	1.61	-	38.46	15.26	50.12


**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6895MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	124.41	Inf	-Inf	115.20	3	Vertical	43	1.28	-	36.45	5.79	33.03
RMS	6.8866G	112.59	Inf	-Inf	103.38	3	Vertical	43	1.28	-	36.45	5.79	33.03
PK	7.1338G	64.21	88.20	-23.99	54.43	3	Vertical	43	1.28	-	36.97	5.97	33.16
RMS	7.147G	51.33	68.20	-16.87	41.44	3	Vertical	43	1.28	-	37.08	5.97	33.16


**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6895MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8986G	124.29	Inf	-Inf	115.12	3	Horizontal	133	2.23	-	36.41	5.80	33.04
RMS	6.8986G	112.43	Inf	-Inf	103.26	3	Horizontal	133	2.23	-	36.41	5.80	33.04
PK	7.1674G	63.84	88.20	-24.36	53.86	3	Horizontal	133	2.23	-	37.17	5.98	33.17
RMS	7.1254G	51.03	68.20	-17.17	41.32	3	Horizontal	133	2.23	-	36.90	5.96	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6895MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79138G	68.13	88.20	-20.07	52.91	3	Vertical	2	2.51	-	40.49	8.64	33.91
RMS	13.78844G	54.94	68.20	-13.26	39.72	3	Vertical	2	2.51	-	40.49	8.64	33.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7891G	66.93	88.20	-21.27	51.71	3	Horizontal	258	1.75	-	40.49	8.64	33.91
RMS	13.7906G	54.79	68.20	-13.41	39.57	3	Horizontal	258	1.75	-	40.49	8.64	33.91

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6895MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69226G	62.28	83.54	-21.26	58.51	1	Vertical	354	1.50	-	38.58	15.27	50.08
AV	20.67936G	51.47	63.54	-12.07	47.73	1	Vertical	354	1.50	-	38.56	15.27	50.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67834G	65.37	83.54	-18.17	61.63	1	Horizontal	50	1.54	-	38.56	15.27	50.09
AV	20.6826G	53.78	63.54	-9.76	50.03	1	Horizontal	50	1.54	-	38.57	15.27	50.09


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6995MHz_TnomVnom



EUT_X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9926G	123.67	Inf	-Inf	114.25	3	Vertical	78	2.08	-	36.63	5.89	33.10
RMS	6.9902G	112.69	Inf	-Inf	103.26	3	Vertical	78	2.08	-	36.64	5.89	33.10
PK	7.127G	70.66	88.20	-17.54	60.93	3	Vertical	78	2.08	-	36.92	5.96	33.15
RMS	7.1282G	56.53	68.20	-11.67	46.79	3	Vertical	78	2.08	-	36.93	5.96	33.15
PK	7.2578G	63.50	74.00	-10.50	53.25	3	Vertical	78	2.08	-	37.42	6.03	33.20
AV	7.289G	50.79	54.00	-3.21	40.48	3	Vertical	78	2.08	-	37.48	6.04	33.21

**802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6995MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.989G	122.82	Inf	-Inf	113.39	3	Horizontal	108	2.38	-	36.64	5.89	33.10
RMS	7.001G	110.68	Inf	-Inf	101.29	3	Horizontal	108	2.38	-	36.60	5.90	33.11
PK	7.1258G	75.67	88.20	-12.53	65.95	3	Horizontal	108	2.38	-	36.91	5.96	33.15
RMS	7.127G	61.65	68.20	-6.55	51.92	3	Horizontal	108	2.38	-	36.92	5.96	33.15
PK	7.2542G	64.28	74.00	-9.72	54.04	3	Horizontal	108	2.38	-	37.41	6.03	33.20
AV	7.2518G	51.49	54.00	-2.51	41.26	3	Horizontal	108	2.38	-	37.40	6.03	33.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98292G	69.89	88.20	-18.31	54.24	3	Vertical	26	1.74	-	40.85	8.60	33.80
RMS	13.98874G	57.05	68.20	-11.15	41.38	3	Vertical	26	1.74	-	40.87	8.60	33.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98694G	69.58	88.20	-18.62	53.92	3	Horizontal	106	2.82	-	40.86	8.60	33.80
RMS	13.98946G	56.63	68.20	-11.57	40.96	3	Horizontal	106	2.82	-	40.87	8.60	33.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98056G	62.11	83.54	-21.43	58.34	1	Vertical	14	1.50	-	38.33	15.35	49.91
AV	20.98188G	49.78	63.54	-13.76	46.01	1	Vertical	14	1.50	-	38.33	15.35	49.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97504G	67.00	83.54	-16.54	63.23	1	Horizontal	319	1.50	-	38.34	15.34	49.91
AV	20.98068G	54.15	63.54	-9.39	50.38	1	Horizontal	319	1.50	-	38.33	15.35	49.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 102
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	122.16	Inf	-Inf	113.23	3	Vertical	45	1.79	-	35.77	8.20	35.04
RMS	7.0862G	112.59	Inf	-Inf	103.66	3	Vertical	45	1.79	-	35.77	8.20	35.04
PK	7.1274G	78.81	88.20	-9.39	69.71	3	Vertical	45	1.79	-	35.96	8.20	35.06
RMS	7.1254G	64.75	68.20	-3.45	55.66	3	Vertical	45	1.79	-	35.95	8.20	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 102
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.089G	122.81	Inf	-Inf	113.87	3	Horizontal	48	1.57	-	35.78	8.20	35.04
RMS	7.0898G	112.60	Inf	-Inf	103.66	3	Horizontal	48	1.57	-	35.78	8.20	35.04
PK	7.1258G	81.00	88.20	-7.20	71.91	3	Horizontal	48	1.57	-	35.95	8.20	35.06
RMS	7.125G	67.43	68.20	-0.77	58.34	3	Horizontal	48	1.57	-	35.95	8.20	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
 Setting 102
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17842G	67.45	88.20	-20.75	46.33	3	Vertical	317	2.91	-	41.58	12.49	32.95
RMS	14.1771G	54.70	68.20	-13.50	33.58	3	Vertical	317	2.91	-	41.58	12.49	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 102
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18844G	66.01	88.20	-22.19	44.90	3	Horizontal	36	1.86	-	41.59	12.49	32.97
RMS	14.19468G	53.61	68.20	-14.59	32.49	3	Horizontal	36	1.86	-	41.59	12.50	32.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28002G	71.84	83.54	-11.70	68.31	1	Vertical	10	1.53	-	38.07	15.42	49.96
AV	21.28848G	60.13	63.54	-3.41	56.58	1	Vertical	10	1.53	-	38.09	15.42	49.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29178G	67.07	83.54	-16.47	63.51	1	Horizontal	70	1.48	-	38.10	15.42	49.96
AV	21.294G	55.38	63.54	-8.16	51.81	1	Horizontal	70	1.48	-	38.11	15.42	49.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 92
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	80.20	88.20	-8.00	72.93	3	Vertical	64	1.06	-	34.70	7.52	34.95
RMS	5.9248G	67.14	68.20	-1.06	59.87	3	Vertical	64	1.06	-	34.70	7.52	34.95
PK	5.9512G	116.70	Inf	-Inf	109.31	3	Vertical	64	1.06	-	34.80	7.55	34.96
RMS	5.9584G	105.87	Inf	-Inf	98.47	3	Vertical	64	1.06	-	34.80	7.56	34.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT X_4TX
Setting 92
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	78.15	88.20	-10.05	70.89	3	Horizontal	88	1.74	-	34.69	7.52	34.95
RMS	5.9248G	66.90	68.20	-1.30	59.63	3	Horizontal	88	1.74	-	34.70	7.52	34.95
PK	5.9662G	120.39	Inf	-Inf	112.98	3	Horizontal	88	1.74	-	34.80	7.57	34.96
RMS	5.9722G	110.20	Inf	-Inf	102.79	3	Horizontal	88	1.74	-	34.80	7.57	34.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 92
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94134G	57.01	74.00	-16.99	42.10	3	Vertical	317	1.80	-	39.20	10.79	35.08
AV	11.93546G	42.96	54.00	-11.04	28.05	3	Vertical	317	1.80	-	39.20	10.79	35.08
PK	17.89244G	63.03	74.00	-10.97	37.27	3	Vertical	245	1.15	-	44.98	14.72	33.94
AV	17.89376G	49.08	54.00	-4.92	23.30	3	Vertical	245	1.15	-	44.98	14.73	33.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 92
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93282G	56.54	74.00	-17.46	41.63	3	Horizontal	57	1.12	-	39.20	10.79	35.08
AV	11.93162G	42.88	54.00	-11.12	27.97	3	Horizontal	57	1.12	-	39.20	10.79	35.08
PK	17.90404G	65.67	74.00	-8.33	39.88	3	Horizontal	78	1.42	-	44.99	14.73	33.93
AV	17.90452G	51.42	54.00	-2.58	25.63	3	Horizontal	78	1.42	-	44.99	14.73	33.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
 Setting 104
 03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	60.51	88.20	-27.69	53.37	3	Vertical	64	2.77	-	34.59	7.50	34.95
RMS	5.9202G	50.39	68.20	-17.81	43.14	3	Vertical	64	2.77	-	34.68	7.52	34.95
PK	6.1482G	120.21	Inf	-Inf	112.53	3	Vertical	64	2.77	-	35.00	7.67	34.99
RMS	6.153G	110.40	Inf	-Inf	102.70	3	Vertical	64	2.77	-	35.01	7.68	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	61.75	88.20	-26.45	54.55	3	Horizontal	79	1.68	-	34.64	7.51	34.95
RMS	5.925G	51.98	68.20	-16.22	44.70	3	Horizontal	79	1.68	-	34.70	7.53	34.95
PK	6.1698G	117.62	Inf	-Inf	109.85	3	Horizontal	79	1.68	-	35.08	7.68	34.99
RMS	6.177G	107.60	Inf	-Inf	99.79	3	Horizontal	79	1.68	-	35.11	7.69	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32028G	57.04	74.00	-16.96	41.96	3	Vertical	0	2.67	-	38.82	11.06	34.80
AV	12.31932G	43.33	54.00	-10.67	28.25	3	Vertical	0	2.67	-	38.82	11.06	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32664G	56.60	74.00	-17.40	41.50	3	Horizontal	92	1.80	-	38.83	11.06	34.79
AV	12.31638G	43.16	54.00	-10.84	28.09	3	Horizontal	92	1.80	-	38.82	11.05	34.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5042G	58.68	83.54	-24.86	56.89	1	Vertical	177	2.37	-	37.81	14.58	50.60
AV	18.49016G	46.60	63.54	-16.94	44.82	1	Vertical	177	2.37	-	37.80	14.57	50.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6165MHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.48948G	59.76	83.54	-23.78	57.98	1	Horizontal	16	2.16	-	37.80	14.57	50.59
AV	18.50176G	47.29	63.54	-16.25	45.51	1	Horizontal	16	2.16	-	37.80	14.58	50.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6405MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8362G	59.76	88.20	-28.44	52.98	3	Vertical	43	1.98	-	34.27	7.44	34.93
RMS	5.925G	49.52	68.20	-18.68	42.24	3	Vertical	43	1.98	-	34.70	7.53	34.95
PK	6.4002G	123.96	Inf	-Inf	116.38	3	Vertical	43	1.98	-	34.90	7.70	35.02
RMS	6.393G	110.48	Inf	-Inf	102.90	3	Vertical	43	1.98	-	34.90	7.70	35.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	59.75	88.20	-28.45	52.49	3	Horizontal	64	1.98	-	34.69	7.52	34.95
RMS	5.925G	49.55	68.20	-18.65	42.27	3	Horizontal	64	1.98	-	34.70	7.53	34.95
PK	6.393G	122.32	Inf	-Inf	114.74	3	Horizontal	64	1.98	-	34.90	7.70	35.02
RMS	6.393G	110.60	Inf	-Inf	103.02	3	Horizontal	64	1.98	-	34.90	7.70	35.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
 Setting 104
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82332G	57.25	88.20	-30.95	40.55	3	Vertical	-0	1.00	-	39.32	11.46	34.08
RMS	12.8223G	43.74	68.20	-24.46	27.04	3	Vertical	-0	1.00	-	39.32	11.46	34.08

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TnomVnom



EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80784G	57.28	88.20	-30.92	40.63	3	Horizontal	4	1.61	-	39.31	11.45	34.11
RMS	12.80472G	43.82	68.20	-24.38	27.19	3	Horizontal	4	1.61	-	39.30	11.44	34.11

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6405MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21548G	48.42	83.54	-35.12	46.60	1	Vertical	212	1.46	-	37.59	14.83	50.60
AV	19.22292G	34.31	63.54	-29.23	32.49	1	Vertical	212	1.46	-	37.59	14.83	50.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2176G	56.68	83.54	-26.86	54.86	1	Horizontal	319	1.46	-	37.59	14.83	50.60
AV	19.20712G	45.75	63.54	-17.79	43.95	1	Horizontal	319	1.46	-	37.58	14.82	50.60


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6445MHz_TnomVnom**



EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8782G	59.67	88.20	-28.53	52.66	3	Vertical	56	1.76	-	34.47	7.48	34.94
RMS	5.9224G	49.29	68.20	-18.91	42.03	3	Vertical	56	1.76	-	34.69	7.52	34.95
PK	6.4294G	122.53	Inf	-Inf	115.01	3	Vertical	56	1.76	-	34.78	7.76	35.02
RMS	6.4294G	114.13	Inf	-Inf	106.61	3	Vertical	56	1.76	-	34.78	7.76	35.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6445MHz_TnomVnom




EUT_X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	59.86	88.20	-28.34	52.72	3	Horizontal	108	1.53	-	34.59	7.50	34.95
RMS	5.9224G	49.25	68.20	-18.95	41.99	3	Horizontal	108	1.53	-	34.69	7.52	34.95
PK	6.4372G	121.85	Inf	-Inf	114.35	3	Horizontal	108	1.53	-	34.75	7.77	35.02
RMS	6.432G	111.57	Inf	-Inf	104.06	3	Horizontal	108	1.53	-	34.77	7.76	35.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8777G	57.45	88.20	-30.75	40.56	3	Vertical	161	1.80	-	39.38	11.50	33.99
RMS	12.88604G	44.26	68.20	-23.94	27.34	3	Vertical	161	1.80	-	39.39	11.51	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.90452G	57.76	88.20	-30.44	40.79	3	Horizontal	280	1.22	-	39.40	11.52	33.95
RMS	12.89636G	44.24	68.20	-23.96	27.28	3	Horizontal	280	1.22	-	39.40	11.52	33.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34032G	56.50	83.54	-27.04	54.59	1	Vertical	248	2.46	-	37.64	14.87	50.60
AV	19.34252G	44.73	63.54	-18.81	42.82	1	Vertical	248	2.46	-	37.64	14.87	50.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33732G	62.26	83.54	-21.28	60.36	1	Horizontal	14	1.32	-	37.63	14.87	50.60
AV	19.33436G	50.74	63.54	-12.80	48.84	1	Horizontal	14	1.32	-	37.63	14.87	50.60


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6485MHz_TnomVnom



EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	59.62	88.20	-28.58	52.68	3	Vertical	43	1.20	-	34.41	7.47	34.94
RMS	5.9194G	49.15	68.20	-19.05	41.90	3	Vertical	43	1.20	-	34.68	7.52	34.95
PK	6.4738G	121.79	Inf	-Inf	114.27	3	Vertical	43	1.20	-	34.70	7.85	35.03
RMS	6.471G	111.24	Inf	-Inf	103.73	3	Vertical	43	1.20	-	34.70	7.84	35.03
PK	7.157G	62.15	88.20	-26.05	52.88	3	Vertical	43	1.20	-	36.14	8.20	35.07
RMS	7.1458G	51.51	68.20	-16.69	42.31	3	Vertical	43	1.20	-	36.07	8.20	35.07

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6485MHz_TnomVnom**




EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	59.27	88.20	-28.93	52.07	3	Horizontal	102	1.80	-	34.64	7.51	34.95
RMS	5.9194G	49.14	68.20	-19.06	41.89	3	Horizontal	102	1.80	-	34.68	7.52	34.95
PK	6.4822G	120.43	Inf	-Inf	112.90	3	Horizontal	102	1.80	-	34.70	7.86	35.03
RMS	6.4822G	111.10	Inf	-Inf	103.57	3	Horizontal	102	1.80	-	34.70	7.86	35.03
PK	7.1794G	61.70	88.20	-26.50	52.30	3	Horizontal	102	1.80	-	36.28	8.20	35.08
RMS	7.1458G	51.49	68.20	-16.71	42.29	3	Horizontal	102	1.80	-	36.07	8.20	35.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
 Setting 104
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.98224G	58.17	88.20	-30.03	40.92	3	Vertical	360	1.80	-	39.48	11.59	33.82
RMS	12.97564G	44.58	68.20	-23.62	27.35	3	Vertical	360	1.80	-	39.48	11.58	33.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
 Setting 104
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97066G	57.57	88.20	-30.63	40.36	3	Horizontal	96	3.00	-	39.47	11.58	33.84
RMS	12.98458G	44.59	68.20	-23.61	27.34	3	Horizontal	96	3.00	-	39.48	11.59	33.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45694G	47.65	83.54	-35.89	45.66	1	Vertical	27	2.26	-	37.68	14.91	50.60
AV	19.45938G	35.65	63.54	-27.89	33.66	1	Vertical	27	2.26	-	37.68	14.91	50.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45708G	57.38	83.54	-26.16	55.39	1	Horizontal	225	1.73	-	37.68	14.91	50.60
AV	19.455G	45.66	63.54	-17.88	43.67	1	Horizontal	225	1.73	-	37.68	14.91	50.60


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
 Setting 104
 03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	59.62	88.20	-28.58	52.44	3	Vertical	41	1.87	-	34.62	7.51	34.95
RMS	5.925G	48.94	68.20	-19.26	41.67	3	Vertical	41	1.87	-	34.70	7.52	34.95
PK	6.5194G	111.81	Inf	-Inf	104.12	3	Vertical	41	1.87	-	34.78	7.94	35.03
RMS	6.5222G	101.76	Inf	-Inf	94.06	3	Vertical	41	1.87	-	34.79	7.94	35.03
PK	7.1886G	61.53	88.20	-26.67	52.09	3	Vertical	41	1.87	-	36.33	8.20	35.09
RMS	7.211G	51.56	68.20	-16.64	41.97	3	Vertical	41	1.87	-	36.47	8.22	35.10


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
 Setting 104
 03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	59.19	88.20	-29.01	51.95	3	Horizontal	105	2.02	-	34.67	7.52	34.95
RMS	5.923G	49.03	68.20	-19.17	41.77	3	Horizontal	105	2.02	-	34.69	7.52	34.95
PK	6.5334G	108.39	Inf	-Inf	100.62	3	Horizontal	105	2.02	-	34.83	7.97	35.03
RMS	6.5334G	99.27	Inf	-Inf	91.50	3	Horizontal	105	2.02	-	34.83	7.97	35.03
PK	7.1522G	62.27	88.20	-25.93	53.03	3	Horizontal	105	2.02	-	36.11	8.20	35.07
RMS	7.2222G	51.72	68.20	-16.48	42.05	3	Horizontal	105	2.02	-	36.53	8.24	35.10


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
 Setting 104
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0485G	58.82	88.20	-29.38	41.27	3	Vertical	357	2.44	-	39.65	11.64	33.74
RMS	13.05204G	45.49	68.20	-22.71	27.93	3	Vertical	357	2.44	-	39.66	11.64	33.74


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT X_4TX
 Setting 104
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05012G	59.28	88.20	-28.92	41.73	3	Horizontal	259	1.06	-	39.65	11.64	33.74
RMS	13.04568G	45.42	68.20	-22.78	27.88	3	Horizontal	259	1.06	-	39.64	11.64	33.74


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57502G	53.21	83.54	-30.33	51.14	1	Vertical	229	2.62	-	37.67	14.95	50.55
AV	19.57574G	40.01	63.54	-23.53	37.94	1	Vertical	229	2.62	-	37.67	14.95	50.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57504G	61.59	83.54	-21.95	59.52	1	Horizontal	321	1.27	-	37.67	14.95	50.55
AV	19.57524G	50.98	63.54	-12.56	48.91	1	Horizontal	321	1.27	-	37.67	14.95	50.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5722G	110.73	Inf	-Inf	102.73	3	Vertical	43	1.43	-	34.99	8.04	35.03
RMS	6.5746G	101.85	Inf	-Inf	93.83	3	Vertical	43	1.43	-	35.00	8.05	35.03
PK	7.1482G	61.80	88.20	-26.40	52.58	3	Vertical	43	1.43	-	36.09	8.20	35.07
RMS	7.1458G	51.35	68.20	-16.85	42.15	3	Vertical	43	1.43	-	36.07	8.20	35.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	109.64	Inf	-Inf	101.67	3	Horizontal	18	2.04	-	34.97	8.03	35.03
RMS	6.5674G	98.33	Inf	-Inf	90.36	3	Horizontal	18	2.04	-	34.97	8.03	35.03
PK	7.1482G	61.42	88.20	-26.78	52.20	3	Horizontal	18	2.04	-	36.09	8.20	35.07
RMS	7.1458G	51.37	68.20	-16.83	42.17	3	Horizontal	18	2.04	-	36.07	8.20	35.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12928G	59.05	88.20	-29.15	41.18	3	Vertical	91	1.00	-	39.83	11.70	33.66
RMS	13.1255G	45.51	68.20	-22.69	27.64	3	Vertical	91	1.00	-	39.83	11.70	33.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TnomVnom



EUT X_4TX
 Setting 104
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13456G	59.42	88.20	-28.78	41.53	3	Horizontal	1	2.35	-	39.83	11.71	33.65
RMS	13.1195G	45.61	68.20	-22.59	27.76	3	Horizontal	1	2.35	-	39.82	11.70	33.67

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6565MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69564G	46.95	83.54	-36.59	44.82	1	Vertical	43	1.50	-	37.62	14.99	50.48
AV	19.69578G	34.99	63.54	-28.55	32.86	1	Vertical	43	1.50	-	37.62	14.99	50.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69514G	56.96	83.54	-26.58	54.83	1	Horizontal	262	2.41	-	37.62	14.99	50.48
AV	19.69512G	44.78	63.54	-18.76	42.65	1	Horizontal	262	2.41	-	37.62	14.99	50.48


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6685MHz_TnomVnom**



EUT_X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.673G	121.74	Inf	-Inf	113.31	3	Vertical	55	1.78	-	35.35	8.10	35.02
RMS	6.669G	111.54	Inf	-Inf	103.12	3	Vertical	55	1.78	-	35.34	8.10	35.02
PK	7.131G	61.45	88.20	-26.75	52.32	3	Vertical	55	1.78	-	35.99	8.20	35.06
RMS	7.151G	51.48	68.20	-16.72	42.24	3	Vertical	55	1.78	-	36.11	8.20	35.07

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6685MHz_TnomVnom**




EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	122.46	Inf	-Inf	114.00	3	Horizontal	86	2.34	-	35.38	8.10	35.02
RMS	6.683G	112.02	Inf	-Inf	103.57	3	Horizontal	86	2.34	-	35.37	8.10	35.02
PK	7.163G	61.41	88.20	-26.79	52.10	3	Horizontal	86	2.34	-	36.18	8.20	35.07
RMS	7.183G	51.33	68.20	-16.87	41.91	3	Horizontal	86	2.34	-	36.30	8.20	35.08

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36712G	60.16	74.00	-13.84	41.45	3	Vertical	290	1.80	-	40.23	11.89	33.41
AV	13.3784G	45.94	54.00	-8.06	27.18	3	Vertical	290	1.80	-	40.26	11.90	33.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
 Setting 104
 03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37342G	59.46	74.00	-14.54	40.71	3	Horizontal	360	1.75	-	40.25	11.90	33.40
AV	13.36766G	45.92	54.00	-8.08	27.20	3	Horizontal	360	1.75	-	40.24	11.89	33.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00519G	50.27	83.54	-33.27	48.07	1	Vertical	218	2.31	-	37.40	15.10	50.30
AV	20.00558G	38.11	63.54	-25.43	35.91	1	Vertical	218	2.31	-	37.40	15.10	50.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00582G	61.32	83.54	-22.22	59.12	1	Horizontal	338	1.48	-	37.40	15.10	50.30
AV	20.00574G	49.25	63.54	-14.29	47.05	1	Horizontal	338	1.48	-	37.40	15.10	50.30


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TnomVnom**



EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8274G	111.60	Inf	-Inf	102.75	3	Vertical	52	1.83	-	35.75	8.11	35.01
RMS	6.8274G	102.32	Inf	-Inf	93.47	3	Vertical	52	1.83	-	35.75	8.11	35.01
PK	7.2178G	62.43	88.20	-25.77	52.78	3	Vertical	52	1.83	-	36.51	8.24	35.10
RMS	7.2418G	51.82	68.20	-16.38	42.00	3	Vertical	52	1.83	-	36.65	8.28	35.11


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TnomVnom**



EUT X_4TX
Setting 104
03-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8546G	117.42	Inf	-Inf	108.61	3	Horizontal	129	1.83	-	35.69	8.13	35.01
RMS	6.8546G	106.53	Inf	-Inf	97.72	3	Horizontal	129	1.83	-	35.69	8.13	35.01
PK	7.1426G	63.01	88.20	-25.19	53.82	3	Horizontal	129	1.83	-	36.06	8.20	35.07
RMS	7.125G	52.41	68.20	-15.79	43.32	3	Horizontal	129	1.83	-	35.95	8.20	35.06


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TnomVnom



EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69678G	63.56	88.20	-24.64	43.86	3	Vertical	348	1.80	-	40.60	12.16	33.06
RMS	13.68322G	49.65	68.20	-18.55	30.00	3	Vertical	348	1.80	-	40.58	12.15	33.08

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TnomVnom




EUT X_4TX
Setting 104
03-D-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69924G	63.39	88.20	-24.81	43.69	3	Horizontal	128	1.92	-	40.60	12.16	33.06
RMS	13.69192G	49.61	68.20	-18.59	29.94	3	Horizontal	128	1.92	-	40.59	12.15	33.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6845MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53594G	50.42	83.54	-33.12	47.66	1	Vertical	294	1.99	-	37.71	15.23	50.18
AV	20.53574G	38.46	63.54	-25.08	35.70	1	Vertical	294	1.99	-	37.71	15.23	50.18


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53594G	60.19	83.54	-23.35	57.43	1	Horizontal	163	1.09	-	37.71	15.23	50.18
AV	20.53587G	49.47	63.54	-14.07	46.71	1	Horizontal	163	1.09	-	37.71	15.23	50.18


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.878G	124.17	Inf	-Inf	114.93	3	Vertical	28	1.99	-	36.49	5.78	33.03
RMS	6.8836G	105.85	Inf	-Inf	96.63	3	Vertical	28	1.99	-	36.47	5.78	33.03
PK	7.221G	62.63	88.20	-25.57	52.47	3	Vertical	28	1.99	-	37.34	6.01	33.19
RMS	7.1426G	51.72	68.20	-16.48	41.87	3	Vertical	28	1.99	-	37.04	5.97	33.16


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8948G	117.48	Inf	-Inf	108.31	3	Horizontal	130	2.14	-	36.42	5.79	33.04
RMS	6.8976G	107.08	Inf	-Inf	97.91	3	Horizontal	130	2.14	-	36.41	5.80	33.04
PK	7.158G	62.31	88.20	-25.89	52.36	3	Horizontal	130	2.14	-	37.13	5.98	33.16
RMS	7.1426G	51.90	68.20	-16.30	42.05	3	Horizontal	130	2.14	-	37.04	5.97	33.16


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77024G	67.68	88.20	-20.52	52.48	3	Vertical	307	2.02	-	40.47	8.65	33.92
RMS	13.78704G	50.64	68.20	-17.56	35.42	3	Vertical	307	2.02	-	40.49	8.64	33.91


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77G	65.38	88.20	-22.82	50.18	3	Horizontal	298	1.80	-	40.47	8.65	33.92
RMS	13.74456G	49.85	68.20	-18.35	34.70	3	Horizontal	298	1.80	-	40.44	8.65	33.94


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66436G	50.97	83.54	-32.57	47.27	1	Vertical	14	1.54	-	38.53	15.27	50.10
AV	20.64654G	39.01	63.54	-24.53	35.37	1	Vertical	14	1.54	-	38.49	15.26	50.11


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65692G	62.08	83.54	-21.46	58.42	1	Horizontal	48	1.61	-	38.51	15.26	50.11
AV	20.66946G	50.04	63.54	-13.50	46.33	1	Horizontal	48	1.61	-	38.54	15.27	50.10


**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6925MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	120.91	Inf	-Inf	111.44	3	Vertical	35	1.71	-	36.70	5.84	33.07
RMS	6.9286G	110.11	Inf	-Inf	100.71	3	Vertical	35	1.71	-	36.63	5.83	33.06
PK	7.1266G	63.32	88.20	-24.88	53.60	3	Vertical	35	1.71	-	36.91	5.96	33.15
RMS	7.129G	52.74	68.20	-15.46	43.00	3	Vertical	35	1.71	-	36.93	5.96	33.15

**802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6925MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.919G	116.82	Inf	-Inf	107.50	3	Horizontal	120	1.80	-	36.55	5.82	33.05
RMS	6.9166G	106.80	Inf	-Inf	97.50	3	Horizontal	120	1.80	-	36.53	5.82	33.05
PK	7.1518G	66.29	88.20	-21.91	56.36	3	Horizontal	120	1.80	-	37.11	5.98	33.16
RMS	7.1278G	54.99	68.20	-13.21	45.26	3	Horizontal	120	1.80	-	36.92	5.96	33.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85344G	60.33	88.20	-27.87	45.03	3	Vertical	91	2.56	-	40.55	8.63	33.88
RMS	13.85316G	46.31	68.20	-21.89	31.01	3	Vertical	91	2.56	-	40.55	8.63	33.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84862G	59.95	88.20	-28.25	44.65	3	Horizontal	281	1.36	-	40.55	8.63	33.88
RMS	13.85342G	46.35	68.20	-21.85	31.05	3	Horizontal	281	1.36	-	40.55	8.63	33.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77968G	52.49	83.54	-31.05	48.58	1	Vertical	31	1.98	-	38.65	15.29	50.03
AV	20.78682G	41.22	63.54	-22.32	37.31	1	Vertical	31	1.98	-	38.64	15.30	50.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77884G	60.62	83.54	-22.92	56.71	1	Horizontal	232	1.45	-	38.65	15.29	50.03
AV	20.78934G	49.14	63.54	-14.40	45.23	1	Horizontal	232	1.45	-	38.64	15.30	50.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	120.54	Inf	-Inf	111.11	3	Vertical	78	2.36	-	36.64	5.90	33.11
RMS	7.0074G	111.19	Inf	-Inf	101.77	3	Vertical	78	2.36	-	36.63	5.90	33.11
PK	7.133G	67.56	88.20	-20.64	57.79	3	Vertical	78	2.36	-	36.96	5.97	33.16
RMS	7.1258G	53.61	68.20	-14.59	43.89	3	Vertical	78	2.36	-	36.91	5.96	33.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0114G	121.88	Inf	-Inf	112.43	3	Horizontal	116	1.70	-	36.65	5.91	33.11
RMS	7.0106G	111.00	Inf	-Inf	101.56	3	Horizontal	116	1.70	-	36.64	5.91	33.11
PK	7.1258G	66.44	88.20	-21.76	56.72	3	Horizontal	116	1.70	-	36.91	5.96	33.15
RMS	7.125G	55.58	68.20	-12.62	45.87	3	Horizontal	116	1.70	-	36.90	5.96	33.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01036G	60.63	88.20	-27.57	44.92	3	Vertical	135	1.57	-	40.90	8.60	33.79
RMS	14.00642G	46.67	68.20	-21.53	30.96	3	Vertical	135	1.57	-	40.90	8.60	33.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00546G	60.56	88.20	-27.64	44.85	3	Horizontal	199	2.12	-	40.90	8.60	33.79
RMS	14.00982G	46.84	68.20	-21.36	31.13	3	Horizontal	199	2.12	-	40.90	8.60	33.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00552G	51.38	83.54	-32.16	47.64	1	Vertical	187	1.35	-	38.29	15.35	49.90
AV	21.00036G	39.27	63.54	-24.27	35.52	1	Vertical	187	1.35	-	38.30	15.35	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02292G	59.05	83.54	-24.49	55.32	1	Horizontal	92	2.21	-	38.27	15.36	49.90
AV	21.00696G	48.19	63.54	-15.35	44.45	1	Horizontal	92	2.21	-	38.29	15.35	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TnomVnom



EUT_X_4TX
 Setting 90
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0874G	120.61	Inf	-Inf	111.08	3	Vertical	39	1.64	-	36.73	5.94	33.14
RMS	7.0826G	110.82	Inf	-Inf	101.29	3	Vertical	39	1.64	-	36.73	5.94	33.14
PK	7.1288G	78.94	88.20	-9.26	69.20	3	Vertical	39	1.64	-	36.93	5.96	33.15
RMS	7.1252G	67.14	68.20	-1.06	57.43	3	Vertical	39	1.64	-	36.90	5.96	33.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
7085MHz_TnomVnom




EUT_X_4TX
Setting 90
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0736G	112.89	Inf	-Inf	103.34	3	Horizontal	19	1.71	-	36.75	5.94	33.14
RMS	7.07G	103.80	Inf	-Inf	94.23	3	Horizontal	19	1.71	-	36.76	5.94	33.13
PK	7.1324G	76.05	88.20	-12.15	66.28	3	Horizontal	19	1.71	-	36.96	5.97	33.16
RMS	7.1258G	62.36	68.20	-5.84	52.64	3	Horizontal	19	1.71	-	36.91	5.96	33.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17172G	60.07	88.20	-28.13	44.31	3	Vertical	346	1.34	-	40.83	8.64	33.71
RMS	14.16506G	46.13	68.20	-22.07	30.37	3	Vertical	346	1.34	-	40.83	8.64	33.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17142G	60.65	88.20	-27.55	44.89	3	Horizontal	8	1.24	-	40.83	8.64	33.71
RMS	14.16624G	46.15	68.20	-22.05	30.39	3	Horizontal	8	1.24	-	40.83	8.64	33.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25452G	51.56	83.54	-31.98	48.09	1	Vertical	116	2.82	-	38.01	15.41	49.95
AV	21.26724G	39.34	63.54	-24.20	35.83	1	Vertical	116	2.82	-	38.04	15.42	49.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26316G	64.28	83.54	-19.26	60.78	1	Horizontal	235	2.28	-	38.03	15.42	49.95
AV	21.26724G	52.34	63.54	-11.20	48.83	1	Horizontal	235	2.28	-	38.04	15.42	49.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	76.68	88.20	-11.52	68.85	3	Vertical	85	1.78	-	35.03	5.36	32.56
RMS	5.925G	64.79	68.20	-3.41	56.94	3	Vertical	85	1.78	-	35.05	5.36	32.56
PK	5.953G	115.71	Inf	-Inf	107.69	3	Vertical	85	1.78	-	35.21	5.38	32.57
RMS	5.9482G	104.84	Inf	-Inf	96.84	3	Vertical	85	1.78	-	35.19	5.37	32.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.20	88.20	-10.00	70.35	3	Horizontal	88	1.26	-	35.05	5.36	32.56
RMS	5.925G	66.94	68.20	-1.26	59.09	3	Horizontal	88	1.26	-	35.05	5.36	32.56
PK	6.0138G	116.30	Inf	-Inf	108.08	3	Horizontal	88	1.26	-	35.40	5.41	32.59
RMS	6.0098G	106.40	Inf	-Inf	98.17	3	Horizontal	88	1.26	-	35.40	5.41	32.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97388G	56.07	74.00	-17.93	42.47	3	Vertical	10	2.56	-	38.98	8.98	34.36
AV	11.96592G	42.19	54.00	-11.81	28.57	3	Vertical	10	2.56	-	39.00	8.98	34.36

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
 Setting 90
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96534G	56.03	74.00	-17.97	42.41	3	Horizontal	158	1.25	-	39.00	8.98	34.36
AV	11.97192G	42.24	54.00	-11.76	28.64	3	Horizontal	158	1.25	-	38.98	8.98	34.36

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	67.65	88.20	-20.55	59.80	3	Vertical	70	2.79	-	35.05	5.36	32.56
RMS	5.925G	56.91	68.20	-11.29	49.06	3	Vertical	70	2.79	-	35.05	5.36	32.56
PK	6.1342G	118.74	Inf	-Inf	110.41	3	Vertical	70	2.79	-	35.43	5.53	32.63
RMS	6.1366G	107.90	Inf	-Inf	99.56	3	Vertical	70	2.79	-	35.43	5.54	32.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	68.01	88.20	-20.19	60.16	3	Horizontal	76	2.48	-	35.05	5.36	32.56
RMS	5.925G	57.51	68.20	-10.69	49.66	3	Horizontal	76	2.48	-	35.05	5.36	32.56
PK	6.139G	118.20	Inf	-Inf	109.87	3	Horizontal	76	2.48	-	35.42	5.54	32.63
RMS	6.1426G	108.20	Inf	-Inf	99.88	3	Horizontal	76	2.48	-	35.41	5.54	32.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29354G	56.24	74.00	-17.76	42.83	3	Vertical	112	1.56	-	38.71	8.94	34.24
AV	12.29346G	42.59	54.00	-11.41	29.19	3	Vertical	112	1.56	-	38.71	8.94	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28608G	56.36	74.00	-17.64	42.96	3	Horizontal	22	2.11	-	38.71	8.94	34.25
AV	12.29306G	42.48	54.00	-11.52	29.08	3	Horizontal	22	2.11	-	38.71	8.94	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4203G	58.68	83.54	-24.86	56.88	1	Vertical	177	2.37	-	37.80	14.55	50.55
AV	18.43218G	46.60	63.54	-16.94	44.81	1	Vertical	177	2.37	-	37.80	14.55	50.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4224G	59.76	83.54	-23.78	57.96	1	Horizontal	16	2.16	-	37.80	14.55	50.55
AV	18.42228G	47.29	63.54	-16.25	45.49	1	Horizontal	16	2.16	-	37.80	14.55	50.55


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6385MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	59.63	88.20	-28.57	51.90	3	Vertical	38	1.80	-	34.93	5.35	32.55
RMS	5.925G	49.47	68.20	-18.73	41.62	3	Vertical	38	1.80	-	35.05	5.36	32.56
PK	6.389G	118.66	Inf	-Inf	110.02	3	Vertical	38	1.80	-	35.68	5.69	32.73
RMS	6.379G	108.90	Inf	-Inf	100.27	3	Vertical	38	1.80	-	35.66	5.69	32.72

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6385MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	59.96	88.20	-28.24	52.13	3	Horizontal	62	1.05	-	35.03	5.36	32.56
RMS	5.925G	49.76	68.20	-18.44	41.91	3	Horizontal	62	1.05	-	35.05	5.36	32.56
PK	6.367G	119.05	Inf	-Inf	110.46	3	Horizontal	62	1.05	-	35.63	5.68	32.72
RMS	6.363G	109.44	Inf	-Inf	100.85	3	Horizontal	62	1.05	-	35.63	5.68	32.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76638G	57.12	88.20	-31.08	42.97	3	Vertical	209	2.97	-	39.37	8.85	34.07
RMS	12.77404G	42.95	68.20	-25.25	28.80	3	Vertical	209	2.97	-	39.37	8.85	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TnomVnom



EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77378G	56.92	88.20	-31.28	42.77	3	Horizontal	255	2.47	-	39.37	8.85	34.07
RMS	12.76626G	42.96	68.20	-25.24	28.81	3	Horizontal	255	2.47	-	39.37	8.85	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6385MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15836G	62.13	83.54	-21.41	59.88	1	Vertical	357	1.50	-	38.04	14.81	50.60
AV	19.16382G	49.54	63.54	-14.00	47.30	1	Vertical	357	1.50	-	38.03	14.81	50.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1427G	65.43	83.54	-18.11	63.19	1	Horizontal	52.1	1.50	-	38.04	14.80	50.60
AV	19.14072G	53.63	63.54	-9.91	51.39	1	Horizontal	52.1	1.50	-	38.04	14.80	50.60

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6465MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	59.17	88.20	-29.03	51.33	3	Vertical	33	1.71	-	35.04	5.36	32.56
RMS	5.925G	49.30	68.20	-18.90	41.45	3	Vertical	33	1.71	-	35.05	5.36	32.56
PK	6.4554G	120.11	Inf	-Inf	111.54	3	Vertical	33	1.71	-	35.62	5.70	32.75
RMS	6.4602G	109.93	Inf	-Inf	101.34	3	Vertical	33	1.71	-	35.64	5.70	32.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	60.12	88.20	-28.08	52.31	3	Horizontal	107	1.63	-	35.01	5.36	32.56
RMS	5.925G	49.43	68.20	-18.77	41.58	3	Horizontal	107	1.63	-	35.05	5.36	32.56
PK	6.4602G	117.26	Inf	-Inf	108.67	3	Horizontal	107	1.63	-	35.64	5.70	32.75
RMS	6.4698G	108.12	Inf	-Inf	99.50	3	Horizontal	107	1.63	-	35.68	5.70	32.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92574G	56.39	88.20	-31.81	42.05	3	Vertical	132	1.26	-	39.55	8.81	34.02
RMS	12.93426G	42.89	68.20	-25.31	28.53	3	Vertical	132	1.26	-	39.57	8.81	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93158G	57.04	88.20	-31.16	42.69	3	Horizontal	248	1.33	-	39.56	8.81	34.02
RMS	12.9279G	42.86	68.20	-25.34	28.51	3	Horizontal	248	1.33	-	39.56	8.81	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.38396G	58.25	83.54	-25.29	55.97	1	Vertical	7	1.65	-	38.00	14.88	50.60
AV	19.38696G	46.79	63.54	-16.75	44.50	1	Vertical	7	1.65	-	38.00	14.89	50.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40706G	56.78	83.54	-26.76	54.49	1	Horizontal	47	1.50	-	38.00	14.89	50.60
AV	19.4094G	44.63	63.54	-18.91	42.34	1	Horizontal	47	1.50	-	38.00	14.89	50.60


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5402G	119.90	Inf	-Inf	111.04	3	Vertical	37	1.64	-	35.96	5.70	32.80
RMS	6.5354G	109.55	Inf	-Inf	100.70	3	Vertical	37	1.64	-	35.94	5.70	32.79
PK	7.1306G	61.41	88.20	-26.79	51.65	3	Vertical	37	1.64	-	36.94	5.97	33.15
RMS	7.145G	51.42	68.20	-16.78	41.55	3	Vertical	37	1.64	-	37.06	5.97	33.16


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5666G	116.63	Inf	-Inf	107.72	3	Horizontal	100	1.80	-	36.03	5.70	32.82
RMS	6.533G	106.96	Inf	-Inf	98.12	3	Horizontal	100	1.80	-	35.93	5.70	32.79
PK	7.1306G	61.14	88.20	-27.06	51.38	3	Horizontal	100	1.80	-	36.94	5.97	33.15
RMS	7.1426G	51.35	68.20	-16.85	41.50	3	Horizontal	100	1.80	-	37.04	5.97	33.16


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0906G	57.27	88.20	-30.93	42.80	3	Vertical	310	1.22	-	39.70	8.78	34.01
RMS	13.09202G	43.17	68.20	-25.03	28.70	3	Vertical	310	1.22	-	39.70	8.78	34.01


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08818G	57.28	88.20	-30.92	42.81	3	Horizontal	3	1.07	-	39.70	8.78	34.01
RMS	13.09498G	43.15	68.20	-25.05	28.69	3	Horizontal	3	1.07	-	39.70	8.78	34.02


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63332G	57.85	83.54	-25.69	55.45	1	Vertical	6	1.56	-	37.95	14.97	50.52
AV	19.63818G	45.58	63.54	-17.96	43.19	1	Vertical	6	1.56	-	37.94	14.97	50.52


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.64028G	58.95	83.54	-24.59	56.56	1	Horizontal	314	1.50	-	37.94	14.97	50.52
AV	19.626G	46.28	63.54	-17.26	43.88	1	Horizontal	314	1.50	-	37.95	14.97	50.52

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6625MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.592G	120.10	Inf	-Inf	111.15	3	Vertical	38	1.56	-	36.08	5.70	32.83
RMS	6.5876G	102.82	Inf	-Inf	93.87	3	Vertical	38	1.56	-	36.08	5.70	32.83
PK	7.131G	63.40	88.20	-24.80	53.63	3	Vertical	38	1.56	-	36.95	5.97	33.15
RMS	7.153G	51.33	68.20	-16.87	41.40	3	Vertical	38	1.56	-	37.11	5.98	33.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6558G	118.02	Inf	-Inf	109.00	3	Horizontal	29	1.80	-	36.20	5.70	32.88
RMS	6.6558G	98.56	Inf	-Inf	89.54	3	Horizontal	29	1.80	-	36.20	5.70	32.88
PK	7.142G	62.38	88.20	-25.82	52.53	3	Horizontal	29	1.80	-	37.04	5.97	33.16
RMS	7.1442G	51.30	68.20	-16.90	41.44	3	Horizontal	29	1.80	-	37.05	5.97	33.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.253G	57.84	74.00	-16.16	43.18	3	Vertical	266	2.08	-	39.95	8.75	34.04
AV	13.2523G	43.72	54.00	-10.28	29.06	3	Vertical	266	2.08	-	39.95	8.75	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2526G	58.77	74.00	-15.23	44.11	3	Horizontal	333	1.05	-	39.95	8.75	34.04
AV	13.25278G	43.78	54.00	-10.22	29.12	3	Horizontal	333	1.05	-	39.95	8.75	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86492G	58.80	83.54	-24.74	56.05	1	Vertical	354	1.50	-	38.08	15.05	50.38
AV	19.86642G	46.58	63.54	-16.96	43.82	1	Vertical	354	1.50	-	38.09	15.05	50.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88322G	62.15	83.54	-21.39	59.35	1	Horizontal	289	1.64	-	38.11	15.06	50.37
AV	19.87602G	49.91	63.54	-13.63	47.12	1	Horizontal	289	1.64	-	38.10	15.06	50.37


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6705MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.711G	118.78	Inf	-Inf	109.75	3	Vertical	46	2.28	-	36.24	5.70	32.91
RMS	6.709G	108.33	Inf	-Inf	99.30	3	Vertical	46	2.28	-	36.24	5.70	32.91
PK	7.165G	61.75	88.20	-26.45	51.78	3	Vertical	46	2.28	-	37.16	5.98	33.17
RMS	7.141G	51.54	68.20	-16.66	41.70	3	Vertical	46	2.28	-	37.03	5.97	33.16


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6705MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.715G	117.22	Inf	-Inf	108.18	3	Horizontal	14	1.86	-	36.26	5.70	32.92
RMS	6.677G	107.77	Inf	-Inf	98.76	3	Horizontal	14	1.86	-	36.20	5.70	32.89
PK	7.187G	62.39	88.20	-25.81	52.32	3	Horizontal	14	1.86	-	37.25	5.99	33.17
RMS	7.139G	51.50	68.20	-16.70	41.68	3	Horizontal	14	1.86	-	37.01	5.97	33.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4145G	57.38	88.20	-30.82	42.53	3	Vertical	318	2.20	-	40.20	8.72	34.07
RMS	13.40986G	43.83	68.20	-24.37	28.98	3	Vertical	318	2.20	-	40.20	8.72	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41288G	57.49	88.20	-30.71	42.64	3	Horizontal	66	1.52	-	40.20	8.72	34.07
RMS	13.40902G	43.84	68.20	-24.36	28.99	3	Horizontal	66	1.52	-	40.20	8.72	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11056G	57.84	83.54	-25.70	54.91	1	Vertical	340	1.63	-	38.08	15.13	50.28
AV	20.12616G	45.51	63.54	-18.03	42.60	1	Vertical	340	1.63	-	38.05	15.13	50.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10342G	62.61	83.54	-20.93	59.67	1	Horizontal	292	1.46	-	38.09	15.13	50.28
AV	20.10018G	50.66	63.54	-12.88	47.71	1	Horizontal	292	1.46	-	38.10	15.13	50.28


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6785MHz_TnomVnom



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8192G	117.69	Inf	-Inf	108.54	3	Vertical	27	1.80	-	36.42	5.72	32.99
AV	6.8228G	107.63	Inf	-Inf	98.46	3	Vertical	27	1.80	-	36.44	5.72	32.99
PK	7.1486G	62.04	88.20	-26.16	52.14	3	Vertical	27	1.80	-	37.09	5.97	33.16
AV	7.1252G	51.78	68.20	-16.42	42.07	3	Vertical	27	1.80	-	36.90	5.96	33.15


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6785MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.794G	117.37	Inf	-Inf	108.33	3	Horizontal	134	1.80	-	36.31	5.70	32.97
RMS	6.794G	107.15	Inf	-Inf	98.11	3	Horizontal	134	1.80	-	36.31	5.70	32.97
PK	7.127G	63.06	88.20	-25.14	53.33	3	Horizontal	134	1.80	-	36.92	5.96	33.15
RMS	7.1252G	51.79	68.20	-16.41	42.08	3	Horizontal	134	1.80	-	36.90	5.96	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6785MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5723G	57.73	88.20	-30.47	42.88	3	Vertical	324	1.86	-	40.20	8.69	34.04
RMS	13.57014G	43.23	68.20	-24.97	28.38	3	Vertical	324	1.86	-	40.20	8.69	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56884G	57.25	88.20	-30.95	42.40	3	Horizontal	55	2.81	-	40.20	8.69	34.04
RMS	13.56846G	43.24	68.20	-24.96	28.39	3	Horizontal	55	2.81	-	40.20	8.69	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36754G	58.33	83.54	-25.21	55.38	1	Vertical	13	1.56	-	37.99	15.19	50.23
AV	20.36874G	46.77	63.54	-16.77	43.82	1	Vertical	13	1.56	-	37.99	15.19	50.23


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6785MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36082G	60.35	83.54	-23.19	57.41	1	Horizontal	321	1.52	-	37.98	15.19	50.23
AV	20.35938G	47.95	63.54	-15.59	45.01	1	Horizontal	321	1.52	-	37.98	15.19	50.23


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8356G	119.96	Inf	-Inf	110.71	3	Vertical	45	1.62	-	36.51	5.74	33.00
RMS	6.837G	108.76	Inf	-Inf	99.50	3	Vertical	45	1.62	-	36.52	5.74	33.00
PK	7.1254G	64.58	88.20	-23.62	54.87	3	Vertical	45	1.62	-	36.90	5.96	33.15
RMS	7.1282G	54.54	68.20	-13.66	44.80	3	Vertical	45	1.62	-	36.93	5.96	33.15


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8566G	115.65	Inf	-Inf	106.33	3	Horizontal	129	2.20	-	36.57	5.76	33.01
RMS	6.8566G	106.53	Inf	-Inf	97.21	3	Horizontal	129	2.20	-	36.57	5.76	33.01
PK	7.1422G	66.46	88.20	-21.74	56.61	3	Horizontal	129	2.20	-	37.04	5.97	33.16
RMS	7.1282G	55.59	68.20	-12.61	45.85	3	Horizontal	129	2.20	-	36.93	5.96	33.15


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72512G	59.43	88.20	-28.77	44.30	3	Vertical	266	2.13	-	40.43	8.65	33.95
RMS	13.72916G	45.45	68.20	-22.75	30.32	3	Vertical	266	2.13	-	40.43	8.65	33.95


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72988G	59.39	88.20	-28.81	44.26	3	Horizontal	205	2.17	-	40.43	8.65	33.95
RMS	13.73126G	45.49	68.20	-22.71	30.36	3	Horizontal	205	2.17	-	40.43	8.65	33.95


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60886G	57.67	83.54	-25.87	54.13	1	Vertical	357	1.51	-	38.42	15.25	50.13
AV	20.60946G	45.78	63.54	-17.76	42.24	1	Vertical	357	1.51	-	38.42	15.25	50.13


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60772G	63.01	83.54	-20.53	59.48	1	Horizontal	49	1.54	-	38.42	15.25	50.14
AV	20.59884G	50.85	63.54	-12.69	47.34	1	Horizontal	49	1.54	-	38.40	15.25	50.14


**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6945MHz_TnomVnom**



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9114G	117.18	Inf	-Inf	107.93	3	Vertical	15	1.60	-	36.49	5.81	33.05
RMS	6.9138G	97.91	Inf	-Inf	88.64	3	Vertical	15	1.60	-	36.51	5.81	33.05
PK	7.1334G	72.84	88.20	-15.36	63.06	3	Vertical	15	1.60	-	36.97	5.97	33.16
RMS	7.1262G	55.75	68.20	-12.45	46.03	3	Vertical	15	1.60	-	36.91	5.96	33.15

**802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6945MHz_TnomVnom**




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9282G	113.24	Inf	-Inf	103.84	3	Horizontal	132	1.80	-	36.63	5.83	33.06
RMS	6.9318G	103.41	Inf	-Inf	93.99	3	Horizontal	132	1.80	-	36.65	5.83	33.06
PK	7.1262G	70.90	88.20	-17.30	61.18	3	Horizontal	132	1.80	-	36.91	5.96	33.15
RMS	7.125G	59.19	68.20	-9.01	49.48	3	Horizontal	132	1.80	-	36.90	5.96	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8874G	60.60	88.20	-27.60	45.25	3	Vertical	55	1.13	-	40.59	8.62	33.86
RMS	13.8902G	46.72	68.20	-21.48	31.36	3	Vertical	55	1.13	-	40.59	8.62	33.85

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88876G	60.54	88.20	-27.66	45.18	3	Horizontal	14	2.42	-	40.59	8.62	33.85
RMS	13.89256G	46.69	68.20	-21.51	31.33	3	Horizontal	14	2.42	-	40.59	8.62	33.85

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82666G	61.63	83.54	-21.91	57.74	1	Vertical	356	1.48	-	38.58	15.31	50.00
AV	20.8308G	48.94	63.54	-14.60	45.06	1	Vertical	356	1.48	-	38.57	15.31	50.00

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82156G	62.72	83.54	-20.82	58.83	1	Horizontal	316	1.56	-	38.59	15.31	50.01
AV	20.8212G	50.15	63.54	-13.39	46.26	1	Horizontal	316	1.56	-	38.59	15.31	50.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 99
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	118.42	Inf	-Inf	109.02	3	Vertical	33	1.63	-	36.61	5.90	33.11
RMS	7.0074G	108.68	Inf	-Inf	99.26	3	Vertical	33	1.63	-	36.63	5.90	33.11
PK	7.125G	81.74	88.20	-6.46	72.03	3	Vertical	33	1.63	-	36.90	5.96	33.15
RMS	7.125G	66.92	68.20	-1.28	57.21	3	Vertical	33	1.63	-	36.90	5.96	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 99
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0306G	116.46	Inf	-Inf	106.94	3	Horizontal	110	2.45	-	36.72	5.92	33.12
RMS	7.0234G	106.55	Inf	-Inf	97.07	3	Horizontal	110	2.45	-	36.69	5.91	33.12
PK	7.1258G	77.76	88.20	-10.44	68.04	3	Horizontal	110	2.45	-	36.91	5.96	33.15
RMS	7.125G	65.86	68.20	-2.34	56.15	3	Horizontal	110	2.45	-	36.90	5.96	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
 Setting 99
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04786G	60.67	88.20	-27.53	44.93	3	Vertical	142	1.40	-	40.90	8.61	33.77
RMS	14.05254G	46.47	68.20	-21.73	30.72	3	Vertical	142	1.40	-	40.90	8.61	33.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
 Setting 99
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05126G	60.13	88.20	-28.07	44.39	3	Horizontal	166	1.85	-	40.90	8.61	33.77
RMS	14.05398G	46.42	68.20	-21.78	30.67	3	Horizontal	166	1.85	-	40.90	8.61	33.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 99
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07554G	56.44	83.54	-27.10	52.78	1	Vertical	15	1.49	-	38.21	15.37	49.92
AV	21.07572G	43.82	63.54	-19.72	40.16	1	Vertical	15	1.49	-	38.21	15.37	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
 Setting 99
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06696G	58.29	83.54	-25.25	54.61	1	Horizontal	318	1.57	-	38.22	15.37	49.91
AV	21.08196G	46.18	63.54	-17.36	42.53	1	Horizontal	318	1.57	-	38.20	15.37	49.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 82
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	80.93	88.20	-7.27	73.08	3	Vertical	71	1.80	-	35.05	5.36	32.56
RMS	5.9242G	64.85	68.20	-3.35	57.00	3	Vertical	71	1.80	-	35.05	5.36	32.56
PK	6.0394G	109.24	Inf	-Inf	100.99	3	Vertical	71	1.80	-	35.40	5.44	32.59
RMS	6.0506G	100.01	Inf	-Inf	91.76	3	Vertical	71	1.80	-	35.40	5.45	32.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 82
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	78.71	88.20	-9.49	70.87	3	Horizontal	86	1.34	-	35.04	5.36	32.56
RMS	5.9242G	67.22	68.20	-0.98	59.37	3	Horizontal	86	1.34	-	35.05	5.36	32.56
PK	6.0058G	112.84	Inf	-Inf	104.61	3	Horizontal	86	1.34	-	35.40	5.41	32.58
RMS	6.009G	102.68	Inf	-Inf	94.45	3	Horizontal	86	1.34	-	35.40	5.41	32.58

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
 Setting 82
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05036G	55.88	74.00	-18.12	42.35	3	Vertical	166	2.36	-	38.90	8.99	34.36
AV	12.0544G	42.01	54.00	-11.99	28.47	3	Vertical	166	2.36	-	38.90	8.99	34.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 82
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04562G	56.08	74.00	-17.92	42.55	3	Horizontal	248	1.58	-	38.90	8.99	34.36
AV	12.05462G	41.96	54.00	-12.04	28.42	3	Horizontal	248	1.58	-	38.90	8.99	34.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
 Setting 82
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07836G	51.24	83.54	-32.30	49.70	1	Vertical	340	1.50	-	37.46	14.43	50.35
AV	18.07896G	35.99	63.54	-27.55	34.45	1	Vertical	340	1.50	-	37.46	14.43	50.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_X_4TX
Setting 82
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08442G	53.84	83.54	-29.70	52.29	1	Horizontal	53	1.45	-	37.47	14.43	50.35
AV	18.08286G	38.33	63.54	-25.21	36.78	1	Horizontal	53	1.45	-	37.47	14.43	50.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	78.69	88.20	-9.51	70.85	3	Vertical	43	1.00	-	35.04	5.36	32.56
RMS	5.925G	67.89	68.20	-0.31	60.04	3	Vertical	43	1.00	-	35.05	5.36	32.56
PK	6.167G	113.73	Inf	-Inf	105.30	3	Vertical	43	1.00	-	35.50	5.57	32.64
RMS	6.1724G	103.43	Inf	-Inf	94.98	3	Vertical	43	1.00	-	35.53	5.57	32.65

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	79.03	88.20	-9.17	71.19	3	Horizontal	43	1.75	-	35.04	5.36	32.56
RMS	5.925G	67.57	68.20	-0.63	59.72	3	Horizontal	43	1.75	-	35.05	5.36	32.56
PK	6.1238G	112.41	Inf	-Inf	104.07	3	Horizontal	43	1.75	-	35.45	5.52	32.63
RMS	6.1238G	102.31	Inf	-Inf	93.97	3	Horizontal	43	1.75	-	35.45	5.52	32.63

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3724G	55.77	74.00	-18.23	42.13	3	Vertical	289	2.73	-	38.92	8.93	34.21
AV	12.36984G	42.08	54.00	-11.92	28.45	3	Vertical	289	2.73	-	38.91	8.93	34.21

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37458G	56.35	74.00	-17.65	42.71	3	Horizontal	265	2.45	-	38.92	8.93	34.21
AV	12.36732G	42.11	54.00	-11.89	28.49	3	Horizontal	265	2.45	-	38.90	8.93	34.21

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56712G	58.13	83.54	-25.41	56.22	1	Vertical	60	1.67	-	37.91	14.60	50.60
AV	18.55344G	46.16	63.54	-17.38	44.28	1	Vertical	60	1.67	-	37.89	14.59	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55314G	59.05	83.54	-24.49	57.17	1	Horizontal	216	1.25	-	37.89	14.59	50.60
AV	18.56652G	45.76	63.54	-17.78	43.85	1	Horizontal	216	1.25	-	37.91	14.60	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	66.82	88.20	-21.38	58.97	3	Vertical	43	1.80	-	35.05	5.36	32.56
RMS	5.923G	56.73	68.20	-11.47	48.89	3	Vertical	43	1.80	-	35.04	5.36	32.56
PK	6.375G	114.70	Inf	-Inf	106.08	3	Vertical	43	1.80	-	35.65	5.69	32.72
RMS	6.379G	104.42	Inf	-Inf	95.79	3	Vertical	43	1.80	-	35.66	5.69	32.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	70.56	88.20	-17.64	62.72	3	Horizontal	65	2.34	-	35.04	5.36	32.56
RMS	5.925G	59.41	68.20	-8.79	51.56	3	Horizontal	65	2.34	-	35.05	5.36	32.56
PK	6.285G	116.01	Inf	-Inf	107.52	3	Horizontal	65	2.34	-	35.54	5.64	32.69
RMS	6.285G	106.60	Inf	-Inf	98.11	3	Horizontal	65	2.34	-	35.54	5.64	32.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6876G	56.61	74.00	-17.39	42.59	3	Vertical	173	2.83	-	39.25	8.86	34.09
AV	12.69496G	42.69	54.00	-11.31	28.64	3	Vertical	173	2.83	-	39.28	8.86	34.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68898G	56.62	74.00	-17.38	42.59	3	Horizontal	18	1.28	-	39.26	8.86	34.09
AV	12.69442G	42.62	54.00	-11.38	28.57	3	Horizontal	18	1.28	-	39.28	8.86	34.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03164G	48.44	83.54	-35.10	46.19	1	Vertical	39	1.79	-	38.09	14.76	50.60
AV	19.04844G	36.45	63.54	-27.09	34.20	1	Vertical	39	1.79	-	38.08	14.77	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0106G	48.19	83.54	-35.35	45.94	1	Horizontal	321	2.24	-	38.10	14.75	50.60
AV	19.0597G	36.71	63.54	-26.83	34.46	1	Horizontal	321	2.24	-	38.08	14.77	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	60.60	88.20	-27.60	52.78	3	Vertical	38	1.80	-	35.02	5.36	32.56
RMS	5.9242G	50.34	68.20	-17.86	42.49	3	Vertical	38	1.80	-	35.05	5.36	32.56
PK	6.5314G	116.71	Inf	-Inf	107.87	3	Vertical	38	1.80	-	35.93	5.70	32.79
RMS	6.493G	106.84	Inf	-Inf	98.14	3	Vertical	38	1.80	-	35.77	5.70	32.77

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	59.42	88.20	-28.78	51.60	3	Horizontal	104	1.49	-	35.02	5.36	32.56
RMS	5.9242G	49.49	68.20	-18.71	41.64	3	Horizontal	104	1.49	-	35.05	5.36	32.56
PK	6.469G	117.33	Inf	-Inf	108.71	3	Horizontal	104	1.49	-	35.68	5.70	32.76
RMS	6.4714G	106.64	Inf	-Inf	98.01	3	Horizontal	104	1.49	-	35.69	5.70	32.76


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0129G	56.99	88.20	-31.21	42.49	3	Vertical	197	1.68	-	39.70	8.80	34.00
RMS	13.01266G	42.93	68.20	-25.27	28.43	3	Vertical	197	1.68	-	39.70	8.80	34.00

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0083G	56.95	88.20	-31.25	42.45	3	Horizontal	81	2.36	-	39.70	8.80	34.00
RMS	13.00898G	42.96	68.20	-25.24	28.46	3	Horizontal	81	2.36	-	39.70	8.80	34.00

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50282G	47.76	83.54	-35.78	45.43	1	Vertical	356	1.32	-	38.00	14.93	50.60
AV	19.50018G	35.50	63.54	-28.04	33.17	1	Vertical	356	1.32	-	38.00	14.93	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5009G	44.67	83.54	-38.87	42.34	1	Horizontal	65	1.36	-	38.00	14.93	50.60
AV	19.50228G	33.49	63.54	-30.05	31.16	1	Horizontal	65	1.36	-	38.00	14.93	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6914G	113.37	Inf	-Inf	104.37	3	Vertical	30	1.84	-	36.20	5.70	32.90
RMS	6.6892G	101.74	Inf	-Inf	92.74	3	Vertical	30	1.84	-	36.20	5.70	32.90
PK	7.1402G	65.89	88.20	-22.31	56.06	3	Vertical	30	1.84	-	37.02	5.97	33.16
RMS	7.127G	54.75	68.20	-13.45	45.02	3	Vertical	30	1.84	-	36.92	5.96	33.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6892G	114.08	Inf	-Inf	105.08	3	Horizontal	29	1.82	-	36.20	5.70	32.90
RMS	6.6562G	103.42	Inf	-Inf	94.40	3	Horizontal	29	1.82	-	36.20	5.70	32.88
PK	7.1314G	65.19	88.20	-23.01	55.42	3	Horizontal	29	1.82	-	36.95	5.97	33.15
RMS	7.127G	53.76	68.20	-14.44	44.03	3	Horizontal	29	1.82	-	36.92	5.96	33.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33238G	58.31	74.00	-15.69	43.57	3	Vertical	181	2.77	-	40.06	8.73	34.05
AV	13.32732G	43.81	54.00	-10.19	29.08	3	Vertical	181	2.77	-	40.05	8.73	34.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 104
04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32712G	57.67	74.00	-16.33	42.94	3	Horizontal	271	2.52	-	40.05	8.73	34.05
AV	13.32708G	43.82	54.00	-10.18	29.09	3	Horizontal	271	2.52	-	40.05	8.73	34.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98984G	45.86	83.54	-37.68	42.79	1	Vertical	284	2.77	-	38.28	15.10	50.31
AV	19.9806G	33.89	63.54	-29.65	30.84	1	Vertical	284	2.77	-	38.27	15.09	50.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00898G	44.77	83.54	-38.77	41.69	1	Horizontal	175	2.31	-	38.28	15.10	50.30
AV	19.98516G	33.02	63.54	-30.52	29.96	1	Horizontal	175	2.31	-	38.28	15.09	50.31


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8282G	114.31	Inf	-Inf	105.10	3	Vertical	45	1.94	-	36.47	5.73	32.99
RMS	6.8074G	102.91	Inf	-Inf	93.84	3	Vertical	45	1.94	-	36.34	5.71	32.98
PK	7.129G	72.23	88.20	-15.97	62.49	3	Vertical	45	1.94	-	36.93	5.96	33.15
RMS	7.1258G	62.29	68.20	-5.91	52.57	3	Vertical	45	1.94	-	36.91	5.96	33.15


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.793G	113.48	Inf	-Inf	104.44	3	Horizontal	136	1.78	-	36.31	5.70	32.97
RMS	6.7946G	103.76	Inf	-Inf	94.72	3	Horizontal	136	1.78	-	36.31	5.70	32.97
PK	7.1274G	71.47	88.20	-16.73	61.74	3	Horizontal	136	1.78	-	36.92	5.96	33.15
RMS	7.129G	61.18	68.20	-7.02	51.44	3	Horizontal	136	1.78	-	36.93	5.96	33.15


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64634G	58.95	88.20	-29.25	43.99	3	Vertical	228	1.09	-	40.29	8.67	34.00
RMS	13.65202G	45.14	68.20	-23.06	30.16	3	Vertical	228	1.09	-	40.30	8.67	33.99

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65388G	58.91	88.20	-29.29	43.92	3	Horizontal	300	1.36	-	40.31	8.67	33.99
RMS	13.65128G	45.15	68.20	-23.05	30.17	3	Horizontal	300	1.36	-	40.30	8.67	33.99

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_4TX
Setting 104
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.46216G	43.15	83.54	-40.39	40.00	1	Vertical	206	1.74	-	38.14	15.22	50.21
AV	20.48022G	31.57	63.54	-31.97	28.38	1	Vertical	206	1.74	-	38.17	15.22	50.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
 Setting 104
 04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47512G	43.43	83.54	-40.11	40.25	1	Horizontal	38	1.81	-	38.16	15.22	50.20
AV	20.48472G	31.58	63.54	-31.96	28.38	1	Horizontal	38	1.81	-	38.18	15.22	50.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 87
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.915G	112.99	Inf	-Inf	103.70	3	Vertical	14	2.38	-	36.52	5.82	33.05
RMS	6.909G	103.10	Inf	-Inf	93.87	3	Vertical	14	2.38	-	36.47	5.81	33.05
PK	7.139G	84.91	88.20	-3.29	75.09	3	Vertical	14	2.38	-	37.01	5.97	33.16
RMS	7.139G	64.25	68.20	-3.95	54.43	3	Vertical	14	2.38	-	37.01	5.97	33.16

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




24/08/2022

EUT_X_4TX
Setting 87
04-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.94G	112.05	Inf	-Inf	102.56	3	Horizontal	121	2.42	-	36.72	5.84	33.07
RMS	6.941G	102.05	Inf	-Inf	92.55	3	Horizontal	121	2.42	-	36.73	5.84	33.07
PK	7.14G	84.03	88.20	-4.17	74.20	3	Horizontal	121	2.42	-	37.02	5.97	33.16
RMS	7.126G	66.71	68.20	-1.49	56.99	3	Horizontal	121	2.42	-	36.91	5.96	33.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
 Setting 87
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97432G	61.08	88.20	-27.12	45.45	3	Vertical	259	1.36	-	40.82	8.61	33.80
RMS	13.97442G	46.81	68.20	-21.39	31.18	3	Vertical	259	1.36	-	40.82	8.61	33.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
 Setting 87
 04-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96842G	61.25	88.20	-26.95	45.64	3	Horizontal	258	2.26	-	40.81	8.61	33.81
RMS	13.97138G	46.83	68.20	-21.37	31.22	3	Horizontal	258	2.26	-	40.81	8.61	33.81

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 87
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95746G	57.60	83.54	-25.94	53.82	1	Vertical	242	1.98	-	38.37	15.34	49.93
AV	20.9679G	45.58	63.54	-17.96	41.81	1	Vertical	242	1.98	-	38.35	15.34	49.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_X_4TX
Setting 87
04-G-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95518G	52.49	83.54	-31.05	48.71	1	Horizontal	297	1.59	-	38.37	15.34	49.93
AV	20.94384G	40.72	63.54	-22.82	36.92	1	Horizontal	297	1.59	-	38.39	15.34	49.93

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

02/09/2022

CF Freq
5.955GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9588G	-4.88	5.9701G	-33.81	-26.54	-7.27	1
5.9575G	-5.03	5.9702G	-34.66	-27.32	-7.34	2
5.9572G	-4.39	5.9709G	-34.53	-27.14	-7.39	3
5.9524G	-4.56	5.9698G	-33.59	-24.76	-8.83	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

02/09/2022

CF Freq
6.175GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1739G	-5.10	6.1604G	-34.37	-26.96	-7.41	1
6.1725G	-5.15	6.1584G	-36.44	-28.38	-8.06	2
6.1725G	-4.87	6.1602G	-34.95	-26.92	-8.03	3
6.1764G	-4.87	6.1588G	-35.55	-27.44	-8.11	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

02/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4163G	-6.96	6.3997G	-36.92	-27.17	-9.75	1
6.4126G	-6.36	6.4003G	-36.20	-26.68	-9.52	2
6.412G	-6.38	6.4001G	-36.10	-28.30	-7.80	3
6.4123G	-6.26	6.4001G	-35.84	-27.01	-8.83	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

02/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4361G	-6.18	6.4507G	-36.65	-27.83	-8.82	1
6.4325G	-6.72	6.4502G	-36.71	-28.19	-8.52	2
6.4327G	-6.15	6.4501G	-36.02	-27.80	-8.22	3
6.4373G	-6.14	6.4199G	-35.89	-26.16	-9.73	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

02/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.476G	-6.26	6.4598G	-36.39	-27.74	-8.65	1
6.4725G	-6.79	6.4902G	-36.55	-27.68	-8.87	2
6.4725G	-6.32	6.4601G	-36.11	-27.24	-8.87	3
6.4725G	-6.18	6.4895G	-35.66	-27.14	-8.52	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

02/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5162G	-5.52	6.5315G	-36.55	-28.97	-7.58	1
6.5126G	-5.92	6.5G	-35.68	-27.92	-7.76	2
6.5163G	-5.75	6.5005G	-35.24	-26.85	-8.39	3
6.5164G	-5.51	6.5284G	-34.03	-25.52	-8.51	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

02/09/2022

CF Freq
6.535GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5364G	-5.87	6.5204G	-35.33	-26.36	-8.97	1
6.5325G	-5.80	6.5507G	-36.08	-28.07	-8.01	2
6.5327G	-5.86	6.5207G	-35.10	-26.41	-8.69	3
6.5374G	-5.80	6.5204G	-35.46	-27.41	-8.05	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

02/09/2022

CF Freq
6.695GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6938G	-5.75	6.6789G	-36.26	-28.53	-7.73	1
6.6937G	-6.04	6.7107G	-36.49	-26.64	-9.85	2
6.6926G	-5.68	6.6799G	-35.47	-26.88	-8.59	3
6.6973G	-5.55	6.6813G	-34.36	-25.59	-8.77	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

02/09/2022

CF Freq
6.855GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8536G	-6.15	6.8399G	-35.67	-26.97	-8.70	1
6.8532G	-6.37	6.8399G	-36.13	-26.87	-9.26	2
6.8517G	-6.43	6.8401G	-35.94	-26.86	-9.08	3
6.8533G	-6.63	6.8407G	-35.97	-27.74	-8.23	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

02/09/2022

CF Freq
6.875GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8737G	-6.49	6.8603G	-35.55	-27.70	-7.85	1
6.8734G	-6.33	6.8603G	-35.78	-26.49	-9.29	2
6.8725G	-6.16	6.8613G	-34.92	-26.31	-8.61	3
6.8774G	-6.76	6.8597G	-36.77	-27.31	-9.46	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

02/09/2022

CF Freq
6.895GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8938G	-6.34	6.8803G	-35.58	-26.95	-8.63	1
6.8934G	-6.21	6.8802G	-35.57	-27.48	-8.09	2
6.8973G	-5.96	6.8807G	-35.51	-26.01	-9.50	3
6.8974G	-6.59	6.8795G	-36.78	-27.03	-9.75	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

02/09/2022

CF Freq
6.995GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00019G	-3.93	7.0108G	-33.68	-26.13	-7.55	1
7.00019G	-4.48	7.0098G	-33.80	-25.88	-7.92	2
7.00009G	-3.79	7.01G	-33.36	-23.97	-9.39	3
7.00129G	-3.79	7.0098G	-33.17	-25.48	-7.69	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

02/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0935G	-3.65	7.0799G	-33.23	-23.76	-9.47	1
7.0924G	-4.07	7.08G	-33.13	-24.39	-8.74	2
7.0917G	-3.52	7.0795G	-33.40	-25.10	-8.30	3
7.0964G	-3.61	7.0814G	-31.99	-24.34	-7.65	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

02/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97119G	-4.25	5.991G	-32.28	-24.42	-7.86	1
5.97019G	-3.97	5.9946G	-33.60	-26.81	-6.79	2
5.97039G	-4.01	5.9938G	-32.90	-26.45	-6.45	3
5.97119G	-4.23	5.9946G	-33.37	-26.60	-6.77	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

02/09/2022

CF Freq
6.165GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1614G	-4.86	6.1326G	-36.60	-28.48	-8.12	1
6.1602G	-5.09	6.134G	-36.43	-28.78	-7.65	2
6.1612G	-5.00	6.1324G	-36.69	-29.01	-7.68	3
6.1624G	-4.59	6.133G	-36.09	-28.52	-7.57	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

02/09/2022

CF Freq
6.405GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401G	-6.15	6.373G	-37.11	-29.27	-7.84	1
6.408G	-5.80	6.4354G	-36.72	-29.03	-7.69	2
6.4G	-5.64	6.3766G	-35.67	-27.82	-7.85	3
6.4098G	-5.52	6.3728G	-37.47	-29.46	-8.01	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

02/09/2022

CF Freq
6.445GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45139G	-5.66	6.4132G	-37.44	-29.42	-8.02	1
6.4498G	-5.45	6.4144G	-36.68	-28.82	-7.86	2
6.4402G	-5.36	6.4074G	-39.41	-31.79	-7.62	3
6.4496G	-5.45	6.4184G	-35.15	-26.87	-8.28	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

02/09/2022

CF Freq
6.485GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4862G	-5.50	6.5112G	-34.84	-27.24	-7.60	1
6.4888G	-5.62	6.5174G	-37.15	-29.41	-7.74	2
6.47981G	-5.48	6.451G	-38.06	-30.17	-7.89	3
6.47741G	-5.35	6.507G	-33.05	-25.37	-7.68	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

02/09/2022

CF Freq
6.525GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5272G	-5.23	6.5528G	-35.44	-26.83	-8.61	1
6.5204G	-5.37	6.5544G	-35.93	-27.25	-8.68	2
6.522G	-5.22	6.5034G	-32.35	-25.23	-7.12	3
6.5226G	-5.20	6.4966G	-35.51	-27.68	-7.83	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

02/09/2022

CF Freq
6.565GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5616G	-5.40	6.5938G	-35.51	-28.09	-7.42	1
6.57019G	-5.04	6.5946G	-35.80	-27.44	-8.36	2
6.57119G	-5.14	6.5946G	-36.02	-27.60	-8.42	3
6.57219G	-5.18	6.5974G	-36.61	-28.87	-7.74	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

02/09/2022

CF Freq
6.685GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689G	-5.59	6.7174G	-37.08	-29.43	-7.65	1
6.68G	-5.68	6.7184G	-37.70	-29.91	-7.79	2
6.6812G	-5.68	6.6522G	-37.77	-30.02	-7.75	3
6.69099G	-5.67	6.707G	-33.54	-25.74	-7.80	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

02/09/2022

CF Freq
6.845GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8414G	-6.34	6.809G	-39.47	-31.74	-7.73	1
6.8402G	-6.28	6.8124G	-37.71	-30.45	-7.26	2
6.83721G	-6.12	6.8078G	-39.50	-32.20	-7.30	3
6.8488G	-6.33	6.8128G	-38.09	-29.96	-8.13	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

02/09/2022

CF Freq
6.885GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87861G	-5.61	6.8484G	-38.82	-31.55	-7.27	1
6.8802G	-5.52	6.8538G	-36.50	-28.52	-7.98	2
6.89119G	-5.17	6.8474G	-39.01	-30.94	-8.07	3
6.87861G	-5.47	6.8558G	-35.77	-27.45	-8.32	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

02/09/2022

CF Freq
6.925GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9288G	-5.07	6.8938G	-36.13	-28.38	-7.75	1
6.93G	-5.33	6.8878G	-38.37	-31.56	-6.81	2
6.91701G	-5.14	6.8876G	-38.98	-31.26	-7.72	3
6.9224G	-5.00	6.9542G	-34.93	-27.34	-7.59	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

02/09/2022

CF Freq
7.005GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0012G	-3.85	7.0338G	-33.59	-25.81	-7.78	1
7.0002G	-4.42	7.0378G	-35.58	-28.29	-7.29	2
7.0014G	-4.08	7.0316G	-33.52	-24.82	-8.70	3
7.0026G	-3.77	7.0364G	-34.77	-27.32	-7.45	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

02/09/2022

CF Freq
7.085GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09119G	-3.46	7.0486G	-34.90	-28.50	-6.40	1
7.0802G	-3.60	7.0534G	-33.79	-27.25	-6.54	2
7.09119G	-3.58	7.0528G	-33.37	-26.08	-7.29	3
7.07761G	-3.38	7.0528G	-33.47	-26.54	-6.93	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

02/09/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99859G	-4.50	6.0278G	-30.95	-24.10	-6.85	1
5.99739G	-4.48	6.049G	-35.59	-28.39	-7.20	2
6.00018G	-4.00	6.0362G	-32.50	-25.21	-7.29	3
5.99579G	-4.30	6.0378G	-33.29	-25.59	-7.70	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

02/09/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13261G	-4.49	6.1018G	-32.32	-24.53	-7.79	1
6.13261G	-4.42	6.0898G	-35.13	-26.68	-8.45	2
6.13381G	-4.34	6.0886G	-34.87	-26.55	-8.32	3
6.13221G	-4.41	6.1014G	-32.33	-24.47	-7.86	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

02/09/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37381G	-5.18	6.3418G	-32.78	-25.30	-7.48	1
6.37061G	-5.24	6.3266G	-36.40	-28.28	-8.12	2
6.37221G	-5.06	6.3262G	-36.50	-27.94	-8.56	3
6.37021G	-4.71	6.3262G	-36.03	-27.70	-8.33	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

02/09/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45381G	-5.62	6.4214G	-33.63	-25.62	-8.01	1
6.45261G	-5.67	6.4218G	-33.79	-25.70	-8.09	2
6.45261G	-5.40	6.4098G	-36.00	-27.72	-8.28	3
6.47739G	-5.33	6.4066G	-36.54	-28.14	-8.40	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

02/09/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53621G	-5.55	6.4858G	-36.66	-28.57	-8.09	1
6.53381G	-5.65	6.5882G	-33.22	-25.67	-7.55	2
6.53221G	-5.49	6.5022G	-32.92	-25.61	-7.31	3
6.52982G	-5.51	6.4882G	-35.75	-28.06	-7.69	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

02/09/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63579G	-3.86	6.5818G	-31.82	-23.92	-7.90	1
6.61341G	-3.57	6.5814G	-31.77	-23.65	-8.12	2
6.61021G	-3.86	6.5814G	-31.93	-23.91	-8.02	3
6.61621G	-4.09	6.6902G	-36.04	-28.21	-7.83	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

02/09/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-6.52	6.661G	-34.99	-26.66	-8.33	1
6.72018G	-6.52	6.6622G	-34.05	-26.56	-7.49	2
6.69221G	-6.34	6.6614G	-34.00	-26.40	-7.60	3
6.72018G	-6.76	6.647G	-37.45	-29.45	-8.00	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

02/09/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77381G	-6.69	6.7162G	-39.18	-31.39	-7.79	1
6.77061G	-6.70	6.7286G	-37.28	-29.25	-8.03	2
6.77381G	-6.26	6.727G	-37.09	-28.95	-8.14	3
6.76982G	-6.61	6.7274G	-37.31	-28.99	-8.32	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

02/09/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85381G	-5.99	6.8226G	-33.09	-26.03	-7.06	1
6.87859G	-6.18	6.8086G	-36.19	-28.51	-7.68	2
6.85141G	-5.81	6.8086G	-36.01	-27.63	-8.38	3
6.85741G	-5.86	6.8074G	-36.79	-28.48	-8.31	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

02/09/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95859G	-4.67	7.015G	-37.04	-29.88	-7.16	1
6.96018G	-4.79	6.8898G	-34.59	-26.90	-7.69	2
6.93581G	-4.75	7.005G	-35.65	-27.65	-8.00	3
6.95299G	-4.88	7.0026G	-35.35	-27.81	-7.54	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

02/09/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01061G	-4.21	6.9826G	-31.37	-24.22	-7.15	1
7.01301G	-4.39	6.9822G	-31.86	-24.41	-7.45	2
7.01101G	-4.19	6.9818G	-32.56	-24.25	-8.31	3
7.01101G	-4.35	7.0674G	-31.84	-24.35	-7.49	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

02/09/2022

CF Freq
6.025GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99623G	-4.33	6.2354G	-46.41	-39.00	-7.41	1
6.00262G	-4.49	6.2314G	-46.26	-38.40	-7.86	2
6.05617G	-4.25	6.3626G	-54.18	-44.25	-9.93	3
5.99863G	-3.99	6.3706G	-54.91	-43.99	-10.92	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

02/09/2022

CF Freq
6.185GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16262G	-4.80	5.9386G	-50.31	-44.67	-5.64	1
6.16022G	-4.65	5.9354G	-52.37	-44.65	-7.72	2
6.15783G	-4.93	5.9362G	-53.32	-44.93	-8.39	3
6.15623G	-4.51	6.4098G	-48.54	-41.18	-7.36	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

02/09/2022

CF Freq
6.345GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31863G	-4.71	6.0906G	-51.05	-44.71	-6.34	1
6.32022G	-4.26	6.089G	-50.35	-44.26	-6.09	2
6.31863G	-4.50	6.0906G	-50.72	-44.50	-6.22	3
6.32182G	-4.59	6.0986G	-50.42	-44.35	-6.07	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

02/09/2022

CF Freq
6.505GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52898G	-4.28	6.2602G	-52.07	-43.97	-8.10	1
6.52978G	-4.55	6.2514G	-52.08	-44.55	-7.53	2
6.52738G	-4.28	6.2546G	-52.12	-44.28	-7.84	3
6.52978G	-3.98	6.7114G	-44.37	-38.11	-6.26	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

02/09/2022

CF Freq
6.665GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63863G	-4.10	6.4154G	-51.51	-44.10	-7.41	1
6.64262G	-4.08	6.8898G	-47.15	-40.75	-6.40	2
6.63943G	-4.23	6.4226G	-50.08	-43.31	-6.77	3
6.68738G	-3.99	6.4162G	-51.25	-43.99	-7.26	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

02/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79623G	-4.85	6.5706G	-51.86	-44.85	-7.01	1
6.80262G	-4.88	6.5714G	-51.88	-44.88	-7.00	2
6.80102G	-4.94	6.5754G	-51.73	-44.94	-6.79	3
6.80182G	-4.99	6.5754G	-52.94	-44.99	-7.95	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

02/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01217G	-3.68	7.1914G	-43.72	-37.68	-6.04	1
7.01297G	-3.97	6.7386G	-49.59	-43.89	-5.70	2
7.00738G	-3.52	6.7386G	-49.16	-43.23	-5.93	3
7.00978G	-3.42	6.7378G	-50.01	-43.40	-6.61	4

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	5.9567G	-4.38	5.9704G	-34.16	-26.61	-7.55	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	5.9692G	-4.77	5.9944G	-33.89	-27.01	-6.88	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	5.99739G	-4.47	6.0478G	-35.10	-28.28	-6.82	1
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.16102G	-3.88	5.933G	-49.65	-43.88	-5.77	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.4369G	-6.65	6.4199G	-36.47	-28.15	-8.32	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.48G	-5.24	6.5174G	-36.87	-29.55	-7.32	3
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.53261G	-4.61	6.5882G	-32.34	-24.65	-7.69	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.52898G	-3.92	6.7994G	-51.22	-43.92	-7.30	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.8764G	-6.60	6.8593G	-36.76	-29.26	-7.50	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.8464G	-4.09	6.8108G	-35.95	-28.91	-7.04	1
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.61021G	-4.36	6.5822G	-31.58	-24.38	-7.20	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.68738G	-3.85	6.9938G	-51.48	-43.85	-7.63	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	7.00009G	-5.69	7.0108G	-35.58	-28.46	-7.12	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	7.0812G	-5.21	7.0512G	-35.88	-29.19	-6.69	3
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.93061G	-6.29	7.0082G	-37.50	-30.20	-7.30	1
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	7.01057G	-3.21	6.7354G	-50.63	-43.21	-7.42	3



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9562G	-4.61	5.9689G	-33.09	-24.74	-8.35	1
5955MHz	Pass	5.9579G	-4.80	5.9686G	-33.39	-25.06	-8.33	2
5955MHz	Pass	5.9567G	-4.38	5.9704G	-34.16	-26.61	-7.55	3
5955MHz	Pass	5.9561G	-4.43	5.9715G	-34.62	-25.21	-9.41	4
6175MHz	Pass	6.1725G	-3.38	6.1623G	-31.29	-23.38	-7.91	1
6175MHz	Pass	6.1727G	-3.71	6.1589G	-34.12	-25.57	-8.55	2
6175MHz	Pass	6.1713G	-3.23	6.1605G	-33.00	-24.17	-8.83	3
6175MHz	Pass	6.1737G	-2.95	6.1598G	-33.09	-24.67	-8.42	4
6415MHz	Pass	6.4115G	-5.38	6.3991G	-35.59	-27.07	-8.52	1
6415MHz	Pass	6.4124G	-5.34	6.4003G	-34.83	-25.39	-9.44	2
6415MHz	Pass	6.4126G	-5.44	6.3999G	-35.29	-26.45	-8.84	3
6415MHz	Pass	6.4119G	-4.75	6.4002G	-34.16	-26.07	-8.09	4
6435MHz	Pass	6.4361G	-6.54	6.421G	-35.66	-27.00	-8.66	1
6435MHz	Pass	6.4379G	-6.56	6.4481G	-34.96	-26.63	-8.33	2
6435MHz	Pass	6.4369G	-6.65	6.4199G	-36.47	-28.15	-8.32	3
6435MHz	Pass	6.4322G	-6.48	6.4217G	-35.00	-26.52	-8.48	4
6475MHz	Pass	6.4711G	-6.12	6.4606G	-35.38	-26.83	-8.55	1
6475MHz	Pass	6.4728G	-6.18	6.4607G	-35.66	-26.54	-9.12	2
6475MHz	Pass	6.4726G	-6.26	6.4881G	-34.85	-26.28	-8.57	3
6475MHz	Pass	6.4718G	-6.08	6.4899G	-35.77	-26.99	-8.78	4
6515MHz	Pass	6.5162G	-5.51	6.5303G	-35.59	-26.81	-8.78	1
6515MHz	Pass	6.5124G	-5.43	6.5306G	-35.84	-26.55	-9.29	2
6515MHz	Pass	6.5126G	-5.85	6.5007G	-35.19	-26.46	-8.73	3
6515MHz	Pass	6.5166G	-5.52	6.4994G	-35.62	-26.34	-9.28	4
6535MHz	Pass	6.531G	-5.41	6.5505G	-35.46	-27.41	-8.05	1
6535MHz	Pass	6.5375G	-5.81	6.5483G	-34.43	-25.93	-8.50	2
6535MHz	Pass	6.5314G	-5.83	6.5216G	-34.55	-26.02	-8.53	3
6535MHz	Pass	6.5371G	-5.45	6.5492G	-34.57	-25.59	-8.98	4
6695MHz	Pass	6.6963G	-6.13	6.6805G	-35.57	-26.29	-9.28	1
6695MHz	Pass	6.6931G	-6.38	6.7131G	-38.71	-30.76	-7.95	2
6695MHz	Pass	6.6916G	-6.11	6.6798G	-35.91	-28.21	-7.70	3
6695MHz	Pass	6.6921G	-6.11	6.6802G	-35.66	-26.60	-9.06	4
6855MHz	Pass	6.8534G	-5.77	6.8403G	-35.22	-25.85	-9.37	1
6855MHz	Pass	6.8531G	-5.86	6.8396G	-35.69	-26.72	-8.97	2
6855MHz	Pass	6.851G	-5.35	6.8397G	-35.21	-26.57	-8.64	3
6855MHz	Pass	6.8526G	-5.56	6.8407G	-34.78	-25.80	-8.98	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8735G	-6.87	6.86G	-36.50	-26.99	-9.51	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8731G	-6.85	6.86G	-36.49	-27.19	-9.30	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8764G	-6.60	6.8593G	-36.76	-29.26	-7.50	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8724G	-6.66	6.8605G	-35.84	-26.82	-9.02	4
6875MHz Straddle 6.875-7.125GHz								
6895MHz	Pass	6.8905G	-6.58	6.8792G	-36.53	-29.00	-7.53	1
6895MHz	Pass	6.8932G	-6.46	6.8802G	-35.96	-26.95	-9.01	2
6895MHz	Pass	6.8963G	-5.95	6.8799G	-35.88	-27.09	-8.79	3
6895MHz	Pass	6.8923G	-6.70	6.8804G	-36.00	-26.99	-9.01	4
6995MHz	Pass	7.00009G	-5.69	7.0108G	-35.58	-28.46	-7.12	1
6995MHz	Pass	7.00009G	-6.45	7.0103G	-36.21	-27.55	-8.66	2
6995MHz	Pass	7.00099G	-5.56	7.0102G	-35.07	-26.64	-8.43	3
6995MHz	Pass	7.00099G	-5.76	7.0115G	-36.26	-28.14	-8.12	4
7095MHz	Pass	7.0932G	-5.35	7.0798G	-34.65	-25.50	-9.15	1
7095MHz	Pass	7.0936G	-6.14	7.0799G	-35.27	-26.62	-8.65	2
7095MHz	Pass	7.0963G	-5.31	7.0804G	-34.78	-27.44	-7.34	3
7095MHz	Pass	7.0924G	-5.78	7.1083G	-34.08	-25.92	-8.16	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.9692G	-4.77	5.9944G	-33.89	-27.01	-6.88	1
5965MHz	Pass	5.9676G	-4.45	5.993G	-33.71	-26.52	-7.19	2
5965MHz	Pass	5.97119G	-4.47	5.998G	-35.04	-27.45	-7.59	3
5965MHz	Pass	5.97139G	-4.70	5.9974G	-35.13	-28.00	-7.13	4
6165MHz	Pass	6.1612G	-4.97	6.1326G	-36.60	-28.93	-7.67	1
6165MHz	Pass	6.16G	-5.28	6.133G	-37.09	-29.19	-7.90	2
6165MHz	Pass	6.16G	-5.32	6.1328G	-36.92	-29.22	-7.70	3
6165MHz	Pass	6.1628G	-4.71	6.1298G	-37.64	-29.89	-7.75	4
6405MHz	Pass	6.39901G	-5.55	6.3678G	-39.19	-30.97	-8.22	1
6405MHz	Pass	6.4088G	-5.46	6.368G	-38.81	-31.52	-7.29	2
6405MHz	Pass	6.39981G	-5.45	6.3738G	-36.82	-28.97	-7.85	3
6405MHz	Pass	6.4G	-5.14	6.3674G	-38.66	-31.07	-7.59	4
6445MHz	Pass	6.45099G	-5.27	6.4184G	-35.15	-26.44	-8.71	1
6445MHz	Pass	6.4498G	-5.28	6.4122G	-37.34	-29.45	-7.89	2
6445MHz	Pass	6.44G	-5.46	6.4076G	-39.51	-31.56	-7.95	3
6445MHz	Pass	6.45119G	-5.28	6.4094G	-38.30	-30.70	-7.60	4
6485MHz	Pass	6.4812G	-5.04	6.5146G	-35.28	-27.71	-7.57	1
6485MHz	Pass	6.49G	-5.12	6.5182G	-36.80	-29.27	-7.53	2
6485MHz	Pass	6.48G	-5.24	6.5174G	-36.87	-29.55	-7.32	3
6485MHz	Pass	6.4876G	-4.91	6.5234G	-38.68	-31.11	-7.57	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.5288G	-6.16	6.5626G	-39.96	-32.40	-7.56	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.5276G	-6.30	6.5578G	-38.04	-30.47	-7.57	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.51981G	-6.15	6.4964G	-36.46	-28.70	-7.76	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.53G	-6.04	6.494G	-37.67	-29.61	-8.06	4
6525MHz Straddle 6.525-6.875GHz								
6565MHz	Pass	6.57119G	-4.90	6.6032G	-38.97	-31.49	-7.48	1
6565MHz	Pass	6.5686G	-4.74	6.5932G	-34.82	-26.96	-7.86	2
6565MHz	Pass	6.5698G	-4.89	6.5306G	-37.58	-30.01	-7.57	3
6565MHz	Pass	6.55981G	-4.88	6.5944G	-35.69	-27.77	-7.92	4
6685MHz	Pass	6.67861G	-5.58	6.714G	-35.79	-28.45	-7.34	1
6685MHz	Pass	6.688G	-5.52	6.7176G	-36.77	-29.54	-7.23	2
6685MHz	Pass	6.67901G	-5.46	6.6584G	-35.08	-26.64	-8.44	3
6685MHz	Pass	6.6898G	-5.63	6.7178G	-37.94	-29.71	-8.23	4
6845MHz	Pass	6.8464G	-4.09	6.8108G	-35.95	-28.91	-7.04	1
6845MHz	Pass	6.843G	-4.07	6.8134G	-35.03	-27.68	-7.35	2
6845MHz	Pass	6.842G	-3.71	6.8074G	-37.51	-29.52	-7.99	3
6845MHz	Pass	6.8424G	-3.85	6.8128G	-35.03	-27.29	-7.74	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.8808G	-6.26	6.8514G	-37.81	-30.20	-7.61	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.8888G	-6.12	6.848G	-39.28	-31.69	-7.59	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.8886G	-6.08	6.8528G	-37.46	-30.09	-7.37	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.8876G	-6.36	6.8524G	-37.80	-30.11	-7.69	4
6885MHz Straddle 6.875-7.125GHz								
6925MHz	Pass	6.9206G	-5.39	6.8924G	-37.20	-29.54	-7.66	1
6925MHz	Pass	6.9204G	-5.92	6.8934G	-37.18	-29.72	-7.46	2
6925MHz	Pass	6.9214G	-5.74	6.8938G	-36.78	-29.10	-7.68	3
6925MHz	Pass	6.91741G	-5.43	6.9544G	-36.09	-27.87	-8.22	4
7005MHz	Pass	7.0086G	-6.08	7.0368G	-37.36	-30.04	-7.32	1
7005MHz	Pass	7.0006G	-6.56	7.0428G	-40.22	-32.77	-7.45	2
7005MHz	Pass	7.0014G	-6.08	7.042G	-40.01	-32.19	-7.82	3
7005MHz	Pass	7.0022G	-5.96	7.0424G	-39.44	-31.71	-7.73	4
7085MHz	Pass	7.0888G	-5.13	7.0582G	-32.97	-25.48	-7.49	1
7085MHz	Pass	7.0802G	-5.25	7.05G	-36.61	-29.55	-7.06	2
7085MHz	Pass	7.0812G	-5.21	7.0512G	-35.88	-29.19	-6.69	3
7085MHz	Pass	7.07901G	-5.01	7.0474G	-36.96	-29.95	-7.01	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99739G	-4.47	6.0478G	-35.10	-28.28	-6.82	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.9802G	-4.73	6.0298G	-32.04	-24.89	-7.15	2
5985MHz	Pass	5.99739G	-3.94	6.0358G	-32.85	-24.80	-8.05	3
5985MHz	Pass	5.99619G	-4.21	6.0302G	-31.83	-24.42	-7.41	4
6145MHz	Pass	6.13021G	-5.76	6.1018G	-33.61	-25.81	-7.80	1
6145MHz	Pass	6.13141G	-6.07	6.079G	-38.19	-30.15	-8.04	2
6145MHz	Pass	6.13301G	-5.85	6.0874G	-36.75	-28.30	-8.45	3
6145MHz	Pass	6.13181G	-5.84	6.1022G	-33.00	-25.87	-7.13	4
6385MHz	Pass	6.37101G	-4.76	6.3298G	-35.26	-26.98	-8.28	1
6385MHz	Pass	6.37261G	-4.99	6.3418G	-32.28	-25.04	-7.24	2
6385MHz	Pass	6.37141G	-4.78	6.3162G	-37.28	-29.64	-7.64	3
6385MHz	Pass	6.37141G	-4.23	6.3274G	-34.87	-26.83	-8.04	4
6465MHz	Pass	6.47619G	-4.24	6.421G	-32.67	-24.32	-8.35	1
6465MHz	Pass	6.45261G	-4.39	6.4214G	-32.58	-24.55	-8.03	2
6465MHz	Pass	6.45261G	-4.48	6.4098G	-34.74	-26.77	-7.97	3
6465MHz	Pass	6.45141G	-4.22	6.4214G	-32.32	-24.37	-7.95	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.55859G	-4.52	6.501G	-32.75	-24.57	-8.18	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.55859G	-4.82	6.607G	-36.20	-28.26	-7.94	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53221G	-4.79	6.5014G	-33.20	-24.86	-8.34	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.53261G	-4.61	6.5882G	-32.34	-24.65	-7.69	4
6545MHz Straddle 6.525-6.875GHz								
6625MHz	Pass	6.61141G	-4.49	6.5814G	-32.47	-24.56	-7.91	1
6625MHz	Pass	6.61261G	-4.18	6.6682G	-32.13	-24.18	-7.95	2
6625MHz	Pass	6.61021G	-4.36	6.5822G	-31.58	-24.38	-7.20	3
6625MHz	Pass	6.61221G	-4.55	6.5674G	-35.20	-27.40	-7.80	4
6705MHz	Pass	6.69381G	-6.40	6.6362G	-39.47	-31.14	-8.33	1
6705MHz	Pass	6.71339G	-6.34	6.8358G	-54.34	-46.34	-8.00	2
6705MHz	Pass	6.69141G	-6.27	6.6614G	-34.31	-26.35	-7.96	3
6705MHz	Pass	6.71739G	-6.41	6.8374G	-54.32	-46.41	-7.91	4
6785MHz	Pass	6.77381G	-6.90	6.6534G	-55.02	-46.90	-8.12	1
6785MHz	Pass	6.77381G	-7.23	6.6534G	-54.91	-47.19	-7.72	2
6785MHz	Pass	6.77221G	-6.87	6.655G	-54.68	-46.87	-7.81	3
6785MHz	Pass	6.77261G	-7.07	6.9134G	-54.90	-46.99	-7.91	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.85221G	-5.69	6.8082G	-35.50	-27.36	-8.14	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85101G	-5.53	6.8082G	-36.15	-28.02	-8.13	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.85101G	-5.25	6.8222G	-32.77	-25.29	-7.48	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.85261G	-5.44	6.8218G	-32.97	-25.50	-7.47	4
6865MHz Straddle 6.875-7.125GHz								
6945MHz	Pass	6.93061G	-6.29	7.0082G	-37.50	-30.20	-7.30	1
6945MHz	Pass	6.93021G	-6.41	6.8902G	-35.98	-28.59	-7.39	2
6945MHz	Pass	6.93101G	-6.53	6.8142G	-53.98	-46.53	-7.45	3
6945MHz	Pass	6.93381G	-6.36	6.8138G	-54.36	-46.36	-8.00	4
7025MHz	Pass	7.01101G	-5.60	6.9562G	-38.03	-30.65	-7.38	1
7025MHz	Pass	7.01021G	-5.61	6.9578G	-37.98	-29.97	-8.01	2
7025MHz	Pass	7.01381G	-5.46	6.897G	-53.46	-45.46	-8.00	3
7025MHz	Pass	7.03459G	-5.74	7.0682G	-33.81	-25.77	-8.04	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04738G	-2.54	6.273G	-51.99	-42.54	-9.45	1
6025MHz	Pass	6.05137G	-2.58	6.2914G	-51.94	-42.58	-9.36	2
6025MHz	Pass	5.99863G	-2.54	6.2746G	-51.71	-42.54	-9.17	3
6025MHz	Pass	5.99863G	-2.18	6.2866G	-51.88	-42.18	-9.70	4
6185MHz	Pass	6.16102G	-3.88	5.933G	-49.65	-43.88	-5.77	1
6185MHz	Pass	6.15863G	-3.94	5.9282G	-51.98	-43.94	-8.04	2
6185MHz	Pass	6.16262G	-4.01	5.9362G	-52.43	-44.01	-8.42	3
6185MHz	Pass	6.16262G	-3.52	5.9338G	-51.96	-43.52	-8.44	4
6345MHz	Pass	6.31623G	-3.98	6.0138G	-50.97	-43.98	-6.99	1
6345MHz	Pass	6.31863G	-3.92	5.9978G	-50.56	-43.92	-6.64	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.36738G	-3.97	6.0666G	-51.24	-43.97	-7.27	3
6345MHz	Pass	6.31623G	-3.48	6.0922G	-50.76	-43.48	-7.28	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.47863G	-4.02	6.7946G	-51.87	-44.02	-7.85	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.52898G	-3.92	6.7994G	-51.22	-43.92	-7.30	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.52978G	-3.84	6.7618G	-51.79	-43.84	-7.95	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.53217G	-3.53	6.7706G	-51.63	-43.53	-8.10	4
6505MHz Straddle 6.525-6.875GHz								
6665MHz	Pass	6.69057G	-3.66	6.9538G	-52.17	-43.66	-8.51	1
6665MHz	Pass	6.68738G	-3.85	6.9938G	-51.48	-43.85	-7.63	2
6665MHz	Pass	6.69137G	-3.68	6.397G	-51.78	-43.68	-8.10	3
6665MHz	Pass	6.68978G	-3.47	6.9386G	-51.78	-43.47	-8.31	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.79943G	-3.11	6.5794G	-51.03	-42.81	-8.22	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.85137G	-2.90	6.5698G	-51.12	-42.90	-8.22	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.79703G	-2.71	6.5754G	-50.57	-42.71	-7.86	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.84738G	-2.81	6.5626G	-51.85	-42.81	-9.04	4
6825MHz Straddle 6.875-7.125GHz								
6985MHz	Pass	7.00978G	-3.43	6.7298G	-51.06	-43.43	-7.63	1
6985MHz	Pass	7.00258G	-3.54	6.737G	-50.98	-43.53	-7.45	2
6985MHz	Pass	7.01057G	-3.21	6.7354G	-50.63	-43.21	-7.42	3
6985MHz	Pass	7.01057G	-3.10	6.7322G	-51.38	-43.10	-8.28	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

03/09/2022

CF Freq
5.955GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9562G	-4.61	5.9689G	-33.09	-24.74	-8.35	1
5.9579G	-4.80	5.9686G	-33.39	-25.06	-8.33	2
5.9567G	-4.38	5.9704G	-34.16	-26.61	-7.55	3
5.9561G	-4.43	5.9715G	-34.62	-25.21	-9.41	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

03/09/2022

CF Freq
6.175GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1725G	-3.38	6.1623G	-31.29	-23.38	-7.91	1
6.1727G	-3.71	6.1589G	-34.12	-25.57	-8.55	2
6.1713G	-3.23	6.1605G	-33.00	-24.17	-8.83	3
6.1737G	-2.95	6.1598G	-33.09	-24.67	-8.42	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

03/09/2022

CF Freq
6.415GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4115G	-5.38	6.3991G	-35.59	-27.07	-8.52	1
6.4124G	-5.34	6.4003G	-34.83	-25.39	-9.44	2
6.4126G	-5.44	6.3999G	-35.29	-26.45	-8.84	3
6.4119G	-4.75	6.4002G	-34.16	-26.07	-8.09	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

03/09/2022

CF Freq
6.435GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4361G	-6.54	6.421G	-35.66	-27.00	-8.66	1
6.4379G	-6.56	6.4481G	-34.96	-26.63	-8.33	2
6.4369G	-6.65	6.4199G	-36.47	-28.15	-8.32	3
6.4322G	-6.48	6.4217G	-35.00	-26.52	-8.48	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

03/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4711G	-6.12	6.4606G	-35.38	-26.83	-8.55	1
6.4728G	-6.18	6.4607G	-35.66	-26.54	-9.12	2
6.4726G	-6.26	6.4881G	-34.85	-26.28	-8.57	3
6.4718G	-6.08	6.4899G	-35.77	-26.99	-8.78	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

03/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5162G	-5.51	6.5303G	-35.59	-26.81	-8.78	1
6.5124G	-5.43	6.5306G	-35.84	-26.55	-9.29	2
6.5126G	-5.85	6.5007G	-35.19	-26.46	-8.73	3
6.5166G	-5.52	6.4994G	-35.62	-26.34	-9.28	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

03/09/2022

CF Freq
6.535GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.531G	-5.41	6.5505G	-35.46	-27.41	-8.05	1
6.5375G	-5.81	6.5483G	-34.43	-25.93	-8.50	2
6.5314G	-5.83	6.5216G	-34.55	-26.02	-8.53	3
6.5371G	-5.45	6.5492G	-34.57	-25.59	-8.98	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

03/09/2022

CF Freq
6.695GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6963G	-6.13	6.6805G	-35.57	-26.29	-9.28	1
6.6931G	-6.38	6.7131G	-38.71	-30.76	-7.95	2
6.6916G	-6.11	6.6798G	-35.91	-28.21	-7.70	3
6.6921G	-6.11	6.6802G	-35.66	-26.60	-9.06	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

03/09/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8534G	-5.77	6.8403G	-35.22	-25.85	-9.37	1
6.8531G	-5.86	6.8396G	-35.69	-26.72	-8.97	2
6.851G	-5.35	6.8397G	-35.21	-26.57	-8.64	3
6.8526G	-5.56	6.8407G	-34.78	-25.80	-8.98	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

03/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8735G	-6.87	6.86G	-36.50	-26.99	-9.51	1
6.8731G	-6.85	6.86G	-36.49	-27.19	-9.30	2
6.8764G	-6.60	6.8593G	-36.76	-29.26	-7.50	3
6.8724G	-6.66	6.8605G	-35.84	-26.82	-9.02	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

03/09/2022

CF Freq
6.895GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8905G	-6.58	6.8792G	-36.53	-29.00	-7.53	1
6.8932G	-6.46	6.8802G	-35.96	-26.95	-9.01	2
6.8963G	-5.95	6.8799G	-35.88	-27.09	-8.79	3
6.8923G	-6.70	6.8804G	-36.00	-26.99	-9.01	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

03/09/2022

CF Freq
6.995GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00009G	-5.69	7.0108G	-35.58	-28.46	-7.12	1
7.00009G	-6.45	7.0103G	-36.21	-27.55	-8.66	2
7.00099G	-5.56	7.0102G	-35.07	-26.64	-8.43	3
7.00099G	-5.76	7.0115G	-36.26	-28.14	-8.12	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

03/09/2022

CF Freq
7.095GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0932G	-5.35	7.0798G	-34.65	-25.50	-9.15	1
7.0936G	-6.14	7.0799G	-35.27	-26.62	-8.65	2
7.0963G	-5.31	7.0804G	-34.78	-27.44	-7.34	3
7.0924G	-5.78	7.1083G	-34.08	-25.92	-8.16	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

03/09/2022

CF Freq
5.965GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9692G	-4.77	5.9944G	-33.89	-27.01	-6.88	1
5.9676G	-4.45	5.993G	-33.71	-26.52	-7.19	2
5.97119G	-4.47	5.998G	-35.04	-27.45	-7.59	3
5.97139G	-4.70	5.9974G	-35.13	-28.00	-7.13	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

03/09/2022

CF Freq
6.165GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1612G	-4.97	6.1326G	-36.60	-28.93	-7.67	1
6.16G	-5.28	6.133G	-37.09	-29.19	-7.90	2
6.16G	-5.32	6.1328G	-36.92	-29.22	-7.70	3
6.1628G	-4.71	6.1298G	-37.64	-29.89	-7.75	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

03/09/2022

CF Freq
6.405GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39901G	-5.55	6.3678G	-39.19	-30.97	-8.22	1
6.4088G	-5.46	6.368G	-38.81	-31.52	-7.29	2
6.39981G	-5.45	6.3738G	-36.82	-28.97	-7.85	3
6.4G	-5.14	6.3674G	-38.66	-31.07	-7.59	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

03/09/2022

CF Freq
6.445GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45099G	-5.27	6.4184G	-35.15	-26.44	-8.71	1
6.4498G	-5.28	6.4122G	-37.34	-29.45	-7.89	2
6.44G	-5.46	6.4076G	-39.51	-31.56	-7.95	3
6.45119G	-5.28	6.4094G	-38.30	-30.70	-7.60	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

03/09/2022

CF Freq
6.485GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4812G	-5.04	6.5146G	-35.28	-27.71	-7.57	1
6.49G	-5.12	6.5182G	-36.80	-29.27	-7.53	2
6.48G	-5.24	6.5174G	-36.87	-29.55	-7.32	3
6.4876G	-4.91	6.5234G	-38.68	-31.11	-7.57	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

03/09/2022

CF Freq
6.525GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5288G	-6.16	6.5626G	-39.96	-32.40	-7.56	1
6.5276G	-6.30	6.5578G	-38.04	-30.47	-7.57	2
6.51981G	-6.15	6.4964G	-36.46	-28.70	-7.76	3
6.53G	-6.04	6.494G	-37.67	-29.61	-8.06	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

03/09/2022

CF Freq
6.565GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57119G	-4.90	6.6032G	-38.97	-31.49	-7.48	1
6.5686G	-4.74	6.5932G	-34.82	-26.96	-7.86	2
6.5698G	-4.89	6.5306G	-37.58	-30.01	-7.57	3
6.55981G	-4.88	6.5944G	-35.69	-27.77	-7.92	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

03/09/2022

CF Freq
6.685GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67861G	-5.58	6.714G	-35.79	-28.45	-7.34	1
6.688G	-5.52	6.7176G	-36.77	-29.54	-7.23	2
6.67901G	-5.46	6.6584G	-35.08	-26.64	-8.44	3
6.6898G	-5.63	6.7178G	-37.94	-29.71	-8.23	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

03/09/2022

CF Freq
6.845GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8464G	-4.09	6.8108G	-35.95	-28.91	-7.04	1
6.843G	-4.07	6.8134G	-35.03	-27.68	-7.35	2
6.842G	-3.71	6.8074G	-37.51	-29.52	-7.99	3
6.8424G	-3.85	6.8128G	-35.03	-27.29	-7.74	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

03/09/2022

CF Freq
6.885GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8808G	-6.26	6.8514G	-37.81	-30.20	-7.61	1
6.8888G	-6.12	6.848G	-39.28	-31.69	-7.59	2
6.8886G	-6.08	6.8528G	-37.46	-30.09	-7.37	3
6.8876G	-6.36	6.8524G	-37.80	-30.11	-7.69	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

03/09/2022

CF Freq
6.925GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9206G	-5.39	6.8924G	-37.20	-29.54	-7.66	1
6.9204G	-5.92	6.8934G	-37.18	-29.72	-7.46	2
6.9214G	-5.74	6.8938G	-36.78	-29.10	-7.68	3
6.91741G	-5.43	6.9544G	-36.09	-27.87	-8.22	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

03/09/2022

CF Freq
7.005GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0086G	-6.08	7.0368G	-37.36	-30.04	-7.32	1
7.0006G	-6.56	7.0428G	-40.22	-32.77	-7.45	2
7.0014G	-6.08	7.042G	-40.01	-32.19	-7.82	3
7.0022G	-5.96	7.0424G	-39.44	-31.71	-7.73	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

03/09/2022

CF Freq
7.085GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0888G	-5.13	7.0582G	-32.97	-25.48	-7.49	1
7.0802G	-5.25	7.05G	-36.61	-29.55	-7.06	2
7.0812G	-5.21	7.0512G	-35.88	-29.19	-6.69	3
7.07901G	-5.01	7.0474G	-36.96	-29.95	-7.01	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

03/09/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99739G	-4.47	6.0478G	-35.10	-28.28	-6.82	1
5.9802G	-4.73	6.0298G	-32.04	-24.89	-7.15	2
5.99739G	-3.94	6.0358G	-32.85	-24.80	-8.05	3
5.99619G	-4.21	6.0302G	-31.83	-24.42	-7.41	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

03/09/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13021G	-5.76	6.1018G	-33.61	-25.81	-7.80	1
6.13141G	-6.07	6.079G	-38.19	-30.15	-8.04	2
6.13301G	-5.85	6.0874G	-36.75	-28.30	-8.45	3
6.13181G	-5.84	6.1022G	-33.00	-25.87	-7.13	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

03/09/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37101G	-4.76	6.3298G	-35.26	-26.98	-8.28	1
6.37261G	-4.99	6.3418G	-32.28	-25.04	-7.24	2
6.37141G	-4.78	6.3162G	-37.28	-29.64	-7.64	3
6.37141G	-4.23	6.3274G	-34.87	-26.83	-8.04	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

03/09/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47619G	-4.24	6.421G	-32.67	-24.32	-8.35	1
6.45261G	-4.39	6.4214G	-32.58	-24.55	-8.03	2
6.45261G	-4.48	6.4098G	-34.74	-26.77	-7.97	3
6.45141G	-4.22	6.4214G	-32.32	-24.37	-7.95	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

03/09/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55859G	-4.52	6.501G	-32.75	-24.57	-8.18	1
6.55859G	-4.82	6.607G	-36.20	-28.26	-7.94	2
6.53221G	-4.79	6.5014G	-33.20	-24.86	-8.34	3
6.53261G	-4.61	6.5882G	-32.34	-24.65	-7.69	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

03/09/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61141G	-4.49	6.5814G	-32.47	-24.56	-7.91	1
6.61261G	-4.18	6.6682G	-32.13	-24.18	-7.95	2
6.61021G	-4.36	6.5822G	-31.58	-24.38	-7.20	3
6.61221G	-4.55	6.5674G	-35.20	-27.40	-7.80	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

03/09/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-6.40	6.6362G	-39.47	-31.14	-8.33	1
6.71339G	-6.34	6.8358G	-54.34	-46.34	-8.00	2
6.69141G	-6.27	6.6614G	-34.31	-26.35	-7.96	3
6.71739G	-6.41	6.8374G	-54.32	-46.41	-7.91	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

03/09/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77381G	-6.90	6.6534G	-55.02	-46.90	-8.12	1
6.77381G	-7.23	6.6534G	-54.91	-47.19	-7.72	2
6.77221G	-6.87	6.655G	-54.68	-46.87	-7.81	3
6.77261G	-7.07	6.9134G	-54.90	-46.99	-7.91	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

03/09/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85221G	-5.69	6.8082G	-35.50	-27.36	-8.14	1
6.85101G	-5.53	6.8082G	-36.15	-28.02	-8.13	2
6.85101G	-5.25	6.8222G	-32.77	-25.29	-7.48	3
6.85261G	-5.44	6.8218G	-32.97	-25.50	-7.47	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

03/09/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93061G	-6.29	7.0082G	-37.50	-30.20	-7.30	1
6.93021G	-6.41	6.8902G	-35.98	-28.59	-7.39	2
6.93101G	-6.53	6.8142G	-53.98	-46.53	-7.45	3
6.93381G	-6.36	6.8138G	-54.36	-46.36	-8.00	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

03/09/2022

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01101G	-5.60	6.9562G	-38.03	-30.65	-7.38	1
7.01021G	-5.61	6.9578G	-37.98	-29.97	-8.01	2
7.01381G	-5.46	6.897G	-53.46	-45.46	-8.00	3
7.03459G	-5.74	7.0682G	-33.81	-25.77	-8.04	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

03/09/2022

CF Freq
6.025GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04738G	-2.54	6.273G	-51.99	-42.54	-9.45	1
6.05137G	-2.58	6.2914G	-51.94	-42.58	-9.36	2
5.99863G	-2.54	6.2746G	-51.71	-42.54	-9.17	3
5.99863G	-2.18	6.2866G	-51.88	-42.18	-9.70	4