

RF EXPOSURE REPORT

REPORT NO.: SA111007C07

MODEL NO.: DBUB-P207,

DBUB-P207 L,

DBUB-P207 H

FCC ID: NKR-DBUBP207

RECEIVED: Oct. 07, 2011

TESTED: Oct. 19 ~ Oct. 22, 2011

ISSUED: Oct. 25, 2011

APPLICANT: Wistron NeWeb Corp.

ADDRESS: 20 Park Avenue II, Hsinchu Science Park, Hsinchu

308, Taiwan, R.O.C.

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)

Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Vil., Lin Kou Dist., New

Taipei City, Taiwan (R.O.C)

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan

Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.

This test report consists of 5 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced, except in full, without the written approval of our laboratory. The client should not use it to claim product certification, approval or endorsement by any government agency. The test results in the report only apply to the tested sample.



TABLE OF CONTENTS

RELE	ASE CONTROL RECORD	3
1.	CERTIFICATION	4
2.	REDUCED CONDITION FOR SAR	5
3.	MAXIMUM MEASURED POWER OF EUT	5
4.	CONCLUSION	5



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Oct. 25, 2011

Report No.: SA111007C07 3 Report Format Version 4.0.0



1. CERTIFICATION

PRODUCT: Bluetooth Adapter

MODEL: DBUB-P207, DBUB-P207 L, DBUB-P207 H

BRAND: Panasonic

APPLICANT: Wistron NeWeb Corp.

TESTED: Oct. 19 ~ Oct. 22, 2011

TEST SAMPLE: ENGINEERING SAMPLE

STANDARDS: FCC Part 2 (Section 2.1093)

FCC OET Bulletin 65, Supplement C (01-01)

IEEE C95.1

The above equipment (model: DBUB-P207 L) have been tested by Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

Polly Chien / Specialist , DATE: Oct. 25, 2011



2. REDUCED CONDITION FOR SAR

When output power is \leq 60/f(GHz) mW, SAR evaluation is not required.

3. MAXIMUM MEASURED POWER OF EUT

Maximum measured transmitter power:

Pout (dBm	Pout (mW)				
Bluetooth					
Conducted Power	6.50	4.47			
EIRP Power	11.30	13.49			

^{*}Note: The antenna is printed antenna with 4.8dBi gain.

4. CONCLUSION

No SAR evaluation is required since output power of EUT is less than threshold of SAR.