


### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT\_X\_2TX  
Setting 27  
01-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.12	74.00	-5.88	62.79	3	Horizontal	324	1.88	-	31.90	6.37	32.94
AV	5.1486G	53.86	54.00	-0.14	48.53	3	Horizontal	324	1.88	-	31.90	6.37	32.94
PK	5.1786G	116.72	Inf	-Inf	111.48	3	Horizontal	324	1.88	-	31.79	6.39	32.94
AV	5.181G	106.89	Inf	-Inf	101.66	3	Horizontal	324	1.88	-	31.78	6.39	32.94

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT X\_2TX  
Setting 27  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3512G	60.40	68.20	-7.80	45.54	3	Vertical	206	1.80	-	39.40	8.59	33.13
PK	15.5385G	62.06	74.00	-11.94	46.03	3	Vertical	192	2.17	-	38.48	10.36	32.81
AV	15.543G	49.19	54.00	-4.81	33.17	3	Vertical	192	2.17	-	38.47	10.36	32.81

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5180MHz\_TnomVnom




EUT X\_2TX  
Setting 27  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3547G	62.12	68.20	-6.08	47.24	3	Horizontal	146	1.14	-	39.42	8.59	33.13
PK	15.5374G	61.79	74.00	-12.21	45.75	3	Horizontal	194	1.80	-	38.49	10.36	32.81
AV	15.5402G	48.91	54.00	-5.09	32.88	3	Horizontal	194	1.80	-	38.48	10.36	32.81

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.77	74.00	-9.23	59.44	3	Vertical	194	1.80	-	31.90	6.37	32.94
AV	5.1492G	49.42	54.00	-4.58	44.09	3	Vertical	194	1.80	-	31.90	6.37	32.94
PK	5.1988G	116.39	Inf	-Inf	111.23	3	Vertical	194	1.80	-	31.70	6.40	32.94
AV	5.2008G	106.14	Inf	-Inf	100.98	3	Vertical	194	1.80	-	31.70	6.40	32.94

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	69.91	74.00	-4.09	64.58	3	Horizontal	340	2.16	-	31.90	6.37	32.94
AV	5.1488G	53.31	54.00	-0.69	47.98	3	Horizontal	340	2.16	-	31.90	6.37	32.94
PK	5.2012G	121.33	Inf	-Inf	116.18	3	Horizontal	340	2.16	-	31.69	6.40	32.94
AV	5.1984G	111.21	Inf	-Inf	106.04	3	Horizontal	340	2.16	-	31.71	6.40	32.94

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.399G	63.05	68.20	-5.15	47.94	3	Vertical	206	1.80	-	39.60	8.60	33.09
PK	15.6044G	64.27	74.00	-9.73	48.41	3	Vertical	200	2.15	-	38.28	10.38	32.80
AV	15.6011G	51.31	54.00	-2.69	35.43	3	Vertical	200	2.15	-	38.30	10.38	32.80

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5200MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3988G	68.08	68.20	-0.12	52.97	3	Horizontal	206	1.00	-	39.60	8.60	33.09
PK	15.6036G	61.50	74.00	-12.50	45.63	3	Horizontal	147	1.71	-	38.29	10.38	32.80
AV	15.6026G	48.86	54.00	-5.14	32.99	3	Horizontal	147	1.71	-	38.29	10.38	32.80

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1092G	58.23	74.00	-15.77	52.85	3	Vertical	192	1.80	-	31.98	6.35	32.95
AV	5.15G	46.37	54.00	-7.63	41.04	3	Vertical	192	1.80	-	31.90	6.37	32.94
PK	5.2424G	117.28	Inf	-Inf	112.36	3	Vertical	192	1.80	-	31.45	6.40	32.93
AV	5.2424G	107.13	Inf	-Inf	102.21	3	Vertical	192	1.80	-	31.45	6.40	32.93
PK	5.3774G	58.31	74.00	-15.69	53.36	3	Vertical	192	1.80	-	31.46	6.40	32.91
AV	5.3678G	45.83	54.00	-8.17	40.94	3	Vertical	192	1.80	-	31.41	6.40	32.92



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	60.80	74.00	-13.20	55.47	3	Horizontal	334	2.10	-	31.90	6.37	32.94
AV	5.1494G	47.53	54.00	-6.47	42.20	3	Horizontal	334	2.10	-	31.90	6.37	32.94
PK	5.2394G	122.70	Inf	-Inf	117.77	3	Horizontal	334	2.10	-	31.46	6.40	32.93
AV	5.2394G	112.38	Inf	-Inf	107.45	3	Horizontal	334	2.10	-	31.46	6.40	32.93
PK	5.3768G	58.65	74.00	-15.35	53.70	3	Horizontal	334	2.10	-	31.46	6.40	32.91
AV	5.3522G	46.18	54.00	-7.82	41.39	3	Horizontal	334	2.10	-	31.31	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4788G	63.53	68.20	-4.67	48.34	3	Vertical	206	1.80	-	39.60	8.62	33.03
PK	15.71748G	64.27	74.00	-9.73	48.76	3	Vertical	186	1.60	-	37.88	10.42	32.79
AV	15.71958G	50.92	54.00	-3.08	35.40	3	Vertical	186	1.60	-	37.88	10.42	32.78

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5240MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47964G	68.13	68.20	-0.07	52.94	3	Horizontal	147	1.63	-	39.60	8.62	33.03
PK	15.71256G	63.21	74.00	-10.79	47.70	3	Horizontal	224	1.00	-	37.89	10.41	32.79
AV	15.71496G	50.07	54.00	-3.93	34.56	3	Horizontal	224	1.00	-	37.89	10.41	32.79

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5745MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.66	68.20	-6.54	56.17	3	Vertical	188	2.08	-	31.80	6.60	32.91
PK	5.743G	119.63	Inf	-Inf	113.96	3	Vertical	188	2.08	-	31.99	6.60	32.92
AV	5.742G	109.19	Inf	-Inf	103.53	3	Vertical	188	2.08	-	31.98	6.60	32.92
PK	5.928G	59.77	68.20	-8.43	53.90	3	Vertical	188	2.08	-	32.21	6.60	32.94

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5745MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	62.61	68.20	-5.59	57.11	3	Horizontal	334	2.08	-	31.81	6.60	32.91
PK	5.744G	122.38	Inf	-Inf	116.71	3	Horizontal	334	2.08	-	31.99	6.60	32.92
AV	5.744G	112.01	Inf	-Inf	106.34	3	Horizontal	334	2.08	-	31.99	6.60	32.92
PK	5.952G	59.30	68.20	-8.90	53.35	3	Horizontal	334	2.08	-	32.30	6.60	32.95

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5745MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49354G	61.65	74.00	-12.35	45.39	3	Vertical	221	2.35	-	40.20	8.87	32.81
AV	11.48874G	48.44	54.00	-5.56	32.18	3	Vertical	221	2.35	-	40.20	8.87	32.81
PK	17.2272G	67.82	68.20	-0.38	47.32	3	Vertical	189	1.80	-	41.64	10.87	32.01

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5745MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48838G	64.02	74.00	-9.98	47.76	3	Horizontal	211	1.09	-	40.20	8.87	32.81
AV	11.49072G	50.82	54.00	-3.18	34.56	3	Horizontal	211	1.09	-	40.20	8.87	32.81
PK	17.24106G	67.82	68.20	-0.38	47.24	3	Horizontal	192	1.45	-	41.71	10.87	32.00

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.89	68.20	-8.31	54.35	3	Vertical	192	2.20	-	31.85	6.60	32.91
PK	5.786G	115.97	Inf	-Inf	110.30	3	Vertical	192	2.20	-	32.00	6.60	32.93
AV	5.786G	106.54	Inf	-Inf	100.87	3	Vertical	192	2.20	-	32.00	6.60	32.93
PK	6.027G	60.05	68.20	-8.15	54.00	3	Vertical	192	2.20	-	32.36	6.64	32.95



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT\_X\_2TX  
Setting 29  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	61.17	68.20	-7.03	55.62	3	Horizontal	314	2.21	-	31.86	6.60	32.91
PK	5.784G	118.30	Inf	-Inf	112.63	3	Horizontal	314	2.21	-	32.00	6.60	32.93
AV	5.786G	108.00	Inf	-Inf	102.33	3	Horizontal	314	2.21	-	32.00	6.60	32.93
PK	5.947G	59.80	68.20	-8.40	53.85	3	Horizontal	314	2.21	-	32.29	6.60	32.94

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5661G	58.50	74.00	-15.50	42.36	3	Vertical	220	2.38	-	40.07	8.89	32.82
AV	11.5687G	46.03	54.00	-7.97	29.90	3	Vertical	220	2.38	-	40.06	8.89	32.82
PK	17.3572G	68.12	68.20	-0.08	46.58	3	Vertical	203	2.28	-	42.57	10.91	31.94

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5785MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.568G	60.32	74.00	-13.68	44.19	3	Horizontal	210	1.00	-	40.06	8.89	32.82
AV	11.5707G	47.04	54.00	-6.96	30.91	3	Horizontal	210	1.00	-	40.06	8.89	32.82
PK	17.3665G	67.24	68.20	-0.96	45.60	3	Horizontal	197	1.03	-	42.67	10.91	31.94

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5825MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	59.35	68.20	-8.85	53.83	3	Vertical	191	1.99	-	31.83	6.60	32.91
PK	5.823G	114.90	Inf	-Inf	109.18	3	Vertical	191	1.99	-	32.05	6.60	32.93
AV	5.826G	104.96	Inf	-Inf	99.24	3	Vertical	191	1.99	-	32.05	6.60	32.93
PK	5.997G	59.16	68.20	-9.04	53.30	3	Vertical	191	1.99	-	32.21	6.60	32.95

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5825MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.57	68.20	-9.63	53.07	3	Horizontal	329	1.80	-	31.81	6.60	32.91
PK	5.827G	115.34	Inf	-Inf	109.62	3	Horizontal	329	1.80	-	32.05	6.60	32.93
AV	5.824G	106.38	Inf	-Inf	100.66	3	Horizontal	329	1.80	-	32.05	6.60	32.93
PK	5.99G	61.29	68.20	-6.91	55.42	3	Horizontal	329	1.80	-	32.22	6.60	32.95

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5825MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6516G	60.76	74.00	-13.24	44.94	3	Vertical	230	1.27	-	39.74	8.91	32.83
AV	11.6487G	47.22	54.00	-6.78	31.38	3	Vertical	230	1.27	-	39.76	8.91	32.83
PK	17.475G	68.08	68.20	-0.12	45.57	3	Vertical	149	2.79	-	43.45	10.94	31.88

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5825MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6572G	60.21	74.00	-13.79	44.42	3	Horizontal	203	1.00	-	39.71	8.91	32.83
AV	11.6488G	47.36	54.00	-6.64	31.52	3	Horizontal	203	1.00	-	39.76	8.91	32.83
PK	17.4676G	68.02	68.20	-0.18	45.56	3	Horizontal	191	1.02	-	43.41	10.94	31.89

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5190MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.40	74.00	-9.60	59.07	3	Vertical	195	2.11	-	31.90	6.37	32.94
AV	5.1492G	49.65	54.00	-4.35	44.32	3	Vertical	195	2.11	-	31.90	6.37	32.94
PK	5.1924G	107.40	Inf	-Inf	102.21	3	Vertical	195	2.11	-	31.73	6.40	32.94
AV	5.192G	98.13	Inf	-Inf	92.94	3	Vertical	195	2.11	-	31.73	6.40	32.94



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5190MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	68.86	74.00	-5.14	63.52	3	Horizontal	334	2.07	-	31.91	6.37	32.94
AV	5.1492G	53.92	54.00	-0.08	48.59	3	Horizontal	334	2.07	-	31.90	6.37	32.94
PK	5.1916G	112.14	Inf	-Inf	106.95	3	Horizontal	334	2.07	-	31.73	6.40	32.94
AV	5.192G	103.18	Inf	-Inf	97.99	3	Horizontal	334	2.07	-	31.73	6.40	32.94

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5190MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3782G	59.01	68.20	-9.19	44.02	3	Vertical	206	1.80	-	39.51	8.59	33.11
PK	15.5698G	61.54	74.00	-12.46	45.59	3	Vertical	109	1.00	-	38.39	10.37	32.81
AV	15.5828G	48.93	54.00	-5.07	33.02	3	Vertical	109	1.00	-	38.35	10.37	32.81

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5190MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3822G	59.68	68.20	-8.52	44.65	3	Horizontal	161	2.33	-	39.53	8.60	33.10
PK	15.5304G	61.97	74.00	-12.03	45.92	3	Horizontal	32.3	1.80	-	38.51	10.36	32.82
AV	15.5758G	49.04	54.00	-4.96	33.11	3	Horizontal	32.3	1.80	-	38.37	10.37	32.81

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5230MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2D  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	62.45	74.00	-11.55	57.11	3	Vertical	197	2.04	-	31.91	6.37	32.94
AV	5.1496G	49.88	54.00	-4.12	44.55	3	Vertical	197	2.04	-	31.90	6.37	32.94
PK	5.2342G	112.69	Inf	-Inf	107.73	3	Vertical	197	2.04	-	31.49	6.40	32.93
AV	5.2318G	103.76	Inf	-Inf	98.78	3	Vertical	197	2.04	-	31.51	6.40	32.93
PK	5.3728G	58.53	74.00	-15.47	53.61	3	Vertical	197	2.04	-	31.44	6.40	32.92
AV	5.3524G	46.72	54.00	-7.28	41.93	3	Vertical	197	2.04	-	31.31	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2D  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.87	74.00	-8.13	60.54	3	Horizontal	347	1.89	-	31.90	6.37	32.94
AV	5.1484G	53.51	54.00	-0.49	48.18	3	Horizontal	347	1.89	-	31.90	6.37	32.94
PK	5.2324G	116.40	Inf	-Inf	111.42	3	Horizontal	347	1.89	-	31.51	6.40	32.93
AV	5.2282G	107.34	Inf	-Inf	102.34	3	Horizontal	347	1.89	-	31.53	6.40	32.93
PK	5.3704G	58.44	74.00	-15.56	53.54	3	Horizontal	347	1.89	-	31.42	6.40	32.92
AV	5.3758G	47.00	54.00	-7.00	42.06	3	Horizontal	347	1.89	-	31.45	6.40	32.91

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT X\_2TX  
Setting 2D  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4588G	59.45	68.20	-8.75	44.28	3	Vertical	208	1.80	-	39.60	8.61	33.04
PK	15.6866G	61.64	74.00	-12.36	46.07	3	Vertical	181	1.00	-	37.95	10.41	32.79
AV	15.7002G	49.55	54.00	-4.45	34.03	3	Vertical	181	1.00	-	37.90	10.41	32.79

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5230MHz\_TnomVnom




EUT X\_2TX  
Setting 2D  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4544G	61.85	68.20	-6.35	46.69	3	Horizontal	148	1.60	-	39.60	8.61	33.05
PK	15.6794G	61.53	74.00	-12.47	45.94	3	Horizontal	209	1.36	-	37.98	10.40	32.79
AV	15.6996G	49.76	54.00	-4.24	34.24	3	Horizontal	209	1.36	-	37.90	10.41	32.79

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2E  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.85	68.20	-6.35	56.36	3	Vertical	185	1.84	-	31.80	6.60	32.91
PK	5.756G	113.78	Inf	-Inf	108.11	3	Vertical	185	1.84	-	32.00	6.60	32.93
AV	5.757G	104.39	Inf	-Inf	98.72	3	Vertical	185	1.84	-	32.00	6.60	32.93
PK	5.975G	59.48	68.20	-8.72	53.58	3	Vertical	185	1.84	-	32.25	6.60	32.95



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2E  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.92	68.20	-2.28	60.43	3	Horizontal	333	1.87	-	31.80	6.60	32.91
PK	5.752G	117.80	Inf	-Inf	112.13	3	Horizontal	333	1.87	-	32.00	6.60	32.93
AV	5.75G	107.70	Inf	-Inf	102.02	3	Horizontal	333	1.87	-	32.00	6.60	32.92
PK	6.002G	59.40	68.20	-8.80	53.54	3	Horizontal	333	1.87	-	32.21	6.60	32.95

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT X\_2TX  
Setting 2E  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.467G	57.96	74.00	-16.04	41.70	3	Vertical	196	1.28	-	40.20	8.87	32.81
AV	11.4618G	46.02	54.00	-7.98	29.76	3	Vertical	196	1.28	-	40.20	8.87	32.81

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5755MHz\_TnomVnom




EUT X\_2TX  
Setting 2E  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5008G	59.79	74.00	-14.21	43.52	3	Horizontal	205	1.02	-	40.20	8.88	32.81
AV	11.511G	47.62	54.00	-6.38	31.37	3	Horizontal	205	1.02	-	40.18	8.88	32.81

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5795MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	62.40	68.20	-5.80	56.90	3	Vertical	190	2.10	-	31.81	6.60	32.91
PK	5.793G	116.42	Inf	-Inf	110.75	3	Vertical	190	2.10	-	32.00	6.60	32.93
AV	5.794G	106.86	Inf	-Inf	101.19	3	Vertical	190	2.10	-	32.00	6.60	32.93
PK	5.927G	64.58	68.20	-3.62	58.71	3	Vertical	190	2.10	-	32.21	6.60	32.94

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5795MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	63.92	68.20	-4.28	58.38	3	Horizontal	334	2.09	-	31.85	6.60	32.91
PK	5.798G	117.63	Inf	-Inf	111.96	3	Horizontal	334	2.09	-	32.00	6.60	32.93
AV	5.793G	108.66	Inf	-Inf	102.99	3	Horizontal	334	2.09	-	32.00	6.60	32.93
PK	5.925G	65.78	68.20	-2.42	59.92	3	Horizontal	334	2.09	-	32.20	6.60	32.94

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5795MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5528G	59.35	74.00	-14.65	43.19	3	Vertical	225	1.35	-	40.09	8.89	32.82
AV	11.5912G	46.76	54.00	-7.24	30.66	3	Vertical	225	1.35	-	40.02	8.90	32.82

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5795MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5906G	58.36	74.00	-15.64	42.26	3	Horizontal	185	1.95	-	40.02	8.90	32.82
AV	11.5636G	45.79	54.00	-8.21	29.65	3	Horizontal	185	1.95	-	40.07	8.89	32.82

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT\_X\_2TX  
Setting 1E  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.84	74.00	-14.16	54.51	3	Vertical	193	1.80	-	31.90	6.37	32.94
AV	5.15G	50.36	54.00	-3.64	45.03	3	Vertical	193	1.80	-	31.90	6.37	32.94
PK	5.2068G	101.24	Inf	-Inf	96.12	3	Vertical	193	1.80	-	31.66	6.40	32.94
AV	5.2076G	93.12	Inf	-Inf	88.01	3	Vertical	193	1.80	-	31.65	6.40	32.94
PK	5.3908G	58.35	74.00	-15.65	53.32	3	Vertical	193	1.80	-	31.54	6.40	32.91
AV	5.402G	48.30	54.00	-5.70	43.20	3	Vertical	193	1.80	-	31.61	6.40	32.91



### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT\_X\_2TX  
Setting 1E  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	63.01	74.00	-10.99	57.67	3	Horizontal	348	2.14	-	31.91	6.37	32.94
AV	5.15G	53.87	54.00	-0.13	48.54	3	Horizontal	348	2.14	-	31.90	6.37	32.94
PK	5.2084G	106.48	Inf	-Inf	101.36	3	Horizontal	348	2.14	-	31.65	6.40	32.93
AV	5.2076G	97.86	Inf	-Inf	92.75	3	Horizontal	348	2.14	-	31.65	6.40	32.94
PK	5.3628G	58.48	74.00	-15.52	53.62	3	Horizontal	348	2.14	-	31.38	6.40	32.92
AV	5.4044G	47.98	54.00	-6.02	42.86	3	Horizontal	348	2.14	-	31.63	6.40	32.91

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT X\_2TX  
Setting 1E  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3786G	57.74	68.20	-10.46	42.75	3	Vertical	318	2.27	-	39.51	8.59	33.11
PK	15.5974G	60.91	74.00	-13.09	45.02	3	Vertical	270	3.00	-	38.31	10.38	32.80
AV	15.5804G	50.13	54.00	-3.87	34.21	3	Vertical	270	3.00	-	38.36	10.37	32.81

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5210MHz\_TnomVnom




EUT X\_2TX  
Setting 1E  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3706G	57.89	68.20	-10.31	42.93	3	Horizontal	129	1.68	-	39.48	8.59	33.11
PK	15.5894G	60.67	74.00	-13.33	44.77	3	Horizontal	139	2.05	-	38.33	10.38	32.81
AV	15.6116G	50.16	54.00	-3.84	34.33	3	Horizontal	139	2.05	-	38.25	10.38	32.80

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5775MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	64.32	68.94	-4.62	58.84	3	Vertical	188	2.05	-	31.80	6.60	32.92
PK	5.779G	109.85	Inf	-Inf	104.18	3	Vertical	188	2.05	-	32.00	6.60	32.93
AV	5.779G	100.51	Inf	-Inf	94.84	3	Vertical	188	2.05	-	32.00	6.60	32.93
PK	5.927G	60.25	68.20	-7.95	54.38	3	Vertical	188	2.05	-	32.21	6.60	32.94

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

#### 5775MHz\_TnomVnom




EUT\_X\_2TX  
Setting 29  
01-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.93	68.20	-0.27	62.44	3	Horizontal	333	1.82	-	31.80	6.60	32.91
PK	5.77G	110.75	Inf	-Inf	105.08	3	Horizontal	333	1.82	-	32.00	6.60	32.93
AV	5.773G	102.00	Inf	-Inf	96.33	3	Horizontal	333	1.82	-	32.00	6.60	32.93
PK	5.926G	60.33	68.20	-7.87	54.47	3	Horizontal	333	1.82	-	32.20	6.60	32.94

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5775MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5248G	58.25	74.00	-15.75	42.03	3	Vertical	208	2.77	-	40.15	8.88	32.81
AV	11.5408G	47.20	54.00	-6.80	31.01	3	Vertical	208	2.77	-	40.12	8.89	32.82
PK	17.367G	65.89	68.20	-2.31	44.25	3	Vertical	137	2.71	-	42.67	10.91	31.94

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5775MHz\_TnomVnom



EUT X\_2TX  
Setting 29  
01-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5644G	57.25	74.00	-16.75	41.11	3	Horizontal	186	1.18	-	40.07	8.89	32.82
AV	11.5118G	46.91	54.00	-7.09	30.66	3	Horizontal	186	1.18	-	40.18	8.88	32.81
PK	17.3024G	65.38	68.20	-2.82	44.44	3	Horizontal	283	1.02	-	42.02	10.89	31.97




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	10.6011G	53.99	54.00	-0.01	3	Horizontal	236	2.35	-



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.46	74.00	-15.54	52.50	3	Vertical	265	1.02	-	34.08	7.22	35.34
AV	5.15G	46.63	54.00	-7.37	40.65	3	Vertical	265	1.02	-	34.10	7.22	35.34
PK	5.2594G	120.08	Inf	-Inf	113.91	3	Vertical	265	1.02	-	34.24	7.27	35.34
AV	5.2594G	109.99	Inf	-Inf	103.82	3	Vertical	265	1.02	-	34.24	7.27	35.34
PK	5.3554G	62.42	74.00	-11.58	55.95	3	Vertical	265	1.02	-	34.59	7.22	35.34
AV	5.35G	48.08	54.00	-5.92	41.60	3	Vertical	265	1.02	-	34.60	7.22	35.34

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	58.88	74.00	-15.12	52.94	3	Horizontal	13	1.19	-	34.07	7.21	35.34
AV	5.1472G	46.74	54.00	-7.26	40.77	3	Horizontal	13	1.19	-	34.09	7.22	35.34
PK	5.2618G	120.55	Inf	-Inf	114.37	3	Horizontal	13	1.19	-	34.25	7.27	35.34
AV	5.2618G	110.22	Inf	-Inf	104.04	3	Horizontal	13	1.19	-	34.25	7.27	35.34
PK	5.3566G	62.75	74.00	-11.25	56.28	3	Horizontal	13	1.19	-	34.59	7.22	35.34
AV	5.3524G	47.78	54.00	-6.22	41.30	3	Horizontal	13	1.19	-	34.60	7.22	35.34

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5173G	62.54	68.20	-5.66	49.24	3	Vertical	146	2.35	-	38.40	10.36	35.46
PK	15.7821G	66.65	74.00	-7.35	51.05	3	Vertical	169	2.08	-	37.92	13.29	35.61
AV	15.7766G	53.18	54.00	-0.82	37.57	3	Vertical	169	2.08	-	37.92	13.29	35.60

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5223G	66.77	68.20	-1.43	53.46	3	Horizontal	230	2.37	-	38.40	10.36	35.45
PK	15.7886G	65.86	74.00	-8.14	50.27	3	Horizontal	159	2.02	-	37.91	13.29	35.61
AV	15.779G	52.96	54.00	-1.04	37.35	3	Horizontal	159	2.02	-	37.92	13.29	35.60

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2C  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	118.65	Inf	-Inf	112.33	3	Vertical	266	1.01	-	34.41	7.25	35.34
AV	5.302G	108.74	Inf	-Inf	102.42	3	Vertical	266	1.01	-	34.41	7.25	35.34
PK	5.352G	67.39	74.00	-6.61	60.91	3	Vertical	266	1.01	-	34.60	7.22	35.34
AV	5.3524G	51.68	54.00	-2.32	45.20	3	Vertical	266	1.01	-	34.60	7.22	35.34

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2C  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	119.23	Inf	-Inf	112.92	3	Horizontal	13	1.00	-	34.40	7.25	35.34
AV	5.2992G	109.21	Inf	-Inf	102.90	3	Horizontal	13	1.00	-	34.40	7.25	35.34
PK	5.35G	66.67	74.00	-7.33	60.19	3	Horizontal	13	1.00	-	34.60	7.22	35.34
AV	5.35G	52.99	54.00	-1.01	46.51	3	Horizontal	13	1.00	-	34.60	7.22	35.34

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2C  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60278G	59.40	74.00	-14.60	46.00	3	Vertical	139	2.33	-	38.40	10.38	35.38
AV	10.60256G	46.30	54.00	-7.70	32.90	3	Vertical	139	2.33	-	38.40	10.38	35.38
PK	15.893G	63.31	74.00	-10.69	48.23	3	Vertical	170	2.97	-	37.43	13.35	35.70
AV	15.9026G	50.78	54.00	-3.22	35.74	3	Vertical	170	2.97	-	37.40	13.35	35.71

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2C  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60328G	66.12	74.00	-7.88	52.72	3	Horizontal	228	2.33	-	38.40	10.38	35.38
AV	10.60248G	52.10	54.00	-1.90	38.70	3	Horizontal	228	2.33	-	38.40	10.38	35.38
PK	15.8957G	63.56	74.00	-10.44	48.49	3	Horizontal	179	1.95	-	37.42	13.35	35.70
AV	15.9012G	50.29	54.00	-3.71	35.25	3	Horizontal	179	1.95	-	37.40	13.35	35.71



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3178G	115.05	Inf	-Inf	108.68	3	Vertical	265	1.02	-	34.47	7.24	35.34
AV	5.3174G	105.75	Inf	-Inf	99.38	3	Vertical	265	1.02	-	34.47	7.24	35.34
PK	5.3522G	73.02	74.00	-0.98	66.54	3	Vertical	265	1.02	-	34.60	7.22	35.34
AV	5.3522G	51.28	54.00	-2.72	44.80	3	Vertical	265	1.02	-	34.60	7.22	35.34

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	115.69	Inf	-Inf	109.31	3	Horizontal	13	1.00	-	34.48	7.24	35.34
AV	5.3192G	105.79	Inf	-Inf	99.41	3	Horizontal	13	1.00	-	34.48	7.24	35.34
PK	5.35G	73.91	74.00	-0.09	67.43	3	Horizontal	13	1.00	-	34.60	7.22	35.34
AV	5.35G	52.08	54.00	-1.92	45.60	3	Horizontal	13	1.00	-	34.60	7.22	35.34

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6385G	58.26	74.00	-15.74	44.82	3	Vertical	143	1.01	-	38.40	10.39	35.35
AV	10.6427G	45.52	54.00	-8.48	32.08	3	Vertical	143	1.01	-	38.40	10.39	35.35
PK	15.9578G	60.54	74.00	-13.46	45.45	3	Vertical	181	1.99	-	37.46	13.38	35.75
AV	15.9627G	48.36	54.00	-5.64	33.28	3	Vertical	181	1.99	-	37.46	13.38	35.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63777G	62.87	74.00	-11.13	49.43	3	Horizontal	241	2.41	-	38.40	10.39	35.35
AV	10.6427G	49.97	54.00	-4.03	36.53	3	Horizontal	241	2.41	-	38.40	10.39	35.35
PK	15.9539G	60.48	74.00	-13.52	45.40	3	Horizontal	178	2.01	-	37.45	13.38	35.75
AV	15.9584G	47.86	54.00	-6.14	32.78	3	Horizontal	178	2.01	-	37.46	13.38	35.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	60.78	74.00	-13.22	54.13	3	Vertical	252	1.00	-	34.68	7.32	35.35
AV	5.4596G	48.61	54.00	-5.39	41.96	3	Vertical	252	1.00	-	34.68	7.32	35.35
PK	5.47G	64.85	68.20	-3.35	58.20	3	Vertical	252	1.00	-	34.66	7.34	35.35
PK	5.4988G	113.13	Inf	-Inf	106.48	3	Vertical	252	1.00	-	34.60	7.40	35.35
AV	5.4994G	104.10	Inf	-Inf	97.45	3	Vertical	252	1.00	-	34.60	7.40	35.35

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	62.68	74.00	-11.32	56.03	3	Horizontal	10	1.08	-	34.69	7.31	35.35
AV	5.4566G	48.55	54.00	-5.45	41.90	3	Horizontal	10	1.08	-	34.69	7.31	35.35
PK	5.4666G	67.85	68.20	-0.35	61.20	3	Horizontal	10	1.08	-	34.67	7.33	35.35
PK	5.5014G	115.19	Inf	-Inf	108.54	3	Horizontal	10	1.08	-	34.60	7.40	35.35
AV	5.5014G	105.48	Inf	-Inf	98.83	3	Horizontal	10	1.08	-	34.60	7.40	35.35

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0476G	55.98	74.00	-18.02	41.91	3	Vertical	136	1.00	-	38.65	10.51	35.09
AV	10.9982G	43.79	54.00	-10.21	29.73	3	Vertical	136	1.00	-	38.60	10.50	35.04
PK	16.4674G	61.01	68.20	-7.19	44.23	3	Vertical	355	2.76	-	38.44	13.73	35.39

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
03-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9978G	60.48	74.00	-13.52	46.42	3	Horizontal	227	2.32	-	38.60	10.50	35.04
AV	11.0024G	47.14	54.00	-6.86	33.08	3	Horizontal	227	2.32	-	38.60	10.50	35.04
PK	16.5184G	61.15	68.20	-7.05	44.15	3	Horizontal	45	1.21	-	38.58	13.76	35.34



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	59.40	74.00	-14.60	53.96	3	Vertical	273	1.15	-	31.90	6.45	32.91
AV	5.452G	46.28	54.00	-7.72	40.84	3	Vertical	273	1.15	-	31.90	6.45	32.91
PK	5.4664G	59.86	68.20	-8.34	54.39	3	Vertical	273	1.15	-	31.90	6.47	32.90
PK	5.5816G	121.10	Inf	-Inf	115.57	3	Vertical	273	1.15	-	31.86	6.58	32.91
AV	5.5816G	110.38	Inf	-Inf	104.85	3	Vertical	273	1.15	-	31.86	6.58	32.91
PK	5.7432G	59.41	68.20	-8.79	53.74	3	Vertical	273	1.15	-	31.99	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.53	74.00	-11.47	57.07	3	Horizontal	11	1.09	-	31.90	6.46	32.90
AV	5.4592G	47.39	54.00	-6.61	41.93	3	Horizontal	11	1.09	-	31.90	6.46	32.90
PK	5.4688G	61.58	68.20	-6.62	56.11	3	Horizontal	11	1.09	-	31.90	6.47	32.90
PK	5.5792G	123.17	Inf	-Inf	117.64	3	Horizontal	11	1.09	-	31.86	6.58	32.91
AV	5.5792G	112.85	Inf	-Inf	107.32	3	Horizontal	11	1.09	-	31.86	6.58	32.91
PK	5.7408G	60.18	68.20	-8.02	54.52	3	Horizontal	11	1.09	-	31.98	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1601G	59.92	74.00	-14.08	44.06	3	Vertical	325	2.81	-	39.84	8.79	32.77
AV	11.1599G	47.74	54.00	-6.26	31.88	3	Vertical	325	2.81	-	39.84	8.79	32.77
PK	16.7395G	67.57	68.20	-0.63	49.04	3	Vertical	194	1.96	-	40.10	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1576G	66.14	74.00	-7.86	50.28	3	Horizontal	233	2.34	-	39.84	8.79	32.77
AV	11.1583G	53.36	54.00	-0.64	37.50	3	Horizontal	233	2.34	-	39.84	8.79	32.77
PK	16.7379G	66.26	68.20	-1.94	47.74	3	Horizontal	193	1.60	-	40.09	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	111.82	Inf	-Inf	106.24	3	Vertical	266	1.25	-	31.90	6.60	32.92
AV	5.6992G	102.53	Inf	-Inf	96.95	3	Vertical	266	1.25	-	31.90	6.60	32.92
PK	5.7288G	65.13	68.20	-3.07	59.49	3	Vertical	266	1.25	-	31.96	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_X\_2TX  
Setting 1C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	113.27	Inf	-Inf	107.69	3	Horizontal	12	1.00	-	31.90	6.60	32.92
AV	5.7016G	103.83	Inf	-Inf	98.25	3	Horizontal	12	1.00	-	31.90	6.60	32.92
PK	5.7262G	67.98	68.20	-0.22	62.35	3	Horizontal	12	1.00	-	31.95	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3936G	57.75	74.00	-16.25	41.51	3	Vertical	24	1.80	-	40.19	8.85	32.80
AV	11.3799G	44.93	54.00	-9.07	28.73	3	Vertical	24	1.80	-	40.16	8.84	32.80
PK	17.1007G	63.68	68.20	-4.52	43.93	3	Vertical	329	2.45	-	41.00	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.395G	57.98	74.00	-16.02	41.74	3	Horizontal	227	2.65	-	40.19	8.85	32.80
AV	11.389G	45.05	54.00	-8.95	28.82	3	Horizontal	227	2.65	-	40.18	8.85	32.80
PK	17.1163G	64.39	68.20	-3.81	44.55	3	Horizontal	279	2.36	-	41.08	10.83	32.07



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2F  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1226G	57.59	74.00	-16.41	52.23	3	Vertical	270	1.00	-	31.95	6.36	32.95
AV	5.1166G	45.58	54.00	-8.42	40.20	3	Vertical	270	1.00	-	31.97	6.36	32.95
PK	5.2588G	119.91	Inf	-Inf	115.02	3	Vertical	270	1.00	-	31.42	6.40	32.93
AV	5.2588G	110.49	Inf	-Inf	105.60	3	Vertical	270	1.00	-	31.42	6.40	32.93
PK	5.3914G	57.51	74.00	-16.49	52.47	3	Vertical	270	1.00	-	31.55	6.40	32.91
AV	5.4094G	45.78	54.00	-8.22	40.62	3	Vertical	270	1.00	-	31.66	6.41	32.91

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2F  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	57.65	74.00	-16.35	52.29	3	Horizontal	11	1.00	-	31.93	6.37	32.94
AV	5.15G	45.81	54.00	-8.19	40.48	3	Horizontal	11	1.00	-	31.90	6.37	32.94
PK	5.2594G	120.54	Inf	-Inf	115.65	3	Horizontal	11	1.00	-	31.42	6.40	32.93
AV	5.2624G	110.71	Inf	-Inf	105.82	3	Horizontal	11	1.00	-	31.42	6.40	32.93
PK	5.35G	61.19	74.00	-12.81	56.41	3	Horizontal	11	1.00	-	31.30	6.40	32.92
AV	5.3722G	46.21	54.00	-7.79	41.30	3	Horizontal	11	1.00	-	31.43	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5187G	61.66	68.20	-6.54	46.43	3	Vertical	134	1.08	-	39.60	8.63	33.00
PK	15.7747G	67.58	74.00	-6.42	52.10	3	Vertical	168	2.03	-	37.83	10.43	32.78
AV	15.777G	53.96	54.00	-0.04	38.49	3	Vertical	168	2.03	-	37.82	10.43	32.78

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5214G	67.37	68.20	-0.83	52.14	3	Horizontal	204	2.45	-	39.60	8.63	33.00
PK	15.781G	67.01	74.00	-6.99	51.54	3	Horizontal	154	2.02	-	37.82	10.43	32.78
AV	15.7835G	53.76	54.00	-0.24	38.27	3	Horizontal	154	2.02	-	37.82	10.44	32.77

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	117.62	Inf	-Inf	112.65	3	Vertical	267	1.00	-	31.49	6.40	32.92
AV	5.2988G	108.52	Inf	-Inf	103.54	3	Vertical	267	1.00	-	31.50	6.40	32.92
PK	5.3512G	66.23	74.00	-7.77	61.44	3	Vertical	267	1.00	-	31.31	6.40	32.92
AV	5.3516G	51.30	54.00	-2.70	46.51	3	Vertical	267	1.00	-	31.31	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	119.07	Inf	-Inf	114.09	3	Horizontal	10	1.02	-	31.50	6.40	32.92
AV	5.2976G	109.17	Inf	-Inf	104.19	3	Horizontal	10	1.02	-	31.50	6.40	32.92
PK	5.35G	68.43	74.00	-5.57	63.65	3	Horizontal	10	1.02	-	31.30	6.40	32.92
AV	5.35G	53.38	54.00	-0.62	48.60	3	Horizontal	10	1.02	-	31.30	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6012G	59.42	74.00	-14.58	44.13	3	Vertical	99	1.86	-	39.60	8.65	32.96
AV	10.6014G	46.30	54.00	-7.70	31.01	3	Vertical	99	1.86	-	39.60	8.65	32.96
PK	15.9055G	65.40	74.00	-8.60	49.90	3	Vertical	169	2.04	-	37.79	10.47	32.76
AV	15.8966G	52.15	54.00	-1.85	36.64	3	Vertical	169	2.04	-	37.80	10.47	32.76

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6013G	66.42	74.00	-7.58	51.13	3	Horizontal	236	2.35	-	39.60	8.65	32.96
AV	10.6011G	53.99	54.00	-0.01	38.70	3	Horizontal	236	2.35	-	39.60	8.65	32.96
PK	15.9039G	64.51	74.00	-9.49	49.00	3	Horizontal	165	2.02	-	37.80	10.47	32.76
AV	15.9014G	51.35	54.00	-2.65	35.84	3	Horizontal	165	2.02	-	37.80	10.47	32.76



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3212G	114.77	Inf	-Inf	109.87	3	Vertical	245	1.00	-	31.42	6.40	32.92
AV	5.3188G	104.95	Inf	-Inf	100.05	3	Vertical	245	1.00	-	31.42	6.40	32.92
PK	5.351G	66.80	74.00	-7.20	62.01	3	Vertical	245	1.00	-	31.31	6.40	32.92
AV	5.3512G	49.50	54.00	-4.50	44.71	3	Vertical	245	1.00	-	31.31	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	114.38	Inf	-Inf	109.49	3	Horizontal	12	1.00	-	31.41	6.40	32.92
AV	5.3172G	105.12	Inf	-Inf	100.21	3	Horizontal	12	1.00	-	31.43	6.40	32.92
PK	5.3522G	68.38	74.00	-5.62	63.59	3	Horizontal	12	1.00	-	31.31	6.40	32.92
AV	5.35G	50.57	54.00	-3.43	45.79	3	Horizontal	12	1.00	-	31.30	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6414G	59.10	74.00	-14.90	43.86	3	Vertical	133	1.03	-	39.52	8.66	32.94
AV	10.6388G	46.55	54.00	-7.45	31.31	3	Vertical	133	1.03	-	39.52	8.66	32.94
PK	15.9569G	60.34	74.00	-13.66	44.86	3	Vertical	230	2.02	-	37.74	10.49	32.75
AV	15.9617G	47.09	54.00	-6.91	31.61	3	Vertical	230	2.02	-	37.74	10.49	32.75

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6388G	64.27	74.00	-9.73	49.03	3	Horizontal	236	2.35	-	39.52	8.66	32.94
AV	10.6415G	50.66	54.00	-3.34	35.42	3	Horizontal	236	2.35	-	39.52	8.66	32.94
PK	15.9464G	59.68	74.00	-14.32	44.20	3	Horizontal	221	2.36	-	37.75	10.48	32.75
AV	15.9479G	46.26	54.00	-7.74	30.78	3	Horizontal	221	2.36	-	37.75	10.48	32.75

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.78	74.00	-13.22	55.32	3	Vertical	242	1.00	-	31.90	6.46	32.90
AV	5.4588G	48.10	54.00	-5.90	42.64	3	Vertical	242	1.00	-	31.90	6.46	32.90
PK	5.4684G	65.67	68.20	-2.53	60.20	3	Vertical	242	1.00	-	31.90	6.47	32.90
PK	5.4986G	114.78	Inf	-Inf	109.28	3	Vertical	242	1.00	-	31.90	6.50	32.90
AV	5.5012G	104.93	Inf	-Inf	99.43	3	Vertical	242	1.00	-	31.90	6.50	32.90

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	63.27	74.00	-10.73	57.83	3	Horizontal	13	1.14	-	31.90	6.45	32.91
AV	5.4598G	48.74	54.00	-5.26	43.28	3	Horizontal	13	1.14	-	31.90	6.46	32.90
PK	5.4688G	63.61	68.20	-4.59	58.14	3	Horizontal	13	1.14	-	31.90	6.47	32.90
PK	5.502G	113.21	Inf	-Inf	107.71	3	Horizontal	13	1.14	-	31.90	6.50	32.90
AV	5.4994G	103.95	Inf	-Inf	98.45	3	Horizontal	13	1.14	-	31.90	6.50	32.90

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0012G	57.91	74.00	-16.09	41.61	3	Vertical	82	2.70	-	40.30	8.75	32.75
AV	11.0249G	44.79	54.00	-9.21	28.58	3	Vertical	82	2.70	-	40.20	8.76	32.75
PK	16.5049G	61.99	68.20	-6.21	44.37	3	Vertical	201	2.67	-	39.40	10.65	32.43

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0015G	61.32	74.00	-12.68	45.03	3	Horizontal	236	2.28	-	40.29	8.75	32.75
AV	11.0016G	47.47	54.00	-6.53	31.18	3	Horizontal	236	2.28	-	40.29	8.75	32.75
PK	16.4998G	61.84	68.20	-6.36	44.22	3	Horizontal	353	2.30	-	39.40	10.65	32.43



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 31  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4096G	60.01	74.00	-13.99	54.85	3	Vertical	273	1.21	-	31.66	6.41	32.91
PK	5.4696G	59.26	68.20	-8.94	53.79	3	Vertical	273	1.21	-	31.90	6.47	32.90
AV	5.46G	46.60	54.00	-7.40	41.14	3	Vertical	273	1.21	-	31.90	6.46	32.90
PK	5.5792G	120.28	Inf	-Inf	114.75	3	Vertical	273	1.21	-	31.86	6.58	32.91
AV	5.5792G	109.53	Inf	-Inf	104.00	3	Vertical	273	1.21	-	31.86	6.58	32.91
PK	5.7392G	60.52	68.20	-7.68	54.86	3	Vertical	273	1.21	-	31.98	6.60	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 31  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4208G	61.75	74.00	-12.25	56.52	3	Horizontal	12	1.08	-	31.72	6.42	32.91
PK	5.468G	62.07	68.20	-6.13	56.60	3	Horizontal	12	1.08	-	31.90	6.47	32.90
AV	5.4528G	47.04	54.00	-6.96	41.60	3	Horizontal	12	1.08	-	31.90	6.45	32.91
PK	5.5808G	122.08	Inf	-Inf	116.55	3	Horizontal	12	1.08	-	31.86	6.58	32.91
AV	5.5808G	111.98	Inf	-Inf	106.45	3	Horizontal	12	1.08	-	31.86	6.58	32.91
PK	5.7416G	62.67	68.20	-5.53	57.01	3	Horizontal	12	1.08	-	31.98	6.60	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 31  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1587G	61.03	74.00	-12.97	45.17	3	Vertical	178	1.00	-	39.84	8.79	32.77
AV	11.1564G	48.28	54.00	-5.72	32.42	3	Vertical	178	1.00	-	39.84	8.79	32.77
PK	16.7328G	67.81	68.20	-0.39	49.32	3	Vertical	193	1.93	-	40.06	10.72	32.29

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 31  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1613G	64.59	74.00	-9.41	48.73	3	Horizontal	232	2.35	-	39.84	8.79	32.77
AV	11.1589G	51.74	54.00	-2.26	35.88	3	Horizontal	232	2.35	-	39.84	8.79	32.77
PK	16.7354G	66.53	68.20	-1.67	48.02	3	Horizontal	167	1.98	-	40.08	10.72	32.29

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	110.02	Inf	-Inf	104.45	3	Vertical	266	1.27	-	31.89	6.60	32.92
AV	5.6994G	101.09	Inf	-Inf	95.51	3	Vertical	266	1.27	-	31.90	6.60	32.92
PK	5.725G	65.66	68.20	-2.54	60.03	3	Vertical	266	1.27	-	31.95	6.60	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	112.62	Inf	-Inf	107.04	3	Horizontal	12	1.01	-	31.90	6.60	32.92
AV	5.7008G	103.26	Inf	-Inf	97.68	3	Horizontal	12	1.01	-	31.90	6.60	32.92
PK	5.726G	68.02	68.20	-0.18	62.39	3	Horizontal	12	1.01	-	31.95	6.60	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4139G	58.11	74.00	-15.89	41.86	3	Vertical	37	2.94	-	40.20	8.85	32.80
AV	11.382G	45.15	54.00	-8.85	28.94	3	Vertical	37	2.94	-	40.16	8.85	32.80
PK	17.1134G	64.76	68.20	-3.44	44.93	3	Vertical	130	2.63	-	41.07	10.83	32.07

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3821G	57.96	74.00	-16.04	41.75	3	Horizontal	296	1.02	-	40.16	8.85	32.80
AV	11.3844G	45.34	54.00	-8.66	29.12	3	Horizontal	296	1.02	-	40.17	8.85	32.80
PK	17.1164G	64.69	68.20	-3.51	44.85	3	Horizontal	241	2.83	-	41.08	10.83	32.07



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 2A  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	58.05	74.00	-15.95	52.71	3	Vertical	266	1.08	-	31.91	6.37	32.94
AV	5.1476G	46.47	54.00	-7.53	41.14	3	Vertical	266	1.08	-	31.90	6.37	32.94
PK	5.2724G	114.87	Inf	-Inf	109.96	3	Vertical	266	1.08	-	31.44	6.40	32.93
AV	5.2724G	105.71	Inf	-Inf	100.80	3	Vertical	266	1.08	-	31.44	6.40	32.93
PK	5.3546G	65.85	74.00	-8.15	61.04	3	Vertical	266	1.08	-	31.33	6.40	32.92
AV	5.3504G	52.36	54.00	-1.64	47.58	3	Vertical	266	1.08	-	31.30	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2A  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	59.47	74.00	-14.53	54.14	3	Horizontal	10	1.00	-	31.90	6.37	32.94
AV	5.1482G	47.28	54.00	-6.72	41.95	3	Horizontal	10	1.00	-	31.90	6.37	32.94
PK	5.2688G	115.45	Inf	-Inf	110.54	3	Horizontal	10	1.00	-	31.44	6.40	32.93
AV	5.2688G	105.98	Inf	-Inf	101.07	3	Horizontal	10	1.00	-	31.44	6.40	32.93
PK	5.354G	68.83	74.00	-5.17	64.03	3	Horizontal	10	1.00	-	31.32	6.40	32.92
AV	5.351G	53.81	54.00	-0.19	49.02	3	Horizontal	10	1.00	-	31.31	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 2A  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5311G	58.65	68.20	-9.55	43.41	3	Vertical	134	1.02	-	39.60	8.63	32.99
PK	15.80364G	60.83	74.00	-13.17	45.36	3	Vertical	219	2.02	-	37.80	10.44	32.77
AV	15.81114G	48.37	54.00	-5.63	32.90	3	Vertical	219	2.02	-	37.80	10.44	32.77

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 2A  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5366G	62.01	68.20	-6.19	46.77	3	Horizontal	225	1.00	-	39.60	8.63	32.99
PK	15.79956G	59.53	74.00	-14.47	44.06	3	Horizontal	317	1.80	-	37.80	10.44	32.77
AV	15.8046G	47.14	54.00	-6.86	31.67	3	Horizontal	317	1.80	-	37.80	10.44	32.77

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	110.43	Inf	-Inf	105.50	3	Vertical	248	1.02	-	31.45	6.40	32.92
AV	5.3124G	101.04	Inf	-Inf	96.11	3	Vertical	248	1.02	-	31.45	6.40	32.92
PK	5.3548G	70.01	74.00	-3.99	65.20	3	Vertical	248	1.02	-	31.33	6.40	32.92
AV	5.35G	52.72	54.00	-1.28	47.94	3	Vertical	248	1.02	-	31.30	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	111.76	Inf	-Inf	106.82	3	Horizontal	11	1.00	-	31.46	6.40	32.92
AV	5.3088G	102.08	Inf	-Inf	97.14	3	Horizontal	11	1.00	-	31.46	6.40	32.92
PK	5.3524G	72.73	74.00	-1.27	67.94	3	Horizontal	11	1.00	-	31.31	6.40	32.92
AV	5.3508G	53.83	54.00	-0.17	49.05	3	Horizontal	11	1.00	-	31.30	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9312G	58.81	74.00	-15.19	43.31	3	Vertical	122	1.01	-	37.77	10.48	32.75
AV	15.9364G	46.70	54.00	-7.30	31.21	3	Vertical	122	1.01	-	37.76	10.48	32.75

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93096G	58.25	74.00	-15.75	42.75	3	Horizontal	299	2.71	-	37.77	10.48	32.75
AV	15.93058G	45.92	54.00	-8.08	30.42	3	Horizontal	299	2.71	-	37.77	10.48	32.75



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	63.46	74.00	-10.54	58.02	3	Vertical	239	1.00	-	31.90	6.45	32.91
AV	5.4588G	48.61	54.00	-5.39	43.15	3	Vertical	239	1.00	-	31.90	6.46	32.90
PK	5.4656G	64.83	68.20	-3.37	59.36	3	Vertical	239	1.00	-	31.90	6.47	32.90
PK	5.5112G	111.54	Inf	-Inf	106.05	3	Vertical	239	1.00	-	31.88	6.51	32.90
AV	5.5116G	101.97	Inf	-Inf	96.48	3	Vertical	239	1.00	-	31.88	6.51	32.90

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	67.38	74.00	-6.62	61.93	3	Horizontal	12	1.04	-	31.90	6.46	32.91
AV	5.4592G	49.64	54.00	-4.36	44.18	3	Horizontal	12	1.04	-	31.90	6.46	32.90
PK	5.464G	67.81	68.20	-0.39	62.35	3	Horizontal	12	1.04	-	31.90	6.46	32.90
PK	5.5124G	110.68	Inf	-Inf	105.19	3	Horizontal	12	1.04	-	31.88	6.51	32.90
AV	5.512G	101.96	Inf	-Inf	96.47	3	Horizontal	12	1.04	-	31.88	6.51	32.90

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00856G	57.40	74.00	-16.60	41.13	3	Vertical	286	1.16	-	40.27	8.75	32.75
AV	11.00632G	44.94	54.00	-9.06	28.67	3	Vertical	286	1.16	-	40.27	8.75	32.75

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01768G	59.57	74.00	-14.43	43.34	3	Horizontal	223	2.29	-	40.23	8.75	32.75
AV	11.01672G	46.68	54.00	-7.32	30.45	3	Horizontal	223	2.29	-	40.23	8.75	32.75

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2A  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.89	74.00	-10.11	58.43	3	Vertical	239	1.00	-	31.90	6.46	32.90
AV	5.46G	50.87	54.00	-3.13	45.41	3	Vertical	239	1.00	-	31.90	6.46	32.90
PK	5.4696G	66.14	68.20	-2.06	60.67	3	Vertical	239	1.00	-	31.90	6.47	32.90
PK	5.5476G	113.63	Inf	-Inf	108.18	3	Vertical	239	1.00	-	31.80	6.55	32.90
AV	5.5524G	104.45	Inf	-Inf	99.01	3	Vertical	239	1.00	-	31.80	6.55	32.91

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2A  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	63.51	74.00	-10.49	58.06	3	Horizontal	14	1.03	-	31.90	6.46	32.91
AV	5.4582G	51.35	54.00	-2.65	45.90	3	Horizontal	14	1.03	-	31.90	6.46	32.91
PK	5.4678G	68.17	68.20	-0.03	62.70	3	Horizontal	14	1.03	-	31.90	6.47	32.90
PK	5.5482G	113.22	Inf	-Inf	107.77	3	Horizontal	14	1.03	-	31.80	6.55	32.90
AV	5.5488G	104.38	Inf	-Inf	98.93	3	Horizontal	14	1.03	-	31.80	6.55	32.90

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
Setting 2A  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09304G	56.91	74.00	-17.09	40.97	3	Vertical	26	1.80	-	39.93	8.77	32.76
AV	11.09232G	44.51	54.00	-9.49	28.57	3	Vertical	26	1.80	-	39.93	8.77	32.76
PK	16.65944G	62.83	68.20	-5.37	44.76	3	Vertical	192	1.92	-	39.70	10.70	32.33

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
Setting 2A  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09872G	60.26	74.00	-13.74	44.34	3	Horizontal	234	2.33	-	39.91	8.77	32.76
AV	11.09936G	47.58	54.00	-6.42	31.67	3	Horizontal	234	2.33	-	39.90	8.77	32.76
PK	16.6408G	62.00	68.20	-6.20	44.06	3	Horizontal	301	1.25	-	39.60	10.69	32.35



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6736G	109.62	Inf	-Inf	104.09	3	Vertical	278	1.00	-	31.85	6.60	32.92
AV	5.6708G	100.43	Inf	-Inf	94.91	3	Vertical	278	1.00	-	31.84	6.60	32.92
PK	5.7272G	65.92	68.20	-2.28	60.29	3	Vertical	278	1.00	-	31.95	6.60	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 24  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	110.87	Inf	-Inf	105.35	3	Horizontal	181	1.01	-	31.84	6.60	32.92
AV	5.6672G	101.56	Inf	-Inf	96.05	3	Horizontal	181	1.01	-	31.83	6.60	32.92
PK	5.7252G	67.75	68.20	-0.45	62.12	3	Horizontal	181	1.01	-	31.95	6.60	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35468G	57.28	74.00	-16.72	41.12	3	Vertical	355	2.28	-	40.11	8.84	32.79
AV	11.35456G	45.30	54.00	-8.70	29.14	3	Vertical	355	2.28	-	40.11	8.84	32.79

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT\_X\_2TX  
Setting 24  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34384G	58.42	74.00	-15.58	42.28	3	Horizontal	50	1.16	-	40.09	8.84	32.79
AV	11.3434G	45.54	54.00	-8.46	29.40	3	Horizontal	50	1.16	-	40.09	8.84	32.79

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TnomVnom




EUT\_X\_2TX  
Setting 1C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	58.60	74.00	-15.40	53.26	3	Vertical	270	1.00	-	31.91	6.37	32.94
AV	5.1004G	47.93	54.00	-6.07	42.53	3	Vertical	270	1.00	-	32.00	6.35	32.95
PK	5.2916G	104.27	Inf	-Inf	99.32	3	Vertical	270	1.00	-	31.48	6.40	32.93
AV	5.2892G	95.62	Inf	-Inf	90.67	3	Vertical	270	1.00	-	31.48	6.40	32.93
PK	5.358G	63.09	74.00	-10.91	58.26	3	Vertical	270	1.00	-	31.35	6.40	32.92
AV	5.3588G	52.49	54.00	-1.51	47.66	3	Vertical	270	1.00	-	31.35	6.40	32.92
PK	5.4836G	58.56	68.20	-9.64	53.08	3	Vertical	270	1.00	-	31.90	6.48	32.90

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
Setting 1C  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1116G	59.29	74.00	-14.71	53.90	3	Horizontal	10	1.05	-	31.98	6.36	32.95
AV	5.0972G	47.78	54.00	-6.22	42.40	3	Horizontal	10	1.05	-	31.98	6.35	32.95
PK	5.294G	105.10	Inf	-Inf	100.13	3	Horizontal	10	1.05	-	31.49	6.40	32.92
AV	5.2876G	96.66	Inf	-Inf	91.71	3	Horizontal	10	1.05	-	31.48	6.40	32.93
PK	5.3548G	63.54	74.00	-10.46	58.73	3	Horizontal	10	1.05	-	31.33	6.40	32.92
AV	5.35G	53.54	54.00	-0.46	48.76	3	Horizontal	10	1.05	-	31.30	6.40	32.92
PK	5.4628G	58.24	68.20	-9.96	52.78	3	Horizontal	10	1.05	-	31.90	6.46	32.90

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8632G	58.96	74.00	-15.04	43.46	3	Vertical	295	2.73	-	37.80	10.46	32.76
AV	15.9036G	48.66	54.00	-5.34	33.15	3	Vertical	295	2.73	-	37.80	10.47	32.76

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 1C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8456G	60.35	74.00	-13.65	44.86	3	Horizontal	193	1.78	-	37.80	10.45	32.76
AV	15.8826G	49.20	54.00	-4.80	33.70	3	Horizontal	193	1.78	-	37.80	10.46	32.76



### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 22  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	58.71	68.20	-9.49	53.76	3	Vertical	269	1.13	-	31.47	6.40	32.92
PK	5.429G	63.05	74.00	-10.95	57.76	3	Vertical	269	1.13	-	31.77	6.43	32.91
PK	5.469G	62.98	68.20	-5.22	57.51	3	Vertical	269	1.13	-	31.90	6.47	32.90
AV	5.458G	52.36	54.00	-1.64	46.91	3	Vertical	269	1.13	-	31.90	6.46	32.91
PK	5.529G	106.13	Inf	-Inf	100.66	3	Vertical	269	1.13	-	31.84	6.53	32.90
AV	5.529G	98.05	Inf	-Inf	92.58	3	Vertical	269	1.13	-	31.84	6.53	32.90
PK	5.727G	58.82	68.20	-9.38	53.19	3	Vertical	269	1.13	-	31.95	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 22  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	57.67	68.20	-10.53	52.76	3	Horizontal	14	1.07	-	31.43	6.40	32.92
PK	5.444G	63.84	74.00	-10.16	58.45	3	Horizontal	14	1.07	-	31.86	6.44	32.91
PK	5.469G	67.21	68.20	-0.99	61.74	3	Horizontal	14	1.07	-	31.90	6.47	32.90
AV	5.458G	53.82	54.00	-0.18	48.37	3	Horizontal	14	1.07	-	31.90	6.46	32.91
PK	5.537G	107.47	Inf	-Inf	102.00	3	Horizontal	14	1.07	-	31.83	6.54	32.90
AV	5.532G	99.01	Inf	-Inf	93.54	3	Horizontal	14	1.07	-	31.84	6.53	32.90
PK	5.745G	58.13	68.20	-10.07	52.46	3	Horizontal	14	1.07	-	31.99	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 22  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0196G	58.38	74.00	-15.62	42.16	3	Vertical	137	2.67	-	40.22	8.75	32.75
AV	11.02G	47.08	54.00	-6.92	30.86	3	Vertical	137	2.67	-	40.22	8.75	32.75

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 22  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0734G	57.32	74.00	-16.68	41.30	3	Horizontal	251	1.43	-	40.01	8.77	32.76
AV	11.0546G	47.20	54.00	-6.80	31.12	3	Horizontal	251	1.43	-	40.08	8.76	32.76

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.23	74.00	-12.77	55.78	3	Vertical	271	1.09	-	31.90	6.46	32.91
AV	5.4532G	51.16	54.00	-2.84	45.72	3	Vertical	271	1.09	-	31.90	6.45	32.91
PK	5.4684G	63.24	68.20	-4.96	57.77	3	Vertical	271	1.09	-	31.90	6.47	32.90
PK	5.6028G	108.44	Inf	-Inf	102.86	3	Vertical	271	1.09	-	31.89	6.60	32.91
AV	5.606G	99.89	Inf	-Inf	94.31	3	Vertical	271	1.09	-	31.89	6.60	32.91
PK	5.7268G	64.37	68.20	-3.83	58.74	3	Vertical	271	1.09	-	31.95	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	62.51	74.00	-11.49	57.11	3	Horizontal	13	1.00	-	31.87	6.44	32.91
PK	5.4668G	64.77	68.20	-3.43	59.30	3	Horizontal	13	1.00	-	31.90	6.47	32.90
AV	5.4596G	53.00	54.00	-1.00	47.54	3	Horizontal	13	1.00	-	31.90	6.46	32.90
PK	5.6116G	109.92	Inf	-Inf	104.35	3	Horizontal	13	1.00	-	31.88	6.60	32.91
AV	5.6124G	101.03	Inf	-Inf	95.46	3	Horizontal	13	1.00	-	31.88	6.60	32.91
PK	5.7276G	68.11	68.20	-0.09	62.47	3	Horizontal	13	1.00	-	31.96	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2674G	56.77	74.00	-17.23	40.80	3	Vertical	69	1.29	-	39.93	8.82	32.78
AV	11.2688G	46.55	54.00	-7.45	30.57	3	Vertical	69	1.29	-	39.94	8.82	32.78

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom



EUT X\_2TX  
Setting 26  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2292G	56.83	74.00	-17.17	40.94	3	Horizontal	165	2.58	-	39.86	8.81	32.78
AV	11.242G	46.42	54.00	-7.58	30.51	3	Horizontal	165	2.58	-	39.88	8.81	32.78






**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.458G	53.96	54.00	-0.04	3	Horizontal	315	1.80	-

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	57.52	74.00	-16.48	52.16	3	Vertical	146	1.94	-	31.95	6.36	32.95
AV	5.113G	45.08	54.00	-8.92	39.70	3	Vertical	146	1.94	-	31.97	6.36	32.95
PK	5.2588G	117.83	Inf	-Inf	112.94	3	Vertical	146	1.94	-	31.42	6.40	32.93
AV	5.2588G	107.53	Inf	-Inf	102.64	3	Vertical	146	1.94	-	31.42	6.40	32.93
PK	5.3728G	57.51	74.00	-16.49	52.59	3	Vertical	146	1.94	-	31.44	6.40	32.92
AV	5.4082G	44.93	54.00	-9.07	39.78	3	Vertical	146	1.94	-	31.65	6.41	32.91

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1262G	58.36	74.00	-15.64	52.99	3	Horizontal	342	1.93	-	31.95	6.36	32.94
AV	5.1466G	45.93	54.00	-8.07	40.59	3	Horizontal	342	1.93	-	31.91	6.37	32.94
PK	5.2612G	123.24	Inf	-Inf	118.35	3	Horizontal	342	1.93	-	31.42	6.40	32.93
AV	5.2612G	112.31	Inf	-Inf	107.42	3	Horizontal	342	1.93	-	31.42	6.40	32.93
PK	5.356G	62.09	74.00	-11.91	57.27	3	Horizontal	342	1.93	-	31.34	6.40	32.92
AV	5.3512G	46.12	54.00	-7.88	41.33	3	Horizontal	342	1.93	-	31.31	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51784G	61.39	68.20	-6.81	46.16	3	Vertical	217	1.66	-	39.60	8.63	33.00
PK	15.7806G	65.53	74.00	-8.47	50.06	3	Vertical	195	1.91	-	37.82	10.43	32.78
AV	15.77982G	51.63	54.00	-2.37	36.16	3	Vertical	195	1.91	-	37.82	10.43	32.78

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52306G	65.07	68.20	-3.13	49.84	3	Horizontal	191	1.00	-	39.60	8.63	33.00
PK	15.79164G	62.15	74.00	-11.85	46.67	3	Horizontal	204	1.80	-	37.81	10.44	32.77
AV	15.78162G	49.16	54.00	-4.84	33.68	3	Horizontal	204	1.80	-	37.82	10.43	32.77

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2F  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	118.44	Inf	-Inf	113.46	3	Vertical	200	1.95	-	31.50	6.40	32.92
AV	5.2984G	107.48	Inf	-Inf	102.50	3	Vertical	200	1.95	-	31.50	6.40	32.92
PK	5.35G	68.09	74.00	-5.91	63.31	3	Vertical	200	1.95	-	31.30	6.40	32.92
AV	5.35G	49.13	54.00	-4.87	44.35	3	Vertical	200	1.95	-	31.30	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2F  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	121.73	Inf	-Inf	116.75	3	Horizontal	340	1.86	-	31.50	6.40	32.92
AV	5.2992G	111.64	Inf	-Inf	106.66	3	Horizontal	340	1.86	-	31.50	6.40	32.92
PK	5.35G	71.91	74.00	-2.09	67.13	3	Horizontal	340	1.86	-	31.30	6.40	32.92
AV	5.35G	53.72	54.00	-0.28	48.94	3	Horizontal	340	1.86	-	31.30	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2F  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60312G	56.58	74.00	-17.42	41.30	3	Vertical	215	1.50	-	39.59	8.65	32.96
AV	10.6024G	46.76	54.00	-7.24	31.47	3	Vertical	215	1.50	-	39.60	8.65	32.96
PK	15.90144G	62.87	74.00	-11.13	47.36	3	Vertical	181	1.80	-	37.80	10.47	32.76
AV	15.89772G	49.95	54.00	-4.05	34.44	3	Vertical	181	1.80	-	37.80	10.47	32.76



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60198G	60.88	74.00	-13.12	45.59	3	Horizontal	190	1.06	-	39.60	8.65	32.96
AV	10.60258G	46.78	54.00	-7.22	31.50	3	Horizontal	190	1.06	-	39.59	8.65	32.96
PK	15.89958G	61.48	74.00	-12.52	45.97	3	Horizontal	185	2.48	-	37.80	10.47	32.76
AV	15.9006G	48.41	54.00	-5.59	32.90	3	Horizontal	185	2.48	-	37.80	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 27  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	114.60	Inf	-Inf	109.69	3	Vertical	200	1.97	-	31.43	6.40	32.92
AV	5.3188G	104.37	Inf	-Inf	99.47	3	Vertical	200	1.97	-	31.42	6.40	32.92
PK	5.3526G	65.47	74.00	-8.53	60.67	3	Vertical	200	1.97	-	31.32	6.40	32.92
AV	5.35G	49.05	54.00	-4.95	44.27	3	Vertical	200	1.97	-	31.30	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 27  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	118.07	Inf	-Inf	113.17	3	Horizontal	339	1.74	-	31.42	6.40	32.92
AV	5.3192G	108.11	Inf	-Inf	103.21	3	Horizontal	339	1.74	-	31.42	6.40	32.92
PK	5.3542G	69.89	74.00	-4.11	65.08	3	Horizontal	339	1.74	-	31.33	6.40	32.92
AV	5.35G	53.40	54.00	-0.60	48.62	3	Horizontal	339	1.74	-	31.30	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 27  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64252G	57.11	74.00	-16.89	41.88	3	Vertical	230	1.44	-	39.51	8.66	32.94
AV	10.64296G	43.58	54.00	-10.42	28.35	3	Vertical	230	1.44	-	39.51	8.66	32.94
PK	15.96192G	60.90	74.00	-13.10	45.42	3	Vertical	197	1.82	-	37.74	10.49	32.75
AV	15.96186G	47.82	54.00	-6.18	32.34	3	Vertical	197	1.82	-	37.74	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 27  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63688G	57.65	74.00	-16.35	42.40	3	Horizontal	108	1.79	-	39.53	8.66	32.94
AV	10.6376G	44.83	54.00	-9.17	29.59	3	Horizontal	108	1.79	-	39.52	8.66	32.94
PK	15.95562G	60.10	74.00	-13.90	44.62	3	Horizontal	178	1.80	-	37.74	10.49	32.75
AV	15.96024G	46.74	54.00	-7.26	31.26	3	Horizontal	178	1.80	-	37.74	10.49	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	59.76	74.00	-14.24	54.31	3	Vertical	173	2.98	-	31.90	6.46	32.91
AV	5.459G	46.40	54.00	-7.60	40.94	3	Vertical	173	2.98	-	31.90	6.46	32.90
PK	5.468G	64.72	68.20	-3.48	59.25	3	Vertical	173	2.98	-	31.90	6.47	32.90
PK	5.4982G	112.87	Inf	-Inf	107.37	3	Vertical	173	2.98	-	31.90	6.50	32.90
AV	5.498G	103.19	Inf	-Inf	97.69	3	Vertical	173	2.98	-	31.90	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 21  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.00	74.00	-12.00	56.54	3	Horizontal	325	1.91	-	31.90	6.46	32.90
AV	5.46G	47.76	54.00	-6.24	42.30	3	Horizontal	325	1.91	-	31.90	6.46	32.90
PK	5.47G	67.87	68.20	-0.33	62.40	3	Horizontal	325	1.91	-	31.90	6.47	32.90
PK	5.5008G	115.79	Inf	-Inf	110.29	3	Horizontal	325	1.91	-	31.90	6.50	32.90
AV	5.5008G	106.19	Inf	-Inf	100.69	3	Horizontal	325	1.91	-	31.90	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99922G	57.56	74.00	-16.44	41.26	3	Vertical	227	1.79	-	40.30	8.75	32.75
AV	10.99862G	44.71	54.00	-9.29	28.41	3	Vertical	227	1.79	-	40.30	8.75	32.75



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5500MHz\_TnomVnom




EUT\_X\_2TX  
Setting 21  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00822G	58.58	74.00	-15.42	42.31	3	Horizontal	154	1.04	-	40.27	8.75	32.75
AV	11.0027G	45.00	54.00	-9.00	28.71	3	Horizontal	154	1.04	-	40.29	8.75	32.75

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4136G	58.71	74.00	-15.29	53.53	3	Vertical	122	1.90	-	31.68	6.41	32.91
AV	5.4176G	45.32	54.00	-8.68	40.10	3	Vertical	122	1.90	-	31.71	6.42	32.91
PK	5.4648G	57.63	68.20	-10.57	52.17	3	Vertical	122	1.90	-	31.90	6.46	32.90
PK	5.5784G	117.42	Inf	-Inf	111.89	3	Vertical	122	1.90	-	31.86	6.58	32.91
AV	5.5792G	106.94	Inf	-Inf	101.41	3	Vertical	122	1.90	-	31.86	6.58	32.91
PK	5.7448G	59.76	68.20	-8.44	54.09	3	Vertical	122	1.90	-	31.99	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	61.31	74.00	-12.69	56.13	3	Horizontal	2	1.98	-	31.68	6.41	32.91
AV	5.4232G	47.12	54.00	-6.88	41.87	3	Horizontal	2	1.98	-	31.74	6.42	32.91
PK	5.4664G	59.61	68.20	-8.59	54.14	3	Horizontal	2	1.98	-	31.90	6.47	32.90
PK	5.5784G	121.60	Inf	-Inf	116.07	3	Horizontal	2	1.98	-	31.86	6.58	32.91
AV	5.5784G	111.63	Inf	-Inf	106.10	3	Horizontal	2	1.98	-	31.86	6.58	32.91
PK	5.7448G	61.46	68.20	-6.74	55.79	3	Horizontal	2	1.98	-	31.99	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1582G	58.10	74.00	-15.90	42.24	3	Vertical	216	1.76	-	39.84	8.79	32.77
AV	11.16318G	44.83	54.00	-9.17	28.97	3	Vertical	216	1.76	-	39.84	8.79	32.77
PK	16.73556G	66.56	68.20	-1.64	48.05	3	Vertical	187	2.09	-	40.08	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16336G	59.76	74.00	-14.24	43.90	3	Horizontal	136	1.80	-	39.84	8.79	32.77
AV	11.1627G	46.57	54.00	-7.43	30.71	3	Horizontal	136	1.80	-	39.84	8.79	32.77
PK	16.73922G	64.94	68.20	-3.26	46.41	3	Horizontal	131	2.64	-	40.10	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1E  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	111.15	Inf	-Inf	105.57	3	Vertical	165	1.99	-	31.90	6.60	32.92
AV	5.6982G	100.91	Inf	-Inf	95.33	3	Vertical	165	1.99	-	31.90	6.60	32.92
PK	5.7276G	62.63	68.20	-5.57	56.99	3	Vertical	165	1.99	-	31.96	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT\_X\_2TX  
Setting 1E  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.699G	114.66	Inf	-Inf	109.08	3	Horizontal	330	2.00	-	31.90	6.60	32.92
AV	5.699G	105.26	Inf	-Inf	99.68	3	Horizontal	330	2.00	-	31.90	6.60	32.92
PK	5.725G	67.77	68.20	-0.43	62.14	3	Horizontal	330	2.00	-	31.95	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1E  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4069G	58.18	74.00	-15.82	41.93	3	Vertical	157	2.18	-	40.20	8.85	32.80
AV	11.40614G	45.06	54.00	-8.94	28.81	3	Vertical	157	2.18	-	40.20	8.85	32.80



### 802.11a\_Nss1,(6Mbps)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1E  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39766G	58.01	74.00	-15.99	41.76	3	Horizontal	290	2.62	-	40.20	8.85	32.80
AV	11.39814G	45.10	54.00	-8.90	28.85	3	Horizontal	290	2.62	-	40.20	8.85	32.80

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	57.62	74.00	-16.38	52.26	3	Vertical	282	2.86	-	31.94	6.36	32.94
AV	5.1478G	45.38	54.00	-8.62	40.05	3	Vertical	282	2.86	-	31.90	6.37	32.94
PK	5.2588G	120.12	Inf	-Inf	115.23	3	Vertical	282	2.86	-	31.42	6.40	32.93
AV	5.2612G	109.39	Inf	-Inf	104.50	3	Vertical	282	2.86	-	31.42	6.40	32.93
PK	5.3524G	59.37	74.00	-14.63	54.58	3	Vertical	282	2.86	-	31.31	6.40	32.92
AV	5.4094G	45.18	54.00	-8.82	40.02	3	Vertical	282	2.86	-	31.66	6.41	32.91

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	58.86	74.00	-15.14	53.51	3	Horizontal	318	1.92	-	31.92	6.37	32.94
AV	5.1448G	46.05	54.00	-7.95	40.71	3	Horizontal	318	1.92	-	31.91	6.37	32.94
PK	5.2612G	123.76	Inf	-Inf	118.87	3	Horizontal	318	1.92	-	31.42	6.40	32.93
AV	5.2618G	112.49	Inf	-Inf	107.60	3	Horizontal	318	1.92	-	31.42	6.40	32.93
PK	5.3512G	60.93	74.00	-13.07	56.14	3	Horizontal	318	1.92	-	31.31	6.40	32.92
AV	5.35G	46.28	54.00	-7.72	41.50	3	Horizontal	318	1.92	-	31.30	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52156G	59.56	68.20	-8.64	44.33	3	Vertical	229	1.24	-	39.60	8.63	33.00
PK	15.78168G	64.16	74.00	-9.84	48.68	3	Vertical	180	1.93	-	37.82	10.43	32.77
AV	15.7839G	50.83	54.00	-3.17	35.34	3	Vertical	180	1.93	-	37.82	10.44	32.77

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5260MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51706G	63.51	68.20	-4.69	48.28	3	Horizontal	124	1.34	-	39.60	8.63	33.00
PK	15.7887G	61.76	74.00	-12.24	46.28	3	Horizontal	226	1.20	-	37.81	10.44	32.77
AV	15.77868G	48.92	54.00	-5.08	33.45	3	Horizontal	226	1.20	-	37.82	10.43	32.78

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	119.13	Inf	-Inf	114.15	3	Vertical	282	2.97	-	31.50	6.40	32.92
AV	5.3012G	108.80	Inf	-Inf	103.82	3	Vertical	282	2.97	-	31.50	6.40	32.92
PK	5.35G	65.47	74.00	-8.53	60.69	3	Vertical	282	2.97	-	31.30	6.40	32.92
AV	5.3512G	49.00	54.00	-5.00	44.21	3	Vertical	282	2.97	-	31.31	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2F  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	121.55	Inf	-Inf	116.57	3	Horizontal	318	1.90	-	31.50	6.40	32.92
AV	5.2996G	111.52	Inf	-Inf	106.54	3	Horizontal	318	1.90	-	31.50	6.40	32.92
PK	5.35G	72.55	74.00	-1.45	67.77	3	Horizontal	318	1.90	-	31.30	6.40	32.92
AV	5.3504G	53.75	54.00	-0.25	48.97	3	Horizontal	318	1.90	-	31.30	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60164G	57.99	74.00	-16.01	42.70	3	Vertical	231	1.29	-	39.60	8.65	32.96
AV	10.60174G	44.87	54.00	-9.13	29.58	3	Vertical	231	1.29	-	39.60	8.65	32.96
PK	15.90252G	64.02	74.00	-9.98	48.51	3	Vertical	194	2.20	-	37.80	10.47	32.76
AV	15.90246G	50.93	54.00	-3.07	35.42	3	Vertical	194	2.20	-	37.80	10.47	32.76



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5300MHz\_TnomVnom




EUT X\_2TX  
Setting 2F  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60138G	60.67	74.00	-13.33	45.38	3	Horizontal	206	1.00	-	39.60	8.65	32.96
AV	10.60114G	46.64	54.00	-7.36	31.35	3	Horizontal	206	1.00	-	39.60	8.65	32.96
PK	15.90456G	62.93	74.00	-11.07	47.42	3	Horizontal	181	2.13	-	37.80	10.47	32.76
AV	15.89994G	49.96	54.00	-4.04	34.45	3	Horizontal	181	2.13	-	37.80	10.47	32.76

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 27  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	114.47	Inf	-Inf	109.57	3	Vertical	164	1.94	-	31.42	6.40	32.92
AV	5.3206G	104.93	Inf	-Inf	100.03	3	Vertical	164	1.94	-	31.42	6.40	32.92
PK	5.3502G	65.42	74.00	-8.58	60.64	3	Vertical	164	1.94	-	31.30	6.40	32.92
AV	5.3508G	51.42	54.00	-2.58	46.64	3	Vertical	164	1.94	-	31.30	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT\_X\_2TX  
Setting 27  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	118.58	Inf	-Inf	113.69	3	Horizontal	306	1.80	-	31.41	6.40	32.92
AV	5.3188G	108.18	Inf	-Inf	103.28	3	Horizontal	306	1.80	-	31.42	6.40	32.92
PK	5.3516G	67.99	74.00	-6.01	63.20	3	Horizontal	306	1.80	-	31.31	6.40	32.92
AV	5.3516G	53.63	54.00	-0.37	48.84	3	Horizontal	306	1.80	-	31.31	6.40	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
Setting 27  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6322G	57.77	74.00	-16.23	42.51	3	Vertical	230	1.80	-	39.54	8.66	32.94
AV	10.63652G	44.77	54.00	-9.23	29.52	3	Vertical	230	1.80	-	39.53	8.66	32.94
PK	15.9699G	61.49	74.00	-12.51	46.01	3	Vertical	215	1.80	-	37.73	10.49	32.74
AV	15.95718G	48.31	54.00	-5.69	32.83	3	Vertical	215	1.80	-	37.74	10.49	32.75

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TnomVnom




EUT X\_2TX  
Setting 27  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6403G	57.82	74.00	-16.18	42.58	3	Horizontal	134	1.80	-	39.52	8.66	32.94
AV	10.64012G	44.65	54.00	-9.35	29.41	3	Horizontal	134	1.80	-	39.52	8.66	32.94
PK	15.9561G	61.43	74.00	-12.57	45.95	3	Horizontal	182	2.08	-	37.74	10.49	32.75
AV	15.96378G	47.71	54.00	-6.29	32.23	3	Horizontal	182	2.08	-	37.74	10.49	32.75

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 20  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.66	74.00	-13.34	55.20	3	Vertical	164	2.09	-	31.90	6.46	32.90
AV	5.4594G	47.15	54.00	-6.85	41.69	3	Vertical	164	2.09	-	31.90	6.46	32.90
PK	5.4678G	65.74	68.20	-2.46	60.27	3	Vertical	164	2.09	-	31.90	6.47	32.90
PK	5.4982G	113.04	Inf	-Inf	107.54	3	Vertical	164	2.09	-	31.90	6.50	32.90
AV	5.5008G	103.04	Inf	-Inf	97.54	3	Vertical	164	2.09	-	31.90	6.50	32.90

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 20  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	61.76	74.00	-12.24	56.31	3	Horizontal	305	1.83	-	31.90	6.46	32.91
AV	5.458G	48.06	54.00	-5.94	42.61	3	Horizontal	305	1.83	-	31.90	6.46	32.91
PK	5.4688G	67.83	68.20	-0.37	62.36	3	Horizontal	305	1.83	-	31.90	6.47	32.90
PK	5.5012G	114.85	Inf	-Inf	109.35	3	Horizontal	305	1.83	-	31.90	6.50	32.90
AV	5.5012G	104.76	Inf	-Inf	99.26	3	Horizontal	305	1.83	-	31.90	6.50	32.90

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 20  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0026G	58.59	74.00	-15.41	42.30	3	Vertical	231	1.82	-	40.29	8.75	32.75
AV	11.0028G	45.36	54.00	-8.64	29.07	3	Vertical	231	1.82	-	40.29	8.75	32.75



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5500MHz\_TnomVnom




EUT X\_2TX  
Setting 20  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00408G	59.06	74.00	-14.94	42.78	3	Horizontal	139	1.30	-	40.28	8.75	32.75
AV	10.9988G	45.66	54.00	-8.34	29.36	3	Horizontal	139	1.30	-	40.30	8.75	32.75

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4152G	61.34	74.00	-12.66	56.14	3	Vertical	166	2.16	-	31.69	6.42	32.91
AV	5.42G	46.78	54.00	-7.22	41.55	3	Vertical	166	2.16	-	31.72	6.42	32.91
PK	5.468G	58.91	68.20	-9.29	53.44	3	Vertical	166	2.16	-	31.90	6.47	32.90
PK	5.5848G	119.58	Inf	-Inf	114.04	3	Vertical	166	2.16	-	31.87	6.58	32.91
AV	5.5776G	109.67	Inf	-Inf	104.14	3	Vertical	166	2.16	-	31.86	6.58	32.91
PK	5.7512G	60.75	68.20	-7.45	55.08	3	Vertical	166	2.16	-	32.00	6.60	32.93

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT\_X\_2TX  
Setting 32  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	62.48	74.00	-11.52	57.26	3	Horizontal	2	1.77	-	31.71	6.42	32.91
AV	5.4192G	47.17	54.00	-6.83	41.94	3	Horizontal	2	1.77	-	31.72	6.42	32.91
PK	5.464G	59.58	68.20	-8.62	54.12	3	Horizontal	2	1.77	-	31.90	6.46	32.90
PK	5.5792G	122.32	Inf	-Inf	116.79	3	Horizontal	2	1.77	-	31.86	6.58	32.91
AV	5.5792G	111.82	Inf	-Inf	106.29	3	Horizontal	2	1.77	-	31.86	6.58	32.91
PK	5.744G	61.09	68.20	-7.11	55.42	3	Horizontal	2	1.77	-	31.99	6.60	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1612G	58.91	74.00	-15.09	43.05	3	Vertical	229	1.80	-	39.84	8.79	32.77
AV	11.15898G	45.43	54.00	-8.57	29.57	3	Vertical	229	1.80	-	39.84	8.79	32.77
PK	16.73346G	66.43	68.20	-1.77	47.93	3	Vertical	206	1.76	-	40.07	10.72	32.29

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5580MHz\_TnomVnom




EUT X\_2TX  
Setting 32  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15364G	60.00	74.00	-14.00	44.13	3	Horizontal	139	1.29	-	39.85	8.79	32.77
AV	11.16132G	47.41	54.00	-6.59	31.55	3	Horizontal	139	1.29	-	39.84	8.79	32.77
PK	16.74318G	65.97	68.20	-2.23	47.41	3	Horizontal	134	2.62	-	40.12	10.72	32.28

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1F  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	110.57	Inf	-Inf	104.99	3	Vertical	120	1.70	-	31.90	6.60	32.92
AV	5.7012G	99.99	Inf	-Inf	94.41	3	Vertical	120	1.70	-	31.90	6.60	32.92
PK	5.7264G	64.78	68.20	-3.42	59.15	3	Vertical	120	1.70	-	31.95	6.60	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1F  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7018G	113.58	Inf	-Inf	108.00	3	Horizontal	331	1.80	-	31.90	6.60	32.92
AV	5.6992G	103.83	Inf	-Inf	98.25	3	Horizontal	331	1.80	-	31.90	6.60	32.92
PK	5.7268G	67.84	68.20	-0.36	62.21	3	Horizontal	331	1.80	-	31.95	6.60	32.92

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1F  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39436G	58.34	74.00	-15.66	42.10	3	Vertical	227	1.80	-	40.19	8.85	32.80
AV	11.39404G	45.62	54.00	-8.38	29.38	3	Vertical	227	1.80	-	40.19	8.85	32.80



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

### 5700MHz\_TnomVnom




EUT X\_2TX  
Setting 1F  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39604G	59.56	74.00	-14.44	43.32	3	Horizontal	144	1.35	-	40.19	8.85	32.80
AV	11.39862G	46.53	54.00	-7.47	30.28	3	Horizontal	144	1.35	-	40.20	8.85	32.80

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2E  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	59.63	74.00	-14.37	54.29	3	Vertical	169	2.00	-	31.91	6.37	32.94
AV	5.1476G	47.44	54.00	-6.56	42.11	3	Vertical	169	2.00	-	31.90	6.37	32.94
PK	5.2736G	114.99	Inf	-Inf	110.07	3	Vertical	169	2.00	-	31.45	6.40	32.93
AV	5.2712G	105.43	Inf	-Inf	100.52	3	Vertical	169	2.00	-	31.44	6.40	32.93
PK	5.3522G	64.91	74.00	-9.09	60.12	3	Vertical	169	2.00	-	31.31	6.40	32.92
AV	5.35G	51.89	54.00	-2.11	47.11	3	Vertical	169	2.00	-	31.30	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2E  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.10	74.00	-12.90	55.76	3	Horizontal	340	1.95	-	31.91	6.37	32.94
AV	5.147G	48.60	54.00	-5.40	43.26	3	Horizontal	340	1.95	-	31.91	6.37	32.94
PK	5.2628G	117.88	Inf	-Inf	112.98	3	Horizontal	340	1.95	-	31.43	6.40	32.93
AV	5.2682G	108.61	Inf	-Inf	103.70	3	Horizontal	340	1.95	-	31.44	6.40	32.93
PK	5.3522G	67.67	74.00	-6.33	62.88	3	Horizontal	340	1.95	-	31.31	6.40	32.92
AV	5.351G	53.72	54.00	-0.28	48.93	3	Horizontal	340	1.95	-	31.31	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 2E  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81936G	62.06	74.00	-11.94	46.58	3	Vertical	188	1.00	-	37.80	10.45	32.77
AV	15.80922G	49.58	54.00	-4.42	34.11	3	Vertical	188	1.00	-	37.80	10.44	32.77

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5270MHz\_TnomVnom




EUT X\_2TX  
Setting 2E  
01-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81246G	60.97	74.00	-13.03	45.50	3	Horizontal	210	1.24	-	37.80	10.44	32.77
AV	15.81304G	48.65	54.00	-5.35	33.18	3	Horizontal	210	1.24	-	37.80	10.44	32.77

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	108.49	Inf	-Inf	103.56	3	Vertical	164	1.94	-	31.45	6.40	32.92
AV	5.3116G	99.34	Inf	-Inf	94.41	3	Vertical	164	1.94	-	31.45	6.40	32.92
PK	5.352G	66.75	74.00	-7.25	61.96	3	Vertical	164	1.94	-	31.31	6.40	32.92
AV	5.35G	50.07	54.00	-3.93	45.29	3	Vertical	164	1.94	-	31.30	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT\_X\_2TX  
Setting 23  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	112.49	Inf	-Inf	107.56	3	Horizontal	306	1.81	-	31.45	6.40	32.92
AV	5.3076G	102.81	Inf	-Inf	97.86	3	Horizontal	306	1.81	-	31.47	6.40	32.92
PK	5.3528G	70.26	74.00	-3.74	65.46	3	Horizontal	306	1.81	-	31.32	6.40	32.92
AV	5.35G	53.43	54.00	-0.57	48.65	3	Horizontal	306	1.81	-	31.30	6.40	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5766G	57.36	68.20	-10.84	42.09	3	Vertical	236	1.40	-	39.60	8.64	32.97
AV	10.6144G	45.11	54.00	-8.89	29.84	3	Vertical	236	1.40	-	39.57	8.65	32.95



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5310MHz\_TnomVnom




EUT X\_2TX  
Setting 23  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6168G	57.15	74.00	-16.85	41.88	3	Horizontal	144	1.08	-	39.57	8.65	32.95
AV	10.6292G	45.15	54.00	-8.85	29.89	3	Horizontal	144	1.08	-	39.54	8.66	32.94

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 22  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	63.02	74.00	-10.98	57.57	3	Vertical	165	2.03	-	31.90	6.46	32.91
AV	5.4588G	49.10	54.00	-4.90	43.64	3	Vertical	165	2.03	-	31.90	6.46	32.90
PK	5.4628G	64.76	68.20	-3.44	59.30	3	Vertical	165	2.03	-	31.90	6.46	32.90
PK	5.512G	110.33	Inf	-Inf	104.84	3	Vertical	165	2.03	-	31.88	6.51	32.90
AV	5.512G	100.51	Inf	-Inf	95.02	3	Vertical	165	2.03	-	31.88	6.51	32.90

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT\_X\_2TX  
Setting 22  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.14	74.00	-10.86	57.68	3	Horizontal	354	1.80	-	31.90	6.46	32.90
AV	5.4596G	50.15	54.00	-3.85	44.69	3	Horizontal	354	1.80	-	31.90	6.46	32.90
PK	5.4696G	67.80	68.20	-0.40	62.33	3	Horizontal	354	1.80	-	31.90	6.47	32.90
PK	5.512G	111.88	Inf	-Inf	106.39	3	Horizontal	354	1.80	-	31.88	6.51	32.90
AV	5.5124G	102.54	Inf	-Inf	97.05	3	Horizontal	354	1.80	-	31.88	6.51	32.90

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT X\_2TX  
Setting 22  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0032G	58.01	74.00	-15.99	41.72	3	Vertical	192	1.50	-	40.29	8.75	32.75
AV	10.9754G	45.73	54.00	-8.27	29.47	3	Vertical	192	1.50	-	40.28	8.74	32.76

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5510MHz\_TnomVnom




EUT X\_2TX  
Setting 22  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0474G	59.09	74.00	-14.91	42.98	3	Horizontal	154	1.00	-	40.11	8.76	32.76
AV	11.0268G	46.67	54.00	-7.33	30.47	3	Horizontal	154	1.00	-	40.19	8.76	32.75

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2C  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	62.13	74.00	-11.87	56.68	3	Vertical	127	2.09	-	31.90	6.46	32.91
AV	5.46G	50.67	54.00	-3.33	45.21	3	Vertical	127	2.09	-	31.90	6.46	32.90
PK	5.47G	66.39	68.20	-1.81	60.92	3	Vertical	127	2.09	-	31.90	6.47	32.90
PK	5.5458G	113.77	Inf	-Inf	108.31	3	Vertical	127	2.09	-	31.81	6.55	32.90
AV	5.5482G	103.83	Inf	-Inf	98.38	3	Vertical	127	2.09	-	31.80	6.55	32.90

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT\_X\_2TX  
Setting 2C  
01-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.44	74.00	-8.56	59.99	3	Horizontal	353	1.71	-	31.90	6.46	32.91
AV	5.4594G	53.39	54.00	-0.61	47.93	3	Horizontal	353	1.71	-	31.90	6.46	32.90
PK	5.469G	67.72	68.20	-0.48	62.25	3	Horizontal	353	1.71	-	31.90	6.47	32.90
PK	5.5518G	116.34	Inf	-Inf	110.90	3	Horizontal	353	1.71	-	31.80	6.55	32.91
AV	5.5518G	106.85	Inf	-Inf	101.41	3	Horizontal	353	1.71	-	31.80	6.55	32.91

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
Setting 2C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0646G	58.54	74.00	-15.46	42.49	3	Vertical	233	1.79	-	40.04	8.77	32.76
AV	11.0738G	46.16	54.00	-7.84	30.15	3	Vertical	233	1.79	-	40.00	8.77	32.76
PK	16.6436G	63.87	68.20	-4.33	45.90	3	Vertical	193	2.39	-	39.62	10.69	32.34



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5550MHz\_TnomVnom




EUT X\_2TX  
Setting 2C  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1116G	59.15	74.00	-14.85	43.24	3	Horizontal	142	1.28	-	39.89	8.78	32.76
AV	11.0888G	46.46	54.00	-7.54	30.51	3	Horizontal	142	1.28	-	39.94	8.77	32.76
PK	16.6054G	61.96	68.20	-6.24	44.22	3	Horizontal	325	2.14	-	39.43	10.68	32.37

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	113.08	Inf	-Inf	107.56	3	Vertical	178	2.17	-	31.84	6.60	32.92
AV	5.6684G	103.86	Inf	-Inf	98.34	3	Vertical	178	2.17	-	31.84	6.60	32.92
PK	5.7264G	67.79	68.20	-0.41	62.16	3	Vertical	178	2.17	-	31.95	6.60	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	114.21	Inf	-Inf	108.69	3	Horizontal	341	1.80	-	31.84	6.60	32.92
AV	5.6672G	103.70	Inf	-Inf	98.19	3	Horizontal	341	1.80	-	31.83	6.60	32.92
PK	5.7272G	67.95	68.20	-0.25	62.32	3	Horizontal	341	1.80	-	31.95	6.60	32.92

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3854G	58.10	74.00	-15.90	41.88	3	Vertical	296	2.13	-	40.17	8.85	32.80
AV	11.3896G	45.97	54.00	-8.03	29.74	3	Vertical	296	2.13	-	40.18	8.85	32.80

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

### 5670MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3312G	59.60	74.00	-14.40	43.50	3	Horizontal	139	1.29	-	40.06	8.83	32.79
AV	11.3414G	47.54	54.00	-6.46	31.41	3	Horizontal	139	1.29	-	40.08	8.84	32.79

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT\_X\_2TX  
Setting 1F  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1156G	58.45	74.00	-15.55	53.07	3	Vertical	183	2.14	-	31.97	6.36	32.95
AV	5.1196G	47.82	54.00	-6.18	42.45	3	Vertical	183	2.14	-	31.96	6.36	32.95
PK	5.286G	106.41	Inf	-Inf	101.47	3	Vertical	183	2.14	-	31.47	6.40	32.93
AV	5.2804G	97.94	Inf	-Inf	93.01	3	Vertical	183	2.14	-	31.46	6.40	32.93
PK	5.3508G	63.70	74.00	-10.30	58.92	3	Vertical	183	2.14	-	31.30	6.40	32.92
AV	5.3508G	53.96	54.00	-0.04	49.18	3	Vertical	183	2.14	-	31.30	6.40	32.92
PK	5.4644G	58.48	68.20	-9.72	53.02	3	Vertical	183	2.14	-	31.90	6.46	32.90

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 1F  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	58.26	74.00	-15.74	52.92	3	Horizontal	352	1.90	-	31.91	6.37	32.94
AV	5.1212G	48.25	54.00	-5.75	42.88	3	Horizontal	352	1.90	-	31.96	6.36	32.95
PK	5.286G	107.85	Inf	-Inf	102.91	3	Horizontal	352	1.90	-	31.47	6.40	32.93
AV	5.2916G	99.16	Inf	-Inf	94.21	3	Horizontal	352	1.90	-	31.48	6.40	32.93
PK	5.362G	63.26	74.00	-10.74	58.41	3	Horizontal	352	1.90	-	31.37	6.40	32.92
AV	5.3516G	53.12	54.00	-0.88	48.33	3	Horizontal	352	1.90	-	31.31	6.40	32.92
PK	5.49G	58.42	68.20	-9.78	52.93	3	Horizontal	352	1.90	-	31.90	6.49	32.90

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 1F  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8892G	59.61	74.00	-14.39	44.10	3	Vertical	20	2.99	-	37.80	10.47	32.76
AV	15.8734G	48.84	54.00	-5.16	33.34	3	Vertical	20	2.99	-	37.80	10.46	32.76



### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TnomVnom




EUT X\_2TX  
Setting 1F  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.915G	59.21	74.00	-14.79	43.71	3	Horizontal	0	1.86	-	37.78	10.47	32.75
AV	15.8862G	49.18	54.00	-4.82	33.67	3	Horizontal	0	1.86	-	37.80	10.47	32.76

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 1A  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	57.43	68.20	-10.77	52.46	3	Vertical	180	2.03	-	31.49	6.40	32.92
AV	5.35G	46.74	54.00	-7.26	41.96	3	Vertical	180	2.03	-	31.30	6.40	32.92
PK	5.439G	62.47	74.00	-11.53	57.11	3	Vertical	180	2.03	-	31.83	6.44	32.91
PK	5.47G	64.07	68.20	-4.13	58.60	3	Vertical	180	2.03	-	31.90	6.47	32.90
AV	5.458G	52.47	54.00	-1.53	47.02	3	Vertical	180	2.03	-	31.90	6.46	32.91
PK	5.522G	105.35	Inf	-Inf	99.87	3	Vertical	180	2.03	-	31.86	6.52	32.90
AV	5.527G	96.49	Inf	-Inf	91.01	3	Vertical	180	2.03	-	31.85	6.53	32.90
PK	5.736G	58.67	68.20	-9.53	53.02	3	Vertical	180	2.03	-	31.97	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 1A  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	57.34	68.20	-10.86	52.38	3	Horizontal	315	1.80	-	31.48	6.40	32.92
AV	5.35G	46.80	54.00	-7.20	42.02	3	Horizontal	315	1.80	-	31.30	6.40	32.92
PK	5.457G	64.43	74.00	-9.57	58.98	3	Horizontal	315	1.80	-	31.90	6.46	32.91
AV	5.458G	53.96	54.00	-0.04	48.51	3	Horizontal	315	1.80	-	31.90	6.46	32.91
PK	5.466G	63.53	68.20	-4.67	58.06	3	Horizontal	315	1.80	-	31.90	6.47	32.90
PK	5.523G	104.19	Inf	-Inf	98.72	3	Horizontal	315	1.80	-	31.85	6.52	32.90
AV	5.526G	95.64	Inf	-Inf	90.16	3	Horizontal	315	1.80	-	31.85	6.53	32.90
PK	5.741G	58.15	68.20	-10.05	52.49	3	Horizontal	315	1.80	-	31.98	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 1A  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.068G	58.49	74.00	-15.51	42.45	3	Vertical	339	2.92	-	40.03	8.77	32.76
AV	11.0136G	47.34	54.00	-6.66	31.09	3	Vertical	339	2.92	-	40.25	8.75	32.75

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5530MHz\_TnomVnom




EUT X\_2TX  
Setting 1A  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0498G	57.92	74.00	-16.08	41.82	3	Horizontal	360	2.38	-	40.10	8.76	32.76
AV	11.0394G	46.96	54.00	-7.04	30.81	3	Horizontal	360	2.38	-	40.14	8.76	32.75

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT\_X\_2TX  
Setting 29  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	64.62	74.00	-9.38	59.25	3	Vertical	180	2.20	-	31.84	6.44	32.91
AV	5.4484G	53.28	54.00	-0.72	47.85	3	Vertical	180	2.20	-	31.89	6.45	32.91
PK	5.4676G	65.62	68.20	-2.58	60.15	3	Vertical	180	2.20	-	31.90	6.47	32.90
PK	5.6068G	112.54	Inf	-Inf	106.96	3	Vertical	180	2.20	-	31.89	6.60	32.91
AV	5.6108G	103.41	Inf	-Inf	97.84	3	Vertical	180	2.20	-	31.88	6.60	32.91
PK	5.7308G	68.06	68.20	-0.14	62.42	3	Vertical	180	2.20	-	31.96	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	63.01	74.00	-10.99	57.56	3	Horizontal	341	1.89	-	31.90	6.46	32.91
AV	5.4572G	52.82	54.00	-1.18	47.37	3	Horizontal	341	1.89	-	31.90	6.46	32.91
PK	5.4644G	63.75	68.20	-4.45	58.29	3	Horizontal	341	1.89	-	31.90	6.46	32.90
PK	5.6116G	112.09	Inf	-Inf	106.52	3	Horizontal	341	1.89	-	31.88	6.60	32.91
AV	5.6076G	103.59	Inf	-Inf	98.02	3	Horizontal	341	1.89	-	31.88	6.60	32.91
PK	5.7252G	67.95	68.20	-0.25	62.32	3	Horizontal	341	1.89	-	31.95	6.60	32.92

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT X\_2TX  
Setting 29  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.259G	58.86	74.00	-15.14	42.91	3	Vertical	233	1.79	-	39.92	8.81	32.78
AV	11.2472G	46.90	54.00	-7.10	30.98	3	Vertical	233	1.79	-	39.89	8.81	32.78



### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom



EUT X\_2TX  
Setting 29  
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2478G	58.90	74.00	-15.10	42.97	3	Horizontal	134	1.30	-	39.90	8.81	32.78
AV	11.239G	47.28	54.00	-6.72	31.37	3	Horizontal	134	1.30	-	39.88	8.81	32.78