


Attachment 2

➤ Test Result of co-location

30MHz-1GHz Spurious

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT2.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	50.370	31.95	40.00	-8.05	37.68	-5.73	QP
2	122.635	37.47	43.50	-6.03	39.92	-2.45	QP
3	196.840	38.00	43.50	-5.50	42.93	-4.93	QP
4	263.770	39.40	46.00	-6.60	41.22	-1.82	QP
* 5	383.565	42.50	46.00	-3.50	41.01	1.49	QP
6	503.845	36.98	46.00	-9.02	33.16	3.82	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT2.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	56.675	36.70	40.00	-3.30	44.36	-7.66	QP
2	122.635	36.30	43.50	-7.20	38.75	-2.45	QP
3	215.755	36.46	43.50	-7.04	40.42	-3.96	QP
4	263.770	35.88	46.00	-10.12	37.70	-1.82	QP
5	379.685	41.90	46.00	-4.10	40.53	1.37	QP
6	562.045	34.11	46.00	-11.89	29.53	4.58	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT5.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	128.940	28.60	43.50	-14.90	31.21	-2.61	QP
2	232.730	32.90	46.00	-13.10	35.91	-3.01	QP
3	268.620	34.92	46.00	-11.08	36.66	-1.74	QP
* 4	380.170	38.79	46.00	-7.21	37.40	1.39	QP
5	509.180	31.35	46.00	-14.65	27.45	3.90	QP
6	677.475	34.31	46.00	-11.69	28.45	5.86	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT5.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
* 1	122.635	33.97	43.50	-9.53	36.42	-2.45	QP
2	240.005	34.72	46.00	-11.28	37.32	-2.60	QP
3	263.770	34.28	46.00	-11.72	36.10	-1.82	QP
4	381.625	35.58	46.00	-10.42	34.14	1.44	QP
5	432.065	35.86	46.00	-10.14	33.25	2.61	QP
6	487.355	32.00	46.00	-14.00	28.43	3.57	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT2.0+5G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	122.635	32.45	43.50	-11.05	34.90	-2.45	QP
2	263.770	36.23	46.00	-9.77	38.05	-1.82	QP
3	383.565	34.33	46.00	-11.67	32.84	1.49	QP
4	577.565	34.43	46.00	-11.57	29.65	4.78	QP
5	673.110	34.17	46.00	-11.83	28.34	5.83	QP
* 6	797.270	37.66	46.00	-8.34	30.34	7.32	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT2.0+5G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	56.675	31.42	40.00	-8.58	39.08	-7.66	QP
2	122.635	37.01	43.50	-6.49	39.46	-2.45	QP
3	191.990	36.08	43.50	-7.42	41.18	-5.10	QP
4	215.755	38.89	43.50	-4.61	42.85	-3.96	QP
5	264.255	38.59	46.00	-7.41	40.40	-1.81	QP
* 6	382.110	42.30	46.00	-3.70	40.85	1.45	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT5.0+5G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	106.145	27.05	43.50	-16.45	30.79	-3.74	QP
2	167.740	29.71	43.50	-13.79	34.38	-4.67	QP
3	240.005	36.37	46.00	-9.63	38.97	-2.60	QP
4	340.400	32.98	46.00	-13.02	32.88	0.10	QP
* 5	384.050	37.95	46.00	-8.05	36.44	1.51	QP
6	579.990	33.27	46.00	-12.73	28.46	4.81	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT5.0+5G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	122.635	31.76	43.50	-11.74	34.21	-2.45	QP
2	263.770	32.47	46.00	-13.53	34.29	-1.82	QP
3	432.065	34.99	46.00	-11.01	32.38	2.61	QP
4	467.955	34.38	46.00	-11.62	31.14	3.24	QP
5	606.665	32.92	46.00	-13.08	27.78	5.14	QP
* 6	795.330	38.43	46.00	-7.57	31.13	7.30	QP

Note:

1. All reading levels is Quasi-Peak value.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor
4. The emission under 30MHz were not included is because their levels are lower than 20dB from limit.

Harmonic & Spurious:

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT2.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	2412.500	45.06	74.00	-28.94	65.15	-20.09	PK
* 2	3437.500	52.43	74.00	-21.57	69.32	-16.89	PK
3	4850.000	45.27	74.00	-28.73	57.18	-11.91	PK
4	6500.000	46.75	74.00	-27.25	54.01	-7.26	PK
5	7425.000	51.44	74.00	-22.56	55.50	-4.06	PK
6	9337.500	51.51	74.00	-22.49	53.26	-1.75	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT2.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	2400.000	46.33	74.00	-27.67	66.49	-20.16	PK
2	3450.000	44.05	74.00	-29.95	60.92	-16.87	PK
3	4925.000	44.97	74.00	-29.03	56.67	-11.70	PK
4	6125.000	45.60	74.00	-28.40	54.68	-9.08	PK
5	7500.000	51.19	74.00	-22.81	55.03	-3.84	PK
* 6	8537.500	51.26	74.00	-22.74	53.88	-2.62	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT5.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	2412.500	41.98	74.00	-32.02	62.07	-20.09	PK
2	3437.500	44.39	74.00	-29.61	61.28	-16.89	PK
3	4750.000	45.45	74.00	-28.55	57.64	-12.19	PK
4	5450.000	45.76	74.00	-28.24	56.53	-10.77	PK
5	7150.000	47.79	74.00	-26.21	52.64	-4.85	PK
* 6	8837.500	50.22	74.00	-23.78	52.76	-2.54	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band4+BT5.0+2.4G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	1550.000	43.80	74.00	-30.20	67.88	-24.08	PK
2	3100.000	42.02	74.00	-31.98	59.41	-17.39	PK
3	3887.500	47.57	74.00	-26.43	63.07	-15.50	PK
4	5187.500	46.34	74.00	-27.66	57.53	-11.19	PK
5	7137.500	46.74	74.00	-27.26	51.63	-4.89	PK
* 6	7975.000	51.36	74.00	-22.64	54.85	-3.49	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT2.0+5G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	1325.000	44.61	74.00	-29.39	69.80	-25.19	PK
2	2550.000	46.30	74.00	-27.70	65.75	-19.45	PK
* 3	3887.500	51.50	74.00	-22.50	67.00	-15.50	PK
4	5162.500	50.57	74.00	-23.43	61.80	-11.23	PK
5	6425.000	47.79	74.00	-26.21	55.42	-7.63	PK
6	7150.000	49.30	74.00	-24.70	54.15	-4.85	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT2.0+5G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	1325.000	46.47	74.00	-27.53	71.66	-25.19	PK
* 2	2325.000	52.32	74.00	-21.68	72.87	-20.55	PK
3	3887.500	47.73	74.00	-26.27	63.23	-15.50	PK
4	5162.500	46.41	74.00	-27.59	57.64	-11.23	PK
5	6737.500	49.34	74.00	-24.66	55.66	-6.32	PK
6	8050.000	50.25	74.00	-23.75	53.64	-3.39	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Horizontal	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT5.0+5G	Humidity (%RH)	66.0




No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	1550.000	44.56	74.00	-29.44	68.64	-24.08	PK
2	2625.000	45.65	74.00	-28.35	64.78	-19.13	PK
3	3887.500	51.42	74.00	-22.58	66.92	-15.50	PK
4	5162.500	50.08	74.00	-23.92	61.31	-11.23	PK
5	6675.000	47.51	74.00	-26.49	54.08	-6.57	PK
* 6	7850.000	52.08	74.00	-21.92	55.66	-3.58	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.

Model No	LVD1	Site	CB2-H
Test Voltage	AC 120V/60Hz	Test Date	2021/5/25
Test Mode	Transmit	Engineer	Scott Chang
Polarity	Vertical	Temperature (°C)	24.0
Test Condition	Cat M1,Band13+BT5.0+5G	Humidity (%RH)	66.0



No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Reading Level (dBuV)	Correct Factor (dB)	Detector Type
1	1325.000	46.47	74.00	-27.53	71.66	-25.19	PK
* 2	2325.000	52.32	74.00	-21.68	72.87	-20.55	PK
3	3887.500	47.73	74.00	-26.27	63.23	-15.50	PK
4	5162.500	46.41	74.00	-27.59	57.64	-11.23	PK
5	6737.500	49.34	74.00	-24.66	55.66	-6.32	PK
6	8212.500	51.29	74.00	-22.71	54.39	-3.10	PK

Note:

1. All reading above 1GHz is performed with peak and/or average measurements as necessary.
2. “ * ”, means this data is the worst value.
3. Emission Level = Reading Level + Correct Factor.
4. The average measurement was not performed when the peak measured data under the limit of average detection.
5. The emission above 13GHz were not included is because their levels are lower than 20dB form limit.